Tab

2.ANAM-USAPHC(Prov) Atr

Column Definitions

Column	Name
Α	Source
В	SourceTabOrd
С	SourceTable
D	SourceFieldOrd
Е	FieldName
F	PII/HIPAA Sensitive
G	Army STARRS (or USAPHC(Prov)) Approval
Н	Army STARRS (or USAPHC(Prov)) SP2Delta
I	FieldType
J	Nullability
K	Primary Key
L	Title
М	Desc
N	Values
0	Notes
Р	FDM Comments
Q	ADS Comment
R	Code Table Reference

This tab, 1.Cover Letter, describes the information in tab 2 of this document.

Description

Report on the attributes available for selection. Explaination of the report column heads appears below, titled Column Definitions.

Description

Name of Data Source

Ordinal Position of Table in Data Dictionary received from Source System-used internally

Name of the Table from which the data element is extracted from Source System

Ordinal Position of the data element in a Table in the Source System Data Dictionary-used internally

Name of the data element (please use the literal format as in the column)

Please note YES, NO or DI (De-Identification)for the element PII or HIPAA sensitivity. If the element is PII or HIPAA sensitiv will be de-identified, enter DI. A blank enter will be considered the same as a NO.

User has accepted this as a valid element for their use-drop down list-Yes or No

Date the data element requested in Spiral-2. This will help in revising your existing extract routines

This is the data type.

This is the Nullability condition

Indicator if data element is a primary key (PK) or foreign key (FK) in this table

Data Element Name

Dictionary meaning of the data element and enumerated values if applicable

Information on values the element may have

Notes concerning the element

Please add any comments that will help us understand the output extract.

Please add any comments on authoritativeness

Reference to code table.

SourceTable	Source Field Ord	FieldName	PII/HIPAA Sensitive	Army STARRS Approval	Army STARRS SP2Delta	FieldType	Nullability	Primary Key	Title
Schedule_Linkage	1	ID	DI	Yes		NUMERIC(9)	No	PK	SSN
Schedule_Linkage	2	SessionNbr		Yes		CHAR	No	PK	Session number
Schedule_Linkage	3	DateOfSession		Yes		DATE	No	PK	Date of session
DEMOGTBI(sub)	1	ID	DI	Yes		NUMERIC(9)	No	PK	SSN
DEMOGTBI(sub)	2	SessionNbr		Yes		CHAR	No	PK	Session number
DEMOGTBI(sub)	3	FileExt		Yes		CHAR(3)	No		File extension
DEMOGTBI(sub)	4	DateOfSession		Yes		DATE	No	PK	Date of session
DEMOGTBI(sub)	5	RunNum		Yes		CHAR(1)	Yes		Run number
DEMOGTBI(sub)	6	Module		Yes		CHAR	No		Module name
DEMOGTBI(sub)	7	Name	Yes	Yes		CHAR	Yes		Full name
DEMOGTBI(sub)	8	BattAdmin		Yes		CHAR	No		Battery Name
DEMOGTBI(sub)	9	Age		Yes		NUMERIC(2)	No		Age (years)
DEMOGTBI(sub)	10	Sex		Yes		CHAR(1)	No		Gender
DEMOGTBI(sub)	11	Race		Yes			Yes		Race/Ethnicity
DEMOGTBI(sub)	12	Occu		Yes			Yes		Occupation
DEMOGTBI(sub)	13	EduYears		Yes			Yes		Education
DEMOGTBI(sub)	14	DiagCode1		Yes			Yes		Diagnosis Code 1
DEMOGTBI(sub)	15	DiagCode2		Yes			Yes		Diagnosis Code 2
DEMOGTBI(sub)	16	Meds		Yes			Yes		Medications
DEMOGTBI(sub)	17	Other1	Yes	Yes			Yes		Comment 1
DEMOGTBI(sub)	18	Other2	Yes	Yes			Yes		Comment 2
DEMOGTBI(sub)	19	Other3	Yes	Yes			Yes		Comment 3
DEMOGTBI(sub)	20	Hand	165	Yes			Yes		Hand used
DEMOGTBI(sub)	21	Location		Yes			Yes		Location
DEMOGTBI(sub)	22	Project		Yes			Yes		Project name
DEMOGTBI(sub)	23	tbdLastName	Yes	Yes		CHAR	Yes		Last name
DEMOGTBI(sub)	24	tbdFirstName	Yes	Yes		CHAR	Yes		First name
DEMOGTBI(sub)	25	tbdMidInitial	Yes	Yes		CHAR	Yes		Middle initial
DEMOGTBI(sub)	26	tbdDOB	Yes	Yes		DATE	No		Date of birth
DEMOGTBI(sub)	27	tbdService	ies	Yes		CHAR	Yes		Service
DEMOGTBI(sub)	28	tbdStatus		Yes		CHAR	Yes		Status
DEMOGTBI(sub)	29		DI	Yes		CHAR	Yes		Pay grade
DEMOGTBI(sub)	30	tbdPayGrade tbdMOS	ы	Yes		CHAR	Yes		, •
DEMOGTBI(sub)	31	tbdUIC	DI	Yes		CHAR(6)	Yes		Military Occupational Specialty Unit Identification Code
			ы			CHAR(O)			Reason for assessment
DEMOGTBI(sub)	32 33	tbdReason		Yes Yes		CHAR	Yes Yes		
DEMOGTBI(sub)		tbdOperation	Vac						Operation
DEMOGTBI(sub)	34	tbdDepUnit	Yes Yes	Yes		CHAR(6)	Yes		Deploying Unit
DEMOGTBI(sub)	35	tbdDepLoc tbdMobStat	res	Yes		CHAR	Yes		Mahilization Station
DEMOGTBI(sub)	36			Yes		СПАК	Yes		Mobilization Station
DEMOGTBI(sub)	37 38	tbdMobDate tbdStreet	Voc	Yes		CHAR	Yes		Street address
DEMOGTBI(sub)	39		Yes	Yes Yes		CHAR	Yes Yes		
DEMOGTBI(sub)		tbdCity							City address
DEMOGTBI(sub)	40	tbdState	Voc	Yes		CHAR(2)	Yes		State address ZIP Code
DEMOGTBI(sub)	41	tbdZIP	Yes	Yes		NUMERIC(5)	Yes		
DEMOGTBI(sub)	42	tbdPhone1	Yes	Yes		CHAR	Yes		Phone 1
DEMOGTBI(sub)	43	tbdPhoneAlt	Yes	Yes		CHAR	Yes		Phone alternate
DEMOGTBI(sub)	44	tbdHrsSleep	V	Yes		CHAD	Yes		David.
DEMOGTBI(sub)	45	tbdRank	Yes	Yes		CHAR	Yes		Rank
DEMOGTBI(sub)	46 47	tbdSetting tbdStreet2	Voc	Yes		CHAR	Yes		Setting
DEMOGTBI(sub)			Yes	Yes			Yes		
DEMOGTBI(sub)	48	tbdCity2	Vas	Yes			Yes		
DEMOGTBI(sub)	49 50	tbdState2	Yes	Yes			Yes Yes		
DEMOGTBI(sub)	50 51	tbdZip2 tbdPhone2	Yes Yes	Yes Yes			Yes		
DEMOGTBI(sub)	52		res						
DEMOGTBI(sub)	53	tbdPhone2Alt tbdCurUnit	Yes	Yes Yes		CHAR	Yes Yes		Current Unit
DEMOGTBI(sub)									
DEMOGTBI(sub) DEMOGTBI(sub)	54 55	tbdUnitPhone tbdAddressType	Yes	Yes Yes		CHAR NUMERIC(1)	Yes Yes		Unit Phone Address type
TBIQUEST(tbq)	1	ID	DI	Yes		NUMERIC(9)	No	PK	SSN
TBIQUEST(tbq)	2	SessionNbr	DI .	Yes		CHAR	No	PK	Session number
TBIQUEST(tbq)	3	FileExt		Yes		CHAR(3)	No	110	File extension
TBIQUEST(tbq)	4	DateOfSession		Yes		DATE	No	PK	Date of session
TBIQUEST(tbq)	5	RunNum		Yes		CHAR(1)	Yes	110	Run number
TBIQUEST(tbq)	6	Module		Yes		CHAR	No		Module name
TBIQUEST(tbq)	7	Vehicular		Yes		NUMERIC(1)	No		Vehicle accident
TBIQUEST(tbq)	8	Fragment		Yes		NUMERIC(1)	No		Fragment wound
. DigoEst(thq)	U			103		. IOI-ILNIC(1)	110		

TBIQUEST(tbq)	9	Bullets		Yes	NUMERIC(1)	No		Bullet wound
TBIQUEST(tbq)	10	Blast		Yes	NUMERIC(1)	No		Blast injury
TBIQUEST(tbq)	11	Fall		Yes	NUMERIC(1)	No		Fall injury
TBIQUEST(tbq)	12	Sports		Yes	NUMERIC(1)	No		Sports accident
TBIQUEST(tbq)	13	Fight		Yes	NUMERIC(1)	No		Fight incident
TBIQUEST(tbq)	14	Otherblow		Yes	NUMERIC(1)	No		Other blow
TBIQUEST(tbq)	15	HeadInj		Yes	NUMERIC(1)	No		Head injury
TBIQUEST(tbq)	16	SympConc		Yes	NUMERIC(1)	No		Concussion symptoms
TBIQUEST(tbq)	17	UncGt20		Yes	NUMERIC(1)	No		Unconscious >20
TBIQUEST(tbq)	18	Unc1to20		Yes	NUMERIC(1)	No		Unconscious 1-20
TBIQUEST(tbq)	19	Unc1min		Yes	NUMERIC(1)	No		Unconscious <1
TBIQUEST(tbq)	20	Dazed		Yes	NUMERIC(1)	No		Dazed
TBIQUEST(tbq)	21	NotRemembering		Yes	NUMERIC(1)	No		Did not remember
TBIQUEST(tbq)	22	OtherSymp		Yes	NUMERIC(1)	No		Other symptoms
TBIQUEST(tbq)	23	BleedEar		Yes	NUMERIC(1)	No		Bleeding ears
TBIQUEST(tbg)	24	HEADACHERightAfterInj		Yes	NUMERIC(1)	No		Headache at injury
TBIQUEST(tbq)	25	HEADACHENowAtRest		Yes	NUMERIC(1)	No		Headache now at rest
TBIQUEST(tbq)	26	HEADACHENowAfterExert		Yes	NUMERIC(1)	No		Headache now exertion
TBIQUEST(tbq)	27	NAUSEARightAfterInj		Yes	NUMERIC(1)	No		Nausea at injury
TBIQUEST(tbq)	28	NAUSEANowAtRest		Yes	NUMERIC(1)	No		
	29							Nausea now at rest
TBIQUEST(tbq)		NAUSEANowAfterExert		Yes	NUMERIC(1)	No		Nausea now exertion
TBIQUEST(tbq)	30	MEMORYLAPSERightAfterInj		Yes	NUMERIC(1)	No		Memory prob at injury
TBIQUEST(tbq)	31	MEMORYLAPSENowAtRest		Yes	NUMERIC(1)	No		Memory prob now at rest
TBIQUEST(tbq)	32	MEMORYLAPSENowAfterExert		Yes	NUMERIC(1)	No		Memory prob now exertion
TBIQUEST(tbq)	33	BALANCEPROBRightAfterInj		Yes	NUMERIC(1)	No		Balance prob at injury
TBIQUEST(tbq)	34	BALANCEPROBNowAtRest		Yes	NUMERIC(1)	No		Balance prob now at rest
TBIQUEST(tbq)	35	BALANCEPROBNowAfterExert		Yes	NUMERIC(1)	No		Balance prob now exertion
TBIQUEST(tbq)	36	EARRINGINGRightAfterInj		Yes	NUMERIC(1)	No		Ear ringing at injury
TBIQUEST(tbq)	37	EARRINGINGNowAtRest		Yes	NUMERIC(1)	No		Ear ringing now at rest
TBIQUEST(tbq)	38	EARRINGINGNowAfterExert		Yes	NUMERIC(1)	No		Ear ringing now exertion
TBIQUEST(tbq)	39	SENSTOLIGHTRightAfterInj		Yes	NUMERIC(1)	No		Light sensitivity at injury
TBIQUEST(tbq)	40	SENSTOLIGHTNowAtRest		Yes	NUMERIC(1)	No		Light sensitivity now at rest
TBIQUEST(tbg)	41	SENSTOLIGHTNowAfterExert		Yes	NUMERIC(1)	No		Light sensitivity now exertion
TBIQUEST(tbq)	42	IRRITABLERightAfterInj		Yes	NUMERIC(1)	No		Irritable at injury
TBIQUEST(tbq)	43	IRRITABLENowAtRest		Yes	NUMERIC(1)	No		Irritable now at rest
TBIQUEST(tbq)	44	IRRITABLENOWAfterExert		Yes	NUMERIC(1)	No		Irritable now exertion
	45							
TBIQUEST(tbq)		SLEEPPROBRIghtAfterInj		Yes	NUMERIC(1)	No		Sleep prob at injury
TBIQUEST(tbq)	46	SLEEPPROBNOWATREST		Yes	NUMERIC(1)	No		Sleep prob now at rest
TBIQUEST(tbq)	47	SLEEPPROBNowAfterExert		Yes	NUMERIC(1)	No		Sleep prob now exertion
TBIQUEST(tbq)	48	OTHERSYMPRightAfterInj		Yes	NUMERIC(1)	No		Other prob at injury
TBIQUEST(tbq)	49	OTHERSYMPNowAtRest		Yes	NUMERIC(1)	No		Other prob now at rest
TBIQUEST(tbq)	50	OTHERSYMPNowAfterExert		Yes	NUMERIC(1)	No		Other prob now exertion
TBIQUEST(tbq)	51	Mace1_Date		Yes	DATE	Yes		First MACE date
TBIQUEST(tbq)	52	Mace1_Score		Yes	NUMERIC(2)	Yes		First MACE score
TBIQUEST(tbq)	53	Mace2_Date		Yes	DATE	Yes		Second MACE date
TBIQUEST(tbq)	54	Mace2_Score		Yes	NUMERIC(2)	Yes		Second MACE score
TBIQUEST(tbq)	55	Mace3_Date		Yes	DATE	Yes		Third MACE date
TBIQUEST(tbq)	56	Mace3_Score		Yes	NUMERIC(2)	Yes		Third MACE score
TBIQUEST(tbq)	57	Interval		Yes	CHAR	Yes		Injury time interval
TBIQUEST(tbq)	58	Comment1	Yes	Yes	CHAR	Yes		Comment field
TBIQUEST(tbq)	59	Comment2	Yes	Yes	CHAR	Yes		Comment field
SLEEPSC(slp)	1	ID	DI	Yes	NUMERIC(9)	No	PK	SSN
SLEEPSC(slp)	2	SessionNbr	5.	Yes	CHAR	No	PK	Session number
SLEEPSC(slp)	3	FileExt		Yes	CHAR(3)	No	• • • • • • • • • • • • • • • • • • • •	File extension
SLEEPSC(slp)	4	DateOfSession		Yes	DATE	No	PK	Date of session
SLEEPSC(slp)	5	RunNum		Yes		Yes	FK	Run number
					CHAR(1)			
SLEEPSC(slp)	6	Module		Yes	CHAR	No		Module name
SLEEPSC(slp)	7	SubjResp		Yes	NUMERIC(1)	Yes		Session number
SLEEPSC(slp)	8	RI		Yes	NUMERIC(5)	Yes		Response time
MOOD(moo)	1	ID	DI	Yes	NUMERIC(9)	No	PK	SSN
MOOD(moo)	2	SessionNbr		Yes	CHAR	No	PK	Session number
MOOD(moo)	3	FileExt		Yes	CHAR(3)	No		File extension
MOOD(moo)	4	DateOfSession		Yes	DATE	No	PK	Date of session
MOOD(moo)	5	RunNum		Yes	CHAR(1)	Yes		Run number
MOOD(moo)-Vigor	6	CategoryVigor		Yes	CHAR	No		Vigor category
MOOD(moo)-Vigor	7	VIG_NumAdjCat		Yes	NUMERIC(1)	Yes		Vigor number of adjectives
MOOD(moo)-Vigor	8	VIG_SumAdjCat		Yes	NUMERIC(2)	Yes		Sum of adjective ratings
MOOD(moo)-Vigor	9	VIG_MeanAdjCat		Yes	NUMERIC	Yes		Mean of adjective ratings
MOOD(moo)-Vigor	10	VIG_PercAdjCat		Yes	NUMERIC	Yes		Score for Vigor
MOOD(moo)-Vigor	11	VIG_MeanRTAdjCat		Yes	NUMERIC	Yes		Mean RT for Vigor
. , 3								ĕ

MOOD(moo)-Restlessness	12	CategoryRestlessness		Yes	CHAR	No		Restlessness category
MOOD(moo)-Restlessness	13	RES_NumAdjCat		Yes	NUMERIC(1) Yes		Restlessness number of adjectives
MOOD(moo)-Restlessness	14	RES_SumAdjCat		Yes	NUMERIC(2	•		Sum of adjective ratings
MOOD(moo)-Restlessness	15	RES_MeanAdjCat		Yes	NUMERIC	Yes		Mean of adjective ratings
MOOD(moo)-Restlessness	16	RES_PercAdjCat		Yes	NUMERIC	Yes		Score for Restlessness
MOOD(moo)-Restlessness MOOD(moo)-Depression	17	RES_MeanRTAdjCat		Yes	NUMERIC	Yes		Mean RT for Restlessness
MOOD(moo)-Depression	18 19	CategoryDepression		Yes	CHAR NUMERIC(1	No Voc		Depression category Depression number of adjectives
MOOD(moo)-Depression	20	DEP_NumAdjCat DEP_SumAdjCat		Yes Yes	NUMERIC(1			Sum of adjective ratings
MOOD(moo)-Depression	21	DEP_MeanAdjCat		Yes	NUMERIC	Yes		Mean of adjective ratings
MOOD(moo)-Depression	22	DEP_PercAdjCat		Yes	NUMERIC	Yes		Score for Depression
MOOD(moo)-Depression	23	DEP_MeanRTAdjCat		Yes	NUMERIC	Yes		Mean RT for Depression
MOOD(moo)-Anger	24	CategoryAnger		Yes	CHAR	No		Anger category
MOOD(moo)-Anger	25	ANG_NumAdjCat		Yes	NUMERIC(1	.) Yes		Anger number of adjectives
MOOD(moo)-Anger	26	ANG_SumAdjCat		Yes	NUMERIC(2	?) Yes		Sum of adjective ratings
MOOD(moo)-Anger	27	ANG_MeanAdjCat		Yes	NUMERIC	Yes		Mean of adjective ratings
MOOD(moo)-Anger	28	ANG_PercAdjCat		Yes	NUMERIC	Yes		Score for Anger
MOOD(moo)-Anger	29	ANG_MeanRTAdjCat		Yes	NUMERIC	Yes		Mean RT for Anger
MOOD(moo)-Fatigue	30	CategoryFatigue		Yes	CHAR	No		Fatigue category
MOOD(moo)-Fatigue	31	FAT_NumAdjCat		Yes	NUMERIC(1			Fatigue number of adjectives
MOOD(moo)-Fatigue MOOD(moo)-Fatigue	32 33	FAT_SumAdjCat FAT_MeanAdjCat		Yes Yes	NUMERIC(2 NUMERIC	?) Yes Yes		Sum of adjective ratings Mean of adjective ratings
MOOD(moo)-Fatigue	34	FAT_PercAdjCat		Yes	NUMERIC	Yes		Score for Fatigue
MOOD(moo)-Fatigue	35	FAT_MeanRTAdjCat		Yes	NUMERIC	Yes		Mean RT for Fatigue
MOOD(moo)-Anxiety	36	CategoryAnxiety		Yes	CHAR	No		Anxiety category
MOOD(moo)-Anxiety	37	ANX_NumAdjCat		Yes	NUMERIC(1			Anxiety number of adjectives
MOOD(moo)-Anxiety	38	ANX_SumAdjCat		Yes	NUMERIC(2	2) Yes		Sum of adjective ratings
MOOD(moo)-Anxiety	39	ANX_MeanAdjCat		Yes	NUMERIC	Yes		Mean of adjective ratings
MOOD(moo)-Anxiety	40	ANX_PercAdjCat		Yes	NUMERIC	Yes		Score for Anxiety
MOOD(moo)-Anxiety	41	ANX_MeanRTAdjCat		Yes	NUMERIC	Yes		Mean RT for Anxiety
MOOD(moo)-Happiness	42	CategoryHappiness		Yes	CHAR	No		Happiness category
MOOD(moo)-Happiness	43	HAP_NumAdjCat		Yes	NUMERIC(1			Happiness number of adjectives
MOOD(moo)-Happiness	44	HAP_SumAdjCat		Yes	NUMERIC(2	•		Sum of adjective ratings
MOOD(moo)-Happiness MOOD(moo)-Happiness	45	HAP_MeanAdjCat		Yes	NUMERIC	Yes		Mean of adjective ratings
MOOD(moo)-Happiness MOOD(moo)-Happiness	46 47	HAP_PercAdjCat HAP_MeanRTAdjCat		Yes Yes	NUMERIC NUMERIC	Yes Yes		Score for Happiness Mean RT for Happiness
MOOD(moo)	48	MedRT		Yes	NUMERIC	Yes		Median Response Time
MOOD(moo)	49	MeanRT		Yes	NUMERIC	Yes		Mean Response Time
MOOD(moo)	50	StDevRT		Yes	NUMERIC	Yes		Standard deviation RT
SIMPLERT(srt)	1	ID	DI	Yes	NUMERIC(9		PK	SSN
SIMPLERT(srt)	2	SessionNbr		Yes	CHAR	No	PK	Session number
SIMPLERT(srt)	3	FileExt		Yes	CHAR(3)	No		File extension
SIMPLERT(srt)	4	DateOfSession		Yes	DATE	No	PK	Date of session
SIMPLERT(srt)	5	RunNum		Yes	CHAR(1)	Yes		Run number
SIMPLERT(srt)	6	Module		Yes	CHAR	No		Module name
SIMPLERT(srt)	7	MeanRTCorr		Yes	NUMERIC	Yes		Mean RT for correct
SIMPLERT(srt)	8 9	StDevRTCorr		Yes	NUMERIC	Yes		Standard Deviation RT correct
SIMPLERT(srt) SIMPLERT(srt)	10	NumTrials NumCorr		Yes Yes	NUMERIC NUMERIC	Yes Yes		Number of trials Number correct
SIMPLERT(srt)	11	Numinc		Yes	NUMERIC	Yes		Number incorrect
SIMPLERT(srt)	12	NumLapse		Yes	NUMERIC	Yes		Number of lapses
								·
SIMPLERT(srt)	13	PercCorr		Yes	NUMERIC	Yes		Percentage correct
CINADI EDT/	4.4	Daniel anna		V	NUMERIC	V		Danasata a of laures
SIMPLERT(srt)	14	PercLapse		Yes	NUMERIC	Yes		Percentage of lapses
SIMPLERT(srt)	15	Speed		Yes	NUMERIC	Yes		Speed
SIMPLERT(srt)	16	LegacyThru		Yes	NUMERIC	Yes		Legacy thruput
SIMPLERT(srt)	17	MinRTCorr		Yes	NUMERIC	Yes		Min RT for correct
SIMPLERT(srt)	18	MaxRTCorr		Yes	NUMERIC	Yes		Max RT for correct
SIMPLERT(srt)	19	MinRT		Yes	NUMERIC	Yes		Minimum RT
SIMPLERT(srt)	20	MaxRT		Yes	NUMERIC	Yes		Maximum RT
SIMPLERT(srt) SIMPLERT(srt)	21 22	NumBad MedRTCorr		Yes Yes	NUMERIC NUMERIC	Yes Yes		Number of bad responses Median RT for correct
SIMPLERT(srt)	23	MedRT		Yes	NUMERIC	Yes		Median RT
SIMPLERT(srt)	24	MeanRT		Yes	NUMERIC	Yes		Mean Response Time
SIMPLERT(srt)	25	StDevRT		Yes	NUMERIC	Yes		Standard deviation RT
SIMPLERT(srt)	26	Throughput		Yes	NUMERIC	Yes		Throughput
CODESUB(cds)	1	ID	DI	Yes	NUMERIC(9) No	PK	SSN
CODESUB(cds)	2	SessionNbr		Yes	CHAR	No	PK	Session number

CODECUD(ada)	2	FileFut		Vac	CLIAD(2)	No		File autonoion
CODESUB(cds)	3	FileExt		Yes	CHAR(3)	No	DI	File extension
CODESUB(cds)	4	DateOfSession		Yes	DATE	No	PK	Date of session
CODESUB(cds)	5	RunNum		Yes	CHAR(1)	Yes		Run number
CODESUB(cds)	6	Module		Yes	CHAR	No		Module name
CODESUB(cds)	7	Complete		Yes	CHAR(1)	Yes		Complete
CODESUB(cds)	8	NumTrials		Yes	NUMERIC	Yes		Number of trials
	9	NumCorr						
CODESUB(cds)				Yes	NUMERIC	Yes		Number correct
CODESUB(cds)	10	MeanRT		Yes	NUMERIC	Yes		Mean Response Time
CODESUB(cds)	11	StDevRT		Yes	NUMERIC	Yes		Standard deviation RT
CODESUB(cds)	12	MedRT		Yes	NUMERIC	Yes		Median RT
CODESUB(cds)	13	MeanRTCorr		Yes	NUMERIC	Yes		Mean RT for correct
CODESUB(cds)	14	StDevRTCorr		Yes	NUMERIC	Yes		Standard Deviation RT correct
CODESUB(cds)	15	MedRTCorr		Yes	NUMERIC	Yes		Median RT for correct
CODESUB(cds)	16	MeanRTInc		Yes	NUMERIC	Yes		Mean RT for incorrect
CODESUB(cds)	17	StDevRTInc		Yes	NUMERIC	Yes		Standard Deviation RT incorrect
CODESUB(cds)	18	MedRTInc		Yes	NUMERIC	Yes		Median RT for incorrect
CODESUB(cds)	19	NumRemind		Yes	NUMERIC	Yes		Number of reminders
CODESUB(cds)	20	Speed		Yes	NUMERIC	Yes		Speed
CODESUB(cds)	21	LegacyThru		Yes	NUMERIC	Yes		Legacy thruput
CODESUB(cds)	22	NumLapse		Yes	NUMERIC	Yes		Number of lapses
CODESUB(cds)	23	NumBad		Yes	NUMERIC	Yes		Number of bad responses
, ,								•
CODESUB(cds)	24	Throughput		Yes	NUMERIC	Yes		Throughput
CODESUB(cds)	25	Symbols		Yes	CHAR	Yes		Symbols
CODECI ID(-1-)	0/	PC		V	NUMERIC	V		D
CODESUB(cds)	26	PercCorr		Yes	NUMERIC	Yes		Percentage correct
CODESUB(cds)	27	Numinc		Yes	NUMERIC	Yes		Number incorrect
			DI				DI	
PROCRT(pro)	1	ID	DI	Yes	NUMERIC(9)	No	PK	SSN
PROCRT(pro)	2	SessionNbr		Yes	CHAR	No	PK	Session number
PROCRT(pro)	3	FileExt		Yes	CHAR(3)	No		File extension
PROCRT(pro)	4	DateOfSession		Yes	DATE	No	PK	Date of session
PROCRT(pro)	5	RunNum		Yes	CHAR(1)	Yes		Run number
PROCRT(pro)	6	Module		Yes	CHAR	No		Module name
PROCRT(pro)	7	BlkTitle		Yes	CHAR	Yes		Block title
PROCRT(pro)	8	BlkNum		Yes	NUMERIC(1)	Yes		Block number
PROCRT(pro)	9	MeanRTCorr		Yes	NUMERIC	Yes		Mean RT for correct
PROCRT(pro)	10	StDevRTCorr		Yes	NUMERIC	Yes		Standard Deviation RT correct
PROCRT(pro)	11	NumTrials		Yes	NUMERIC	Yes		Number of trials
PROCRT(pro)	12	NumCorr		Yes	NUMERIC	Yes		Number correct
PROCRT(pro)	13	Numlnc		Yes	NUMERIC	Yes		Number incorrect
PROCRT(pro)	14	NumLapse		Yes	NUMERIC	Yes		Number of lapses
PROCRT(pro)	15	PercCorr		Yes	NUMERIC	Yes		Percentage correct
PROCRT(pro)	16	Percinc		Yes	NUMERIC	Yes		Percentage incorrect
•								•
DDOCDT/pro)	17	Developee		Vac	NUMERIC	Voc		Daveantage of lances
PROCRT(pro)	17	PercLapse		Yes	NUMERIC	Yes		Percentage of lapses
PROCRT(pro)	18	Speed		Yes	NUMERIC	Yes		Speed
PROCRT(pro)	19	LegacyThru		Yes	NUMERIC	Yes		
								Legacy thruput
PROCRT(pro)	20	NumBad		Yes	NUMERIC	Yes		Number of bad responses
PROCRT(pro)	21	MedRTCorr		Yes	NUMERIC	Yes		Median RT for correct
PROCRT(pro)	22	MeanRT		Yes	NUMERIC	Yes		Mean Response Time
PROCRT(pro)	23	MedRT		Yes	NUMERIC	Yes		Median RT
PROCRT(pro)	24	StDevRT		Yes	NUMERIC	Yes		Standard deviation RT
PROCKT(plo)	24	SIDEVKI		165	NOMERIC	165		Standard deviation K1
PROCRT(pro)	25	Throughput		Yes	NUMERIC	Yes		Throughput
								8
MATH(mth)	1	ID	DI	Yes	NUMERIC(9)	No	PK	SSN
MATH(mth)	2	SessionNbr		Yes	CHAR	No	PK	Session number
MATH(mth)	3	FileExt		Yes	CHAR(3)	No		File extension
							PK	
MATH(mth)	4	DateOfSession		Yes	DATE	No	PK	Date of session
MATH(mth)	5	RunNum		Yes	CHAR(1)	Yes		Run number
MATH(mth)	6	Module		Yes	CHAR	No		Module name
MATH(mth)	7	Complete		Yes	CHAR(1)	Yes		Complete
MATH(mth)	8	MeanRTCorr		Yes	NUMERIC	Yes		Mean RT for correct
MATH(mth)		StDevRTCorr			NUMERIC			
	9			Yes		Yes		Standard Deviation RT correct
MATH(mth)	10	MeanRTCorrGreat		Yes	NUMERIC	Yes		Mean RT for correct >5
MATH(mth)	11	StDevRTCorrGreat		Yes	NUMERIC	Yes		Standard Deviation RT correct >5
MATH(mth)	12	MeanRTCorrLess		Yes	NUMERIC	Yes		Mean RT for correct <5
MATH(mth)	13	StDevRTCorrLess		Yes	NUMERIC	Yes		Standard Deviation RT correct <5
MATH(mth)	14	MeanRTInc		Yes	NUMERIC	Yes		Mean RT for incorrect
· · · · · · · · · · · · · · · · · · ·	1-4	canttine			TOTALLING			

MAATII/math)	15	C+DevPTIne		Vac	NUMERIC	Voc		Standard Daviation DT incorrect
MATH(mth)	15	StDevRTInc		Yes	NUMERIC	Yes		Standard Deviation RT incorrect
MATH(mth)	16	MeanRTIncGreat		Yes	NUMERIC	Yes		Mean RT for incorrect >5
MATH(mth)	17	StDevRTIncGreat		Yes	NUMERIC	Yes		Standard Deviation RT incorrect >5
MATH(mth)	18	MeanRTIncLess		Yes	NUMERIC	Yes		Mean RT for incorrect <5
MATH(mth)	19	StDevRTIncLess		Yes	NUMERIC	Yes		Standard Deviation RT incorrect <5
MATH(mth)	20	NumTrials		Yes	NUMERIC	Yes		Number of trials
MATH(mth)	21	NumTrialsGreat		Yes	NUMERIC	Yes		Number of trials >5
MATH(mth)	22	NumTrialsLess		Yes	NUMERIC	Yes		Number of trials <5
MATH(mth)	23	NumCorr		Yes	NUMERIC	Yes		Number correct
	24							
MATH(mth)		Numlnc		Yes	NUMERIC	Yes		Number incorrect
MATH(mth)	25	NumCorrGreat		Yes	NUMERIC	Yes		Number correct >5
MATH(mth)	26	NumIncGreat		Yes	NUMERIC	Yes		Number incorrect >5
MATH(mth)	27	NumLapseGreat		Yes	NUMERIC	Yes		Number of lapses >5
MATH(mth)	28	NumCorrLess		Yes	NUMERIC	Yes		Number correct <5
MATH(mth)	29	NumIncLess		Yes	NUMERIC	Yes		Number incorrect <5
MATH(mth)	30	NumLapseLess		Yes	NUMERIC	Yes		Number of lapses <5
NAATII/+b\	04	DCC		V	NUMERIC	V		D
MATH(mth)	31	PercCorrGreat		Yes	NUMERIC	Yes		Percentage correct >5
MATH(mth)	32	PercIncGreat		Yes	NUMERIC	Yes		Percentage incorrect >5
								-
MATH(mth)	33	ParclancoCroat		Voc	NUMERIC	Voc		Percentage of lances >5
MATH(IIIII)	33	PercLapseGreat		Yes	NOIVIERIC	Yes		Percentage of lapses >5
MATH(mth)	34	PercCorrLess		Yes	NUMERIC	Yes		Percentage correct <5
MATH(mth)	35	PercIncLess		Yes	NUMERIC	Yes		Percentage incorrect <5
THAT (IIICI)	05	i cicincecss		103	HOMENIC	103		rerectinge mearrest 15
MATH(mth)	36	PercLapseLess		Yes	NUMERIC	Yes		Percentage of lapses <5
MATH(mth)	37	Speed		Yes	NUMERIC	Yes		Speed
MATH(mth)	38	LegacyThru		Yes	NUMERIC	Yes		Legacy thruput
MATH(mth)	39	NumBad		Yes	NUMERIC	Yes		Number of bad responses
MATH(mth)	40	MedRTCorr		Yes	NUMERIC	Yes		Median RT for correct
MATH(mth)	41	NumLapse		Yes	NUMERIC	Yes		Number of lapses
MATH(mth)	42	MeanRT		Yes	NUMERIC	Yes		Mean Response Time
MATH(mth)	43	MedRT		Yes	NUMERIC	Yes		Median RT
MATH(mth)	44	StDevRT		Yes	NUMERIC	Yes		Standard deviation RT
		01501111		100				otariadi a doriation iti
MATH(mth)	45	PercCorr		Yes	NUMERIC	Yes		Percentage correct
								· ·
MATH(mth)	46	Throughput		Yes	NUMERIC	Yes		Throughput
MATH(IIIII)	40	mougnput		103	NOMERIC	162		mougnput
MAT2SAMP(m2s)	1	ID	DI	Yes	NUMERIC(9)	No	PK	SSN
	2		5.				PK	Session number
MAT2SAMP(m2s)		SessionNbr		Yes	CHAR	No	PK	
MAT2SAMP(m2s)	3	FileExt		Yes	CHAR(3)	No		File extension
MAT2SAMP(m2s)	4	DateOfSession		Yes	DATE	No	PK	Date of session
MAT2SAMP(m2s)	5	RunNum		Yes	CHAR(1)	Yes		Run number
MAT2SAMP(m2s)	6	Module		Yes	CHAR	No		Module name
MAT2SAMP(m2s)	7	MeanRTCorr		Yes	NUMERIC	Yes		Mean RT for correct
MAT2SAMP(m2s)	8	StDevRTCorr		Yes	NUMERIC	Yes		Standard Deviation RT correct
MAT2SAMP(m2s)	9	NumTrials		Yes	NUMERIC	Yes		Number of trials
MAT2SAMP(m2s)	10	NumCorr		Yes	NUMERIC	Yes		Number correct
		Numlnc		Yes	NUMERIC	Yes		
MAT2SAMP(m2s)	11							Number incorrect
MAT2SAMP(m2s)	12	NumLapse		Yes	NUMERIC	Yes		Number of lapses
MATES AND (m2c)	13	PercCorr		Voc	NUMERIC	Voc		Percentage correct
MAT2SAMP(m2s)	13	Percon		Yes	NOIVIERIC	Yes		Percentage correct
MAT2SAMP(m2s)	14	PercLapse		Yes	NUMERIC	Yes		Percentage of lapses
====								
MAT2SAMP(m2s)	15	Speed		Yes	NUMERIC	Yes		Speed
MAT2SAMP(m2s)	16	LegacyThru		Yes	NUMERIC	Yes		Legacy thruput
MAT2SAMP(m2s)	17	MinRTCorr		Yes	NUMERIC	Yes		Min RT for correct
MAT2SAMP(m2s)	18	MaxRTCorr		Yes	NUMERIC	Yes		Max RT for correct
MAT2SAMP(m2s)	19	MinRT		Yes	NUMERIC	Yes		Minimum RT
MAT2SAMP(m2s)	20	MaxRT		Yes	NUMERIC	Yes		Maximum RT
MAT2SAMP(m2s)	21	NumBad		Yes	NUMERIC	Yes		Number of bad responses
MAT2SAMP(m2s)	22	MedRTCorr		Yes	NUMERIC	Yes		Median RT for correct
MAT2SAMP(m2s)	23	MedRT		Yes	NUMERIC	Yes		Median RT
MAT2SAMP(m2s)	24	MeanRT		Yes	NUMERIC	Yes		Mean Response Time
MAT2SAMP(m2s)	25	StDevRT		Yes	NUMERIC	Yes		Standard deviation RT
MAT2SAMP(m2s)	26	MeanRTInc		Yes	NUMERIC	Yes		Mean RT for incorrect
MAT2SAMP(m2s)	27	StDevRTInc		Yes	NUMERIC	Yes		Standard Deviation RT incorrect
	۷,	S.D.OVICTING		103	HOMENIC	103		Standard Deviation RT Incorrect

MAT2SAMP(m2s)	28	Throughput		Yes	NUMERIC	Yes		Throughput
CODESUB(cdd)	1	ID	DI	Yes	NUMERIC(9)	No	PK	SSN
CODESUB(cdd)	2	SessionNbr		Yes	CHAR	No	PK	Session number
CODESUB(cdd)	3	FileExt		Yes	CHAR(3)	No		File extension
CODESUB(cdd)	4	DateOfSession		Yes	DATE	No	PK	Date of session
CODESUB(cdd)	5	RunNum		Yes	CHAR(1)	Yes		Run number
CODESUB(cdd)	6	Module		Yes	CHAR	No		Module name
CODESUB(cdd)	7	Complete		Yes	CHAR(1)	Yes		Complete
CODESUB(cdd)	8	NumTrials		Yes	NUMERIC	Yes		Number of trials
CODESUB(cdd)	9	NumCorr		Yes	NUMERIC	Yes		Number correct
CODESUB(cdd)	10	MeanRT		Yes	NUMERIC	Yes		Mean Response Time
CODESUB(cdd)	11	StDevRT		Yes	NUMERIC	Yes		Standard deviation RT
CODESUB(cdd)	12	MedRT		Yes	NUMERIC	Yes		Median RT
CODESUB(cdd)	13	MeanRTCorr		Yes	NUMERIC	Yes		Mean RT for correct
CODESUB(cdd)	14	StDevRTCorr		Yes	NUMERIC	Yes		Standard Deviation RT correct
CODESUB(cdd)	15	MedRTCorr		Yes	NUMERIC	Yes		Median RT for correct
CODESUB(cdd)	16	MeanRTInc		Yes	NUMERIC	Yes		Mean RT for incorrect
CODESUB(cdd)	17	StDevRTInc		Yes	NUMERIC	Yes		Standard Deviation RT incorrect
CODESUB(cdd)	18	MedRTInc		Yes	NUMERIC	Yes		Median RT for incorrect
CODESUB(cdd)	19	NumRemind		Yes	NUMERIC	Yes		Number of reminders
CODESUB(cdd)	20	Speed		Yes	NUMERIC			Speed
CODESUB(cdd)	21			Yes	NUMERIC	Yes		
CODESUB(cdd)	22	LegacyThru NumLapse		Yes	NUMERIC	Yes		Legacy thruput Number of lapses
		NumBad				Yes		·
CODESUB(cdd)	23	Nullibau		Yes	NUMERIC	Yes		Number of bad responses
CODESUB(cdd)	24	Throughput		Yes	NUMERIC	Yes		Throughput
CODESUB(cdd)	25	Symbols		Yes	CHAR	Yes		Symbols
CODESUB(cdd)	26	PercCorr		Yes	NUMERIC	Yes		Percentage correct
CODESUB(cdd)	27	Numlnc		Yes	NUMERIC	Yes		Number incorrect
SIMPLERT(sr2)	1	ID	DI	Yes	NUMERIC(9)	No	PK	SSN
SIMPLERT(sr2)	2	SessionNbr		Yes	CHAR	No	PK	Session number
SIMPLERT(sr2)	3	FileExt		Yes	CHAR(3)	No		File extension
SIMPLERT(sr2)	4	DateOfSession		Yes	DATE	No	PK	Date of session
SIMPLERT(sr2)	5	RunNum		Yes	CHAR(1)	Yes		Run number
SIMPLERT(sr2)	6	Module		Yes	CHAR	No		Module name
SIMPLERT(sr2)	7	MeanRTCorr		Yes	NUMERIC	Yes		Mean RT for correct
SIMPLERT(sr2)	8	StDevRTCorr		Yes	NUMERIC	Yes		Standard Deviation RT correct
SIMPLERT(sr2)	9	NumTrials		Yes	NUMERIC	Yes		Number of trials
SIMPLERT(sr2)	10	NumCorr		Yes	NUMERIC	Yes		Number correct
SIMPLERT(sr2)	11	Numlnc		Yes	NUMERIC	Yes		Number incorrect
SIMPLERT(sr2)	12	NumLapse		Yes	NUMERIC	Yes		Number of lapses
SIMPLERT(sr2)	13	PercCorr		Yes	NUMERIC	Yes		Percentage correct
SIMPLERT(sr2)	14	PercLapse		Yes	NUMERIC	Yes		Percentage of lapses
SIMPLERT(sr2)	15	Speed		Yes	NUMERIC	Yes		Speed
SIMPLERT(sr2)	16	LegacyThru		Yes	NUMERIC	Yes		Legacy thruput
SIMPLERT(sr2)	17	MinRTCorr		Yes	NUMERIC	Yes		Min RT for correct
SIMPLERT(sr2)				Yes	NUMERIC	Yes		Max RT for correct
	18	MaxRTCorr						
SIMPLERT(sr2)		MaxRTCorr MinRT		Yes	NUMERIC	Yes		Minimum RT
SIMPLERT(sr2) SIMPLERT(sr2)	18							
	18 19	MinRT		Yes	NUMERIC	Yes		Minimum RT
SIMPLERT(sr2)	18 19 20	MinRT MaxRT		Yes Yes	NUMERIC NUMERIC	Yes Yes		Minimum RT Maximum RT
SIMPLERT(sr2) SIMPLERT(sr2)	18 19 20 21	MinRT MaxRT NumBad		Yes Yes Yes	NUMERIC NUMERIC NUMERIC	Yes Yes Yes		Minimum RT Maximum RT Number of bad responses
SIMPLERT(sr2) SIMPLERT(sr2) SIMPLERT(sr2)	18 19 20 21 22	MinRT MaxRT NumBad MedRTCorr		Yes Yes Yes Yes	NUMERIC NUMERIC NUMERIC NUMERIC	Yes Yes Yes Yes		Minimum RT Maximum RT Number of bad responses Median RT for correct
SIMPLERT(sr2) SIMPLERT(sr2) SIMPLERT(sr2) SIMPLERT(sr2)	18 19 20 21 22 23	MinRT MaxRT NumBad MedRTCorr MedRT		Yes Yes Yes Yes	NUMERIC NUMERIC NUMERIC NUMERIC NUMERIC	Yes Yes Yes Yes Yes		Minimum RT Maximum RT Number of bad responses Median RT for correct Median RT
SIMPLERT(sr2) SIMPLERT(sr2) SIMPLERT(sr2) SIMPLERT(sr2) SIMPLERT(sr2)	18 19 20 21 22 23 24	MinRT MaxRT NumBad MedRTCorr MedRT MeanRT		Yes Yes Yes Yes Yes	NUMERIC NUMERIC NUMERIC NUMERIC NUMERIC NUMERIC	Yes Yes Yes Yes Yes		Minimum RT Maximum RT Number of bad responses Median RT for correct Median RT Mean Response Time

Desc	Values	Notes
Social Security Number		
Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	Filename
Date ANAM assessment was conducted	mm/dd/yyyy	
Social Security Number		Filename & C/3
Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	
File extension used to identify data module	sub	File ext
Date ANAM assessment was conducted	mm/dd/yyyy	Line 1 of file
Run number if multiple datasets in one file	1,2,etc.	Determined by identif
Name of assessment module Full name of individual	DEMOGTBI	A/1 B/2
Name of battery that was administered		D/4
Age of individual at time of assessment		E/5
Gender of individual	M=male, F=female	F/6
Race/Ethnicity	*unused*	G/7
Occupation	*unused*	H/8
Years of education	*unused*	1/9
Open field for diagnosis code	*unused*	J/10
Open field for diagnosis code	*unused*	K/11
Medications individual was using on day of assessment	*unused*	L/12
Open field	*unused*	M/13
Open field	*unused*	N/14
Open field	*unused*	0/15
Hand used to take ANAM	*unused*	P/16
Location of testing	*unused*	Q/17
Name of project	*unused*	R/18
Last name of individual		S/19
First name of individual		T/20
Middle Initial/name of individual		U/21
Date of birth	DD-MMM-YYYY	V/22
Branch of Service Service status	ARMY, AIR FORCE, etc.	W/23
	ACTIVE DUTY, etc. E1, E2, etc.	X/24
Pay grade MOS for Army / AFSC for Air Force / NEC for Navy	E1, E2, etc.	Y/25 Z/26
Unit Identification Code (Home UIC)		AA/27
Reason for current assessment	PRE-DEPLOYMENT, etc.	AB/28
Military operation	OIF, OEF, OTHER	AC/29
Unit Identification Code (Deploying UIC)	,,	AD/30
Deployment location	*unused*	AE/31
ANAM administration site		AF/32
Mobilization date	*unused*	AG/33
Address: Street		AH/34
Address: City		AI/35
Address: State		AJ/36
Address: Zip Code		AK/37
Phone number at address (Home)		AL/38
Alternate phone number (Mobile)		AM/39
Hours of sleep prior to assessment	*unused*	AN/40
Rank	CARRICON FIELD ata	AO/41 AP/42
Assessment setting	GARRISON, FIELD, etc.	
Alternate address: Street Alternate address: City	*unused* *unused*	AQ/43 AR/44
Alternate address: State	*unused*	AS/45
Alternate address: Zip Code	*unused*	AT/46
Phone number at alternate address	*unused*	AU/47
Alternate phone number 2 (Mobile)	*unused*	AV/48
Name of current unit		AW/49
Phone number of current unit		AX/50
Type of address included	0=Home of Record, 1=Current Address	AY/51
Social Security Number		Filename
Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	
File extension used to identify data module	tbq	File ext
Date ANAM assessment was conducted	mm/dd/yyyy	Line 1 of file
Run number if multiple datasets in one file	1,2,etc.	Determined by identif
Name of assessment module	TBIQUEST	A/1
Injury due to Vehicle Accident	0=No, 1=Yes	B/2
Injury due to Fragment Wound (above shoulder)	0=No, 1=Yes	C/3

Injury due to Bullet Wound (above shoulder)	0=No, 1=Yes	D/4
Injury due to Blast or Explosion	0=No, 1=Yes	E/5
Injury due to Fall Injury due to Sports Accident	0=No, 1=Yes 0=No, 1=Yes	F/6 G/7
Injury due to Sports Accident	0=No, 1=Yes	AW/49
Injury due to Other Blow to the Head	0=No, 1=Yes	AZ/52
Head injury	0=No, 1=Yes	H/8
Concussion symptoms	0=No, 1=Yes	1/9
Knocked out - more than 20 minutes	0=No, 1=Yes	J/10
Knocked out - 1 to 20 minutes	0=No, 1=Yes	K/11
Knocked out - less than 1 minute Dazed, confused, saw stars	0=No, 1=Yes 0=No, 1=Yes	L/12 M/13
Did not remember the injury	0=No, 1=Yes	N/14
Other symptoms	0=No, 1=Yes	0/15
Bleeding from the ears	0=No, 1=Yes	BA/53
Headaches at time of injury	0=No, 1=Yes	V/22
Headaches now while resting	0=No, 1=Yes	W/23
Headaches now during exercise/exertion	0=No, 1=Yes	X/24
Nausea / vomiting at time of injury	0=No, 1=Yes	Y/25
Nausea / vomiting now during exercise / exerting	0=No, 1=Yes	Z/26 AA/27
Nausea / vomiting now during exercise/exertion Memory problems / lapses at time of injury	0=No, 1=Yes 0=No, 1=Yes	AB/28
Memory problems / lapses now while resting	0=No, 1=Yes	AC/29
Memory problems / lapses now during exercise/exertion	0=No, 1=Yes	AD/30
Balance problems / dizziness at time of injury	0=No, 1=Yes	AE/31
Balance problems / dizziness now while resting	0=No, 1=Yes	AF/32
Balance problems / dizziness now during exercise/exertion	0=No, 1=Yes	AG/33
Ringing in the ears at time of injury	0=No, 1=Yes	AH/34
Ringing in the ears now while resting	0=No, 1=Yes	AI/35
Ringing in the ears now during exercise/exertion Sensitivity to bright light and noise at time of injury	0=No, 1=Yes 0=No, 1=Yes	AJ/36 AK/37
Sensitivity to bright light and noise at time of light y Sensitivity to bright light and noise now while resting	0=No, 1=Yes	AL/38
Sensitivity to bright light and noise now during exercise/exertion	0=No, 1=Yes	AM/39
Irritability (short temper) at time of injury	0=No, 1=Yes	AN/40
Irritability (short temper) now while resting	0=No, 1=Yes	AO/41
Irritability (short temper) now during exercise/exertion	0=No, 1=Yes	AP/42
Sleep problems at time of injury	0=No, 1=Yes	AQ/43
Sleep problems now while resting	0=No, 1=Yes	AR/44
Sleep problems now during exercise/exertion Other symptoms at time of injury	0=No, 1=Yes 0=No, 1=Yes	AS/45 AT/46
Other symptoms now while resting	0=No, 1=Yes	AU/47
Other symptoms now during exercise/exertion	0=No, 1=Yes	AV/48
Date of first MACE	mm/dd/yyyy	AX/50
Score of first MACE		AY/51
Date of second MACE	mm/dd/yyyy	BB/54
Score of second MACE		BC/55
Date of third MACE	mm/dd/yyyy	BD/56
Score of third MACE Interval between current and previous injury		BE/57 BF/58
Field for observer or provider comments		BG/59
Field for observer or provider comments		BH/60
Social Security Number		Filename
Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	Filename
File extension used to identify data module	slp	File ext
Date ANAM assessment was conducted	mm/dd/yyyy	Line 1 of file
Run number if multiple datasets in one file	1,2,etc.	Determined by identif
Name of assessment module	SLEEPSC	A/1 B/2
Likert scale response (1 to 7) Response time in milliseconds		C/3
Social Security Number		Filename
Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	
File extension used to identify data module	moo	File ext
Date ANAM assessment was conducted	mm/dd/yyyy	Line 1 of file
Run number if multiple datasets in one file	1,2,etc.	Determined by identif
Mood subscale - Vigor		A/1
Number of adjectives presented for Vigor		B/2
Sum of the ratings for the Vigor adjectives Mean of the ratings for the Vigor adjectives		C/3 D/4
SumAdjCat divided by the max possible score (max score = 6 * NumAdjCat)	0-100%	E/5
Mean response time for Vigor adjectives in milliseconds	5 250/0	F/6
. • • • • • • • • • • • • • • • • • • •		

	l subscale - Restlessness	G/7
	per of adjectives presented for Restlessness	H/8
	of the ratings for the Restlessness adjectives	1/9
	of the ratings for the Restlessness adjectives	J/10
	djCat divided by the max possible score (max score = 6 * NumAdjCat) 0-100%	K/11
	response time for Restlessness adjectives in milliseconds	L/12
	I subscale - Depression	M/13
	per of adjectives presented for Depression.	N/14
	of the ratings for the Depression adjectives.	O/15
	of the ratings for the Depression adjectives.	P/16
	djCat divided by the max possible score (max score = 6 * NumAdjCat) 0-100%	Q/17
	response time for Depression adjectives in milliseconds	R/18
	l subscale - Anger	S/19
	per of adjectives presented for Anger.	T/20
	of the ratings for the Anger adjectives.	U/21
	of the ratings for the Anger adjectives.	V/22
	djCat divided by the max possible score (max score = 6 * NumAdjCat) 0-100%	W/23
	response time for Anger adjectives in milliseconds	X/24
	I subscale - Fatigue	Y/25
	per of adjectives presented for Fatigue.	Z/26
	of the ratings for the Fatigue adjectives.	AA/27
	of the ratings for the Fatigue adjectives.	AB/28
	djCat divided by the max possible score (max score = 6 * NumAdjCat) 0-100%	AC/29
	response time for Fatigue adjectives in milliseconds	AD/30
	I subscale - Anxiety	AE/31
	per of adjectives presented for Anxiety.	AF/32
	of the ratings for the Anxiety adjectives.	AG/33
	of the ratings for the Anxiety adjectives.	AH/34
	djCat divided by the max possible score (max score = 6 * NumAdjCat) 0-100%	AI/35
	response time for Anxiety adjectives in milliseconds	AJ/36
	I subscale - Happiness	AK/37
	per of adjectives presented for Happiness.	AL/38
	of the ratings for the Happiness adjectives.	AM/39
	of the ratings for the Happiness adjectives.	AN/40
	djCat divided by the max possible score (max score = 6 * NumAdjCat) 0-100%	AO/41
Mean	response time for Happiness adjectives in milliseconds	AP/42
Mean Media	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds	AP/42 AQ/43
Mean Media Mean	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds response time across all adjectives in milliseconds	AP/42 AQ/43 AR/44
Mean Media Mean Standa	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds response time across all adjectives in milliseconds ard deviation of all response times in milliseconds	AP/42 AQ/43 AR/44 AS/45
Mean Media Mean Standa Social	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds response time across all adjectives in milliseconds ard deviation of all response times in milliseconds I Security Number	AP/42 AQ/43 AR/44 AS/45 Filename
Mean Media Mean Standa Social Identif	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds response time across all adjectives in milliseconds lard deviation of all response times in milliseconds Security Number ifies the specific sequence of stimuli and possibly retests 01,02, etc. for sequence;	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename
Mean Media Mean Standa Social Identif File ex	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds ir esponse time across all adjectives in milliseconds lard deviation of all response times in milliseconds Security Number Security Number O1,02, etc. for sequence; Security	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext
Mean Media Mean Standa Social Identif File ex Date A	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are response time across all adjectives in milliseconds ard deviation of all response times in milliseconds I Security Number ifies the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests on the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and possibly retests of the specific sequence of stimuli and	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file
Mean Media Mean Standa Social Identif File ex Date A Run nu	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds and deviation of all response times in milliseconds are deviation of all response times in milliseconds are specific sequence of stimuli and possibly retests are specific sequence of stimuli and possibly retests are specific sequence; stream of the specific sequence of stimuli and possibly retests are specific sequence of stimuli and possibly retests are specific sequence; stream of the specific sequence of stimuli and possibly retests are specific sequence; stream of the specific sequence of stimuli and possibly retests are specific sequence; stream of the specific sequence of stimuli and possibly retests are specific sequence of stimuli and possibly retests are specific sequence; stream of the specific sequence of stimuli and possibly retests are specific sequence of stimuli and possibly r	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif
Mean Media Mean Standa Social Identif File ex Date A Run nu Name	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds and deviation of all response times in milliseconds are deviation of all response times in milliseconds are deviation of all response times in milliseconds are specific sequence of stimuli and possibly retests are specific sequence of stimuli and possibly retests are specific sequence of stimuli and possibly retests are specific sequence; set stemsion used to identify data module are mm/dd/yyyy number if multiple datasets in one file are specific segment module are specific segment module are specific segment module are specific segment.	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds response time across all adjectives in milliseconds and deviation of all response times in milliseconds and deviation of all response times in milliseconds accurity Number If it is the specific sequence of stimuli and possibly retests on used to identify data module as the ANAM assessment was conducted mm/dd/yyyy sumber if multiple datasets in one file 1,2,etc. of assessment module SIMPLERT suppose time for items with correct responses (msec)	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number I S	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numbo	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are proposed time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests attension used to identify data module ANAM assessment was conducted and time if multiple datasets in one file are assessment module are response time for items with correct responses (msec) and deviation for response times for correct responses (msec) are of trials/items	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numbo	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests I Security Number Iffes the specific sequence of stimuli and possibly retests I Security Number Iffes the specific sequence of stimuli and possibly retests I Security Number Iffes the specific sequence of stimuli and possibly retests I Security Number Iffes the specific sequence of stimuli and possibly retests I Security Number Iffes the specific sequence of stimuli and possibly retests I Security Number I Security	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5
Mean Media Mean Standa Social Identif File ex Date A Run no Name Mean Standa Numb Numb	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are propose time across all adjectives in milliseconds are proposed time across all adjectives in milliseconds and deviation of all response times in milliseconds and deviation of all response times in milliseconds Security Number ifies the specific sequence of stimuli and possibly retests 01,02, etc. for sequence; strension used to identify data module srt mm/dd/yyyy number if multiple datasets in one file 1,2,etc. Simpler if multiple datasets in one file 1,2,etc. Simpler ir esponse time for items with correct responses (msec) ard deviation for response times for correct responses (msec) are of trials/items ber of correct responses seer of incorrect responses	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numb Numb Numb	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds Security Number	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5
Mean Media Mean Standa Social Identifi File ex Date A Run nu Name Mean Standa Numb Numb Numb Numb	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are propose time across all adjectives in milliseconds are proposed time across all adjectives in milliseconds and deviation of all response times in milliseconds and deviation of all response times in milliseconds Security Number ifies the specific sequence of stimuli and possibly retests 01,02, etc. for sequence; strension used to identify data module srt mm/dd/yyyy number if multiple datasets in one file 1,2,etc. Simpler if multiple datasets in one file 1,2,etc. Simpler ir esponse time for items with correct responses (msec) ard deviation for response times for correct responses (msec) are of trials/items ber of correct responses seer of incorrect responses	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numb Numb Numb Numb	response time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests attension used to identify data module ANAM assessment was conducted and with the specific sequence of timuli and possibly retests and the specific sequence of stimuli and possibly retests and the specific sequence of stimuli and possibly retests attension used to identify data module and ANAM assessment was conducted and miltiple datasets in one file and assessment module are sponse time for items with correct responses (msec) and deviation for response times for correct responses (msec) are of trials/items are of correct responses are of trials where no response was made in the allotted time and of items with a correct response	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7
Mean Media Mean Stands Social Identif File ex Date A Run nu Name Mean Stands Numb Numb Numb Numb Percer [=Num	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds ard deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests atchaion used to identify data module ANAM assessment was conducted sumber if multiple datasets in one file are sponse time for items with correct responses (msec) ard deviation for response times for correct responses (msec) ard deviation for response times for correct responses (msec) ard orrect responses are of trials/items ber of correct responses are of trials where no response was made in the allotted time and of items with a correct response and correct response and orrect response are of trials where no response was made in the allotted time and of items with a correct response and correct response are of correct response are of trials where no response was made in the allotted time and of items with a correct response and correct response are of trials where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)]	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8
Mean Mean Standa Social Identif File ex Date A Run nu Name Mean Numb Numb Percer [=Num Percer	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests ANAM assessment was conducted ANAM assessment was conducted ANAM assessment module Arresponse time for items with correct responses (msec) and deviation for response times for correct responses (msec) ard deviation for responses times for correct responses (msec) are of trials/items ber of correct responses ber of trials where no response was made in the allotted time and of items with a correct response mcorr/(NumCorr+NumInc+NumLapse)] and of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] are of responses per minute [=60,000/MeanRT]	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11
Mean Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numb Numb Numb Percer [=Num Percer Numb Numb	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests ANAM assessment was conducted ANAM assessment was conducted ANAM assessment module ANAM assessment was conducted ANAM assessment module ANA	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8
Mean Media Mean Standa Social Identif File ex Date A Run n Name Mean Standa Numb Numb Numb Percer [=Num Percer Numb Mean Numb Numb Numb Numb Numb Numb Numb Numb	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds Security Number	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13
Mean Media Mean Standa Social Identif File ex Date A Run nu Standa Numb Numb Numb Percer [=Num Percer Numb Minim Maxim Maxim Maxim Maxim Maxim Maxim Mean Mean Maxim Maxim Media Numb Minim Maxim Media Numb Minim Maxim Media Numb Minim Maxim Media Numb Minim Maxim Media Numb Maxim Maxim Media Numb Maxim Media Numb Maxim Maxim Media Numb Maxim	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests ANAM assessment was conducted ANAM assessment was conducted ANAM assessment module ANAM assessment was conducted ANAM assessment module ANA	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12
Mean Media Mean Standa Social Identif File ex Name Name Mean Numb Numb Percer [=Num Percer Numb Numb Mean Numb Mean Numb Men Numb Men	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests atchaion used to identify data module ANAM assessment was conducted ANAM assessment was conducted ANAM assessment module Tresponse time for items with correct responses (msec) and deviation for response times for correct responses (msec) ard deviation for response times for correct responses (msec) ard of items with a correct responses are of trials/items ber of correct responses are of trials where no response was made in the allotted time ant of items with a correct response and correct responses per minute [=60,000/MeanRT] ber of responses per minute [=60,000/MeanRT] ber of correct response per minute [=60,000/MeanRT] ber of correct response time for items with a correct response and response time for items with a correct response and response time for items with a correct response and response time for items with a correct response and response time for items with a correct response and response time for items with a correct response and response time for items with a correct response	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numb Numb Numb Percer [=Num Percer Numb Minim Maxim Maxim	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests ANAM assessment was conducted ANAM assessment was conducted ANAM assessment module ANAM assessment module Arresponse time for items with correct responses (msec) and deviation for response times for correct responses (msec) ard deviation for responses times for correct responses (msec) are of trials/items are of orrect responses are of trials where no response was made in the allotted time ant of items with a correct response and of items with a correct [=NumLapse/(NumCorr+NumInc+NumLapse)] are of responses per minute [=60,000/MeanRT] are of orrect responses per minute [=5peed*PercCorr] anum response time for items with a correct response anum response time for items with a correct response anum response time for items with a correct response anum response time for items with a correct response anum response time for items with a correct response anum response time for items with a correct response anum response time for all items (correct and incorrect)	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numb Numb Numb Numb Numb Numb Minim Percer Numb Minim Maxim Maxim Maxim Numb Maxim Numb	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests ANAM assessment was conducted ANAM assessment was conducted ANAM assessment module ANAM assessment module ANAM assessment module ANAM assessment module ANAM assessment from titems with correct responses (msec) Anamad eviation for response times for correct responses (msec) And deviation for response times for correct responses (msec) And of titems with a correct response was made in the allotted time and of items with a correct response ANAM assessment module To fitems with a correct response was made in the allotted time ANAM assessment module ANAM assessment module ANAMA assessment module ANAMA assessment module ANAMA assessment was conducted ANAMA asse	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16
Mean Media Mean Standa Social Identif File ex Date A Run nu Standa Numb Numb Numb Percer [=Num Percer Numb Minim Maxim Minim Maxim Numb Media	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number I S	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17
Mean Media Mean Standz Social Identif File ex Date A Run nu Name Mean Numbb Numbb Percer [=Num Percer Numb Minim Maxim Maxim Numb Maxim Media Media	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests atchain used to identify data module ANAM assessment was conducted ANAM assessment was conducted ANAM assessment module Tresponse time for items with correct responses (msec) and deviation for response times for correct responses (msec) and deviation for response times for correct responses (msec) ard forcet responses are of trials/items ber of correct responses are of trials where no response was made in the allotted time ant of items with a correct response ancorr/(NumCorr+NumInc+NumLapse)] ant of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] ber of responses per minute [=60,000/MeanRT] ber of correct responses per minute [=60,000/MeanRT] ber of correct responses time for items with a correct response anum response time for items with a correct response anum response time for items with a correct response anum response time for all items (correct and incorrect) anum response time for all items (correct and incorrect) anum response time for all items (correct and incorrect) and response time for correct responses	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numb Numb Percer [=Num Percer Numb Minim Maxim Maxim Munim Maxim Numb Media Media Media Mean	arresponse time for Happiness adjectives in milliseconds an response time across all adjectives in milliseconds arresponse time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests atchaion used to identify data module ANAM assessment was conducted and the interpretation of the specific sequence of stimuli and possibly retests and the specific sequence of stimuli and possibly retests atchaion used to identify data module ANAM assessment was conducted and ANAM assessment was conducted and assessment module are response time for items with correct responses (msec) and deviation for response times for correct responses (msec) are of trials/items are of orrect responses are of incorrect responses are of incorrect responses are of trials where no response was made in the allotted time and of items with a correct response are of incorrect responses per minute [=60,000/MeanRT] are of orrect responses per minute [=60,000/MeanRT] ber of orrect responses per minute [=5peed*PercCorr] and response time for items with a correct response and response time for all items (correct and incorrect) are response time for all items (correct and incorrect) are response time for of all responses (RT < 130 ms) an response time for all responses (correct and incorrect) are response time for all responses (correct and incorrect)	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18 S/19
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numb Percer [=Num Percer Numb Minim Maxim Minim Maxim Numb Media Media Mean Standa Standa Standa Numb Mundin Media Mean Standa Numb Media Numb Media Numb Nu	arresponse time for Happiness adjectives in milliseconds are response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests xtension used to identify data module ANAM assessment was conducted xtension used to identify data module xtens	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18 S/19 T/20 U/21
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numbb Percer [=Num Percer Numb Minim Maxim Maxim Munim Maxim Media Media Mean Standa	arresponse time for Happiness adjectives in milliseconds are response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests xtension used to identify data module ANAM assessment was conducted xtension used to identify data module xtension unifoly yety xtension used to identify data module xtension unifoly yety	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18 S/19 T/20 U/21 V/22
Mean Media Mean Standa Social Identif File ex Date A Run nu Name Mean Standa Numb Numb Numb Numb Media Media Media Media Media Mean Standa Numb Media Media Mean Standa Numb [=Num Social	arresponse time for Happiness adjectives in milliseconds are response time across all adjectives in milliseconds are response time across all adjectives in milliseconds and deviation of all response times in milliseconds I Security Number Iffes the specific sequence of stimuli and possibly retests xtension used to identify data module ANAM assessment was conducted xtension used to identify data module xtens	AP/42 AQ/43 AR/44 AS/45 Filename a,b,etc r Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18 S/19 T/20 U/21 V/22 Filename

File extension used to identify data module	cds	File ext
Date ANAM assessment was conducted		Line 1 of file
Run number if multiple datasets in one file		Determined by identif
Name of assessment module	CODESUB	A/1
Indicates whether test was completed	F=Full test, P=Partial test	B/2
Number of trials/items		C/3
Number of correct responses		D/4
Mean response time for all responses (correct and incorrect)		E/5
Standard deviation for response times for all items (correct and incorrect)		F/6
Median response time for all responses (correct and incorrect)		G/7
Mean response time for items with correct responses (msec)		H/8
Standard deviation for response times for correct responses (msec)		1/9
Median response time for correct responses		J/10
Mean response time for items with incorrect responses (msec)		
		K/11
Standard deviation for response times for incorrect responses (msec)		L/12
Median response time for incorrect responses		M/13
Number of reminder screens displayed		N/14
Number of responses per minute [=60,000/MeanRT]		P/16
Number of correct responses per minute [=Speed*PercCorr]		Q/17
Number of trials where no response was made in the allotted time		R/18
Number of impulsive/bad responses (RT < 130 ms)		S/19
Number of correct responses per unit of available response time		T/20
[=NumCorr/((NumCorr+NumInc)*MeanRT+NumLapse*Timeout)]		
Symbols used in the code		U/21
Percent of items with a correct response		
[=NumCorr/(NumCorr+NumInc+NumLapse)]		V/22
Number of incorrect responses		W/23
Social Security Number		Filename
Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	Filename
File extension used to identify data module		File ext
·	•	
Date ANAM assessment was conducted	mm/dd/yyyy	Line 1 of file
Run number if multiple datasets in one file	1,2,etc.	Determined by identif
Name of assessment module	PROCRT	A/1
Type of Block: Basic, Coded, Time-Uncertainty		B/2
Numeric code for type of Block	1=Basic, 2=Coded, 3=Time-Uncerta	
Mean response time for items with correct responses (msec)		D/4
Standard deviation for response times for correct responses (msec)		E/5
Number of trials/items		F/6
Number of correct responses		G/7
Number of incorrect responses		H/8
Number of trials where no response was made in the allotted time		1/9
Percent of items with a correct response		
[=NumCorr/(NumCorr+NumInc+NumLapse)]		J/10
[-Numcon/(Numcon+Numinc+Numinc+Numinc+Numinch)]		
Percent of items with an incorrect response		K/11
[=Numlnc/(NumCorr+Numlnc+NumLapse)]		N/II
Percent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)]		L/12
Number of responses per minute [=60,000/MeanRT]		N/14
		11/21
Number of correct responses per minute [=Speed*PercCorr]		0/15
Number of correct responses per minute [=Speed*PercCorr] Number of impulsive/bad responses (RT < 130 ms)		
Number of impulsive/bad responses (RT < 130 ms)		O/15 P/16
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses		O/15 P/16 Q/17
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect)		O/15 P/16 Q/17 R/18
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses		O/15 P/16 Q/17
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect)		O/15 P/16 Q/17 R/18 5/19
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect)		O/15 P/16 Q/17 R/18 S/19
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time		O/15 P/16 Q/17 R/18 5/19
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)*MeanRT+NumLapse*Timeout)]		O/15 P/16 Q/17 R/18 S/19 T/20 U/21
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time		O/15 P/16 Q/17 R/18 S/19
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)*MeanRT+NumLapse*Timeout)]		O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc) *MeanRT+NumLapse *Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module	01,02, etc. for sequence; a,b,etc r mth	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File ext
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)*MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename Fileiname File stt Line 1 of file
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc) * MeanRT+NumLapse * Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc.	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File ext
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)*MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc.	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename Fileiname File stt Line 1 of file
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/(NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File ext Line 1 of file Determined by identif A/1
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File ext Line 1 of file Determined by identif A/1 B/2
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc) *MeanRT+NumLapse *Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename Fileiname File axt Line 1 of file Determined by identif A/1 B/2 C/3
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr((NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec) Standard deviation for response times for correct responses (msec)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File axt Line 1 of file Determined by identif A/1 B/2 C/3 D/4
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc) *MeanRT+NumLapse *Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename Fileiname File axt Line 1 of file Determined by identif A/1 B/2 C/3
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr((NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec) Standard deviation for response times for correct responses (msec)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File axt Line 1 of file Determined by identif A/1 B/2 C/3 D/4
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)* MeanRT+NumLaps*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec) Standard deviation for response times for correct greater than 5) Standard deviation for correct responses (correct greater than 5)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec) Standard deviation for response times for correct greater than 5) Standard deviation for correct responses (correct greater than 5) Mean response time for correct responses (correct less than 5)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr((NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec) Standard deviation for response times for correct responses (msec) Mean response time for correct responses (correct greater than 5) Standard deviation for correct responses (correct greater than 5) Mean response time for correct responses (correct greater than 5) Standard deviation for correct responses (correct less than 5) Standard deviation for correct responses (correct less than 5)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec) Standard deviation for response times for correct greater than 5) Standard deviation for correct responses (correct greater than 5) Mean response time for correct responses (correct less than 5)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7
Number of impulsive/bad responses (RT < 130 ms) Median response time for correct responses Mean response time for all responses (correct and incorrect) Median response time for all responses (correct and incorrect) Standard deviation for response times for all items (correct and incorrect) Number of correct responses per unit of available response time [=NumCorr((NumCorr+NumInc)* MeanRT+NumLapse*Timeout)] Social Security Number Identifies the specific sequence of stimuli and possibly retests File extension used to identify data module Date ANAM assessment was conducted Run number if multiple datasets in one file Name of assessment module Indicates whether test was completed Mean response time for items with correct responses (msec) Standard deviation for response times for correct responses (msec) Mean response time for correct responses (correct greater than 5) Standard deviation for correct responses (correct greater than 5) Mean response time for correct responses (correct greater than 5) Standard deviation for correct responses (correct less than 5) Standard deviation for correct responses (correct less than 5)	01,02, etc. for sequence; a,b,etc r mth mm/dd/yyyy 1,2,etc. MATH F=Full test, P=Partial test	O/15 P/16 Q/17 R/18 S/19 T/20 U/21 Filename Filename File ext Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8

	tandard deviation for response times for incorrect responses (msec)		J/10
١	Mean response time for incorrect responses (correct greater than 5)		K/11
9	tandard deviation for incorrect responses (correct greater than 5)		L/12
1	Mean response time for incorrect responses (correct less than 5)		M/13
9	tandard deviation for incorrect responses (correct less than 5)		N/14
	lumber of trials/items		0/15
	lumber of trials where correct response is greater than 5		P/16
	lumber of trials where correct response is less than 5		Q/17
	lumber of correct responses		R/18
	lumber of incorrect responses		S/19
	lumber of correct responses where correct response is greater than 5		T/20
	lumber of incorrect responses where correct response is greater than 5		U/21
	lumber of lapses where correct response is greater than 5		V/22 W/23
	lumber of correct responses where correct response is less than 5 lumber of incorrect responses where correct response is less than 5		W/23 X/24
	lumber of lapses where correct response is less than 5		Y/25
	ercent of correct responses where correct response is greater than 5		
(=NumCorrGreat/NumTrialsGreat)		Z/26
	ercent of incorrect responses where correct response is greater than 5 =NumIncGreat/NumTrialsGreat)		AA/27
F	ercent of lapses where correct response is greater than 5 (=NumIncGreat/NumTrialsGreat)		AB/28
	ercent of correct responses where correct response is less than 5 =NumCorrLess/NumTrialsLess)		AC/29
	ercent of incorrect responses where correct response is less than 5 =NumIncLess/NumTrialsLess)		AD/30
F	ercent of lapses where correct response is less than 5 (=NumLapseLess/NumTrialsLess)		AE/31
	lumber of responses per minute [=60,000/MeanRT]		AG/33
	lumber of correct responses per minute [=Speed*PercCorr]		AH/34
	lumber of impulsive/bad responses (RT < 130 ms)		AI/35
	Median response time for correct responses		AJ/36
	lumber of trials where no response was made in the allotted time		AK/37
	Aean response time for all responses (correct and incorrect)		AL/38
	Aedian response time for all responses (correct and incorrect)		AM/39
	tandard deviation for response times for all items (correct and incorrect)		AN/40
[ercent of items with a correct response =NumCorr/(NumCorr+NumInc+NumLapse)]		AO/41
[lumber of correct responses per unit of available response time =NumCorr/((NumCorr+NumInc) * MeanRT+NumLapse * Timeout)]		AP/42
	ocial Security Number		Filename
	dentifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	
	and the second s	_	
F	ile extension used to identify data module	m2s	File ext
F	Date ANAM assessment was conducted	mm/dd/yyyy	Line 1 of file
F F	oate ANAM assessment was conducted run number if multiple datasets in one file	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif
F C F N	oate ANAM assessment was conducted run number if multiple datasets in one file lame of assessment module	mm/dd/yyyy	Line 1 of file Determined by identif A/1
F F N	oate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module Mean response time for items with correct responses (msec)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2
F F N	oate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3
F C F N N	oate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module Mean response time for items with correct responses (msec)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4
F F N N	Date ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module when response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) lumber of trials/items	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3
F F N N S	Date ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module when response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) lumber of trials/items lumber of correct responses	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5
F F P P P P	to ate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module whean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tumber of trials/items lumber of correct responses lumber of correct responses	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6
F C F N N S S N N N N F [tate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tumber of trials/items lumber of correct responses lumber of incorrect responses lumber of incorrect responses lumber of firlals where no response was made in the allotted time tercent of items with a correct response	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7
F C F N N N N N F F	thate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) lumber of trials/items lumber of correct responses lumber of correct responses lumber of incorrect responses lumber of trials where no response was made in the allotted time lercent of items with a correct response e-NumCorr/(NumCorr+NumInc+NumLapse)]	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8
F F P P P P P F F F	thate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tumber of trials/items lamber of correct responses lumber of correct responses lumber of incorrect responses lumber of trials where no response was made in the allotted time lercent of items with a correct response enumCorr/(NumCorr+NumInc+NumLapse)]	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8
F C F N N N N N N N N N N N N N N N N N	thate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) lumber of trials/items lumber of correct responses lumber of correct responses lumber of incorrect responses lumber of trials where no response was made in the allotted time leader of trials where no response was made in the allotted time leader of items with a correct response e-NumCorr/(NumCorr+NumInc+NumLapse)] leader of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] lumber of responses per minute [=60,000/MeanRT]	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8
F F P P P P P P P P P P P P P P P P P P	tate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tumber of trials/items lumber of trials/items lumber of correct responses lumber of incorrect responses lumber of trials where no response was made in the allotted time lercent of items with a correct response enumber of trials where no response enumber of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] lumber of responses per minute [=60,000/MeanRT] lumber of correct responses per minute [=Speed*PercCorr] liminum response time for items with a correct response	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14
F F F F F F F F F F F F F F F F F F F	thate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tandard deviation for response times for correct responses (msec) tamber of trials/items tumber of correct responses tamber of incorrect responses tamber of incorrect responses tamber of trials where no response was made in the allotted time tercent of items with a correct response e-NumCorr/(NumCorr+NumInc+NumLapse)] tercent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] tumber of responses per minute [=60,000/MeanRT] tumber of correct responses per minute [=5peed*PercCorr] dinimum response time for items with a correct response daximum response time for items with a correct response	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15
F F F F F F F F F F F F F F F F F F F	thate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tandard deviation for response times for correct responses (msec) tandber of trials/items tandber of trials/items tandber of incorrect responses tamber of incorrect responses tamber of trials where no response was made in the allotted time tercent of items with a correct response e-NumCorr/(NumCorr+NumInc+NumLapse)] tercent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] tercent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] tamber of responses per minute [=60,000/MeanRT] tamber of correct responses per minute [=Speed*PercCorr] dinimum response time for items with a correct response dinimum response time for items with a correct response dinimum response time for all items (correct and incorrect) daximum response time for all items (correct and incorrect)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16
F F F F F F F F F F F F F F F F F F F	Agate ANAM assessment was conducted tun number if multiple datasets in one file laime of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tandard deviation for response times for correct responses (msec) tumber of trials/items tumber of trials/items tumber of incorrect responses tumber of incorrect responses tumber of trials where no response was made in the allotted time tercent of items with a correct response = NumCorr/(NumCorr+NumInc+NumLapse)] tercent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] tumber of responses per minute [=60,000/MeanRT] tumber of correct responses per minute [=Speed*PercCorr] dinimum response time for items with a correct response daximum response time for items with a correct response dinimum response time for items (correct and incorrect) daximum response time for all items (correct and incorrect) tumber of impulsive/bad responses (RT < 130 ms)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17
6	tate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tandard deviation for response times for correct responses (msec) tumber of trials/items lamber of torrect responses lamber of incorrect responses lamber of trials where no response was made in the allotted time lercent of items with a correct response e-NumCorr/(NumCorr+NumInc+NumLapse)] lercent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] lumber of responses per minute [=60,000/MeanRT] lumber of responses per minute [=60,000/MeanRT] lumber of correct responses per minute [=Speed*PercCorr] liminum response time for items with a correct response daximum response time for all items (correct and incorrect) daximum response time for all items (correct and incorrect) tumber of impulsive/bad responses (RT < 130 ms) dedian response time for correct responses	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18
6	Ante ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tandard deviation for response times for correct responses (msec) tandard deviation for responses times for correct responses (msec) tamber of trials/items tamber of correct responses tamber of incorrect responses tamber of trials where no response was made in the allotted time tercent of items with a correct response e-NumCorr/(NumCorr+NumInc+NumLapse)] tercent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] tamber of responses per minute [=60,000/MeanRT] tamber of correct responses per minute [=5peed*PercCorr] dinimum response time for items with a correct response daximum response time for items with a correct response dinimum response time for all items (correct and incorrect) taken me response time for all items (correct and incorrect) taken me sponse time for correct responses dedian response time for all responses (correct and incorrect)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18 S/19
F F P P P P P P P P P P P P P P P P P P	hate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module Alean response time for items with correct responses (msec) Alamber of trials/items Alumber of correct responses Alumber of incorrect responses Alumber of trials where no response was made in the allotted time Alumber of incorrect responses Alumber of incorrect response Alumber of items with a correct response Alumber of responses per minute [=60,000/MeanRT] Alumber of correct responses per minute [=5peed*PercCorr] Alinimum response time for items with a correct response Alaximum response time for items with a correct response Alaximum response time for all items (correct and incorrect) Alaximum response time for all items (correct and incorrect) Alumber of impulsive/bad responses (RT < 130 ms) Aledian response time for correct responses Aledian response time for all responses (correct and incorrect) Aledian response time for all responses (correct and incorrect)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18 S/19 T/20
F F F F F F F F F F F F F F F F F F F	tarte ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module dean response time for items with correct responses (msec) tandard deviation for response times for correct responses (msec) tandard deviation for response times for correct responses (msec) tumber of trials/items tumber of trials/items tumber of incorrect responses tumber of incorrect responses tumber of trials where no response was made in the allotted time tercent of items with a correct response eNumCorr/(NumCorr+NumInc+NumLapse)] tercent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)] tumber of responses per minute [=60,000/MeanRT] tumber of correct responses per minute [=Speed*PercCorr] timinum response time for items with a correct response daximum response time for items with a correct and incorrect) tumber of impulsive/bad responses (RT < 130 ms) fedian response time for all responses (correct and incorrect) tean response time for all responses (correct and incorrect) tean response time for all responses (correct and incorrect) tandard deviation for response times for all items (correct and incorrect) tandard deviation for response times for all items (correct and incorrect) tandard deviation for response times for all items (correct and incorrect)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18 S/19 T/20 U/21
6	hate ANAM assessment was conducted tun number if multiple datasets in one file lame of assessment module Alean response time for items with correct responses (msec) Alamber of trials/items Alumber of correct responses Alumber of incorrect responses Alumber of trials where no response was made in the allotted time Alumber of incorrect responses Alumber of incorrect response Alumber of items with a correct response Alumber of responses per minute [=60,000/MeanRT] Alumber of correct responses per minute [=5peed*PercCorr] Alinimum response time for items with a correct response Alaximum response time for items with a correct response Alaximum response time for all items (correct and incorrect) Alaximum response time for all items (correct and incorrect) Alumber of impulsive/bad responses (RT < 130 ms) Aledian response time for correct responses Aledian response time for all responses (correct and incorrect) Aledian response time for all responses (correct and incorrect)	mm/dd/yyyy 1,2,etc.	Line 1 of file Determined by identif A/1 B/2 C/3 D/4 E/5 F/6 G/7 H/8 I/9 K/11 L/12 M/13 N/14 O/15 P/16 Q/17 R/18 S/19 T/20

[=NumCorr/((NumCorr+NumInc)*MeanRT+NumLapse*Timeout)]		Filename
Social Security Number Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	
· · · · · · · · · · · · · · · · · · ·		File ext
File extension used to identify data module Date ANAM assessment was conducted	cdd	Line 1 of file
Date ANAM assessment was conducted Run number if multiple datasets in one file	mm/dd/yyyy	
•	1,2,etc.	Determined by identif
Name of assessment module	CODESUB	A/1 B/2
Indicates whether test was completed	F=Full test, P=Partial test	
Number of trials/items		C/3
Number of correct responses		D/4
Mean response time for all responses (correct and incorrect)		E/5
Standard deviation for response times for all items (correct and incorrect)		F/6
Median response time for all responses (correct and incorrect)		G/7
Mean response time for items with correct responses (msec)		H/8
Standard deviation for response times for correct responses (msec)		1/9
Median response time for correct responses		J/10
Mean response time for items with incorrect responses (msec)		K/11
Standard deviation for response times for incorrect responses (msec)		L/12
Median response time for incorrect responses		M/13
Number of reminder screens displayed		N/14
Number of responses per minute [=60,000/MeanRT]		P/16
Number of correct responses per minute [=Speed*PercCorr]		Q/17
Number of trials where no response was made in the allotted time		R/18
Number of impulsive/bad responses (RT < 130 ms)		S/19
Number of correct responses per unit of available response time [=NumCorr/((NumCorr+NumInc)*MeanRT+NumLapse*Timeout)]		T/20
Symbols used in the code		U/21
Percent of items with a correct response [=NumCorr/(NumCorr+NumInc+NumLapse)]		V/22
Number of incorrect responses		W/23
Social Security Number		Filename
Identifies the specific sequence of stimuli and possibly retests	01,02, etc. for sequence; a,b,etc r	
File extension used to identify data module	sr2	File ext
Date ANAM assessment was conducted	mm/dd/yyyy	Line 1 of file
Run number if multiple datasets in one file	1,2,etc.	Determined by identif
Name of assessment module	SIMPLERT	A/1
Mean response time for items with correct responses (msec)		B/2
Standard deviation for response times for correct responses (msec)		C/3
Number of trials/items		D/4
Number of correct responses		E/5
Number of incorrect responses		F/6
Number of trials where no response was made in the allotted time		G/7
Percent of items with a correct response [=NumCorr/(NumCorr+NumInc+NumLapse)]		H/8
Percent of items where a lapse occurred [=NumLapse/(NumCorr+NumInc+NumLapse)]		1/9
Number of responses per minute [=60,000/MeanRT]		K/11
Number of correct responses per minute [=Speed*PercCorr]		L/12
Minimum response time for items with a correct response		M/13
Maximum response time for items with a correct response		N/14
Minimum response time for all items (correct and incorrect)		O/15
Maximum response time for all items (correct and incorrect)		P/16
Number of impulsive/bad responses (RT < 130 ms)		Q/17
Median response time for correct responses		R/18
Median response time for all responses (correct and incorrect)		S/19
Mean response time for all responses (correct and incorrect)		T/20
Standard deviation for response times for all items (correct and incorrect)		U/21
Number of correct responses per unit of available response time		
[=NumCorr/((NumCorr+NumInc)*MeanRT+NumLapse*Timeout)]		V/22