

**Tab**

2.CIMS\_ASCRC-USAPHC(Prov) Atr

## Column Definitions

Column	Name
A	Source
B	SourceTabOrd
C	SourceTable
D	SourceFieldOrd
E	FieldName
F	PII/HIPAA Sensitive
G	Army STARRS (or USAPHC(Prov)) Approval
H	Army STARRS (or USAPHC(Prov)) SP2Delta
I	FieldType
J	Nullability
K	Primary Key
L	Title
M	Desc
N	Values
O	Notes
P	FDM Comments
Q	ADS Comment
R	Code Table Reference

This tab, 1.Cover Letter, describes the information in tab 2 of this document.

### Description

Report on the attributes available for selection. Explanation of the report column heads appears below, titled Column Definitions.

Description
Name of Data Source
Ordinal Position of Table in Data Dictionary received from Source System-used internally
Name of the Table from which the data element is extracted from Source System
Ordinal Position of the data element in a Table in the Source System Data Dictionary-used internally
Name of the data element (please use the literal format as in the column)
Please note YES, NO or DI (De-Identification)for the element PII or HIPAA sensitivity. If the element is PII or HIPAA sensitive will be de-identified, enter DI. A blank enter will be considered the same as a NO.
User has accepted this as a valid element for their use-drop down list-Yes or No
Date the data element requested in Spiral-2. This will help in revising your existing extract routines
This is the data type.
This is the Nullability condition
Indicator if data element is a primary key (PK) or foreign key (FK) in this table
Data Element Name
Dictionary meaning of the data element and enumerated values if applicable
Information on values the element may have
Notes concerning the element
Please add any comments that will help us understand the output extract.
Please add any comments on authoritativeness
Reference to code table.

FieldName	PII/HIPAA Sensitive	USAPHC (Prov) Approval	USAPHC (Prov) SP2Delta	FieldType	Desc	Notes
Year		Yes	3/9/2010	char(4)	The year in which the report of investigation (ROI) was initiated.	tblCase.vsCal_Yr
ROI		Yes	3/9/2010	char(5)	The number of the Report of Investigation. This number is not unique. See CaseNumber.	tblCase.vsROI_Seq_no
CaseNumber		Yes	3/9/2010	char(16)	The number of the case containing the report of investigation. Unique at the case level.	tblCase.vsCaseNumber
ReportDate		Yes	3/9/2010	char(8)	The date of the final report of investigation (if entered) - see ROIEnd	tblCase.dtReportDate
IncStart		Yes	3/9/2010	char(8)	The date an incident began. Incidents describe the general date/time period and location of offenses. There may be more than one incident per case.	tblCase.dtDate_incndnt_start
IncEnd		Yes	3/9/2010	char(8)	The date an incident period ended.	tblCase.dtDate_incndnt_end
ROIStart		Yes	3/9/2010	char(8)	The date the initial report of investigation was reported.	tblCase.dtOpenDate
ROIEnd		Yes	3/9/2010	char(8)	The date the final report of investigation was reported.	tblCase.dtCloseDate
Primary		Yes	3/9/2010	char(1)	Indicator of primary offense. Y means this is the offense for which the most severe potential punishment may be imposed as determined by the Uniform Code of Military Justice (UCMJ) or other applicable authority. N means that some other offense is primary for the case.	Constructed
OffCode		Yes	3/9/2010	char(7)	Offense Code. See Army Regulation 195-45, Military Police Law Enforcement Reporting. There may be more than one offense per incident. There may be more than one offense per incident.	tblCase.vsPrimaryOffense_cd
Offense Description		Yes	3/9/2010	char(100)	Offense description. Descriptions from ASCRC may vary from those found in AR 190-45.	tblOffense.vsOffns_desc
Name	Yes	Yes	3/9/2010	char(100)	Name	tblPerson.vsName
SSN	DI	Yes	3/9/2010	char(9)	Social Security Number	tblPerson.vsSSN
DOB		Yes	3/9/2010	char(8)	Date of birth	tblPerson.dtDOB
Year		Yes	3/9/2010	char(4)	The year in which the report of investigation (ROI) was initiated.	tblCase.vsCal_Yr
ROI		Yes	3/9/2010	char(5)	The number of the Report of Investigatoin. This number is not unique, See CaseNumber	tblCase.vsROI_Seq_no
CaseNumber		Yes	3/9/2010	char(16)	The number of the case containing the report of investigation. Unique at the case level.	tblCase.vsCaseNumber
PersonID		Yes	3/9/2010	char(11)	A number in the database used to refer to persons without using name or ssn. Unique at person level.	tblPerson.lPerson
SV		Yes	3/9/2010	char(1)	Indicator of the person's role in the case. S= Subject. V = Victim.	tblPerson.vsSvb_flag
Person_Type_cd		Yes	3/9/2010	char(10)	Person type category code	tblPerson.vsPrsn_type_cd
Person_Type_Description		Yes	3/9/2010	char(256)	Person type category description	tblPrsn_type.vsPrsn_type_desc
Grade_cd	DI	Yes	3/9/2010	char(10)	Grade code	tblPerson.vsGrd_cd
Grade Description	DI	Yes	3/9/2010	char(256)	Grade description	tblGrade.vsGrd_desc
Mcac_cd		Yes	3/9/2010	char(10)	Major Command Activity Code	tblPerson.vsMcac
PersonUnitDescription		Yes	3/9/2010	char(256)	MCAC description (do not confuse with CID unit)	tblMcac.vsMcac_name
Sex		Yes	3/9/2010	char(1)	Sex, M or F	.vsSex_cd
Race_cd		Yes	3/9/2010	char(10)	Race code	tblPerson.vsRace_cd
Race		Yes	3/9/2010	char(256)	Race category	tblRace.vsRace_desc
Ethnic_cd		Yes	3/9/2010	char(10)	Ethnicity code	tblPerson.vsEthnic_cd
Ethnicity		Yes	3/9/2010	char(256)	Ethnicity category	tblEthnic.vsEthnic_desc