This tab,

Tab

2.DMDC_Pers_Master_TXN-USAPHC Atr

Column Definitions

Column	Name
Α	Source
В	SourceTabOrd
С	SourceTable
D	SourceFieldOrd
E	FieldName
F	PII/HIPAA Sensitive
G	Army STARRS (or USAPHC(Prov)) Approval
Н	Army STARRS (or USAPHC(Prov)) SP2Delta
I	FieldType
J	Nullability
К	Primary Key
L	Title
М	Desc
N	Values
0	Notes
Р	FDM Comments
Q	ADS Comment
R	Code Table Reference
S	STARRS Category

1. Cover Letter, describes the information in the other tabs of this document.

Description

Report on the attributes available for selection. Explaination of the report column heads appears below, titled Column Definitions.

Description

Name of Data Source

Ordinal Position of Table in Data Dictionary received from Source System-used internally

Name of the Table from which the data element is extracted from Source System

Ordinal Position of the data element in a Table in the Source System Data Dictionary-used internally

Name of the data element (please use the literal format as in the column)

Please note YES, NO or DI (De-Identification) for the element PII or HIPAA sensitivity. If the element is PII or HIPAA sensitive and it will be de-identified, enter DI. A blank enter will be considered the same as a NO.

User has accepted this as a valid element for their use-drop down list-Yes or No

Date the data element requested in Spiral-2. This will help in revising your existing extract routines

This is the data type.

This is the Nullability condition

Indicator if data element is a primary key (PK) or foreign key (FK) in this table

Data Element Name

Dictionary meaning of the data element and enumerated values if applicable

Information on values the element may have

Notes concerning the element

Please add any comments that will help us understand the output extract.

Please add any comments on authoritativeness

Reference to code table.

Army STARRS justification of how data element plays a critical role in anticipated future research. This will appear in the Special Project Attachment (SPA) to the Memoradium of Understanding (MOU) between the Defense Manpower Data Center (DMDC) and USAPHC(Prov).

Source	SourceTabOrd	SourceTable	SourceFieldOrd
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	4
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	3
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	1
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	2
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	5
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	6
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	7
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	8

DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	9
DMDC/Pers_Master_TXN	1	DMDC/Pers_Master_TXN	10

FieldName	PII/HIPAA Sensitive	USAPHC Approval	USAPHC SP2Delta	FieldType	Nullability	Primary Key
EDIT_DSRC_TYP_CD		Yes		Char(1)		
ISVC_SEP_CD		Yes		Number(4)		
EDIT_MSVC_CHAR_CD		Yes		Char(1)		
MSVC_CHAR_CD		Yes		Char(1)		
EDIT_PNL_TXN_TYP_CD		Yes		Number(3)		
PNL_TXN_TYP_CD		Yes		Char(1)		
EDIT_REENL_ELIG_CD		Yes		Char(2)		
REENL_ELIG_CD		Yes		Char(2)		

EDIT_SPD_CD Yes Char(3)

SPD_CD Yes Char(4)

EDIT_TXN_EFF_DT Yes Number(8)

TXN_EFF_CDT Yes Date(8)

Title	Desc	Values
Data Source Type Code	The code that indicates whether a record is a master or transaction.	M = Master T= Transaction
Interservice Separation Code	The code which represents a classification of the domain values for Separation Program Designator (SPD) Code and the obsolete Separation Program Number (SPN) Code.	List of Values Located in Appendix I
Military Service Characterization Code	The code that represents the evaluation of a member's conduct and performance during a period of military service. Recode of CSVC2 for <2004.	See picklist
Military Service Characterization Code	The code that represents the evaluation of a member's conduct and performance during a period of military service.	A = Honorable, B = General-Under honorable conditions, D = Bad Conduct, E = Under other than honorable conditions, F = Dishonorable- Dismissal, Y = Uncharacterized, Z = Unknown or Not Applicable
Personnel Transaction Type Code	The code that represents a type of personnel transaction.	see pckTransType
Personnel Transaction Type Code	The code that represents the specific kind of batch transaction that last updated the personnel record.	G = Gain, L = Loss, N = Not Gain/Not Loss (Change)
Reenlistment Eligibility Code	The Service-specific code which represents the eligibility of the member to reenlist for an additional period of active or reserve service.	List of Values Located in Appendix Q: Reenlistment Eligibility Code DS A Vrsn 1
Reenlistment Eligibility Code	The Service-specific code which represents the eligibility of the member to reenlist for an additional period of active or reserve service.	List of Values Located in Appendix J

The code that defines the circumstances No Values under which a member ended a period Associated With This Item Separation Program Designator Code of active or reserve service. The code which defines the circumstances under which a member ended a period of active service or the Service-specific code that represents the No Values Separation Program Designator means by which a member began a **Associated With** Code/Accession Designator Code period of active service. This Item No Values The date the transaction came into **Associated With Transaction Effective Calendar Date** This Item effect. No Values The date the transaction came into **Associated With Transaction Effective Calendar Date** effect. This Item

Applicable only to Transaction

Taken from the 2000-2004 version.

Applicable only to personnel status change loss and immediate reenlistment transaction records. If not applicable or unknown, report Z. Suppress in analytical datasets. IS LABEL CORRECT ABOUT FORMAT? CSVC IS READ IN FROM 2007 DATA -NOT CSVC2.

Applicable only to Transaction Files. Characterization of Service.

Taken from the 2000-2004 version.

Taken from the 2000-2004 version.

Applicable only to enlisted personnel status change loss and immediate reenlistment transaction records. If not applicable or unknown, report ZZ.

> Taken from the 2000-2004 version.

Applicable only to Transaction Files.

Applicable only to personnel status change loss and immediate reenlistment transaction records. If not applicable or unknown, report ZZZ. These codes are for Official Use Only. Please see the current file manager for documentation on all current service-specific domain values.

Applicable only to Transaction Files. These codes are for Official Use Only. Please see the current file manager for the codes.

Taken from the 2000-2004 version.

For personnel status change gain records reports the date of enlistment, transfer, or return to military control. For personnel status change loss records report the date of release, separation, transfer, retirement, death, or loss from military control. For personnel status change extension and immediate reenlistment records and personnel data change records report the date the change came into effect. Applicable only to transaction records. If not applicable, report all zeros. Format: YYYYMMDD

AKA Loss Date/Accession Date. If date is not applicable, unknown, invalid, or year is unknown or invalid, date equals all zeros. If month is unknown or invalid, month and day equal all zeros. If day is unknown or invalid, day equals all zeros. Applicable only to Transaction Files.

Taken from the 2000-2004 version.