



**INSTRUCTIONS:** Must be performed by a certified professional stylist. (1) Wash hair with clarifying shampoo. Rinse well and towel dry. (2) Blow dry the hair until hair is at least 90% dry. (3) wearing gloves, apply product ½ inch from the root with color brush. (4) blow dry the hair. (5) Use ceramic or porcelain flat iron to seal the hair. (6) 3 days after application wash hair with sodium and sulfate free shampoo. Do not pull, bind, or tie hair back into a ponytail for at least 48 hours. If hair is wet at any point, flat iron the section.

**INGREDIENTS:** Water (Aqua), Methylene Glycol, Cyclopentasiloxane, Cetearyl Alcohol, Glycerin

**WARNING:** This product contains methylene glycol and should only be used in a WELL-VENTILATED area. When heated, this product releases formaldehyde gas. Exposure to formaldehyde may result in eye and throat irritation, headaches, dizziness, burning sensations, breathing problems, nosebleed, chest pain, and skin irritation.

**AVOID PRELONGED OR REPEATED EXPOSURE TO THE PRODUCT.** More than one procedure should not be performed at a time. Avoid direct contact with eyes, skin, and mouth. Use suitable eye and skin protection when applying and rinsing product to avoid skin and scalp irritation and eye injury. Do not use on hair that is breaking, splitting, shedding, or damaged. If skin contact occurs, wash immediately.

Product **SHOULD NOT** be used on formaldehyde-sensitive individuals or clients with pre-existing medical conditions (e.g. asthma or other respiratory conditions). If product causes skin or scalp irritations, rinse out immediately.

**If you are nursing or pregnant do not use the product without first consulting your physician. If ingestion or eye contact occurs, call a physician immediately. In the event of illness or medical emergency seek medical attention immediately.**



Product of USA,  
101 Main Street  
Anywhere, ST 20940  
1-800-555-6222



**INSTRUCTIONS:** Must be performed by a certified professional stylist. (1) Wash hair with clarifying shampoo. Rinse well and towel dry. (2) Blow dry the hair until hair is at least 90% dry. (3) wearing gloves, apply product ½ inch from the root with color brush. (4) blow dry the hair. (5) Use ceramic or porcelain flat iron to seal the hair. (6) 3 days after application wash hair with sodium and sulfate free shampoo. Do not pull, bind, or tie hair back into a ponytail for at least 48 hours. If hair is wet at any point, flat iron the section.

**INGREDIENTS:** Water (Aqua), Methylene Glycol, Cyclopentasiloxane, Cetearyl Alcohol, Glycerin

**“WARNING:** Product releases formaldehyde gas when treated hair is heated with a blow dryer and hot flat iron. Exposure to formaldehyde may cause short term and long term health effects, such as eye, skin, and throat irritation, headache, dizziness, burning sensations, breathing problems, and certain cancers, particularly for those who are sensitive to formaldehyde. This product must be applied by hair professionals only and in conditions that provide adequate ventilation. Concurrent use in the same facility may increase concentration of formaldehyde in the air, which could increase the risk of adverse effects. Avoid unnecessary repeated use.  
**If you are nursing or pregnant do not use the product without first consulting your physician. If skin contact occurs, wash immediately. If ingestion or eye contact occurs, call a physician immediately.**  
Information on the physical and health hazards, and the safety data sheet, may be obtained from the company.



Product of USA,  
101 Main Street  
Anywhere, ST 20940  
1-800-555-6222



**INSTRUCTIONS:** Must be performed by a certified professional stylist. (1) Wash hair with clarifying shampoo. Rinse well and towel dry. (2) Blow dry the hair until hair is at least 90% dry. (3) wearing gloves, apply product ½ inch from the root with color brush. (4) blow dry the hair. (5) Use ceramic or porcelain flat iron to seal the hair. (6) 3 days after application wash hair with sodium and sulfate free shampoo. Do not pull, bind, or tie hair back into a ponytail for at least 48 hours. If hair is wet at any point, flat iron the section.

**INGREDIENTS:** Water (Aqua), Methylene Glycol, Cyclopentasiloxane, Cetearyl Alcohol, Glycerin



**WARNING:** This product contains methylene glycol and should only be used in a WELL- VENTILATED area. When heated, this product releases formaldehyde gas.

Exposure to formaldehyde may result in eye and throat irritation, headaches, dizziness, burning sensations, breathing problems, nosebleed, chest pain, and skin irritation.

**AVOID PRELONGED OR REPEATED EXPOSURE TO THE PRODUCT.** More than one procedure should not be performed at a time. Avoid direct contact with eyes, skin, and mouth. Do not use on hair that is breaking, splitting, shedding, or damaged. If skin contact occurs, wash immediately.

Product **SHOULD NOT** be used on formaldehyde-sensitive individuals or clients with pre-existing medical conditions (e.g. asthma or other respiratory conditions). If product causes skin or scalp irritations, rinse out immediately.

**If you are nursing or pregnant do not use the product without first consulting your physician. In the event of illness or medical emergency seek medical attention immediately.**



Product of USA,  
101 Main Street  
Anywhere, ST 20940  
1-800-555-6222



**INSTRUCTIONS:** Must be performed by a certified professional stylist. (1) Wash hair with clarifying shampoo. Rinse well and towel dry. (2) Blow dry the hair until hair is at least 90% dry. (3) wearing gloves, apply product ½ inch from the root with color brush. (4) blow dry the hair. (5) Use ceramic or porcelain flat iron to seal the hair. (6) 3 days after application wash hair with sodium and sulfate free shampoo. Do not pull, bind, or tie hair back into a ponytail for at least 48 hours. If hair is wet at any point, flat iron the section.

**INGREDIENTS:** Water (Aqua), Methylene Glycol, Cyclopentasiloxane, Cetearyl Alcohol, Glycerin



**WARNING:** This product contains methylene glycol and should only be used in a **WELL- VENTILATED** area. When heated, this product releases formaldehyde gas. Exposure to formaldehyde may result in eye and throat irritation, headaches, dizziness, burning sensations, breathing problems, nosebleed, chest pain, and skin irritation.

- **AVOID PRELONGED OR REPEATED EXPOSURE TO THIS PRODUCT.**
- **More than one procedure should not be performed at a time.**
- **Avoid direct contact with eyes, skin, and mouth. Do not use on hair that is breaking, splitting, shedding, or damaged. If skin contact occurs, wash immediately.**

Product **SHOULD NOT** be used on formaldehyde-sensitive individuals or clients with pre-existing medical conditions (e.g. asthma or other respiratory conditions). If product causes skin or scalp irritations, rinse out immediately.

**IF YOU ARE NURSING OR PREGNANT DO NOT USE THE PRODUCT, DO NOT USE THIS PRODUCT WITHOUT FIRST CONSULTING YOUR DOCTOR.**

**In the event of illness or medical emergency, SEEK MEDICAL ATTENTION IMMEDIATELY.**



Product of USA,  
101 Main Street  
Anywhere, ST 20940  
1-800-555-6222