Form Approved OMB No. 0920-0952 Exp. 12/31/2015

Community and Clinical Partner
Clinical Partner Needs Assessment

Public reporting burden of this collection of information is estimated to average 60 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0952).

ID: Reducing	g Teen Pregnancy: I	er Needs Assessme Integrating Service Community-wide I	es, Programs, and	1 Strategies
The purpose of this assess growth, related to the pro- gathered through this ass contraceptive and reprod	ovision of health care so sessment will be used to	ervices to support ad	olescent reproducti	ve health. Information
· ·	ourposes of this ASSESS			cents at your health center or all young women and mer
SECTION I: CLINICAL P	ROVIDER PROFILE -	GENERAL INFORM	ATION	
1. Please provide the f	ollowing information	n for your health c	enter.	
Health center Name:				
Mailing Address:				
City:				
State:				
Zip Code:				
Phone:				
Fax:				
E-mail:				
•		•		er "key contacts" at you enter practices, policies
	Contact 1	Contact 2	Contact 3	Contact 4
First Name:				
Last Name:				
Title/Position:				
Phone:				
Fax:				
E-mail:				

## 3a. Which of the following best describes the clinic partner institution type? Check all that apply.

Private practice	Community college
Hospital-based ambulatory care (teaching)	Four-year college
Hospital-based ambulatory care (non-	
teaching)	School-based health center
Mobile clinic	School-linked health center
State health department	Job Corps
County health department	Foster care
City health department	Substance abuse treatment center
Federally Qualified Health Center	Correctional facility
Community health center (non-FQHC)	Other (specify: )

# 3b. Which of the following best describes the clinic partner practice setting and their Title X funding status? Check all that apply.

Practice Setting	Title X f	unding
	Yes	No
Primary Care		
Pediatric practice (age range: )		
Adolescent clinic (age range: )		
Obstetrics and gynecology		
Family planning		
Hospital-based ambulatory care (teaching)		
Hospital-based ambulatory care (non-teaching)		
School-based health center		
School-linked health center		
Post-partum Unit		
Correctional Health		
Other (specify: )		

# 4. Which of the following best describes the service area for the health center? Check all that apply.

Urban
Suburban
Rural
Other (specify: )

5. Please answer the following questions about your health center by checking the appropriate box.

Does the health center	YES	NO
Provide reproductive/sexual health care services to		
adolescent females?		
Provide reproductive/sexual health care services to		
adolescent males?		

#### **SECTION II: REFERRALS AND LINKAGES**

6. Please indicate the number of existing formal and informal linkages developed during this past year with each of the following types of organizations, providers, programs, and/or institutions, for the purposes of <u>linking at-risk adolescents to contraceptive and reproductive health services</u>.

	Organization/Provider/ Program Type	Formal Linkages		Informal Linkages	
		Total	New	Total	New
Α	Community-Based Organization (please specify)				
В	High School				
С	Middle School				
D	Community college				
Ε	Four-year college				
F	After School Program				
G	Foster Care Program				
Н	GED Program				
I	Juvenile Detention				
J	Family practice				
K	Pediatric practice				
L	Community health center				
М	Mental health/Counseling Agency				
N	Other (specify: )				

<sup>&</sup>lt;sup>1</sup> By "formal linkages" we mean *written agreements* to work with these providers or organizations to enhance access to contraceptive or reproductive health services that your health center provides; by "informal linkages" we *mean no written agreement* exists.

7. Please indicate the number of formal and informal linkages you have developed with each of the following types of organizations, providers, and/or programs for the purposes of <u>referring youth to</u> <u>care and social support for services not provided by your agency.</u>

	Organization/Provider/ Program Type	Formal Linkages		Informal Linkages	
		Total	New	Total	New
A	Community-Based Organization (please specify)				
В	Substance Abuse				
С	Mental Health				
D	Intimate Partner Violence				
E	After School Program				
F	Foster Care Program				
G	GED Program				
Н	Family Medicine or Pediatric Practice				
ı	Other (specify: )				

8. Please indicate the types of materials and strategies used to increase awareness of health center services, and which of these are tailored specifically for adolescents, by checking the appropriate box.

	Type of Material/Strategy	Avail	able	Tailored Specifically for Adolescents		Number of Youth who indicate this as source of referral (if available)
		YES	NO	YES	NO	
Α	Referral Guide					
В	Website					
С	Hotline or Informational Call Center					
D	Health Center Brochure					
Е	Flyer					
F	Community Outreach/Education					
G	Social Media (e.g., Twitter, Facebook, etc.)					
Н	Referral network for services not offered by health center					
I	Other (specify: )					

#### SECTION III: HEALTH INSURANCE BILLING PRACTICES AND REVENUE

The following tables ask about billing practices for adolescent patients between the ages of 12-19 years.

9a. Please indicate both the <u>percentage of revenue</u> the health center receives for adolescent visits by source and the <u>number of visits</u> per revenue source. If none, then enter "0" for the item. Please note that by "visits" we mean any clinic visit where an adolescent is seen by a health care team member – <u>not</u> only visits where contraceptive or reproductive health services are provided.

% of	Number	Source of Revenue		
Revenue	of Visits			
		Medicaid Fee for Service		
		Medicaid Family Planning Waiver		
		Medicaid Managed Care		
		Commercial Insurance		
		Sliding Fee Scale (Patient pays for a portion of the charges out-of-pocket)		
		Full Pay (Patient pays for the full cost of service out-of-pocket)		
		No pay (services are covered by grants, e.g., Title X, Title V, 330, Private		
		Foundation, etc.)		
		Uninsured (health center absorbs costs of services)		
		Other [Please describe:		

9b. Please indicate both the <u>percentage of revenue</u> by source the health center receives for adolescent visits at which contraceptive or reproductive health services are provided, and the <u>number of visits at which contraceptive or reproductive health services are provided</u> per revenue source. If none, then enter "0" for the item.

% of Revenue	Number of Contraceptive/Repro ductive Health Visits	Source of Revenue	
		Medicaid Fee for Service	
		Medicaid Family Planning Waiver	
		Medicaid Managed Care	
		Commercial Insurance	
		Sliding Fee Scale (Patient pays for a portion of the charges out-of-pocket)	
		Full Pay (Patient pays for the full cost of service out-of-pocket)	
		No pay (services are covered by grants, e.g., Title X, Title V, 330, Private Foundation, etc.)	
		Uninsured (health center absorbs costs of services)	
		Other [Please describe: ]	

10. Please indicate the number and percentage of <u>ALL health center staff</u> (e.g., all clinical and non-clinical staff that have direct contact with adolescent clients) that have received training in the following areas in the <u>past two years</u>.

	In the past two years, staff received training on	Number of Staff	Percentage of all staff
Α		Stair	an stan
А	Stages of Adolescent Development		
В	State- specific Minors' Rights to Consent and		
	Confidentiality laws or provisions		
С	State-specific laws related to Immigrant		
	Minors' Rights to Confidentiality (as relevant)		
D	State-specific sexual abuse and reporting laws		
E	Cultural Competency		
F	Continuous Quality Improvement		
G	Youth Friendly Services		
Н	Strategies for serving non-English speaking		
	populations (includes interpreter)		
I	Addressing the needs of Lesbian, Gay, Bisexual,		
	Transgender ,and Queer (LGBTQ) Youth		

11. Please indicate the number and percentage of the <u>clinical staff</u> who serve adolescent clients (e.g., MDs, advance practice clinicians, nurse-extenders) that have been trained in the following areas in the

past two years.

	In the past two years, clinical staff received training on	Number	Percentage of clinical staff
Α	Contraceptive Services for Adolescents		
В	Use of the Quick Start method for initiation of hormonal contraception		
С	Use of Quick Start method for initiation of IUD		
D	IUDs for Adolescents		
Е	Hormonal Implants		
F	Emergency Contraception		
G	Pap Smear Guidelines		
Н	Breast Exam Guidelines		
I	Conducting a sexual health assessment/history for an adolescent		
J	STI testing for adolescents		
K	HIV testing for adolescents		
L	Male sexual and reproductive health services		
М	Continuous Quality Improvement	·	
N	Youth Friendly Services		
0	Adolescent development		

	In the past two years, clinical staff received training on	Number	Percentage of clinical staff
Р	Addressing the needs of Lesbian, Gay, Bisexual,		
	Transgender ,and Queer (LGBTQ) Youth		
Q	Social determinants of health		

#### SECTION V: IMPLEMENTATION OF EVIDENCE-BASED REPRODUCTIVE HEALTH PRACTICES

## 12. Please answer the following questions about your health center by checking the appropriate box.

	Are the following services available on-site at your health center?	YES	NO
Α	Pregnancy testing		
В	Chlamydia screening for all adolescent females at least annually, or based on diagnostic criteria, consistent with USPSTF and CDC		
	recommendations		
С	Chlamydia screening for adolescent females utilizing a urine or vaginal swab specimen		
D	Chlamydia screening for adolescent males utilizing a urine specimen		
E	Gonorrhea screening for both adolescent females and males		
F	Expedited patient delivered partner therapy (EPT) as an option for the treatment of uncomplicated chlamydial infection		
G	HIV rapid testing for adolescent females and males		

## 13. Please answer the following questions about your health center by checking the appropriate box.

	Does the health center provide the following forms of	Prescri	iptions	Dispense On-site	
	contraception (via <u>prescriptions</u> and/or <u>dispense on-site</u> ) to adolescents?	YES	NO	YES	NO
Α	Emergency contraception for <b>females</b>				
В	Emergency contraception for males				
С	IUDs				
D	Hormonal Implants (Nexplanon)				
Ε	Hormonal Contraceptive Pills				
F	Hormonal Injection (Depo-provera)				
G	Patch				
Н	Ring				
I	Condoms				

# 14a. Please answer the following questions about your health center's availability of IUDs and Implants.

	How does the health center obtain the following forms of contraception to adolescents?		ced in ance	Ordered when requested by patient		Not Available	
		Yes	No	Yes	No	Yes	No
Α	IUDs						
В	Hormonal Implants (Nexplanon)						

	Does the health center provide on-site insertion or referral for insertion?	Met Insert site – ty availa days op	ed on ypically ble all clinic	Insert site –av on ce days open c	Inserted on available available counseled and redays clinic referred to available avai		available onsite—client counseled and referred to other site for		od not oleno ling or rral led to
		Yes	No	Yes	No	Yes	No	Yes	No
С	IUDs								
D	Hormonal Implants (Nexplanon)								

### 14b. Please answer the following questions regarding availability of condoms at your health center.

Does the health center provide condoms on-site?		Free		For Purchase		Not Available	
		Yes	No	Yes	No	Yes	No
E	Condoms						

# 14c. Please indicate if the health center performs the following activities by checking the appropriate box.

	Does your health center	Most of the time/all of the time	Some of the time	No
A	Offer adolescents the availability of hormonal contraception or IUD at every visit that the adolescent makes to the clinical provider?			
В	Initiate hormonal contraception using the Quick Start			

		Most of the time/all of	Some of the time	No
	Does your health center	the time		
	method (starting birth control the day of the visit)?			
С	Provide Quick Start initiation of hormonal contraception			
	after an adolescent client has a negative pregnancy test?			
D	Provide Quick Start initiation of hormonal contraception			
	when an adolescent client is provided with Emergency			
	Contraception where the pregnancy test is negative?			
Ε	Offer adolescents the option of having an IUD inserted			
	using the Quick Start method (on the visit when first			
	requested)?			
F	Offer <b>Emergency Contraception</b> (EC) to female			
	adolescents for future use (advance provision*)?			
G	Offer Emergency Contraception to male adolescents?			
Н	Provide adolescents with time alone with a health care			
	provider at every visit?			
I	Take or update a reproductive/sexual health history or			
	assessment at every visit?			
J	Follow current guidelines for Pap screening (routine Pap			
	screening begins at age 21)?			
K	Offer "fast track" or streamlined visits with limited			
	waiting time that includes access to hormonal			
	contraception for adolescents?			
* ^ ~	ance provision is defined as prescribing emergency contracention in advar			

<sup>\*</sup>Advance provision is defined as prescribing emergency contraception in advance to ensure that women have it on hand in case they need it.

# 15. Which of the following services does the health center require an adolescent patient to receive prior to prescribing or dispensing hormonal contraception?

	Service is required prior to dispensing hormonal contraception	YES	NO
Α	Pap Smear		
В	Pelvic Exam		
С	Breast Exam		
D	STD Testing		
Е	HIV Testing		
F	Blood Pressure		
G	Weight		

#### SECTION VI: ACCESSIBILITY OF SERVICES FOR ADOLESCENTS

### 16. Please answer the following questions about your health center by checking the appropriate box.

	Does the health center	YES	NO
Α	Require adolescent clients to make an appointment to access care?		

В	Offer same day appointments for adolescent clients?	
С	Offer appointments after school hours?	
D	Offer appointments during the weekend?	
E	Accept adolescent clients who walk-in for service?	

# 17. Please answer the following questions about your health center by checking the appropriate box.

	Is the health center	YES	NO
Α	Easily accessible by public transportation (within 1 mile of a bus stop, subway stop, etc.)?		
В	Within close proximity (within 1-2 miles) of places where adolescents spend their free time?		
С	Less than 10 miles from area schools?		

## 18. Please answer the following questions about your health center by checking the appropriate box.

	Does the health center	YES	NO
Α	Involve adolescents in <b>designing</b> services to provide reproductive health care to adolescents?		
В	Involve adolescents in <b>evaluating</b> services to provide reproductive health care to adolescents?		
С	Clearly display its hours and services?		
D	Produce flyers or pamphlets that advertise its services for adolescents?		
E	Advertise its services within the target community (e.g., through radio, local print media, etc.)?		
F	Use the Internet (including social media) for education, appointment reminders, and/or communication with clients?		
G	Offer low or no cost contraceptive and reproductive health care services?		
Н	See adolescents for confidential reproductive health services without parental/caregiver consent?		
I	Use materials that address the needs of lesbian, gay, bisexual, transgender, and queer (LGBTQ) adolescents?		
J	Use materials that address the needs of non-English speaking adolescents?		

### **SECTION VII: HEALTH CENTER ENVIRONMENT**

This section collects information that describes the physical health center environment along with the use and application of evidence-based clinic practices.

## 19. Please answer the following questions about the health center environment.

	Does the health center	YES	NO
Α	Have a separate space/area to provide services for adolescent clients?		
В	Have a separate waiting room for adolescent clients?		
С	Have a counseling area specifically for adolescent clients that provides both visual and auditory privacy?		
D	Have an examination room specifically for adolescent clients that provides visual and auditory privacy?		
E	Have teen-focused magazines or posters on the walls?		
F	Display information (pamphlets, posters, flyers, fact sheets) about an adolescent's ability to access confidential contraceptive and reproductive health care without parental or caregiver consent?		
G	Provide videos or TV programs showing health related information? (Please specify: )		
Н	Provide brief evidence-based or evidence-informed video Interventions designed for adolescents (e.g. "What Could You Do?", now called "Seventeen Days")? (Please specify:		
1	Provide other evidence-based interventions designed for adolescents? (Please specify: )		

#### SECTION VIII: HEALTH CARE CENTER INFRASTRUCTURE

This section collects information about the health center infrastructure in place to support the provision of adolescent contraceptive and reproductive health services.

#### 20. Please answer the following questions about your health center by checking the appropriate box.

	Does the health center		NO
Α	Participate in the federal 340B drug discount purchasing program?		
В	Have a pharmacy on-site that dispense hormonal contraception?		
С	Have access to the Internet for all staff?		
	Have systems in place to facilitate billing third party payers for		
D	contraceptive and reproductive health care services provided?		

# 21. Which Electronic Medical Records (EMR) system(s) does your health center use? Check all that apply.

eClinical Works (eCW)
Centricity
Epic
NextGen
Other (specify: )
None

### 22. Please answer the following question about your health center by checking the appropriate box.

Does the health center	YES	NO
Have staff especially trained and dedicated to quality improvement		
initiatives?		

# 23. Please answer the following question about your health center by checking the appropriate box. Where indicated, please list the measures used.

Does the health center	YES	NO
Have a set of performance measures that are collected on a regular		
basis (e.g., quarterly, monthly) for monitoring the utilization of health		
care services for adolescents?		
Please list measures used:		
Have a set of performance measures that are collected on a regular		
basis (e.g., quarterly, monthly) for monitoring the delivery of		

Does the health center	YES	NO
contraceptive, reproductive, or sexual health services for adolescents?		
Please list measures used:		

24. Please indicate your health center's experience using the following performance improvement or continuous quality improvement methods to plan, monitor, and evaluate health care delivery systems. Check all that apply.

Conti	Continuous Quality Improvement (CQI) Method				
Α		IHI Model for Improvement including Plan Do Study Act (PDSA)			
В		Run Collaboratives			
С		Clinical Quality Improvement Initiatives (specify/describe initiatives:	)		
D		Performance Measures			
E		Using Data for Program Planning, Monitoring, and Evaluation (Data Dashboard)			
F		Other (specify:	)		
G		None that I am aware of			

#### SECTION IX: USE OF HEALTH CARE SERVICES BY ADOLESCENTS

NOTE: The following data may be collected via billing records, EMRs, and other methods. We are open to suggestions for other data collection methods based on your familiarity with your health center partners and your ability to collect data from your partners. It is recommended that you collect these data for each month.

Please note that by "visits" we mean any visit where an adolescent is seen by a health care team member – <u>not</u> only visits designated as reproductive/sexual health visits.

Please note that by "adolescent visits where contraceptive, reproductive, or sexual health services are provided" we mean any health center visit where contraceptive, reproductive, or sexual health services are provided to the adolescent patient, regardless of the primary reason for the visit.

#### 25a. Please specify the data source used to complete Tables 1-4.

Data source used to complete Tables 1-4 below.				
(Potential data sources: Billing, pharmacy management, electronic medical records (EMR), or other				
administrative and/or reporting databases.)				

25b. Please indicate which of the following contraceptive, reproductive or sexual health services provided were included in the data reported (i.e. what services were queried from your EMR or billing data to produce the numbers reported in Q25 Tables 1 and 2)? Please check all that apply.

Contr	Contraceptive, Reproductive, or Sexual Health Services			
Α		Sexual health assessment		
В		Contraceptive and/or sexual health counseling		
С		Pap smear		
D		Insertion of or prescription for hormonal contraception or IUD		
Е		STD screening and/or treatment		
F		HIV testing		
G		Other: Please describe as fully as possible		

# 25. Please complete the following tables. Complete Table 1 for FEMALE adolescents and Table 2 for MALE adolescents.

Table 1. FEMALE Adolescent Clients (Unduplicated) and Visits by Race/Ethnicity and Age Group.

FEMALES	# Adolescent Clients (Unduplicated)	# Adolescent Visits <sup>2</sup>	# Adolescent Visits at which Contraceptive, Reproductive, or Sexual Health Services are Provided <sup>3</sup>
Hispanic/Latina – All Races <sup>4</sup>			
12-14 years			
15-17 years			
18-19 years			
Total			
Black or African American (Non-Hispanic)			
12-14 years			
15-17 years			
18-19 years			
Total			
White (Non-Hispanic)			
12-14 years			
15-17 years			
18-19 years			
Total			
Other (Non-Hispanic)			
12-14 years			
15-17 years			
18-19 years			
Total			
Unknown Race and Ethnicity			

<sup>&</sup>lt;sup>2</sup> Any visit where an adolescent is seen by a healthcare team member – not only visits designated as reproductive/sexual health visits.

<sup>&</sup>lt;sup>3</sup> Includes any health center visit where contraceptive, reproductive, or sexual health services are provided to the adolescent patient, regardless of the primary reason for the visit.

 $<sup>^{\</sup>rm 4}$  Count data for all clients that indicated Hispanic/Latino(a) ethnicity, regardless of race

FEMALES	# Adolescent Clients (Unduplicated)	# Adolescent Visits <sup>2</sup>	# Adolescent Visits at which Contraceptive, Reproductive, or Sexual Health Services are Provided <sup>3</sup>
12-14 years			
15-17 years			
18-19 years			
Total			
All Races and Ethnicities			
12-14 years			
15-17 years			
18-19 years			
Total			

Table 2. MALE Adolescent Clients (Unduplicated) and Visits by Race/Ethnicity, Age Group.

MALES	# Adolescent Clients (Unduplicated)	# Adolescent Visits <sup>5</sup>	# Adolescent Visits at which Contraceptive, Reproductive or Sexual Health Services are Provided <sup>6</sup>
Hispanic/Latino – All Races <sup>7</sup>			
12-14 years			
15-17 years			
18-19 years			
Total			
Black or African American (Non-Hispanic)			
12-14 years			
15-17 years			
18-19 years			
Total			
White (Non-Hispanic)			
12-14 years			
15-17 years			
18-19 years			
Total			
Other (Non-Hispanic)			
12-14 years			
15-17 years			
18-19 years			
Total			
Unknown Race and Ethnicity			
12-14 years			
15-17 years			
18-19 years			
Total			
All Races and Ethnicities			
12-14 years			
15-17 years			
18-19 years			
Total			

<sup>&</sup>lt;sup>5</sup> Any visit where an adolescent is seen by a healthcare team member – not only visits designated as reproductive/sexual health visits.

<sup>&</sup>lt;sup>6</sup> Includes any health center visit where contraceptive, reproductive, or sexual health services are provided to the adolescent patient, regardless of the primary reason for the visit.

<sup>&</sup>lt;sup>7</sup> Count data for all clients that indicated Hispanic/Latino(a) ethnicity, regardless of race

### SECTION X: USE OF HORMONAL CONTRACEPTION AND IUD BY ADOLESCENTS

26. Please complete the following tables (or use the attached Microsoft Excel worksheets).

Table 3. <u>FEMALE</u> Adolescent Clients (Unduplicated) and Number Provided Hormonal Contraception or IUD, by Age Group

All Unduplicated Clients (Total)  12-14 years  15-17 years  18-19 years  Total  Provided the Pill  12-14 years  15-17 years  18-19 years  Total  Provided the Patch  12-14 years  15-17 years  18-19 years  Total  Provided the Patch  12-14 years  15-17 years  18-19 years  Total  Provided the Ring  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  15-17 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	FEMALES	# Adolescent Clients (Unduplicated)
15-17 years 18-19 years Total Provided the Pill 2-14 years 15-17 years 18-19 years Total Provided the Patch 12-14 years 15-17 years 18-19 years Total Provided the Ratch 12-14 years 18-19 years Total Provided the Ring 12-14 years 15-17 years 18-19 years Total Provided Injectable Contraception (e.g., Depo Provera) 12-14 years 15-17 years 18-19 years 15-17 years	All Unduplicated Clients (Total)	
18-19 years	12-14 years	
Total   Provided the Pill	15-17 years	
Provided the Pill     12-14 years           15-17 years         18-19 years         18-19 years         12-14 years         12-14 years         15-17 years         18-19 years	18-19 years	
12-14 years 15-17 years 18-19 years Total Provided the Patch 12-14 years 15-17 years 18-19 years Total Provided the Ring 12-14 years 15-17 years 18-19 years 15-17 years 18-19 years 15-17 years 18-19 years Total Provided Injectable Contraception (e.g., Depo Provera) 12-14 years 15-17 years 18-19 years 15-17 years 18-19 years 15-17 years 18-19 years Total Provided IUD 12-14 years 15-17 years 18-19 years 15-17 years	Total	
15-17 years 18-19 years Total Provided the Patch 12-14 years 15-17 years 18-19 years Total Provided the Ring 12-14 years 15-17 years 18-19 years Total Provided Injectable Contraception (e.g., Depo Provera) 12-14 years 15-17 years 18-19 years Total Provided Injectable Contraception (e.g., Depo Provera) 12-14 years 15-17 years 18-19 years Total Provided IUD 12-14 years 15-17 years 18-19 years Total Provided Contraception (e.g., Nexplanon) 12-14 years 15-17 years	Provided the Pill	
18-19 years	12-14 years	
Total  Provided the Patch  12-14 years  15-17 years  18-19 years  Total  Provided the Ring  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	15-17 years	
Provided the Patch  12-14 years  15-17 years  18-19 years  Total  Provided the Ring  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  15-17 years  15-17 years  15-17 years  15-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	18-19 years	
12-14 years 15-17 years 18-19 years  Total  Provided the Ring  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	Total	
15-17 years  18-19 years  Total  Provided the Ring  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	Provided the Patch	
Total  Provided the Ring  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	12-14 years	
Total  Provided the Ring  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	15-17 years	
Provided the Ring  12-14 years  15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	18-19 years	
12-14 years 15-17 years 18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years 15-17 years 18-19 years  Total  Provided IUD  12-14 years 15-17 years 18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years 15-17 years 18-19 years	Total	
15-17 years  18-19 years  Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  15-17 years  15-17 years  15-17 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  15-17 years	Provided the Ring	
Total Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total Provided IUD  12-14 years  15-17 years  15-17 years  15-17 years  15-17 years  15-17 years  18-19 years  Total Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	12-14 years	
Total  Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	15-17 years	
Provided Injectable Contraception (e.g., Depo Provera)  12-14 years  15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	18-19 years	
12-14 years 15-17 years 18-19 years  Total  Provided IUD  12-14 years 15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years	Total	
15-17 years  18-19 years  Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years	Provided Injectable Contraception (e.g., Depo Provera)	
Total  Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years	12-14 years	
Total Provided IUD  12-14 years  15-17 years  18-19 years  Total Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	15-17 years	
Provided IUD  12-14 years  15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	18-19 years	
12-14 years 15-17 years 18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon) 12-14 years 15-17 years 18-19 years	Total	
15-17 years  18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	Provided IUD	
18-19 years  Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	12-14 years	
Total  Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	15-17 years	
Provided Contraceptive Implants (e.g., Nexplanon)  12-14 years  15-17 years  18-19 years	18-19 years	
12-14 years 15-17 years 18-19 years	Total	
15-17 years	Provided Contraceptive Implants (e.g., Nexplanon)	
18-19 years	12-14 years	
	15-17 years	
Total	18-19 years	
	Total	

Provided Emergency Contraception (EC) <sup>8</sup>	
12-14 years	
15-17 years	
18-19 years	
Total	
% Contraceptive Coverage <sup>9</sup>	
12-14 years	
15-17 years	
18-19 years	
Total	
% LARC Coverage 10	
12-14 years	
15-17 years	
18-19 years	
Total	

Table 4. FEMALE Adolescent Clients (Unduplicated) and Number Provided Hormonal Contraception or IUD, by Race/Ethnicity

FEMALES	# Adolescent Clients (Unduplicated)
All Unduplicated Clients (Total)	· · · ·
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	
Provided the Pill	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	
Provided the Patch	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanc)	
Other (non-Hispanic)	
Unknown/unreported	
Total	

 <sup>8</sup> Including the provision of EC as a backup method along with another contraceptive method
 9 Calculated as the proportion of all unduplicated adolescent female clients provided hormonal contraception, contraceptive implants, or IUD.
 10 Calculated as the proportion of all unduplicated adolescent female clients provided contraceptive implants, or IUD.

Provided the Ring	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
· · · ·	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	
Provided Injectable Contraception (e.g., Depo Provera)	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	
Provided IUD	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	
Provided Contraceptive Implants (e.g., Nexplanon)	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	
Provided Emergency Contraception (EC) <sup>11</sup>	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	
% Contraceptive Coverage <sup>12</sup>	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	

<sup>&</sup>lt;sup>11</sup> Including the provision of EC as a backup method along with another contraceptive method <sup>12</sup> Calculated as the proportion of all unduplicated adolescent female clients provided hormonal contraception, contraceptive implants, or IUD.

% LARC Coverage <sup>13</sup>	
Hispanic/Latina (all races)	
Black or African American (non-Hispanic)	
White (non-Hispanic)	
Other (non-Hispanic)	
Unknown/unreported	
Total	

\_

<sup>&</sup>lt;sup>13</sup> Calculated as the proportion of all unduplicated adolescent female clients provided contraceptive implants, or IUD. The unduplicated clients reported in Table 1 should be used as the denominator and reported at the top of Tables 3 & 4 (e.g., for calculating the number of Black/African American who received the pill, use total Black/African American clients unduplicated as denominator which includes clients who did not receive any form of contraceptive).