

**“Community-based Organization (CBO) Monitoring and Evaluation Project of WILLOW (CMEP-WILLOW)”**

**180-Day Follow-up Survey**

**Attachment 3b**

Public reporting burden of this collection of information is estimated to average 18 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-0896).

**CMEP-WILLOW 180-DAY FOLLOW-UP DATA COLLECTION: General Information  
(to be completed by staff)**

The following section will be completed by CMEP-WILLOW staff.

G1. Client ID: \_\_\_\_ [QDS QA Check: This number cannot be longer than 4 digits]

G2. Staff ID: \_\_\_\_\_

G3. Data collection date: \_\_\_\_/\_\_\_\_/\_\_\_\_ [QDS Instructions: drop-down menu]  
(MM/DD/YYYY)

G4. Data collection site: \_\_\_\_\_

G5. Data administered by: (Choose one)

- Client
- Provider (in-person)
- Provider (on phone)

G6. Data collection method: (Choose one)

- Laptop
- Handheld device
- Hard copy

G7. In the past 3 months, have you... (Choose all that apply)

- Participated in a face-to-face group discussion about HIV prevention, HIV testing or safer sex practices
- Participated in an on-line discussion about HIV prevention, HIV testing, or safer sex practices
- Received condoms or a safe sex kit
- Received HIV Case Management services
- Received Partner Services
- Received written information about HIV/AIDS or STDs
- Received other HIV prevention services (if yes, specify \_\_\_\_\_)
- Has not participated in discussions or received materials related HIV/AIDS or STDs
- Decline to answer

**G8. In the past 3 months, has the client participated in any HIV prevention interventions (e.g., CDC effective behavioral interventions [EBIs])? (Choose one)**

- Yes
- No [QDS Skip: Skip to Q1]
- Decline to answer

**G9. If yes, which one(s)? (Choose all that apply) (Note: These interventions may be called a different name at each agency)**

- |  |   |
|--|---|
| <input type="radio"/> Clear                            | <input type="radio"/> Safe in the City          |
| <input type="radio"/> Connect                          | <input type="radio"/> Safety Counts             |
| <input type="radio"/> Focus on Youth + IMPACT          | <input type="radio"/> SHIELD                    |
| <input type="radio"/> Healthy Relationships            | <input type="radio"/> SIHLE                     |
| <input type="radio"/> Holistic Health Recovery Program | <input type="radio"/> SISTA                     |
| <input type="radio"/> MIP                              | <input type="radio"/> Sister to Sister          |
| <input type="radio"/> Partnership for Health           | <input type="radio"/> Street Smart              |
| <input type="radio"/> Popular Opinion Leader           | <input type="radio"/> Together Learning Choices |
| <input type="radio"/> Project Start                    | <input type="radio"/> VOICES/VOCES              |
| <input type="radio"/> PROMISE                          | <input type="radio"/> WILLOW                    |
| <input type="radio"/> RAPP                             | <input type="radio"/> Other (specify): _____    |
| <input type="radio"/> RESPECT                          | <input type="radio"/> Decline to answer         |

**CMEP-WILLOW DATA COLLECTION: Client-level Data  
(to be completed by client)**

Thank you for agreeing to participate in this survey. This survey is about your attitudes and behaviors regarding sex and sexually transmitted diseases (STDs). Many of the questions are very personal. Your answers will be kept private. Please answer as honestly and openly as you can. Do not hesitate to ask if you don't understand a question or need help figuring out dates. There are no right or wrong answers. Let's get started.

**Demographics**

The first set of questions asks you to provide some general information about yourself.

**1. \*(G123) What was your sex at birth? (This is the biological sex on your birth certificate.) (Choose one)**

- Male
- Female
- Decline to answer

**2. \*(G124) How do you currently identify yourself? (Choose one)**

- Male
- Female
- Transgender – Male to female [QDS QA Check: If selected, include section about female partners]
- Transgender – Female to male
- Other (Specify if your gender is not one of the choices above): \_\_\_\_\_

Decline to answer

**3. What is your current marital status? (Choose one)**

- Never married
- Married
- Separated
- Divorced
- Widowed
- Decline to answer

**4. Are you currently ...? (Choose all that apply)**

- Employed for wages
- Self-employed
- Unemployed
- Receiving unemployment benefits
- Receiving public financial assistance (e.g., food stamps)
- Receiving social security and/or disability
- A homemaker
- A student
- Retired
- Unable to work
- Decline to answer

## HIV & STD Testing, Medical Care, and Other HIV Services

The next set of questions is about your history with HIV and STD testing, medical care, and other HIV services.

**5. \*(G208) Have you seen a primary health care provider (doctor, nurse, etc.) for HIV-related care in the last 6 months? (Choose one)**

- Yes
- No
- Decline to answer

**6. Have you been prescribed (anti-retroviral) medication for your HIV? (Choose one)**

- Yes
- No [QDS Skip: If no, then skip to Q8]
- Decline to answer

**7. Have you been taking these HIV medications as directed over the last 6 months? (Choose one)**

- Yes
- No
- Decline to answer

**8. In the last 3 months (90 days), has a health care provider told you that you have/had any of the following? (Choose all that apply)**

- Gonorrhea
- Syphilis

- Chlamydia
- No, I have not been diagnosed with a STD in the last 3 months [QDS QA Check: If any of the first 3 are checked, this response should not be enabled]
- Decline to answer [QDS QA Check: If any of the first 4 are checked, 'Decline to Answer' should not be enabled]

9. Are you pregnant? (Choose one) [QDS QA Check: Do not ask if transgender male to female]

- Yes
- No [QDS Skip: Skip to Q11]
- Don't know [QDS Skip: Skip to Q11]
- Decline to answer

10. Are you in prenatal care? (Choose one) [QDS QA Check: Do not ask if transgender male to female]

- Yes
- No
- Decline to answer

## Drug Use and Living Situation

The next set of questions are about your experience with drugs and your living situation.

11. In the last 3 months (90 days), have you injected drugs? (This includes illegal drugs and other substances such as silicone, botox, hormones, etc.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q13]
- Decline to answer

12. In the last 3 months (90 days), how often did you share needles, syringes, or works? (That is, you let someone else use your needles, syringes or works, or you borrowed someone else's needles, syringes or works to inject drugs.) (Choose one)

- Never
- Sometimes
- Always
- Decline to answer

13. In the last 3 months (90 days), were you homeless at any time? (That is, you slept in a shelter for homeless people, on the streets, in a car, or another place not intended for sleeping. In other words, you didn't have a permanent address.) (Choose one)

- Yes
- No
- Decline to answer

14. In the last 3 months (90 days), were you in jail or prison for more than 24 hours? (Choose one)

- Yes
- No
- Decline to answer

## Sexual Risk Behaviors with Male Partners

The next series of questions will ask about sex you have had with a man. These questions are only asking about vaginal or anal sex you have had with a man. They are **NOT** asking about oral sex (giving/getting blow jobs or head).

Vaginal sex is when a man puts his penis in your vagina (hole in front). Anal sex is when a man puts his penis into your anus (butt, hole in back). Condom use refers to the use of a male condom, unless a female condom is mentioned.

### Sex with Men in the Last 3 months (90 days)

The next questions ask about vaginal or anal sex you've had with men over the last 3 months (90 days). Some of the questions will ask you to report numbers. If your answer is none, please enter 0 (zero).

15. In the last **3 months** (90 days), have you had vaginal or anal sex with a man? (Choose one)

- € Yes
- € No [QDS Skip: If no, then only ask Q22-Q26, Q85-87, Q89-155]
- € Decline to answer

16. In the last **3 months** (90 days), how many men have you had vaginal or anal sex with? (Choose one)

- € \_\_\_\_\_ # partners [QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q15 to having vaginal or anal sex with a male in the last 3 months; QDS QA Check: If  $Q16 \geq 46$  ask the respondent to confirm]
- € Decline to answer

17. In the last **3 months** (90 days), how many **times** have you had vaginal or anal sex with a man? (Choose one)

- € \_\_\_\_\_ # times [QDS QA Check:  $Q17 \geq Q16$ . If no, then tell respondent that the number of times must be greater than or equal to the number of partners and have them verify Q16 and Q17; QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q15 to having anal sex with a male in the last 3 months]
- € Decline to answer

18. Of the (#) [QDS Instructions: Populate with Q17 # response] times you had vaginal or anal sex with a man during the last 3 months, how many times did you use a condom? (Choose one)

- € \_\_\_\_\_ # times [QDS QA Check:  $Q18 \leq Q17$ . If no, then tell respondent that the number of times they used a condom must be less than or equal to the number of times they had sex and have them verify Q17 and Q18; QDS QA Skip: If  $Q18 = Q17$  or  $Q18 = 0$ , skip (do not ask) Qs 21, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 83, or 84]
- € Decline to answer

19. In the last **3 months** (90 days), when you had vaginal or anal sex with a man, how often were you drunk or high on drugs? (Choose one)

- € Never [QDS Skip: Skip to Q22]
- € Less than half the time

- Half the time
- More than half the time
- All the time
- Decline to answer

20. In the last **3 months** (90 days), when you had vaginal or anal sex with a man while high or drunk, **which were you using?** (Choose all that apply)

- |   |  |
|---|--|
| <input type="radio"/> Amphetamines, meth, speed, crystal, ice or crank  | <input type="radio"/> Crack                            |
| <input type="radio"/> Heroin (injected, smoked, or snorted)   | <input type="radio"/> Poppers (Amyl nitrate)           |
| <input type="radio"/> Painkillers (including Oxycontin, Percocet)   | <input type="radio"/> Downers (Valium, Ativan, Xanax)  |
| <input type="radio"/> Club drugs such as GHB (G), Ketamine (K)  | <input type="radio"/> Ecstasy (E)                      |
| <input type="radio"/> Marijuana (pot)   | <input type="radio"/> Hallucinogens such as LSD (acid) |
| <input type="radio"/> Cocaine (smoked, snorted, or injected)  | <input type="radio"/> Alcohol                          |
| <input type="radio"/> Other: _____  |  |
| <input type="radio"/> Decline to answer [QDS QA Check: If any of the first 13 are checked, 'Decline to Answer' should not be enabled] |  |

21. In the last **3 months** (90 days), when you had vaginal or anal sex with a man while high or drunk, **how often did you use condoms?** (Choose one)

- Never
- Sometimes
- Always
- Decline to answer

The next questions ask about vaginal and anal sex with your **MALE** primary/main and casual sexual partners.

**A primary/main partner** is someone you have a special emotional connection with, live with, love, and/or call your boyfriend/husband.

**A casual partner** is someone you have had sex with but do not consider to be a primary/main partner. A casual partner may be someone you have had sex with one time or many times.

Some of the questions in this section will ask you to report numbers. If your answer is 0 (zero), please enter 0 in the space provided.

22. Do you currently have a primary or main male partner? (Choose one)

- Yes
- No [QDS QA Skip: Skip to Q27]
- Decline to answer

23. How long have you been with your current primary or main male partner? (Choose one)

- Less than 6 months
- 6 months to 1 year
- 1 to 5 years
- Longer than 5 years
- Decline to answer

24. Are you living with your primary or main male partner? (Choose one)

- Yes
- No
- Decline to answer

25. Are you financially dependent on your primary or main male partner? (Choose one)

- Yes
- No
- Decline to answer

26. Is your current primary or main male partner HIV-positive? (Choose one)

- Yes
- No
- Don't know
- Decline to answer

27. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q16 # response] men that you have had vaginal or anal sex with were primary/main partners? (Choose one)

- \_\_\_\_\_ # primary/main partners [QDS QA Check: Q27 must be less than or equal to Q16. If not, then tell client that the number of primary/main male partners must be less or equal to the total number of male and ask them to confirm their answers to Q16 and Q27; QDS QA check If  $Q27 \geq 10$ , refer respondent to the definition of primary/main partner and ask them to confirm the number of primary/main partners; QDS QA Check: If response = 0 skip to Q29]
- Decline to answer

28. In the last 3 months (90 days), how often did you use condoms when having vaginal or anal sex with your male primary/main partner(s)? (Choose one)

- Never
- Sometimes
- Always
- Decline to answer

29. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q16 # response] men that you have had vaginal or anal sex with were casual partners? (Choose one)

- \_\_\_\_\_ # casual partners (If 0, enter 0) [QDS QA Check:  $Q27 + Q29 = Q16$ . If no, tell client that the number of primary/main partners plus the number of casual partners must equal the total number of male partners. Ask client to confirm Q16, 27, and 29; QDS QA Check: If response = 0 skip to Q31]
- Decline to answer

30. In the last 3 months (90 days), how often did you use condoms when having vaginal or anal sex with your male casual partner(s)? (Choose one)

- Never
- Sometimes
- Always
- Decline to answer

The next set of questions is about the characteristics of the male partners you've had vaginal or anal sex with. Some of the questions will ask you to report numbers. If your answer is none, please enter 0 (zero) in the space provided.

31. In the last 3 months (90 days), did you have vaginal or anal sex with a male who had an HIV status that was unknown to you? (Choose one)
- Yes
  - No [QDS Skip: Skip to Q33]
  - Decline to answer
32. In the last 3 months (90 days), how often did you use condoms when you had a vaginal or anal sex with your male partner(s) whose HIV status you didn't or don't know? (Choose one)
- Never
  - Sometimes
  - Always
  - Decline to answer
33. In the last 3 months (90 days), did you have vaginal or anal sex with a male who was HIV-negative? (Choose one)
- Yes
  - No [QDS Skip: Skip to Q35]
  - Decline to answer
34. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your male partner(s) who was HIV-negative? (Choose one)
- Never
  - Sometimes
  - Always
  - Decline to answer
35. In the last 3 months (90 days), did you have vaginal or anal sex with a male only one time? (That is, a one-night stand.) (Choose one)
- Yes
  - No [QDS Skip: Skip to Q37]
  - Decline to answer
36. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your male partner(s) who you had vaginal or anal sex with only one time? (Choose one)
- Never
  - Sometimes
  - Always
  - Decline to answer
37. In the last 3 months (90 days), did you have vaginal or anal sex with a male who was a stranger or anonymous? (That is, you do not know their name and you have no way of contacting them.) (Choose one)
- Yes
  - No [QDS Skip: Skip to Q39]

Decline to answer

38. In the last **3 months** (90 days), how often did you use condoms when you had vaginal or anal sex with your anonymous male partner(s)? (Choose one)

Never

Sometimes

Always

Decline to answer

39. In the last **3 months** (90 days), did a male sex partner **give you** money, drugs, a place to stay, clothing, or something else you needed in exchange for vaginal or anal sex? (Choose one)

Yes

No [QDS Skip: Skip to Q41]

Decline to answer

40. In the last **3 months** (90 days), how often did you use condoms when you had vaginal or anal sex with a man who **gave you** money, drugs, a place to stay, clothing, or something else you needed in exchange for vaginal or anal sex? (Choose one)

Never

Sometimes

Always

Decline to answer

41. In the last **3 months** (90 days), did **you give** a male sex partner money, drugs, a place to stay, clothing, or something else they needed in exchange for vaginal or anal sex? (Choose one)

Yes

No [QDS Skip: Skip to Q43]

Decline to answer

42. In the last **3 months** (90 days), how often did you use condoms when you had vaginal or anal sex with your male partner(s) who **you gave** money, drugs, a place to stay, clothing, or something else they needed in exchange for vaginal or anal sex? (Choose one)

Never

Sometimes

Always

Decline to answer

43. In the last **3 months** (90 days), did you have vaginal or anal sex with a male who you knew was an **injection drug user**? (That is, they injected illegal drugs or other substances such as silicone, botox, hormones, etc.) (Choose one)

Yes

No [QDS Skip: Skip to Q45]

Decline to answer

44. In the last **3 months** (90 days), how often did you use condoms when you had vaginal or anal sex with your male partner(s) who injected drugs? (Choose one)

Never

Sometimes

- € Always
- € Decline to answer

**45. In the last 3 months (90 days), did you have vaginal or anal sex with a male who you knew had spent more than 24 hours in jail?**

- € Yes
- € No [QDS Skip: Skip to Q47]
- € Decline to answer

**46. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your male partner(s) who had spent more than 24 hours in jail? (Choose one)**

- € Never
- € Sometimes
- € Always
- € Decline to answer

**47. In the last 3 months (90 days), did you have vaginal or anal sex with a male who had a STD like syphilis (syphpox), Chlamydia, or gonorrhoea (clap)? (Choose one)**

- € Yes
- € No [QDS Skip: Skip to Q83 unless Male to Female Transgender, then skip to Q49]
- € Decline to answer

**48. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your male partner(s) who had syphilis, Chlamydia, or gonorrhoea? (Choose one)**

- € Never
- € Sometimes
- € Always
- € Decline to answer

## Sexual Risk Behaviors with Female Partners

[QDS Check: This section is only for Male to Female Transgender]

The next series of questions will ask about sex you have had with a woman. These questions are only asking about vaginal or anal sex you have had with a woman. They are **NOT** asking about oral sex (giving/getting blow jobs or head).

Vaginal sex is when you put a penis in a vagina (hole in front). Anal sex is when you puts a penis into an anus (butt, hole in back). Condom use refers to the use of a male condom, unless a female condom is mentioned.

### Sex with Women in the Last 3 months (90 days)

The next questions ask about vaginal or anal sex you've had with women over the last 3 months (90 days). Some of the questions will ask you to report numbers. If your answer is none, please enter 0 (zero).

49. In the last **3 months** (90 days), have you had vaginal or anal sex with a woman? (Choose one)

- € Yes
- € No [QDS Skip: If no, then only ask Q56-Q60, Q85-87, Q89-155]
- € Decline to answer

50. In the last **3 months** (90 days), how many women have you had vaginal or anal sex with? (Choose one)

- € \_\_\_\_\_ # partners [QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q49 to having vaginal or anal sex with a female in the last 3 months; QDS QA Check: If  $Q50 \geq Q61$  ask the respondent to confirm]
- € Decline to answer

51. In the last **3 months** (90 days), how many **times** have you had vaginal or anal sex with a woman? (Choose one)

- € \_\_\_\_\_ # times [QDS QA Check:  $Q51 \geq Q50$ . If no, then tell respondent that the number of times must be greater than or equal to the number of partners and have them verify Q50 and Q51; QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q49 to having anal sex with a female in the last 3 months]
- € Decline to answer

52. Of the (#) [QDS Instructions: Populate with Q51 # response] times you had vaginal or anal sex with a woman during the last 3 months, how many times did you use a condom? (Choose one)

- € \_\_\_\_\_ # times [QDS QA Check:  $Q52 \leq Q51$ . If no, then tell respondent that the number of times they used a condom must be less than or equal to the number of times they had sex and have them verify Q51 and Q52; QDS QA Skip: If  $Q52 = Q51$  or  $Q52 = 0$ , skip (do not ask) Qs 55, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 83, or 84]
- € Decline to answer

53. In the last **3 months** (90 days), when you had vaginal or anal sex with a woman, how often were you drunk or high on drugs? (Choose one)

- Never [QDS Skip: Skip to Q56]
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

**54. In the last 3 months (90 days), when you had vaginal or anal sex with a woman while high or drunk, which were you using? (Choose all that apply)**

- |   |  |
|---|--|
| <input type="radio"/> Amphetamines, meth, speed, crystal, ice or crack  | <input type="radio"/> Crack                            |
| <input type="radio"/> Heroin (injected, smoked, or snorted)   | <input type="radio"/> Poppers (Amyl nitrate)           |
| <input type="radio"/> Painkillers (including Oxycontin, Percocet)   | <input type="radio"/> Downers (Valium, Ativan, Xanax)  |
| <input type="radio"/> Club drugs such as GHB (G), Ketamine (K)  | <input type="radio"/> Ecstasy (E)                      |
| <input type="radio"/> Marijuana (pot)   | <input type="radio"/> Hallucinogens such as LSD (acid) |
| <input type="radio"/> Cocaine (smoked, snorted, or injected)  | <input type="radio"/> Alcohol                          |
| <input type="radio"/> Other: _____  |  |
| <input type="radio"/> Decline to answer [QDS QA Check: If any of the first 13 are checked, 'Decline to Answer' should not be enabled] |  |

**55. In the last 3 months (90 days), when you had vaginal or anal sex with a woman while high or drunk, how often did you use condoms? (Choose one)**

- Never
- Sometimes
- Always
- Decline to answer

The next questions ask about vaginal and anal sex with your **FEMALE** primary/main and casual sexual partners.

**A primary/main partner** is someone you have a special emotional connection with, live with, love, and/or call your girlfriend/wife.

**A casual partner** is someone you have had sex with but do not consider to be a primary/main partner. A casual partner may be someone you have had sex with one time or many times.

Some of the questions in this section will ask you to report numbers. If your answer is 0 (zero), please enter 0 in the space provided.

**56. Do you currently have a primary or main female partner? (Choose one)**

- Yes
- No [QDS QA Skip: Skip to Q61]
- Decline to answer

**57. How long have you been with your current primary or main female partner? (Choose one)**

- Less than 6 months
- 6 months to 1 year
- 1 to 5 years

- € Longer than 5 years
- € Decline to answer

**58. Are you living with your primary or main female partner?** (Choose one)

- € Yes
- € No
- € Decline to answer

**59. Are you financially dependent on your primary or main female partner?** (Choose one)

- € Yes
- € No
- € Decline to answer

**60. Is your current primary or main female partner HIV-positive?** (Choose one)

- € Yes
- € No
- € Don't know
- € Decline to answer

**61. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q50 # response] women that you have had vaginal or anal sex with were primary/main partners?** (Choose one)

- € \_\_\_\_\_ # primary/main partners [QDS QA Check: Q61 must be less than or equal to Q50. If not, then tell client that the number of primary/main female partners must be less or equal to the total number of females and ask them to confirm their answers to Q50 and Q61; QDS QA check If  $Q61 \geq 10$ , refer respondent to the definition of primary/main partner and ask them to confirm the number of primary/main partners; QDS QA Check: If response = 0 skip to Q63]
- € Decline to answer

**62. In the last 3 months (90 days), how often did you use condoms when having vaginal or anal sex with your female primary/main partner(s)?** (Choose one)

- € Never
- € Sometimes
- € Always
- € Decline to answer

**63. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q50 # response] women that you have had vaginal or anal sex with were casual partners?** (Choose one)

- € \_\_\_\_\_ # casual partners (If 0, enter 0) [QDS QA Check:  $Q61 + Q63 = Q50$ . If no, tell client that the number of primary/main partners plus the number of casual partners must equal the total number of female partners. Ask client to confirm Q50, Q61, and Q63; QDS QA Check: If response = 0 skip to Q65]
- € Decline to answer

**64. In the last 3 months (90 days), how often did you use condoms when having vaginal or anal sex with your female casual partner(s)?** (Choose one)

- € Never
- € Sometimes
- € Always
- € Decline to answer

The next set of questions is about the characteristics of the female partners you've had vaginal or anal sex with. Some of the questions will ask you to report numbers. If your answer is none, please enter 0 (zero) in the space provided.

65. In the last 3 months (90 days), did you have vaginal or anal sex with a female who had an HIV status that was unknown to you? (Choose one)
- Yes
  - No [QDS Skip: Skip to Q67]
  - Decline to answer
66. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your female partner(s) whose HIV status you didn't or don't know? (Choose one)
- Never
  - Sometimes
  - Always
  - Decline to answer
67. In the last 3 months (90 days), did you have vaginal or anal sex with a female who was HIV-negative? (Choose one)
- Yes
  - No [QDS Skip: Skip to Q69]
  - Decline to answer
68. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your female partner(s) who was HIV-negative? (Choose one)
- Never
  - Sometimes
  - Always
  - Decline to answer
69. In the last 3 months (90 days), did you have vaginal or anal sex with a female only one time? (That is, a one-night stand.) (Choose one)
- Yes
  - No [QDS Skip: Skip to Q71]
  - Decline to answer
70. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your female partner(s) who you had vaginal or anal sex with only one time? (Choose one)
- Never
  - Sometimes
  - Always
  - Decline to answer
71. In the last 3 months (90 days), did you have vaginal or anal sex with a female who was a stranger or anonymous? (That is, you do not know their name and you have no way of contacting them.) (Choose one)
- Yes
  - No [QDS Skip: Skip to Q73]

€ Decline to answer

72. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your anonymous female partner(s)? (Choose one)

€ Never

€ Sometimes

€ Always

€ Decline to answer

73. In the last 3 months (90 days), did a female sex partner give you money, drugs, a place to stay, clothing, or something else you needed in exchange for vaginal or anal sex? (Choose one)

€ Yes

€ No [QDS Skip: Skip to Q75]

€ Decline to answer

74. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with a female who gave you money, drugs, a place to stay, clothing, or something else you needed in exchange for vaginal or anal sex? (Choose one)

€ Never

€ Sometimes

€ Always

€ Decline to answer

75. In the last 3 months (90 days), did you give a female sex partner money, drugs, a place to stay, clothing, or something else they needed in exchange for vaginal or anal sex? (Choose one)

€ Yes

€ No [QDS Skip: Skip to Q77]

€ Decline to answer

76. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your female partner(s) who you gave money, drugs, a place to stay, clothing, or something else they needed in exchange for vaginal or anal sex? (Choose one)

€ Never

€ Sometimes

€ Always

€ Decline to answer

77. In the last 3 months (90 days), did you have vaginal or anal sex with a female who you knew was an injection drug user? (That is, they injected illegal drugs or other substances such as silicone, botox, hormones, etc.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q79]
- Decline to answer

78. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your female partner(s) who injected drugs? (Choose one)

- Never
- Sometimes
- Always
- Decline to answer

79. In the last 3 months (90 days), did you have vaginal or anal sex with a female who you knew had spent more than 24 hours in jail?

- Yes
- No [QDS Skip: Skip to Q81]
- Decline to answer

80. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your female partner(s) who had spent more than 24 hours in jail? (Choose one)

- Never
- Sometimes
- Always
- Decline to answer

81. In the last 3 months (90 days), did you have vaginal or anal sex with a female who had a STD like syphilis (syphox), Chlamydia, or gonorrhea (clap)? (Choose one)

- Yes
- No [QDS Skip: Skip to Q83]
- Decline to answer

82. In the last 3 months (90 days), how often did you use condoms when you had vaginal or anal sex with your female partner(s) who had syphilis, Chlamydia, or gonorrhea? (Choose one)

- Never
- Sometimes
- Always
- Decline to answer

## Condom Use

This section will ask you about your experience using condoms when you were having vaginal or anal sex.

83. In the last 3 months (90 days), how often did the male condom break or slip off during sex while your partner was pulling out? (Choose one)

- Never

- Sometimes
- All the time
- Don't know
- Decline to answer

84. In the last 3 months (90 days), how often did you use the male condom after you had started having sex or take the condom off before you had finished having sex? (Choose one)

- Never
- Sometimes
- All the time
- Don't know
- Decline to answer

85. Did you use a male condom the last time you had vaginal or anal sex? (Choose one)

- Yes
- No
- Decline to answer

86. Do you plan to use a male condom the next time you have vaginal or anal sex? (Choose one)

- Yes
- No
- Decline to answer

87. In the next 3 months, do you plan on using a male condom every time you have vaginal or anal sex? (Choose one)

- Yes
- No
- Decline to answer

88. In the last 3 months, did you attempt to use a female condom? (Choose one)

- Yes
- No
- I don't know what a female condom is
- Decline to answer

89. In the next 3 months, do you plan on using a female condom? (Choose one)

- Yes
- No
- Decline to answer

### Attitudes and Beliefs Toward Condom Use

The following statements are about your attitudes toward using male condoms.

90. My partner would get mad if I said we had to use a condom. (Choose one)

- Yes
- No
- Decline to Answer

**91. My partner would think I was having sex with another person if I said we had to use a condom.**

(Choose one)

- Yes
- No
- Decline to Answer

**92. Condoms ruin the mood.** (Choose one)

- Yes
- No
- Decline to Answer

**93. Sex doesn't feel as good when you use a condom.** (Choose one)

- Yes
- No
- Decline to Answer

**94. Sex with male condoms doesn't feel natural.** (Choose one)

- Yes
- No
- Decline to Answer

**95. Using condoms breaks up the rhythm of sex.** (Choose one)

- Yes
- No
- Decline to Answer

**96. Using condoms would help build trust between my partner and me.** (Choose one)

- Yes
- No
- Decline to Answer

### Self-Efficacy about Negotiation and Condom Use

The next questions ask about which kinds of situations are more difficult for you to use condoms when you have sex with your partner. Even if the situation has not happened to you, try to imagine how you would handle it if it ever happened.

**97. Can you discuss condom use with your partner?** (Choose one)

- Yes
- Maybe
- No
- Decline to answer

**98. Can you insist on condom use if your partner does not want to use one?** (Choose one)

- Yes
- Maybe
- No
- Decline to answer

**99. Can you stop and look for condoms when you are sexually aroused? (Choose one)**

- Yes
- Maybe
- No
- Decline to answer

**100. Can you insist on condom use every time you have sex even when you are under the influence of drugs or alcohol? (Choose one)**

- Yes
- Maybe
- No
- Decline to answer

**101. Can you insist on condom use every time you have sex even when your partner is under the influence of drugs? (Choose one)**

- Yes
- Maybe
- No
- Decline to answer

**102. Can you insist on condom use every time you have sex even if you or your partner uses another method to prevent pregnancy? (Choose one)**

- Yes
- Maybe
- No
- Decline to answer

**103. Can you put a condom on your partner without spoiling the mood? (Choose one)**

- Yes
- Maybe
- No
- Decline to answer

### Self-Efficacy about Using Condoms

The next questions are about your confidence in using condoms. Even if you've never used condoms before, think about how confident you would be if you were to use them in the future.

**HOW CONFIDENT (SURE) ARE YOU THAT YOU COULD...**

**104. Put a condom on a hard penis. (Choose one)**

- Not at all
- Somewhat
- Very sure
- Decline to answer

**105. Unroll a condom down correctly on the first try. (Choose one)**

- Not at all
- Somewhat

- Very sure
- Decline to answer

**106. Start over with a new condom if you placed it on the wrong way. (Choose one)**

- Not at all
- Somewhat
- Very sure
- Decline to answer

**107. Unroll a condom fully to the base of the penis. (Choose one)**

- Not at all
- Somewhat
- Very sure
- Decline to answer

**108. Squeeze air from the tip of a condom. (Choose one)**

- Not at all
- Somewhat
- Very sure
- Decline to answer

**109. Take a male condom off without spilling the semen or cum. (Choose one)**

- Not at all
- Somewhat
- Very sure
- Decline to answer

**110. Take a male condom off before partner loses their hard on. (Choose one)**

- Not at all
- Somewhat
- Very sure
- Decline to answer

**111. Dispose of a used condom properly. (Choose one)**

- Not at all
- Somewhat
- Very sure
- Decline to answer

**112. Use lubricant with a condom. (Choose one)**

- Not at all
- Somewhat
- Very sure
- Decline to answer

## Knowledge about HIV

The next questions are about your knowledge of HIV. Select "True" or "False."

**113. You have to take a test to know if you have HIV. (Choose one)**

- True
- False
- Decline to answer

**114. A positive HIV test means that you have AIDS. (Choose one)**

- True
- False
- Decline to answer

**115. Condoms can help protect you from transmitting or becoming infected with HIV. (Choose one)**

- True
- False
- Decline to answer

**116. Having sex with someone who has HIV is the only way to get HIV. (Choose one)**

- True
- False
- Decline to answer

**117. It is important to use a condom if both you and your partner have HIV. (Choose one)**

- True
- False
- Decline to answer

**118. There are different types of HIV infections. (Choose one)**

- True
- False
- Decline to answer

**119. Female condoms can stop you from getting HIV. (Choose one)**

- True
- False
- Decline to answer

**120. Having anal sex without a condom makes it easier to get HIV. (Choose one)**

- True
- False
- Decline to answer

**121. Having a STD can make it easier to get HIV. (Choose one)**

- True
- False
- Decline to answer

**122. Having a STD can make it harder to manage your HIV. (Choose one)**

- True

- False
- Decline to answer

## Coping Style

There are a lot of things people can do when they have problems. These questions are about ways you've dealt with your problems recently. Tell me how often you have done each of the below in the last three months.

IN THE LAST 3 MONTHS, HAVE YOU...

123. Tried to keep your feelings to yourself? (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

124. Tried to keep your feelings from interfering with other things too much? (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

125. Tried to keep others from knowing how bad things are? (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

126. Wished the situation would go away? (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

127. Hoped a miracle would happen? (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**128. Drank alcohol to deal with your problems? (Choose one)**

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**129. Had sex to deal with your problems? (Choose one)**

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**130. Used drugs (other than alcohol) to deal with your problems? (Choose one)**

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**131. Thought your problems were no big deal? (Choose one)**

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**132. Tried to forget about the whole thing?** (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**133. Gone on as if nothing had happened?** (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**134. Knew what had to be done, so you doubled your efforts to make things work?** (Choose one.)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**135. Made a plan of action and followed it?** (Choose one.)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**136. Just concentrated on what you had to do next?** (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

**137. Talked to someone to find out more about the situation?** (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

138. Talked to someone about your feelings? (Choose one.)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

139. Talked to someone who could help do something about the problem? (Choose one.)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

140. Rediscovered what is important in life? (Choose one.)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

141. Saw the situation as an opportunity to change or grow in a good way? (Choose one)

- Never
- A few times
- Lots of times
- All of the time
- Decline to answer

## Social Support Network

The next questions are about the people in your social network. Social network refers to the people that you are connected to through different types of relationships, including your friends and family members.

142. How many friends and/or family members loan you money, take care of you, or help you in an emergency?

- \_\_\_\_\_ (Enter total # of people, or 0 if none) [QDS Skip: If 0, skip to Q144]
- Decline to answer

**143. How often do you talk to these people who loan you money, take care of you, or help you in an emergency either on the phone or in-person? (Choose one)**

- About everyday
- Twice a week
- Once a week
- Twice a month
- Once a month or less
- Decline to answer

**144. How many friends and/or family members can you really talk to, rely on, and can understand you?**  
\_\_\_\_\_ (Enter total # of people, or 0 if none) [QDS Skip: If 0, skip to Q146]

- Decline to answer

**145. How often do you talk to these people whom you can really talk to, rely on, and who can understand you either on the phone or in-person? (Choose one)**

- About everyday
- Twice a week
- Once a week
- Twice a month
- Once a month or less
- Decline to answer

**146. How many friends and/or or family members provide you with information or advice?**  
\_\_\_\_\_ (Enter total # of people, or 0 if none) [QDS Skip: If 0, skip to Q148]

- Decline to answer

**147. How often do you talk to these people who provide you with information or advice either on the phone or in-person (Choose one)**

- About everyday
- Twice a week
- Once a week
- Twice a month
- Once a month or less
- Decline to answer

**148. How many friends and/or family members can you talk to about what it is like to have HIV?**  
\_\_\_\_\_ (Enter total # of people, or 0 if none) [QDS Skip: if 0, skip to Q150]

- Decline to answer

**149. How often do you talk to these people either on the phone or in-person? (Choose one)**

- About everyday
- Twice a week
- Once a week
- Twice a month
- Once a month or less
- Decline to answer

**150. How many of the people in your life are domineering, try to tell you how to run your life, or give unwanted advice?**

\_\_\_\_\_ (Enter total # of people, or 0 if none) [QDS Skip: If 0, skip to Q152]

€ Decline to answer

**151. How often do you talk to these people who are domineering, try to tell you how to run your life, or give unwanted advice either on the phone or in-person? (Choose one)**

€ About everyday

€ Twice a week

€ Once a week

€ Twice a month

€ Once a month or less

€ Decline to answer

**152. How many friends and/or family members tell you that you should use a condom when you have sex?**

\_\_\_\_\_ (Enter total # of people, or 0 if none) [QDS Skip: If 0, skip to Q154]

€ Decline to answer

**153. How often do you talk on the phone or in-person to these people who tell you that should use a condom when you have sex?**

€ About everyday

€ Twice a week

€ Once a week

€ Twice a month

€ Once a month or less

€ Decline to answer

**154. How many of your friends and/or family members tell you that you don't need to wear a condom during sex?**

\_\_\_\_\_ (Enter total # of people)

€ Decline to answer [QDS Skip: If 0, skip to end of interview]

**155. How often do you talk to these people either on the phone or in-person who tell you that you don't need to wear a condom during sex? (Choose one)**

€ About everyday

€ Twice a week

€ Once a week

€ Twice a month

€ Once a month or less

€ Decline to answer

