## Department of Veterans Affairs

## CHRONIC FATIGUE SYNDROME DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION

BEFORE COMPLETING THIS FORM.				
NAME OF PATIENT/VETERAN		PATIENT/VETERAN'S SOCIAL SECURITY NUMBER		
NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteran's claim. VA reserves the right to confirm the authenticity of ALL DBQs completed by private health care providers.				
SECTION I - DIAGNOSIS				
1A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER BEEN DIAGNOSED WITH CHRONIC FATIGUE SYNDROME?  YES NO (If "Yes," complete Item 1B)				
1B. SELECT THE VETERAN'S CONDITION (check all that ap	pply)			
CHRONIC FATIGUE SYNDROME  OTHER (specify)	ICD Code:	Date of diagnosis:		
Other diagnosis #1	ICD Code:	Date of diagnosis:		
Other diagnosis #2	ICD Code:	Date of diagnosis:		
1C. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTA	, 	SING ABOVE FORMAT:		
NOTE - For VA purposes, the diagnosis of chronic fatigue syndrome requires:  (A) New onset of debilitating fatigue severe enough to reduce daily activity to less than 50 percent of the usual level for at least 6 months; and  (B) The exclusion, by history, physical examination, and laboratory tests, of all other clinical conditions that may produce similar symptoms; and  (C) Six or more of the following:				
<ol> <li>Acute onset of the condition</li> <li>Low grade fever</li> <li>Non-exudative pharyngitis</li> <li>Palpable or tender cervical or axillary lymph nodes</li> </ol>	<ul><li>7. Headaches (of a type, severity or pattern that is different from headaches in the pre-morbid state)</li><li>8. Migratory joint pains</li><li>9. Neuropsychological symptoms</li><li>10. Sleep disturbance</li></ul>			
Generalized muscle aches or weakness     Fatigue lasting 24 hours or longer after exercise	10. Steep distarbance			
	SECTION II - MEDICAL RECORD REVIEW			
2. INDICATE MEDICAL RECORDS REVIEWED IN PREPARATION OF THIS REPORT:				
C-FILE (VA ONLY) OTHER, DESCRIBE:				
	SECTION III - MEDICAL HISTORY			
3A. DESCRIBE THE HISTORY (including onset and course) OF THE VETERAN'S CHRONIC FATIGUE SYNDROME (brief summary):				
3B. IS CONTINUOUS MEDICATION REQUIRED FOR CONTROL OF CHRONIC FATIGUE SYNDROME?  YES NO				
(If "Yes," are the veteran's symptoms controlled by continuous medication?)  YES NO				
(If "Yes," list only those medications required for the veteran's chronic fatigue syndrome):				
3C. HAVE OTHER CLINICAL CONDITIONS THAT MAY PRODUCE SIMILAR SYMPTOMS BEEN EXCLUDED BY HISTORY, PHYSICAL EXAMINATION AND/OR LABORATORY TESTS TO THE EXTENT POSSIBLE?				
YES NO (If "No," describe):				
3D. DID THE VETERAN HAVE AN ACUTE ONSET OF CHRONIC FATIGUE SYNDROME?  YES NO				
3E. HAS THE DEBILITATING FATIGUE REDUCED DAILY ACTIVITY LEVEL TO LESS THAN 50% OF PRE-ILLNESS LEVEL?  YES NO				
(If "Yes," specify length of time daily activity level has been reduced to less than 50% of pre-illness level):  Less than 6 months 6 months or longer				

4A. DOES THE VETERAN NOW HAVE OR HAS THE VETERAN HAD ANY FINDINGS, SIGNS AND SYMPTOMS ATTRIBUTABLE TO CHRONIC FATIGUE SYNDROME?
YES NO
(If "Yes," check all that apply):
Debilitating fatigue
Low grade fever
Nonexudative pharyngitis
Palpable or tender cervical or axillary lymph nodes
Generalized muscle aches or weakness
Fatigue lasting 24 hours or longer after exercise
Headaches (of a type, severity or pattern that is different from headaches in the pre-morbid state)
Migratory joint pain
Neuropsychologic symptoms
☐ Sleep disturbance
Other Country to the Albandaria of the Albandari
(Note: Describe all checked conditions in Item 4B)
4B. PROVIDE A DESCRIPTION OF THE CONDITION(S):
4C. DOES THE VETERAN NOW HAVE OR HAS THE VETERAN HAD ANY COGNITIVE IMPAIRMENT ATTRIBUTABLE TO CHRONIC FATIGUE SYNDROME?
YES NO
(If "Yes," check all that apply):
Poor attention
Inability to concentrate
Forgetfulness
Confusion
Other cognitive impairments
(Note: Describe all checked conditions in Item 4D)
4D. PROVIDE A DESCRIPTION OF THE CONDITION(S):
4D. FROVIDE A DECORAL HOR OF THE CONDITION(O).
4E. SPECIFY FREQUENCY OF SYMPTOMS:
Symptoms wax and wane  Symptoms are nearly constant
Symptoms are nearly constant
Symptoms are nearly constant  Other
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)
Symptoms are nearly constant  Other
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)
Symptoms are nearly constant  Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL?
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)):
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted)
Symptoms are nearly constant  Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL?  YES NO (If "Yes," specify % of restriction (check all that apply)):  Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted)  Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms restrict routine daily activities to less than 50% of the pre-illness level
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs):
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs): Other (describe):
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs): Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs): Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs): Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.  4H. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESULT IN PERIODS OF INCAPACITATION? YES NO
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs): Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.  4H. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESULT IN PERIODS OF INCAPACITATION? YES NO
Symptoms are nearly constant Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL? YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs): Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.  4H. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESULT IN PERIODS OF INCAPACITATION? YES NO (If "Yes," indicate total duration of periods of incapacitation over the past 12 months): Less than 1 week
Symptoms are nearly constant  Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL?  YES NO  (If "Yes," specify % of restriction (check all that apply)):  Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted)  Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level  Symptoms are so severe as to restrict routine daily activities almost completely  Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs):  Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.  4H. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESULT IN PERIODS OF INCAPACITATION?  YES NO NO  (If "Yes," indicate total duration of periods of incapacitation over the past 12 months):  Less than 1 week  At least 1 but less than 2 weeks
Symptoms are nearly constant  Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL?  YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs):  Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.  4H. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESULT IN PERIODS OF INCAPACITATION?  YES NO (If "Yes," indicate total duration of periods of incapacitation over the past 12 months):  Less than 1 week At least 1 but less than 2 weeks At least 2 but less than 4 weeks
Symptoms are nearly constant  Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL?  YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs): Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.  4H. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESULT IN PERIODS OF INCAPACITATION? YES NO (If "Yes," indicate total duration of periods of incapacitation over the past 12 months): Less than 1 week At least 1 but less than 2 weeks At least 2 but less than 4 weeks At least 4 but less than 6 weeks
Symptoms are nearly constant  Other (Note: Describe frequency in Item 4F)  4F. PROVIDE A DESCRIPTION OF THE FREQUENCY:  4G. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESTRICT ROUTINE DAILY ACTIVITIES AS COMPARED TO THE PRE-ILLNESS LEVEL?  YES NO (If "Yes," specify % of restriction (check all that apply)): Symptoms restrict routine daily activities by less than 25 % of the pre-illness level (more than 75% of the pre-illness level of activities are not restricted) Symptoms restrict routine daily activities to 50% to 75% of the pre-illness level Symptoms restrict routine daily activities to less than 50% of the pre-illness level Symptoms are so severe as to restrict routine daily activities almost completely Symptoms are so severe as to occasionally preclude self-care (If checked, describe frequency with which this occurs):  Other (describe):  NOTE: For VA purposes, chronic fatigue syndrome is considered incapacitating only while it requires bed rest and treatment by a physician.  4H. DO THE VETERAN'S SYMPTOMS DUE TO CHRONIC FATIGUE SYNDROME RESULT IN PERIODS OF INCAPACITATION?  YES NO (If "Yes," indicate total duration of periods of incapacitation over the past 12 months):  Less than 1 week At least 1 but less than 2 weeks At least 2 but less than 4 weeks

VA FORM 21-060Q-1, XXX XXXX Page 2

SECTION V - OTHER PERTINENT PHY	SICAL FINDINGS, SCARS, COMPLICATIONS,	CONDITIONS, SIGNS AND/OR SYMPTOMS		
5A. DOES THE VETERAN HAVE ANY SCARS (surgical SECTION I, DIAGNOSIS?	el or otherwise) RELATED TO ANY CONDITIONS OR	TO THE TREATMENT OF ANY CONDITIONS LISTED IN		
☐ YES ☐ NO				
(If "Yes," are any of the scars painful and/or unstable,	or is the total area of all related scars greater than or	r equal to 39 square cm (6 square inches))?		
	VA Form 21-0960F-1, Scars/Disfigurement Disability	1 1 / /		
5B. DOES THE VETERAN HAVE ANY OTHER PERTINI FATIGUE SYNDROME?	ENT PHYSICAL FINDINGS, COMPLICATIONS, COND	ITIONS, SIGNS AND/OR SYMPTOMS OF CHRONIC		
YES NO (If "Yes," describe (brief summ	nary)):			
	SECTION VI - DIAGNOSTIC TESTING			
<b>NOTE</b> : If testing has been performed and reflects the v	veteran's current condition, repeat testing is not requir	ed.		
6. ARE THERE ANY SIGNIFICANT DIAGNOSTIC TEST	FINDINGS AND/OR RESULTS?			
YES NO (If "Yes," provide type of test or procedure, date and results - brief summary):				
SECTION VII - FUNCTIONAL IMPACT				
7. DOES THE VETERAN'S CHRONIC FATIGUE SYNDF				
YES NO (If "Yes," describe the impact of	of the veteran's chronic fatigue syndrome, providing o	one or more examples):		
SECTION VIII - REMARKS				
8. REMARKS (If any):	CESTION VIII REMARKS			
6 <u>2</u>				
SECTI	ION IX - PHYSICIAN'S CERTIFICATION AND S	IGNATURE		
<b>CERTIFICATION</b> - To the best of my knowledge, the information contained herein is accurate, complete and current.				
9A. PHYSICIAN'S SIGNATURE	9B. PHYSICIAN'S PRINTED NAME	9C. DATE SIGNED		
0, 1, 1, 1, 1, 0, 0, 1, 1, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	05.7.7.7.6.6.7.1.7.2.5.7.1.1.1.2	00.2.1.2 0.0.1.2		
9D. PHYSICIAN'S PHONE AND FAX NUMBERS	9E. PHYSICIAN'S MEDICAL LICENSE NUMBER	9F. PHYSICIAN'S ADDRESS		
NOTE WAS A LEG L. E. L. C. C.		La MAL CALLA LA LA CALLA		
NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.				
IMPORTANT - Physician please fax the completed form to:				
(VA Regional Office FAX No.)				
(·				
NOTE - A list of VA Regional Office FAX Numbers of	can be found at www.benefits.va.gov/disabilityexam	s or obtained by calling 1-800-827-1000.		

NOTE - A list of VA Regional Office FAX Numbers can be found at www.benefits.va.gov/disabintyexanis of obtained by canning 1-800-82/-1000.

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is voluntary. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 15 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at <a href="https://www.reginfo.gov/public/do/PRAMain">www.reginfo.gov/public/do/PRAMain</a>. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.

VA FORM 21-0960Q-1, XXX XXXX Page 3