Attachment 5 Analysis Coding Book: NVDRS Variable Names by Data Entry Screens Screenshots

Contents

Introduction
1.0 Demographic Variables
1.1 Demographics, Race, and Ethnicity
1.2 Place of Residence, Birthplace, Industry, Occupation, and Education
2.0 Injury and Death
2.1 Injury Locations, Time, and Events
2.2 Hospital Codes
2.3 Wounds and Death Certificate (Part 1: Underlying Cause of Death & Location of Death)
2.3 Wounds and Death Certificate (Part 2: Wounds and Multiple Conditions)
3.0 Circumstances
3.1 Mental, Health, Substance Abuse, and Other Addiction & Relationship and Life Stressors
3.2 Mental, Health, Substance Abuse, and Other Addiction & Relationship and Life Stressors
3.3 Manner Specific Circumstances for Homicide and Suicide Deaths
3.4 Manner Specific Circumstances for Unintentional Firearm Deaths
3.5 Manner Specific Circumstances for Unintentional Firearm Deaths
4.0 Weapons
5.0 Suspects
6.0 Toxicology
6.1 Toxicology Specimen Date & Toxicology Findings
6.2 Toxicology Summary
7.0 Document
8.0 Incident
8.1 Incident Overview
8.2 CME and LE Incident Narratives

Introduction

This document displays the screens that abstractors use to enter required data elements. The variable name associated with each data entry field is provided to help users interpret and analyze the data.

OMB No. 0920-0607 Exp. Date: 12/31/2015

Public Reporting burden of this collection of information is estimated at 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NW, MS D-74, Atlanta, GA 30333; Attn: PRA (0920-0607).


1.0 Demographic Variables

1.1 Demographics, Race, and Ethnicity

	s, Race, and Ethnic	····,					
Basic Demographic	S			Race & Ethnicity			
Person type		Sex		Check all that apply			
Day of birth 2 Last 4 of CME 345 4	First initial of last name T Last 4 of DC 234 5	Q (1) M		 White 17 □ Black or African American 18 ☑ Asian 19 □ Native Hawaiian or Other Pacific Islander 20 □ American Indian or Alaska Native 21 □ Other Race 22 □ Unspecified Race 23 Hispanic/Latino/Spanish 24 			
Extended Demogra Marital status Q (2) Never Married Victim was pregnant	phics	Alternative sexual orientation Q (0) None 15 Current or former military personnel		Q (0) Not hispanic			
Q (8) Not applicable	⊗ ▼ 14	Q (0) No S 16					
PersonType	9	AgeUnit	17	RaceWhite			
BirthDayofMonth	10	HeightFeet	18	RaceBlack			
LastNameFirstInit	ial 11	HeightInches	19	RaceAsian			
CMENumberLastF		Weight	20	RacePacificIslander			
DCNumberLastFo		MaritalStatus	21	RaceAmericanIndian			
Sex	14	Pregnant	22	RaceOther			

7 Transgender 15 SexualOrientation 23 RaceUnspecified 8 Age 16 Military 24 Ethnicity

1.2 Place of Residence, Birthplace, Industry, Occupation, and Education




- 1 Country
- 2 ResidenceState
- 3 ResidenceCounty
- 4 ResidenceCity
- 5 ResidenceZip
- 6 ResidenceCensusTract
- 7 ResidenceCensusBlock
- 8 Industry
- 9 IndustryText

- 10 BirthPlace
- 11 BirthCountryOther
- 12 UsualOccupation
- 13 OccupationText
- 14 OccupationCurrentText
- 15 Homeless
- 16 EducationLevel
- 17 EducationYears

2.0 Injury and Death

2.1 Injury Locations, Time, and Events



- 1 DeathMannerAbstractor
- 2 DeathMannerDC
- 3 DeathMannerCME
- 4 DeathMannerLE
- 5 InjuryState
- 6 InjuryCounty
- 7 InjuryCity
- 8 InjuryZip

- 9 InjuryLocationType
- 10 CensusTract
- 11 CensusBlock
- 12 InjuryDate
- 13 InjuryTime
- 14 InjuredAtWork
- 15 InjuredAtVictimHome
- 16 EMSPresent


- 17 VictimInCustody
- 18 RecentRelease
- 19 AlcoholUseSuspected
- 20 SurvivalTime
- 21 SurvivalTimeUnit

2.2 Hospital Codes



- 1 EmergencyDepartment
- 2 HospitalAdmit
- 3 ExternalCause1ICD9
- 4 ExternalCause2ICD9
- 5 ExternalCause1ICD10
- 6 ExternalCause2ICD10

2.3 Wounds and Death Certificate (Part 1: Underlying Cause of Death & Location of Death)



2.3 Wounds and Death Certificate (Part 2: Wounds and Multiple Conditions)

Wounds	· ·			•		,		
Number of penetrating wounds ## 14	Number of bullets ## 17							
Wound to the face 15 Q Type here to search	Wound to an upper extremity 18 Q Type here to search			Wound to the no	oc.	20	Wound to the head 22 Q Type here to search	
Wound to the thorax 16 Q Type here to search	Wound to a lower extremity 19 Q Type here to search			Wound to the sp			Wound to the abdomen 23 Q Type here to search	
Multiple Conditions								
Multiple conditions on DC (1) 24 Q Type here to	Multiple conditions on DC (2) 27 Q Type here to			Multiple condition		DC (3) 30	Multiple conditions on DC (4) 32 Q Type here to	
Multiple conditions on DC (5) 25 Q Type here to	Multiple conditions on DC (6) 28 Q Type here to			Multiple condition		DC (7) 31	Multiple conditions on DC (8) 33 Q Type here to	
Multiple conditions on DC (9) 26 Q Type here to	Multiple conditions Q Type here to		(10) 29					
14 NumberWo	ounds 21	1 Wo	undToSpine		28	MultiCondition	06ICD10	
15 WoundToFa	ace 22	2 Wo	undToHead		29	MultiCondition	10ICD10	
16 WoundToT	horax 23	3 Wo	undToAbdon	nen	30	MultiCondition	D3ICD10	
17 NumberBul	lets 24	4 Mu	ltiCondition0	1ICD10	31	MultiCondition07ICD10		
	pperExtremity 25		ltiCondition0		32	MultiCondition(
	owerExtremity 26		ltiCondition0		33	MultiCondition(08ICD10	
20 WoundToN	eck 27	7 Mu	ltiCondition0	2ICD10				

3.0 Circumstances

3.1 Mental, Health, Substance Abuse, and Other Addiction & Relationship and Life Stressors

CIRCUMSTANCE VARIABLE NAMES BY DATA SOURCE (CME AND LE)

Variables abstracted from both the CME and the LE reports are exported into two variables. If the CME report is the source, the variable name is preceded by "CME_" (e.g., "CME_VariableName"). If the LE report is the source, the variable name is preceded by "LE_" (e.g., "LE_" (e.g., "LE_" (e.g., "LE_" VariableName"). For

instance, information on the

"Argument" variable will be

stored in "CME Argument"

and "LE Argument"



CRISIS VARIABLE NAMES

Whether a circumstance was a crisis
(i.e., checking the "LE Crisis" or "CME
Crisis" checkbox) is stored in a
separate variable from the
circumstance in the export file.
Specifically, crisis variables will have
the word "crisis" inserted between
the data source (i.e., LE and CME) and
the circumstance name in the variable
label variable (e.g.,
CME_CrisisVariableName,
LE_CrisisVariableName). For example,
the crisis variables for "Stalking" will
be CME_CrisisStalking and
LE CrisisStalking.

- 1 MentalHealthProblem
- 2 DepressedMood
- 3 MentalIllnessTreatmentCurrent
- 4 HistoryMentalIllnessTreatment
- 5 AlcoholProblem
- 6 SubstanceAbuseOther
- 7 OtherAddiction
- 8 LE MentalHealthDiagnosis1

- 9 LE MentalHealthDiagnosis2
- LO LE MentalHealthDiagnosisOther
- 11 CME MentalHealthDiagnosis1
- 12 CME MentalHealthDiagnosis2
- 13 CME_MentalHealthDiagnosisOther
- 14 IntimatePartnerViolence
- 15 IntimatePartnerProblem
- 16 FamilyStressors

- 17 RelationshipProblemOther
- 18 DeathAbuse

- 19 AbusedAsChild
- 20 Interpersonal Violence Perpetrator
- 21 InterpersonalViolenceVictim
- 22 FightBetweenTwoPeople
- 23 Argument
- 24 LE ArgumentTiming


26 LE_CircumstancesKnown 27 CME_CircumstancesKnown

25 CME_ArgumentTiming

3.2 Mental, Health, Substance Abuse, and Other Addiction & Relationship and Life Stressors

ury and [Death	Cir	cumsta	Weapons Suspects Toxicology IPV CFR	State Defined Data	expand					
	Mental Health, Substance Abuse, and other Addictions										
	Rel	atio	nshi	o and Life Stressors							
	Crir	ne a	nd (Oriminal Activity							
a)	LE CRISIS	CME	CME CRISIS								
			1000	Precipitated by another crime 1	Nature of first other crime from LE 9						
				First crime in progress 2	Q LE nature of first crime						
				Stalking 3	Nature of second other crime from LE 10						
				Prostitution or sex trafficking 4	Q LE nature of second crime						
				Terrorist attack 5	Nature of first other crime from CME 11						
				Walk-by assault 6	Q CME nature of first crime						
	ng Re			7 Gang Related CME 8 d Q CME Gang Related	Nature of second other crime from CME 12 Q CME nature of second crim						
				 1 PrecipitatedByOtherCrime 2 OtherCrimeinProgress 3 Stalking 4 Prostitution 5 TerroristAttack 6 WalkByAssault 	7 LE_GangType 8 CME_GangType 9 LE_NatureOtherCrime1 10 LE_NatureOtherCrime2 11 CME_NatureOtherCrime1 12 CME_NatureOtherCrime2						

3.3 Manner Specific Circumstances for Homicide and Suicide Deaths



1	JustifiableSelfDefense	8	HateCrime	15	LE_DisclosedIntentToWhom	22	JobProblem
2	VictimPoliceOfficeOnDuty	9	Jealousy	16	CME_DisclosedIntentToWhom	23	FinancialProblem
3	Bystander	10	Brawl	17	SuicideNote	24	SchoolProblem
4	RandomViolence	11	DriveByShooting	18	SuicideThoughtHistory	25	EvictionorLossofHome
5	IntervenerAssistingVictim	12	DrugInvolvement	19	RecentCriminalLegalProblem	26	RecentSuicideFriendFamily
6	VictimUsedWeapon	13	SuicideAttemptHistory	20	LegalProblemOther	27	DeathFriendorFamilyOther
7	MercyKilling	14	SuicideIntentDisclosed	21	PhysicalHealthProblem	28	TraumaticAnniversary

3.4 Manner Specific Circumstances for Unintentional Firearm Deaths


	Mental Health, Substance Abuse, and other Addictions									
	□ Relationship and Life Stressors									
	Crime and Criminal Activity									
	Manner Specific Circumstances for Homicide and Suicide Deaths									
	■ Manner Specific Circumstances for Unintentional Firearm Deaths									
"		CME	CME CRISIS	Context of Injury		LE CRISIS	CME	CMECRISIS	Mechanism of Injury	
				Hunting 1					Thought safety was engaged 10	
				Target shooting 2					Thought gun was unloaded, magazine disengaged 11	
				Self-defensive shooting 3					Thought gun was unloaded, other 12	
	-			Celebratory firing 4					Unintentionally pulled trigger 13	
	ı			Loading or unloading gun 5					Bullet ricochet 14	
	I			Cleaning Gun 6					Gun defect or malfunction 15	
	1			Showing gun to others 7					Fired while holstering/unholstering 16	
	ı			Playing with gun 8					Dropped gun 17	
	ı			Other context of injury 9					Fired while operating safety/lock 18	
									Gun mistaken for toy 19	
									Other mechanism of injury 20	

- 1 Hunting
- 2 TargetShooting
- 3 SelfDefense
- 4 CelebratoryFiring
- 5 GunFiredLoadingUnloading
- 6 GunCleaning
- 7 GunShowing
- 8 GunPlaying
- 9 OtherContextInjury

- 10 GunThoughtSafetyEngaged
- 11 GunThoughtUnloadedMagazineDisengaged
- 12 GunThoughtUnloadedOther
- 13 GunUnintentionallyPulledTrigger
- 14 BulletRicochet
- 15 GunDefectMalfunction
- 16 GunFiredHolstering
- 17 GunDropped
- 18 GunFiredOperatingSafetyLock
- .9 GunThoughtToy
- 20 OtherMechanismInjur


ν

3.5 Manner Specific Circumstances for Unintentional Firearm Deaths



- 1 CrisisRecent
- 2 LE_CircumstancesOtherText CME_CircumstancesOtherTex
- 3 t

4.0 Weapons



- 1 WeaponType
- 2 WeaponOther
- 3 FirearmType
- 4 FirearmCaliber
- 5 FirearmGauge
- 6 FirearmMake
- 7 FirearmMakeText
- 8 FirearmModel

- 10 GunLoaded
- 11 FirearmStolen
- 12 GunOwner
- 13 GunStoredLocked
- 14 YouthGunAccessNarrative


9 FirearmModelText

5.0 Suspects

jury and Death Circ	cumstances Weapons Suspec	Toxicolog	y PV CFR	State Defined Data			
Add a Suspect	t						
Q Type here	e to search e to search e to search e to search e to search	☐ This sus☐ Suspect☐ This sus☐	f abuse of victim by pect was a caregiver attempted suicide a pect is also a victim mentally ill 9	for the victim 6 fter incident 7 in the incident 8	Asian 12 Native Hawa American In Other Race Unspecified	Race 16 o/Spanish 17	
1 Ag	geYears	5	AbuseHistory	1	.0 RaceWhit	te	
2 Se	ex	6	CareGiver	1	.1 RaceBlacl	k	
3 Vio	ctimSuspectRelationship1	7	AttemptedSuicide	e 1	2 RaceAsia	n	
4 Vio	ctimSuspectRelationship2	8	SuspectAlsoVictin SuspectMentally		.3 RacePacif	ficIslander	
		9	1	1	4 RaceAme	ericanIndian	
				1	5 RaceOthe	er	
				1	.6 RaceUnsp	pecified	
				1	7 Ethnicity		

6.0 Toxicology

6.1 Toxicology Specimen Date & Toxicology Findings



- 1 No Toxicology Available
- 2 SpecimensTime
- 3 Comments
- 4 SubstanceName


SubstanceCausedDeat

- 7 h
- 8 DrugObtainedFor
- 9 SubstanceClass

- 5 SubstanceTested
- 6 SubstanceResult

6.2 Toxicology Summary


Toxicology Summary



BenzodiazepinesTested 1 AlcoholTested **AnticonvulsantsTested** 17 OpiateTested 2 AlcoholResult AnticonvulsantsResult 18 BenzodiazepinesResult **OpiateResult** 3 AlcoholLevel AntiDepressantTested CocaineTested 19 4 CarbonMonoxideTested AntiDepressantResult 20 Cocaine test result 5 CarbonMonoxideResult AntipsychoticTested MarijuanaTested 21 MarijuanaResult 6 CarbonMonoxideSource AntipsychoticResult 22 7 AmphetamineTested MuscleRelaxantTested 15 BarbituratesTested 8 AmphetamineResult BarbituratesResult MuscleRelaxantResult


▲ Narratives

7.0 Document



8.0 Incident


8.1 Incident Overview



7 CompleteCME

14 CreateDate

8.2 CME and LE Incident Narratives



1 NarrativeLE 2 NarrativeCME