

Oakland, CA; Lutron Electronics Co., Inc., Coopersburg, PA; Patrick M Duggan Enterprises, Inc., Valley Cottage, NY; Yokogawa Electric Corporation, Tokyo, JAPAN; Reliant Energy Retail Services, Inc., Houston, TX; and IONEX Energy Storage Systems, Inc., Austin, TX, have withdrawn as parties to this venture.

No other changes have been made in either the membership or planned activity of the group research project. Membership in this group research project remains open, and MSGIP 2.0 intends to file additional written notifications disclosing all changes in membership.

On February 5, 2013, MSGIP 2.0 filed its original notification pursuant to Section 6(a) of the Act. The Department of Justice published a notice in the **Federal Register** pursuant to Section 6(b) of the Act on March 7, 2013 (78 FR 14836).

The last notification was filed with the Department on March 11, 2014. A notice was published in the **Federal Register** pursuant to Section 6(b) of the Act on April 15, 2014 (79 FR 21289).

**Patricia A. Brink,**

*Director of Civil Enforcement, Antitrust Division.*

[FR Doc. 2014-14304 Filed 6-18-14; 8:45 am]

**BILLING CODE P**

## DEPARTMENT OF JUSTICE

### Antitrust Division

#### Notice Pursuant to the National Cooperative Research and Production Act of 1993—PXI System Alliance, Inc.

Notice is hereby given that, on May 19, 2014, pursuant to Section 6(a) of the National Cooperative Research and Production Act of 1993, 15 U.S.C. 4301 *et seq.* (“the Act”), PXI Systems Alliance, Inc. has filed written notifications simultaneously with the Attorney General and the Federal Trade Commission disclosing changes in its membership. The notifications were filed for the purpose of extending the Act’s provisions limiting the recovery of antitrust plaintiffs to actual damages under specified circumstances. Specifically, Hitech, Xi’an City, PEOPLE’S REPUBLIC OF CHINA; and Brilliant Instruments, Inc., Campbell, CA, have been added as parties to this venture.

Also, Embedded Planet, Cleveland, OH; and Logic Instrument S.A., DOMONT, Cedex, FRANCE, have withdrawn as parties to this venture.

No other changes have been made in either the membership or planned

activity of the group research project. Membership in this group research project remains open, and PXI Systems Alliance, Inc. intends to file additional written notifications disclosing all changes in membership.

On November 22, 2000, PXI Systems Alliance, Inc. filed its original notification pursuant to Section 6(a) of the Act. The Department of Justice published a notice in the **Federal Register** pursuant to Section 6(b) of the Act on March 8, 2001 (66 FR 13971).

The last notification was filed with the Department on March 11, 2014. A notice was published in the **Federal Register** pursuant to Section 6(b) of the Act on April 15, 2014 (79 FR 21289).

**Patricia A. Brink,**

*Director of Civil Enforcement, Antitrust Division.*

[FR Doc. 2014-14305 Filed 6-18-14; 8:45 am]

**BILLING CODE P**

## DEPARTMENT OF JUSTICE

### Antitrust Division

#### Notice Pursuant to the National Cooperative Research and Production Act of 1993—DVD Copy Control Association

Notice is hereby given that, on May 14, 2014, pursuant to Section 6(a) of the National Cooperative Research and Production Act of 1993, 15 U.S.C. 4301 *et seq.* (“the Act”), DVD Copy Control Association (“DVD CCA”) has filed written notifications simultaneously with the Attorney General and the Federal Trade Commission disclosing changes in its membership. The notifications were filed for the purpose of extending the Act’s provisions limiting the recovery of antitrust plaintiffs to actual damages under specified circumstances. Specifically, Hitachi-LG Data Storage, Inc., Tokyo, JAPAN, and Skypine Electronics (Shenzhen) Co., Ltd., Shenzhen City, PEOPLE’S REPUBLIC OF CHINA, have been added as parties to this venture.

Also, City Brand International Limited, Kwun Tong, Kowloon, HONG KONG-CHINA, and Shenzhen Sea Star Technology Co., Ltd., Shenzhen, PEOPLE’S REPUBLIC OF CHINA, have withdrawn as parties to this venture.

No other changes have been made in either the membership or planned activity of the group research project. Membership in this group research project remains open, and DVD CCA intends to file additional written notifications disclosing all changes in membership.

On April 11, 2001, DVD CCA filed its original notification pursuant to Section 6(a) of the Act. The Department of Justice published a notice in the **Federal Register** pursuant to Section 6(b) of the Act on August 3, 2001 (66 FR 40727).

The last notification was filed with the Department on March 6, 2014. A notice was published in the **Federal Register** pursuant to Section 6(b) of the Act on April 15, 2014 (79 FR 21289).

**Patricia A. Brink,**

*Director of Civil Enforcement, Antitrust Division.*

[FR Doc. 2014-14294 Filed 6-18-14; 8:45 am]

**BILLING CODE P**

## DEPARTMENT OF LABOR

### Occupational Safety and Health Administration

[Docket No. OSHA-2010-0052]

#### Material Hoists, Personnel Hoists, and Elevators Standard; Extension of the Office of Management and Budget’s (OMB) Approval of Information Collection (Paperwork) Requirements

**AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.

**ACTION:** Request for public comments.

**SUMMARY:** OSHA solicits public comments concerning its proposal to extend OMB approval of the information collection requirements specified in the Standard on Material Hoists, Personnel Hoists, and Elevators (29 CFR 1926.552).

**DATES:** Comments must be submitted (postmarked, sent, or received) by August 18, 2014.

**ADDRESSES:**

*Electronically:* You may submit comments and attachments electronically at <http://www.regulations.gov>, which is the Federal eRulemaking Portal. Follow the instructions online for submitting comments.

*Facsimile:* If your comments, including attachments, are not longer than 10 pages, you may fax them to the OSHA Docket Office at (202) 693-1648.

*Mail, hand delivery, express mail, messenger, or courier service:* When using this method, you must submit a copy of your comments and attachments to the OSHA Docket Office, Docket No. OSHA-2010-0052, U.S. Department of Labor, Occupational Safety and Health Administration, Room N-2625, 200 Constitution Avenue NW., Washington, DC 20210. Deliveries (hand, express mail, messenger, and courier service) are accepted during the Department of

Labor's and Docket Office's normal business hours, 8:15 a.m. to 4:45 p.m., e.t.

**Instructions:** All submissions must include the Agency name and the OSHA docket number (OSHA-2010-0052) for the Information Collection Request (ICR). All comments, including any personal information you provide, are placed in the public docket without change, and may be made available online at <http://www.regulations.gov>. For further information on submitting comments see the "Public Participation" heading in the section of this notice titled **SUPPLEMENTARY INFORMATION**.

**Docket:** To read or download comments or other material in the docket, go to <http://www.regulations.gov> or the OSHA Docket Office at the address above. All documents in the docket (including this **Federal Register** notice) are listed in the <http://www.regulations.gov> index; however, some information (e.g., copyrighted material) is not publicly available to read or download from the Web site. All submissions, including copyrighted material, are available for inspection and copying at the OSHA Docket Office. You may also contact Theda Kenney at the address below to obtain a copy of the ICR.

**FOR FURTHER INFORMATION CONTACT:** Theda Kenney or Todd Owen, Directorate of Standards and Guidance, OSHA, U.S. Department of Labor, Room N-3609, 200 Constitution Avenue NW., Washington, DC 20210; telephone (202) 693-2222.

#### **SUPPLEMENTARY INFORMATION:**

##### **I. Background**

The Department of Labor, as part of its continuing effort to reduce paperwork and respondent (i.e., employer) burden, conducts a preclearance consultation program to provide the public with an opportunity to comment on proposed and continuing information collection requirements in accord with the Paperwork Reduction Act of 1995 (PRA-95) (44 U.S.C. 3506(c)(2)(A)). This program ensures that information is in the desired format, reporting burden (time and costs) is minimal, collection instruments are clearly understood, and OSHA's estimate of the information collection burden is accurate. The Occupational Safety and Health Act of 1970 (the OSH Act) (29 U.S.C. 651 et seq.) authorizes information collection by employers as necessary or appropriate for enforcement of the Act or for developing information regarding the causes and prevention of occupational injuries, illnesses, and

accidents (29 U.S.C. 657). The OSH Act also requires that OSHA obtain such information with minimum burden upon employers, especially those operating small businesses, and to reduce to the maximum extent feasible unnecessary duplication of efforts in obtaining information (29 U.S.C. 657).

Paragraph (a)(2) of the Material Hoists, Personnel Hoists, and Elevators Standard requires that the rated load capacities, recommended operating speeds, and special hazard warnings or instructions be posted on cars and platforms. Paragraph (b)(1)(i) requires that operating rules for material hoists be established and posted at the operator's station of the hoist. These rules shall include signal system and allowable line speed for various loads. Paragraph (c)(10) requires that cars be provided with a capacity and data plate secured in a conspicuous place on the car or crosshead.

These posting requirements are used by the operator and crew of the material and personnel hoists to determine how to use the specific machine and how much it will be able to lift as assembled in one or a number of particular configurations. If not properly used, the machine would be subject to failures, endangering the workers in the immediate vicinity.

Paragraph (c)(15) requires that a test and inspection of all functions and safety devices be made following the assembly and erection of hoists. The test and inspection are to be conducted under the supervision of a competent person. A similar inspection and test is required following major alteration of an existing installation. All hoists shall be inspected and tested at three-month intervals. A certification record (the most recent) of the test and inspection must be kept on file, including the date the test and inspection was completed, the identification of the equipment and the signature of the person who performed the test and inspection. This certification ensures that the equipment has been tested and is in safe operating condition. The most recent certification record will be disclosed to a Compliance Safety and Health Officer during an OSHA inspection.

##### **II. Special Issues for Comment**

OSHA has a particular interest in comments on the following issues:

- Whether the proposed information collection requirements are necessary for the proper performance of the Agency's functions, including whether the information is useful;
- The accuracy of OSHA's estimate of the burden (time and costs) of the information collection requirements,

including the validity of the methodology and assumptions used;

- The quality, utility, and clarity of the information collected; and
- Ways to minimize the burden on employers who must comply; for example, by using automated or other technological information collection and transmission techniques.

##### **III. Proposed Actions**

OSHA is requesting that OMB extend its approval of the information collection requirements contained in the Standard on Material Hoists, Personnel Hoists, and Elevators (29 CFR 1926.552). The Agency is requesting an adjustment decrease from 20,957 burden hours to 7,103 burden hours, a total reduction of 13,854 burden hours. The decrease is due to a decrease in the number hoists being used in the industry.

**Type of Review:** Extension of a currently approved collection.

**Title:** Material Hoists, Personnel Hoists, and Elevators (29 CFR 1926.552).

**OMB Control Number:** 1218-0231.

**Affected Public:** Business or other for-profits.

**Number of Respondents:** 5,868.

**Frequency of Responses:** On occasion.

**Number of Responses:** 26,547.

**Average Time per Response:** Varies from 2 minutes (.03 hour) for a supervisor to disclose test and inspection certification records to 60 minutes (1 hour) for a construction worker to obtain and post information for hoists.

**Estimated Total Burden Hours:** 7,103.

**Estimated Cost (Operation and Maintenance):** \$0.

##### **IV. Public Participation—Submission of Comments on This Notice and Internet Access to Comments and Submissions**

You may submit comments in response to this document as follows: (1) Electronically at <http://www.regulations.gov>, which is the Federal eRulemaking Portal; (2) by facsimile (fax); or (3) by hard copy. All comments, attachments, and other material must identify the Agency name and the OSHA docket number (Docket No. OSHA-2010-0052 for the ICR). You may supplement electronic submissions by uploading document files electronically. If you wish to mail additional materials in reference to an electronic or facsimile submission, you must submit them to the OSHA Docket Office (see the section of this notice titled **ADDRESSES**). The additional materials must clearly identify your electronic comments by your name, date, and the docket number so the Agency can attach them to your comments.

Because of security procedures, the use of regular mail may cause a significant delay in the receipt of comments. For information about security procedures concerning the delivery of materials by hand, express delivery, messenger, or courier service, please contact the OSHA Docket Office at (202) 693-2350, (TTY) (877) 889-5627).

Comments and submissions are posted without change at <http://www.regulations.gov>. Therefore, OSHA cautions commenters about submitting personal information such as social security numbers and date of birth. Although all submissions are listed in the <http://www.regulations.gov> index, some information (e.g., copyrighted material) is not publicly available to read or download from this Web site. All submissions, including copyrighted material, are available for inspection and copying at the OSHA Docket Office. Information on using the <http://www.regulations.gov> Web site to submit comments and access the docket is available at the Web site's "User Tips" link. Contact the OSHA Docket Office for information about materials not available from the Web site, and for assistance in using the Internet to locate docket submissions.

#### V. Authority and Signature

David Michaels, Ph.D., MPH, Assistant Secretary of Labor for Occupational Safety and Health, directed the preparation of this notice. The authority for this notice is the Paperwork Reduction Act of 1995 (44 U.S.C. 3506 et seq.) and Secretary of Labor's Order No. 1-2012 (77 FR 3912).

Signed at Washington, DC, on June 13, 2014.

**David Michaels,**

*Assistant Secretary of Labor for Occupational Safety and Health.*

[FR Doc. 2014-14329 Filed 6-18-14; 8:45 am]

**BILLING CODE 4510-26-P**

## DEPARTMENT OF LABOR

### Occupational Safety and Health Administration

[Docket No. OSHA-2011-0055]

#### Steel Erection; Extension of the Office of Management and Budget's (OMB) Approval of Information Collection (Paperwork) Requirements

**AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.

**ACTION:** Request for public comments.

**SUMMARY:** OSHA solicits public comments concerning its proposal to

extend OMB approval of the information collection requirements specified in the Standard on Steel Erection (29 CFR part 1926, subpart R).

**DATES:** Comments must be submitted (postmarked, sent, or received) by August 18, 2014.

#### ADDRESSES:

*Electronically:* You may submit comments and attachments electronically at <http://www.regulations.gov>, which is the Federal eRulemaking Portal. Follow the instructions online for submitting comments.

*Facsimile:* If your comments, including attachments, are not longer than 10 pages you may fax them to the OSHA Docket Office at (202) 693-1648.

*Mail, hand delivery, express mail, messenger, or courier service:* When using this method, you must submit a copy of your comments and attachments to the OSHA Docket Office, OSHA Docket No. OSHA-2011-0055, U.S. Department of Labor, Occupational Safety and Health Administration, Room N-2625, 200 Constitution Avenue NW., Washington, DC 20210. Deliveries (hand, express mail, messenger, and courier service) are accepted during the Department of Labor's and Docket Office's normal business hours, 8:15 a.m. to 4:45 p.m., e.t.

*Instructions:* All submissions must include the Agency name and the OSHA docket number (OSHA-2011-0055) for the Information Collection request (ICR). All comments, including any personal information you provide, are placed in the public docket without change, and may be made available online at <http://www.regulations.gov>. For further information on submitting comments, see the "Public Participation" heading in the section of this notice titled

#### SUPPLEMENTARY INFORMATION.

*Docket:* To read or download comments or other material in the docket, go to <http://www.regulations.gov> or the OSHA Docket Office at the address above. All documents in the docket (including this **Federal Register** notice) are listed in the <http://www.regulations.gov> index; however, some information (e.g., copyrighted material) is not publicly available to read or download from the Web site. All submissions, including copyrighted material, are available for inspection and copying at the OSHA Docket Office. You may also contact Theda Kenney at the address below to obtain a copy of the ICR.

#### FOR FURTHER INFORMATION CONTACT:

Theda Kenney or Todd Owen, Directorate of Standards and Guidance, OSHA, U.S. Department of Labor, Room

N-3609, 200 Constitution Avenue NW., Washington, DC 20210; telephone (202) 693-2222.

#### SUPPLEMENTARY INFORMATION:

##### I. Background

The Department of Labor, as part of its continuing effort to reduce paperwork and respondent (i.e., employer) burden, conducts a preclearance consultation program to provide the public with an opportunity to comment on proposed and continuing information collection requirements in accord with the Paperwork Reduction Act of 1995 (PRA-95) (44 U.S.C. 3506(c)(2)(A)). This program ensures that information is in the desired format, reporting burden (time and costs) is minimal, collection instruments are clearly understood, and OSHA's estimate of the information collection burden is accurate. The Occupational Safety and Health Act of 1970 (the OSH Act) (29 U.S.C. 651 et seq.) authorizes information collection by employers as necessary or appropriate for enforcement of the Act or for developing information regarding the causes and prevention of occupational injuries, illnesses, and accidents (29 U.S.C. 657). The OSH Act also requires that OSHA obtain such information with minimum burden upon employers, especially those operating small businesses, and to reduce to the maximum extent feasible unnecessary duplication of efforts in obtaining information (29 U.S.C. 657).

Section 1926.752(a)(1). *Description of the requirement.* Based on the results of a specified method for testing field-cured samples, the controlling contractor must provide the steel erector with written notification that the concrete in the footings, piers, and walls, or the mortar in the masonry piers and walls, is at 75% of its minimum compressive-design strength or has sufficient strength to support loads imposed during steel erection. Note: This is not and will not be enforced for mortar in piers and walls until OSHA defines an appropriate substitute or until an appropriate American Society for Testing and Materials (ASTM) test method is developed.

Sections 1926.752(a)(2) and 1926.755(b)(1). *Description of the requirements.* Under § 1926.752(a)(2), the controlling contractor, before it authorizes commencement of steel erection, must notify the steel erector in writing that any repairs, replacements, and modifications to anchor bolts (rods) have been made in accord with § 1926.755(b)(1) which requires that the controlling contractor obtain approval from the project structural engineer of