	AGENCY USE ONLY			
ENV	OMB Control No.: 2060-0226			
	Expires: X/XX/2017			
When completed send CBI and public ver	sions of this form and attachments of print to:	electronically via CD or USB drive (preferred), or	Date of Receipt:	
Via US Postal S SNAP Document Co U.S. EP/ Mail Code: 6 1200 Pennsylvani Washington DO	ontrol Officer A S205T Stratospheric Protection Division 4th Floor (MC 6205M) 1201 Constitution Ave. NIW		Case Number:	
Part I: INTRODUCTION AND	CBI INFORMATION			
Section A: Introduction				
and Class II ozone-depleting substance substitutes or new end-uses of existin alternatives in sectors that previously	es (ODSs) under section 612 of the g substitutes to assist the Agency used ODSs. A separate notice m lternative. If the alternative is a r the TSCA/SNAP Addendum form		provide this information on r or processes that are conside mitting. You may submit a sir	new ered ngle
Select the appropriate box identifying the New alternative (substance, formulation o				
conditions or unacceptable under SNAP New end-use or application of substitute punder SNAP	reviously listed as acceptable, accep	table subject to use conditions or unacceptable		
Section B: Identification of Alterna	atives			
1. Name of Alternative. Note: Additional in	nformation about the proposed subst	titute must be provided in Part III, Section A		СВІ
2. Indicate the sector and end-use for whi	ch you are submitting this SNAP Info	ormation Notice.		
Sector(s)		End-Use(s)	If you chose "Other" as an end-use, please specify here.	СВІ

Part I: INTRODUCTION AND CBI INFORMATION

Please complete the following tabs of this	submission form (click to go to each section):			
Part II: Contact Information Part III: General Information Sector Specific (please fill out the sector sp	ecific Part(s) for which you are applying):			
Part IV: Refrigeration and Air Co Part V: Foam Blowing	nditioning			
Part VI: Cleaning Solvents				
Part VIII: Fire Suppression				
Part VIII: Aerosols				
<u>Part IX: Sterilants</u> Part X: Adhesives, Coatings & Ir				
Part XI: Tobacco Expansion	<u>(S</u>			
Part XII: Additional Information				
Part XIII: Attachments				
Part XIV: Certification				
rait XIV. Certification				
Section C: Confidentiality Claims				
•				
time of the initial submission. All informat	ated as Clean Air Act Confidential Business Information (CBI), must assert an on claimed as CBI will be treated in a manner consistent with 40 CFR Part 2, s ission may result in disclosure of information by the Agency without further	Subpart B. Failure to		
	e information you claim as confidential and mark the confidential box in the cential, you must substantiate those claims below and provide a "sanitized" v			
	aim as confidential, the following information must be included in a Statemen	nt of Data Confidentia	ality Claims.	
 Give the reasons why the cited passage of 	ber(s) each portion of the document for which you claim confidentiality. ualifies for confidential treatment. ation would be likely to result in substantial harmful effects to you, describe	those harmful effect:	s and explain why the	еу
 Indicate the length of time - until a speci Identify the measures you have taken to Describe the extent to which the information 	ic date or event, or permanently - for which the information should be treate guard against undesired disclosure of this information. tion has been disclosed, and what precautions have been taken in connection onfidentiality previously made by EPA, other Federal agencies, or courts con-	n with these disclosur		
Information submitted as CBI may be acce under an EPA contract for the purpose of a including the evaluation of SNAP Informati Protection Division within the EPA's Office	sed by companies designated as Authorized Representatives of the United St ssisting EPA in the development and implementation of national regulations on Notices. These Authorized Representatives may have access to any inforn of the Atmospheric Programs. Access to such information is necessary to ensized Representatives of the Administrator are subject to the provisions of 42	tates Environmental F for the protection of s nation received by the sure that these compa	Protection Agency (El stratospheric ozone, e Stratospheric anies can complete t	
STATEMENT OF DATA CONFIDENTIALITY	I AIMS			_
STATEMENT OF DATA CONFIDENTIALITY	ECHIVIO			
				J

Part II: CONTACT INFORMATION

Fait II. CONTACT INFORMATION		
Section A: Submitter Contact Information		
1. Person Submitting Notice (in U.S.): Enter information for the official who	signs the certification in Part XIV Certification.	
Name of Authorized Official	Title	CBI
Company/Organization		CBI
Mailing Address	Telephone Number	СВІ
Email Address		CBI
		·
2. Agent (if applicable): Complete only if you authorize an agent to assist yo	u in preparing this notice. The agent must also sign th	e certification.
Name of Authorized Official	Title	СВІ
Traine of Audionized Official	Title	CDI
Company/Organization		CBI
Mailing Address	Telephone Number	СВІ
Email Address		CBI
Is this person granted full access to Confidential Business Information?		
Technical Contact (in U.S.): If applicable, identify a person who can provide review period. If the authorized agent is also the technical contact, include the second contact.		bstitute during the
Name of Authorized Official	Title	CDI
Name of Authorized Official	nue	CBI
Company/Organization		CBI
Company, Organization		CDI
Mailing Address	Telephone Number	CBI
Email Address		СВІ
Is this person granted full access to Confidential Business Information?		
1 0		
4. Joint Submitter (if applicable): Identify the joint submitter, if any, who is required in the notice.	authorized by the primary submitter to provide some	of the information
Name of Authorized Official	Title	СВІ
		СЫ
Company/Organization		CBI
		55.
Mailing Address	Telephone Number	СВІ
Email Address		CBI

CONFIDENTIALITY CLAIMS: All contacts listed on this page will be granted access to CBI, unless otherwise noted.

Is this person granted full access to Confidential Business Information?

Part III: GENERAL INFORMATION

United States ENVIRONMENTAL PROTECTION AGENCY Washington, DC 20460

Part III: GENERAL INFORMATION

Fait III. GENERAL INI ORIVI	ATION				
Section A - Alternative-Specific In	formation				
1. Identify Proposed Substitute: If a blend	d, provide the percent composition of each constitue	ent by weight.			
(a) Chemical Name (p	referably IUPAC nomenclature)	(b) Percent Composition (by weight)	(c) Chemical Abstracts Service (CAS) registry number	(d) Molecular Formula	СВІ
(e) For alternative processes and technolo Also provide the location and identity of a	ogies (e.g., Absorption Chillers, Stirling Cycle), descri ny chemical constituents.	be the technology and provide a techr	Lical drawing and a diagram of th	e system as an attachment.	СВІ
(f) If you have applied for or hold a patent	on the proposed substitute, provide the following:				
Patent Name	Patent Number (if available)		Topics Covered in Patent		CBI
2. Commercial/trade name(s) of alternat	ive:				СВІ
	mercial/trade name of the proposed substitute is classification to the maximum extent possible.	aimed Confidential Business Informati	on, provide a generic name. The	name should reveal the	
	are reasonably anticipated to be present in the pro eight percentages. Do not include substances that ar				
(a) Impurity Chemical Name	(b) Percent Composition (by weight)	(c) CAS registry number	(d) Molecu	lar Formula	CBI
used in the new alternative. If there are u	Describe any byproducts or degradation products r Inidentified byproducts/degradation products enter of fire, etc.) and the amount or rate at which it is forn	"unidentified." Indicate when the by	essing, use or disposal of the che product/degradation product is f	mical alternative or chemicals ormed (e.g. during	
(a) Byproduct/Degradation Product Chemical Name	(b) Percent Composition (by weight)	(c) CAS registry number	(d) When is product Formed?	(e) Amount (g) /Rate of Formation (g/s)	СВІ
6. Test Marketing: Has a test marketing n	otification been sent to EPA?				CBI
	ch copies of all test reports and specify the protocol	used. If submitting a blend substitute	, physical and chemical propertio	es are required for the blend.	СВІ
(a) Molecular weight				g/mol	
(b) Physical state				at 20°C	
(c) Melting point				°C at 1 atm. pressure	
(d) Boiling point				°C at 1 atm. pressure	
(e) Specific gravity (Relative to water or ai	r, specify)			at 20 ℃	
(f) Lower Flammability Limit (LFL) (Using A	ASTM E681)			ppm or %	
(g) Upper Flammability Limit (LFL) (Using A	ASTM E681)			ppm or %	
(h) Bubble point (for blends)				°C	
(i) Flash point				℃	
(j) Other (specify)					

Part III: GENERAL INFORMATION

	n from a public reference source (e.g., CRC Handboc copies of the reference. Supporting documentation	(I) If you have performed chemical analysis and testing on the substitute to derive the properties, attach copies of all test reports and specify the protocol used. Supporting documentation attached?			
8. Ozone-depletion potential (ODP): Provisource for each ODP.	ide the 100-year ODP of the proposed substitute re	elative to CFC-11. If the substitute is a	blend, provide the ODPs of the i	ndividual constituents. Referenc	e the
	sed Substitute ODP of each constituent)	(a) ODP relative to CFC-11	Informatio	on Sources	СВІ
(b) Provide any additional data on the OE bromine loading potentials).	P of the proposed substitute (e.g. chlorine or	(c) Reference the source of this infor supporting documentation.	mation and attach any	Supporting documentation attached?	СВІ
Assessment Report of the Intergovernmer	de the alternative's global warming potential relativ tal Panel on Climate Change (IPCC AR4). Alternate : If the substitute is a blend, provide the GWPs of th	sources may include the 2010 World N	Meteorological Organization (WI	MO) Scientific Assessment of Ozo	
Proposed Substitute (If blend, include GWP of each constituent)	(a) 100-year GWP (Relative to carbon dioxide)	(c) Atmospheric Lifetime (ATL)	Informatio	on Sources	СВІ
(N ()					
alternative.	onents of a blend is captured as a byproduct of and	other manufacturing or industrial proce	ess, indicate the source of the	Supporting Documentation Attached?	СВІ
10. VOC Status Information:					CBI
(a) Is the substitute exempt from the defir State Implementation Plans (SIPs) to attain	nition of volatile organic compound (VOC) under CA. n and maintain the national ambient air quality stan	A regulations (see 40 CFR 51.100(s)) addards?	ddressing the development of		
(b) For blends, which components, if any,	are exempt from the definition of VOC at 40 CFR 51	.100(s)?			СВІ
(c) Has a request for VOC exemption been	submitted? If so, provide details below (e.g., date o	of submission).			СВІ
(d) For compounds that are not VOC exem VOC and/or the kOH value.	pt, provide information on the reactivity of the com	npound(s) in the atmosphere, such as	the maximum incremental react	ivity in grams of O ₃ per gram of	СВІ
Proposed Su	bstitute/Component	MIR (g O ₃ /g VOC)	kOH value	Other	
11. Cost of Proposed Substitute (chemica	or blend): Provide an estimated cost of the substit	ute in US\$/kg, US\$/lb, or other.			CBI
40. Forder and Alberta Maria					
12. Environmental Regulations.					CBI
(a) Is the substitute, or a component of th(b) Is the substitute, or a component of th	e substitute, a hazardous air pollutant? e substitute, a hazardous waste under RCRA regulat	tions?			
(c) Provide information on any environme	ntal regulatory statute (such as those listed below)	applicable to the manufacture, use, ar	nd disposal of the proposed subs	titute.	СВІ
Statute	TH. M	Statute Cit	ation & Explanation of Require	nents	
Titles of the Clean Air Act (CAA) other than Clean Water Act (CWA)	1 LITIE VI				
Safe Drinking Water Act (SDWA)	2001)				
Resource Conservation and Recovery Act Federal Insecticide, Fungicide, and Rodent					
,,	•				

Part III: GENERAL INFORMATION

Toxic Substances Control Act (TSCA)				
Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)				
Emergency Planning and Community Right to Know Act (EPCRA or SARA Title III)				
State and local laws				
Other applicable environmental federal, state, and local laws not mentioned above				
13. Health and Safety Regulations: If applicable, describe how occupational, consumer, or go	13. Health and Safety Regulations: If applicable, describe how occupational, consumer, or general population exposure to the alternative is regulated under health and safety related statutory authorities.			
Statutory Authority	(a) How does regulation apply? Provide CFR citation.	СВІ		
Department of Transportation (DOT) (e.g., Vapor UN1013, Class 2.2)				

14. Toxicity Limits. For the proposed substitute, impurities and/or byproducts, provide permissible exposure limits (PELs), occupational exposure limits (OELs), or acceptable exposure limits (AELs) set for use in the workplace, if available.

Proposed Substitute (If blend, include all constituents), Impurity, and/or Byproduct	(a) Permissible Exposure Limits (PELs)	(b) Occupational Exposure Limits (OELs) (e.g., WEEL, TLV, STEL)	(c) Manufacturer's Acceptable Exposure Limits (AELs)	Sources	СВІ
(d) If available, summarize the acute and organism (e.g. human and/or other mami available to you.	Supporting Docum	entation Attached?	СВІ		

15. Safety Documents. Please attach a copy of any documents that will be provided to any person who is reasonably likely to be exposed, such as:

Occupational Safety and Health Administration (OSHA) (e.g., TLV-TWA, Personal Protective Equipment [29 CFR 1910.132])

Other (e.g., Food and Drug Administration Threshold of Regulation [TOR] Exemptions)

State and local laws

13. Salety becaments. Ficase attach a copy of any documents that will be provided to any person who is reasonably likely to be exposed, such as.					
Safety Document	Supporting Documentation Attached?	CBI			
Material Safety Data Sheet (MSDS)					
Hazard Warning Statement					
Warning Labels					
Other (provide name)					

Part IV: REFRIGERATION AND AIR CONDITIONING-SPECIFIC INFORMATION

Section A: Refrigeration and Air-Conditioning Use Profile

1. Specific End-Use: Identify each end-use and specific applications (if applicable) for which you are seeking review in new and/or retrofit equipment. Identify the ODS and other alternatives used in the end-use and/or application and the quantity of proposed substitute needed to replace it for each end-use and/or application (i.e., the replacement ratio).

Note: If the proposed substitute can be used both as a retrofit and in new equipment, these uses should be treated as separate end-uses throughout this form. The applications listed below are not meant to be all-inclusive and do not reflect regulatory requirements. The purpose of defining these applications is to inform the Agency's understanding of how the alternative being submitted to SNAP will be used.

					1	
End-Use	Application	(a) Mark all that apply	(b) New (N) equipment, retrofit (R) equipment, or both (N,R)?	(c) ODS and other substances being replaced	(d) Replacement ratio (lb: lb)	СВІ
	Centrifugal					
Chillers (Commercial Comfort AC)	Positive Displacement Chillers (includes Reciprocating, Screw, Scroll, Rotary Compressors)					
Industrial Process Refrigeration (IPR)						
Industrial Process Air Conditioning						
Ice Skating Rinks						
Cold Storage Warehouses						
	Refrigerated Trailers (Reefers)					
Refrigerated Transport	Refrigerated Shipping Containers					
	Refrigeration Equipment within Motorized Vehicle (e.g., food delivery, ice cream truck, ship hold)					
	Remote Rack System, Direct					
	Remote Rack System, Indirect					
Retail Food Refrigeration	Stand-alone Units (self-contained equipment such as individual reach-in coolers, glass door merchandisers, fountain beverage dispenser, frozen beverage dispenser, etc.)					
	Remote Condensing Units for Walk-in Coolers or Multiple Reach-in Coolers					
Vending Machines						
Drinking Water Coolers	Built-in Water Fountain					\perp
	Stand-alone Water Coolers					
Commercial Ice Machines	Self-contained Ice Machines					Ш
	Remote Ice Machines Household Refrigerator and					+
	Freezers					
Household Refrigerators and Freezers	Small Refrigerated Household Appliances (e.g., chilled kitchen drawers, wine coolers, and mini- fridges)					
	Room Air Conditioners (such as window units, packaged terminal air conditioners (PTAC) and heat pumps (PTHP), and portable self-contained air conditioners)					
	Mini-Splits, Non-Ducted					
	Multi-Splits, Non-Ducted					\blacksquare
Residential and Light Commercial Air Conditioning and Heat Pumps	Split-Systems, Ducted, Household (Central A/C)					
	Split-Systems, Ducted, Light Commercial (Central A/C)					
	Packaged Rooftop Units					
	Water-Source Air Conditioning and Heat Pumps					

Part IV: REFRIGERATION AND AIR CONDITIONING-SPECIFIC INFORMATION

1							
	Ground-Source Air Conditioning and Heat Pumps						
Residential Dehumidifiers							
	Light-duty Vehicles (e.g., passenger cars)						
	Light-duty Trucks (e.g., minivans, full size pick-up trucks, and full- size SUVs)						
Motor Vehicle Air Conditioning	Heavy-duty Vehicles (e.g., heavy- duty pickup trucks and vans, and commercial medium and heavy- duty on-highway vehicles)						
	Off-road Vehicles (e.g., farm and construction equipment)						
Non-mechanical Heat Transfer	Buses and Passenger Rail Thermosiphon						
Mechanical Heat Transfer	Recirculating Coolers Organic Rankine Cycle (ORC)						
Very Low Temperature Refrigeration							
,	Uranium Isotope Separation						
Othor (anacity)	Processing Ice Cream Makers						
Other (specify)	ice Cream Makers						
3. Technology Changes and Costs: Descri (e.g., piping, refrigerant oil) and attach ar	be any new equipment technology ny available test results. Provide soe	changes and associated costs that	t will be necessary in order to use the	proposed substitute. Provide infor	rmation on materials compatib nanges to equipment (e.g., com	ility ponent	
changes larger compressor, special safety				ssociated costs, including design of	ranges to equipment (e.g., com	іропепі	
End-Use	Application	(a) Technology changes, including material compatibility issues when retrofitting	(b) Capital costs associated with proposed substitute, alternative process, new equipment, and/or new materials	(c) Changes in labor and energy costs	(d) Ongoing operational costs of equipment	СВІ	
4. Production: Provide estimated inform	4. Production: Provide estimated information on production of the proposed substitute or equipment using the proposed substitute by end-use and/or application.						
	ation on production of the propose	d substitute or equipment using th	ne proposed substitute by end-use an	nd/or application.			
End-Use	ation on production of the proposed Application	(a) Year proposed substitute or t	he proposed substitute by end-use an echnology will be available (or note ly available)		production for end-use (kg)	CBI	
End-Use		(a) Year proposed substitute or t	echnology will be available (or note		production for end-use (kg)	CBI	
End-Use		(a) Year proposed substitute or t	echnology will be available (or note		production for end-use (kg)	CBI	
	Application	(a) Year proposed substitute or t if current	echnology will be available (or note ly available)	(b) Anticipated first year annual	production for end-use (kg)	CBI	
5. Market Share: Estimate the timing for	Application	(a) Year proposed substitute or t if current	echnology will be available (or note ly available)	(b) Anticipated first year annual	production for end-use (kg) (c) Anticipated market share at market penetration (%)	CBI	
5. Market Share: Estimate the timing for	Application Market penetration and percentage	(a) Year proposed substitute or t if current if current e of the market that is anticipated (a) Years until maximum	technology will be available (or note ly available)	(b) Anticipated first year annual	(c) Anticipated market share		
5. Market Share: Estimate the timing for	Application Market penetration and percentage	(a) Year proposed substitute or t if current if current e of the market that is anticipated (a) Years until maximum	technology will be available (or note ly available)	(b) Anticipated first year annual	(c) Anticipated market share		
5. Market Share: Estimate the timing for	Application Market penetration and percentage	(a) Year proposed substitute or t if current if current e of the market that is anticipated (a) Years until maximum	technology will be available (or note ly available)	(b) Anticipated first year annual	(c) Anticipated market share		
5. Market Share: Estimate the timing for	Application market penetration and percentag Application	(a) Year proposed substitute or t if current if current e of the market that is anticipated (a) Years until maximum market penetration	echnology will be available (or note ly available) I to be captured by this proposed sub (b) Maximum annual product	(b) Anticipated first year annual street to at market penetration	(c) Anticipated market share		
5. Market Share: Estimate the timing for End-Use	Application market penetration and percentag Application	(a) Year proposed substitute or t if current if current e of the market that is anticipated (a) Years until maximum market penetration	echnology will be available (or note ly available) I to be captured by this proposed sub (b) Maximum annual product	(b) Anticipated first year annual street to at market penetration	(c) Anticipated market share at market penetration (%)		
5. Market Share: Estimate the timing for End-Use 6. Energy Efficiency: Provide the alternate	Application market penetration and percentag Application ive's impact on energy efficiency re	(a) Year proposed substitute or t if current if current e of the market that is anticipated (a) Years until maximum market penetration	echnology will be available (or note ly available) I to be captured by this proposed sub (b) Maximum annual product	(b) Anticipated first year annual state of the state of t	(c) Anticipated market share at market penetration (%)	CBI	

7. Refrigerant Oil: Provide information on	the chemical class of refrigerant o	il vou anticinate will be used (e g	nolvalkylene glycol nolvolester mir	neral oil, etc.) and information on r	efrigerant/oil solubility	СВІ
The second of th	the themeal days of temperation	n you anasipate viii 20 asea (eigi,	poryamyione grycon, poryonester, min		on goranty on solubility.	
8. Application of Proposed Substitute. Ple use(s) and application(s) for the proposed						
End-Use	Application	(a) Equipment Lifetime (years)	ne (years) (b) Typical charge size (kg) (c) Maximum charge size ((d) Equipment capacity (kWh, tons)	СВІ
End-Use	Applic	ation	(e) Typical room size (m³)	(f) Minimum room size (m³)	(g) Anticipated room air exchange rate (ACH)	СВІ
9. End-Use Specific Standards: List any sta standard.	andard-setting organizations (U.S. o	or ANSI/ISO) that have or will evalu	uate the proposed substitute and/or	equipment in the proposed end-us	se(s) and identify the associated	d T
Standard-Setting Organization		(a) Standard N	lumber and Title	(b) Status (e.g., under o	development, final)	СВІ
American Society of Heating, Refrigerating (ASHRAE) (e.g., ASHRAE 15)	g, and Air Conditioning Engineers					
Underwriters Laboratories (UL) (e.g., UL 48	84, UL 250)					
Society of Automotive Engineers (SAE) Into	ernational					
Other (i.e., International Electrochemical Organization for Standardization (ISO))	Commission (IEC), International					
Section B: Refrigeration and Air Co	onditioning Physical and Ch	nemical Properties				
	• •	•				
1. Physical and Chemical Properties: Provi (a) Vapor pressure @ 20 °C	ide information on the physical an	d chemical properties relevant to	evaluating the proposed substitute ii	n refrigeration and air conditioning	atm	CBI
Please also provide vapor press	sure-temperature curve:		Attached?			
(b) Heat of combustion			kJ/mol			
(c) Critical temperature (d) Critical Pressure					atm	
2. ASHRAE Designation: If applicable, indi	icate the status of submission to o	r publication by the ASHRAE Stand	ling Standard Project Committee 34 ((SSPC 34).		СВІ
Not submitted to ASHRAE SSPC 34. Submitted to ASHRAE SSPC 34, not yet pul	blished. If proposed designation a	ad classification are available prov	vida holow			
Published by ASHRAE SSPC 34. If so, provide	de the following information:				AF 61 - 17' - 11'	
Substitute or	Biend	ASHRAE	Designation	ASHRAE Clas	Classification	
Section C: Flammability						
1. Flammability-Related Physical and Che conditioning end-uses.	mical Properties. Provide informa	ation on the physical and chemical	properties relevant to evaluating the	e flammability of the proposed sub	stitute in refrigeration and air-	CBI
(a) Maximum pressure of combustion (b) Maximum rate of pressure increase du	ring combustion (Paguired only fo	r refrigerants decignated as			atm	
ASHRAE flammability class 3) (c) Minimum ignition energy (MIE)	This combustion (Required only for	remgerums designated as			Joules	
					poules	
2. Flammability Assessments and Test Da Required if flammable	ta.		Summary o	of Results	Supporting Documentation	CBI
(a) Fault Tree Analysis or Failure Mode and	d Effects Analysis (Required for eac	ch end-use)			Attached?	
(b) Risk assessment for all end-uses, consu	ımer and occupational (technician) exposure				
(c) Results of ASTM E681 Flammability Lim summary of results)	nits in Air (include temperature at v	which test was conducted in				
(d) Fractionation during Leakage (Required	d only for blends with flammable co	omponents)				
3. Flammability Concerns and Mitigation:	Provide any information on flamn	nability concerns and mitigation m	easures.		Supporting Documentation Attached?	СВІ
(a) Detail any abatement techniques that a associated with flammable substances or r						
(b) Additional information on flammability measures:	concerns and mitigation					

Section D: Exposure

4	Exposure	Madia	and F	10000	ınfa.	
1.	Exposure	Media	ana i	keiease	Into	rmatior

(a) Identify the media(s) to which the proposed substitute is released (e.g., indoor air, outdoor air, water, land).	(b) Indicate the physical form of chemicals at the time of	(c) If releases occur outdoors (e.g., outdoor air, water, land), provide information or estimates of the magnitude of release (ppm or percent of charge).	СВІ
(d) Identify engineering controls used to reduce or prevent releases to the environment (e.g., safety valves, gas scrubbers).		(f) Describe any protective equipment and engineering controls used to protect workers (e.g., goggles, gloves, chemical hoods).	СВІ

2. Identify and explain the activities, duration of activities, and typical and maximum exposure concentrations in which worker exposure to the proposed substitute is expected to be the highest for each scenario in (a) through (c).

	Identify activities with typical	Duration of Activity		Exposure Concentration		CBI
Scenario	and maximum potential for exposure	Typical	Maximum	Typical	Maximum	
(a) Manufacture and charging of		hours/day	hours/day	ppm	ppm	
equipment (e.g., filling)		day/year	day/year	%	%	
(b) Installation and servicing (e.g., connecting and disconnecting refrigerant		hours/day	hours/day	ppm	ppm	
lines)		day/year	day/year	%	%	
(c) Disposal (e.g., connecting and disconnecting refrigerant lines)		hours/day	hours/day	ppm	ppm	
		day/year	day/year	%	%	
Is supporting documentation (e.g., personal monitoring data) attached?						

Scenario	Typical Number of Pieces	Maximum Number of Pieces	CBI
(a) Manufacture and charging of equipment			
(b) Installation and servicing			
(c) Disposal			

4. Provide information on training materials related to manufacture, installation and servicing, and disposal. If the proposed substitute is flammable, describe how these guidelines differ from training for non-flammable refrigerants.	Are any training materials attached?		

5. Exposure during Use of Equipment

(a) Identify and explain the activity during which end-user exposure to the proposed substitute is expected to be the highest (e.g., operational leaks).					
(b) Identify who is most likely to be exposed to the substitute at the end- use (e.g., consumers, workers)?	(c) Estimate the typical and maximum annual leak rates from the equipment, in terms of (1) ppm and/or (2) percent of charge.				
	Typical	Maximum	СВІ		
	ppm	ppn	n		
	%		6		
Is supporting documentation (e.g., personal monitoring data) attached?					

6. Information on Recovery Practices: Section 608 of the Clean Air Act prohibits the intentional release (venting) of refrigerants, ozone-depleting and their substitutes, while maintaining, servicing, repairing, or disposing of air conditioning or refrigeration equipment. Please provide information below on how the substitute will be recovered.

(a) How will the refrigerant be recovered? Please provide standards, reports, or analyses from ETL, UL, AHRI, or equivalent on refrigerant-specific servicing equipment or the feasibility of using existing refrigerant recovery/recycling equipment.	Supporting Documentation Attached?	СВІ
(b) Please provide a description of recovery procedures (e.g., recover and recharge or recover and send to reclaimer).	Supporting Documentation Attached?	СВІ
(c) Indicate the anticipated recovery efficiency of the refrigerant (percent of charge).	Supporting Documentation Attached?	СВІ

Part V: FOAM BLOWING-SPECIFIC INFORMATION

Section A: Foam Blowing Use

End-Use

1. Specific End-Use: Identify each end-use that may be reasonably anticipated for the alternative. Identify the ODS and other alternatives used in the end-use and/or application and the quantity of proposed substitute needed to replace it for each end-use and/or application (i.e., the replacement ratio).

Note: If more than one end-use if listed, consider each end-use separately throughout application.							
End-Use	(a) Mark all that apply	(b) ODS and other sub	ostances being replaced	(c) Replacement ra	atio (lb: lb)	СВІ	
Rigid Polyurethane: Appliance							
Rigid Polyurethane: Spray							
Rigid Polyurethane: Commercial Refrigeration							
Rigid Polyurethane: Sandwich Panels							
Rigid Polyurethane: Slabstock and Other							
Rigid Polyurethane & Polyisocyanurate Laminated Boardstock							
Flexible Polyurethane							
Integral Skin Polyurethane							
Polystyrene: Extruded Sheet							
Polystyrene: Extruded Boardstock & Billet							
Polyolefin							
Phenolic Insulation Board & Bunstock							
Other (specify)							
2. Additional End-Use Description: Please the foam blowing agent/equipment? Will foam?	e describe the specific uses for which you the foam blowing agent be used by con	u are applying. For example, what type sumers or restricted to commercial us	e of material will be blown? What methe? For spray foams, how many compon	od or type of equipment is used for foam ents are used? Will the alternative be us	n blowing? Who will be using ed in high or low pressure spray	СВІ	
3. Technology Changes and Costs: Describ	pe any new equipment technology chang	ges and associated costs that will be n	ecessary in order to use the proposed s	ubstitute.		1	
End-Use	(a) Technology chang	es to use alternative	(b) Capital costs associated with proposed substitute, alternative process, new equipment, and/or new materials	(c) Changes in labor and energy costs	(d) Ongoing operational costs	CBI	
4. Production and Market Share: Provide proposed substitute.	estimated information on production o	f the proposed substitute by end-use.	If possible, estimate the percentage of	the market held by the ODS being repla	ced that will be captured by this		
End-Use	(a) Year proposed substitute or technology will be available (or note if currently available)	(b) Anticipated first year annual production for end-use (kg)	(c) Years until maximum market penetration	(d) Maximum annual production at market penetration	(e) Anticipated market share at market penetration (%)	СВІ	

6. Application of Proposed Substitute. Please provide information on the amount of blowing agent, associated room size, and anticipated room air exchange rate for the proposed substitute in the proposed end-use(s). Note: If personal monitoring data is provided in Section D: Exposure, you are not required to respond to questions (c) through (e) below.

5. Energy Efficiency: Provide the alternative's impact on energy efficiency relative to the substance it is replacing in similar products. Attach documentation, if available.

(a) Energy efficiency (+/- X%) relative to substance(s) being replaced

(b) Source of Information

CBI

End-Use	(a) Typical amount of blowing agent (kg)	(b) Maximum amount of blowing agent (kg)	(c) Typical room size (m³)	(d) Minimum room size (m³)	(e) Anticipated room air exchange rate (ACH)	СВІ
	(//6/	agent (ng)	()	(1117	exchange rate (ACH)	-
						1
Section B: Foam Blowing Agent Pl	hysical and Chemical Properties					
1. Physical and Chemical Properties: Prov	vide information on the physical and che	mical properties relevant to evaluatin	a the proposed substitute in form blow	ing end-uses		СВІ
(a) Vapor pressure @ 20 °C	nde illiornation on the physical and the	inical properties relevant to evaluatin	g the proposed substitute in roam blow	ing enu-uses.	atm	
(b) Thermal conductivity					W/m-K	
						_
Manufacture and Degradation Product (e.g., temperature) during use to assess p				under different external conditions	Supporting Documentation Attached?	СВІ
Section C: Flammability						
1. Flammability-Related Physical and Che	emical Properties Provide information	on the physical and chemical propertie	es relevant to evaluating the flammahili	ty of the proposed substitute in foam h	slowing end-uses	
1. Hammability Related Fifty Sear and City	Trovide information	on the physical and enemical propertie	es relevant to evaluating the nammabil	ty of the proposed substitute in round b	nowing cha ases.	CBI
(a) Heat of combustion					kJ/mol	
(b) Auto ignition temperature					°C	
(c) For blowing agent blends containing fla flammable	ammable components, indicate the cond	centrations at which the blend is			ppm or %	
2. Flammability Assessments and Test Da	nta.					CBI
(a) Results of ASTM E681 for Flammability		ammable)				
(b) Additional Analyses (optional)						
3. Flammability Concerns and Mitigation	: Provide any information on flammabili	ty concerns and mitigation measures.				СВІ
(a) Detail any abatement techniques that	are used to minimize the risks	, ,				СВІ
associated with flammable substances or						
(b) For flammable foam blowing agents us program that addresses flammability cond		Atta	ched?			
(c) Additional information on flammabilit	y concerns and mitigation measures:					
Section D: Exposure						
1. Exposure Media and Release Information	ion					

2 Exposure Frenta una Refetate Information							
Scenario	Identify activities with typical and maximum potential for exposure	Provide the estimated amount of each component in foam blowing agent released to the environment (e.g., as a solid waste or wastewater effluent) at the point of, or subsequent to, each scenario below.		Identify the media(s) to which the proposed substitute is released (e.g., indoor air, outdoor air, water, land) in each scenario below.	СВІ		
(a) Manufacture			ppm				
(b) End-Use (e.g., in products containing and processes using the proposed substitute)			ppm				
(c) Disposal			ppm				
(d) Identify engineering controls used to rescrubbers).	reduce or prevent releases to the environ	nment (e.g., safety valves, gas	(e) If the proposed substitute is to be disposed of, indicate the method and location of disposal.		СВІ		
(f) Indicate the physical form of chemicals at the time of handling/exposure (e.g., solid, liquid, gas).		(g) Identify the contact pathway (e.g.		(h) Describe any protective equipment and engineering controls used to protect workers (e.g., goggles, gloves, chemical hoods).	СВІ		

2. Identify and explain the activities, duration of activities, and typical and maximum exposure concentrations in which worker exposure to the proposed substitute is expected to be the highest for each scenario in (a), (b), and (c). If monitoring data is available, please provide it as an attachment.

Scenario	Identify activities with typical and	Duration of Activity		Exposure Concentration		СВІ
555.10110	maximum potential for exposure	Typical	Maximum	Typical	Maximum	CDI
(a) Manufacture and charging of equipment (e.g., preparation of foam		hours/day	hours/day	ppm	ppm	4
formulations, injecting foam into appliances)		day/year	day/year	%	%	j
(b) Manufacture of foam product/foam blowing		hours/day	hours/day	ppm	ppm	
		day/year	day/year	%	%	,
(c) Disposal of foam blowing agent		hours/day	hours/day	ppm	ppm	
		day/year	day/year	%	%	,
Is supporting documentation (e.g., personal monitoring data) attached?						

3. Application of Spray Foam (If Applicable)

(b) If your answer to (a) is yes, please identify and explain potential worker exposure to the proposed substitute during application of the blowing agent (e.g., onsite, field).	(c) Is consumer use of the spray foam (e.g., do-it-yourself spray foam cans) expected? If yes, please answer questions (e) and (f).	СВІ

Part V: FOAM BLOWING-SPECIFIC INFORMATION

(d) Please describe the application system for the consumer (e.g., size of system/container and amount of foam blowing agent in system/container).		(e) Estimate the typical and maximum attachment.	n concentrations of consumer exposure	(ppm). If monitoring data is available, pl	ease provide it as an	СВІ
system/container and amount of loam bid	owing agent in system, container,.	Туј	pical	Maximu	n	
			ppm		ppm	
Is supporting documentation (e.g., persor	nal monitoring data) attached?					
4. Training Materials						
(a) Provide information on training materials related to manufacture, installation and servicing, and disposal. If the proposed substitute is flammable, describe how these guidelines differ from training for non-flammable foam blowing agents. Are any training materials attached?				СВІ		
(b) Provide information on training materials related to spray foam applications. If the proposed substitute is flammable, describe how these guidelines differ from training for non-flammable foam blowing agents. Are any training materials attached?			rials attached?	СВІ		
5. Exposure during Use						

or Exposure during one					
(a) Identify and explain the activity during use of blowing agent in which end-user exposure to the proposed substitute is expected to be the highest (e.g., rigid cell foams used in residential construction or insulation).				СВІ	
(b) Identify who is anticipated to be exposed to the substitute at the end-use	(c) Provide (1) typical and (2) maximum exposure concentration estimates (ppm). If monitoring data is available, please provide it as an attachment.				
(e.g., consumers, workers)?	Typical	Maximum	Supporting Documentation Attached?		
	ppm	ppm			
(d) Identify control measures used to reduce or prevent end-user exposures.				CBI	
(e) For each end-use, provide maximum annual emission rates for blowing agent blowing agent used to produce the foam. Please also specify the anticipated num annual emission rates listed in the Instructions.				СВІ	
End-Use	Annual En	nission Rate	Emissive Lifetime of Foam (years)		

Section E: Additional Information for Submission of Blends of Foam Blowing Agents

Blends of different foam blowing agents may also require additional information, depending on the end-use.

1. For the following end-uses, a submission is required for blends of blowing agents, including blends with blowing agents that are already listed as acceptable:

Polyolefin
Polystyrene: Extruded Boardstock and Billet
Rigid Polyurethane and Polyisocyanurate Laminated Boardstock
Rigid Polyurethane: Spray Foam*
Phenolic Insulation Board and Bunstock

For spray foam, if any components of the blend are flammable, then an additional submission is required for the blend.

2. For the following end-uses, it is permissible to blend blowing agents that are already listed as acceptable without an additional submission for the blend:

Rigid Polyurethane: Appliance
Rigid Polyurethane: Commercial Refrigeration
Rigid Polyurethane: Sandwich Panels
Rigid Polyurethane: Sarp Foam*
Rigid Polyurethane: Slabstock and Other
Flexible Polyurethane
Integral Skin Polyurethane
Polystyrene: Extruded Sheet

*For spray foam, if all components of the blend are acceptable and non-flammable, then it is permissible to blend those blowing agents without an additional submission for the blend.

Part VI: CLEANING SOLVENT-SPECIFIC INFORMATION

Section A: Cleaning Solvent Use Profile

Section D: Exposure

1. Specific End-Use: Identify each end-use each end use (i.e., the replacement ratio).		tify the ODS and other alternatives ເ	used in the end-use or application a	nd the quantity of proposed	substitute needed to replace it	t for
End-Use	(a) Mark all that apply	(b) ODS and Other Subs	stances Being Replaced	(c) Replacement Ratio (lb: lb)	(d) Open or closed process?	СВІ
Metal cleaning						
Electronics cleaning						
Precision cleaning						
2. Additional End-Use Description: Please (e.g., open top vapor degreaser, vacuum smanual cleaning or textile cleaning.						СВІ
3. Technology Changes and Costs: Descri	be any new equipment or technology ch	nanges and associated costs that wil	I be necessary in order to use the p	roposed substitute.		
End-Use	(a) Technology Change:	s to Use Alternative	(b) Capital costs associated with proposed substitute, alternative process, new equipment, and/or new materials	(c) Changes in labor and energy costs	(d) Ongoing operational costs	СВІ
4. Production and Market Share: Provide will be captured by this proposed substitu	e estimated information on production o tte.	f the proposed substitute by end-us	e. If possible, estimate the percent	age of the market held by th	e ODS being replaced that	
End-Use	(a) Year proposed substitute or technology will be available (or note if currently available)	(b) Anticipated first year annual production for end-use (kg)	(c) Years until maximum market penetration	(d) Maximum annual production at market penetration	(e) Anticipated market share at market penetration (%)	СВІ
5. Compatibility: Provide information on a corrosive to some materials).	and address any issues with materials co	empatibility of the proposed substitu	ute with metals and plastic with reg	ards to its use as a cleaning s	olvent (e.g., is the solvent	СВІ
Section B: Cleaning Solvent-Specif	fic Physical and Chemical Proper	rties				
4 Dhusiad and Chamical Durantics Duran	.:d-:-f				[CBI
1. Physical and Chemical Properties: Prov (a) Solubility	nac imormation on the physical allu the	micai properties relevant to evaluat	and the proposed substitute in solve	ent cicannia cilu-uses.	g/L	
(b) Odor Threshold						
(c) Dissociation Constant						
(d) Volatilization from soil						
(e) Volatilization from water		<u> </u>				
(f) pH						
(g) Vapor pressure @ 20 °C					atm	
(h) Viscosity					Pa∙s	
(i) Henry's Law constant					specify units	
Section C: Flammability						
1. Flammability-Related Physical and Che end-uses.	emical Properties. Provide information of	on the physical and chemical proper	rties relevant to evaluating the flam	mability of the proposed sub	stitute in solvent cleaning	СВІ
(a) Heat of combustion					kJ/mol	
2. Flammability Concerns and Mitigation:	: Provide any information on flammabili	ty concerns and mitigation measure	s.			СВІ
(a) Detail any abatement techniques that mixtures:	are used to minimize the risks associated	d with flammable substances or				
(b) Additional information on flammability	concerns and mitigation measures:					
1			•			

Part VI: CLEANING SOLVENT-SPECIFIC INFORMATION

1. Exposure Media and Release Information

		(c) If releases occur outdoors (e.g., outdoor air, water, land), provide information or estimates of the magnitude of release (ppm).	СВІ
Identify engineering controls used to reduce or prevent releases to the vironment (e.g., safety valves, gas scrubbers).	(e) Identify the contact pathway (e.g., ingestion, inhalation, dermal).	(f) Describe any protective equipment and engineering controls used to protect workers (e.g., goggles, gloves, chemical hoods).	СВІ

2. Identify and explain the activities, duration of activities, and typical and maximum exposure concentrations in which worker exposure to the proposed substitute is expected to be the highest for each scenario in (a) through (b).

Scenario	Identify activities with typical and maximum potential for exposure	Duration o	f activity	Exposure Concentration		
	maximum potential for exposure	Typical	Maximum	Typical	Maximum	
(a) End-Use (e.g., during removal of cleaned work pieces from an open-top		hours/day	hours/day	ppm	ppm	
degreasing unit)		day/year	day/year	%	%	
) Disposal (e.g., removing spent solvent		hours/day	hours/day	ppm	ppm	
from degreaser)		day/year	day/year	%	%	
(c) Provide the anticipated room air exchange rate (as air changes per hour [ACH]) during use and disposal of the substitute.						
supporting documentation (e.g., personal monitoring data) attached?						
ns supporting documentation (e.g., persona	armonitoring data, attached:					

3. Describe disposal practices of used solvent (e.g., solvent collected and sent to a wastewater treatment facility, solvent collected and incinerated, recycling).	CBI

4. Provide information on training materials related to use and disposal.	Are any training materials attached?	CBI	
			ı

Part VII: FIRE SUPPRESSION AND EXPLOSION PROTECTION-SPECIFIC INFORMATION

1	Section A: Fire Suppression Use Profile	

1. Specific End-Use: Identify each end-use and application (if applicable) for which you are seeking review and provide the requested information.	

Note: If more than one end-use if listed, consider each end-use separately throughout application.

End-Use	Application	(a) Mark all that apply	(b) ODS and other substances being replaced	(c) Weight and volume equivalence replacement ratio (lb: lb) Note: Calculate using method described in Instruction Manual	(d) Purpose of space in which the extinguisher will be used (e.g., engine room, machinery space, cargo room)	СВІ
Total Flooding Agents	Normally Occupied Areas					
	Normally Unoccupied Areas					
Streaming Applications						

2. Additional End-Use Description: Please describe the specific uses for which you are applying. For example, what is the method of distribution (e.g., localized, sprinkler system, handheld, gaseous)? Is it a clean agent? Is the agent aerosolized? Where will the fire suppression system be installed (e.g., marine, aviation, data center)? Where will handheld extinguishers be intended for use (e.g., residential, commercial, aviation)?	СВІ

3. Technology Changes and Costs: Describe any new equipment and associated technology changes and costs that will be necessary in order to use the proposed substitute.

End-Use	Application	(a) Technology changes to use alternative and address material compatibility issues when retrofitting	(b) Capital costs associated with proposed substitute or alternative process	(c) Changes in labor and energy costs	(d) Ongoing operational costs	СВІ

4. Production and Market Share: Provide estimated information on production of the proposed substitute by end-use. If possible, estimate the percentage of the market held by the ODS being replaced that will be captured by this proposed substitute.

End-Use	Application	(a) Year proposed substitute or technology will be available (or note if currently available)	(b) Anticipated first year annual production for end-use (kg)	(c) Years until maximum market penetration	(d) Maximum annual production at market penetration	(e) Anticipated market share at market penetration (%)	СВІ

5. Application of Proposed Substitute. Please provide information on the charge size, associated room size, and anticipated room air exchange rate for the proposed substitute in the end-use(s) specified. Note: If personal monitoring data is provided in Section D: Exposure, you are not required to respond to questions (c) through (e) below.

End-Use	Application	(a) Typical charge size (kg)	(b) Maximum charge size (kg)	(c) Typical room size (m³)	(d) Minimum room size (m³)	(e) Anticipated room air exchange rate (ACH)	СВІ

6. End-Use Specific Standards: Identify any standards set by standard-setting organizations (U.S. or ANSI/ISO) or requirements set by other organizations (e.g., IMO, FAA/ICAO) that will evaluate the proposed substitute and/or equipment in the proposed end-use(s).

Organization	(a) Standard Number and Title	(b) Status (e.g., under development, final)	CBI
Underwriters Laboratories (UL) (e.g., UL 711)			
National Fire Protection Association (NFPA) (e.g., NFPA 2010)			
Other (e.g., International Organization for Standardization (ISO))			
Other (e.g., International Maritime Organization (IMO), Federal Aviation Administration/International Civil Aviation Organization (FAA/ICAO))			

Section B: Fire Suppression Agent Physical and Chemical Properties

1. Physical and Chemical Properties: Provide information on the physical and chemical properties relevant to evaluating the proposed substitute in fire suppression end-uses.				
(a) Vapor pressure @ 20 ℃		atm		
(b) Heat of vaporization		kJ/mol		
(c) Vapor Heat Capacity		J/K		
(d) Viscosity		Pa·s		
(e) Particle Size Distribution (only applies to non-gaseous agents)				
(f) Extinguishing Concentration (Total flooding agents; use either a cup burner in heptane or full scale testing)		g/m³		
(g) Design Concentration (Total flooding and gaseous agents; provide design concentration as defined by NFPA and actual (if it is likely to be higher) based on manufacturer recommendations)		g/m³		

2. Degradation Products. Provide information on the degradation products of the alternative following discharge in a fire situation. Explain the conditions used in determining these products (e.g., flame temperature, time required to extinguish the fire, amount of O₂ present, combustible material).

Section C: Fire Suppression Agent Toxicity and Hazard Information

1. Inhalation Toxicity Studies: Provide an inhalation toxicity study at least 28 days long if a) workers are exposed to the chemicals during manufacture or b) 8-hr TWA exposure levels have not been determined by OSHA, NIOSH, ACGIH, or AIHA. For reference, please refer to the list of recommended toxicity tests for this sector in the Instructions.

Inhalation Toxicity Study Name	Attached?	CBI

2. Genotoxicity Studies: Provide genotoxicity studies (e.g., Ames assays, forward mutation assays, cytogenetic assays) to determine the potential for the agent to induce DNA damage.

Genotoxicity Study Name	Attached?	CBI

3. In-kind Halon Alternatives (Halocarbons). Provide the following additional information for halocarbon steaming agents or flooding agents used in occupied spaces.

Additional Information	Attached?	CBI
Cardiac Sensitization Study		
Acute, sub-acute, and subchronic toxicity inhalation studies with rats in addition to those already listed in Section C, Number 1.		

Additional Information	Attached?	CBI
Acute toxicity inhalation study with rats (foam streaming agent)		
Static Acute toxicity inhalation study with rats at design application density (powdered aerosol flooding agent)		
Ocular irritation studies (Draize test)		
Dermal irritation study (powdered aerosols)		

5. Powdered Aerosol Flooding Agents Used in Occupied Spaces. Provide the following additional information regarding the use of powdered aerosol flooding agents in occupied spaces which requires special considerations of the physical properties and toxicity of the agent and visibility in the protected space.

of the physical properties and toxicity of the agent and visibility in the protected space.				
	(b) Identify the number of extinguishing devices (i.e., generators)	(c) Identify the discharge rate (g/s) of the fire extinguishing device.	(d) Identify the length of time it takes for the particles to become distributed throughout the space and the particle size distribution over time.	СВІ
	(f) Provide the composition of flooding agent before and after discharg weight percentages of all effluent gases and particulates that may not I		(g) Identify the maximum egress time for personnel from the space and several approaches to facilitate safe egress (e.g., training, installation guidelines).	СВІ

Section D: Exposure

4 Farmanian Marilla and Balanca Information

1. Exposure Media and Release Information						
(a) Identify the media(s) to which the proposed substitute is released (e.g., indoor air, outdoor air, water, land).			t (c) If releases occur outdoors (e.g., outdoor air, water, land), provide informat or estimates of the magnitude of release (ppm or percent of charge).		СВІ	
			pment and engineering controls oggles, gloves, chemical hoods).	(g) Describe any protective measures taken to limit worker exposure (e.g., ventilation, detection system).	СВІ	

2. Identify and explain the activities, duration of activities, and typical and maximum exposure concentrations in which worker exposure to the proposed substitute and/or associated equipment is expected to be the highest for each scenario in (a) and (b).

	Identify activities with typical and	Duration	of Activity	Exposure Concentration		
Scenario	maximum potential for exposure	Typical	Maximum	Typical	Maximum	CBI
(a) Manufacture and charging of equipment (e.g., assembly of generators)		hours/day	hours/day	ppm	ppm	
		day/year	day/year	%	%	
(b) Installation and servicing (e.g., accidental discharge during servicing of fire suppression equipment)		hours/day	hours/day	ppm	ppm	
		day/year	day/year	%	%	
Is supporting documentation (e.g., personal monitoring data) attached?						

3. Provide information on training materials related to manufacture of the proposed substitute and/or fire suppression equipment and installation and servicing of fire suppression equipment.	Are any training materials attached?	СВІ	
--	--------------------------------------	-----	--

Part VII: FIRE SUPPRESSION AND EXPLOSION PROTECTION-SPECIFIC INFORMATION

4. Exposure during Use of Equipment				
(a) Identify and explain the activity in which end-user exposure to the	proposed substitute is expected to be the highest (e.g., discharge of fire	e suppression agent).		CBI
(b) Identify who is anticipated to be exposed to the substitute at the end-use (e.g., consumers, workers)?	(c) Provide (1) typical and (2) maximum exposure concentration estimates (ppm). If monitoring data is available, please provide it as an attachment.			СВІ
	Typical		Maximum	
	ppm or %		ppm or %	
Is supporting documentation (e.g., personal monitoring data) attache	d?			

Part VIII: AEROSOLS-SPECIFIC INFORMATION

C1	Α.	A	 1 D.	41

	. Identify the ODS and other alternatives used in the end-use or application and the quantity of proposed substitute
needed to replace it for each end use (i.e., the replacement ratio).	

End-Use	Application	(b) Mark all that apply	(c) ODS and other substances being replaced	(d) Replacement Ratio (lb: lb)	СВІ
	Consumer				
Propellants	Technical				
	Medical				
	Consumer				
Solvents	Technical				
	Medical				

3. Technology Changes and Costs: Describe any new equipment technology changes and associated costs that will be necessary in order to use the proposed substitute.							
End-Use	Application	(a) Technology changes, including material compatibility issues	(b) Capital costs associated with proposed substitute, alternative process, new equipment, and/or new materials	(c) Changes in labor and energy costs.	(d) Ongoing operational costs	СВІ	

4. Production: Provide estimated information on production of the proposed substitute or equipment using the proposed substitute by end-use.

End-Use	Application	(a) Year proposed substitute or technology will be available (or note if currently available)	(b) Anticipated first year annual production for end-use (kg)	СВІ

5. Market Share: If possible, estimate the percentage of the market that is anticipated to be captured by this proposed substitute.

End-Use	Application	(a) Years until maximum market penetration	(b) Maximum annual production at market penetration	(c) Anticipated market share at market penetration (%)	СВІ

6. Application of Proposed Substitute. Please provide information on the amount of the substitute to be used per can and associated aerosols can size anticipated for the proposed substitute in each proposed end-use.

End-Use	Application	(a) Typical amount of substitute per can (g)	(b) Maximum amount of substitute per can (g)	(c) Typical total weight of aerosol can (g)	(d) Maximum total weight of aerosol can (g)	СВІ

consumer Use: Please indicate whether the proposed substitute will be used for consumer use. If yes, describe the anticipated consumer applications.				
		ı		

8. End-Use Specific Standards: List any standard-setting organizations (U.S. or ANSI/ISO) that have or will evaluate the proposed substitute and/or equipment in the proposed end-use(s) and identify the associated standard.

Standard-Setting Organization	(a) Standard Number and Title	(b) Status (e.g., under development, final)	СВІ

Section B: Aerosol-Specific Physical and Chemical Properties

1. Physical and Chemical Properties: Provide information on the physical and chemical properties relevant to evaluating the proposed substitute in aerosol end-uses.		
(a) Solubility	g/L	
(b) Viscosity	Pa s	

Part VIII: AEROSOLS-SPECIFIC INFORMATION

(c) Vapor pressure @ 20 ℃					atm	
	sure-temperature curve (for aerosol pro	ppellants):	Attach	ed?		
(d) Odor Threshold		•				
(e) Dissociation Constant						
(f) Volatilization from soil (g) Volatilization from water						
(h) pH						
(i) Henry's Law constant					specify units	
Section C: Flammability						
1. Flammability-Related Physical and Che	emical Properties. Provide information	on the physical and chemical properties	s relevant to evaluating the flammab	ility of the proposed substitute in	n aerosol end-uses.	СВ
(a) Heat of combustion					kJ/mol	
(b) Critical temperature					°C	
(c) Critical Pressure (d) Explosive Range (LEL/UEL)					ppm or %	-
(u) Explosive Range (EEE/ OEE)					рригоги	
2. Flammability Concerns and Mitigation:		<u> </u>	I			CE
(a) Detail any abatement techniques that a mixtures:		ed with flammable substances or				
(b) Additional information on flammability	y concerns and mitigation measures:					
Section D: Exposure						
1. Exposure Media and Release Informat	tion	1		T		
(a) Identify the media(s) to which the propindoor air, outdoor air, water, land).	posed substitute is released (e.g.,	(b) Indicate the physical form of chemi handling/exposure (e.g., solid, liquid, g		(c) If releases occur outdoors (e provide information or estimate (ppm).		СВ
(d) Identify engineering controls used to re environment (e.g., safety valves, gas scrub		(e) Identify the contact pathway (e.g.,	ingestion, inhalation, dermal).	(f) Describe any protective equipment and engineering contr used to protect workers (e.g., goggles, gloves, chemical hood		CE
	ation of activities, and typical and maxi	mum exposure concentrations in which	h worker exposure to the proposed :	substitute is expected to be the	highest for each scenario in (a)	
through (c).	Identify activities with typical and	mum exposure concentrations in which			highest for each scenario in (a)	CE
	1	Duration o	of Activity Maximum	Exposure Co	oncentration Maximum	CE
Scenario (a) Manufacture and filling of aerosol	Identify activities with typical and	Duration o Typical hours/day	of Activity Maximum hours/day	Exposure Co Typical ppm	oncentration Maximum ppm	CE
Scenario (a) Manufacture and filling of aerosol	Identify activities with typical and	Typical hours/day day/year	Maximum hours/day	Exposure Co Typical ppm	oncentration Maximum ppm %	CE
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans)	Identify activities with typical and	Duration o Typical hours/day	Maximum hours/day	Exposure Co Typical ppm	oncentration Maximum ppm	CE
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans)	Identify activities with typical and	Typical hours/day day/year	Maximum hours/day hours/day	Exposure Co Typical ppm	oncentration Maximum ppm %	CE
(a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent	Identify activities with typical and	Duration of Typical hours/day day/year hours/day day/year hours/day	Maximum hours/day day/year hours/day day/year hours/day hours/day	Exposure Co Typical ppm % ppm	poncentration Maximum ppm % ppm % ppm	i i
(a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent)	Identify activities with typical and maximum potential for exposure	Duration of Typical hours/day day/year hours/day	Maximum hours/day day/year hours/day day/year hours/day hours/day	Exposure Co Typical ppm % ppm	moncentration Maximum ppm % ppm	i i
(a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent)	Identify activities with typical and maximum potential for exposure	Duration of Typical hours/day day/year hours/day day/year hours/day	Maximum hours/day day/year hours/day day/year hours/day hours/day	Exposure Co Typical ppm % ppm	poncentration Maximum ppm % ppm % ppm	i i
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent)	Identify activities with typical and maximum potential for exposure	Duration o Typical hours/day day/year hours/day day/year hours/day day/year	Maximum hours/day day/year hours/day day/year hours/day day/year hours/day day/year	Exposure Co Typical ppm % ppm	poncentration Maximum ppm % ppm % ppm	
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent)	Identify activities with typical and maximum potential for exposure	Duration o Typical hours/day day/year hours/day day/year hours/day day/year	Maximum hours/day day/year hours/day day/year hours/day day/year hours/day day/year	Exposure Co Typical ppm % ppm %	poncentration Maximum ppm % ppm % ppm	
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe	Identify activities with typical and maximum potential for exposure all monitoring data) attached? er of aerosol cans a worker would (a) nario	Duration o Typical hours/day day/year hours/day day/year hours/day day/year	Maximum hours/day day/year hours/day day/year hours/day day/year hours/day day/year	Exposure Co Typical ppm % ppm %	moderitation Maximum ppm % ppm % ppm % ppm %	
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena	Identify activities with typical and maximum potential for exposure all monitoring data) attached? er of aerosol cans a worker would (a) nario	Duration o Typical hours/day day/year hours/day day/year hours/day day/year	Maximum hours/day day/year hours/day day/year hours/day day/year hours/day day/year	Exposure Co Typical ppm % ppm %	moderitation Maximum ppm % ppm % ppm % ppm %	
(a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans	Identify activities with typical and maximum potential for exposure all monitoring data) attached? er of aerosol cans a worker would (a) nario	Duration o Typical hours/day day/year hours/day day/year hours/day day/year	Maximum hours/day day/year hours/day day/year hours/day day/year hours/day day/year	Exposure Co Typical ppm % ppm %	moncentration Maximum ppm % ppm % ppm % ppm %	
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans (b) Use of aerosol product (c) Disposal 4. Estimate typical and maximum (a) deli	Identify activities with typical and maximum potential for exposure and monitoring data) attached? er of aerosol cans a worker would (a) nario	Duration of Typical hours/day day/year hours/day da	Maximum hours/day day/year hours/day hours/day day/year hours/day day/	Exposure Co Typical ppm % ppm % ppm % ppm % Maximum numb	poncentration Maximum ppm % ppm % ppm % ppm % ppm ppm ppm ppm ger of cans per day	CI
(a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans (b) Use of aerosol product (c) Disposal 4. Estimate typical and maximum (a) deli Scena	Identify activities with typical and maximum potential for exposure and monitoring data) attached? er of aerosol cans a worker would (a) nario s ivery rate and (b) release rate for the aario	Duration of Typical hours/day day/year hours/day day/year hours/day day/year hours/day day/year hours/day day/year hours/day day/year hanufacture and/or fill, (b) use, and (c) Typical number of the fill of the	Maximum hours/day day/year hours/day hours/day day/year hours/day day/	Exposure Co Typical ppm % ppm %	poncentration Maximum ppm % ppm % ppm % ppm % ppm ppm ppm ppm ger of cans per day	CE
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans (b) Use of aerosol product (c) Disposal 4. Estimate typical and maximum (a) deli Scena (a) Estimate the typical and maximum del	Identify activities with typical and maximum potential for exposure and monitoring data) attached? er of aerosol cans a worker would (a) nario s ivery rate and (b) release rate for the aario	Duration of Typical hours/day day/year hours/day da	Maximum hours/day day/year hours/day hours/day day/year hours/day day/	Exposure Co Typical ppm % ppm % ppm % Maximum numb Maximum numb	poncentration Maximum ppm % ppm % ppm % ppm % ppm ppm ppm ppm ger of cans per day	CI
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans (b) Use of aerosol product (c) Disposal 4. Estimate typical and maximum (a) deli Scena (a) Estimate the typical and maximum del terms of grams/second	Identify activities with typical and maximum potential for exposure all monitoring data) attached? er of aerosol cans a worker would (a) nario s ivery rate and (b) release rate for the aario livery rate for the aerosol product, in	Duration of Typical hours/day day/year hours/day da	Maximum hours/day day/year hours/day day/year hours/day day/year hours/day day/year	Exposure Co Typical ppm % ppm % ppm % Maximum numb Maximum numb	poncentration Maximum ppm % ppm % ppm % ppm % ppm wer of cans per day	CE
(a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans (b) Use of aerosol product (c) Disposal 4. Estimate typical and maximum (a) deli Scena (a) Estimate the typical and maximum del terms of grams/second	Identify activities with typical and maximum potential for exposure all monitoring data) attached? er of aerosol cans a worker would (a) nario s ivery rate and (b) release rate for the aario livery rate for the aerosol product, in	Duration of Typical hours/day day/year hours/day da	Maximum hours/day day/year hours	Exposure Co Typical ppm % ppm % ppm % Maximum numb Maximum numb	moncentration Maximum ppm % ppm % ppm % ppm % ppm ppm % r of cans per day grams/sec	CE
(a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans (b) Use of aerosol product (c) Disposal 4. Estimate typical and maximum (a) deli Scena (a) Estimate the typical and maximum del terms of grams/second	Identify activities with typical and maximum potential for exposure and monitoring data) attached? er of aerosol cans a worker would (a) nario s ivery rate and (b) release rate for the ario livery rate for the aerosol product, in lease rates in terms of (1) ppm and/or	Duration of Typical hours/day day/year hours/day da	Maximum hours/day day/year hours	Exposure Co Typical ppm % ppm % ppm % A ppm % Maximum numb Maximum numb	moncentration Maximum ppm % ppm % ppm % ppm er of cans per day grams/sec ppm	CE
(a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans (b) Use of aerosol product (c) Disposal 4. Estimate typical and maximum (a) deli Scena (a) Estimate the typical and maximum del terms of grams/second (b) Estimate the typical and maximum del terms of grams/second	Identify activities with typical and maximum potential for exposure and monitoring data) attached? er of aerosol cans a worker would (a) nario s ivery rate and (b) release rate for the ario livery rate for the aerosol product, in lease rates in terms of (1) ppm and/or	Duration of Typical hours/day day/year hours/day da	Maximum hours/day day/year hours	Exposure Co Typical ppm % ppm % ppm % A ppm % Maximum numb Maximum numb	moncentration Maximum ppm % ppm % ppm % ppm er of cans per day grams/sec ppm	CB
Scenario (a) Manufacture and filling of aerosol cans (e.g., filling cans) (b) Use of aerosol product (c) Disposal (e.g., collection of spent aerosol solvent) Is supporting documentation (e.g., person 3. Estimate typical and maximum numbe Scena (a) Manufacture and filling of aerosol cans (b) Use of aerosol product (c) Disposal 4. Estimate typical and maximum (a) deli Scena (a) Estimate the typical and maximum del terms of grams/second (b) Estimate the typical and maximum del terms of grams/second	Identify activities with typical and maximum potential for exposure all monitoring data) attached? er of aerosol cans a worker would (a) nario s ivery rate and (b) release rate for the ario livery rate for the aerosol product, in lease rates in terms of (1) ppm and/or flux removers), describe disposal practical in the second of t	Duration of Typical hours/day day/year hours/day da	Maximum hours/day day/year hours	Exposure Co Typical ppm % ppm % ppm % Maximum numb Maximum numb	moncentration Maximum ppm % ppm % ppm % ppm er of cans per day grams/sec ppm	CE

Part IX: STERILANTS-SPECIFIC INFORMATION

Section A: Sterilants Use Profile						
1. Specific End-Use: Identify the ODS and	other alternatives used in the end-use of	r application and the quantity of propo	osed substitute needed to replace it	for each end use (i.e., the repla	cement ratio).	
End-Use	(a) OD	OS and other substances being replace	ed	(b) Replaceme	ent Ratio (lb: lb)	СВІ
Sterilant						
2. Additional End-Use Description: Please	e describe the specific uses for which you	ı are applying. For example, provide in	formation on how the sterilant is a	oplied (e.g., sterilization chambe	rs)?	СВІ
3. Technology Changes and Costs: Descri	ibe any new equipment and use profiles	and associated costs that will be neces	sary in order to use the proposed s	ubstitute.		
End-Use	(a) Technology chang	es to use alternative	(b) Capital costs associated with proposed substitute, alternative process, new equipment, and/or new materials	(c) Changes in labor and energy costs	(d) Ongoing operational costs	СВІ
4. Production and Market Share: Provide this proposed substitute.	e estimated information on production o	f the proposed substitute by end-use.	If possible, estimate the percentag	e of the market held by the ODS	being replaced that will be captu	ired by
End-Use	(a) Year proposed substitute or technology will be available (or note if currently available)	(b) Anticipated first year annual production for end-use (kg)	(c) Years until maximum market penetration	(d) Maximum annual production at market penetration	(e) Anticipated market share at market penetration (%)	CBI
5. Application of Proposed Substitute. Ple	ease provide information on the applicat	tion of the substitute in the proposed e	end-use(s).			
End-Use	(a) Provide information on the leal	k-tightness of the equipment (e.g., ma equipment)	ximum and typical leak rate of	(b) Anticipated room	air exchange rate (ACH)	CBI
Section B: Sterilant-Specific Physic	cal and Chamical Proportios					
Section B. Sternant Specific Physic	car and enermean roperties					
1. Physical and Chemical Properties: Prov	vide information on the physical and che	mical properties relevant to evaluating	the proposed substitute in steriliza	ation.		CBI
(a) Solubility					g/L	
Section C: Flammability						
<i>,</i>						
1. Flammability-Related Physical and Che	emical Properties. Provide information of	on the physical and chemical propertie	s relevant to evaluating the flamma	bility of the proposed substitute		СВІ
(a) Vapor pressure @ 20 °C (b) Heat of combustion					atm kJ/mol	
(c) Explosive range (LEL/UEL)					ppm or %	
2. Flammability Concerns and Mitigation	. Dravida any information on flammabili	by concorns and mitigation measures				СВІ
(a) Detail any abatement techniques that		<u> </u>				СЫ
mixtures: (b) Additional information on flammabilit	v concerns and mitigation measures:					
Section D: Exposure						
1. Exposure Media and Release Information	tion					
(a) Identify the media(s) to which the projindoor air, outdoor air, water, land).	posed substitute is released (e.g.,	(b) Indicate the physical form of chem handling/exposure (e.g., solid, liquid, §		(c) If releases occur outdoors (e provide information or estimat (ppm or percent of charge).	e.g., outdoor air, water, land), es of the magnitude of release	CBI

Part IX: STERILANTS-SPECIFIC INFORMATION

(d) Identify engineering controls used to reduce or prevent releases to the environment (e.g., safety valves, gas scrubbers).	(e) Identify the contact pathway (e.g., ingestion, inhalation, dermal).	(f) Describe any protective equipment and engineering controls used to protect workers (e.g., goggles, gloves, chemical hoods).	СВІ
(g) Describe disposal practices of used sterilant (e.g., sterilant collected and sent	to a wastewater treatment facility, recycling).		CBI

2. Identify and explain the activities, duration of activities, and typical and maximum exposure concentrations in which worker exposure to the proposed substitute is expected to be the highest for each scenario in (a) through (c).

Scenario	Identify activities with typical and	Duration of	Duration of Activity		Exposure Concentration	
	maximum potential for exposure	Typical	Maximum	Typical	Maximum	CBI
(a) Manufacture and charging of equipment (e.g., filling)	hours/day	hours/day	ppm	ppm		
		day/year	day/year	%	%	
(b) Use of sterilant or associated		hours/day	hours/day	ppm	ppm	
equipment containing steriliant		day/year	day/year	%	%	
(c) Disposal (e.g., of sterilant or		hours/day	hours/day	ppm	ppm	
associated equipment containing the sterilant)		day/year	day/year	%	%	
Is supporting documentation (e.g., person	nal monitoring data) attached?					

3. Training Materials

(a) Provide information on training materials related to manufacture and disposal. If the proposed substitute is flammable, describe how these guidelines differ from training for non-flammable sterliants.	Are any training materials attached?	СВІ

Part X: ADHESIVES, COATINGS, AND INKS-SPECIFIC INFORMATION

Section A: Adhesives, Coatings, and Inks Use Profile

End-Use	(a) ODG	and Other Substances Being Rep	laced	(h) Renlaceme	nt Ratio (lb: lb)	СВІ
	(a) OD3	and Other Substances being kep	laceu	(Б) керіасеніе	int Katio (ib. ib)	L.
Adhesives Coatings						
nks						
2. Additional End-Use Description: Plea Flexible foam, tire patch, metal to rubbe gun, aerosol can, dip tank)?	se describe the specific use for which you r, marine); coatings (e.g., metal coatings, v	are applying. For example, in wha wood stains, aerospace coating), c	t type of products will the substitute I r inks (e.g., flexographic printing, rato	be used for adhesives (e.g., lami gravure printing)? What is the a	nate, hardwood flooring, pplication method (e.g., spray	СВ
B. Technology Changes and Costs: Desc	cribe any new equipment technology chan	ges and associated costs that will	be necessary in order to use the prop	osed substitute.		
End-Use	(a) Technology Changes to Use Alte Compatibilit		(b) Capital costs associated with proposed substitute, alternative process, new equipment, and/or new materials	(c) Changes in labor and energy costs.	(d) Ongoing Operational costs	СВ
Production and Market Share: Provious this proposed substitute.	de estimated information on production o	f the proposed substitute by end-	use. If possible, estimate the percent.	age of the market held by the O	DS being replaced that will be ca	oture
End-Use	(a) Year proposed substitute or technology will be available (or note if currently available)	(b) Anticipated first year annual production for end-use (kg)	(c) Years until maximum market penetration	(d) Maximum annual production at market penetration	(e) Anticipated market share at market penetration (%)	СВ
						<u> </u>
	Please provide information on the charge	size and associated dispenser size (a) Typical amount per dispenser (g or %)	(i.e., total weight of contents) anticip (b) Maximum amount per dispenser (g or %)	ated for the proposed substitute (c) Typical total weight of dispenser (g)	(d) Maximum total weight of dispenser (g)	СВІ
		uispensei (g oi 76)	dispenser (g or 76)	disperiser (g)	dispenser (g)	<u> </u>
						\vdash
						<u> </u>
. Consumer Use: Please indicate wheth	ner the proposed substitute will be used fo	or consumer use. If yes, describe th	ne anticipated consumer applications.			СВ
ection R: Adhesives Coatings	and Inks-Specific Physical and Ch	emical Properties				
os. on or runesives, coatiligs,	aa niko opecine i nysicai and Cil	ocarr roperties				
. Physical and Chemical Properties: Pro	ovide information on the physical and che	mical properties relevant to evalu	ating the proposed substitute in adhe	sives, coatings, and inks end-use	es.	СВ
a) Solubility					g/L	
b) Odor Threshold						
c) Dissociation Constant d) Volatilization from soil						
e) Volatilization from water						
f) pH						
g) Vapor pressure @ 20 °C n) Viscosity					atm Pa·s	
i) Henry's Law constant					specify units	
, , ,					, 4/	_
ection C: Flammability						
I. Flammability-Related Physical and Cl nks end-uses.	nemical Properties. Provide information of	on the physical and chemical prop	erties relevant to evaluating the flam	mability of the proposed substit	ute in adhesives, coatings, and	СВ
						•

Part X: ADHESIVES, COATINGS, AND INKS-SPECIFIC INFORMATION

(b) Heat of combustion		kJ/mol	
(c) Explosive Range (LEL/UEL)		% or ppm	
2. Flammability Concerns and Mitigation: Provide any information on flammability concerns and mitigation measures.			CBI
(a) Detail any abatement techniques that are used to minimize the risks associated with flammable substances or mixtures:			
(b) Additional information on flammability concerns and mitigation measures:			

Section D: Exposure

1. Exposure Media and Release Information

	handling (exposure to a solid liquid gas)	(c) If releases occur outdoors (e.g., outdoor air, water, land), provide information or estimates of the magnitude of release (ppm or percent of dispenser).	СВІ
(d) Identify engineering controls used to reduce or prevent releases to the environment (e.g., safety valves, gas scrubbers).	(e) Identify the contact pathway (e.g., ingestion, inhalation, dermal).	(f) Describe any protective equipment and engineering controls used to protect workers (e.g., goggles, gloves, chemical hoods).	СВІ

2. Identify and explain the activities, duration of activities, and typical and maximum exposure concentrations in which exposure to the proposed substitute is expected to be the highest for each scenario in (a) through (c).

Scenario	Identify activities with typical and	Duration of Activity		Exposure Concentration		CBI
	maximum potential for exposure	Typical	Maximum	Typical	Maximum	
(-) M		hours/day	hours/day	ppm	ppm	
(a) Manufacture and filling of dispensers (e.g., filling dispensers)		day/year	day/year	%	%	
(b) Use of adhesives, coatings, and inks		hours/day	hours/day	ppm	ppm	
product		day/year	day/year	%	%	
(c) Disposal (e.g., disposing of spent dispensers)		hours/day	hours/day	ppm	ppm	
		day/year	day/year	%	%	,
Is supporting documentation (e.g., personal monitoring data) attached?						

Scenario	Typical number of products per day	Maximum number of products per day	CBI
(a) Manufacture and filling			
(b) Use of adhesives, coatings, and inks product			
(c) Disposal			

Scenario	Typical		Maximum number of cans per day		CBI
(a) Estimate the typical and maximum delivery rate for the dispenser product, in terms of grams/second		grams/sec		grams/sec	
(b) Estimate the typical and maximum release rates in terms of (1) ppm and/or (2) percent of dispenser.		ppm		ppm	
		%		%	

5. Provide information on training materials related to manufacture/filling and disposal of adhesives, coatings, and inks.	Are any training materials attached?	СВІ

Part XI: TOBACCO EXPANSION-SPECIFIC INFORMATION

No additional information is needed for this sector.	

Part XII: ADDITIONAL INFORMATION

Please provide any additional information in this section.			

Part XIII: ATTACHMENTS

Identify attachments below.

Select (X) in the CBI box next to any attachment that contains information you claim as confidential. The public version of the submission form must include the attachment name/citation at a minimum. All claims of confidentiality must be substantiated in Part I.

#	Attachment Name/Citation	Associated Section of Information Notice (Part/Section/Question)	Number of Pages	СВІ