

# Maternal and Infant Health Initiative Developmental Measure: Use of Contraceptive Methods by Postpartum Women

Medicaid Adult Core Quality Measure - OR - 2015

## Federal Fiscal Year

2015 ▼

Are you reporting on this measure? \*

[View Implementation Guide](#)

- Yes
- No

## Status of Data Reported

+/-

What is the status of the data being reported? \*

- Provisional
- Final
- Same data as reported in a previous year's annual report

Specify the year of annual report in which data previously reported \*

2014 ▼

## Measurement Specification

+/-

### Rate 1: Most effective or moderately effective contraception

- Office of Population Affairs/Centers for Disease Control and Prevention
- Other

Explain \*

### Rate 2: Long-acting reversible contraception

- Office of Population Affairs/Centers for Disease Control and Prevention
- Other

Explain \*

## Data Source

+/-

### Rate 1: Most effective or moderately effective contraception

- Administrative Data

### From where is the Administrative Data coming?

Must select one or more

- Medicaid Management Information System (MMIS)
- Other

\*Specify

Other

Specify \*

**Rate 2: Long-acting reversible contraception**

Administrative Data

**From where is the Administrative Data coming?**

Must select one or more

Medicaid Management Information System (MMIS)

Other

\*Specify

Other

Specify \*

**Date Range**

+/-

For all measures, states should report start and end dates for the measurement period. For some measures, the specifications require a "look-back period" before or after the measurement period to determine eligibility or utilization. The measurement period entered in the Start and End Date fields should not include the "look-back period."

**Start Date**

April ▼

Month

2009 ▼

Year

**End Date**

August ▼

Month

2013 ▼

Year

**Definition of Population Included in the Measure**

+/-

**Definition of Denominator**

Select all that apply (Must select at least one)

Denominator includes Medicaid population

Denominator includes CHIP population (e.g. pregnant women.)

Denominator includes Medicare and Medicaid Dually-Eligible population

Other

Specify \*

Does this denominator represent your total measure eligible population as defined by the Technical Specifications for this measure? \*

- Yes
- No

Explain which populations are excluded and why \*

**Specify Total Measure Eligible Population \***

**Which delivery systems are represented in the Denominator?**

Select all delivery systems that apply in your state (must select at least one); for each delivery system selected, enter the percentage of the measure eligible population represented by that service delivery system. For example, if the measure-eligible population represents all managed care enrollees, enter 100 percent for MCO.

Fee-for-Service

**Percentage of total state FFS population represented \***

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

Primary Care Case Management (PCCM)

**Percentage of total state PCCM population represented \***

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

Managed Care Organization / Pre-paid Inpatient Health Plan (MCO / PIHP)

**Number of Health Plans \***

**Percentage of total state MCO/PIHP population represented \***

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

Integrated Care Models (ICM)

**Percentage of total state ICM population represented \***

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

Other

**Describe \***

**Percentage of total other population represented \***

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

**If applicable, list the number of Health Plans represented \***

### Other Performance Measure

+/-

**Rate 1: Most effective or moderately effective contraception**

Please describe the other methodology used \*

Character count: 0/100

Please describe the rate (e.g., 18-64)	Numerator	Denominator	Rate	
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

+ Additional/Other Rate(s)

**Rate 2: Long-acting reversible contraception**

Please describe the other methodology used \*

Character count: 0/100

Please describe the rate (e.g., 18-64)	Numerator	Denominator	Rate	
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

+ Additional/Other Rate(s)

### Combined Rate(s) from Multiple Reporting Units

+/-

**Rate 1: Most effective or moderately effective contraception**

Did you Combine Rates from Multiple Reporting Units (e.g., health plans, delivery systems, programs) to Create a State-Level Rate? \*

- Yes
- No

**If yes, indicate whether the state-level rate is weighted**

Must select one \*

- The rates are weighted based on the size of the measure-eligible population for each reporting unit
- The rates are weighted based on another weighting factor
- The rates are not weighted

**Rate 2: Long-acting reversible contraception**

Did you Combine Rates from Multiple Reporting Units (e.g., health plans, delivery systems, programs) to Create a State-Level Rate? \*

- Yes
- No

**If yes, indicate whether the state-level rate is weighted**

Must select one \*

- The rates are weighted based on the size of the measure-eligible population for each reporting unit
- The rates are weighted based on another weighting factor
- The rates are not weighted

### Additional Notes

+/-

**Rate 1: Most effective or moderately effective contraception**

Additional Notes/Comments on Measure (Optional)

Character count: 0/2000

**Rate 2: Long-acting reversible contraception**

Additional Notes/Comments on Measure (Optional)

Character count: 0/2000

**Optional Measure Stratification**

+/-

If this measure is also reported by additional classifications/sub-categories, e.g. racial, ethnic, gender, language, disability status, or geography, complete the following as applicable.

Check all that apply

- Race (Non-Hispanic)
  - White

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	0	0		Clear Row
Age Range: 21-44	0	0		Clear Row
	0	0	0	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	0	0		Clear Row
Age Range: 21-44	0	0		Clear Row
	0	0	0	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

- Black or African American

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	0	0		Clear Row
Age Range: 21-44	0	0		Clear Row
	0	0	0	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

American Indian or Alaska Native

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Asian

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Native Hawaiian or Other Pacific Islander

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Please define the race \*

[Delete Race](#)

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Race\(s\)](#)

Ethnicity

Hispanic or Latino

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>

Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

Not Hispanic or Latino

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

Please define the ethnicity \*

[Delete Ethnicity](#)

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
----------------------	----------------------	----------------------	----------------------	--



Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Ethnicity\(ies\)](#)

Sex

Male

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Female

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	

<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
----------------------	--------------------------------	--------------------------------	--------------------------------	---------------------------

[+ Additional/Alternative Classification/Sub-category](#)

Primary Spoken Language

English

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Spanish

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Please define the language \*

[Delete Language](#)

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
-----------------------------	-----------	-------------	------	--

Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Primary Spoken Language\(s\)](#)

Disability Status

SSI

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Non-SSI

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Please define the disability status \***

[Delete Disability Status](#)

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Disability Status\(es\)](#)

Geography

Urban

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20				<a href="#">Clear</a>

	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

Rural

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

Please define the geographical region \*

[Delete Geographical Region](#)

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Geographical Region\(s\)](#)

Program Authority

Waiver/SPA

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

General Medicaid

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Delivery System

Managed Care

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>

Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Fee-for-Service

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

Primary Care Case Management(PCCM)

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	<a href="#">Clear Row</a>
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<a href="#">Clear Row</a>

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20				<a href="#">Clear</a>

	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

Other

Please describe the stratification

**Rate 1: Most effective or moderately effective contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Rate 2: Long-acting reversible contraception**

Classification/Sub-category	Numerator	Denominator	Rate	
Age Range: 15-20	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
Age Range: 21-44	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text"/>	Clear Row
<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>	Clear Row

[+ Additional/Alternative Classification/Sub-category](#)

**Report Documents**

+/-

**Saved Documents**

- Maximum documents that can be uploaded for this report: 84
- Maximum file size : 2MB
- Valid file extensions : pdf; ppt; doc; docx; xlsx; xls; pptx

<input type="checkbox"/>	Name	Description	Date Created	Updated By	Size	Type
No items available						

No file chosen

**Would you like to validate the core measure data at this time?**

Yes  No

(Note: While the measure does not need to be validated at this time in order to proceed, each measure must be validated for the measure to be marked as 'complete' and before the report can be submitted to CMS).

Warning: Any field containing more than 4000 characters will be truncated when saved.



Cancel

Save

Go to Admin Screen