

Maternal and Infant Health Initiative Developmental Measure: Use of Contraceptive Methods by Women

Medicaid Adult Core Quality Measure - OR - 2015

Federal Fiscal Year

[Request Technical Assistance](#)
[Clear](#)
[View All Responses](#)

Are you reporting on this measure? *

[View Implementation Guide](#)

- Yes
 No

Status of Data Reported

[+/-](#)

What is the status of the data being reported? *

- Provisional
 Final
 Same data as reported in a previous year's annual report

Measurement Specification

[+/-](#)

For non-grantee states, both measures are optional. Submission of the Maternal and Infant Health report is not required. If reporting on one measure only (e.g. "Use of contraceptive Methods by Postpartum Women"), the state must also access the screen for the other measure which is not being reported (e.g. "Maternal and Infant Health Initiative Developmental Measure: Use of Contraceptive Methods by Postpartum Women") and select "No" to the question "Are you reporting on this measure?" and complete the "Not reporting on Measure" section.

Rate 1: Most effective or moderately effective contraception

- Office of Population Affairs/Centers for Disease Control and Prevention

Rate 2: Long-acting reversible contraception

- Office of Population Affairs/Centers for Disease Control and Prevention

Data Source

[+/-](#)

Rate 1: Most effective or moderately effective contraception

- Administrative Data

- Other

From where is the Administrative Data coming?

Must select one or more

- Medicaid Management Information System (MMIS)
 Other

*Specify

Specify *

Rate 2: Long-acting reversible contraception

- Administrative Data

From where is the Administrative Data coming?

Must select one or more

- Medicaid Management Information System (MMIS)
 Other

*Specify

Other

Specify *

Date Range

+/-

For all measures, states should report start and end dates for the measurement period. For some measures, the specifications require a "look-back period" before or after the measurement period to determine eligibility or utilization. The measurement period entered in the Start and End Date fields should not include the "look-back period."

Start Date

October ▼
Month

2013 ▼
Year

End Date

August ▼
Month

2014 ▼
Year

Definition of Population Included in the Measure

+/-

Definition of Denominator

Select all that apply (Must select at least one)

- Denominator includes Medicaid population
- Denominator includes CHIP population (e.g. pregnant women.)
- Denominator includes Medicare and Medicaid Dually-Eligible population
- Other

Specify *

Does this denominator represent your total measure eligible population as defined by the Technical Specifications for this measure? *

- Yes
- No

Which delivery systems are represented in the Denominator?

Select all delivery systems that apply in your state (must select at least one); for each delivery system selected, enter the percentage of the measure eligible population represented by that service delivery system. For example, if the measure-eligible population represents all managed care enrollees, enter 100 percent for MCO.

Fee-for-Service

Percentage of total state FFS population represented *

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

Primary Care Case Management (PCCM)

Percentage of total state PCCM population represented *

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

Managed Care Organization / Pre-paid Inpatient Health Plan (MCO / PIHP)

Number of Health Plans *

Percentage of total state MCO/PIHP population represented *

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

Integrated Care Models (ICM)

Percentage of total state ICM population represented *

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

Other

Describe *

Percentage of total other population represented *

The percentage provided here should represent the percentage of the denominator population(s) included in the measure (i.e., Medicaid, CHIP, etc.) that receives items/services through the selected delivery system. For example, if the population included in the reported data represents all managed care enrollees and half of your state's fee-for-service enrollees, select managed care and enter 100, and select fee-for-service and enter 50.

If applicable, list the number of Health Plans represented *

Combined Rate(s) from Multiple Reporting Units

+/-

Additional Notes

+/-

Rate 1: Most effective or moderately effective contraception

Additional Notes/Comments on Measure (Optional)

Character count: 0/2000

Rate 2: Long-acting reversible contraception

Additional Notes/Comments on Measure (Optional)

Character count: 0/2000

Optional Measure Stratification

+/-

If this measure is also reported by additional classifications/sub-categories, e.g. racial, ethnic, gender, language, disability status, or geography, complete the following as applicable.

Check all that apply

- Race (Non-Hispanic)
 - White

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

- Black or African American

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

American Indian or Alaska Native

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Asian

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Native Hawaiian or Other Pacific Islander

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|----------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |

| | | | | |
|----------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
|----------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Please define the race *

[Delete Race](#)

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Race\(s\)](#)

Ethnicity

Hispanic or Latino

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Not Hispanic or Latino

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Please define the ethnicity *

[Delete Ethnicity](#)

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Ethnicity\(ies\)](#)

Sex

Male

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Female

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Primary Spoken Language

English

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|----------------------|----------------------|----------------------|--|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | |

| | | | | |
|-------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value=""/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value=""/> | Clear Row |
| <input type="text" value=""/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value=""/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value=""/> | Clear Row |
| <input type="text" value=""/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Spanish

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value=""/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value=""/> | Clear Row |
| <input type="text" value=""/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value=""/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value=""/> | Clear Row |
| <input type="text" value=""/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Please define the language *

[Delete Language](#)

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text" value=""/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Primary Spoken Language\(s\)](#)

Disability Status

SSI

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Non-SSI

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|----------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |

| | | | | |
|----------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
|----------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|

[+ Additional/Alternative Classification/Sub-category](#)

Please define the disability status *

[Delete Disability Status](#)

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Disability Status\(es\)](#)

Geography

Urban

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rural

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Please define the geographical region *

[Delete Geographical Region](#)

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

[+ Additional Geographical Region\(s\)](#)

Program Authority

Waiver/SPA

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|----------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |

| | | | | |
|----------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

General Medicaid

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Delivery System

Managed Care

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|-----------|-------------|------|--|
|-----------------------------|-----------|-------------|------|--|

| | | | | |
|----------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Fee-for-Service

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Primary Care Case Management(PCCM)

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Other

Please describe the stratification

Rate 1: Most effective or moderately effective contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Rate 2: Long-acting reversible contraception

| Classification/Sub-category | Numerator | Denominator | Rate | |
|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-----------|
| Age Range: 15-20 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| Age Range: 21-44 | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text"/> | Clear Row |
| <input type="text"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | <input type="text" value="0"/> | Clear Row |

[+ Additional/Alternative Classification/Sub-category](#)

Report Documents

[+/-](#)

Saved Documents

- Maximum documents that can be uploaded for this report: 84
- Maximum file size : 2MB
- Valid file extensions : pdf; ppt; doc; docx; xlsx; xls; pptx

| <input type="checkbox"/> | Name | Description | Date Created | Updated By | Size | Type |
|--------------------------|------|-------------|--------------|------------|------|------|
| No items available | | | | | | |

No file chosen

Would you like to validate the core measure data at this time?

Yes No

(Note: While the measure does not need to be validated at this time in order to proceed, each measure must be validated for the measure to be marked as 'complete' and before the report can be submitted to CMS).

Note: If validation fails, errors will appear in red above.

