

Adult Thoracic Transplant Recipient Follow-Up Worksheet

FORM APPROVED: O.M.B. NO. 0915-0157 Expiration Date: 10/31/2010

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI[®] application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI[®] application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information	
Name:	DOB:
SSN:	Gender:
HIC:	Tx Date:
Previous Follow-Up:	Previous Px Stat Date:
rollow op.	otal bate.
Transplant Discharge Date:	
State of Permanent Residence:*	
Zip Code:★	-
B. H. I. C	
Provider Information	
Recipient Center:	
Followup Center:	
Physician Name: *	
NPI#:★	
	C Transplant Center
Follow-up Care Provided By:*	Non Transplant Center Specialty Physician
	Primary Care Physician
	C Other Specify
Specify:	
ореспу.	
Donor Information	
UNOS Donor ID #:	
Donor Type:	

Patient Status	
Date: Last Seen, Retransplanted or Death *	
	LIVING
Patient Status:*	© DEAD
	© RETRANSPLANTED
Primary Cause of Death:	
Specify:	
Contributory Cause of Death:	
Specify:	
Contributory Cause of Death:	
Specify:	
Hospitalizations:	
Has the patient been hospitalized since the last patient status date: ★	C YES ONO UNK
Number of Hospitalizations:	ST=
Hospitalized for Rejection:	C YES C NO C UNK
Hospitalized for Infection:	C YES NO UNK
Noncompliance:	
Was there evidence of noncompliance with immunosuppression medication during this follow-up period that compromised the patient's recovery:	C YES NO UNK
Functional Status: *	

	I
	No Limitations
Physical Capacity:	C Limited Mobility
	Wheelchair bound or more limited
	Not Applicable (< 1 year old or hospitalized)
	C Unknown
Working for income: ≭	C YES O NO UNK
If No, Not Working Due To:	
	Working Part Time due to Demands of Treatment
	Working Part Time due to Disability
	Working Part Time due to Insurance Conflict
If Yes:	Working Part Time due to Inability to Find Full Time Work
	Working Part Time due to Patient Choice
	Working Part Time Reason Unknown
	Working, Part Time vs. Full Time Unknown
	Within One Grade Level of Peers
	Delayed Grade Level
Academia Dragrace	Special Education
Academic Progress:	Not Applicable < 5 years old/ High School graduate or GED
	Status Unknown
	Full academic load
	Reduced academic load

Academic Activity Level:	 Unable to participate in academics due to disease or condition Not Applicable < 5 years old/ High School graduate or GED Status Unknown 	
Primary Insurance at Follow-up:		
Specify		
Clinical Information		
Height:	ft. in. cm ST=	
Weight:	lbs. kg ST=	
BMI:	kg/m ²	
Graft Status: * Functioning Failed If death is indicated for the recipient, and the death was a result of some other factor unrelated to graft failure, select Functioning.		
Date of Graft Failure:		
Primary Cause of Graft Fail Other, Specify:	Primary Non-Function Acute Rejection Chronic Rejection/Atherosclerosis Other, Specify	
Graft Function: Heart:		
Ejection Fraction:★	% ST=	
Pacemaker: *	C YES ONO OUNK	

Coronary Artery Disease:*	C YES O NO C
Clinically Significant Events:	C YES O NO CUNK
Post Transplant Events:	
Drug Treated Hypertension:	C YES O NO UNK
Bone Disease (Symptomatic):	C YES ONO UNK
Chronic Liver Disease:	C YES O NO UNK
Cataracts:	G YES G NO G UNK
Diabetes onset during the follow-up period: ★	C YES O NO C UNK
Diabetes: If Yes, Insulin Dependent:	C YES O NO UNK
Renal Dysfunction: *	C YES O NO UNK
If Yes, Creatinine > 2.5 mg/dl:	C YES O NO C UNK
Chronic Dialysis:	C YES ONO UNK
Renal Tx since Thoracic Tx:	C YES O NO C UNK
Stroke:	C YES ONO UNK
Drug Treated Hyperlipidemia:	C YES O NO C UNK
Did patient have any acute rejection	Yes, at least one episode treated with anti-rejection agent Yes, none treated with additional anti-rejection agent
episodes during the follow-up period:*	No

	Unknown
Was biopsy done to confirm acute rejection:	 Biopsy not done Yes, rejection confirmed Yes, rejection not confirmed Unknown
Post Transplant Malignancy:*	C YES C NO C UNK
Donor Related:	C YES C NO C UNK
Recurrence of Pre-Tx Tumor:	C YES C NO C UNK
De Novo Solid Tumor:	C YES C NO C UNK
De Novo Lymphoproliferative disease and Lymphoma:	C YES C NO C UNK

Biological or Anti-viral therapy:	C YES C NO C Unknown/Cannot disclose
	Acyclovir (Zovirax)
If Yes, check all that apply:	Cytogam (CMV)
	Gamimune
	Gammagard
	Ganciclovir (Cytovene)
	☐ Valgancyclovir (Valcyte)

	 ☐ HBIG (Hepatitis B Immune Globulin) ☐ Flu Vaccine (Influenza Virus) ☐ Lamivudine (Epivir) (for treatment of Hepatitis B) ☐ Valacyclovir (Valtrex) ☐ Other, Specify
Specify: *	
Specify:	
Other therapies:	C YES C NO
	Photopheresis
If Yes, check all that apply:	Plasmapheresis
	☐ Total Lymphoid Irradiation (TLI)
Immunosuppressive Information	
Previous Validated Maintenance Follow- Up Medications:	
Previous Validated Maintenance Follow- Up Medications:	
	Yes, same as validated TRR form
Were any medications given during the	Yes, same as previous validated report
follow-up period for maintenance:	Yes, but different than previous validated report
	None given
Did the physician discontinue all maintenance immunosuppressive medications:	C YES NO
Did the patient participate in any clinical research protocol for immunosuppressive medications:	C YES NO

Immunosuppressive Medications View Immunosuppressive Medications				
Definitions Of Immunosuppressive Follow-Up Medications				
For each of the immunosuppressant medications listed, check Previous Maintenance (Curr Maint) or Anti-rejection (AR) to indicate all medicate recipient during this follow-up period, and for what reason. If a medication box(es) blank.	tions that were pre	escribed	for the	
Previous Maintenance (Prev Maint) includes all immunosuppressive meriod, which covers the period from the last clinic visit to the current clinic which may be either long-term or intermediate term with a tapering of the eliminated or replaced by another long-term maintenance drug (example Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This cimmunosuppressive medications given to treat rejection episodes.	nic visit, <i>for varying</i> e <i>dosage until the</i> e: Prednisone, Cyc	g periods drug is e losporin	s of time either	
Current Maintenance (Curr Maint) includes all immunosuppressive me to begin in the next report for varying periods of time which may be either tapering of the dosage until the drug is either eliminated or replaced by a (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetidoes not include any immunosuppressive medications given to treat rejections.	er long-term or inte another long-term I, Azathioprine, or	ermediate maintena	e term v ance dr	vith i ug
Anti-rejection (AR) immunosuppression includes all immunosuppressive treating an acute rejection episode since the last clinic visit (example: Mathematical Thymoglobulin). When switching maintenance drugs (example: from Tack Mycophenolate Mofetil to Azathioprine) because of rejection, the drugs simmunosuppression, but should be listed under maintenance immunosumote: The Anti-rejection field refers to any anti-rejection medication at the time of the current clinic visit.	ethylprednisolone, crolimus to Cyclos should not be listed ppression.	Atgam, porine; od under /	OKT3, or from AR	or
If an immunosuppressive medication other than those listed is being adr		ive Medi	ication f	ield,
antibodies), select Previous Maint, or Current Maint, or AR next to Other and enter the full name of the medication in the space provided. Do not	list non-immuno	suppres		
antibodies), select Previous Maint, or Current Maint, or AR next to Other and enter the full name of the medication in the space provided. Do not	list non-immuno	Prev	Curr Maint	AR
antibodies), select Previous Maint, or Current Maint, or AR next to Other and enter the full name of the medication in the space provided. Do not medications. Steroids	list non-immuno	Prev	Curr	AR [
antibodies), select Previous Maint, or Current Maint, or AR next to Other and enter the full name of the medication in the space provided. Do not medications. Steroids (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron)	list non-immuno	Prev Maint	Curr	AR
antibodies), select Previous Maint, or Current Maint, or AR next to Other and enter the full name of the medication in the space provided. Do not medications. Steroids (Prednisone,Methylprednisolone,Solumedrol,Medrol,Decadron) Atgam (ATG)	list non-immuno	Prev Maint	Curr	AR
antibodies), select Previous Maint, or Current Maint, or AR next to Other and enter the full name of the medication in the space provided. Do not medications. Steroids (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron) Atgam (ATG) OKT3 (Orthoclone, Muromonab)	list non-immuno	Prev Maint	Curr	
antibodies), select Previous Maint, or Current Maint, or AR next to Other and enter the full name of the medication in the space provided. Do not medications. Steroids (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron) Atgam (ATG) OKT3 (Orthoclone, Muromonab) Thymoglobulin Simulect - Basiliximab	list non-immuno	Prev Maint	Curr Maint	AR

Azathioprine (AZA, Imuran)				
EON (Generic Cyclosporine)				
Gengraf (Abbott Cyclosporine)				
Other generic Cyclosporine, specify brand:				
Neoral (CyA-NOF)				
Sandimmune (Cyclosporine A)				
CellCept (Mycophenolate Mofetil; MMF)				
Generic MMF (Generic CellCept)				
Prograf (Tacrolimus, FK506)				
Generic Tacrolimus (Generic Prograf)				
Modified Release Tacrolimus FK506E (MR4)				
Sirolimus (RAPA, Rapamycin, Rapamune)				
Myfortic (Mycophenolate Sodium)				
Other Immunosuppressive Medications				
Other Immunosuppressive Medications	Prev Maint	Curr Maint	AR	
Other Immunosuppressive Medications Campath - Alemtuzumab (anti-CD52)			AR	
	Maint	Maint		
Campath - Alemtuzumab (anti-CD52)	Maint —	Maint		
Campath - Alemtuzumab (anti-CD52) Cyclophosphamide (Cytoxan)	Maint	Maint		
Campath - Alemtuzumab (anti-CD52) Cyclophosphamide (Cytoxan) Leflunomide (LFL, Arava) Methotrexate (Folex, PFS, Mexate-AQ,	Maint	Maint		
Campath - Alemtuzumab (anti-CD52) Cyclophosphamide (Cytoxan) Leflunomide (LFL, Arava) Methotrexate (Folex, PFS, Mexate-AQ, Rheumatrex)	Maint	Maint		
Campath - Alemtuzumab (anti-CD52) Cyclophosphamide (Cytoxan) Leflunomide (LFL, Arava) Methotrexate (Folex, PFS, Mexate-AQ, Rheumatrex) Other Immunosuppressive Medication, Specify	Maint	Maint		
Campath - Alemtuzumab (anti-CD52) Cyclophosphamide (Cytoxan) Leflunomide (LFL, Arava) Methotrexate (Folex, PFS, Mexate-AQ, Rheumatrex) Other Immunosuppressive Medication, Specify Rituximab	Maint	Maint		
Campath - Alemtuzumab (anti-CD52) Cyclophosphamide (Cytoxan) Leflunomide (LFL, Arava) Methotrexate (Folex, PFS, Mexate-AQ, Rheumatrex) Other Immunosuppressive Medication, Specify Rituximab	Maint	Maint Curr		

UNOS View Only	
Comments:	

Copyright $\ensuremath{@}$ 2010 United Network for Organ Sharing. All rights reserved.

Public Burden/Privacy Act Statements