For Healthy Adults - Ciprofloxacin Antibiotic Postexposure Prophylaxis **LEGEND** Start/Finish nedications, and discussed with a medica End provider and considered before the medical were administered to the **Decision Points** adult user intended to be used as medical advice or Messages to Recipients User speaks English cellular phone with othe **Information Points** ciprofloxacin antibiotic User is not sharing thei - User will receive anthrax exposure and anthrax symptoms (Day 1) Know anthrax hrough other media symptoms: shortness of breath, chest pain, severe headaches, confusion, fever chills, severe sweating, cough, or nausea. he site of MCM dispensing (Day 1) (2/2)You cannot (Day 1) (1/3)CDC: You were (Day 1) (2/3)If cipro upsets (Day 1) (1/2)CDC: Call 9-1-1 (Day 1) (2/2)OR fast (Day 1) (2/2)[NAME], call (Day 2) CDC: Remember, (Day 2) (1/2)CDC: Call 9-1-1 (Day 1) (1/2)Hi [NAME] (Day 1) (1/2)CDC: These (Day 1) (3/3)Avoid taking (Day 1) CDC: Birth catch anthrax from given directions for taking your stomach, take it with or see a doctor NOW if you heartbeat, seizures, (Day 1) (1/2)CDC 1-800-332-1088 if you (Day 1) CDC: If you are anthrax can be deadly. You have joined CDC's cipro with multivitamins or messages are not intended to control pills may not Day 1) (2/2)Text INFO nother person the way cipro when you got your food, but do not take it have: throat closing or onfusion, fainting, double nmends that you or a need help reporting to CDC recommends you have: throat closing or StopAnthrax. This is an provide medical services, work as well while dietary supplements. Cut for program info or you might catch a cold medicine. Continue to take with cheese, milk, or other trouble breathing, swelling vision, fever, chills, unusual doctor report all side MedWatch. Operating continue while taking take cipro to prevent you trouble breathing, swelling automated system. Message and diagnosis, or treatment. Always back on drinks with taking antibiotics. Use a HELP for CDC's or the flu. To learn cipro as directed. Do not hours are 9:00 am - 5:00 dairy products. Taking of your tongue or face, bleeding, severe sweating effects to MedWatch at antibiotics, unless a from getting sick, even if of your tongue or face, data rates may apply. caffeine, such as coffee, second form of birth pm Monday through more, visit crush, chew, or split these or body rash, or severe/ www.fda.gov/medwatch. antibiotics can save your trouble swallowing, severe doctor tells you to stop. you do not have trouble swallowing, severe any medical questions. soda, tea, or energy drinks. headaches Friday ET. headaches www.cdc.gov/anthrax. bloody diarrhea. symptoms. (Day 2) (2/2)OR fast heartbeat, seizures, confusion, fainting, double vision, fever, chills, unusual **Trouble Swallowing** bleeding, severe sweating or body rash, or severe/ (Day 1) To speak to someone bloody diarrhea. at CDC's National Contact (Day 1) (1/2)This program Center, call 1-800-232-4636. Operating hours are 8:00 am CDC PILOT TEST information about your to 8:00 pm Monday through medicine and anthrax, and NOTIFICATION: In a real (Day 2) Antibiotics can save Friday, Eastern Time (ET). your life. You may be able to asks you questions about incident, we would switch (Day 2) (1/2)CDC you to the amox protocol the medicine. take a different form of For this pilot test, you will to discuss your options. to MedWatch at messages. www.fda.gov/medwatch. (Day 1) (2/2)You will get an average of 5 to 20 messages per week. Some days you will get a lot of messages. Other days you (Day 2) (2/2)[NAME], call may not get any messages. 1-800-332-1088 if you need (Day 3) Text AMOX if you are now taking MedWatch. Operating hours amoxicillin. Text DOXY are 9:00 am - 5:00 pm if you are now taking Monday through Friday ET. doxycycline. (Day 3) CDC: Text NEW if you are now taking a new antibiotic. Text CIPRO if you are still taking (Day 2) CDC: See a doctor if AMOX you have pain or unusual AMOX swelling of joints, yellow DOXY tingling of hands or feet. (Day 3) Great. We are glad you **Adverse Event Symptoms** are still taking antibiotics. (Day 2) CDC: Anthrax germs Remember, you should take can remain in your body for antibiotics for at least 60 days CIPRO at least 60 days without to help protect you from causing symptoms. CDC anthrax. recommends taking antibiotics for the full 60 Adverse Event Symptoms (Day 6) Great. We are glad you are still taking DOXY should take antibiotics for at (Day 3) Great. We are glad you CIPRO <</p> least 60 days to help protect you from anthrax. (Day 4) Great. We are glad (Day 2) CDC: Text YES if you Remember, you should take you are still taking CDC PILOT TEST antibiotics for at least 60 days antibiotics. Remember, vou NOTIFICATION: In a real to help protect you from (Day 5) (3/3)[NAME], call are having trouble should take antibiotics for at anthrax. swallowing the incident, we would switch (Day 5) (2/3)CDC 1-800-332-1088 if you (Day 6) CDC: Text NEW if you least 60 days to help protect you to the doxy protocol. recommends that you or are now taking a new antibiotic. need help reporting to (Day 4) CDC: Text NEW if you NEW you from anthrax. For this pilot test, you will a doctor report side Text CIPRO if you are still taking (Day 3) (3/3)[NAME], call are now taking a new antibiotic. continue receiving cipro effects to MedWatch at ciprofloxacin. Text NONE if (Day 3) (2/3)CDC 1-800-332-1088 if you Text CIPRO if you are still taking messages. pm Monday through Friday ET. www.fda.gov/medwatch. you stopped taking ecommends that you or need help reporting to ciprofloxacin. Text NONE if a doctor report side MedWatch, Operating you stopped taking hours are 9:00 am - 5:00 effects to MedWatch at pm Monday through www.fda.gov/medwatch. Friday ET. (Day 3) CDC: Text CHANGE at (Day 6) We are sorry, but (Day 5) (1/3) Thank you for your we did not understand response. We hope you feel your reply. Please look at (Day 3) (1/3)We hope better. Talk to a doctor or health the text message again (Day 3) (1/3)Thank you for your you saw a doctor and (Day 5) (1/3)We hope you saw a (Day 4) Text AMOX if you and reply with a number (Day 6) Text AMOX if you response. We hope you feel feel better. Talk to a (Day 4) We are sorry, but we better. Talk to a doctor or health antibiotics you can take. doctor and feel better. Talk to a (1, 2, 3, 4, 5, 6, or 7) for are now taking amoxicillin. are now taking amoxicillin. doctor or health did not understand your doctor or health department to your reason. Text DOXY if you are now department to discuss other department to discuss reply. Please look at the text discuss other antibiotics you can taking doxycycline. NONE taking doxycycline. antibiotics you can take. other antibiotics you can message again and reply (Day 3) (1/2)CDC: Know the take. 6, or 7) for your reason. RESPONSE NOT UNDERSTOOD **AMOX** severe headaches, confusion, FEEDBACK fever, chills, severe sweating, or DOXY FEEDBACK or DOXY NO cough, or nausea. NO RESPONSE RESPONSE RESPONSE (Day 4) Great. We are glad you UNDERSTOOD (Day 6) Great. We are glad you are still taking antibiotics. Remember, you should take are still taking antibiotics. Remember, vou should take (Day 3) (2/2)If you had help protect you from anthrax. antibiotics for at least 60 days (Day 3) Text what (Day 3) (2/2)Call 9-1-1 or see a (Day 5) Text what (Day 4) Text the reason you (Day 5) (2/2)If you had more (Day 6) Text the reason you more than one symptom. symptoms you to help protect you from symptoms you than one symptom, reply with a reply with a number for experienced. experienced. number for each symptom you each symptom you had. many pills, 3-Forgot, 4-Feel fine, had. Use a comma to separate 2-Too many pills, 3-Forgot, 4-Feel Use a comma to separate CDC PILOT TEST 5-Scared, 6-Doctor's orders, numbers (Example: 1,2 or DOXY fine, 5-Scared, 6-Doctor's numbers (Example: 1,2 or 2,4,5). DOXY NOTIFICATION: In a real orders, 7-Other. → AMOX incident, we would switch RESPONSE NOT you to the amox protocol. (Day 6) Text the UNDERSTOOD continue receiving cipro reason you stopped CDC PILOT TEST CDC PILOT TEST (Day 3) CDC: See a doctor or RESPONSE NOT taking your messages. CDC PILOT TEST NOTIFICATION: In a real NOTIFICATION: In a real pharmacist or visit UNDERSTOOD www.cdc.gov for more incident, we would switch incident, we would switch incident, we would switch you to the doxy protocol. you to the amox protocol. you to the doxy protocol. taking your concerned about these antibiotics. For this pilot test, you will continue receiving cipro continue receiving cipro antibiotics interfering with (Day 5) (1/2)Text your symptoms continue receiving cipro your current medicines. messages. messages. using numbers: 1-Seizures, (Day 3) We are sorry messages. 2-Severe diarrhea, 3-Severe body [NAME], but we did not rash, 4-Severe headaches, understand your reply. (Day 5) We are sorry [NAME], Please look at the text (Day 4) Thank you. Talk to FEEDBACK (Day 4) (1/2)Taking but we did not understand your message again and reply reply. Please look at the text antibiotics can protect with a number for each of department right away breath, chest pain, severe message again and reply with a (Day 6) Thank you. Talk to a (Day 3) CDC: Dosing of cipro is you if you were exposed your symptoms. (Day 6) (1/2)Taking (Day 6) (2/2)Know anthrax headaches confusion about your decision to doctor or health department typically twice a day. Try your FEEDBACK right away about your decision to ston taking antibiotics. Cinro stop taking antibiotics. fever. chills. severe Cipro can help protect sweating, cough, or can help protect you from www.cdc.gov/anthrax. sweating, cough, or nausea. (Day 3) (1/2)Text symptoms (Day 5) Call 9-1-1 or see breathing, 2-Tongue/face swelling, a doctor NOW if you still 3-Trouble swallowing, 4-Seizures. have any of these 5-Severe diarrhea, 6-Severe (Day 3) Call 9-1-1 or see a doctor NOW if you still have any of these closing or trouble breathing, face, trouble swallowing severe headaches (Day 4) CDC: (Day 4) (2/2)If you (Day 4) (1/2)CDC: Keep (Day 5) CDC: You need (Day 4) (2/2)OR fast (Day 4) CDC: [NAME], Day 4) (2/2)Taking cipro (Day 4) (1/2)CDC: Keep (2/2)OR fast heartbeat, (Day 4) CDC: You were given (Day 4) (1/2)CDC: Call 9-1-1 (Day 4) CDC: See a (Day 4) CDC: Talk to a Taking antibiotics develop a yeast (2/2)[NAME], call 1-800-(Day 3) CDC: cipro for at least 60 days to (1/2)CDC: Text YES if you (Day 4) (1/2)CDC heartbeat, unusual try your best to take taking antibiotics if you with food may reduce taking your antibiotics seizures, confusion. (Day 5) CDC: [NAME], call 332-1088 if you need help or see a doctor NOW if you directions for taking cipro doctor if you have pain infection, see a can protect you if prevent anthrax. We recently experienced: ecommends that you or a bleeding, severe sweating ntibiotics around the develop a yeast infection. nausea and vomiting. as directed, even if [NAME], call 9-1fainting, double vision 9-1-1 or see a doctor if you reporting to MedWatch. or see a doctor if understand you are taking doctor report all side Symptoms can include Remember, do not take severe headache, seizures, or body rash, or severe or same time each day. you have mild nausea, fever. chills. unusual experience any of these sweating or body rash, or pharmacist. Visit Operating hours are 9:00 effects to MedWatch at genital itching or antibiotics longer than cipro with dairy products. vomiting, or diarrhea, confusion, fainting, double bloody diarrhea. Setting cell phone you experience any bleeding, severe symptoms. severe or bloody directed. Do not crush, chew, skin, or burning or fainting, double vision, have questions at of these symptoms. vision, fever, chills www.fda.gov/medwatch. alarms is a great way discharge, and pain when sweating or body rash, diarrhea. anthrax to learn www.cdc.gov/ or split these tablets. tingling of hands or feet. fever, chills any point. long as directed. anthrax. diarrhea. 108 (Day 6) CDC: Talk to a doctor if you are considering be pregnant.

(Day 8) CDC: Setting cell

phone alerts or alarms each

day is a great way to

remember to take your

(Day 9) CDC: Remember,

or TV to find out if you need

to take more antibiotics and

where to get them.

(Day 9) CDC: Drinking too

much caffeine while taking

cipro can make you feel

nervous or jittery. Cut back

(Day 9) (1/2)CDC: Keep

taking your antibiotics as

mild nausea, vomiting, or

diarrhea, unless a doctor

tells you to stop.

(Day 9) (2/2)Talk to a

doctor if these problems

protect you if you were

exposed to anthrax.

get worse. Antibiotics ca

(Day 8) CDC: Talk to a doctor

cipro. Text END at any time

to cancel StopAnthrax text

messages.

(Day 10) CDC:

Remember, these

messages are not

medical services,

Always get the advice of

a doctor for medical

questions.

diagnosis, or treatmen

(Day 10) CDC: Remember

[NAME], you cannot catch

person the way you might

catch a cold or the flu. To

learn more, visit

www.cdc.gov/anthrax.

(Day 6) CDC: Cipro can cause your skin to be sensitive to the sun. Be sure to use sunscreen and to cover exposed skin when outside.

(Day 6) CDC: Keep pill bottles away from

center if they take the medicine by accident: 1-800-222-1222.

(Day 6) (1/2)CDC: Know

the symptoms of anthrax:

shortness of breath, chest

confusion, fever, chills,

severe sweating, cough, or

pain, severe headaches

(Day 6) (2/2)Call 9-1-1

or see a doctor NOW

if you are

experiencing any o

anthrax. Remember,

StopAnthrax is an

automated system.

(Day 6) CDC: Cut back on

caffeine, such as coffee,

soda, tea, or energy drinks.

Drinking too much caffeine

while taking cipro can make

you feel nervous or jittery.

(Day 7) CDC: Listen for

advice from public health

to find out if you need to

take more antibiotics and

where to get them.

(Day 7) CDC: Remember,

have been exposed.

antibiotics can save your

anthrax can be deadly. If you

(Day 7) CDC: If cipro upsets

food, but do not take it with

cheese, milk, or other dairy

your stomach, take it with

(Day 8) CDC: The mild side

effects from antibiotics may

be uncomfortable. However

anthrax is a much greater

threat to your health.