

## ***Morbidity and Mortality Weekly Report (CDC Publication)***

### **Published**

CDC (2000). Tobacco use among middle and high school students—United States, 1999. *MMWR*. 49(3):49-53.

CDC (2000). Youth tobacco surveillance—United States, 1998-1999. *MMWR*. 49(SS-10).

CDC (2001). Youth tobacco surveillance—United States, 2000. *MMWR*. 50(SS-4).

CDC (2003). Tobacco use among middle and high school students—United States, 2002. *MMWR*. 52(45):1096-1098.

CDC (2005). Tobacco use, access, and exposure to tobacco in media among middle and high school students—United States, 2004. *MMWR*. 54(12):297-301.

Marshall L, Schooley M, Ryan H, et al. (2006). Youth tobacco surveillance—United States, 2001-2002. *MMWR*. 55(SS-3).

CDC (2006). Cigarette Use Among High School Students ---United States 1991—2005. *MMWR*. 55 (26);724-726.

CDC (2009). Cigarette Brand Preference Among Middle and High School Students Who Are Established Smokers --- United States, 2004 and 2006. *MMWR*. 58(05);112-115

CDC (2010). Vital Signs: Current Cigarette Smoking Among Adults Aged  $\geq 18$  Years --- United States, 2009. *MMWR*. 59(35):1135-1140.

CDC (2010). Tobacco use among middle and high school students—United States, 2000-2009. *MMWR*. 59(33):1063-1068.

CDC (2012). Current tobacco use among middle and high school students—United States, 2011. *MMWR*. 61(31):581-585.

CDC & FDA(2013). Notes from the field: electronic cigarette use among middle and high school students – United States, 2011-2012. *MMWR*. 62(35):729-730.

CDC (2013). Tobacco product use among middle and high school students—United States, 2011 and 2012. *MMWR*. 62(45):893-897.

### **Peer Reviewed Articles**

- Agaku IT, Adisa AO, Awopegba A (2013). Current frequent cigarette smoking among U.S. middle and high school students, 2000-2011. *Substance Use and Misuse*. 48(14):1589-94
- Agaku IT, King BA, Dube SR (2014). Trends in exposure to pro-tobacco advertisements over the Internet, in newspapers/magazines, and at retail stores among U.S. middle and high school students, 2000-2012. *Preventive Medicine*. Jan;58:45-52.
- Agaku IT, Ayo-Yusuf OA (2013). The Effect of Exposure to Pro-Tobacco Advertising on Experimentation With Emerging Tobacco Products Among U.S. Adolescents. *Health Education Behavior*. DOI: 10.1177/1090198113511817. Published online Dec 16, 2013.
- Agaku IT, Ayo-Yusuf OA, Vardavas CI, Alpert HR, Connolly GN (2013). Use of conventional and novel smokeless tobacco products among US adolescents. *Pediatrics*. 132(3):e578-86.
- Agaku IT, Ayo-Yusuf OA, Vardavas CI, Connolly G (2014). Predictors and patterns of cigarette and smokeless tobacco use among adolescents in 32 countries, 2007-2011. *Journal of Adolescent Health*. 54(1):47-53.
- Agaku IT, Vardavas CI (2013). Disparities and Trends in Indoor Exposure to Secondhand Smoke among U.S. Adolescents: 2000-2009. *PLoS ONE* 8(12): e83058. doi:10.1371/journal.pone.0083058
- Amrock SM, Gordon T, Zelikoff JT, Weitzman M (2014). Hookah use among adolescents in the United States: results of a national survey. *Nicotine and Tobacco Research*. 16(2):231-7.
- Arrazola RA, Kuiper NM, Dube SR (2014). Patterns of Current Use of Tobacco Products Among U.S. High School Students for 2000-2012 - Findings From the National Youth Tobacco Survey. *Journal of Adolescent Health*. 54(1):54-60.
- Appleyard J, Messeri P, Haviland ML (2001). Smoking among Asian American and Hawaiian/Pacific Islander youth: data from the 2000 National Youth Tobacco Survey. *Asian American & Pacific Islander Journal of Health*. 9(1):5-14.
- Delnevo CD, Foulds J, Hrywna M (2005, Dec). Trading tobacco: are youths choosing cigars over cigarettes? *American Journal of Public Health*. 95(12):2123.
- Delnevo CD, Pevzner ES, Steinberg MB, et al. (2002, Jun). Cigar use in New Jersey among adolescents and adults. *American Journal of Public Health*. 92(6):943-945.
- Dube SR, Arrazola RA, Lee J, Engstrom M, Malarcher A (2013). Pro-tobacco influences and susceptibility to smoking cigarettes among middle and high school students--United States, 2011. *Journal of Adolescent Health*. 52(5 Suppl):S45-51.
- Evans WD, Powers A, Hersey J (2006, Jan). The influence of social environment and social image on adolescent smoking. *Health Psychology*. 25(1):26-33.

Evans WD, Ulasevich A, Renaud J (2006, Spr). Exposure to pro-tobacco messages: Results from the National Youth Tobacco Survey. *Social Marketing Quarterly*. Vol 12(1):3-14.

Farrelly MC, Arnold KY, Juster HR, Allen JA (2014). Quantifying the effect of changes in state-level adult smoking rates on youth smoking. *Journal of Public Health Management and Practice*. 20(2):E1-6.

Faulkner DL, Farrelly MC, Hersey JC (2000, Aug). Race, grade level, and cigarette smoking: the 1999 National Youth Tobacco Survey. *Journal of the National Cancer Institute*. 92(16):1360.

Faulkner DL & Thomas KY (2001, Jan). Stat bite: Race/ethnicity of young U.S. smokers counseled about tobacco use. *Journal of the National Cancer Institute*. 2001 Jan 3; 93(1):12.

Fernando WWSA, Wellman RJ, DiFranza JR (2006, Oct). The relationship between level of cigarette consumption and latency to the onset of retrospectively reported withdrawal symptoms. *Psychopharmacology*. 188(3): 335-342.

Filippidis FT, Agaku IT, Connolly GN, Vardavas CI (2014). Trends in age verification among U.S. adolescents attempting to buy cigarettes at retail stores, 2000-2009. *Preventive Medicine*. Apr;61:61-5.

Dutra LM, Glantz SA (2014). Electronic Cigarettes and Conventional Cigarette Use Among US Adolescents: A Cross-sectional Study. *JAMA Pediatrics*. doi:10.1001/jamapediatrics.2013.5488 Published online March 6, 2014.

Giovino GA, Sidney S, Gfroerer JC, et al. (2004, Feb). Epidemiology of Menthol Cigarette Use. *Nicotine & Tobacco Research*. 6(S1):S67-S81.

Hersey J, Vilsaint N, Nonnemaker J, et al. (2006, Jun). Are menthol cigarettes a starter product for youth? *Nicotine and Tobacco Research*. 8(3):403-413.

Kershaw JM (2001). AAPI youth tobacco use: a comparative analysis of current cigarette use data from the Florida, Texas, and National Youth Tobacco Surveys. *Asian American & Pacific Islander Journal of Health*. 9(1):25-33.

King BA, Dube SR, Babb SD (2013). Perceptions about the harm of secondhand smoke exposure among U.S. middle and high school students: findings from the 2012 National Youth Tobacco Survey. *Tobacco Induced Diseases*. 11(1):16.

King BA, Tynan MA, Dube SR, Arrazola RA (2014). Flavored-little-cigar and flavored-cigarette use among U.S. middle and high school students. *Journal of Adolescent Health*. 54(1):40-46.

Messeri PA, Allen JA, Mowery PD, Heaton CG, et al. (2007, Jul). Do tobacco countermarketing campaigns increase adolescent under-reporting of smoking? *Addictive Behaviors*. 32(7):1532-6.

Mowery PD, Farrelly MC, Haviland ML, et al. (2004, Feb). Progression to established smoking among US youths. *American Journal of Public Health*. 94(2):331-7.

Nonnemaker J, Mowery P, Hersey J, et al. (2004, Apr). Measurement properties of a nicotine dependence scale for adolescents. *Nicotine & Tobacco Research*. 6(2):295-301.

Ringel JS, Wasserman J, Andreyeva T (2005, Jun). Effects of public policy on adolescents' cigar use: evidence from the National Youth Tobacco Survey. *American Journal of Public Health*. 95(6):995-8.

Saunders C, Geletko K (2012). Adolescent cigarette smokers' and non-cigarette smokers' use of alternative tobacco products. *Nicotine and Tobacco Research*. 14(8):977-85.

Shelley D, Cantrell J, Faulkner D, et al. (2005, Mar). Physician and dentist tobacco use counseling and adolescent smoking behavior: results from the 2000 National Youth Tobacco Survey. *Pediatrics*. 115(3):719-25.

Stockdale MS, Dawson-Owens HL, Sagrestano LM (2005, Jul-Aug). Social, attitudinal, and demographic correlates of adolescent vs. college-age tobacco use initiation. *American Journal of Health Behavior*. 29(4):311-23.

Unger JB (2003, Sum). Peers, family, media, and adolescent smoking: ethnic variation in risk factors in a national sample. *Adolescent & Family Health*. 3(2):65-70.

Wackowski O & Delnevo CD (2007, Sept). Menthol cigarettes and indicators of tobacco dependence among adolescents. *Addictive Behaviors*. 32(9):1964-9.

### **American Legacy Foundation First Look Reports**

Legacy First Look Report 15 (2005). Beyond Cigarettes: The Use Of Other Tobacco Products.

Legacy First Look Report 13 (2004). Cigarette Smoking among Youth: Results from the 2002 National Youth Tobacco Survey.

Legacy First Look Report 11 (2003). Youth Tobacco Cessation: Results from the 2000 National Youth Tobacco Survey.

Legacy First Look Report 10 (2003). The Relationship between Cigarette Use and Other Tobacco Products: Results from the 2000 National Youth Tobacco Survey.

Legacy First Look Report 8 (2002). Using Multiple Strategies in Tobacco Use Prevention Education.

Legacy First Look Report 7 (2001). Cigarette Smoking Among Youth: Results from the 2000 National Youth Tobacco Survey.

Legacy First Look Report 6 (2001). Youth Exposure to Environmental Tobacco Smoke.

Legacy First Look Report 5 (2000). Youth Access to Cigarettes: Results from the 1999 National Youth Tobacco Survey.

Legacy First Look Report 4 (2000). The Relationship Between Cigarette Use and Other Tobacco Products: Results from the National Youth Tobacco Survey.

Legacy First Look Report 3 (2000). Pathways to Established Smoking: Results from the 1999 National Youth Tobacco Survey.

Legacy First Look Report 2 (2000). What Youth Think About Smoking: Results from the 1999 National Youth Tobacco Survey.

Legacy First Look Report 1 (2000). Cigarette Smoking Among Youth: Results from the 1999 National Youth Tobacco Survey.