Enhanced STD Surveillance Network (eESSuN)

Att. 3C

eSSuN Gonorrhea Case Surveillance Data Elements

There is no public burden to collecting this information; state and local health departments routinely conduct disease reporting from provider and laboratory sources with case definitions and methods developed in collaboration with the Council for State and Territorial Epidemiologists (CSTE) and CDC. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: CDC, Project Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-14AQA). Do not send the completed form to this address.

Gonorrhea Routine Case Surveillance Data Elements

1	P1_SiteID	SSuN Site ID
		This 2 character code primarily identifies sites funded under eSSuN Cycle
		3 and may include additional sites as required throughout the grant
		period.
		BA=Baltimore
		CA=California
		FL=Florida
		MA=Massachusetts
		MN=Minnesota
		MC=Multnomah County
		NY=New York City
		PH=Philadelphia
		SF=San Francisco
		WA=Washington
		Supplemental codes – for historical data only:
		VA=Virginia (Cycle II)
		AL=Alabama (Cycle II)
		CO=Colorado (Cycle II)
		CH=Chicago (Cycle II)
		This data element cannot be 'null' or contain missing values.
2	P1_EventID	Site generated unique event identifier
		This record ID should be supplied by the site and may be an event or
		report identifier from underlying surveillance system. Regardless of
		source, this ID must be unique for each confirmed case report. This
		data element cannot be 'null' or contain missing values.
3	P1_PatientID	Site generated ID allows for longitudinal tracking of unique persons
	-	This ID should be supplied by the site and may be a unique patient
		identifier from underlying surveillance systems or may be generated
		specifically for eSSuN from identifying information provided through
		case reporting. Regardless of source, this ID must be unique and allow
		for longitudinal tracking of persons reported with multiple episodes of
		disease. This data element cannot be 'null' or contain missing values.
		l

4	P1_RecRepDte	Earliest date this specific disease event/report received at health department? This date should reflect the earliest information available to the health department regarding the case. This date should include laboratory records received if lab results were reported prior to receipt of a provider case report.
Ш		
5	P1_RandSamp	Is this record/case selected in the random sample? <i>This data element cannot be 'null' or contain missing values.</i>
п		0=Not in random sample 1=In random sample
	D1 Camera Dta	Determined (see a second ed by invited intiger
6	P1_SampDte	Date record/case sampled by jurisdiction For jurisdiction deploying a batch process for record sampling, this should be the actual date that the batch was sampled. For jurisdictions deploying real-time sampling of cases through their surveillance system, this date should match the report date (or date case status was confirmed if appropriate). This data element cannot be 'null' or contain missing values.
7	P1_RecSx	Was lab or provider report how case was initially reported to the health department? This data element is intended to capture the source of the initial case notification to the health department. If the grantee is not able to reliably capture this information for a specific case, this must be documented by entering a value of '3' for that case record. This data element cannot be 'null' or contain missing values.
		0=Laboratory report, electronic
		1=Laboratory report, paper
		2=Provider report, electronic or paper
		3=Report source not captured by surveillance system
8	P1_PrevPtx	Is patient previously known to HD from infectious disease reporting records (TB, HIV, STDs, Hep)? This data element is designed to capture whether this patient is known to the HD from a previous case report. This data element cannot be 'null' or contain missing values. If a match with previous patients is

		not done, please code as a new patient. If a subsequent match is performed and patient found to be previously reported, the value should be changed accordingly.
п		0=New Patient, not previously reported 1=Patient previously reported
9	P1_InitSx	If patient previously reported, what is the registry/source of earliest report for this PATIENT?
		0=STD Registry 1=HIV Registry 2=Viral Hepatitis Registry 3=Other Disease Registry 4=Unknown
10	P1_HregMatch	Was eHARS registry match done for this patient? This data element may be initially coded as '2' if the grantee conducts a batch match with their HIV registry and the case is reported before that batch is processed. This information can be updated in the eSSuN record in the next data transmission following the match. This data element cannot be 'null' or contain missing values.
		1=Yes
_		2=No
11	P1_HregMatchStat	Did this patient match a registry entry in eHARS? This data element may be initially coded as '3' if the grantee conducts a batch match with their HIV registry and the case is reported before that batch is processed. This information can be updated in the eSSuN record in the next data transmission following the match. This data element cannot be 'null' or contain missing values.
		1=Matching Record Found
		2=No Matching Record 3=Match Not Performed
12	P1_HDXMOYR	What is this patient's earliest indication of HIV positive result? This information can be obtained from the eHARS person table (HIVPMOYR).

13 P1_Othno	Additional registry number If this patient also has a record in other/ancillary disease registries. This is primarily for local use in matching patient records to update missing information.	
14 P1_Othsx	Additional registry source If this patient also has a record in other/ancillary disease registries and P1_Othno is not blank, this element should be populated with the source.	
	0=STD Registry 1=HIV Registry 2=Viral Hepatitis Registry 3=Other Disease Registry 4=Unknown	
15 P1_PrevDx HIV)	Most recent previous diagnosis (if applicable; could include hep, TB or If this patient also has a record in other/ancillary disease registries as indicated by #13 & 14 above, what was the initial diagnosis indicated by that record? Should be 'Null' if no previous diagnosis is confirmed.	
	10311=Syphilis, primary 10312=Syphilis, secondary 10313=Syphilis, early latent 10315=Syphilis, unknown latent 10314=Syphilis, late latent 10318=Syphilis, late with symptoms 10280=Gonorrhea 10274=Chlamydia 10100=Hepatitis B, acute 10105=Hepatitis B, acute 10105=Hepatitis B, chronic 20001=Hepatitis C 10562=HIV infection (non-AIDS) 10560=AIDS 10307=Nongonococcal Urethritis (NGU) 10308=Muco-purulent cervicitis (MPC) 10309=Pelvic Inflammatory Disease (PID) 10273=Chancroid	

10306=Lymphogranuloma venereum (LGV) 10276=Granuloma Inguinale 20002=TB 20003=Other



16 P1_PrevDxDte

Date of most recent previous diagnosis documented above. *Must not be null if P1_PrevDx is not null.*



16.1 P1_PrevGCDx

Has the patient been previously diagnosed and reported with GC?

1=Yes2=No3=Registry records not searched



16.2 P1_PrevGCDxDte



17 P1_CaseDup

Date of most recent previous diagnosis of GC documented above. *Must not be null if P1_PrevGCDx* = 1

Is this record/case a duplicate report, new report or was duplicate status not determined?

The grantee should document if an initial case report was subsequently found to be a duplicate of an existing case – the record should be retained in the eSSuN dataset and coded as a duplicate ('1')? If the jurisdiction receives a report that they know to be a duplicate at the time of report, the record can be omitted from the eSSuN datasets and not sampled for enhanced investigation. This data element cannot be 'null' or contain missing values.

0=New Case 1=Duplicate Case (previously reported <15 days) 9=Unknown, site surveillance system does not capture

18 P1_FacilityID

Site generated facility ID. Each reporting provider/facility must have a unique facility ID and link to a record in the provider table. *This is a primary key for linking the provider type and other provider information to the case record. Historically, the majority of cases in any grantee's jurisdictions will be reported from known providers, but for cases reported from entirely new providers, this field should be* populated with that facility's new number and be included in the next update of the provider reference file.



19 P1_Dispo

What is the status of the internal health department (Phase 1) investigation for this record?

The investigation referred to for this data element includes the search of existing health department records, matching and merging with electronic or other laboratory data, eHARS match and other disease registries. At initial report, cases may be coded as '10'. This should be updated as appropriate. Cases listed as pending should be updated within 60 days and this information updated in the next eSSuN data transmission. This data element cannot be 'null' or contain missing values. Jurisdictions may choose to initiate phase 1 investigations on all reported cases, regardless of whether they fall into the random sample, or may elect to initiate phase 1 investigations on only those records in the random sample.

0=Investigation complete: record referred to phase 2
1=Investigation complete: no further action, record determined
to be a duplicate of previously reported case
2=Investigation complete: no further action, case determined to
reside outside of jurisdiction based on existing department of
health information
3=Investigation complete: no further action, case not in eSSuN
random sample
4=Investigation complete: no further action, case not eligible for
eSSuN sample
10=Investigation not complete: P1 investigation pending
11=Investigation not complete: no further action, insufficient
information in originating record to initiate and complete
internal investigation
22=Investigation not complete: record not in random sample



20 P1_Referral1

Is this record/case referred for provider (Phase 2) investigation? This indicates whether the record has been referred to provider investigation (methods of which will differ across eSSuN sites). If provider is not contacted, surveyed or otherwise followed up with to supply any additional case-specific information, code as '1'.

> 0=Referred to P2 Investigation 1=Not Referred to P2 Investigation

2=Referral Pending

21	P1_PtxSex	Sex of the patient as indicated on initial health department report? This data element cannot be 'null' or contain missing values.
		1=Male
		2=Female
		3=Male-to-Female TG
		4=Female-to-Male TG
		5=TG Unknown or Unspecified
		9=Unknown
22	P1_PtxRace_White	White Race
22		Information from case/lab reports to the health department only.
		Patient self-report from interviews should be captured in #110 – 116.
		If additional information from any source (other than patient report) is
		received, #22 through 27 may be updated as required by underlying
		surveillance system.
		1=Yes
		2=No
		3=Unknown
		4=Refused
23	P1_PtxRace_Black	Black Race
20		Information from case/lab reports to the health department only.
		Patient self-report from interviews should be captured in #110 – 116.
		If additional information from any source (other than patient report) is
		received, #22 through 27 may be updated as required by underlying
		surveillance system.
		1=Yes
		2=No
		3=Unknown
		4=Refused
23	P1_PtxRace_AIAN	American Indian/Alaska Native Race
		Information from case/lab reports to the health department only.
		Patient self-report from interviews should be captured in #110 – 116.
		····, ···· ···························

If additional information from any source (other than patient report) is received, #22 through 27 may be updated as required by underlying surveillance system.

> 1=Yes 2=No 3=Unknown 4=Refused

25

Asian Race

Information from case/lab reports to the health department only. Patient self-report from interviews should be captured in #110 – 116. If additional information from any source (other than patient report) is received, #22 through 27 may be updated as required by underlying surveillance system.

> 1=Yes 2=No 3=Unknown 4=Refused

26 P1_PtxRace_NHOPI

P1 PtxRace Asian

Native Hawaiian/Other Pacific Islander Race Information from case/lab reports to the health department only. Patient self-report from interviews should be captured in #110 – 116. If additional information from any source (other than patient report) is received, #22 through 27 may be updated as required by underlying surveillance system.

> 1=Yes 2=No 3=Unknown 4=Refused

L 27

P1_PtxRace_Other Other Race

Information from case/lab reports to the health department only. Patient self-report from interviews should be captured in #110 – 116. If additional information from any source (other than patient report) is received, #22 through 27 may be updated as required by underlying surveillance system.

1=Yes
2=No
3=Unknown
4=Refused

28 P1_PtxRace_UNK Is all information on race and Hispanic ethnicity missing from initial reporting record/documents? If additional/supplemental information is received on race and ethnicity of patient but this information was missing from the initial report to the health department, please leave this data element coded as '1' and capture the source of supplemental information in #29 below.

> 1=Yes 2=No

29 P1_PtxRaceSource for this patient?

What is the source of the final race information of record as ascertained

For grantees able to distinguish the source of information for race, please indicate as appropriate. For grantees NOT able to distinguish the source of race data at all, code as '6'. If race information is missing/unknown from all sources, code as '5'.

> 1=Patient Self-Report 2=Provider Case Report 3=Laboratory Report 4=Previous Registry Record 5=No Information Available from Any Source 6=Source not Identifiable

30 P1 PtxHisp

Patient Hispanic ethnicity

Information from case/lab reports to the health department only. Patient self-report from interviews should be captured in #109. If additional information from any source (other than patient report) is received, #30 may be updated as required by underlying surveillance system.

> 1=Hispanic 2=Non-Hispanic 3=Unknown

Form Approved OMB No. 0920-14AQA Expiration Date ##/##/####

		4=Refused
31	P1_PtxHISPSource ascertained for	What is the source of the final Hispanic ethnicity information this patient? <i>For grantees able to distinguish the source of information for Hispanic</i>
		ethnicity, please indicate as appropriate. For grantees NOT able to distinguish the source of Hispanic ethnicity data at all, code as '6'. If
		information is missing/unknown from all sources, code as '5'.
		1=Patient Self-Report
		2=Provider Case Report
		3=Laboratory Report
		4=Previous Registry Record
		5=No Information Available from Any Source
		6=Source not Identifiable
32	P1_PtxAGE	Age of patient from initial reporting record/document . If age information is missing/unknown from all sources, use null value.
33	P1_PtxAgeUnit	Age unit
		If #32 is null, use null value for this data element ('.')
		1=Years
		2=Months
34	P1_PtxCountyres	County of patient residence (FIPS)
		If information is missing/unknown, code to null value ('.')
35	P1_PtxCTract	Census Tract of patient residence
		If information is missing/unknown, code to null value ('.')
36	P1_PtxAddrStat	Was patient street address present and complete in initial reporting documents?
		This data element cannot be 'null' or contain missing values.
		1=Street Address Known
		2=Street Address Missing
		3=Street Address Incomplete

Form Approved OMB No. 0920-14AQA Expiration Date ##/##/####

37	P1_GCAccuracy	What is the basis of census tract assignment (XY coordinates, street segment, place/zip centroid, not geocodable)?
		This data element cannot be 'null' or contain missing values.
		1=Close (based on direct street segment, parcel, or I
		ongitude/latitude match)
		2=Approximate (modification of address required to match to street segment)
		3=Very approximate (based only on zip or city centroid)
		4=Not-geocodable (insufficient data to geocode, PO Box, General Delivery)
		5=Data suppressed by Site policy
		9=Missing (no address available)
38	P1_DxDte	What is the diagnosis date for the current episode of disease (may be
		date of provider visit, specimen collection date, laboratory report date
		or other suitable proxy)
		This data element cannot be 'null' or contain missing values.
39	P1_DxCode	Diagnosis (for gonorrhea cases, this value = 10280)
		This data element cannot be 'null' or contain missing values.
		10280=Gonorrhea
40	P1 SiteUrine	Urine 'site' of infection, usually a proxy for urethral infection in men but
	-	not as specific for women.
		If information is missing/unknown, code as '3'
		1=Yes
		2=No
		3=Unknown
41	P1_SiteVagCerv	Vaginal or cervical site of infection in women - combined because there
		are no clear analytic reasons to separate.
		If information is missing/unknown, code as '3'

	r
	2=No
	3=Unknown
42 P1_SiteUreth	Urethral site of infection - only if this is specifically indicated, if the only specimen source available is a urine-based NAAT, default to 'Urine'
	If information is missing/unknown, code as '3'
	1=Yes
	2=No
	3=Unknown
43 P1_SiteRect	Rectal site of infection
	If information is missing/unknown, code as '3'
	1=Yes
	2=No
	3=Unknown
44 P1_SitePhar	Pharyngeal site of infection
	If information is missing/unknown, code as '3'
	1=Yes
	2=No
	3=Unknown
45 P1_SiteEye	Ocular site of infection
	If information is missing/unknown, code as '3'
	1 . Хос
	1=Yes 2=No
	3=Unknown
46 P1_SiteSera	Blood or sera infection
	If information is missing/unknown, code as '3'
	1=Yes
	2=No
	3=Unknown

47	P1_SiteJoint	Joint or synovial fluid infection
		1=Yes
		2=No
		3=Unknown
Ш		
48	P1_SiteOTH	Site of infection, not specified above
		If information is missing/unknown, code as '3'
		1=Yes
		2=No
		3=Unknown
Ш		
49	P1_SiteUNK	All site of infection information missing for this case - use only if no
		other information is available.
		If the answer to any one of 40-48 above is '1' or '2' then this data
		element should be coded '2'. If all data elements 40-48 are coded as
		'3' then code this data element as '1'.
		1=Yes
		2=No
<u>Healt</u>	th Department Laboratory	<u>y Records</u>
50	P1_L1_EventID	Unique identifier for associated surveillance record
		Will be a primary key for merging lab and case data; should
		correspond to P1_EventID. This data element cannot be 'null' or
		contain missing values.
51	P1_L1_LabID	Unique identifier for laboratory performing testing
71		Site assigned; may be ID from other system or specifically created for
		eSSuN. If performing lab is not known, site should still create a lab
		record with a locally defined ID corresponding to unknown lab that
		they will use throughout the eSSuN data collection period. This data
		element cannot be 'null' or contain missing values.
52	P1_L1_Accession	Unique identifier (accession number) for laboratory record
52		enque la entitier (accession number) for laboratory record

Leave blank (null) if not available/ascertained

 53
 P1_L1_PatientID
 Unique identifier

Unique identifier for person (allowing longitudinal tracking of persons) Will be a secondary key for merging lab and case data; should correspond to P1_PatientID. This data element cannot be 'null' or contain missing values.

54 P1_L1_CondTested

specific condition/pathogen tested

This data element cannot be 'null' or contain missing values.

1=Syphilis 2=Gonorrhea 3=Chlamydia 4=Genital Herpes 5=Trichomoniasis 6=HIV 7=Hep A 8=Hep B 9=Hep C 10=BV 11=Other



55 P1_L1_SpecColDte

Specimen collection date - this is often used as a proxy for diagnosis date and is important to obtain *This data element cannot be 'null' or contain missing values.*



56 P1_L1_LabRepDte

This is the date that the performing lab reported the results to the health department



57 P1_L1_SecType

Type of specimen This data element cannot be 'null' or contain missing values.

> 1=Exudate 2=Blood/sera 3=Synovial fluid 4=Urine 5=CSF 6=Tissue

7=Saliva 8=Other 9=Unknown

58 P1_L1_AnatSite This is the anatomic site from which the specimen was obtained and is important in determining the anatomic site of infection **This data element cannot be 'null' or contain missing values.**

1=Urethra 2=Vagina/cervix 3=Urine 4=Rectum 5=Pharynx 6=Eye 7=Sera/Blood 8=Joint 9=Other Anatomic Site 10=Unknown Anatomic Site

59 P1_L1_TestType

As test technology advances, it is important to obtain the type of test performed *This data element cannot be 'null' or contain missing values.*

1=Culture, 2=NAAT 3=Non-amplified nucleic acid test/DNA probe 4=Gram Stain 5=DFA 6=Rapid HIV 7=ELISA 8=Western blot 9=Pooled RNA 10=RPR 11=VDRL 12=FTA 13=TP-PA 14=MHA 15=Wet Mount/Clue Cell 16=PH 17=Other

18=Unknown

		18=Unknown
60	P1_L1_QualRes	Qualitative result: For most pathogens/tests, positive, negative,
		equivocal and unknown
		This data element cannot be 'null' or contain missing values.
		1=Positive
		2=Negative
		3=Reactive
		4=Weakly Reactive 5=Non-Reactive
		6=Equivocal/Indeterminate
		7=Specimen Inadequate/Contaminated 8=Other
		9=Unknown
_		9=UTKHOWH
Ш		
61	P1_L1_Quantres	Not relevant to GC/CT but may become relevant in the future or for
		other pathogens of interest (default to 'null' value)
Heal	th Department Provider	Information
62	D2 DroviD	Unique facility/provider ID
02	P2_ProvID	This data element cannot be 'null' or contain missing values.
63	P2_ProvCO	County FIPS code for provider/facility physical location
64	P2_ProvZIP	Facility/provider physical location 5-digit ZIP
		la facility (provider a Community Health Center (CHC)?
65	P2_ProvCHC	Is facility/provider a Community Health Center (CHC)?
		Community Health Centers are not-for-profit primary care organizations governed by a community board and whose primary
		mission is to provide medical services to traditionally under-served
		populations. The primary way of determining CHC status is by self-
		identification (though some put it in their name). The National
		Association of Community Health Centers (NACHC) does maintain member lists as well. Non-profit and community board governance
		are the key features.

П		1=Yes 2=No 3=Unknown/Missing
66	P2_ProvFQHC	Is facility/provider a Federally Qualified Health Center (FQHC)? Federally qualified health centers (FQHCs) include all organizations receiving grants under Section 330 of the Public Health Service Act (PHS). These are a matter of public record and lists are available from HRSA 1=Yes 2=No
_		3=Unknown/Missing
67	P2_ProvPTXvisitDte	Date of patient initial visit for this issue, can be supplied/filled in from case or laboratory report information
68	P2_ProvClinType	What was the category of provider examining/treating this patient (e.g. MD, RN, ARNP, etc.?)
_		1=MD 2=RN 3=PA 4=ARNP 5=LPN 6=Other 7=Unknown/Not Ascertained
6 9	P2_ProvPTX_GenderSP	Provider documented gender of sex partners
		1=Males only 2=Females only 3=Both Males and Females 4=Not Documented
70	P2_ProvPTX_Insure	Insurance status of patient from provider's records
		1=Yes, Insured 2=No, Not Insured

		3=Unknown/Missing
71	P2_Urethritis	Was urethritis found on exam
		Missing/unknown information code as null ('.').
		1=Yes
—		2=No
Ш		
72	P2_Proctitis	Was proctitis found on exam
		Missing/unknown information code as null ('.').
		1=Yes
		2=No
73	P2_Epididymitis	Was epididymitis found on exam
	,	Missing/unknown information code as null ('.').
		1=Yes 2=No
		2-110
74	P2_PID	Was PID diagnosed. Missing/unknown information code as null ('.').
		wissing/unknown information code as hun (.).
		1=Yes
		2=No
75	P2_Discharge	Was discharge found on exam
		Missing/unknown information code as null ('.').
		1=Yes 2=No
		2 110
	D2 OtherFinding	Were there other CTD related findings on ever
76	P2_OtherFinding	Were there other STD-related findings on exam Missing/unknown information code as null ('.').
		1=Yes
		2=No

77	P2_NoFinding	Were there no findings on exam
		Missing/unknown information code as null ('.').
		1=Yes
_		2=No
Ш		
78	P2_ProvScrnUreth	Was patient screened/tested for infection at urethral site
		1=Yes
		2=No
		3=Unknown
_		4=Refused
Ш		
79	P2_ProvScrnVagCerv	Was patient screened/tested for infection at vaginal/cervical site
		1=Yes
		2=No
		3=Unknown
_		4=Refused
Ш		
80	P2_ProvScrnAnal	Was patient screened/tested for infection at anorectal site
		1=Yes
		2=No
		3=Unknown
_		4=Refused
81	P2_ProvScrnPhar	Was patient screened/tested for infection at pharyngeal site
		1=Yes
		2=No
		3=Unknown
_		4=Refused
Ш		
82	P2_ProvScrnHIV	Was patient screened/tested for HIV infection at time of visit
		1=Yes

		2=No 3=Unknown 4=Refused
83	P2_ProvPTX_TxDte	Treatment date
84	P2_ProvPTX_CFTRI	Was patient treated with ceftriaxone? Missing/unknown information code as null ('.').
п		1=Yes 2=No
6 5	P2_ProvPTX_CFTRI_DS	Ceftriaxone dosage Missing/unknown information code as null ('.').
_		1=125mg 2=250mg 3=500mg
6	P2_ProvPTX_Azit	Was patient treated with azithromycin Missing/unknown information code as null ('.').
_		1=Yes 2=No
L 87	P2_ProvPTX_Azit_DS	Azithromycin dosage Missing/unknown information code as null ('.').
		1=1 gram 2=2 grams
88	P2_ProvPTX_Doxy	Was patient treated with doxycycline? Missing/unknown information code as null ('.').
_		1=Yes 2=No

P2_ProvPTX_Cefx	Was patient treated with cefixime?
	Missing/unknown information code as null ('.').
	1=Yes
	2=No
P2 ProvPTX Oth	Were other medications prescribed/provided for treating GC
	Missing/unknown information code as null ('.').
	1=Yes
	2=No
P2_ProvPTX_OtherTXT	Specific other medications prescribed/provided for treating GC (text)
P2_ProvPTX_PDPT	Were any medications/prescriptions provided for patient's partner(s)?
	Missing/unknown information code as null ('.').
	1=Yes
	2=No
P2_ProvPTX_HIBC	Was patient counseled to prevent transmission/reinfection?
	Missing/unknown information code as null ('.').
	1=Yes
	2=No
D2 DrovDTV Defer	Was noticed to UD (or other) for partner convises?
PZ_PIOVPIX_Relef	Was patient referred to HD (or other) for partner services? Missing/unknown information code as null ('.').
	1=Yes
	2=No