OMB #: 0925-0661 Expiration Date: 06/30/2015



## **Parental Mental Health Screen**

CONTACT INFORMATION
STUDY ID CODE:
FIRST NAME:
LAST NAME:
PRIMARY TEL. #:
When is the best time for an interviewer to call?
1. Week day mornings? 2. Week day afternoons?
3. Weekday evenings?
4. Weekend mornings?
5. Weekend afternoons?
6. Weekend evenings?
ALTERNATE TEL. #:

Public reporting burden for this collection of information is estimated to average 30 minutes. **An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.** Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0661). Do not return the completed form to this address.

#### INTRODUCTION AND CONFIRMATION OF CONSENT

Hello Ms. (name). My name is (first name). I am calling from the National Children's Study to interview you for the Parental Mental Health research you signed up for recently.

Before we can start, I need to re-confirm that you agree to participate in this interview.

## Do you agree to participate?

**NO** – Can you please tell me why you are deciding not participate? *End Survey* 

#### **YES**

Thank you for being a part of this research. The questions I will be asking are about your own health and experiences. Some of the questions might seem quite personal. However, all of your answers will be kept confidential and used only for this research.

The only exception is if study staff thinks you may harm yourself or others. Then we are required to alert the proper authority, to prevent the possibility of harm.

This interview will take approximately 10 minutes to complete. Please remember that you may refuse to answer any question or quit the interview at any time. However, if you respond to all of the questions, you will receive a monetary incentive of \$25 as a token of appreciation for participating.

*Interviewer note - respondents may choose to skip some questions if the content (for example, probing about traumatic experiences) is causing them significant distress.* 

I would like to begin with two questions that have to do with requirements for the study.

## PS000 How old are you?

- 1. IF PS000 <18 AND PS003 = 5 (FEMALE) **END SURVEY**
- 2. ALL OTHERS CONTINUE

**This study is about** your health, and if or how often you may feel sad, angry or worried and about substance use. The interview will also ask questions regarding your age, sex, where you live, education level, income and if you are pregnant, how your pregnancy is going.

[If the respondent is a How do you describ	female] oe your pregnancy stati	ıs?	
Post-Partum $\square_1$	$1^{\mathrm{st}}$ Trimester $\square_2$	$2^{nd}$ Trimester $\square_3$	$3^{rd}$ Trimester $\square_4$
[If the respondent is a <b>How do you describ</b>	a male] e your partner's pregn	ancy status?	
Post-Partum $\square_1$	$1^{\text{st}}$ Trimester $\square_2$	$2^{nd}$ Trimester $\square_3$	$3^{rd}$ Trimester $\square_4$
End Survey if: Not pregnant and not	t planning to conceive a	child	

Gave birth to a child more than 4 weeks ago Refused

PS001: <b>Is the respondent:</b>		
1.	Male	
2.	Female	

3. Unknown

- 1. What is your race? (One or more categories may be selected)
  - INTERVIEWER INSTRUCTION:
    - SELECT ALL THAT APPLY.

	• PROBE: Anything else?
a.	☐ WHITE → Go to Question PS007
b.	□ BLACK OR AFRICAN AMERICAN → Go to Question PS007
c.	☐ AMERICAN INDIAN OR ALASKA NATIVE → Go to Question PS007
d.	☐ ASIAN INDIAN → Go to Question PS007
e.	☐ CHINESE → Go to Question PS007
f.	☐ FILIPINO → Go to Question PS007
g.	☐ JAPANESE → Go to Question PS007
h.	<b>□ KOREAN</b> → <b>Go to Question</b> PS007
i.	<b>□ VIETNAMESE</b> → <b>Go to Question</b> PS007
j.	☐ OTHER ASIAN → Go to Question PS007
k.	□ NATIVE HAWAIIAN → Go to Question PS007
l.	☐ GUAMANIAN OR CHAMORRO → Go to Question PS007
m.	□ SAMOAN → Go to Question PS007
n.	☐ OTHER PACIFIC ISLANDER → Go to Question PS007
0.	□ REFUSED → Go to Question PS007
p.	☐ DON'T KNOW → Go to Question 4
-	·
Are	you Hispanic, Latino/a, or Spanish origin? (One or more categories may be selected
a.	□ No, not of Hispanic, Latino/a, or Spanish origin
b.	☐ Yes, Mexican, Mexican American, Chicano/a
c.	☐ Yes, Puerto Rican

2. ed)

a.	into, not of ruspaint, Latino/a, or spainsh origin
b.	☐ Yes, Mexican, Mexican American, Chicano/a
c.	☐ Yes, Puerto Rican
d.	☐ Yes, Cuban
e.	☐ Yes, Another Hispanic, Latino/a or Spanish origin☐
f.	□ REFUSED
g.	□ DON'T KNOW
_	

3. What is the primary language spoken in your home?

□ ENGLISH
☐ SPANISH
☐ ARABIC
☐ CHINESE
☐ FRENCH
☐ FRENCH CREOLE
☐ GERMAN
□ ITALIAN
☐ KOREAN
□ POLISH
□ RUSSIAN
☐ TAGALOG

VIETNAMESE	
] URDU	
] PUNJABI	
BENGALI	
] FARSI	
JAPANESE	
MANDARIN	
] PORTUGUESE	
TAIWANESE	
] TURKISH	
☐ OTHER → (SPECIFY):	_
REFUSED	
DON'T KNOW	

## **PREGNANCY SCREENER**

PROGRAMMER: INSERT CURRENT DATE			
PS007. pregnancy.	Congratulations! Now I would like to ask you some questions about your current		
	When did the doctor say is your "due date"?		
	PS007a. MONTH:     M M		
	98. DON'T KNOW> GO TO PS011		
	99. REFUSED> GO TO PS011		
	PS007b. DAY:   _  D D		
	98. DON'T KNOW 99. REFUSED		
	PS007c. YEAR:		
	98. DON'T KNOW 99. REFUSED		
CKPT.PS008			
	1. IF PS007a & c (MONTH ANDYEAR OF DUE DATE) IS MORE THAN 10 MONTHS AFTER CURRENT DATE, DISPLAY: "YOU HAVE TOLD ME A DATE THAT IS MORE THAN 10 MONTHS FROM TODAY. COULD YOU CONFIRM THE DUE DATE?"		
	2. IF PS007a & c (MONTH AND YEAR OF DUE DATE) IS MORE THAN 1 MONTH BEFORE CURRENT DATE, DISPLAY: "YOU HAVE TOLD ME A DATE THAT OCCURRED MORE THAN A MONTH BEFORE TODAY. COULD YOU CONFIRM THE DUE DATE?"		

PS011. In the 12 months before you became pregnant, did you [or your partner] use Depo Provera or birth control pills?

(IF NEC: Depo Provera is a contraceptive birth control drug that is administered by shots every 3 months.)

1. YES	
5. NO	> GO TO PS013
	KNOW> GO TO PS013
	ED> GO TO PS013
55. KEI 65.	
PS011a. IF YES, ASK: Whor take birth control pills?	nat month and year did you [or your partner] last receive a Depo Provera sho
98. DON'	ΓKNOW
99. REFU	SED
PS013. In the past 12 month	s did you or your partner use any other method of birth control?
1. YES	
	> GO TO DE010
	Γ KNOW> GO TO DE010
	SED> GO TO DE010
99. KEFU.	)ED> GO 10 DE010
PS013a. What meth	od did you use?
98. DON''	ΓKNOW
99. REFUS	
33. REPO.	
PS013b. What mont	h and year did you last use this method?/
98. DON'	Γ KNOW
99. REFU	
DD: ItEI O.	,==

## PARENT HEALTH

## (TIME\_STAMP\_PH\_ST) PROGRAMMER INSTRUCTION:

• INSERT DATE/TIME STAMP.

**PH001**. Now I am going to ask about your health. How often in the past 30 days have you had each of the following health problems – all or almost all of the time, most of the time, some of the time, a little of the time, or none of the time?

## **INTERVIEWER INSTRUCTION:**

• IF NECESSARY, REPEAT "all or almost all, most, some, a little, or none of the time?" FOR ITEMS **FAINT\_SPELL** THROUGH **RESTLESS.** 

## PH020/(FAINT\_SPELL). Dizziness or fainting spells?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

## PH030/(INDIGESTION). Nausea, gas, or indigestion?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

## PH050/(MIND\_BLANK). Difficulty concentrating or your mind going blank?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

## **PH060/(IRRITATE).** How often in the past 30 days were you irritable?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

<b>PH070/(SLEEP_PROBLEM).</b> Have problems getting to sleep, staying asleep, waking too early, or sleeping too much?
ALL OR ALMOST ALL OF THE TIME
PH080/(LOW_ENERGY). Feel tired out or low in energy?
ALL OR ALMOST ALL OF THE TIME
PH110/(RESTLESS). Feel restless, fidgety, keyed up, or on edge?
ALL OR ALMOST ALL OF THE TIME
MEDICATION USE
INTERVIEWER INTRUCTION: SAY MED0012 AND ASK MED010.
<b>MED001</b> . Sometimes people take medications to help with feelings of sadness or worry, as well as migraines or other medical problems. Some common ones are called: Prozac (fluoxetine), Luvox (fluvoxamine), Paxil (paroxetine), Lexapro (escitalopram), Zoloft (sertraline), Wellbutrin (bupropion), Xanax (alprazolam), Seroquel (quetiapine), and Abilify (aripiprazole), but there are many others.
<b>MED010</b> . Did you ever take a medication listed on the sheet we mailed to you for any reason?
YES

## **INTERVIEWER INSTRUCTIONS:**

IF YES TO MED010, CONTINUE WITH MED020-MED060 IF NO TO MED010, SKIP TO NEXT SECTION

MED020.	What medication	did you take?	[refer to list sent with	consent forms
	TTTTCC TTTCCTCCCTCTT	and you toute.		

MED020. What medication did you take? [refer to list sent with consent forms]
[INTERVIEWEE PROVIDES NAMES OF MEDICATION(S)] REFUSED1 DON'T KNOW2
INTERVIEWER INSTRUCTIONS:  ASK MED030-MED060 FOR EACH MEDICATION PROVIDED IN MED020.  IF YES TO MED010 AND MED020 = -2, ASK MED030-MED060 ONCE, AND SAY "the medication you took" IN PLACE OF [MEDICATION NAME]. IF POSSIBLE, DETERMINE GENERAL CLASS OF MEDICATION.
MED030. When did you start taking [MEDICATION NAME]?
Before current pregnancy

## MED040. Are you still taking [MEDICATION NAME]?

YES	1
NO	2
REFUSED	1
DON'T KNOW	2

## **INTERVIEWER INSTRUCTIONS:**

IF MED040=2, ASK MED050-MED060.

## **MED050**. When did you stop taking [MEDICATION NAME]?

Before current pregnancy	1
First trimester of current pregnancy	
Second trimester of current pregnancy	
Third trimester of current pregnancy	
REFUSED	
DON'T KNOW	2

## **MED060**. Why did you stop taking [MEDICATION NAME]?

Because of pregnancy	1
Other	2
REFUSED	1
DON'T KNOW	2

#### **DEPRESSION**

## (TIME\_STAMP\_DEP\_ST) PROGRAMMER INSTRUCTION:

• INSERT DATE/TIME STAMP.

**DEP001.** The next questions are about feelings of sadness or depression in the past 30 days.

**DEP010/(SAD\_DEPRESSED).** How often in the past 30 days did you feel sad or depressed – all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?

## **INTERVIEWER INSTRUCTION:**

•	IF NECESSARY, REPEAT "all or almost all, most, some, a little, or none of the time?"
	FOR ITEMS <b>DISCOURAGED</b> THROUGH <b>THINK DEATH.</b>

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

**DEP030/(DISCOURAGED).** (How often did you) feel discouraged about how things were going in your life?

## **INTERVIEWER INSTRUCTION:**

• REPEAT "How often did you" AS NEEDED FOR **DISCOURAGED** THROUGH **THINK DEATH**.

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

DEP040/(NO\_PLEASURE). (How often did you) take little or no interest or pleasure in things?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

DEP050/(WORTHLESS). (How often did you) feel down on yourself, no good, or worthless?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	
SOME OF THE TIME	3
A LITTLE OF THE TIME	4

NONE OF THE TIME5
REFUSED1
DON'T KNOW2

**DEP100/(THINK\_DEATH).** (How often did you) think about death -- either your own, someone else's, or death in general?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

# CHECKPOINT #1 PROGRAMMER INSTRUCTION:

- IF DEP010 (SAD\_DEPRESSED), DEP030 (DISCOURAGED), OR DEP040
   (NO\_PLEASURE) = 1 OR 2, AND IF AT LEAST THREE RESPONSES = 1 OR 2 IN
   SAD\_DEPRESSED, DISCOURAGED, NO\_PLEASURE, WORTHLESS,
   THINK\_DEATH, SLEEP\_PROBLEM, LOW\_ENERGY, RESTLESS, GO TO
   THIRTY\_DAY\_INTERFERE.
  - o OTHERWISE, GO TO TWO\_WEEK\_SAD (DEP140).

**DEP120/(THIRTY\_DAY\_INTERFERE).** How often in the past 30 days did the problems you just reported interfere with your work or personal life – all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

## CHECKPOINT #2

## PROGRAMMER INSTRUCTION:

- o IF DEP120 (THIRTY\_DAY\_INTERFERE = 1 OR 2 OR 3) GO TO DEP360 (AGEPROBLEM FIRST)
- OTHERWISE, GO TO DEP140 (TWO\_WEEK\_SAD).

**DEP140/(TWO\_WEEK\_SAD).** Has there <u>ever</u> been a time in the past when you had these types of problems for two weeks or longer?

YES	1
NO	2 GO TO TIME STAMP
REFUSED	1 GO TO NEXT SECTION
DON'T KNOW	2 GO TO NEXT SECTION

**DEP150.** Think of that time in your life when you had the most problems of this sort.

**DEP160/(SAD\_DEPRESSED\_PROBLEM).** How often during that month did you feel sad or depressed – all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?

#### INTERVIEWER INSTRUCTION:

IF NECESSARY, REPEAT "all or almost all, most, some, a little, or none of the time?"
 FOR ITEMS DISCOURAGED PROBLEM THROUGH THINK DEATH PROBLEM.

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5 (DISCOURAGED_PROBLEM)
REFUSED	1
DON'T KNOW	2

**DEP180/(DISCOURAGED\_PROBLEM).** (How often did you) feel discouraged about how things were going in your life?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

**DEP190/(NO\_PLEASURE\_PROBLEM).** (How often did you) take little or no interest or pleasure in things?

## **INTERVIEWER INSTRUCTION:**

• REPEAT "How often did you" AS NEEDED FOR **NO\_PLEASURE\_PROBLEM** THROUGH **THINK\_DEATH\_PROBLEM**.

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

#### **CHECKPOINT #3**

## PROGRAMMER INSTRUCTION:

- IF DEP 160 (SAD\_DEPRESSED\_PROBLEM), DEP 180 (DISCOURAGED\_PROBLEM), OR DEP 190 (NO\_PLEASURE\_PROBLEM) = 1 OR 2, GO TO DEP 200 (WORTHLESS\_PROBLEM).
  - o OTHERWISE, GO TO **DEP TIME STAMP**

**DEP200/(WORTHLESS\_PROBLEM).** (How often did you) feel down on yourself, no good, or worthless?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

**DEP320/(THINK\_DEATH\_PROBLEM).** (How often did you) think about death -- either your own, someone else's, or death in general?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

#### **CHECKPOINT #4**

#### PROGRAMMER INSTRUCTION:

- IF DEP160 (SAD\_DEPRESSED\_PROBLEM), DEP180 (DISCOURAGED\_PROBLEM), OR DEP190 (NO\_PLEASURE\_PROBLEM) = 1 OR 2, AND
  - O IF AT LEAST THREE RESPONSES = 1 OR 2 IN SAD\_DEPRESSED\_PROBLEM, DISCOURAGED\_PROBLEM, NO\_PLEASURE\_PROBLEM, WORTHLESS\_PROBLEM, HOPELESS\_OFTEN\_PROBLEM, TROUBLE\_DECISIONS\_PROBLEM, TROUBLE\_CONCENTRATE\_PROBLEM, EVERYTHING\_EFFORT\_PROBLEM, TROUBLE\_SLEEP\_PROBLEM, TALK\_SLOW\_PROBLEM, RESTLESS\_PROBLEM, LOW\_ENERGY\_PROBLEM, FATIGUE\_PROBLEM, POOR\_APPETITE\_PROBLEM, OVEREAT\_PROBLEM, OR THINK\_DEATH\_PROBLEM, GO TO DEP340 PROBLEMS\_INTERFERE.

**DEP340/(PROBLEMS\_INTERFERE).** How often during that month did the problems you just reported interfere with your work or personal life – all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?

ALL OR ALMOST ALL THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	

**DEP360/(AGE\_PROBLEMS\_FIRST).** About how old were you the very first time you had a month when you had problems like these?

#### INTERVIEWER INSTRUCTION:

<ul> <li>IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate of how old you were?"</li> </ul>
_  YEARS OLD
REFUSED1 DON'T KNOW2
<b>DEP370/(PROBLEMS_YEARS).</b> About how many different years in your life did you have problems like these that lasted one month or longer?
<ul><li>INTERVIEWER INSTRUCTION:</li><li>IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate?"</li></ul>
_  NUMBER OF YEARS
REFUSED1 DON'T KNOW2
<b>DEP380/(PROBLEMS_MONTHS).</b> About how many months out of 12 in the past year did you have problems like these?
_  NUMBER OF MONTHS
REFUSED1 DON'T KNOW2
(TIME_STAMP_DEP_ET) PROGRAMMER INSTRUCTION:  • INSERT DATE/TIME STAMP.

#### **GENERALIZED ANXIETY DISORDER**

## (TIME\_STAMP\_GAD\_ST) PROGRAMMER INSTRUCTION:

• INSERT DATE/TIME STAMP.

**GAD001.** The next questions are about feeling nervous, anxious, or worried in the past 30 days.

**GAD010/(NERVOUS\_30\_DAY).** How often in the past 30 days did you feel nervous or anxious – all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?

## **INTERVIEWER INSTRUCTION:**

• IF NECESSARY, REPEAT "almost all, most, some, a little, or none of the time?" FOR ITEMS WORRY\_30\_DAY THROUGH TROUBLE\_NERVES.

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

GAD020/(WORRY\_30\_DAY). How often did you worry about things?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

**GAD030/(MORE\_NERVOUS).** How often were you more nervous or anxious than other people in your same situation?

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

**GAD040/(WORRY\_MORE).** (How often did you) worry about things that most other people wouldn't worry about?

## **INTERVIEWER INSTRUCTION:**

• REPEAT "How often did you" AS NEEDED FOR **WORRY\_MORE** THROUGH **TROUBLE NERVES.** 

ALL OR ALMOST ALL OF THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	

## PROGRAMMER INSTRUCTION:

• IF (GAD010 = 1 OR 2 OR GAD020 = 1 OR 2) AND (GAD030 = 1-3 OR GAD040 = 1-3) AND (GAD070 = 1-3) GO TO **AGE\_FIRST\_NERVE.** 

OTHERWISE, GO TO WORRY_ANXIOUS_ONE_MONTH.
GAD140/(WORRY_ANXIOUS_ONE_MONTH. Did you ever in your life have a time lasting one month or longer when you were more nervous, anxious, or worried than in the past 30 days?
YES
<b>GAD150.</b> Think of the one month in your life you had the most problems associated with being nervous, anxious, or worried.
<b>GAD160/(NERVOUS_ONE_MONTH).</b> How often during that month did you feel nervous or anxious – all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?
<ul> <li>INTERVIEWER INSTRUCTION:</li> <li>IF NECESSARY, REPEAT "almost all, most, some, a little, or none of the time?" FOR ITEMS WORRY_ONE_MONTH THROUGH TROUBLE_NERVES_MONTH.</li> </ul>
ALL OR ALMOST ALL OF THE TIME
GAD170/(WORRY_ONE_MONTH). How often did you worry about things?
ALL OR ALMOST ALL OF THE TIME
<b>GAD180/(ANXIOUS_ONE_MONTH).</b> How often were you more nervous or anxious than other people in your same situation?
ALL OR ALMOST ALL OF THE TIME

<b>GAD190/(WORRY_UNCOMMON_ONE_MONTH).</b> (How often did you) worry about things that most other people wouldn't worry about?
ALL OR ALMOST ALL OF THE TIME
<b>GAD200/(TROUBLE_NERVES_MONTH).</b> (How often did you) have trouble controlling your nerves, anxiety, or worry?
ALL OR ALMOST ALL OF THE TIME
<ul> <li>PROGRAMMER INSTRUCTION:</li> <li>IF NERVOUS_ONE_MONTH OR WORRY_ONE_MONTH = 1 OR 2, AND IF         ANXIOUS_ONE_MONTH OR WORRY_UNCOMMON_ONE_MONTH = 1, 2, OR 3 GO         TO GAD270</li> <li>ALL OTHERS GO TO _STAMP_GAD_ET.</li> </ul>
GAD270/(INTERFERE_DURING_MONTH). How often during that month did problems with your nerves, anxiety, or worries interfere with your work or personal life – all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?  ALL OR ALMOST ALL OF THE TIME
<b>GAD340/(AGE_FIRST_NERVE).</b> About how old were you the very first time you had a month or longer when you had problems with nerves, anxiety, or worries?
INTERVIEWER INSTRUCTION:  ■ IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate?"
 YEARS OLD
REFUSED1

DON'T KNOW	2
	About how many different years in your life did you kiety, or worries that lasted one month or longer?
INTERVIEWER INSTRUCTION: • IF PARTICIPANT IS UNSURE,	PROBE "What's your best estimate?"
_  NUMBER OF YEARS	
REFUSED DON'T KNOW	
GAD360/(NUM_MONTHS_WORRY_Y year did you have problems with	<b>EAR).</b> About how many months out of 12 in the past h nerves, anxiety, or worries?
_  NUMBER OF MONTHS	
REFUSED DON'T KNOW	
GAD370/(ANXIETY_LONG_EPISODE like this you ever had in your life	About how long in months was the longest episode e?
_  NUMBER OF MONTHS	
REFUSED DON'T KNOW	
(TIME_STAMP_GAD_ET) PROGRAM INSERT DATE/TIME STAMP.	IMER INSTRUCTION:

#### **PTSD**

## (TIME\_STAMP\_PTD\_ST) PROGRAMMER INSTRUCTION:

• INSERT DATE/TIME STAMP.

**PTD001.** The next questions are about very stressful or traumatic experiences that might have happened in your life. Did you ever in your life have any of the following traumatic experiences?

PTD010/(THREATEN_ACCIDENT). Did y	you ever have a life-threatening	accident or illness?
-----------------------------------	----------------------------------	----------------------

YES	1
NO	2
REFUSED	1
DON'T KNOW	2

PTD020/(BEATEN\_SPOUSE). Were you ever beaten up by a spouse or partner?

YES	1
NO	2
REFUSED	1
DON'T KNOW	2

PTD030/(BEATEN\_SOMEONE\_ELSE). Were you ever beaten up by someone else?

YES	1
NO	2
REFUSED	1
DON'T KNOW	2

PTD040/(MUGGED). Were you ever mugged, held up or threatened with a weapon?

YES	1
NO	2
REFUSED	1
DON'T KNOW	2

**PTD050/(RAPED\_SPOUSE).** Were you ever raped or sexually assaulted by a spouse or partner?

## **INTERVIEWER INSTRUCTION:**

• IF NECESSARY, SAY "'Sexually assaulted' means that someone touched the sexual parts of your body or forced you to touch the sexual parts of their body - against your will or without your consent."

YES	1
NO	2
REFUSED	1
DON'T KNOW	2

<b>PTD060/(RAPED_SOMEONE_ELSE).</b> Were you ever raped or sexually assaulted by someone else?
<ul> <li>INTERVIEWER INSTRUCTION:         <ul> <li>IF NECESSARY, SAY "'Sexually assaulted' means that someone touched the sexual parts of your body or forced you to touch the sexual parts of their body - against your will or without your consent."</li> </ul> </li> </ul>
YES
<b>PTD070/(RISK_DEATH).</b> Did you ever have any other traumatic event that put you at risk of death or serious injury?
YES
<b>PTD080/(JOB_TRAUMA).</b> Some people have jobs that expose them to a lot of traumatic events like police officers, military people or emergency room workers. Did you ever have a job that repeatedly exposed you to traumatic experiences?
YES
PTD090/(SEE_SOMEONE_INJURED). Did you ever see anyone being badly injured or killed?
YES
<b>PTD100/(DIE_UNEXPECTED).</b> Did someone very close to you ever die unexpectedly; for example, were they killed in an accident, murdered or committed suicide?
YES
PTD110/(SOMEONE_CLOSE_TRAUMA). Did someone very close to you ever have an extremely traumatic experience involving violence, serious injury, or risk of death?
YES

REFUS	SED	1
DON'T	KNOW	2

#### PROGRAMMER INSTRUCTION:

- IF THREATEN\_ACCIDENT, BEATEN\_SPOUSE, BEATEN\_SOMEONE\_ELSE, MUGGED, RAPED\_SPOUSE, RAPED\_SOMEONE\_ELSE, RISK\_DEATH, JOB\_TRAUMA, SEE\_SOMEONE\_INJURED, DIE\_UNEXPECTED, OR SOMEONE\_CLOSE\_TRAUMA = 1, GO TO PTD120.
- OTHERWISE, GO TO TIME\_STAMP PTD ET.

**PTD120.** Traumatic experiences such as the ones we just reviewed can cause emotional problems like nightmares, very upsetting thoughts, anxiety, and depression. Think of the one month in your life when you had the most severe problems like these caused by the traumatic experience(s) you mentioned. If no one month comes to mind, think of the most recent month you had emotional problems caused by the traumatic experience(s) you mentioned.

#### **INTERVIEWER INSTRUCTION:**

FOR ITEMS BOTHERED\_DISTURB THROUGH RECKLESS HARM, USE "experience"
 OR "experiences" BASED ON THE NUMBER OF ITEMS THE RESPONDENT
 RESPONDED "YES" TO FOR ITEMS THREATEN\_ACCIDENT THROUGH
 SOMEONE\_CLOSE\_TRAUMA.

**PTD130/(BOTHERED\_DISTURB).** How often were you bothered by repeated disturbing memories, thoughts, or images of your traumatic experience(s) – never, once a week, 2 to 4 times a week, or 5 or more times a week?

#### **INTERVIEWER INSTRUCTION:**

• IF NECESSARY, REPEAT "never, once a week or less, 2 to 4 times a week, 5 or more times a week?" FOR ITEMS **PHYSICAL\_REACTION\_BOTHER** THROUGH **EASILY\_STARTLED.** 

NEVER	1
ONCE A WEEK OR LESS	2
2-4 TIMES A WEEK	3
5 OR MORE TIMES A WEEK	4
REFUSED	1
DON'T KNOW	2

<b>PTD170/(PHYSICAL_REACTION_BOTHER).</b> (How often during that month were you bothered by) having physical reactions, like heart pounding, trouble breathing, or sweating when something reminded you of your experience(s)?
NEVER
<b>PTD180/(AVOID_FEELINGS).</b> How often during that month did you avoid thinking about or talking about your experience(s) or avoid feelings related to (it/them)?
NEVER
<b>PTD190/(AVOID_REMINDERS).</b> How often during that month did you avoid being reminded of your experience(s) by staying away from certain people, places, or activities?
NEVER
<b>PTD230/(EMOTIONALLY_NUMB).</b> Feeling emotionally numb or unable to have warm feelings for other people?
NEVER

<b>PTD270/(CONCENTRATE_PTSD).</b> (How often during that month were you bothered by) having difficulty concentrating?
NEVER
PTD290/(EASILY_STARTLED). Feeling jumpy or easily startled?
NEVER
PROGRAMMER INSTRUCTION:
<ul> <li>IF AT LEAST ONE RESPONSE = 2, 3, OR 4 IN BOTHERED_DISTURB, OR PHYSICAL_REACTION_BOTHERED, AND         <ul> <li>IF AT LEAST ONE RESPONSE = 2, 3, OR 4 IN AVOID_FEELINGS, AVOID_REMINDERS, OR EMOTIONALLY_NUMB, AND</li> <li>IF AT LEAST TWO RESPONSES = 2, 3, OR 4 IN CONCENTRATE_PTSD, OR EASILY_STARTLED, GO TO TRAUMA_INTERFERE_RECENT.</li> </ul> </li> <li>OTHERWISE, GO TO TIME_STAMP_PTD_ET.</li> </ul>
<b>PTD340/(TRAUMA_INTERFERE_RECENT).</b> How often did the reactions to your traumatic experience(s) interfere with your work or personal life — all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?
ALL OR ALMOST ALL THE TIME
PTD350/(TRAUMA_DISTRESS_RECENT). How much psychological distress did these reactions cause you - none, a little, some, a lot, or extreme?
NONE

SOME
<b>PTD360/(AGE_FIRST_EPISODE).</b> When I use the word "episode" in the next questions, I mean a time lasting one month or longer when you were bothered by some of the problems we just reviewed. The episode ends when you no longer have the problems for one month or longer.
With this definition in mind, how old were you the very first time in your life you had an episode lasting one month or longer when you were bothered by problems caused by your traumatic experience(s)?
<ul> <li>INTERVIEWER INSTRUCTION:</li> <li>IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate of how old you were?"</li> </ul>
_  YEARS OLD
REFUSED1 DON'T KNOW2
PTD370/(NUM_EPISODE_MONTH). About how many episodes lasting one month or longer with these problems have you had in your life?
INTERVIEWER INSTRUCTION:  • IF THE RESPONDENT REPORTS HAVING ONGOING PROBLEMS FOR MONTHS WITHOUT INTERRUPTION, ENTER "1".
 NUMBER
REFUSED1 DON'T KNOW2
PTD380/(EPISODE_DURATION_NUM/EPISODE_DURATION_UNIT). {How long did this episode last?/What is the longest episode you ever had?}
<ul> <li>INTERVIEWER INSTRUCTION:</li> <li>IF EPISODE IS ONGOING, PROBE "How long has it been going on so far?"</li> <li>IF NECESSARY, SAY "How many weeks, months, or years (did it last/has it been going on)?"</li> </ul>
_ _  NUMBER
DAYS1 WEEKS2

MONTHS3
YEARS4
REFUSED1
DON'T KNOW2
PROGRAMMER INSTRUCTION:
• IF <b>NUM_EPISODE_MONTH</b> = 1, DISPLAY "How long did this episode last?"
<ul> <li>OTHERWISE, DISPLAY "What is the longest episode you ever had?"</li> <li>IF NUM_EPISODE_MONTH = 1, GO TO EPISODE_30_DAYS.</li> </ul>
OTHERWISE, GO TO <b>DIFF_YEARS_MONTH.</b>
<b>PTD390/(DIFF_YEARS_MONTH).</b> About how many different years in your life did you have an episode lasting one month or longer when you had problems of this sort caused by your
traumatic experience(s)?
INTERVIEWER INSTRUCTION:
IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate?"
<u>                                       </u>
NUMBER OF YEARS
REFUSED1
DON'T KNOW2
PTD400/(EPISODE_30_DAYS). Did you have an episode in the past 30 days?
YES1
NO
REFUSED1
DON'T KNOW2
PTD410. The next questions are about the past 30 days.
PTD420/(DISTURB_30_DAYS). In the past 30 days how often were you bothered by repeated,
disturbing memories, thoughts or images of your traumatic experience(s) – never, once
a week, 2 to 4 times a week, or 5 or more times a week?
NEVER1
ONCE A WEEK OR LESS2
2-4 TIMES A WEEK
5 OR MORE TIMES A WEEK4

## (TIME\_STAMP\_PTD\_ET) PROGRAMMER INSTRUCTION:

DON'T KNOW.....-2

• INSERT DATE/TIME STAMP.

#### **PANIC DISORDER**

## (TIME\_STAMP\_PD\_ST) PROGRAMMER INSTRUCTION:

• INSERT DATE/TIME STAMP.

**PD001.** The next questions are about attacks of anxiety, fear or panic.

**PD010/(ANXIETY\_ATTACK).** Did you ever in your life have an attack of anxiety when all of a sudden you felt very frightened or panicky?

YES	1
NO	2 (TIME_STAMP_PD_ET)
REFUSED	1
DON'T KNOW	2

PD020/(ATTACK\_3\_TYPES). Attacks of this sort can occur in three different situations. The first is when the attacks occur unexpectedly "out of the blue." The second is when they occur in situations where a person has an unreasonably strong fear - like fear of spiders, lightning or heights. The third is when a person is in real danger - like a car accident or a bank robbery.

About how many attacks did you ever have in your life that occurred <u>unexpectedly "out of the blue"?</u>

#### INTERVIEWER INSTRUCTION:

IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate?"

I _  NUMBER	
REFUSED	1
DON'T KNOW	2

## PROGRAMMER INSTRUCTION:

CODE RESPONSES GREATER THAN 997 AS '997'.

**PD030/(ATTACK\_PHOBIA)**. About how many attacks did you ever have that occurred in a situation where you had a strong fear of something, like spiders, lightening, or heights?

## **INTERVIEWER INSTRUCTION:**

IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate?"

NUMBER	
REFUSED	1
DON'T KNOW	-2

## **CHECKPOINT #1**

<b>PROGR</b>	$\Delta MM$	IFR I	NST	או וכ	TION:
FRUGR	HIVIIV		1121	ていし	I IUIV.

- CODE RESPONSES GREATER THAN 997 AS '997'.
- IF ATTACK\_PHOBIA = 2 OR MORE, GO TO PD040.
- OTHERWISE, IF ATTACK\_PHOBIA < 2 OR ATTACK\_3\_TYPES = 0, GO TO TIME STAMP PD ET.

<b>PD040.</b> Please think of typical bad attacks that happened <u>out of the blue.</u> During attacks of this
sort, did you have any physical reactions like your heart pounding or racing, or feeling short
of breath, or feeling dizzy, or feeling like you were going to throw up?

YES	1
NO	2 GO TO TIME STAMP
REFUSED	1 GO TO TIME STAMP
DON'T KNOW	2 GO TO TIME STAMP

**PD120/(TIME\_REACH\_SEVERITY).** During your attacks, how long did it usually take for the problems we just reviewed to reach their highest level of severity after the attacks began – right away, within 5 minutes, between 6 and 10 minutes, between 11 and 20 minutes, or more than 20 minutes?

RIGHT AWAY	1
WITHIN 5 MINUTES	2
BETWEEN 6 AND 10 MINUTES	3
BETWEEN 11 AND 20 MINUTES	4
MORE THAN 20 MINUTES	5
REFUSED	1
DON'T KNOW	2

**PD130/(WORRY\_MONTH\_ATTACK).** Did you ever have a month or longer after one of these attacks when you worried a lot about having another one or worried that the attacks might make you crazy or give you a heart attack?

YES1	(ATTACK_INTERFERE)
NO2	. –
REFUSED1	
DON'T KNOW2	

**PD140/(CHANGE\_BEHAVIOR\_ATTACK).** Did you ever make a big change in your behavior or lifestyle because of worry about the attacks?

YES	1
NO	2
REFUSED	1
DON'T KNOW	2

**PD150/(ATTACK\_INTERFERE).** How often did these attacks ever interfere with your work or personal life — all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?

ΔΙΙ	OR ALMOST	ΔΙΙ	THE TIME	1

SOME OF THE TIME3
A LITTLE OF THE TIME4
NONE OF THE TIME5 REFUSED1
DON'T KNOW2
PD160/(AGE_FIRST_ATTACK). How old were you the very first time in your life you had a sudden attack of fear that occurred out of the blue?
INTERVIEWER INSTRUCTION:
<ul> <li>IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate of how old you</li> </ul>
were?"
III YEARS OLD
REFUSED1
DON'T KNOW2
PD170/(DIFF_YEARS_ATTACK). About how many different years in your life did you have an attack like this?
INTERVIEWER INSTRUCTION:
IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate?"
NUMBER OF VEARS
NUMBER OF YEARS
REFUSED1
DON'T KNOW2
DD100//ATTACK DAST 20 DAY) Did you have an attack like this in the next 20 days?
PD180/(ATTACK_PAST_30_DAY). Did you have an attack like this in the past 30 days?
YES1
NO2
REFUSED1
DON'T KNOW2
(TIME_STAMP_PD_ET) PROGRAMMER INSTRUCTION:
INSERT DATE/TIME STAMP.

MOST OF THE TIME.....2

#### **MANIA**

## (TIME\_STAMP\_MAN\_ST) PROGRAMMER INSTRUCTION:

INSERT DATE/TIME STAMP.

**MAN001/(SWING\_ENERGY).** Most people experience changes, swings, or "highs" and "lows" in their energy, activity, and mood. Compared to most people, which of the following statements describes your highs and lows?

One – You are pretty stable and even in your energy, activity, and mood.

Two – You have some highs and lows, but these are no more extreme than those of other people.

Three – You sometimes have more extreme highs or lows than most other people.

#### INTERVIEWER INSTRUCTION:

•	IF NECESSARY, SAY "Which statement – one, two or three – best describes you?"
	 NUMBER
	REFUSED1 DON'T KNOW2

MAN010/(EPISODE\_HIGH\_NUM). Some people have highs that last several days or longer when they feel much more excited and full of energy than usual. Their minds go very fast. They talk a lot. They may be very irritable, impatient, restless or unable to sit still. They sometimes do things that are unusual for them, such as driving too fast, spending too much money, getting into arguments, or hitting someone. About how many times in your life have you had an episode like this lasting several days or longer?

NUMB	ER OF	TIMES	W.		
F	REFUSI	ED		 	1
	ON'T	KNOW		 	2

## **CHECKPOINT #1**

## PROGRAMMER INSTRUCTION:

- CODE RESPONSES GREATER THAN 997 AS '997.'
- IF EPISODE\_HIGH\_NUM = 2 OR MORE, GO TO MAN020.
- OTHERWISE, GO TO TIME\_STAMP\_MAN\_ET.

**MAN020.** Please think of one episode when you were very excited, full of energy, or irritable and you had the largest number of changes like these at the same time. During that intense episode how often did you have each of the following experiences?

**MAN030/(MOOD\_MUCH\_HIGHER).** How often was your mood much higher than usual – all or almost all the time, most of the time, some of the time, a little of the time, or none of the time

18	ITED\	/IFWFR	INICTOL	ICTIO	۸I.
ır	MIPK	m		10:110	M.

INTERVIEWER INSTRUCTION:
<ul> <li>IF NECESSARY, REPEAT "almost all, most, some, a little, or none of the time?" FOR</li> </ul>
ITEMS <b>MUCH_HAPPIER</b> THROUGH <b>RISKY_CAUSE_PROB.</b>
ALL OD ALMOCT ALL OF THE TIME
ALL OR ALMOST ALL OF THE TIME1
MOST OF THE TIME2
SOME OF THE TIME3
A LITTLE OF THE TIME4
NONE OF THE TIME5
REFUSED1
DON'T KNOW2
DOINT INVOV
MAN040/(MUCH_HAPPIER). (How often were you) much happier than usual?
ALL OR ALMOST ALL OF THE TIME1
MOST OF THE TIME
SOME OF THE TIME
A LITTLE OF THE TIME4
NONE OF THE TIME5
REFUSED1
DON'T KNOW2
MAN050/(MORE_IRRITABLE). (How often were you) much more irritable than usual?
ALL OD ALMOST ALL OF THE TIME
ALL OR ALMOST ALL OF THE TIME1
MOST OF THE TIME2
SOME OF THE TIME3
A LITTLE OF THE TIME4
NONE OF THE TIME5
REFUSED1
DON'T KNOW2
MAN060/(HYPER_NO_CONTROL). How often were you so hyper or wound up that you felt out
of control?
ALL OR ALMOST ALL OF THE TIME1
MOST OF THE TIME2
SOME OF THE TIME
A LITTLE OF THE TIME4
NONE OF THE TIME5
REFUSED1
DON'T KNOW2
MAN070/(THOUGHTS_RACE). How often did your thoughts race through your mind so fast
you could hardly keep track of them?
ALL OR ALMOST ALL OF THE TIME1
MOST OF THE TIME2

DON'T KNOW2
MAN080/(HARD_TIME_CONCENTRATE). (How often did you) have a hard time concentrating on what you were doing?
ALL OR ALMOST ALL OF THE TIME
MAN090/(CANNOT_SIT_STILL). How often during that episode were you so restless or fidgety that you couldn't stay still?
ALL OR ALMOST ALL OF THE TIME
MAN100/(SLEEP_MUCH_LESS). How often did you sleep much less than usual and still not get tired or sleepy?
ALL OR ALMOST ALL OF THE TIME
MAN110/(TALK_TOO_MUCH). (How often did you) talk so much that other people couldn't get their say?
ALL OR ALMOST ALL OF THE TIME
MAN120/(RISKY_CAUSE_PROB). (How often did you) do risky things or make bad decisions that could have caused problems for you?
ALL OR ALMOST ALL OF THE TIME1

SOME OF THE TIME3
A LITTLE OF THE TIME4
NONE OF THE TIME5
REFUSED1
DON'T KNOW2
CHECKPOINT #2
PROGRAMMER INSTRUCTION:
IF AT LEAST THREE RESPONSES = 1, 2, OR 3 IN MOOD_MUCH_HIGHER,
MUCH_HAPPIER, MORE_IRRITABLE, HYPER_NO_CONTROL, THOUGHTS_RACE,
HARD_TIME_CONCENTRATE, CANNOT_SIT_STILL, SLEEP_MUCH_LESS,
TALK_TOO_MUCH, OR RISKY_CAUSE_PROB, GO TO MANIA_INTERFERE.
OTHERWISE, GO TO TIME_STAMP_MAN_ET.
MAN130/(MANIA_INTERFERE). How often did the problems we just reviewed interfere with
your work or personal life – all or almost all the time, most of the time, some of the time,
a little of the time, or none of the time?
ALL OR ALMOST ALL OF THE TIME1
MOST OF THE TIME2
SOME OF THE TIME
A LITTLE OF THE TIME4
NONE OF THE TIME5
REFUSED1
DON'T KNOW2
MAN140/(AGE_FIRST_MANIA). About how old were you the very first time you had an
episode like this that lasted several days or longer?
INTERVIEWER INSTRUCTION:
IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate of how old you
were?"
YEARS OLD
REFUSED1
DON'T KNOW2
MAN150/(DIFF_YEARS_MANIA). About how many different years in your life did you have an
episode like this that lasted several days or longer?
NUMBER OF YEARS
Nomber of Territor
REFUSED1
DON'T KNOW2
MAN160/(LONGEST_EPI_NUM/LONGEST_EPI_UNIT). How long was the longest episode
you ever had?

MOST OF THE TIME.....2

 NUMBER
HOURS
MAN170/(RECENT_MANIC_EPISODE). How recently did you have an episode like this – in the past month, two to six months ago, seven to twelve months ago or more than 12 months ago?
PAST MONTH
MAN200/(MANIA_HOSPITALIZED). Were you ever hospitalized for one of these episodes?
YES
(TIME_STAMP_MAN_ET) PROGRAMMER INSTRUCTION:

INSERT DATE/TIME STAMP.

#### **ALCOHOL AND DRUGS**

## (TIME\_STAMP\_AD\_ST) PROGRAMMER INSTRUCTION:

INSERT DATE/TIME STAMP.

**AD001.** The next questions I am going to ask are about your use of alcohol and drugs. Think about the times in your life when you used the following substances most often. During those times, how often did you use them?

**AD010/(DRANK\_MOST).** At the time in your life you drank most often, how often did you have one or more drinks of beer, wine, or liquor – every day or nearly every day, 3 or 4 days a week, 1 or 2 days a week, less than once a week, or never?

EVERY DAY OR NEARLY EVERY DAY1
3-4 DAYS A WEEK2
1-2 DAYS A WEEK3
LESS THAN ONCE A WEEK4
NEVER5 (USE_MARIJUANA)
REFUSED1
DON'T KNOW2
AD020/(FOUR_MORE). How often did you have 4 or more drinks of alcohol on the same day?
EVERY DAY OR NEARLY EVERY DAY1
3-4 DAYS A WEEK2
1-2 DAYS A WEEK3
LESS THAN ONCE A WEEK4
NEVER5
REFUSED1
DON'T KNOW2
AD030/(USE_MARIJUANA). How often did you use marijuana or hashish?
EVERY DAY OR NEARLY EVERY DAY1

REFUSED.....-1
DON'T KNOW....-2

AD040/(USE\_COCAINE). How often did you use cocaine or crack?

 EVERY DAY OR NEARLY EVERY DAY
 1

 3-4 DAYS A WEEK
 2

 1-2 DAYS A WEEK
 3

 LESS THAN ONCE A WEEK
 4

 NEVER
 5

 REFUSED
 -1

 DON'T KNOW
 -2

AD050/(PRESCRIPTION_PAIN). How often did you use any prescription painkillers,	like
Vicodin or OxyContin, on your own; that is, without a doctor's prescription, in greater	amounts,
or longer than prescribed?	

EVERY DAY OR NEARLY EVERY DAY	1
3-4 DAYS A WEEK	2
1-2 DAYS A WEEK	3
LESS THAN ONCE A WEEK	4
NEVER	5
REFUSED	1
DON'T KNOW	2

**AD060/(PRESCRIPTION\_STIMULANT).** How often did you use any prescription stimulants, like Ritalin or Adderall, on your own; that is, without a doctor's prescription, in greater amounts, or longer than prescribed?

EVERY DAY OR NEARLY EVERY DAY	1
3-4 DAYS A WEEK	2
1-2 DAYS A WEEK	3
LESS THAN ONCE A WEEK	4
NEVER	
REFUSED	1
DON'T KNOW	2

**AD070/(PRESCRIPTION\_SEDATIVE).** How often did you use any prescription sedatives or tranquilizers, like sleeping pills or Xanax, on your own; that is, without a doctor's prescription, in greater amounts, or longer than prescribed?

EVERY DAY OR NEARLY EVERY DAY	1
3-4 DAYS A WEEK	2
1-2 DAYS A WEEK	3
LESS THAN ONCE A WEEK	4
NEVER	5
REFUSED	1
DON'T KNOW	2

AD080/(OTHER\_DRUGS). How often did you use any other illegal drug?

EVERY DAY OR NEARLY EVERY DAY	1
3-4 DAYS A WEEK	2
1-2 DAYS A WEEK	3
LESS THAN ONCE A WEEK	4
NEVER	5
REFUSED	1
DON'T KNOW	2

## CHECKPOINT #1

## PROGRAMMER INSTRUCTION:

• IF **DRANK\_MOST** OR **FOUR\_MORE** = 1, 2, 3, OR 4, GO TO AD200

- IF DRANK\_MOST, FOUR\_MORE, USE\_MARIJUANA, USE\_COCAINE, PRESCRIPTION\_PAIN, PRESCRIPTION\_STIMULANT, PRESCRIPTION\_SEDATIVE AND OTHER\_DRUGS ≠ 1, 2, 3, OR 4, GO TO TIME\_STAMP\_AD\_ET.
- OTHERWISE, GO TO NEXT SECTION

**AD200.** The next questions are about problems you may have had because of your use of {{alcohol}/{alcohol or drugs}/{drugs}} at any time in your life.

Think of the one month in your life when you had the largest number of problems with your use of {{alcohol}/{alcohol or drugs}}

# CHECKPOINT #2

- PROGRAMMER INSTRUCTION:
  - IF **DRANK\_MOST** OR **FOUR\_MORE** = 1, 2, 3, OR 4, AND
    - o IF USE\_MARIJUANA, USE\_COCAINE, PRESCRIPTION\_PAIN, PRESCRIPTION\_STIMULANT, PRESCRIPTION\_SEDATIVE, OR OTHER\_DRUGS = 1, 2, 3, OR 4, DISPLAY "alcohol or drugs."
    - o IF USE\_MARIJUANA, USE\_COCAINE, PRESCRIPTION\_PAIN, PRESCRIPTION\_STIMULANT, PRESCRIPTION\_SEDATIVE, AND OTHER\_DRUGS ≠ 1, 2, 3, OR 4, DISPLAY "alcohol."
  - OTHERWISE, DISPLAY "drugs."

**AD210/(USE\_INTERFERE).** How often during that month did your use interfere with your responsibilities at work or at home (all or almost all the time, most of the time, some of the time, a little of the time, or none of the time)?

#### INTERVIEWER INSTRUCTION:

• IF NECESSARY, REPEAT "almost all, most, some, a little, or none of the time?" FOR ITEMS USE\_ARGUMENTS THROUGH WORRY\_ABOUT\_USE.

ALL OR ALMOST ALL THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

**AD220/(USE\_ARGUMENTS).** How often did your use cause arguments or other serious problems with your family, friends, or neighbors?

ALL OR ALMOST ALL THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
*DON'T KNOW	2

<b>AD230/(UNDER_INFLUENCE).</b> How often were you under the influence in situations where you could get hurt, like when driving?
ALL OR ALMOST ALL THE TIME
AD240/(USE_NO_CONTROL). How often do you think your use was out of control?
ALL OR ALMOST ALL THE TIME
AD250/(STRONG_URGE_USE). How often did you have a strong desire or urge to use?
ALL OR ALMOST ALL THE TIME
AD260/(WORRY_NO_USE). How often did the thought of not being able to use make you anxious or worried?
ALL OR ALMOST ALL THE TIME
AD270/(WISH_STOP). How often did you wish you could stop or cut down?
ALL OR ALMOST ALL THE TIME

AD280/(WORRY	<b>ABOUT</b>	USE). Ho	w often did	l you worr	v about ر	vour use?
--------------	--------------	----------	-------------	------------	-----------	-----------

ALL OR ALMOST ALL THE TIME	1
MOST OF THE TIME	2
SOME OF THE TIME	3
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	2

**AD285/(DIFFICULT\_STOP).** How difficult did you find it to stop or go without using – not difficult, quite difficult, very difficult, or impossible?

NOT DIFFICULT	1
QUITE DIFFICULT	2
VERY DIFFICULT	3
IMPOSSIBLE	4
REFUSED	1
DON'T KNOW	2

# CHECKPOINT #3

#### PROGRAMMER INSTRUCTION:

- IF USE\_INTERFERE, USE\_ARGUMENTS, UNDER\_INFLUENCE, USE\_NO\_CONTROL, STRONG\_URGE\_USE, WORRY\_NO\_USE, WISH\_STOP, AND WORRY ABOUT USE = 5, GO TO TIME STAMP AD ET.
- OTHERWISE, GO TO DRUGS\_INTERFERE\_12.

AD290/(DRUGS\_INTERFERE\_12). How often in the past 12 months did the problems with the use of {{alcohol}/{alcohol or drugs}/{drugs}} you just mentioned interfere with your work or personal life -- all or almost all the time, most of the time, some of the time, a little of the time, or none of the time?

ALL OR ALMOST ALL THE	TIME1
MOST OF THE TIME	2
SOME OF THE TIME	
A LITTLE OF THE TIME	4
NONE OF THE TIME	5
REFUSED	1
DON'T KNOW	-2

## **CHECKPOINT #4**

## PROGRAMMER INSTRUCTION:

- IF **DRANK\_MOST** OR **FOUR\_MORE** = 1, 2, 3, OR 4, AND
  - o IF USE\_MARIJUANA, USE\_COCAINE, PRESCRIPTION\_PAIN, PRESCRIPTION\_STIMULANT, PRESCRIPTION\_SEDATIVE, OR OTHER DRUGS = 1, 2, 3, OR 4, DISPLAY "alcohol or drugs."
  - o IF USE\_MARIJUANA, USE\_COCAINE, PRESCRIPTION\_PAIN, PRESCRIPTION\_STIMULANT, PRESCRIPTION\_SEDATIVE, AND OTHER\_DRUGS ≠ 1, 2, 3, OR 4, DISPLAY "alcohol."

• OTHERWISE, DISPLAY "drugs."

AD300/(AGE\_FIRST\_DRUG\_PROB). About how old were you the very first time you had any of the problems we just reviewed?

IN	ITER\	/IEV	VFR	INIST	'RI	ICT	ON:
	4 I L I I	v = v	$\mathbf{v} = \mathbf{r}$	11451			OIV.

IF PARTICIPANT IS UNSURE, PROBE "What's your best estimate of how old you were?"
 YEARS OLD
REFUSED1 DON'T KNOW2
AD310/(NUM_YEARS_DRUG). About how many years in your life have you experienced problems like these?
_  NUMBER OF YEARS
REFUSED1 DON'T KNOW2
AD320/(NUM_MONTHS_DRUG). About how many months out of 12 in the past year did you have problems like these?
 NUMBER OF MONTHS
REFUSED1 DON'T KNOW2
(TIME_STAMP_AD_ET) PROGRAMMER INSTRUCTION:  • INSERT DATE/TIME STAMP.