Patient ID:							Form Approved OMB No. 0920-0978				
DEPARTMENT OF HEALTH & HUMAN SER CENTERS FOR DISEASE AND PREVENTION ATLANTA, GA 30333	CONTROL			-		eillance Initiative (MuGSI) ity Interface (HAIC) Case R					
Patient's Name						Phone no. ()					
			(Last, First,								
Address						MKN					
City State Zip Hospital											
— Patient identifier information is NOT transmitted to CDC —											
1. STATE:	2. COUNTY: 3. STATE ID:				4a. LABORATORY ID WHERE CULTURE IDENTIFIED	4b. FACILITY ID WHERE PATIENT TREATED:					
5. Where was the patient located on the 4 th calendar day prior to the date of initi Private residence Hospital Inpatient (If transferred, hospital ID						6. DATE OF BIRTH: 7a. AGE: Image: Image in day/mo/yr? Image in day/mo/yr? Image: Image in day/mo/yr? Image in day/mo/yr?					
8a. SEX: Male Female		□ Wł □ Bla	ack or African Ar	merican		8d. WEIGHT:					
Bb. ETHNIC ORIGIN: American Indian or Alaska Native Asian Asian Not Hispanic or Latino Unknown Unknown 					8e. HEIGHT: ftin ORcm Unknown 8f. BMI (Record only if ht and/or wt is not available):						
						Unknown					
9. WAS PATIENT HOSPITALIZED AT THE TIME OF, OR WITHIN 30 CALENDAR DAYS					/S AFTER, IN	S AFTER, INITIAL CULTURE?					
□Yes □No □	Unknown										
If yes: Date of adn	nission			Date of discharge							
						11a. Was the patient in the ICU in the 7 days <u>prior</u> to their initial culture?					
10b. LOCATION OF CULTURE COLLECTION: Hospital Inpatient Outpatient □ICU □Clinic/Doctors Office LTCF □Surgery/OR □Surgery □LTACH □Radiology □Other Outpatient □Autopsy □Other Unit □Dialysis Center □Unknown □Emergency Room □Observational Unit/Clinical Decision Unit					11b. Was the patient in the ICU on the date of or in the 7 days <u>after</u> the initial culture?						
12. PATIENT OUTC	OME: 🗌 Survived	Died	d 🔲 Unknowr	ı							
If survived, transferred to: Private residence LTCF LTACH Unknown Other (specify):					If died, date of death: Image: Constraint of the second state						
data sources, gathe person is not requir any other aspect of	ring and maintaining ed to respond to a co	the da llectior rmatio	ta needed, and n of information	completing and review unless it displays a cu	wing the coll rrently valid	esponse, including the time for review ection of information. An agency may OMBcontrol number. Send comment to CDC/ATSDR Reports Clearance Offi	v not conduct or sponsor, and a s regarding this burden estimate or				

13a. ORGANISM ISOLATED FROM INITIAL NORMALLY STERILE SITE OR URINE:	13b. Was the initial culture polymicrobial?							
Carbapenem-resistant: Enterobacteriaceae (CRE): E. coli Enterobacter cloacae Enterobacter aerogenes Klebsiella pneumoniae Klebsiella oxytoca A. baumannii (CRAB)	Yes No	e initial If yes, what testing n ed for (check all that apply) nase? Modified Hodge T E Test PCR		: īest (MHT)	If tested, what was the testing result? Positive Negative Indeterminate Unknown			
Blood Joint/synovial fluid 1 CSF Bone 1 Pleural fluid Urine 1 Peritoneal fluid Other normally sterile site 1 Pericardial fluid 0 1	URINE Cultures OI 14a. How was the Clean Catch In and Out Cath Indwelling Cath Condom Cathet Other: Unknown	eter eter eter	lected?	URINE Cultures ONLY: 14b. Record the colon organism indicated in	y count for the			
URINE Cultures ONLY: 14c. Signs and Symptoms associated with urine culture. Please indice the 2 calendar days after the day of ite calend	initial culture: Pyuria Retent Suprap Unspec Urgend Unkno	ion oubic tenc cified abd cy wn		None	time period including			
15. Were cultures of OTHER sterile site(s) or urine positive in the 30 days after the date of initial culture, for the SAME organism (Q13a)? Yes No If yes, source (check all that apply): Blood Joint/synovial fluid CSF Bone Pleural fluid Urine Peritoneal fluid Other normally sterile site Pericardial fluid Other normally sterile site If yes, indicate organism type and associated State ID for the incident closest to the date of initial culture:								
initial culture, for a DIFFERENT organism (Q13a)?		Organi		State ID				
Yes No Unknown NA		E. coli	5111	State iD				
If yes, source (check all that apply):			acter cloacae					
Blood Joint/synovial fluid CSF Bone		Enterob	acter aerogenes					
Pleural fluid Urine		Klebsiel	la pneumoniae					
Peritoneal fluid Other normally sterile site		Klebsiel	la oxytoca					
16a. A. baumannii Cultures ONLY: Were cultures of OTHER sterile site(s) or urine positive in the 30 days date of initial culture, for another A. baumannii? Yes No Unknown NA If yes, source (check all that apply): Blood Joint/synovial fluid CSF Bone Pleural fluid Urine Peritoneal fluid Other normally sterile site Pericardial fluid Other normally sterile site		If yes, State ID for the organism closest to the date of initial culture:						
17a. Was this patient positive for the SAME organism in the <u>year price</u>	<u>or</u> to the date			Ilture and State ID for t	ne first positive culture			
of the initial culture (Q10a):		in the <u>year prior</u> :						
17c. Enterobacteriaceae ONLY: Was this patient positive for a MuGSI Enterobacteriaceae in the year	nviov to the data	ofinitial						
Yes No (GO TO Q18) Unknown (GO TO Q18) NA (GO TO			culture (QTOA):					

17d. If yes, specify organism, date of culture and State ID for the first positive
Enterobacteriaceae culture in the <u>year prior</u> :

Carbapenem-resistant Enterobacteriaceae (CRE):

E.	coli
<u> </u>	con

Enterobacter cloacae Enterobacter aerogenes Klebsiella pneumoniae Klebsiella oxytoca

Date of Culture:



State ID: _

18. Susceptibility Results: (please complete the table below based on the information found in the indicated data source). Shaded antibiotics are required to have the MIC entered into the MuGSI-CM system, if available.

Data Source	Medical Record		Microscan		Vitek		Phoenix		Kirby-Bauer		E-test	
Antibiotic	міс	Interp	МІС	Interp	міс	Interp	міс	Interp	Zone Diam	Interp	міс	Interp
Amikacin												
Amoxicillin/Clavulanate												
Ampicillin												
Ampicillin/Sulbactam												
Aztreonam												
Cefazolin												
CEFEPIME												
CEFOTAXIME												
CEFTAZIDIME												
CEFTRIAXONE												
Cephalothin												
Ciprofloxacin												
COLISTIN												
DORIPENEM												
ERTAPENEM												
Gentamicin												
IMIPENEM												
Levofloxacin												
MEROPENEM												
Moxifloxacin												
Nitrofurantoin												
Piperacillin/Tazobactam												
POLYMYXIN B												
TIGECYCLINE												
Tobramycin												
Trimethoprim-sulfamethoxazole												
19. TYPES OF INFECTION ASSOCIAT	ED WITH C	ULTURE(S)) (check all i	that apply)	: 🗌 None	Unkno	wn					
 Abscess, not skin AV fistula/graft infection Bacteremia Bursitis Catheter site infection (CVC) Cellulitis 	ss, not skin Chronic ulcer/wound (not decubitus) ula/graft infection Decubitus/pressure ulcer emia Empyema s Endocarditis er site infection (CVC) Meningitis			☐ Pno ☐ Pye ☐ Sep ☐ Sep	PeritonitisSkin abscessPneumoniaSurgical incision infectionPyelonephritisSurgical site infection (irSeptic arthritisTraumatic woundSeptic emboliUrinary tract infectionSeptic shockOther			ection (intend	ernal)			
20. UNDERLYING CONDITIONS (check all that apply):												
□ AIDS/CD4 count < 200 □ Alcohol abuse □ Chronic Liver Disease □ Chronic Pulmonary Disease □ Chronic Renal Insufficiency □ Chronic Skin Breakdown □ Congestive Heart Failure □ Connective Tissue Disease □ Current Smoker	Decubitus/Pressure Ulcer Neurological Problems ase Dementia/Chronic Cognitive Deficit Obesity or Morbid Obesity y Disease Diabetes Peptic Ulcer Disease ifficiency Hemiplegia/Paraplegia Peripheral Vascular Disease (PVD) adown HIV Premature Birth Failure Hematologic Malignancy Solid Tumor (non metastatic) Disease IVDU Spina bifida											
CVA/Stroke		Liver failure Transplant Recipient Metastatic Solid Tumor Urinary Tract Problems/Abnormalities										

21. RISK FACTORS OF INTEREST (check all that apply): None Unknown						
Culture collected > calendar day 3 after hospital admission	Central venous catheter in place on the day of culture (up to time of culture) or at any time in the 2 calendar days prior to the date of culture					
If yes, enter mo/yr	 □ Urinary catheter in place on the day of culture (up to time of culture) or at any time in the 2 calendar days prior to the date of culture If checked, indicate all that apply: □ Indwelling Urethral Catheter □ Condom Catheter □ Other: 					
Current chronic dialysis: Peritoneal Hemodialysis Unknown Hemodialysis Access: AV fistula/graft CVC Unknown Residence in LTCF within year before date of initial culture	 Any OTHER indwelling device in place on the day of culture (up to time of culture) or at any time in the 2 calendar days prior to the date of culture If checked, indicate all that apply: ET/NT Tube Gastrostomy Tube NG Tube Tracheostomy 					
Admitted to a LTACH within year before initial culture date	Patient traveled internationally in the two months prior to the date of initial culture.					
	Country:,,					
	Patient was hospitalized while visiting country (ies) listed above					

SURVEILLANCE OFFICE USE ONLY

22. Was case first identified through audit? Yes No Unknown	23. CRF status: Complete Pending Chart unavailable	24. Date reported to EIP site:	25. SO initials:
26. Comments:			