

Fig 1

# DrugAbuse.gov Website Feedback Survey

The screenshot displays the NIDA website interface. At the top, there is a navigation bar with links for Researchers, Medical & Health Professionals, Patients & Families, Parents & Educators, and Children & Teens. The NIDA logo is prominently featured on the left, with the tagline 'The Science of Drug Abuse & Addiction'. A search bar and social media icons are located on the right. Below the navigation bar, a breadcrumb trail leads to the article: Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction. The article title is 'Study Ranks Recovery Assets in Cocaine Addiction', dated July 14, 2015. The main text discusses recovery assets like a can-do attitude and coping skills. A sidebar on the left contains 'Categories' (Basic Science, Bulletin Board, etc.) and 'Tags' (Drug Topics, Drugs of Abuse, etc.). On the right, there are options to 'Cite this article', 'Subscribe to NIDA Notes', and 'Email:'. A 'Did you find what you were looking for?' survey pop-up is visible in the bottom right corner with 'Yes' and 'No' buttons. A partial line graph titled 'Abstinent Users' is visible at the bottom of the article content.

En español

Researchers | Medical & Health Professionals | Patients & Families | Parents & Educators | Children & Teens

NIH National Institute on Drug Abuse  
The Science of Drug Abuse & Addiction

External link, please review our disclaimer. Search

Connect with NIDA: [Social Media Icons]

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

## Study Ranks Recovery Assets in Cocaine Addiction

Print Share

### NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

Other Articles of Interest

- NIDA Notes: A Rapid Teen Substance Use Screening Tool for Clinicians
- Electronic Questionnaire Quickly Rates Teens' Substance Use
- Text Messaging Aftercare

Did you find what you were looking for?

Yes No

Abstinent Users

Fig 1.5

# User Selected "No"

The screenshot shows the NIH National Institute on Drug Abuse website. The main article is titled "Study Ranks Recovery Assets in Cocaine Addiction" and is dated July 14, 2015. The article text discusses recovery assets and a study by Dr. James McKay. A line graph titled "Abstinent Users" is partially visible, showing a line that trends upwards from approximately 0.6 to 0.8 on a scale from 0.6 to 1.0. On the right side of the page, there is a feedback form with the heading "What were you looking for?". Below this heading is a text input field containing the text "We welcome your feedback". A yellow box highlights this input field. At the bottom of the page, there are social media icons for Facebook, Twitter, and Email, along with a plus sign icon for additional sharing options.

Clicking here, makes the text "we welcome your feedback" disappear. Pressing return submits their message with no identifiable information.

Fig 2

En español

[Researchers](#) | [Medical & Health Professionals](#) | [Patients & Families](#) | [Parents & Educators](#) | [Children & Teens](#)

**National Institute on Drug Abuse**

*The Science of Drug Abuse & Addiction*

External link, please review our [disclaimer](#).

Connect with NIDA: [G+](#) [f](#) [in](#) [t](#) [v](#) [p](#) [r](#)

[Home](#)

[News & Events](#)

[NIDA Notes](#)

[Treatment](#)

[Study Ranks Recovery Assets in Cocaine Addiction](#)

## Study Ranks Recovery Assets in Cocaine Addiction

[Print](#) [Share](#)

### NIDA Notes

**Categories**

- Basic Science
- Bulletin Board
- Director's Perspective
- Epidemiology
- Narrative of Discovery
- NIDA @ Work
- Prevention
- Treatment

**Tags**

- Drug Topics ▼
- Drugs of Abuse ▼
- Population Groups ▼
- Related Topics ▼

**July 14, 2015**

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

**“ Cite this article**

Subscribe to NIDA Notes **NIDA Notes**

**Email:**

**Other Articles of Interest**

**NIDA Notes**

- A Rapid Teen Substance Use Screening Tool for Clinicians
- Electronic Questionnaire Quickly Rates Teens' Substance Use
- Text Messaging Aftercare Intervention Cuts Youths'

**Was this article helpful?**

Yes

No

f

t

✉

+

Fig 2.5

# User Selected "No"

The screenshot shows the NIH National Institute on Drug Abuse website. The main article is titled "Study Ranks Recovery Assets in Cocaine Addiction" and is dated July 14, 2015. The article text discusses recovery assets like a can-do attitude and coping skills. A line graph titled "Abstinent Users" is partially visible, showing an upward trend from approximately 0.6 to 0.85 on a scale of 0.6 to 1.0. On the right side of the page, there is a "Why not?" section with a feedback box containing the text "We welcome your feedback". A yellow border highlights this box. Below the feedback box are social media icons for Facebook, Twitter, Email, and a plus sign for more options.

Clicking here, makes the text "we welcome your feedback" disappear. Pressing return submits their message with no identifiable information.

Fig 3

En español

Researchers | Medical & Health Professionals | Patients & Families | Parents & Educators | Children & Teens

**NIH** National Institute on Drug Abuse  
*The Science of Drug Abuse & Addiction*

External link, please review our [disclaimer](#).

Search

Connect with NIDA: [G+](#) [f](#) [in](#) [t](#) [v](#) [p](#) [r](#)

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

# Study Ranks Recovery Assets in Cocaine Addiction

Print Share

## NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

Other Articles of Interest

**NIDA Notes**

A Rapid Teen Substance Use Screening Tool for Clinicians

Electronic Questionnaire Quickly Rates Teens' Substance Use

**We welcome your feedback!**  
To help us write better content for others like you, could you tell us your profession?

Select your profession ▼

f t e +

Fig 3.5

En español

Researchers | Medical & Health Professionals | Patients & Families | Parents & Educators | Children & Teens

**NIH** National Institute on Drug Abuse  
The Science of Drug Abuse & Addiction

External link, please review our [disclaimer](#).

Search

Connect with NIDA:

Home » News & Events » NIDA Notes » Treatment » Study Ranks Recovery Assets in Cocaine Addiction

## Study Ranks Recovery Assets in Cocaine Addiction

Print Share

### NIDA Notes

July 14, 2015

A can-do attitude, ability to cope with potential triggers for drug use, readiness to change, and participation in self-help programs are major assets for people trying to recover from cocaine addiction. In a NIDA-funded study, each of these factors markedly increased patients' odds for attaining or maintaining abstinence, or both, during 2 years of intensive outpatient treatment and continuing care. On the liability side of the ledger, symptoms of depression were associated with continued drug use and with relapse (see Figure).

The study, conducted by Dr. James McKay and colleagues at the University of Pennsylvania and the Philadelphia Veterans Affairs Medical Center, yields insights that clinicians can use to evaluate patients with cocaine addiction and plan their treatment and aftercare. Among their detailed findings, the researchers discovered that the list of factors that help patients become abstinent overlaps, but is not identical with, the list of factors that support extending established abstinence.

Other Articles of Interest

NIDA Notes

**We welcome your feedback!**  
To help us write better content for others like you, could you tell us your profession?

- Teacher
- Researcher
- High School Student
- College Student
- Graduate Student
- Doctoral Candidate

Researching Marijuana for

Facebook Twitter Email +

OMB#: 0925-0648 Exp. date: 03/2018

Public reporting burden for this collection of information is estimated to be 1 minute per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.