Mosquito Bite Prevention





Not all mosquitoes are the same. Different mosquitoes spread different viruses and bite at different times of the day.

Type of Mosquito

Viruses spread

Biting habits



Aedes aegypti, Aedes albopictus Chikungunya, Dengue, Zika

Primarily daytime, but can also bite at night



Culex species

West Nile

Evening to morning

Protect yourself and your family from mosquito bites

Use insect repellent

Use an Environmental Protection Agency (EPA)-registered insect repellent with one of the following active ingredients. When used as directed, EPA-registered insect repellents are proven safe and effective, even for pregnant and breastfeeding women.

Active ingredient

Higher percentages of active ingredient provide longer protection

DEET

Picaridin (known as KBR 3023 and icaridin outside the US)

IR3535

Oil of lemon eucalyptus (OLE) or para-menthane-diol (PMD)

2-undecanone

* The EPA's search tool is available at: www.epa.gov/insect-repellents/find-insect-repellent-right-you







Find the insect repellent that's right for you by using EPA's search tool*.



CS258143H October 4, 2016



For local resources and information about Zika, contact the U.S. Virgin Islands Department of Health at (340) 712-6205 or visit doh.vi.gov. For general information about Zika, call 1-800-CDC-INFO or visit www.cdc.gov/zika.



U.S. Department of **Health and Human Services** Centers for Disease **Control and Prevention**

Protect yourself and your family from mosquito bites (continued)



- Always follow the product label instructions.
 - Reapply insect repellent every few hours, depending on which product and strength you choose.
 - » Do not spray repellent on the skin under clothing.
 - » If you are also using sunscreen, apply sunscreen first and insect repellent second.

Natural insect repellents (repellents not registered with EPA)

- The effectiveness of non-EPA registered insect repellents, including some natural repellents, is not known.
- To protect yourself against diseases like chikungunya, dengue, and Zika, CDC and EPA recommend using an EPA-registered insect repellent.
- When used as directed, EPA-registered insect repellents are proven safe and effective. For more information: www2.epa.gov/insect-repellents

If you have a baby or child



- Always follow instructions when applying insect repellent to children.
- Do not use insect repellent on babies younger than 2 months of age.
- Dress your child in clothing that covers arms and legs, or
- Cover crib, stroller, and baby carrier with mosquito netting.
- Do not apply insect repellent onto a child's hands, eyes, mouth, and cut or irritated skin.
 - » Adults: Spray insect repellent onto your hands and then apply to a child's face.
- Do not use products containing oil of lemon eucalyptus (OLE) or para-menthanediol (PMD) on children under 3 years of age.

Treat clothing and gear



- Treat items such as boots, pants, socks, and tents with permethrin or purchase permethrin-treated clothing and gear.
 - Permethrin-treated clothing will protect you after multiple washings.
 See product information to find out how long the protection will last.
 - » If treating items yourself, follow the product instructions.
 - » Do not use permethrin products directly on skin.

Mosquito-proof your home



- Use screens on windows and doors. Repair holes in screens to keep mosquitoes outside.
 - Use air conditioning when available.
 - Keep mosquitoes from laying eggs in and near standing water.
 - » Once a week, empty and scrub, turn over, cover, or throw out items that hold water, such as tires, buckets, planters, toys, pools, birdbaths, flowerpots, or trash containers. Check inside and outside your home.