	NHTSA Systems Developer Quality Assurance (QA) Test Script								
Date Executed	:			Test Script	NHTSA 405 Grant Application - 405b	Low Use	Tester(s):		
Test Script ID:	GMSS-APP-40	5-0003	Test Script Description: Verify the appropriate details and functionality of the 405(b) section on the NHTS		ctionality of the 405(b) section on the NHTSA	Environment:			
Requirements:	GMSS-HSP-02	0.1.1, GMSS-HSP-020.1.2, GMSS-HSP-021.1, GMSS-HSP-			HSP for a LOW SEAT BELT USE RA	TE STATE	Browser:		
	021.1.1, GMSS	HSP-021.2, GMSS-HSP-021.8, GMSS-HSP-021.10, GMSS-					Pass/Fail:	Pass	
Testing envirom	ent: https://nhtsa	gmsspreprod.crm9.dynamics.com			1				1
		Pre	econditions			Post Conditions			
a new HSP.) Th	e GTL has indica	has started a new Highway Safety Plan. (See GMSS-APP-402 ed that the State is eligible to apply for the 405(b)-Low grant w	2-0001 NHTSA Grant Application - Summary Information script for more- hile completing their administration steps in GMSS-APP-NHTSA-HQ.	details on logging in and starting	g State users are able to complete the	405(b) - Low section appropriately.			
Step #	Role	Step Description	Visual		Expected Result	Actual Result (Enter a description only if the result is different from Expected or if the step fails.)	Status		
405(b) Lower S	eat Belt Use Rat	e State Use							-
1	All State users	Scroll toward the middle of the HSP page and click on	III IIINHTSA & R2.0 Testing - NIRSA KKP > NIRKAR I Haginay S	P 5 + 7 0 ? 😫	A link to the State's 405(b)				
		405(b) Occupant Protection Grants to expand the section.	Verdamber Verdamber Verdamber Verdamber Verdamber Verdamber Verdamber	×	application is displayed.				
			Res Barrecos Connerverous Alex Alexand Bues Bues Indole - bytes	+ + × ×	The 405(b) Validation Status should				
			HAWAII - Highway Safety Plan - FY 2020 =	Application Status Biology (Photo)	be Not Validated.				
			Highway Safety Planning Process						
			Performance Report Performance Plan						
			Program Areas						
			Evidence-based Traffic Safety Enforcement Program High-Visibility Enforcement						
			405(b) Occupant Protection Grants						
			 405(c) State Traffic Safety Information System Improvements Grants 405(d) Impaired Driving Countermeasures Grants 						
			+405(d) Ignition Interlock						
			+405(d) 24-7 Programs +405(a) Distracted Disjon Grants						
			+405(t) Motorcyclist Safety Grants						
			405(g) State Graduated Driver Licensing Incentive Grants 405(h) Neurontevisted Safety Grants						
			Alle						
									-
2	All State users	Click on the State's 405(b) application link.	III III NHTSA & R20 Testing - Nortsa kar > northa haganay 5. > SANDBOX	P S + V 🛛 ? 🚨	The 405(b) application is displayed.				
			New Kines (E) - Level Televise and the results Televise Televise (E) - Security 100-000 (100-000) Version Development of Constant and control of Press (E) - Pres	×					
			NONW SHE'S AN CONTROLOGY CONTROLOGY						
			HAWAII - Highway Safety Plan - FY 2020 🛥	Application dama Bisewyte Angelling					
			Highway Safety Planning Process Performance Banont						
			Performance Plan						
			Program Areas Evidence-based Traffic Safety Enforcement Program						
			High-Visibility Enforcement						
			+405(b) Occupant Protection Grants						
			MARKA 2259-24150						
			405(c) State Traffic Safety Information System Improvements Grants						
			 405(d) Ignition Interlock 						
3	All State users	Verify that the user can check the Certify checkbox	III RONTSA 6 R20 Testing v Historicosovin, > NAME 2006 Hostor > SANDBOX	P 0 + 9 8 7 😫	The User is able to check the Certify				
		occupant protection programs will maintain its	Investment (investmentation of the landships of the stations Noted Council Not 2002 CON 11 of the station	×	спескоох.			1	
		aggregate expenditures for occupant protection	Bost Contracts frequences + and Gaugement Bosts Bosts Bosts 1 motor - Basta	+ + F X					
		programs at or above the average level of such	HAWAII 2020 - 405(b) -	State Sector					
		expenditures in fiscal years 2014 and 2015.	Our wat behavior before the	2					
			*Occupant Protection Information						
			Ellower met het um nim Stein						
			+ The load State agency responsible for eccupant protection programs will matrice in approprie expenditions for eccupant protection programs at or above the average load of each rependitions in fluid yours 2014 a	and 2011.					
			Centy R						
			APPOCINTON CRITING - Solver at least 1 of the 5 application interfa below to apply under					1	
			n na na pravalumen na					1	
			Nigh dis population conterminant program 44 Companiessine compart protection program 44					1	
			Con fing Superprise Seeling and and an end of the second						
			•PRODUKI ARLAI The Sain's Grouped Parties fano program new plan in the HGN	* *				1	
			Program Asia A Agginalian Erving					1	
1			Adar	snovel durge: R				1	

Date Executed:			Test Script: INHTSA 405 Grant Application - 405b Low Use Tester(s):					1
Test Script ID:	GMSS-APP-405	5-0003	Test Script Description	: Verify the appropriate details and fur	nctionality of the 405(b) section on the NHTSA	Environment:		
Requirements:	GMSS-HSP-020	0.1.1, GMSS-HSP-020.1.2, GMSS-HSP-021.1, GMSS-HSP-		HSP for a LOW SEAT BELT USE R/	ATE STATE	Browser:		
	021.1.1, GMSS-	HSP-021.2, GMSS-HSP-021.8, GMSS-HSP-021.10, GMSS-				Pass/Fail:	Pass	_
Testing envirome	ent: https://nhtsag	Imsspreprod.crm9.dynamics.com						4
Lines in Instant of		Pre	conditions	Charles warmen and a blacks are mainted that	Post Conditions		-	-
a new HSP.) The	GTL has indicat	ed that the State is eligible to apply for the 405(b)-Low grant w	2001 whits A Grant Application - summary information script for more details on logging in and starting hile completing their administration steps in GMSS-APP-NHTSA-HQ.	J State users are able to complete the	405(b) - Low section appropriately.			
Step #	Role	Step Description	Visual	Expected Result	Actual Result (Enter a description only if the result is different from Expected or if the step fails.)	Status		
4	All State users	Below the Occupant Protection Information section, click the checkboxes for application criteria.	BINNITSA 6 422 testo - antonianti, indexe anto - SANDECK / g + y a 1 & Onice interpretentationality sectors (index)	The corresponding sections for the application criteria are generated.				
		(Note: State users will be able to select a minimum of three application criteria. For testing purposes, select all six criteria to test the functionality and details of the application.)	Bur d'autorité d'action d'action d'action de la constante d'action d'action d'action d'action d'action de la constante de la c					
			pip (and on the set of					
			AND CONTROL ON A CONTROL OF A					
			HERRIE AND					
5	All State users	Verify that the programs areas added in the HSP are listed in		The program areas are listed in the				-
		the grid, _x000D _x000D (Note: For the program areas to be listed in the grid, it needs to be added in the HSP -> Program Areas -> Yes on the Is this program area part of Occupant Protection Plan? question.	Control of the second sec	grid.				
			National State # The Data State State State # The Data State State State State State # The Data State Stat					
6	All State users	Scroll down to the Click-It-Or-Ticket National Mobilization	🖩 🏪NHTSA & R20Testing - en optionumerin - > Herverzen enne -> SANDBOX P (0) + 12 (0) 2	The Agency window is displayed.				
		and click the Add New button.						
			junion interna interna					
7	All State users	Enter a name in the Agency Name. Click the Save button.	Image: State of the state o	The new agency is added in the All Agencies grid.				
1			942 942 942 942 942 942 942 942 942 942			1	1	1

Date Executed:				Test Script:	pt: NHTSA 405 Grant Application - 405b Low Use		Tester(s):		
Test Script ID:	GMSS-APP-405	5-0003		Test Script Description:	on: Verify the appropriate details and functionality of the 405(b) section on the NHT		Environment:		
Requirements:	GMSS-HSP-020	0.1.1, GMSS-HSP-020.1.2, GMSS-HSP-021.1, GMSS-HSP-			HSP for a LOW SEAT BELT USE RA	IE STATE	Browser:	D.	<u> </u>
Testing on vironer	021.1.1, GIVI33-	HSP-021.2, GMSS-HSP-021.8, GMSS-HSP-021.10, GMSS-					Pass/Fail:	Pass	-
resurig environner	แ. ทแมร.//ทาแรสมู	Insspieprou.crms.uynamics.com	conditions			Post Conditions		1	+
User is logged on	to GMSS. User	has started a new Highway Safety Plan. (See GMSS-APP-402	-0001 NHTSA Grant Application - Summary Information script for	r more details on logging in and starting	State users are able to complete the	405(b) - Low section appropriately.			
a new HSP.) The	GTL has indicat	ed that the State is eligible to apply for the 405(b)-Low grant w	hile completing their administration steps in GMSS-APP-NHTSA-	HQ.					
Step #	Role	Step Description	Visual		Expected Result	Actual Result (Enter a description only if the result is different from Expected or if the step fails.)	Status		
8	All State users	Select the agency created in Step 7 and Click the Add button.		All Control Co	The Agency selected is added below the Agencies in 405(b) grid.				
Inspection Statio	ns Data								
9	All State users	Click the Add New button. Enter values in the following fields: - Agency - Location (e.g. City, Town) - Populations Served - Urban - Populations Served - Rural - Populations Served - At-Risk		ана станция и станци	The Inspection Station Data window is displayed.				
11	All State users	Click the Save button.	DENTISA 4 Extensions and an extension of the extensi	A B A A A A A A A A A A A A A A A A A A	The information entered in Step 10 are displayed in the Inspection Station Data table.				
				See					
Child Sofety Day	traint Technici				l		L		+
12	All State users	Click the Add New button.			The Child Restraint Class window is		1		1
					displayed.				

Date Executed:			Test	Script:	NHTSA 405 Grant Application - 405b	Low Use	Tester(s):		
Test Scrint ID:	GMSS-APP-405	-0003	Test Scrint Descr	rintion	Verify the appropriate details and functionality of the 405(b) section on the NHTSA En		Environment:		-
Deguiremente:	CMSS HSD 020	11 CMSS USD 020 1 2 CMSS USD 021 1 CMSS USD		inpuon.	HSP for a LOW SEAT BELT LISE RATE STATE		Browcori	'	+
Requirements:	021 1 1 CMSS	USD 021 2 CMSS USD 021 9 CMSS USD 021 10 CMSS			I SI IOI & LOW SEAT BEET USE IO	Browser:		-	
	021.1.1, GIVISS-	H3P-021.2, GW33-H3P-021.0, GW33-H3P-021.10, GW33-					Pass/Fail:	Pass	<u> </u>
Testing envirome	nt: https://nhtsag	msspreprod.crm9.dynamics.com							4
		Pre	conditions			Post Conditions			
User is logged on a new HSP.) The	to GMSS. User GTL has indicate	has started a new Highway Safety Plan. (See GMSS-APP-402 ed that the State is eligible to apply for the 405(b)-Low grant w	-0001 NHTSA Grant Application - Summary Information script for more details on logging in and starting State users are hile completing their administration steps in GMSS-APP-NHTSA-HQ.		State users are able to complete the 4	tate users are able to complete the 405(b) - Low section appropriately.			
Step #	Role	Step Description	Visual		Expected Result	Actual Result (Enter a description only if the result is different from Expected or if the step fails.)	Status		
13		Enter values in the following fields: - Location (e.g. City, Town) - Number of Classes - Estimated Number of Students	EXPLICITION 0 0.00000000000000000000000000000000000	X X	The User is able to add values in the fields.				
	411.00				T			'	
14	All State users	Click the Save button.	EXPLICICAL All changes of exclusions of exclus	X	The information entered in Step 13 are displayed in the Child Safety Restraint Technician Classes table.				
Cortify								<u>ا</u> ــــــــــــــــــــــــــــــــــــ	-
Primary enforce 16	All State users ment seat belt u All State users	Under the Certify section, click the Complies checkbox. Ise statute Double-click on a Requirement Description.			The User is able to check the Complies checkbox.				
17	All State users	Click the Add New button	Second parameters for depuge large set of the specific depuge set of the second and up of the first filling in the set of the set o		The State Citation Statute window				
				7 3 × * + <i>P</i> ×	is displayed.				
18	All State users	Enter values in the following fields: - Statute Title - Enacted Date - Amended Date Click the Save button.	BENNTSA 6 \$2.0 foring = warriance keys \$ SAN JECX \$ a : g : s : y 6 Store Control Store	X Sent	The user is able to enter values in the fields. The Citation is now added in the Citation Requirement Information page.				

Date Executed:			Test Script:	NHTSA 405 Grant Application - 405h	Low Use	Tester(s):	I	
Test Script ID:	GMSS-APP-40	5-0003	Test Script Description	Verify the appropriate details and fund	ctionality of the 405(b) section on the NHTSA	Environment:		
Requirements:	GMSS-HSP-020	0.1.1, GMSS-HSP-020.1.2, GMSS-HSP-021.1, GMSS-HSP-		HSP for a LOW SEAT BELT USE RA	TE STATE	Browser:		
	021.1.1, GMSS	HSP-021.2, GMSS-HSP-021.8, GMSS-HSP-021.10, GMSS-				Pass/Fail:	Pass	
Testing envirom	ent: https://nhtsag	msspreprod.crm9.dynamics.com						
		Pr	econditions		Post Conditions			
User is logged o a new HSP.) The	n to GMSS. User e GTL has indicat	has started a new Highway Safety Plan. (See GMSS-APP-40 ed that the State is eligible to apply for the 405(b)-Low grant v	2-0001 NHTSA Grant Application - Summary Information script for more details on logging in and starting hile completing their administration steps in GMSS-APP-NHTSA-HQ.	details on logging in and starting State users are able to complete the 405(b) - Low section appropriately.				
Step #	Role	Step Description	Visual	Expected Result	Actual Result (Enter a description only if the result is different from Expected or if the step fails.)	Status		
19	All State users	Click the Save & Close button from the top header.	Constrained in the set of a set of	The system updated to Yes under State citation(s) captured column for the selected requirement. (The User will need to scroll back to the Primary enforcement seat belt use statute section to view the update.)				
Occupant prote	ection statute	1		1	1	1		<u> </u>
20	All State users	Double-click on a Requirement Description.	Image: Second and Second	The Citation Requirement Information page is displayed. The State Citation Statute window is displayed.				
			Oxion 4 Executions No liter Code/class words fund					
22	All State users	Enter values in the following fields: - Statute Title - Enacted Date - Amended Date Click the Save button. Click the Save & Close button from the top header.	Control C	The user is able to enter values in the fields. The Citation is now added in the Citation Requirement Information page. The system updated to Yes under State citation(s) captured column for the selected requirement. (The User will need to scroll back to the Occupant protection statute section to view the update.)				
24	All State users	Repeat Steps 20-23 for the other legal requirement under the Occupant protection statute.	MMMX Notation Notation <td< td=""><td>Same as above.</td><td></td><td></td><td></td><td></td></td<>	Same as above.				
Seat belt enform	cement	pro e seepart protosion statato.		I	I	I		(

Date Executed:			Test Script: NHTSA 405 Grant Application - 405b Low Use				ester(s):		
Test Script ID:	GMSS-APP-405	-0003	Test Script Descrip	on: Verify the appropriate det	tails and functionality of the 405(b) section on the NHTSA	Environment:			
Requirements:	GMSS-HSP-020	1.1, GMSS-HSP-020.1.2, GMSS-HSP-021.1, GMSS-HSP-		HSP for a LOW SEAT BE	LI USE RATE STATE	Browser:		_	
Testing and	UZI.I.I, GMSS-	nor-u21.2, GMSS-H5P-U21.8, GMSS-H5P-U21.10, GMSS-				Pass/Fail:	Pass	4	
resung envirome	ni. nitips://nntsag	msspreprou.crm9.dynamics.com	conditions		Post Conditions		1	+	
User is logged on	to GMSS. User	has started a new Highway Safety Plan. (See GMSS-APP-40)	-0001 NHTSA Grant Application - Summary Information script for more details on logging in and sta	ting State users are able to co	omplete the 405(b) - Low section appropriately.			+	
a new HSP.) The	GTL has indicat	ed that the State is eligible to apply for the 405(b)-Low grant w	hile completing their administration steps in GMSS-APP-NHTSA-HQ.		- F				
Step #	Role	Step Description	Visual	Expected Res	Actual Result (Enter a description only if the result is different from Expected or if the step fails.)	Status			
25	All State users	Click Upload Plan or Select a Program Area. The options	🛄 📴 NHTSA 🚳 R.20 Texting - 🔤 en al Colliger Pr> Howe also - engl> SANDBOX - P. S. + V. O.	The User is able to select	t "Select				
		- Upload Plan to Application Documents area	Benefit for the biogenerative relation that Deleter sectors that Deleter sectors are sectors and the Deleter sectors are sectors and the Deleter sectors are sectors and the Deleter sectors are	enforcement" or "Upload	Plan to				
		 Select Program Areas for seat-belt enforcement 	ASSE COUNTY HOUSEDA GAILST	Application Documents ar	rea".				
			HAWAII 2020 - 405(b) na Allocation Program						
			Seat belt enforcement	1					
			Listed Pin or Sets 1 Program Area *						
			v Select an existing Program Area to methy the Status and Julie Information plan application elastic						
			Progenition +						
			Agentin Dung Bightal Parameter Dung						
			1	-					
26	All State users	Verify that the programs areas added in the HSP are listed in the grid	III IIINHTSA 18 R20Teeting - 4620(auguet.r	The program areas are lis	sted in the				
		x000D	Kennede une morpe a une to estato destito destita destito destito destito destito destito destito destito destito	× gnu.					
		(Note: For the program areas to be listed in the grid, it needs	esti come restoro care						
		this program area part of Seat Belt Enforcement Plan?	HAWAII 2020 - 405(b) -a economica e economica						
		question.	*Seat belt enforcement	*					
			(ginal Piece Select a Program Awa"						
			 Select an outdray Program Area to welfer free Select and belt unforcement plan application orbitals. 						
			Togan Ava 4						
			Agreeie Nong Brycki Protection	1					
			(miking) hund						
								_	
27	All State users	asure programs Verify that the project(s) added in the HSP are listed in the		The projects are listed in t	the grid			-	
		Projects in 405(b) gridx000D_	E BENTSAN R R20 Texting - 46 de Couperte - > 14444 2000 - 4506 - SANDBOX P © + V © -		the gird.				
		x000D	Дзия Дзикалог Зучентика +им Долоновод Дляга Винагасти 1иолог Филон	я х					
		grid, it needs to be added in the HSP -> Program Areas ->	HAWAII 2020 - 405(b) -						
		Countermeasure Strategies -> Add New -> Yes on the Is	Redshop:						
		Countermeasure Strategy -> Projects -> Add New -> Yes on	High risk population countermeasure programs						
		the Is this project part of the Occupant ProtectionPlan?	Terrist De contenensauer strategines and projection) Data demonstrate the State and Beginnest data driver programs to Improve wast beit and dold resolutions of the Albert two of the Alberting at risk projections. () Oversion read makings () Unreduced sliphtline driver, (0) Terringe driver Other high via propriations	M					
		question.	Pagenta Handoji Poljestruuter Poljestrume It. 1903. Uzr Poljester In Dock	-					
								1	
28	All State users	Scroll down and verify that the countermeasure strategies added in the HSP are listed in the Projects in the	📕 📴 NHTSA at 🛛 R.2.0 Testing v 🖉 estatoment A Hanna 2007 estat > SANDBOX P 👳 + 🕫 ?	The countermeasure strat	itegies are				
		gridx000D_	Di mananan lang tangkatan kata kanan di kanan	a solution and grid.					
		x000D	est content restronk quert						
		grid, it needs to be added in the HSP -> Program Areas ->	FTAVVAII 2U2U - 4U3(U) 18 Kotoka						
		Add New -> Countermeasure Strategies -> Add New -> Yes	- Continuent Brade	1					
		on the IS Part of Occupant ProtectionPlan? question.	Continuent Bilder for 4						
			Boyle select save for Albity						
Comprehensive	occupant prote	ction program			1	1	1		

		Test Script: NHTSA 405 Grant Application - 405b Low Use Tester(s):					
GMSS-APP-405	-0003	Test Script Description: Verify the appropriate details and functionality of the 405(b) section on the NHTSA Environment:					
GMSS-HSP-020	0.1.1, GMSS-HSP-020.1.2, GMSS-HSP-021.1, GMSS-HSP-		HSP for a LOW SEAT BELT USE RA	TE STATE	Browser:		
021.1.1, GMSS-	HSP-021.2, GMSS-HSP-021.8, GMSS-HSP-021.10, GMSS-				Pass/Fail:	Pass	
nt: https://nhtsag	msspreprod.crm9.dynamics.com					T	4
	Pri	conditions		Post Conditions			_
GTL has indicate	has started a new Highway Safety Plan. (See GMSS-APP-40 ed that the State is eligible to apply for the 405(b)-Low grant v	2000 NHTSA Grant Application - Summary information script for more details on logging in and starting hile completing their administration steps in GMSS-APP-NHTSA-HQ.	g State users are able to complete the	405(b) - Low section appropriately.			
Role	Step Description	Visual	Expected Result	Actual Result (Enter a description only if the result is different from Expected or if the step fails.)	Status		
All State users	Scroll down and enter values in the following fields: - Date of Last Occupant Protection Assessment - Designated Occupant Protection Coordinator Name - Designated Occupant Protection Coordinator Title Foter text in the textbox under STATEWIDE OCCUPANT		The User is able to enter values in the fields.				
tion Program A	Enter text in the textbox under STATEWIDE OCCUPANT PROTECTION TASK FORCE MEMBERSHIP - Input the name and title of the Statewide Occupant Protection Task Force membership, including the organizations of the Statewide Occupant Protection Coordinator and organizations for task force membership.		The User is able to manually enter or copy/paste text in the textbox.				
tion Program A	Assessment				1	1	4
	Assessment and enter a date.	Image: Second	date or use the calendar.				
	GMSS-APP-405 GMSS-HSP-020 (21.1.1, GMSS- nt: https://initsag to GMSS.User GTL has indicat Role All State users All State users	GMSS-APP-405-0003 GMSS-HSP-020.1.1, GMSS-HSP-021.1, GMSS-HSP-021.10, GMSS-HSP-021.10, GMSS-HSP-021.10, GMSS-HSP-021.10, GMSS-HSP-021.10, GMSS-HSP-021.10, GMSS-HSP-021.10, GMSS-User has started a new Highway Safety Plan, (See GMSS-APP-402) GTL has indicated that the State is eligible to apply for the 405(b)-Low grant w Role Step Description All State users Scroll down and enter values in the following fields: - Designated Occupant Protection Assessment - Designated Occupant Protection Coordinator Name - Designated Occupant Protection Coordinator Title All State users Enter text in the textbox under STATEWIDE OCCUPANT PROTECTION TASK FORCE MEMBERSHIP - Input the name and title of the Statewide Occupant Protection Tordetorin Coordinator and organizations of the Statewide Occupant Protection Coordinator and organizations for task force membership. tion Program Assessment Edick on the Date of Last Occupant Protection All State users Click on the Date of Last Occupant Protection Coordinator and organizations for task force membership.	Constraint Constraint <thconstraint< th=""> Constraint Constrai</thconstraint<>	Construction Test Sorge Prior Data Age control processing of the standard of the stand of the standard of the standard of the st	Concurrence Tested out Tested out Concurrence Note of the concurrence Note of the concurrence Concurrence Note of the concurrence Note of the concurrence Concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the concurrence Note of the conconcurrence Note of the concurrence<	Control Description Description Description Description Visit Sector Test Sector Sect	All Dir Lotter Note of the state of the

Date Executed:			Test Script: NHTSA 405 Grant Application - 405b Low Use			lester(s):		
Test Script ID:	GMSS-APP-405	5-0003	Test Script Description:	Verify the appropriate details and fund	ctionality of the 405(b) section on the NHTSA	Environment:		
Requirements:	GMSS-HSP-020	0.1.1. GMSS-HSP-020.1.2. GMSS-HSP-021.1. GMSS-HSP-	· · · · · · · · · · · · · · · · · · ·	HSP for a LOW SEAT BELT USE RA	TE STATE	Browser:		
riequirementor	021.1.1, GMSS-	HSP-021.2, GMSS-HSP-021.8, GMSS-HSP-021.10, GMSS-				Pass/Fail:	Pass	<u> </u>
Testing envirome	nt: https://phtsag	mossnrenrod crm9 dynamics com				1 400/1 411	1 455	<u> </u>
resurg crivitorite	an. naps.annisag	Inspicpiou.cms.dynamics.com	rearditions		Post Conditions		1	t
Lloor in logged or	to CMCC Lloor	has started a new Lishway Safety Dian (See CMSS ADD 40	2.0001.NUTCA Creat Application - Summary Information parint for more datails on logging in and starting	State uppers are able to complete the	40E/b) Low costion oppropriately			<u> </u>
a new HSP.) The	GTL has indicate	ed that the State is eligible to apply for the 405(b)-Low grant w	<i>cool of the second with some and a starting the internation</i> script for more details on ogging in and starting the completing their administration steps in GMSS-APP-NHTSA-HQ.	State users are able to complete the	405(0) - LOW Section appropriately.			
Step #	Role	Step Description	Visual	Expected Result	Actual Result (Enter a description only if the result is different from Expected or if the step fails)	Status		
	All Chata wasan	I lades the Ameliantics Decomposite continuation when		The University of Descent sector of the sector	or in the step rails.			<u> </u>
32	All State users	Under the Application Documents section, click on the	📰 🏭 HTSA 6 R20 Testing v 45 bi dougen h. 3 Havel 2020 - 456 i 3 SANDBOX 🖉 S + 🕫 @ ? 🕹	displayed				Ĺ
			Constanting the intermediate intermedinate intermedinate intermediate intermediate intermediate intermed	displayed.				1
								1
			HAWAII 2020 - 405(b) a sectors					1
								1
			hade y					1
			Occupant Protection Program Assessment					1
			Det of Last Opport Interface-Assessed					1
								1
			- Application Documents					1
			Using the UTLAGA button below (Doily PDF downeeds up to 23 bill are approxing) bCTE built the updated could bein up to 83 becomes					1
			Document Associated Grid • P					1
			None sodieł Nodelny (souwerts, jest †					1
			Ne essentra buelle de la votere					1
								1
								1
			- Alter					1
	All Chata was an	Click the Chases File button to unload a file and slick the		The desument is upleaded in the				
33	All State users	Click the Choose File button to upload a file and click the		application				1
		on batton.	×	application.				1
			Upload Documents					1
			opioda Docamento					1
			Choose a file No file chosen					1
								1
			Maximum upload limit in Dynamics 365 is 25.00MB. Larger files can be					1
			uploaded directly in SharePoint.					1
			Dynamics 365 Folder 405b Docs for VIRGINIA - Highway Safety Plan (402) - FY 2018					1
			Overwrite existing files					1
								1
								1
			OK Cancel					1
								1
								<u> </u>
34	All State users	Click the Save button on the top header.	🔠 👯 NHTSA 💰 R 20 Testing - 45 dologanth, xxxxx 2000 4566 > SANDBOX p 5 + 7 6 2 🙎	The 405(b) application information is				1
			New Same B: Laws To, or per particular to matters Vale Over Same Vale Over Same X Yeen Same X	saved.				1
			Live governor two groups per Brancore, terms to a to a					1
			HAWAII 2020 - 405(b) =					1
			Sector and a sector (Sector) -					1
			140 F					1
								1
			*Occupant Protection Program Assessment					1
			See of Lead Concepts Interview Interview Interview					1
			Application Documents					1
			Outing this UPCADE bottom bakes (Day) FOR discensions up to 21 bit are supported (SOTE) within this upford analytical sign to 86 accords					1
			Document Associated Grid ~ p					1
			₹ visao					1
			The second secon					1
								1
								1
								1
								L
35	All State users	Click the Validate Page button on the top header.	🔳 🔛 NHTSA 8 R20Testrig - 4186/cozerin-) Www.202 4061) SANDBOX D S + 9 @ 2 📥	The System checks that all of the				1
			Bracker(h) uses have an an an an an an and an an and an and and	required fields have a value.				1
			The foreign and the second sec	If a required field does not have a				1
			HAWAII 2020 + 405(b) 18 8000	value, a validation error will display in				1
				a yellow banner. The validation error				1
			tog y	will remain until the user addresses				Ĺ
			A Dissurant Departies Biogram Assessment	me error.			1	Í
			Deside of Sugar Franks Revealed	If all fields have a value, the 405(b)			1	Í
				status will change to Validated				Ĺ
			* Application Documents				1	Í
			Using the URUM hadras below (Xin) MPI documents up to 25 MB are supported, MPIC looked the up to 60 accords					1
			Document Associated Grid - P					Ĺ
			f unos Nare Notified Indeki b oscineta, no n					1
			Managements of a Residence and the second se					1
								Ĺ
							1	Ĺ
			- Alter				1	Ĺ
1	1	1				1	1	Ĺ

Date Executed:			Test Scrir	at-NHTSA 405 Grant Application - 405	h I ow Lise	Tester(s)	
Tost Script ID:	CMSS ADD 40	5 0002	Tost Script Descriptio	Worify the appropriate details and fu	actionality of the 40E/b) section on the NHTSA	Environment:	
Desciounter	CMCC LICD 02		Test Scipt Desciptio	HSP for a LOW SEAT BELT LISE P	ATE STATE	Environment.	
Requirements:	021 1 1 GMSS	HSD-021 2 GMSS-HSD-020.1.2, GMSS-HSD-021.1, GMSS-HSD-020.1		I SI IOI W SEAT BEET OSE I		Browser:	Data
-	021.1.1, 01000	1131 021.2, 01033 1131 021.0, 01033 1131 021.10, 01033				Pass/Fail:	Pass
Testing envirom	ent: https://nhtsa	gmsspreprod.crm9.dynamics.com					
		Pre	econditions		Post Conditions		
User is logged on to GMSS. User has started a new Highway Safety Plan. (See GMSS-APP-402-0001 NHTSA Grant Application - Summary Information script for more details on logging in and starting State users are able to complete the 405(b) - Low section appropriately. a new HSP.) The GTL has indicated that the State is eligible to apply for the 405(b)-Low grant while completing their administration steps in GMSS-APP-NHTSA-HQ.							
Step #	Role	Step Description	Visual	Expected Result	Actual Result (Enter a description only if the result is different from Expected or if the step fails.)	Status	
36	All State users	Once the system updates the 405(b) application form status to Validated , click the Save & Close button.	Compared and a second sec	The user is taken back to the HSP page.			
			END OF SCRIPT - Continue to GMSS-APP-405-0004 NHTSA HSP - 405	c			
Alternate Flow(s)						
Negative Flow(s): None identifi	ed					

- A46: Mark G. Katzenberger: this section does not appear on MD 405(6) low for 2017
- A49: Mark G. Katzenberger: this section does not appear on MD 405g low for 2017
- A51: Mark G. Katzenberger: this section does not appear on MD 4056 Low for 2017