OMB Number: 0920-0740

Expiration Date: 05/31/2015

2014 Standard Questionnaire for Medical Monitoring Project (MMP)

## **VERSION 10.0.2**

Public reporting burden of this collection of information is estimated to average 45 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: CDC, Project Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0740). Do not send the completed form to this address.

DEPARTMENT OF HEALTH AND HUMAN SERVICES



Public Health Service Centers for Disease Control and Prevention Atlanta, GA 30333



CENTERS FOR DISEASE CONTROL AND PREVENTION

# 2014 MMP QUESTIONNAIRE

PRELIMINARY INFORMATION (I)	4
DEMOGRAPHICS (D)	6
ACCESS TO CARE (A)	
HIV TESTING AND CARE EXPERIENCES Sources of Care Met and Unmet Needs	
STIGMA AND DISCRIMINATION (R)	
HIV TREATMENT AND ADHERENCE (T)	
SEXUAL BEHAVIOR (S)	
TOTAL SEX PARTNERS (ST) EXCHANGE SEX (SE) NAMES OF PARTNERS (SN) PARTNER DEMOGRAPHICS (SP) VAGINAL SEX (SV) ANAL SEX (SL) TRANSGENDER SEX (SG) STATUS (SS) PRE-EXPOSURE PROPHYLAXIS (SR) AGGREGATE INFORMATION (SA) SEROSORTING DRUG AND ALCOHOL USE (U) CIGARETTE AND ALCOHOL USE NON-INJECTION DRUG USE INJECTION DRUG USE	
TRANSMISSION RISK BEHAVIORS (B)	
PREVENTION ACTIVITIES (P)	141
DEPRESSION (M)	143
GYNECOLOGICAL AND REPRODUCTIVE HISTORY (G)	
HEALTH CONDITIONS AND PREVENTIVE THERAPY (C)	
INTERVIEW COMPLETION (E)	
End of Interview Payment Verification Data Validity	
RESPONSE CARDS	
2013 CALENDAR	
2014 CALENDAR	

**General notes for QDS programmer** (additional programming notes are located throughout the questionnaire):

- 1) Use version 2.6.1 of QDS.
- 2) Every question requires a response to move forward in the application unless otherwise noted.
- 3) Use the following values: .D = 8, .R = 7, NA = 6.
- 4) For all "other-specify" variables in "check all that apply" questions, use the "other" variable name (which should end in "O") and add an "S" on the end. If the variable name becomes too long, then drop the letter immediately preceding the consecutive letter at the end of the main part of the variable name. For example, if the "other" variable is named "KINDG\_9O" (where KIND is the stem variable name and G denotes the lettered response option) the "specify" variable should be named "KING\_9OS"
- 5) QDS programming notes are not included in the application; they are merely there to help with coding.
- 6) Interviewer instructions and inconsistency checks are notes for the interviewers, but may also include coding instructions.
- 7) The QDS codebook should have a brief description of the variable. This includes all calculated variables.
- 8) Calculate questionnaire version number using variable name **VERSION**. This must be updated every time a change is made in the application.
- 9) Calculate QDS version number using variable name **QDSVERN3**. This variable describes the QDS version used to create the QAD file. For 2014 cycle the value is 2.6.1.
- 10) Calculate data collection cycle using variable name **CYCYR**. CYCYR = 2014.
- 11) For all date variables also create an automatic variable that is a copy of the date variable. For example, if the variable for date was called DATE, then the automatic variable would look like: a. variable name: TXFORM, b. type of date: String Expression, c. numeric calculation/string expression: DATE
- 12) Label module sections in the codebook. Use the Table of Contents for guidance.
- 13) PDP start date is January 1, 2014.
- 14) PDP end date is April 30, 2014.
- 15) Calculate the time to conduct an interview from D1 to C20 (i.e., exclude Preliminary Information and Interview Completion sections.
- 16) Calculate time to conduct each module.
- 17) Do not include the Response cards and calendars in the QDS program.
- 18) Distinguish between English and Spanish versions of the questionnaires.
- 19) The maximum size of text values is 100 except for E5 which is 200.

MMP Standard Questionnaire Preliminary Information

## Preliminary Information (I)

Interviewer instructions: Enter Preliminary Information prior to interview.			
<b>Partici</b> I1a. I1b. I1c.	ipant ID [PARID]: Site ID [SITEID] Facility ID [FACILID] Respondent ID [INDID]		
Site ID calcula	rogramming note: , Facility ID, and Respondent ID all must be 4 digits with leading 0s. <b>[PARID]</b> is a 12 digit ated variable based on <b>[SITEID] + [FACILID] + [INDID]</b> 1–9999		
I1d.	The Participant ID is/ Is that correct? [IDCONFN3]         No		
Display partici	rogramming note: Enter PARID for question. If 11d is "No," loop back to 11a. y for interviewer should include dashes after every 4 <sup>th</sup> number for legibility (e.g., "The pant ID is 1111-2222-3333. Is that correct?" DO NOT create a new variable reflecting . Display when 11d is NO should read: "Interviewer: Please re-enter participant ID."		
12.	Interviewer ID: [INTID]		
QDS pi	rogramming note for I2: Range 1–999		
13.	Computer device ID: [DEVICEID]		
QDS pi	rogramming note for I3: Range 1–999		
14.	Interview date://		
QDS pi	rogramming note for I4: Automatically calculate in QDS.		
15.	Are you conducting a telephone interview or face-to-face interview? [TI_F2F] Telephone interview		
16.	Was the interview originally administered on paper? [MODEADM]		

MMP Standard Questionnaire Preliminary Information

No
Yes 1

MMP Standard Questionnaire Preliminary Information

### Demographics (D)

**SAY:** "I'd like to thank you for taking part in this interview. Remember that all the information you give me will be confidential and your name <u>won't</u> be recorded in the survey responses. The answers to some questions may seem obvious to you, but I need to ask you all of the questions."

Interviewer instructions: If I5 [TI\_F2F] is "telephone interview," then go to Say box below; otherwise skip to D1.

**SAY:** "You have chosen to complete the interview over the telephone. Before we begin, I would like to remind you that there is a set of response cards that I will ask you to refer to throughout the course of the interview. These response cards will be needed for some of the questions you will be asked during the interview. The set of cards contains a calendar, some pictures, and text to help guide you through the response options for some of the questions. Each card is labeled. Please keep this set of response cards nearby so you can use them when needed. I will let you know which questions require response cards and the label that corresponds to the card that is needed."

- D1. Have you ever participated in the MMP interview? [PARTCPT] No......□ 0 Skip to D2 Yes....□ 1 Refused to answer...□ 7 Skip to Say box before D2 Don't know...□ 8 Skip to D2
- D1a. What month and year did you participate in the MMP interview? [PARTIC]

 $\frac{1}{(M M Y Y Y Y)}$ 

[Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Interviewer instructions: If the respondent does not know the month, code this date as Don't know.

Inconsistency check: D1a (date respondent participated in MMP) cannot be <u>earlier</u> than January 2005 or <u>later</u> than I4 (interview date).

MMP Standard Questionnaire Demographics

QDS programming note for D1a: This requires a full response for month and year.

D1b. In what city were you interviewed?

\_\_\_\_\_(City) [CITY\_9]

[7 = Refused, 8 = Don't know]

D1c. In what state were you interviewed?

\_ (State) [STATE\_9]

[7 = Refused, 8 = Don't know]

Interviewer instructions: If D1a [PARTIC] is during the 2014 data collection cycle, or "Refused to answer," go to Say box before D2; otherwise, skip to D2.

QDS programming note for Interviewer instructions <u>after</u> D1c: parameters for the 2014 data collection cycle are May 1, 2014 to I4 (interview date).

**SAY:** "We are only interviewing people who haven't already been interviewed during **2014** (2014). Thank you very much for your time." [DISCONTINUE INTERVIEW AND SKIP TO INTERVIEW COMPLETION.]

QDS programming note for Say box <u>after</u> D1c: use 2014 if the year in I4 (date of interview) is 2014. Use 2015 if the year in I4 (date of interview) is 2015.

D2. Please tell me the month and year of your date of birth? [DOB\_13]

[Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Interviewer instructions: If D2 [DOB\_13] is less than 18 years prior to January 1, 2014 skip to say box before D3. If D2 is "Refused to answer" or "Don't know," or if D2 is 18 years and 0-11 months prior to January 1, 2014 go to D2a; otherwise, skip to D3.

Inconsistency check: D2 [DOB\_13] cannot be <u>earlier</u> than January 1, 1900 or <u>later</u> than the I4 (interview date).

MMP Standard Questionnaire Demographics

QDS programming note for D2: This requires a full response for month and year. Use the 1<sup>st</sup> of the month to calculate age.

D2a.	Were you at least 18 years old on January 1, 2014? [AGE_VER1]	
	No	Skip to Say box before D3
	Yes 1	Skip to D3
	Refused to answer	Skin to Say box before
	Refused to answer	D3

**SAY:** "We are only interviewing people who were 18 years or older on January 1, 2014. Thank you very much for your time." [DISCONTINUE INTERVIEW AND SKIP TO INTERVIEW COMPLETION.]

# D3. What is the highest level of education you completed? [DON'T READ CHOICES. CHECK ONLY ONE.] [EDUC]

#### D4. Do you consider yourself to be of Hispanic, Latino/a, or Spanish origin? [HISPA\_13]

No	Skip to D5
Yes	
Refused to answer	
Don't know	Skip to D5

#### 

MMP Standard Questionnaire Demographics

D5.	Which racial group or groups do you consider you	-		
	than one option. [READ CHOICES. CHECK ALL THAT APPLY.] [RACE_9]			
	American Indian or Alaska Native			
	Asian			
	Black or African American			
	Native Hawaiian or Other Pacific Islander			
	White			
	Refused to answer			
	Don't know			

#### D6. In what country or territory were you born? [DON'T READ CHOICES. CHECK ONLY ONE.] [CO\_BORN]

United States	
Puerto Rico	
Mexico	
Cuba 4	
Other ( <b>Specify:</b> )	
Refused to answer	
Don't know	7

#### D6a. How many years have you been living in the United States? [US\_YRS]

\_\_\_\_\_years [Years: 777 = Refused to answer, 888 = Don't know]

Interviewer instructions: If years living in the U.S. are less than 1 year, enter "0."

Inconsistency check: D6a [US\_YRS] must be ≤ the respondent's age at the date of the interview. Range 0–110.

#### D7. How well do you speak English? [READ CHOICES. CHECK ONLY ONE.] [LANWL1N3]

Very well	 1
Well	 2
Not well	 3
Not at all	 4
Refused to answer	
Don't know	 8

#### D8. Do you speak a language other than English at home? [LANWL2N3]

MMP Standard Questionnaire Demographics

	Yes 1			
	Refused to answer			
	Don't know			
D8a.	What is this language? [DON'T READ CHOICES. CHECK ONLY ONE.] [LANWL3N3]			
	Spanish			
	French 2			
	Chinese			
	German			
	Tagalog			
	Vietnamese			
	Italian 🗆 7			
	Korean 8			
	Russian			
	Polish 10			
	Other (Specify:)			
	Refused to answer			
	Don't know 🛛 88			
D9.	What was your sex at birth? [READ CHOICES EXCEPT "Intersex/ambiguous." CHECK ONLY			
	ONE.] [BIRTGEN]			
	Male			
	Female			
	Intersex/ambiguous			
	Refused to answer			
	Don't know			
D10.	Do you consider yourself to be male, female, or transgender? [CHECK ONLY ONE.] [GENDER]			
	Male			
	Female			
	Transgender			
	Refused to answer			
	Don't know			
D11.	Do you think of yourself as: [READ CHOICES. CHECK ONLY ONE.] [SEXORI8]			
	Homosexual, gay, or lesbian			

MMP Standard Questionnaire Demographics

**SAY:** "Now I'm going to ask you some questions about the **past 12 months**. We will use the calendar to refer to the past 12 months. That is from last year (**DATE WITH PREVIOUS YEAR**) to now (**INTERVIEW DATE**)."

QDS programming note for Say box before D12: The QDS program should enter the appropriate dates. EXAMPLE: If IDATE is 11/11/2014 then the program should read "That is from last year, 11/11/2013 to now 11/11/2014."

D12.	During the <b>past 12 months</b> , have you	<b>No</b> (0)	<b>Yes</b> (1)	Refused	<b>Don't</b> <b>know</b> (8)
D12a.	lived on the street? [HOMEL_9A]	□ o	□ 1	7	8
D12b.	lived in a shelter? [HOMEL_9B]	□ o	□ 1	7	8
D12c.	lived in a Single Room Occupancy (SRO) hotel? [HOMEL_9C]	0	□ 1	7	8
D12d.	lived in a car? [HOMEL_9D]	□ o	□ 1	7	8


# D13. During the **past 12 months**, have you been arrested and put in jail, detention, or prison for longer than 24 hours? [JAIL]

No	
Yes	
Refused to answer	
Don't know	

# D14. During the **past 12 months**, have you had any kind of health insurance or health coverage? This includes Medicaid and Medicare. [HTHINS 9]

0			
No	 	<u> </u>	Skip to Sav box
	 		before D17
Refused to answer	 		
			Skip to Say box before D17
Don't know	 	ſ	
			before D17

D15. During the **past 12 months**, what were all the kinds of health insurance or health coverage you had? Please tell me about each of these kinds of insurance.



MMP Standard Questionnaire Demographics

D15a.	Private health insurance [KINDA_3]		
D15b.	Medicaid [KINDB_3]		
D15c.	Medicare [KINDC_3]		
D15d.	Ryan White [KINDD_3]		
D15e.	ADAP [KINDE_3]		
D15f.	Tricare or CHAMPUS [KINDF_3]		
D15g.	Veterans Administration		
	coverage [KINDG_3]		
D15h.	City, county, state or other		
	publicly funded insurance [KINDH_N3]		
D15i.	Other insurance [KINDI_3]		
	(Specify:) [KII_3OS]		

Inconsistency check: If D14 is "yes" at least one of D15a-D15i must be "yes."

QDS programming note for D15 series: If D14 is "yes" and none of D15a-D15i is "yes," display note to interviewer: "Interviewer: Respondent reported health insurance or coverage in past 12 months but did not answer "yes" to any type. Confirm response to D14 and repeat D15a-D15i if D14 remains "yes."

# D16. During the **past 12 months**, was there a time that you didn't have any health insurance or health coverage? [INS12\_9]



**SAY:** "For the next question, please choose the answer that best describes your current status AFTER I have read all the choices."

D17.	Are you currently? [READ CHOICES. CHECK ONLY ONE] [WORK_N3]
	Employed for wages
	Self-employed
	Out of work for more than 1 year $\Box$ 3
	Out of work for less than 1 year
	A Homemaker
	A Student
	Retired

MMP Standard Questionnaire Demographics

Or unable to work	🗆 8
Refused	77

Programming note for Say box before D19 and D19a and D19b: use the calendar year prior to interview year. EXAMPLE: If interview date is 12–01–14, ask about 2013.

**SAY:** "Now I would like to ask you some questions about **2013** (2014). That is January 1st, 2013 to December 31st, 2013. For this next question, we will use **Response Card A** and the **calendar**."

D19. In **2013** (2014), what was your combined **monthly** or **yearly** household income from all sources before taxes? When I say "combined household income," I mean the total amount of money from all people living in the household. [DON'T READ CHOICES.]

**SAY:** "Please take a look at **Response Card A** and tell me the letter that corresponds to either your monthly or yearly household income before taxes."

Monthly Income [MTH_IN_3]		Yearly Incon	<u>ne [YR_IN_3]</u>
a.	\$0 to \$416	n.	\$0 to \$4,999
b.	\$417 to \$833	0.	\$5,000 to \$9,999
с.	\$834 to \$1041	р.	\$10,000 to \$12,499
d.	\$1042 to \$1249	q.	\$12,500 to \$14,999
e.	\$1250 to \$1666	r.	\$15,000 to \$19,999
f.	\$1667 to \$2083	S.	\$20,000 to \$24,999
g.	\$2084 to \$2499	t.	\$25,000 to \$29,999

MMP Standard Questionnaire Demographics

j.\$3334 to \$4166w.\$40,000 to \$49,999k.\$4167 to \$49999x.\$50,000 to \$59,999l.\$5000 to \$6249y.\$60,000 to \$74,999m.\$6250 or morez.\$75,000 or more77Refused to answer77Refused to answer	h.	\$2500 to \$2916	u.	\$30,000 to \$34,999
k.\$4167 to \$4999x.\$50,000 to \$59,999l.\$5000 to \$6249y.\$60,000 to \$74,999m.\$6250 or morez.\$75,000 or more77Refused to answer77Refused to answer	i.	\$2917 to \$3333	٧.	\$35,000 to \$39,999
I.       \$5000 to \$6249       y.       \$60,000 to \$74,999         m.       \$6250 or more       z.       \$75,000 or more         77       Refused to answer       77       Refused to answer	j.	\$3334 to \$4166	w.	\$40,000 to \$49,999
m.\$6250 or morez.\$75,000 or more77Refused to answer77Refused to answer	k.	\$4167 to \$4999	х.	\$50,000 to \$59,999
77Refused to answer77Refused to answer	Ι.	\$5000 to \$6249	у.	\$60,000 to \$74,999
	m.	\$6250 or more	Ζ.	\$75,000 or more
00 Depit know	77	Refused to answer	77	Refused to answer
80DOILT KNOW80DOILT KNOW	88	Don't know	88	Don't know

D19a. Including you, how many people depended on this income in 2013 (2014)? [DEPND\_IN]

[77 = Refused to answer, 88 = Don't know]

Inconsistency check: D19a must be  $\geq$  1 and < 50.

Interviewer instructions: If D19a is >1, go to D19b; otherwise, skip to say box before A1.

D19b. Of the people who depended on this income in **2013** (2014), how many were less than 18 years old? [*DEPND\_N3*]

[77 = Refused to answer, 88 = Don't know]

Inconsistency check: D19b must be < D19a (unless D19b is skipped).

QDS programming note for inconsistency check <u>after</u> D19b: If D19b >= D19a, display note to interviewer: "The number of people under 18 who depended on your income in 2013 (2014) must be less than the total number of people who depended on your income in 2013 (2014)." Do not allow the program to advance.

MMP Standard Questionnaire Demographics

### **HIV Testing and Care Experiences**

SAY: "Now I'm going to ask you some questions about getting tested for HIV."

A1. What month and year did you **first** test positive for HIV? Tell me when you got your result, not when you got your test. [POS15\_9]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer. 8888 = Don't know]

Inconsistency check: A1 (date first tested positive for HIV) cannot be <u>earlier</u> than D2 [DOB\_13]. If A1 is <u>earlier</u> than March 1985 or <u>later</u> than April 30, 2014, the PDP end date, confirm response.

QDS programming note for inconsistency check <u>after</u> A1: If A1 is earlier than 03/1985, display note to the interviewer: "The date entered is earlier than 03/1985 (date of first FDA-approved HIV test). Confirm date of HIV test." Program should move forward regardless of date. Allow a blank response for month. If A1 is later than April 30, 2014, display note to interviewers: "The date entered is after 04/30/2014 (PDP end date). Go back to previous question to confirm date of HIV test." The program will then go to the Say box before A2.

Interviewer instructions: If A1 (date first tested positive for HIV) is <u>after</u> April 30, 2014, go to the Say box before A2. If A1 is "Refused to answer" or "Don't know," skip to A7. If A1 (date first tested positive for HIV) is <u>12 months or earlier</u> than I4 (interview date), go to A2; otherwise skip to instructions before A3.

**SAY:** "We are only interviewing people who tested positive for HIV before **April 30, 2014.** Thank you very much for your time." **[DISCONTINUE INTERVIEW AND SKIP TO INTERVIEW COMPLETION.]** 

A2.			
	a negative HIV test? [HIVBEF_9]	Skip to interviewer	
	No	⇒ instructions before A3	
	Yes 1		
	Refused to answer	Skip to interviewer	
	Refused to answer	instructions before A3	

15

MMP Standard Questionnaire HIV Testing and Care Experiences

#### QDS programming note for A2: Insert date from A1 in question.

A2b. What month and year did you get your most recent negative HIV test? Tell me when you got your result, not when you got your test. [LASTN\_9]

Inconsistency check: A2b (date of the most recent negative HIV test) cannot be <u>earlier</u> than D2 (respondent's date of birth) or <u>later</u> than A1 (date first tested positive for HIV). If A2b is <u>earlier</u> than March 1985, confirm response.

QDS programming note for inconsistency check <u>after</u> A2b: If A2b is earlier than 03/1985, display note to interviewer: "The date entered is earlier than 03/1985 (date of first FDA-approved HIV test). Confirm date of HIV test." Program should move forward regardless of date. Allow a blank response for month.

Interviewer instructions: If A1 (date first tested positive for HIV) is less than <u>5 years earlier</u> <u>than</u> April 30, 2014, go to A3; otherwise skip to A7.

A3.	When you tested positive in/ [INSERT DATE FROM A1], at what type of
	facility were you tested? [DON'T READ CHOICES. CHECK ONLY ONE.] [TESLOC_9]
	Private doctor's office
	Primary care clinic or community health center
	Health department
	Labor/delivery setting
	OB-GYN or family planning clinic
	Emergency room
	Inpatient hospital ( <b>not</b> labor/delivery or emergency room).
	HIV counseling and testing site
	STD clinic
	HIV/AIDS infectious disease clinic
	Mobile test site
	Correctional facility
	Blood donation facility
	Substance abuse treatment center
	Insurance or employee clinic
	Military or VA facility
	Other (Specify:) [17 [TESL9_OS]

MMP Standard Questionnaire HIV Testing and Care Experiences

**Key:** grey box = interviewer instructions; blue box = inconsistency check; orange box = QDS program note; dark red variable = previously used variable; green variable = new variable; grey font for response set = do not read responses

16

Inconsistency check: Confirm response if A3 (testing location) is "labor/delivery setting" or "OB-GYN or family planning clinic" and [BIRTGEN] is "male".

QDS programming note for A3: Insert date in question. If A3 is "labor/delivery setting" or "OB-GYN or family planning clinic" and [*BIRTGEN*] is "male," display the following message: "Respondent said he was first tested in a labor/delivery setting or OB-GYN or family planning clinic. Confirm response." Allow the program to advance.

A4. When you tested positive in \_\_\_\_/\_\_\_ [INSERT DATE FROM A1], what was the main reason you were tested? [DON'T READ CHOICES. CHECK ONLY ONE.] [MRTEST 9]

Concerned about exposure through sexual contact
Concerned about exposure through IDU
Part of STD screening or due to STD diagnosis
Due to other illness (not STD)
Due to pregnancy
Personal initiative to routinely test
Provider recommendation as part of routine care
Health department partner notification (PCRS)
Before blood donation
Needle stick follow-up or occupational exposure
Requirement (military, court order, or insurance)
Other (Specify:) )
Refused to answer
Don't know 🛛 88

QDS programming note for A4: Insert date from A1 in question.

Inconsistency check: A4 (main reason tested) cannot be "due to pregnancy" if [BIRTGEN] is "male".

QDS programming note for inconsistency check <u>after</u> A4: If [*BIRTGEN*] is "male" and response to A4 is "due to pregnancy," display note to interviewer: "Main reason tested cannot be due to pregnancy if respondent was born male." Do not allow the program to advance.

A5. After you tested positive in \_\_\_/\_\_ \_\_ [INSERT DATE FROM A1], did someone from the health department or a health care provider offer to tell or help you tell your sex or drug use partners that they may have been exposed to HIV? [PARTNO\_9]

MMP Standard Questionnaire HIV Testing and Care Experiences

**Key:** grey box = interviewer instructions; blue box = inconsistency check; orange box = QDS program note; dark red variable = previously used variable; green variable = new variable; grey font for response set = do not read responses

17

No	Skip to Say box
Yes	before A6
Not applicable	
Refused to answer	Skip to Say box
Don't know 8	Skip to Say box before A6

SAY: "For this next question, please use Response Card B."

A5a.	What was your response when someone from the health department or a health provider offered to tell or help you tell your sex or drug use partners? [READ CHOI CHECK ONLY ONE.] [RESNOT_9]	
	I asked them <u>not to tell any</u> of my partners	5c
	I told them that I didn't have any partners	/ box
A5b.	What was the <u>main reason</u> you asked someone from the health department or a care provider <u>not to tell any</u> of your partners? [ <b>READ CHOICES. CHECK ONLY ONE.</b> ] [NOPAR_10]	health
	Didn't know partners' contact information $\Box_1$ Was afraid of what partners would do $\Box_2$	
	Didn't trust health department/provider to tell partners $\Box$ 3	
	Was afraid partners would find out who may have infected them	
	Wanted to tell partners personally	
	Partners are HIV positive	
	Other (Specify:) 🗆 8 [NOP_100S]	
	Refused to answer	
	Don't know 88	

#### Interviewer instructions: Skip to Say box before A6.

A5c. What was the <u>main reason</u> you asked someone from the health department or a health care provider <u>to tell only some</u> of your partners? [READ CHOICES. CHECK ONLY ONE.] [NOSOM\_10]
Didn't know some partners' contact information.....□1
Was afraid of what some of his or her partners would do....□2

MMP Standard Questionnaire HIV Testing and Care Experiences

Didn't trust health department/provider to tell some
partners
Was afraid some partners would find out who may have
infected them
Wanted to tell some partners personally
Some partners are HIV positive
Other (Specify:) 🗆 8 [NOS_1003
Refused to answer
Don't know 88

**SAY:** "Now I'm going to ask you about HIV medical care. When I say 'HIV medical care,' I mean physical exams, prescriptions for HIV medicines, or lab tests such as HIV viral load and CD4 testing."

A6. Since testing positive for HIV, what month and year did you **first** visit a doctor, nurse, or other health care worker for HIV medical care? [CARE\_9]

(M M / Y Y Y)[Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Inconsistency check: Confirm response if A6 (date first went to provider for HIV care) is <u>earlier</u> than the A1 (date first tested positive for HIV) or earlier than [DOB\_13] (date of birth) or <u>later</u> than April 30, 2014, the PDP end date.

QDS programming note for inconsistency check <u>after</u> A6: If A6 is earlier than A1, display note to interviewer: "The date entered is earlier than the date first tested positive for HIV care. Go back to previous question to confirm the date." Allow the program to advance. If A6 is <u>later</u> than 04/30/2014, display a note to the interviewer: "The date entered is later than April 30, 2014 (PDP end date). Go back to previous question and confirm response." Allow the program to advance. Allow a blank response for month. If A6 date earlier than respondent's **[DOB\_13]** (*date of birth*) display a note to the interviewer: "The date entered is earlier than respondent's date of birth. Go back to previous question to confirm date."

Interviewer instructions: If A6 (date first went to provider for HIV care) is > <u>3 months</u> after A1 (date first tested positive for HIV), go to A6a; otherwise, skip to A7. If A6 is "Refused to answer" or "Don't know," skip to A7.

MMP Standard Questionnaire HIV Testing and Care Experiences

A6a. What was the <u>main reason</u> you didn't go to a doctor, nurse, or other health care worker for HIV medical care **within 3 months** of testing positive for HIV? [DON'T READ CHOICES. CHECK ONLY ONE.] [MRNOCA 9]

Felt good
Initial CD4 count and viral load were good
Didn't believe test result
Didn't want to think about being HIV positive
Didn't have enough money or health insurance
Had other responsibilities such as child care or work
Experienced homelessness
Was drinking or using drugs
Felt sick
Forgot to go
Missed appointment(s)
Moved or out of town
Unable to get transportation
Facility is inconvenient (location, facility hours, wait-time) $\Box$ 14
Didn't know where to go
Couldn't find the right HIV health care provider
Unable to get earlier appointment
Unaware of recommendation to enter care within 3 months $\Box$ 18
Other (Specify:)
Refused to answer
Don't know 88

A7. When was your **most recent** visit to a doctor, nurse, or other health care worker for HIV medical care? Please tell me the month and year. [LASCA\_9]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

#### QDS programming note for A7: Allow a blank response for month.

Inconsistency check: A7 (date of most recent visit to a provider for HIV care) cannot be <u>earlier</u> than A6 (date first visit to a provider for HIV care) or <u>later</u> than I4 (interview date).

Interviewer instructions: If A7 (date of most recent visit to a provider for HIV care) is > <u>6</u> <u>months</u> prior to I4 (interview date), go to A7a; otherwise, skip to Say box before A8. If A7 is "Refused to answer" or "Don't know," skip to Say box before A8.

MMP Standard Questionnaire HIV Testing and Care Experiences

SAY: "For this next question we will use the calendar to refer to the past 6 months."

A7a.	What was the main reason you didn't visit a doctor, nurse, or other health care worker
	for HIV medical care during the past 6 months? [DON'T READ CHOICES. CHECK ONLY ONE.]
	[MRNOC_10]

Felt good 🛛 1
CD4 count and viral load were good
Didn't believe test result $\square$ 3
Didn't want to think about being HIV positive
Didn't have enough money or health insurance
Had other responsibilities such as child care or work
Experienced homelessness
Was drinking or using drugs
Felt sick
Forgot to go
Missed appointment(s)
Moved or out of town
Unable to get transportation
Facility is inconvenient (location, facility hours, wait-time). $\Box$ 14
Didn't know where to go
Couldn't find the right HIV health care provider
Unable to get earlier appointment
Other (Specify:) 18 [MRN_100S]
Refused to answer
Don't know 88

MMP Standard Questionnaire HIV Testing and Care Experiences

### **Sources of Care**

**SAY:** "Now I'm going to ask you about the places where you get HIV outpatient medical care. By HIV outpatient medical care I mean care not in an emergency room, urgent care center, or while staying overnight in the hospital. If you don't remember everything, that's okay. Tell me what you remember."

modelit it was necessary, but never thea to get a usual		
source of care	🗆 6	
Other (Specify:	) 🗆 7 [UC_R100S]	
Refused to answer	77	
Don't know	88	

Interviewer instructions: Skip to Say box before A10a.

A9. Do you have a person you think of as *your* HIV doctor, nurse, or other healthcare provider? [*YRHIVN3*]

No	D o
Yes	
Refused to answer	
Don't know	

*SAY:* "For the next 2 questions, tell me how strongly you agree or disagree with the following statements about your HIV medical care?"

MMP Standard Questionnaire Sources of Care

A10a. The HIV medical care you have been receiving is just about perfect. [READ CHOICES. CHECK ONLY ONE.] [GESAT1N3]

Strongly agree	
Agree	
Uncertain	
Disagree	
Strongly disagree	
Refused to answer	
Don't know	

A10b. You are dissatisfied with some things about the HIV medical care you receive. [READ CHOICES. CHECK ONLY ONE.] [GESAT2N3]

Strongly agree	
Agree	
Uncertain	
Disagree	
Strongly disagree	
Refused to answer	
Don't know	

A11. What is the name of your usual place of HIV medical care?

Interviewer instructions: The name of the usual place of care is not recorded in QDS but will be used in later questions.

Interviewer instructions: The name of the usual place of care is not recorded in QDS but will be used in later questions. Please answer the following question based on the respondent's usual place of care. A11a. Is the respondent's usual place of care the same as the sampled facility? [USCSFN3]

No	 	 0

**Yes**.....⊔ 1

A12. In the past 12 months, between [ONE YEAR PRIOR TO INTERVIEW DATE (IDATE)] and today, how many times did you go to your HIV doctor or other care provider at [USUAL SOURCE OF CARE FACILITY NAME] for any sort of care? [TIMCR\_13]

[777 = Refused to answer, 888 = Don't know]

Inconsistency check: The number of visits in A12 must be between 0 and 365.

MMP Standard Questionnaire Sources of Care

# A13. About how many minutes does it usually take you to get to [USE USUAL SOURCE OF CARE FACILITY NAME]? [MIN\_TRVL]

[777 = Refused to answer, 888 = Don't know]

Inconsistency check: The number of minutes in A13 must be between 0 and 776.

A14. Between [INSERT PDP START DATE] and [INSERT PDP END DATE], at how many facilities besides [INSERT NAME OF SAMPLED FACILITY] have you received HIV medical care? [MLTFACN3]

\_\_\_\_\_ [777 = Refused to answer, 888 = Don't know]

Interviewer instructions: A different clinic in the same hospital would be considered a different facility if different on the sampling frame.

Inconsistency check: The number of facilities in A14 must be between 0 and 99.

**SAY:** "Now I'm going to ask you about general medical care. When I say, 'general medical care,' I mean care for any sort of general medical problem besides your HIV."

A15. During the **past 12 months**, was there one usual place, like a doctor's office or clinic, where you went for most of your general medical care? [OCAREL\_9]

No		Skip to A16
Refused to answer	<b>}</b> - s	ikip to A16

A15a. Was your usual place of general medical care the same as your usual place of HIV medical care? [OCAEQN3]

No	ļ
Yes	
Refused to answer	
Don't know 8	

A16. During the **past 12 months**, how many times did you go to an emergency room or urgent care center for HIV medical care? [*ERU\_VI\_9*]

[77 = Refused to answer, 88 = Don't know]

MMP Standard Questionnaire Sources of Care

Inconsistency check: A16 must be ≤ 76.

A17. During the **past 12 months**, how many times were you admitted to a hospital because of an HIV-related illness? Please don't include visits that were made only to the emergency room. [HOSP]

[77 = Refused to answer, 88 = Don't know]

Interviewer instructions: If A17 (times admitted to a hospital) is "0", "Refused to answer," or "Don't know," skip to A18.

Inconsistency check: A17 (times admitted to a hospital) must be  $\leq$  76.

A17a. During the **past 12 months**, how many days total did you spend in a hospital because of an HIV-related illness? [HOSPDAY]

[77=Refused to answer, 88=Don't know]

Inconsistency check: A17a cannot be "0" and must be  $\leq$  365.

A18. During the **past 12 months**, were you enrolled in an inpatient mental health facility? [ADMENH\_9]

No	0
Yes	1
Refused to answer	7
Don't know	8

A19. During the **past 12 months**, were you enrolled in an inpatient drug or alcohol treatment facility? [ADDRAL\_9]

NoE	] (
Yes	] 1
Refused to answer	] 7
Don't know	8

MMP Standard Questionnaire Sources of Care

### **Met and Unmet Needs**

**SAY:** "For the next set of questions I'm going to ask about services you used or needed during the **past 12 months**, (That is, from last year, (DATE WITH PREVIOUS YEAR) to now (INTERVIEW DATE)." First I'll ask whether you received the service; then I'll ask whether you needed this service. If you weren't able to get this service, I'll ask you the main reason you weren't able to get it. These questions might sound similar, but I need to ask you all of the questions."

QDS programming note for Say box before met and unmet need questions: The QDS program should enter the appropriate dates. EXAMPLE: If IDATE is 11/11/2014 then the program should read "That is from last year, 11/11/2013 to now 11/11/2014."

Interviewer instructions: If response to A20a is "No," "Refused to answer," or "Don't know," go to A20b; otherwise, skip to A21a. If response to A20b is "Yes," go to A20c; otherwise, skip to A21a. Follow the same pattern for A20–A38.

A20. HIV case		During the past 12 months, did you get: CODE: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 a. []	IF "No," "Refused to answer," or "Don't know," IN A20a-A38a ASK: During the past 12 months, have you needed: CODE: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8	IF "Yes" IN A20b-A38b ASK: What was the <u>main reason</u> you haven't been able to get this service during the <b>past 12 months</b> ? CODE: SEE CODE LIST BELOW FOR RESPONSES. [DON'T READ CHOICES. CHECK ONLY ONE.]			
	management services	[HIVC12_9]	[HIVCMS_9]	[HIVCRS_9] Other (Specify:) [HIVC_90S]			
A21.	Counseling about how to prevent the spread of HIV	a. [] [HIVE12_9]	b. [] [HIVEDU_9]	c. [] [HIVERS_9] Other (Specify:) [HIVE_90S]			
	Interviewer instructions: If applicable, use the state program name for ADAP when asking A22 (medicine through ADAP).						

MMP Standard Questionnaire Met and Unmet Needs

26

		During the <b>past</b> <b>12 months</b> , did you get: CODE: No = 0, Yes = 1, Refused to answer = 7,	IF "No," "Refused to answer," or "Don't know," IN A20a-A38a ASK: During the past 12 months, have you needed: CODE: No = 0, Yes = 1, Refused to answer = 7,	IF "Yes" IN A20b-A38b ASK: What was the <u>main reason</u> you haven't been able to get this service during the past 12 months? CODE: SEE CODE LIST BELOW FOR RESPONSES. [DON'T READ CHOICES.
		Don't know = 8	Don't know = 8	CHECK ONLY ONE.]
A22.	Medicine through the AIDS Drug Assistance Program (ADAP)	a. [] [GET_ADAP]	b. [] [NED_ADAP]	c. [] [ <b>RS_ADAP]</b> Other ( <b>Specify:</b> ) [ <b>RS_A_90S</b> ]
A23.	Professional help remembering to take your HIV medicines on time or correctly	a. [] [ASS12_9]	b. [] [ASS_9]	c. [] [ASSRS_9] Other (Specify:) [ASSR_90S]
A24.	HIV peer group support	a. [] [GET_GRP]	b. [] [NED_GRP]	c. [] [ <b>RS_GRP]</b> Other ( <b>Specify:</b> ) [ <b>RS_G_90S</b> ]
A25.	Dental care	a. [] [DENS12_9]	b. [] [DENSER_9]	c. [] [DENSRS_9] Other (Specify:) [DENS_9OS]
A26.	Mental health services	a. [] [MENC12_9]	b. [] [MENCON_9]	c. [] [MENCRS_9] Other (Specify:) [MENC_905]
A27.	Drug or alcohol counseling or treatment	a. [] [GET_SUBU]	b. [] [NED_SUBU]	c. [] [ <b>RS_SUBU]</b> Other ( <b>Specify:</b> ) [ <b>RS_U_90S</b> ]

MMP Standard Questionnaire Met and Unmet Needs

		During the past 12 months, did you get: CODE: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8	IF "No," "Refused to answer," or "Don't know," IN A20a-A38a ASK: During the past 12 months, have you needed: CODE: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8	IF "Yes" IN A20b-A38b ASK: What was the <u>main reason</u> you haven't been able to get this service during the <b>past 12 months</b> ? CODE: SEE CODE LIST BELOW FOR RESPONSES. [DON'T READ CHOICES. CHECK ONLY ONE.]
A28.	Public benefits including Supplemental Security Income (SSI) or Social Security Disability Insurance (SSDI)	a. [] [GET_SSDI]	b. [] [NED_SSDI]	c. [] [RS_SSDI] Other (Specify:) [RS_S_9OS]
A29.	Domestic violence services	a. [] [GET_DOMS]	b. [] [NED_DOMS]	c. [] [ <b>RS_DOMS]</b> Other ( <b>Specify:</b> ) [ <b>RS_D_90S</b> ]
A30.	Shelter or housing services	a. [] [SHLT12_9]	b. [] [SHLTER_9]	c. [] [SHLTRS_9] Other (Specify:) [SHLT_90S]
A31.	Meal or food services	a. [] [MLSF12_9]	b. [] [MLSFOD_9]	c. [] [MLSFRS_9] Other (Specify:) [MLSF_905]
A32.	Home health services	a. [] [HHSA12_9]	b. [] [HHSASS_9]	c. [] [HHSARS_9] Other (Specify:) [HHSA_90S]
A33.	Transportation assistance	a. [] [TRAS12_9]	b. [] [TRASAS_9]	c. [] [TRASRS_9] Other (Specify:) [TRAS_905]
A34.	Childcare services	a. [] [CHLD12_9]	b. [] [CHLDCR_9]	c. [] [CHLDRS_9] Other (Specify:) [CHLD_9OS]

MMP Standard Questionnaire Met and Unmet Needs

28

		During the <b>past</b> <b>12 months</b> , did you get:	IF "No," "Refused to answer," or "Don't know," IN A20a-A38a ASK: During the past 12 months, have	<i>IF "Yes" IN A20b-A38b ASK:</i> What was the <u>main reason</u> you haven't been able to get this service during the <b>past 12 months</b> ?
		CODE: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8	you needed: CODE: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8	CODE: SEE CODE LIST BELOW FOR RESPONSES. [DON'T READ CHOICES. CHECK ONLY ONE.]
A35.	Interpreter services	a. [] [GET_INTS]	b. [] [NED_INTS]	c. [] [ <b>RS_INTS]</b> Other ( <b>Specify:</b> ) [ <b>RS_I_90S</b> ]
A36.	Nutritional services	a. [] [GET_NUTR]	b. [] [NED_NUTR]	c. [] [ <b>RS_NUTR]</b> Other <b>(Specify:</b> ) [ <b>RS_N100S]</b>
A37.	Eye or vision services	a. [] [GET_ICN3]	b. [] [NED_ICN3]	d. [] [RS_ICN3] Other (Specify:) [RS_IN3OS]
A38.	A lawyer or legal services	a. [] [GET_LAN3]	b. [] [NED_LAN3]	e. [] [RS_LAN3] Other (Specify:) [RS_LN3OS]

#### Code list for A20c-A38c

- Didn't know where to go or whom to call 1
- 2 In process of getting the service
- 3 Waiting list is too long
- 4 Service isn't available
- 5 6 Not eligible or denied services
- Transportation problems
- 7 Service hours are inconvenient
- 8 Service costs too much/lack of insurance
- 9 Language barrier
- 10 Too sick to get service
- Psychological barrier 11
- 12 Other (Specify:\_
- 77 Refused to answer

MMP Standard Questionnaire Met and Unmet Needs

*SAY:* "Now I'm going to ask you some questions about health information. For the first question we will use **Response Card C**."

Sometimes	
Occasionally	
, Never	
Refused to answer	
Don't know	

SAY: "Now we will use Response Card D."

A40. How confident are you filling out medical forms by yourself? [READ CHOICES. CHOOSE ONLY ONE [HLMF\_12]

.□1
. 🗆 2
. 🗆 з
. 🗆 4
. 🗆 5
. 🗆 7
. 🗌 8

#### SAY: "For this next question we will use Response Card E."

A41. How often do you have someone help you read hospital materials? [READ CHOICES. CHOOSE ONLY ONE] [HLHM\_12]

Never
Occasionally
Sometimes
Often
Always
Not applicable
Refused to answer
Don't know

MMP Standard Questionnaire Met and Unmet Needs

**Key:** grey box = interviewer instructions; blue box = inconsistency check; orange box = QDS program note; dark red variable = previously used variable; green variable = new variable; grey font for response set = do not read responses

30

MMP Standard Questionnaire Met and Unmet Needs

## Stigma and Discrimination (R)

**SAY:** "Next I would like to read you a few statements that some people living with HIV have said they sometimes feel. We are asking you these questions to better understand how often people living with HIV experience these negative feelings. These statements are not things that I or anyone in this project thinks about people with HIV. These statements may be uncomfortable for you to answer. Please remember that you do not have to answer any question you don't want to. For each statement that I read, please tell me whether you disagree or agree."

		Disagree (0)	Agree	Refused to answer (7)	Don't know		
R1a.	It is difficult to tell people about my HIV infection [STIGMA1A]						
R1b.	Being HIV positive makes me feel dirty [STIGMA1B]						
R1c.	I feel guilty that I am HIV positive [STIGMA1C]						
R1d.	I am ashamed that I am HIV positive [STIGMA1D]						
R1e.	I sometimes feel worthless because I am HIV positive [STIGMA1E]						
R1f.	I hide my HIV status from others [STIGMA1F]						
	People with HIV sometimes sense discrimination from health care providers in different ways. Has anyone in the health care system done any of the following to you since testing positive for HIV?	<b>No</b> (0)	Ye	<b>S</b> (1)	Refused to answer (7)	Don't know (8)	
R2a.	Exhibited hostility or a lack of respect toward you? [STIGMA2A]			]			
R2b.	Given you less attention than other patients? [STIGMA2B]			]			
R2c.	Refused you service? [STIGMA2C]			]			

MMP Standard Questionnaire Stigma and Discrimination

# Interviewer instructions: If any of the responses in R2a–R2c is "yes," go to R3. Otherwise, skip to Say box before T1.

R3.	Did the discrimination occur because of	<b>No</b> (0)	Yes (1)	Refused to answer (7)	Don't know (8)
R3a.	your HIV infection? [STIGMA3A]				
R3b.	your gender? [STIGMA3B]				
R3c.	your sexual orientation and				
	practices? [STIGMA3C]				
R3d.	your race or ethnicity?				
	[STIGMA3D]				
R3e.	your drug injecting habit? [STIGMA3E]				

MMP Standard Questionnaire Stigma and Discrimination

### HIV Treatment and Adherence (T)

**SAY:** "Now I'm going to ask some questions about medicines that you are taking for your HIV. These medicines are called antiretroviral medicines, also known as ART, HAART, or the AIDS cocktail."

T1. Have you ever taken any antiretroviral medicines for your HIV? [ANTIRE\_9] Yes...... 1 Skip to T3 Skip to T18 T2. What is the main reason you have never taken any antiretroviral medicines? [DON'T READ CHOICES. CHECK ONLY ONE. [ [NANTRE 9] Participant believed he/she didn't need medications because felt healthy or believed HIV laboratory results were good. Homeless...... 

Interviewer instructions: Skip to T18.

T3. When was the first time you **ever** took any antiretroviral medicines for your HIV? Please tell me the month and year. [FSTMY\_9]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Don't know......

Inconsistency checks: Confirm response if T3 (date first time took ART) is <u>earlier</u> than A6 (date first went to a provider for HIV care). Confirm response if T3 is <u>earlier</u> than A1 (date tested

MMP Standard Questionnaire HIV Treatment and Adherence

#### positive for HIV). T3 cannot be <u>later</u> than I4 (interview date).

QDS programming note for T3: If T3 is earlier than A6, display note to interviewer: "Date entered is earlier than the date first went to a provider for HIV care. Confirm response." Allow program to advance. Allow a blank response for month. If T3 is earlier than A1, display a message to the interviewer saying, "Date entered is earlier than date first tested positive for HIV. Confirm response." Allow the program to advance.

#### T4. Are you **currently** taking any antiretroviral medicines for your HIV? [CURME\_9]

No	0		
Yes	<b>1</b>		
Refused to answer	7		SKIP to Say box
Refused to answer Don't know	. 🗌 8	- ≻	Skip to T14

### T4a. What is the <u>main reason</u> you aren't **currently** taking any antiretroviral medicines? [DON'T READ CHOICES. CHECK ONLY ONE.] [NMANT8\_9]

Doctor advised to delay or stop treatment
Participant believed he/she didn't need medications because
felt healthy or believed HIV laboratory results were good . $\Box$ 2
Due to side effects of medications $\square$ 3
Felt depressed or overwhelmed
Didn't want to think about being HIV positive
Worried about ability to adhere
Drinking or using drugs
Money or insurance issues
Homeless
Taking alternative or complementary medicines
Other (Specify:)
Refused to answer
Don't know 🛛 88

#### Interviewer instructions: Skip to T14.

**SAY:** "Now we will use the **HIV Medications Card**. Please tell me which of these medicines you are currently taking—ones you are taking now to treat your HIV. If you are taking any combination medicines, please tell me the name of the combination, not the separate name of each medicine in the combination. I will also ask you how many times you missed taking your medicine. Don't worry about telling me that you don't take all your medicine. And please remember, none of this information will be shared with your doctor, nurse, or other health care worker."

MMP Standard Questionnaire HIV Treatment and Adherence

T5.	a. Are you currently taking [INSERT DRUG NAME]? CODES: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 If "Yes," go to T5b; otherwise, skip to next drug.	b. How many pills, spoonfuls, or injections are you supposed to take of [INSERT DRUG NAME] each time you take it? CODES: Refused to answer = 77, Don't know = 88	c. How many times per day are you supposed to take [INSERT DRUG NAME]? CODES: Refused to answer = 77, Don't know = 88	d. Yesterday, how many times did you miss taking a dose or a set of pills, spoonfuls, or injections of [INSERT DRUG NAME]? If you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	e. The day before yesterday, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	f. Three days ago, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
Combination Treatments						
Combivir (AZT+3TC)	[COMBCUR]	[COMBET_9]	[COMBDY_9]	[CBMIS1_9]	[CBMIS2_9]	[CBMIS3_9]
Trizivir (AZT+3TC+ ABC)	[TRIZCUR]	[TRIZET_9]	[TRIZDY_9]	[TZMI51_9]	[TZMIS2_9]	[TZMIS3_9]
Epzicom (3TC+ABC)	[EPZICUR]	[EPZIET_9]	[EPZIDY_9]	[EPMIS1_9]	[EPMIS2_9]	[EPMIS3_9]
Truvada (FTC+TDF)	[TRUVCUR]	[TRUVET_9]	[TRUVDY_9]	[TRMIS1_9]	[TRMIS2_9]	[TRMIS3_9]
Atripla (EFV/FTC/TDF)	[ATRIPLA]	[ATRTIM_9]	[ATRDAY_9]	[ATMIS1_9]	[ATMIS2_9]	[ATMIS3_9]

MMP Standard Questionnaire HIV Treatment and Adherence

36

			applicable = 66, Refused to answer = 77, Don't know = 88	dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
[COMPLERA]	[COMPL_FT]	[COMPL_DY]	[COMPL_51]	[COMPL_\$2]	[COMPL_S3]
[STRIBAN3]	[STRIETN3]	[STRIDYN3]	[STRIS1N3]	[STRIS2N3]	[STRIS3N3]
	[COMPLERA] [STRIBAN3]			[COMPLERA]         [COMPL_ET]         [COMPL_DY]         [COMPL_S1]	[COMPLERA]       [COMPL_ET]       [COMPL_DY]       [COMPL_S1]       [COMPL_S2]

Τ5.	a. Are you currently taking [INSERT DRUG NAME]? CODES: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 If "Yes," go to T5b; otherwise, skip to next drug.	b. How many pills, spoonfuls, or injections are you supposed to take of [INSERT DRUG NAME] each time you take it? CODES: Refused to answer = 77, Don't know = 88	c. How many times per day are you supposed to take [INSERT DRUG NAME]? CODES: Refused to answer = 77, Don't know = 88	d. Yesterday, how many times did you miss taking a dose or a set of pills, spoonfuls, or injections of [INSERT DRUG NAME]? If you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	e. The day before yesterday, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of <i>[INSERT DRUG</i> <i>NAME]</i> ? Again, if you only took part of your dose, please report this as the whole dose missed. <b>CODES: Not</b> applicable = 66, Refused to answer = 77, Don't know = 88	f. Three days ago, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
Epivir (lamivudine, 3TC)	[LAMICUR]	[LAMIET_9]	[LAMIDY_9]	[LAMIS1_9]	[LAMIS2_9]	[LAMI53_9]
Videx EC (didanosine, ddl EC)	[DAECCUR]	[DAECET_9]	[DAECDY_9]	[DAMIS1_9]	[DAMIS2_9]	[DAMI53_9]
Videx (didanosine, ddl)	[DIDACUR]	[DIDAET_9]	[DIDADY_9]	[DIMIS1_9]	[DIMIS2_9]	[DIMIS3_9]
Emtriva (emtricitabine, FTC)	[EMTRCUR]	[EMTRET_9]	[EMTRDY_9]	[EMMIS1_9]	[EMMIS2_9]	[EMMIS3_9]
Viread (tenofovir, TDF)	[TENOCUR]	[TENOET_9]	[TENODY_9]	[TEMIS1_9]	[TEMIS2_9]	[TEMIS3_9]

38

Τ5.	a. Are you currently taking [INSERT DRUG NAME]? CODES: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 If "Yes," go to T5b; otherwise, skip to next drug.	b. How many pills, spoonfuls, or injections are you supposed to take of [INSERT DRUG NAME] each time you take it? CODES: Refused to answer = 77, Don't know = 88	c. How many times per day are you supposed to take [INSERT DRUG NAME]? CODES: Refused to answer = 77, Don't know = 88	d. Yesterday, how many times did you miss taking a dose or a set of pills, spoonfuls, or injections of [INSERT DRUG NAME]? If you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	e. The day before yesterday, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	f. Three days ago, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
Zerit (stavudine,						
d4T)	[STAVCUR]	[STAVET_9]	[STAVDY_9]	[STMIS1_9]	[STMIS2_9]	[STMIS3_9]
Retrovir (zidovudine, AZT, ZDV)	[ZIDOCUR]	[ZIDOET_9]	[ZIDODY_9]	[ZIMIS1_9]	[ZIMIS2_9]	[ZIMIS3_9]
Ziagen (abacavir, ABC)	[ABACACUR]	[ABACET_9]	[ABACDY_9]	[ABMIS1_9]	[ABMIS2_9]	[ABMIS3_9]
Protease Inhibitors (PI)						
Invirase (saquinavir hard gel, SQV)	[SACQCUR]	[SACQT_9]	[SACQDY_9]	[SAMIS1_9]	[SAMIS2_9]	[SAMIS3_9]
Kaletra (lopinavir/ ritonavir, LPVr)	[LOPICUR]	[LOPIT_9]	[LOPIDY_9]	[LOMIS1_9]	[LOMIS2_9]	[LOMI53_9]

39

Τ5.	a. Are you currently taking [INSERT DRUG NAME]? CODES: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 If "Yes," go to T5b; otherwise, skip to next drug.	b. How many pills, spoonfuls, or injections are you supposed to take of [INSERT DRUG NAME] each time you take it? CODES: Refused to answer = 77, Don't know = 88	c. How many times <b>per</b> <b>day</b> are you supposed to take [INSERT DRUG NAME]? CODES: Refused to answer = 77, Don't know = 88	d. Yesterday, how many times did you miss taking a dose or a set of pills, spoonfuls, or injections of [INSERT DRUG NAME]? If you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	e. The day before yesterday, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	f. Three days ago, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
Crixivan (indinavir, IDV)	[INDICUR]	[INDIET_9]	[INDIDY_9]	[INMIS1_9]	[INMIS2_9]	[INMIS3_9]
Lexiva (fosamprenavir, FPV)	[FUSACUR]	[FUSAET_9]	[FUSADY_9]	[FOMIS1_9]	[FOMIS2_9]	[FOMIS3_9]
Reyataz (atazanavir, ATV)	[ATAZCUR]	[ATAZET_9]	[ATAZDY_9]	[ATZIS1_9]	[ATZIS2_9]	[ATZIS3_9]
Norvir (ritonavir, RTV)	[RITOCUR]	[RITOET_9]	[RITODY_9]	[RIMIS1_9]	[RIMIS2_9]	[RIMIS3_9]
Viracept (nelfinavir, NFV)	[NELFCUR]	[NELFET_9]	[NELFDY_9]	[NEMIS1_9]	[NEMIS2_9]	[NEMIS3_9]
Aptivus (tipranavir, TPV)	[TIPRCUR]	[TIPRET_9]	[TIPRDY_9]	[TIMIS1_9]	[TIMIS2_9]	[TIMIS3_9]
Prezista (darunavir, DRV)	[PREZCUR]	[PREZET_9]	[PREZDY_9]	[PRMIS1_9]	[PRMIS2_9]	[PRMIS3_9]

40

T5. Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTI), also known as 'Non- nukes'	a. Are you currently taking [INSERT DRUG NAME]? CODES: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 If "Yes," go to T5b; otherwise, skip to next drug.	b. How many pills, spoonfuls, or injections are you supposed to take of <i>[INSERT DRUG NAME]</i> each time you take it? CODES: Refused to answer = 77, Don't know = 88	c. How many times per day are you supposed to take [INSERT DRUG NAME]? CODES: Refused to answer = 77, Don't know = 88	d. Yesterday, how many times did you miss taking a dose or a set of pills, spoonfuls, or injections of [INSERT DRUG NAME]? If you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	e. The day before yesterday, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	f. Three days ago, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
Rescriptor (delavirdine, DLV)	[DELACUR]	[DELAET_9]	[DELADY_9]	[DEMIS1_9]	[DEMIS2_9]	[DEMIS3_9]
Viramune (nevirapine, NVP) Sustiva	[NEVICUR]	[NEVIET_9]	[NEVIDY_9]	[NEVIS1_9]	[NEVIS2_9]	[NEVIS3_9]
(efavirenz, EFV)	[EFAVCUR]	[EFAVET_9]	[EFAVDY_9]	[EFMIS1_9]	[EFMIS2_9]	[EFMIS3_9]

41

Т5.	a. Are you currently taking [INSERT DRUG NAME]? CODES: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 If "Yes," go to T5b; otherwise, skip to next drug.	b. How many pills, spoonfuls, or injections are you supposed to take of <i>[INSERT DRUG NAME]</i> each time you take it? CODES: Refused to answer = 77, Don't know = 88	c. How many times per day are you supposed to take [INSERT DRUG NAME]? CODES: Refused to answer = 77, Don't know = 88	d. Yesterday, how many times did you miss taking a dose or a set of pills, spoonfuls, or injections of [INSERT DRUG NAME]? If you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	e. The day before yesterday, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	f. Three days ago, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
Intelence (etravirine ETV)	[TMC]	[TMCTIM_9]	[TMCDAY_9]	[TMMIS1_9]	[TMMIS2_9]	[TMMIS3_9]
Edurant (rilpivirine, RPV)	[EDURANT]	[EDURA_ET]	[EDURA_DY]	[EDURA_S1]	[EDURA_S2]	[EDURA_\$3]
Entry/Fusion Inhibitors						
Fuzeon (enfuvirtide, T- 20)	[ENFUCUR]	[ENFUET_9]	[ENFUND_9]	[ENMIS1_9]	[ENMIS2_9]	[ENMIS3_9]
Selzentry (maraviroc, MVC)	[MARAVIRO]	[MARTIM_9]	[MARDAY_9]	[MAMIS1_9]	[MAMIS2_9]	[MAMIS3_9]
Integrase Inhibitors						

42

Τ5.	a. Are you currently taking [INSERT DRUG NAME]? CODES: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 If "Yes," go to T5b; otherwise, skip to next drug.	b. How many pills, spoonfuls, or injections are you supposed to take of <i>[INSERT DRUG</i> <i>NAME]</i> each time you take it? CODES: Refused to answer = 77, Don't know = 88	c. How many times per day are you supposed to take [INSERT DRUG NAME]? CODES: Refused to answer = 77, Don't know = 88	d. Yesterday, how many times did you miss taking a dose or a set of pills, spoonfuls, or injections of [INSERT DRUG NAME]? If you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	e. The day before yesterday, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	f. Three days ago, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
Isentress, (raltegravir, RAL)	[RALTEGRA]	[RALTIM_9]	[RALDAY_9]	[RAMIS1_9]	[RAMIS2_9]	[RAMIS3_9]
Tivicay, (dolutegravir, DTG)	[DOLUCUR3]	[DOLUET3]	[DOLUDY3]	[DOLUMS13]	[DOLUMS23]	[DOLUMS33]
Other ART Medicines						
Are you currently taking any other antiretroviral medicine? (Specify other ARV:)	[OTSPAYN1]	[ODRET1_9]	[ODTDY1_9]	[ODMIS1_9]	[ODMI52_9]	[ODMIS3_9]

43

T5.	a. Are you currently taking [INSERT DRUG NAME]? CODES: No = 0, Yes = 1, Refused to answer = 7, Don't know = 8 If "Yes," go to T5b; otherwise, skip to next drug.	b. How many pills, spoonfuls, or injections are you supposed to take of [INSERT DRUG NAME] each time you take it? CODES: Refused to answer = 77, Don't know = 88	c. How many times per day are you supposed to take [INSERT DRUG NAME]? CODES: Refused to answer = 77, Don't know = 88	d. Yesterday, how many times did you miss taking a dose or a set of pills, spoonfuls, or injections of [INSERT DRUG NAME]? If you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	e. The day before yesterday, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88	f. Three days ago, how many times did you miss taking a dose or a set of these pills, spoonfuls, or injections of [INSERT DRUG NAME]? Again, if you only took part of your dose, please report this as the whole dose missed. CODES: Not applicable = 66, Refused to answer = 77, Don't know = 88
Are you currently taking any other antiretroviral medicine? (Specify other ARV:)	[OTSPAYN2]	[ODRET2_9]	[ODTDY2_9]	[ODMI21_9]	[ODMI22_9]	[ODM523_9]

Inconsistency check: The number of doses or set of pills, spoonfuls, or injections missed must be  $\leq$  the number of times the respondent is supposed to take these pills, spoonfuls, or injections. The number of pills, spoonfuls, or injections that the respondent is supposed to take each time he or she takes them must be  $\leq$  35. The number of times each day the respondent is supposed to take these pills, spoonfuls, or injections must be  $\leq$  9. The number of times the respondent missed taking a dose or set of these pills, spoonfuls, or injections yesterday must be  $\leq$  9. The number of times the respondent missed taking a dose or set of these pills, spoonfuls, or injections the day before yesterday must be  $\leq$  9. If T4 is "Yes" and all T5 responses are "No," return to previous question (T4).

MMP Standard Questionnaire HIV Treatment and Adherence

T6. Do any of your antiretroviral medicines have special instructions, such as "take with food" or "on an empty stomach" or "with plenty of fluids"? [MEDINSTR]

No	<u> </u>	<b>_</b> >	Skip to Say box before
Yes		-	
Refused to answer			10
Don't know		S	kip to Say box
		b	efore T8

*SAY:* "We will use **Response Card F** for the next question. You will also need the calendar to refer to the past 3 days."

T7. During the **past 3 days**, how often did you follow all of those special instructions? **[READ CHOICES. CHOOSE ONLY ONE] [FLMDIN\_9]** 

Never	
Rarely	
About half of the time	з
Most of the time	
Always	
Refused to answer	
Don't know	

SAY: "We will use Response Card F. You'll also need the calendar to refer to the past 3 days."

T8. Most antiretroviral medicines need to be taken on a schedule, such as "2 times a day" or "3 times a day" or "every 8 hours." How closely did you follow your specific schedule during the past 3 days? [READ CHOICES. CHOOSE ONLY ONE] [MDSCHD\_9]

Never	1
Rarely	🗆 2
About half of the time	3
Most of the time	
Always	5
Refused to answer	7
Don't know	8

QDS programming note for T9: If respondent says that they missed a dose for any antiretroviral medication in T5d, T5e, T5f, then the program will skip T9 (last time missed ART) and go to T10.

SAY: "We will now use Response Card G."

MMP Standard Questionnaire HIV Treatment and Adherence

Τ9.	When was the last time you missed any of your antiretroviral medicines? [READ   CHOICES. CHOOSE ONLY ONE] [LTMMED10]   Within the past week   1-2 weeks ago   2   3-4 weeks ago   1-3 months ago   4   More than 3 months ago   5   Never skip medicines   6   Refused to answer   7   Don't know
T10.	The last time you missed taking your antiretroviral medicines, what were the reasons?         [DON'T READ CHOICES. CHECK ALL THAT APPLY.] [MSMD_12]         Problem with prescription or refill.       1 [MSMD_12A]         Felt sick or tired.       2 [MSMD_12B]         Change in daily routine including travel.       3 [MSMD_12C]         Due to side effects of medications.       4 [MSMD_12D]         Felt depressed or overwhelmed.       5 [MSMD_12E]         Drinking or using drugs.       6 [MSMD_12F]
	Money or insurance issues
	Homeless
	Had too many pills to take       9 [MSMD_12I]         Forgot to take them       10 [MSMD_12J]         Other 1 (Specify:)       11 [MSMD_12K][MSK_12OS]         Other 2 (Specify:)       12 [MSMD_12L] [MSL_12OS]         Refused to answer       77         Don't know       88

**SAY:** "Now I'm going to ask you a question about the past 30 days. We will use **Response Card H**. We will also use the calendar to refer to the past 30 days."

T11. During the **past 30 days**, how <u>troubled</u> were you by side effects from your antiretroviral medications? [*READ CHOICES. CHOOSE ONLY ONE*] [*TRBL\_EFT*]

Never	
Rarely	
About half of the time	з
Most of the time	

MMP Standard Questionnaire HIV Treatment and Adherence

Always	🗆 5
Been on medications less than 30 days	
Refused to answer	7
Don't know	🗆 8

SAY: "For these next three questions we will use Response Card I."

- T12a. How sure are you that you will be able to take all or most of your medication as directed? [READ CHOICES. CHOOSE ONLY ONE] [TK\_MD\_DR]

   Not at all sure.
   0

   Somewhat sure.
   1

   Very sure.
   2

   Extremely sure.
   3

   Refused to answer.
   7

   Don't know.
   8
- T12b. How sure are you that your medication will have a positive effect on your health? [READ CHOICES. CHOOSE ONLY ONE] [MD\_POSEF]

Not at all sure	□o
Somewhat sure	
Very sure	
Extremely sure	
Refused to answer	
Don't know	

T12c. How sure are you that if you do not take your medication exactly as instructed, the HIV in your body will become resistant to HIV medications? [READ CHOICES. CHOOSE ONLY ONE.] [SR\_HIVES]

Not at all sure	D o
Somewhat sure	
Very sure	
Extremely sure	
Refused to answer	
Don't know	

### SAY: "Now we will use Response Card J."

T13a. In general, how satisfied are you with the overall support you get from your friends and family members? [READ CHOICES. CHOOSE ONLY ONE] [SUPRT\_FF]

MMP Standard Questionnaire HIV Treatment and Adherence

47

Very dissatisfied	o 🗆 .
Somewhat dissatisfied	
Somewhat satisfied	
Very satisfied	З
Refused to answer	
Don't know	

## SAY: "Now we will use Response Card K"

T13b. To what extent do your friends or family members help you remember to take your

medication? [READ CHOICES. CHOOSE ONLY	ONE] [MED_SUPT]
Not at all	o 🗆 o
A little	
Somewhat	
A lot	
Not applicable	
Refused to answer	
Don't know	

## Interviewer instructions: Skip to T15.

T14.	During the <b>past 12 months</b> , have you taken antiretroviral medicines? [ATMD12_9]		
	No O Skip to T18		
	Refused to answer		
T15.	During the <b>past 12 months</b> , what were the ways your antiretroviral medicines were paid		
	for? [DON'T READ CHOICES. CHECK ALL THAT APPLY.] [PREM_12]		
	Private health insurance		
	Medicaid		
	Medicare		
	AIDS Drug Assistance Program (ADAP)		
	An AIDS service organization provided medicines		
	Got medicines at a public clinic		
	Clinical trial or drug study provided medicines		
	Paid for medicines out of pocket		
	Other 1 (Specify:)		
	Other 2 (Specify:)		
	Refused to answer		

MMP Standard Questionnaire HIV Treatment and Adherence

T16. During the **past 12 months**, did your doctor or other clinic staff ask you whether you missed taking any doses of your antiretroviral medicines or if you had difficulty taking your antiretroviral medicines? [MDASKN3]

No 0
Yes 1
Refused to answer
Don't know 8

T17. During the **past 12 months**, have you ever purposefully taken a "drug holiday" from your antiretroviral medicines that wasn't recommended by your doctor? That is, did you plan to not take any doses of one or more of your antiretroviral medicines for <u>at</u> least two whole days in a row? [DRGHOL\_9]

No	8
Yes	
Refused to answer	
Refused to answer.    7      Don't know.    8      Skip to T18	

# T17a. What was the <u>main reason</u> that you took a drug holiday from your antiretroviral medicines? [*READ CHOICES. CHECK ONLY ONE.*] [*RDRHO\_10*]

•	
Medicine has side effects or makes me fe	el bad 🛛 1
Got tired of taking medicines or needed a	break 2
Was using drugs or alcohol	
Was on vacation	
Felt good	
Other (Specify:	)□ 6 [RDR_100S]
Refused to answer	
Don't know	

## T18. During the **past 12** months, have you participated in an HIV clinical trial? [CLTREC\_9]

No	
Yes	
Refused to answer	
Don't know	

MMP Standard Questionnaire HIV Treatment and Adherence

## Sexual Behavior (S)

## Total sex partners (ST)

**SAY** "Next, I'm going to ask you some questions about sex. Please remember that your answers will be kept confidential and that you don't have to answer any questions that you don't want to. I'll ask you about the number of people you had sex with during the **past 12 months**. When I say "sex," I mean vaginal or anal sex. Vaginal sex means penis in the vagina and anal sex means penis in the anus. When thinking about your answers, please include anyone whom you had vaginal or anal sex with during the **past 12 months**. The number of people could range from anywhere from 0 to over a hundred."

### Interviewer instructions for SX\_TFPN4 (number of female partners):

If BIRTGEN = 7 (refused to answer) or 8 (don't know), skip to the serosorting section (Say box before SEROSRT1). If BIRTHGEN = 1 (male) and (GENDER = 7 [refused to answer] or 8 [don't know]), skip to the serosorting section (Say box before SEROSRT1). If BIRTHGEN = 2 (female) and (GENDER = 7 [refused to answer] or 8 [don't know]), skip to the serosorting section (Say box before SEROSRT1). If BIRTHGEN = 3 (intersex) and (GENDER = 7 [refused to answer] or 8 [don't know]), skip to the serosorting section (Say box before SEROSRT1).

Our definition of sex only includes vaginal and anal sex. Therefore, if the respondent is female (BIRTGEN = 2 [female] or 3 [intersex] and GENDER = 2 [female], skip to SX\_TMPN4 (number of male partners).

Otherwise go to SX\_TFPN4 (number of female partners).

## ST.1.0. During the **past 12 months**, how many females have you had sex with? [SX\_TFPN4]

\_\_\_\_ [7777 = Refused to answer, 8888 = Don't know]

**QDS programming note for SX\_TFPN4 (number of female partners):** Range is 0–999. Variable label for SX\_TFPN4 is number of female partners.

ST.2.0. During the **past 12 months**, how many males have you had sex with? [SX\_TMPN4]

\_\_\_\_ [7777 = Refused to answer, 8888 = Don't know]

**QDS programming note for SX\_TMPN4 (number of male partners):** Range is 0–999. Variable label for SX\_TMPN4 is number of male partners.

# ST.3.0. During the **past 12 months**, how many transgender persons have you had sex with? [SX\_TTPN4]

\_\_\_\_ [7777 = Refused to answer, 8888 = Don't know]

**QDS programming note for SX\_TTPN4 (number of transgender partners):** Range is 0–999. Variable label for SX\_TTPN4 is number of transgender partners.

Calculated variables for SX\_TFPN4 (number of female partners), SX\_TMPN4 (number of male partners), and SX\_TTPN4 (number of transgender partners):

**Total number of sex partners**: create a calculated variable SX\_TOTN4 where the sum of SX\_TFPN4 + SX\_TMPN4 + SX\_TTPN4 = SX\_TOTN4. Variable label for SX\_TOTN4 is total number of sex partners.

**Female only partners**: create a calculated variable SXFMONN4 (female only partners) if SX\_TMPN4 (number of male partners) = 0, don't know, or refused to answer AND SX\_TTPN4 (number of transgender partners) = 0, don't know, or refused to answer AND SX\_TFPN4 (number of female partners)  $\geq$  1, then SXFMONN4 (female only partners) = 1; otherwise SXFMONN4 = 0. Variable label for SXFMONN4 is female only partners.

**Male only partners**: create a calculated variable SXMLONN4 (male only partners) if SX\_TFPN4 (number of female partners) = 0, don't know, or refused to answer or skipped AND SX\_TTPN4 (number of transgender partners) = 0, don't know, or refused to answer AND SX\_TMPN4 (number of male partners)  $\geq$  1, then SXMLONN4 (male only partners) = 1; otherwise SXMLONN4 = 0. Variable label for SXMLONN4 is male only partners.

**Transgender only partners**: create a calculated variable SXTGONN4 (transgender only partners) if SX\_TFPN4 (number of female partners) = 0, don't know, or refused to answer AND SX\_TMPN4 (number of male partners) = 0, don't know, or refused AND SX\_TTPN4 (number of transgender partners)  $\geq$  1, then SXTGONN4 (transgender only partners) = 1; otherwise SXTGONN4 = 0. Variable label for SXTGONN4 is transgender only partners.

Interviewer instructions for SX\_TWPN4 (number of female-female partners): If respondent is female (BIRTGEN = 2 [female] or 3 [intersex] and GENDER = 2 [female]), go to say box before SX\_TWPN4 (number of female-female partners). Otherwise skip to interviewer instructions before SX\_EXCN4 (exchange sex).

Say: "Now, I'm going to ask you about sex with women."

ST.4.0. During the **past 12 months**, how many women did you have sex with? [SX\_TWPN4] [7777 = Refused to answer, 8888 = Don't know]

**QDS programming note for SX\_TWPN4 (number of female-female partners):** Range is 0–999.

Variable label for SX\_TWPN4 is number of female-female partners.

**Female-female only partners:** create a calculated variable SXFFONN4 (female-female only partners) if SX\_TMPN4 (number of male partners) = 0, don't know, or refused AND SX\_TTPN4 (number of transgender partners) =0, don't know, refused AND SX\_TWPN4 (number of female-female partners)  $\geq$  1, then SXFFONN4 (female-female only partners) = 1; otherwise SXFFONN4 = 0. Variable label of SXFFONN4 is female-female only partners.

Interviewer instructions before SX\_EXCN4 (exchange sex):

<u>Women who only had sex with women</u>: If respondent is female (BIRTGEN = 2 [female] or 3 [intersex] and GENDER = 2 [female]) AND the number of male partners = 0 (SX\_TMPN4=0) and the number of transgender partners = 0 (SX\_TTPN4=0), skip to the serosorting section (Say box before SEROSRT1).

**No vaginal or anal sex partners**: If SX\_TFPN4 (number of female partners), SX\_TMPN4 (number of male partners), and SX\_TTPN4 (number of transgender partners) are all some combination of "0," "don't know," or "refused to answer," then skip to the serosorting section (Say box before SEROSRT1).

Otherwise, go to SX\_EXCN4 (exchange sex).

# Exchange sex (SE)

SE.1.0. During the **past 12 months**, did you have sex in exchange for things like food, shelter, transportation, money, or drugs? [SX\_EXCN4]

No	0
Yes	1
Refused to answer	7
Don't know	8

**QDS programming note for SX\_EXCN4**: Variable label for SX\_EXCN4 is exchange sex.

# Names of partners (SN)

Interviewer instructions before SX\_NM1N4 (name of partner 1): If SX\_TOTN4 (total number of sex partners) = 1, go to Say box #1 before SX\_NM1N4 (name of partner 1). If SX\_TOTN4  $\geq$  2, skip to Say box #2 before SX\_NM1N4 (name of partner 1).

## Say box #1 before SX\_NM1N4 (name of partner 1):

"Now I'm going to ask you some questions about the person that you recently had sex with during the **past 12 months**, such as his or her age and race. Please answer to the best of your knowledge, but it is okay to tell me that you don't know or that you're unsure. Since I'll be asking questions about this person, I need some way to refer to him or her. You may refer to him or her in any way you want—initials, nickname, or where you met. However, please don't provide a last name or any other identifying information."

**Interviewer instructions after Say box #1 before SX\_NM1N4 (name of partner 1):** Skip to SX\_NM1N4 (name of partner 1).

Say box #2 before SX\_NM1N4 (name of partner 1):

"Now I'm going to ask you some questions about the [IF SX\_TOTN4 (total number of sex partners) is 2, 3, or 4, THEN INSERT RESPONSE FROM SX\_TOTN4 (total number of sex partners). IF SX\_TOTN4 (total number of sex partners)  $\geq$ 5, THEN INSERT "5."] people you recently had sex with during the past 12 months, such as their age and race. Please answer to the best of your knowledge, but it is okay to tell me that you don't know or that you're unsure. Since I'll be asking questions about each person, I need some way to refer to them, so that when I ask you follow-up questions, we both know we're talking about the same person. You may refer to them in any way you want—initials, nicknames, or where you met. However, please don't provide last names or any other identifying information."

**Interviewer instructions after Say box #2 before SX\_NM1N4 (name of partner 1):** Go to SX\_NM1N4 (name of partner 1).

SN.1.0. What shall we call the person with whom you most recently had sex during the **past 12 months**? [SX\_NM1N4]

[7 = Refused to answer]

## Interviewer instructions for SX\_NM1N4 (name of partner 1):

If SX\_TOTN4 (total number of sex partners) = 1 AND SX\_NM1N4 (name of partner 1), is "refused to answer," remind the respondent that he or she can provide initials, nicknames, or another name to identify the partner. If SX\_NM1N4 (name of partner 1), is still "refused to answer," skip to the serosorting section (Say box before SEROSRT1).

If SX\_TOTN4 (total number of sex partners) = 1 AND SX\_NM1N4 (name of partner 1) is <u>not</u> "refused to answer," skip to instructions before SXPGN1N4 (partner's gender-partner 1). If SX\_TOTN4 (total number of sex partners)  $\geq$  2, go to SX\_NM2N4 (name of partner 2).

**QDS programming note for SX\_NM1N4**: Open-ended response. Character limit = 50. Do not allow a "don't know" response option. Variable label is name of partner 1.

SN.1.1. What shall we call the 2<sup>nd</sup> person with whom you had sex during the **past 12 months**? [SX\_NM2N4]

[7 = Refused to answer]

Interviewer instructions for SX\_NM2N4 (name of partner 2):

If SX\_TOTN4 (total number of sex partners) = 2 AND SX\_NM1N4 (name of partner 1) and SX\_NM2N4 (name of partner 2) are "refused to answer," skip to the serosorting section (Say box before SEROSRT1).

If SX\_TOTN4 (total number of sex partners) = 2, skip to instructions before SXPGN1N4 (partner's gender-partner 1); If SX\_TOTN4 (total number of sex partners)  $\geq$  3, go to SX\_NM3N4 (name of partner 3). **EXAMPLE:** SX\_NM1N4 (name of partner 1) is "refused to answer" AND SX\_NM2N4 (name of partner 2) is "John," then go to SX\_NM3N4 (name of partner 3).

**QDS programming note for SX\_NM2N4**: Use open-ended response. Character limit = 50. Do not allow for a "don't know" response option. Variable label is name of partner 2.

SN.1.2. What shall we call the 3<sup>rd</sup> person with whom you had sex during the **past 12 months**? [SX\_NM3N4]

[7 = Refused to answer]

Interviewer instructions for SX\_NM3N4 (name of partner 3):

If SX\_TOTN4 (total number of sex partners) = 3 AND SX\_NM1N4 (name of partner 1), SX\_NM2N4 (name of partner 2), and SX\_NM3N4 (name of partner 3) are all "refused to answer," skip to the serosorting section (Say box before SEROSRT1).

If SX\_TOTN4 (total number of sex partners) = 3, skip to instructions before SXPGN1N4 (partner's

gender-partner 1). If SX\_TOTN4 (total number of sex partners) ≥ 4, go to SX\_NM4N4 (name of partner 4).

**EXAMPLE:** SX\_NM1N4 (name of partner 1) is "refused to answer" AND SX\_NM2N4 (name of partner 2) is "John" and SX\_NM3N4 (name of partner 3) is "Jane," then go to SX\_NM4N4 (name of partner 4).

**QDS programming note for SX\_NM3N4**: Use open-ended response. Character limit = 50. Do not allow for a "don't know" response option. Variable label is name of partner 3.

SN.1.3. What shall we call the 4<sup>th</sup> person with whom you had sex during the **past 12 months**? [SX\_NM4N4]

[7 = Refused to answer]

Interviewer instructions for SX\_NM4N4 (name of partner 4):

If SX\_TOTN4 (total number of sex partners) = 4 AND SX\_NM1N4 (name of partner 1), SX\_NM2N4 (name of partner 2), SX\_NM3N4 (name of partner 3), and SX\_NM4N4 (name of partner 4) are all "refused to answer," skip to the serosorting section (Say box before SEROSRT1).

If SX\_TOTN4 (total number of sex partners) = 4, skip to instructions before SXPGN1N4 (partner's gender-partner 1). If SX\_TOTN4 (total number of sex partners) ≥ 5, go to SX\_NM5N4 (name of partner 5).

**EXAMPLE:** SX\_NM1N4 (name of partner 1) is "refused to answer" AND SX\_NM2N4 (name of partner 2) is "John" and SX\_NM3N4 (name of partner 3) is "Jane" and SX\_NM4N4 (name of partner 4) is "JB," then go to SX\_NM5N4 (name of partner 5).

**QDS programming note for SX\_NMN4**: Use open-ended response. Character limit = 50. Do not allow for a "don't know" response option. Variable label is name of partner 4.

SN.1.4. What shall we call the 5<sup>th</sup> person with whom you had sex during the **past 12 months**? [SX\_NM5N4]

[7 = Refused to answer]

Interviewer instructions for SX\_NM5N4 (name of partner 5):

If SX\_TOTN4 (total number of sex partners) = 5 AND SX\_NM1N4 (name of partner 1), SX\_NM2N4 (name of partner 2), SX\_NM3N4 (name of partner 3), SX\_NM4N4 (name of partner 4), SX\_NM5N4 (name of partner 5) are all "refused to answer," skip to the serosorting section (Say box before SEROSRT1).

Otherwise go to instructions before SXPGN1N4 (partner's gender-partner 1).

**QDS programming note for SX\_NM5N4**: Use open-ended response. Character limit = 50. Do not allow for a "don't know" response option. Variable label is name of partner 5.

# SN.1.5. So, the total number of people you had sex with during the **past 12 months** was **[INSERT SX TOTN4]**? [SXTOVRN4]

No	0
Yes	1
Refused to answer	7
Don't know	8

### QDS programming note for SXTOVRN4:

Variable label for SXTOVRN4 is verification of total sex partners.

**Interviewer instructions for SXTOVRN4 (verification of total sex partners)**: If SXTOVRN4 = 0 (no) or 8 (don't know), return to interviewer instructions before SX\_TFPN4 (number of female partners). If SXTOVRN4 = 1 (yes), go to partner demographics section. If SXTOVRN4 = 7 (refused to answer), skip to the serosorting section (Say box before SEROSRT1).

## Partner demographics (SP)

Questions	Sexual Partners	Sexual Partners						
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5			
	[Insert partner name	•  •		[Insert partner	[Insert partner			
	SX_NM1N4]	name	name	name	name			
		SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

**Instructions for partner-by-partner series table:** The questions and response options are in the far left column of the table. Each question is asked for partners 1–5. Partners 1-5 are labeled in columns Partner 1, Partner 2, Partner 3, Partner 4, and Partner 5. All Partner 1 questions are asked before moving to Partner 2 questions. Detailed instructions are provided in each table cell.

When question instructions say "insert partner name," and the variable is in the Partner 1 column, then insert response from SX\_NM1N4 (name of partner 1).

When question instructions say "insert partner name," and variable is in the Partner 2 column, insert response to SX\_NM2N4 (name of partner 2).

When question instructions say "insert partner name," and variable is in the same column as Partner 3, insert response to SX\_NM3N4 (name of partner 3).

When question instructions say "insert partner name," and variable is in the same column as Partner 4, insert response to SX\_NM4N4 (name of partner 4).

When question instructions say "insert partner name," and variable is in the same column as Partner 5, insert response to SX\_NM5N4 (name of partner 5).

Interviewer instructions before SXPGN1N4 (partner's gender-partner 1), SXPGN2N4 (partner's genderpartner 2), SXPGN3N4 (partner's gender-partner 3), SXPGN4N4 (partner's gender-partner 4), SXPGN5N4 (partner's gender-partner 5):

<u>Skip question series if respondent refuses to provide a partner name</u>: If SX\_NM1N4 is 7 (refused to answer), skip to column with partner 2 question series. If SX\_NM2N4 is 7 (refused to answer), skip to column with partner 3 question series. If SX\_NM3N4 is 7 (refused to answer), skip to column with partner 4 question series. If SX\_NM4N4 is 7 (refused to answer), skip to column with partner 5 question series. If SX\_NM5N4 is 7 (refused to answer), skip to column with partner 5 question series. If SX\_NM5N4 is 7 (refused to answer), skip to column with partner 5 question series. If SX\_NM5N4 is 7 (refused to answer), skip to column with partner 5 question series.

Skip partner gender questions if the respondent had sex with only one gender: If SXTGONN4 (transgender only partners) = 1, OR SXFMONN4 (female only partners) = 1 OR SXMLONN4 (male only partners) = 1 then skip SXPGN1N4 (partner's gender-partner 1), SXPGN2N4 (partner's gender-partner 2), SXPGN3N4 (partner's gender-partner 3), SXPGN4N4 (partner's gender-partner 4), and SXPGN5N4 (partner's gender-partner 5).

Otherwise, go to SXPGN1N4 (partner gender-partner 1) when answering partner 1 series questions, SXPGN2N4 (partner gender-partner 2) when answering partner 2 series questions, SXPGN3N4 (partner gender-partner 3) when answering partner 3 series questions, SXPGN4N4 (partner gender-partner 4) when answering partner 4 series questions, or SXPGN5N4 (partner gender-partner 5) when answering partner 5 series questions.

Questions		Sexual Partner	S			
		Partner 1 [Insert partner name SX_NM1N4]	Partner 2 [Insert partner name SX_NM2N4]	Partner 3 [Insert partner name SX_NM3N4]	Partner 4 [Insert partner name SX_NM4N4]	Partner 5 [Insert partner name SX_NM5N4]
SP.1.0. Is <b>[INSERT PARTNER</b> <b>NAME]</b> male, female, or transgender? <b>[READ CHOICE</b> <b>CHECK ONLY ONE.]</b>	S.	[SXPGN1N4]	[SXPGN2N4]	[SXPGN3N4]	[SXPGN4N4]	[SXPGN5N4]
		1	1	1	1	1
Male	1	2	2	2	2	2
Female	2	3	3	3	3	3
Transgender	3	7	7	7	7	7
Refused to answer	7	8	8	8	8	8
Don't know	8	0	0	0	0	0
		If response is 1, 2, 3, 7, or 8, go to SXPAG1N4 (partner age- partner 1).	If response is 1, 2, 3, 7, or 8, go to SXPAG2N4 (partner age- partner 2).	If response is 1, 2, 3, 4, or 7, go to SXPAG3N4 (partner age- partner 3.	If response is 1, 2, 3, 4, or 7, go to SXPAG4N4 (partner age- partner 4).	If response is 1, 2, 3, 4, or 7, go to SXPAG5N4 (partner age- partner 5).

QDS programming note for SXPGN1N4 (partner gender-partner 1), SXPGN2N4 (partner gender-partner 2), SXPGN3N4 (partner gender-partner 3), SXPGN4N4 (partner gender-partner 4), and SXPGN5N4 (partner gender-partner 5):

Variable label for SXPGN1N4 is partner gender-partner 1.

Variable label for SXPGN2N4 is partner gender-partner 2.

Variable label for SXPGN3N4 is partner gender-partner 3.

Variable label for SXPGN4N4 is partner gender-partner 4.

Variable label for SXPGN5N4 is partner gender-partner 5.

If SX\_TMPN4 (number of male partners)  $\leq$  5, then the number of "male" responses for SXPGN1N4 (partner gender-partner 1), SXPGN2N4 (partner gender-partner 2), SXPGN3N4 (partner gender-partner 3), SXPGN4N4 (partner gender-partner 4), AND SXPGN5N4 (partner gender-partner 5) must be = SX\_TMPN4 (number of male partners). If SX\_TMPN4 (number of male partners) > 5, then the number of "male" responses for SXPGN1N4 (partner gender-partner 1), SXPGN2N4 (partner gender-partner 2), SXPGN3N4 (partner gender-partner 3), SXPGN4N4 (number of male partners) > 5, then the number of "male" responses for SXPGN1N4 (partner gender-partner 1), SXPGN2N4 (partner gender-partner 2), SXPGN3N4 (partner gender-partner 3), SXPGN4N4 (partner gender-partner 4), AND SXPGN5N4 (partner gender-partner 5) must be  $\leq$  SX\_TMPN4 (number of male partners).

Questions	Sexual Partner	Sexual Partners						
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5			
	[Insert	[Insert	[Insert	[Insert	[Insert			
	partner name	partner	partner	partner	partner			
	SX_NM1N4]	name	name	name	name			
		SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

If SX\_TFPN4 (number of female partners)  $\leq$  5, then the number of "female" responses SXPGN1N4 (partner gender-partner 1), SXPGN2N4 (partner gender-partner 2), SXPGN3N4 (partner gender-partner 3), SXPGN4N4 (partner gender-partner 4), and SXPGN5N4 (partner gender-partner 5) must be = SX\_TFPN4 (number of female partners). If SX\_TFPN4 (number of female partners) > 5, then the number of "female" responses SXPGN1N4 (partner gender-partner 1), SXPGN2N4 (partner gender-partner 2), SXPGN3N4 (partner gender-partner 3), SXPGN3N4 (partner gender-partner 4), and SXPGN2N4 (partner gender-partner 2), SXPGN3N4 (partner gender-partner 3), SXPGN4N4 (partner gender-partner 4), and SXPGN5N4 (partner gender-partner 5) must be  $\leq$  SX\_TFPN4 (number of female partner 4), and SXPGN5N4 (partner gender-partner 5) must be  $\leq$  SX\_TFPN4 (number of female partners).

If SX\_TTPN4 (number of transgender partners)  $\leq$  5, then the number of "transgender" responses for SXPGN1N4 (partner gender-partner 1), SXPGN2N4 (partner gender-partner 2), SXPGN3N4 (partner genderpartner 3), SXPGN4N4 (partner gender-partner 4), and SXPGN5N4 (partner gender-partner 5) must be = SX\_TTPN4 (number of transgender partners). If SX\_TTPN4 (number of transgender partners) > 5, then the number of "transgender" responses for SXPGN1N4 (partner gender-partner 1), SXPGN2N4 (partner genderpartner 2), SXPGN3N4 (partner gender-partner 3), SXPGN4N4 (partner gender-partner 4), and SXPGN5N4 (partner gender-partner 5) must be  $\leq$  SX\_TTPN4 (number of transgender partners).

If respondent is female (BIRTGEN = 2 [female] or 3 [intersex] and GENDER = 2 [female]) AND SXPGN1N4, SXPGN2N4, SXPGN3N4, SXPGN4N4, OR SXPGN5N4 are 2 (female), then display the following message: "Only include partners with whom you had vaginal or anal sex. Remember, for these questions, vaginal sex means penis in the vagina and anal sex means penis in the anus. Interviewer instructions: Return to previous questions if necessary."

SAY box for SXPAG1N4 (partner age-partner 1), SXPAG2N4 (partner age-partner 2), SXPAG3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age-partner 5) "For the next question we will use Response Card K-1."

TOT THE HEAT QUESTION WE WI						
SP.2.0. Which of the followir	ng	[SXPAG1N4]	[SXPAG2N4]	[SXPAG3N4]	[SXPAG4N4]	[SXPAG5N4]
age groups best describes						
[INSERT PARTNER NAME]?						
[READ CHOICES. CHECK ONL	Y					
ONE.]						
≤24 years old	1	1	1	1	1	1
25-29 years old	2	2	2	2	2	2
30-34 years old	3	3	3	3	3	3
35-39 years old	4	4	4	4	4	4

Partner 1 (Insert portner name SX_NM1N4)Partner 2 (Insert partner name SX_NM2N4)Partner 3 (Insert partner name SX_NM3N4)Partner 4 (Insert partner name SX_NM3N4)Partner 4 (Insert partner name SX_NM3N4)Partner 5 (Insert partner name SX_NM3N4)Partner 5 (Insert partner SX_NM3N4)Partner 5 (Insert partner SX_NM3N4)Partner 5 (Insert partner SX_NM3N4)Partner 5 (Insert partner SX_NM3N4)Partner 5 (Insert partner SX_NM3N4)Partner 5 (Insert partner SX_NM3N4)Partner 4 (Insert partner SX_NM3N4)Partner 4 (Insert partner SX_NM3N4)Partner 4 (Insert partner SX_NM3N4)Partner 4 (Insert Insert partnerPartner 4 (Insert Partner Partner SX_NM3N4)Partner 4 (Insert Partner Partner SX_NM3N4)Partner 4 (Insert Partner Partner Partner Partner Partner Partner Partner Partner Partner Partner Partner Partner P	Questions		Sexual Partner	S			
partner name SX_NM1N4]partner name SX_NM2N4]partner name SX_NM3N4]partner name SX_NM3N4]partner name SX_NM3N4]partner name SX_NM3N4]partner name SX_NM4N4]partner sX_NM4N4partner sX_NM4N4partner sX_NM4N4partner sX_NM4N4partner sX_NM4N4partner sX_NM4N4partner sX_NM4N4partner sX_NM4N4 </th <th></th> <th></th> <th>Partner 1</th> <th>Partner 2</th> <th>Partner 3</th> <th>Partner 4</th> <th>Partner 5</th>			Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
SX_NM1N4]name SX_NM2N4]name SX_NM3N4]name SX_NM3N4]name SX_NM4N4]name SX_NM4N4]40-44 years old5555545-49 years old66666>=50 years old77777Refused to answer7777777777Don't know888888888888B8888888888BFor all responses, go to SXPEN3N4 (partner ethnicity- partner 1).For all responses, go to SXPEN3N4 (partner ethnicity- partner 2).For all responses, go to SXPEN3N4 (partner ethnicity- partner 3).For all responses, go to SXPEN3N4 (partner ethnicity- partner 4).For all responses, go to SXPEN3N4 (partner ethnicity- partner 4).For all responses, go to SXPEN3N4 (partner ethnicity- partner 5).For all responses, go to SXPEN3N4 (partner ethnicity- partner 3).For all responses, go to SXPEN3N4 (partner ethnicity- partner 4).For all responses, go to SXPEN3N4 (partner 4).For all responses, responses, go to SXPEN3N4 (partn			[Insert	[Insert	[Insert	[Insert	[Insert
SX_NM1N4]name SX_NM2N4]name SX_NM3N4]name SX_NM3N4]name SX_NM4N4]name SX_NM4N4]name SX_NM4N4]40-44 years old55555545-49 years old666666>=50 years old777777Refused to answer777777777777Don't know8888888888888888BaseFor all responses, go to SXPEN3N4 (partner ethnicity- partner 1).For all responses, go to SXPEN3N4 (partner ethnicity- partner 2).For all responses, go to SXPEN3N4 (partner ethnicity- partner 3).For all responses, go to SXPEN3N4 (partner ethnicity- partner 4).For all responses, responses, go to SXPEN3N			partner name	partner	partner	partner	partner
SX_NM2N4]SX_NM3N4]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4N4A]SX_NM4AA]SX_NM4A]SX_NM4A]SX_NM4A]			SX NM1N4]	-	-	-	-
40-44 years old5555545-49 years old666666>=50 years old77777Refused to answer7777777777Don't know888888888888For all responses, go to Say box beforeFor all responses, go to SAPEN1N4 (partner ethnicity- partner 1).For all responses, go to SAPEN3N4 (partner 2).For all responses, go to SAPEN3N4 (partner 2).For all responses, go to SAPEN3N4 (partner 3).For all responses, go to SAPEN3N4 (partner 2).For all responses, go to SAPEN3N4 (partner 2).For all responses, go to SAPEN3N4 (partner 4).For all responses, go to SAPEN3N4 (partner 3).For all responses, go to SAPEN3N4 (partner 4).For all responses, go to SAPEN3N4 (partner 4).For all responses, go to SAPEN3N4 (partner 4).For all responses, go t				SX NM2N4]	SX NM3N4]	SX NM4N4]	SX NM5N41
>=50 years old77777Refused to answer7777777777Don't know888888888888Base888888888888Pon't know888888888888Pon't know888888888888Pon't know888888888888Pon't know888888888888Pon't know888888888888Pon't know888888888888Pon't know888888888888Pon't know88888888888888Pon't know88888888888888Pon't know88888888888888Pon't know8888888888888888Pon't know88Pon't all responses, go to Stypestimetry intersting the to stype and the system of the system o	40-44 years old	5	5				
Refused to answer7777777777Don't know888888888888Don't know8888888888For all responses, go to Say box beforeFor all responses, go to SXPEN2N4 (partner ethnicity- partner 1).For all responses, go to SXPEN3N4 (partner ethnicity- partner 2).For all responses, go to SXPEN3N4 (partner ethnicity- partner 3).For all responses, go to SXPEN4N4 (partner ethnicity- partner 3).For all responses, go to SXPEN4N4 (partner ethnicity- partner 3).For all responses, go to SXPEN3N4 (partner ethnicity- partner 3).For all responses, go to SXPEN3N4 (partner ethnicity- partner 3).For all responses, go to SXPEN4N44 (partner ethnicity- partner 4).For all responses, syme syme syme symeFor all responses, g	45-49 years old	6	6	6	6	6	6
Don't know88888888888888For all responses, go to Say box before SXPEN1N4 (partner ethnicity- partner 1).For all responses, go to SXPEN3N4 (partner ethnicity- partner 2).For all responses, go to SXPEN3N4 (partner ethnicity- partner 3).For all responses, go to SXPEN3N4 (partner ethnicity- partner 3).QDS programming note for SXPAG1N4 (partner age-partner 1).SXPAG2N4 (partner age-partner 2).SXPAG2N4 (partner age-partner 2).QDS programming note for SXPAG1N4 is partner age-partner 1.Variable label for SXPAG3N4 is partner age-partner 3.SXPEN3N4 (partner age-partner 4.Variable label for SXPAG3N4 is partner age-partner 4.Variable label for SXPAG3N4 is partner age-partner 5.SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."[SXPEN1N4][SXPEN3N4]SP3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.[SXPEN1N4][SXPEN2N4][SXPEN3N4]No0000 <td< td=""><td>&gt;=50 years old</td><td>7</td><td>7</td><td>7</td><td>7</td><td>7</td><td>7</td></td<>	>=50 years old	7	7	7	7	7	7
For all responses, go to Say box beforeFor all responses, go to SXPEN2N4For all responses, go to SXPEN3N4For all responses, syPEN3N4For all responses, syPEN3N4	Refused to answer	77	77	77	77	77	77
responses, go to Say box beforeresponses, go to SXPEN2N4responses, go to SXPEN3N4responses, go to SXPEN3N4responses, sXPEN3N4responses, go to SXPEN3N4responses, sXPEN3N4responses, responses, partner 3).responses, sXPEN3N4responses, sXPEN3N4responses, sXPEN3N4responses, sXPEN3N4responses, sXPEN3N4responses, sXPEN3N4response, sXPEN3N4response, sXPEN3N4response, sXPEN3N4response, sXPEN3N4response, sXPEN3N4response, sXPEN3N4response, sXPEN3N4 <thr<thr<th>response, sXPEN3N4&lt;</thr<thr<th>	Don't know	88	88	88	88	88	88
to Say box before SXPEN2N4 (partner ethnicity- partner 1).go to SXPEN2N4 (partner ethnicity- partner 2).go to SXPEN3N4 (partner ethnicity- partner 3).go to SXPEN3N4 (partner age-partner 2).QDS programming note for SXPAG1N4 (partner age-partner 1). SXPAG3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age- partner 5):SXPEN3N4 (partner age-partner 2), SXPAG5N4 (partner age-partner 2), SXPAG3N4 is partner age-partner 2.SXPEN3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age- partner 5):Variable label for SXPAG1N4 is partner age-partner 1. Variable label for SXPAG3N4 is partner age-partner 2.SXPEN3N4 (partner age-partner 5):Variable label for SXPAG4N4 is partner age-partner 5.SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."[SXPEN1N4]SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.[SXPEN1N4][SXPEN2N4]No000000							
before SXPEN1N4 (partner ethnicity- partner 1).SXPEN2N4 (partner ethnicity- partner 2).SXPEN3N4 (partner ethnicity- partner 3).SXPEN5N4 (partner ethnicity- partner 3).QDS programming note for SXPAG1N4 (partner age-partner 2). partner 1).SXPEN3N4 (partner age-partner 3).SXPEN3N4 (partner age-partner 2).SXPEN3N4 (partner age-partner 2).QDS programming note for SXPAG1N4 (partner age-partner 1).SXPEN3N4 (partner age-partner 2).SXPEN3N4 (partner age-partner 2).SXPAG3N4 (partner age-partner 3).SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age- partner 5):SXPAG5N4 (partner age-partner 2).Variable label for SXPAG1N4 is partner age-partner 1.Variable label for SXPAG3N4 is partner age-partner 3.Variable label for SXPAG3N4 is partner age-partner 3.Variable label for SXPAG3N4 is partner age-partner 4.Variable label for SXPAG5N4 is partner age-partner 5.SXPEN3N4]SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."[SXPEN1N4]SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.[SXPEN1N4]No00000				•	•	•	-
SXPEN1N4 (partner ethnicity- partner 1).(partner ethnicity- partner 2).(partner ethnicity- partner 3).(partner ethnicity- partner 4).(partner ethnicity- partner 5).QDS programming note for SXPAG1N4 (partner age-partner 1).SXPAG2N4 (partner age-partner 2), SXPAG3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age- partner 5):Variable label for SXPAG1N4 is partner age-partner 1. Variable label for SXPAG3N4 is partner age-partner 2. Variable label for SXPAG3N4 is partner age-partner 3. Variable label for SXPAG3N4 is partner age-partner 4. Variable label for SXPAG3N4 is partner age-partner 5.SXPAG3N4 (partner age-partner 4. Variable label for SXPAG3N4 is partner age-partner 5. SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."[SXPEN1N4][SXPEN2N4][SXPEN3N4][SXPEN4N4][SXPEN5N4]SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess. No 0 0 0 0 0 0 0 0 0 0 0 0 0[SXPEN3N4][SXPEN5N4]				0	-	U	-
(partner ethnicity- partner 1).ethnicity- partner 2).ethnicity- partner 3).ethnicity- partner 4).ethnicity- partner 4).QDS programming note for SXPAG1N4 (partner age-partner 2).SXPAG3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age- partner 5):Variable label for SXPAG1N4 is partner age-partner 1.Variable label for SXPAG3N4 is partner age-partner 2.Variable label for SXPAG3N4 is partner age-partner 3.Variable label for SXPAG5N4 is partner age-partner 4.Variable label for SXPAG5N4 is partner age-partner 5.SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.No0000000000000			-				
ethnicity- partner 1).partner 2).partner 3).partner 4).partner 5).QDS programming note for SXPAG1N4 (partner age-partner 1), SXPAG3N4 (partner age-partner 3), SXPAG3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age- partner 5):Variable label for SXPAG1N4 is partner age-partner 1. Variable label for SXPAG2N4 is partner age-partner 2. Variable label for SXPAG3N4 is partner age-partner 3. Variable label for SXPAG4N4 is partner age-partner 4. Variable label for SXPAG5N4 is partner age-partner 5.Variable label for SXPAG5N4 is partner age-partner 4. Variable label for SXPAG5N4 is partner age-partner 5.SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."[SXPEN1N4][SXPEN2N4][SXPEN3N4][SXPEN4N4][SXPEN5N4]NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.No000000							
partner 1).QDS programming note for SXPAG1N4 (partner age-partner 1), SXPAG2N4 (partner age-partner 2), SXPAG3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age- partner 3); Variable label for SXPAG1N4 is partner age-partner 1. Variable label for SXPAG2N4 is partner age-partner 2. Variable label for SXPAG3N4 is partner age-partner 3. Variable label for SXPAG3N4 is partner age-partner 3. Variable label for SXPAG3N4 is partner age-partner 4. Variable label for SXPAG5N4 is partner age-partner 5.SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.[SXPEN1N4]No000000000				-		-	-
QDS programming note for SXPAG1N4 (partner age-partner 1), SXPAG2N4 (partner age-partner 2), SXPAG3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age- partner 5): Variable label for SXPAG1N4 is partner age-partner 1. Variable label for SXPAG3N4 is partner age-partner 2. Variable label for SXPAG3N4 is partner age-partner 3. Variable label for SXPAG3N4 is partner age-partner 4. Variable label for SXPAG5N4 is partner age-partner 5.SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."[SXPEN1N4][SXPEN2N4]SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.[SXPEN1N4][SXPEN2N4][SXPEN3N4]No000000			-	partner 2).	partner 3).	partner 4).	partner 5).
SXPAG3N4 (partner age-partner 3), SXPAG4N4 (partner age-partner 4), and SXPAG5N4 (partner age-partner 5):         Variable label for SXPAG1N4 is partner age-partner 1.         Variable label for SXPAG2N4 is partner age-partner 2.         Variable label for SXPAG3N4 is partner age-partner 3.         Variable label for SXPAG3N4 is partner age-partner 4.         Variable label for SXPAG5N4 is partner age-partner 4.         Variable label for SXPAG5N4 is partner age-partner 5.         SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."         SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.       [SXPEN1N4]       [SXPEN2N4]       [SXPEN3N4]       [SXPEN5N4]         No       0       0       0       0       0       0       0			•				
Variable label for SXPAG2N4 is partner age-partner 3.         Variable label for SXPAG3N4 is partner age-partner 3.         Variable label for SXPAG4N4 is partner age-partner 4.         Variable label for SXPAG5N4 is partner age-partner 5.         SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."         SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.       [SXPEN1N4]       [SXPEN2N4]       [SXPEN3N4]       [SXPEN5N4]         No       0       0       0       0       0       0	SXPAG3N4 (partner age-par partner 5):	tne	r 3), SXPAG4N4	(partner age-pa			
Variable label for SXPAG3N4 is partner age-partner 3.         Variable label for SXPAG4N4 is partner age-partner 4.         Variable label for SXPAG5N4 is partner age-partner 5.         SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."         SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.       [SXPEN1N4]       [SXPEN2N4]       [SXPEN3N4]       [SXPEN5N4]         No       0       0       0       0       0       0							
Variable label for SXPAG4N4 is partner age-partner 4.Variable label for SXPAG5N4 is partner age-partner 5.SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not 							
Variable label for SXPAG5N4 is partner age-partner 5.         SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."         SP.3.0. Is [INSERT PARTNER         NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.       [SXPEN1N4]       [SXPEN2N4]       [SXPEN3N4]       [SXPEN4N4]       [SXPEN5N4]         No       0       0       0       0       0       0       0       0							
SAY: "The next two questions ask about partners' race and ethnicity. We're asking them to better understand the health of all groups."SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.[SXPEN1N4][SXPEN2N4][SXPEN3N4][SXPEN4N4][SXPEN5N4]No000000							
the health of all groups."SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.[SXPEN1N4][SXPEN2N4][SXPEN3N4][SXPEN4N4][SXPEN5N4]No000000		-			icity. We're aski	ng them to bett	er understand
SP.3.0. Is [INSERT PARTNER NAME] Hispanic, Latino/a, or of Spanish origin? If you're not sure, give me your best guess.[SXPEN1N4][SXPEN2N4][SXPEN3N4][SXPEN4N4][SXPEN5N4]No000000	-	15 0.					
NAME] Hispanic, Latino/a, or       of Spanish origin? If you're not       sure, give me your best guess.       No     0       0     0			[SXPEN1N4]	[SXPEN2N4]	[SXPEN3N4]	[SXPEN4N4]	[SXPEN5N4]
of Spanish origin? If you're not sure, give me your best guess.Image: No 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-						
sure, give me your best guess. No 0 0 0 0 0 0 0							
No 0 0 0 0 0 0							
Yes 1 1 1 1 1 1	No	0	0	0	0	0	0
	Yes	1	1	1	1	1	1

	Questions Sexual Partners						
		Partner 1 [Insert partner name SX_NM1N4]	Partner 2 [Insert partner name SX_NM2N4]	Partner 3 [Insert partner name SX_NM3N4]	Partner 4 [Insert partner name SX_NM4N4]	Partner 5 [Insert partner name SX_NM5N4]	
Refused to answer	7	7	7	7	7	7	
Don't know	8	8	8	8	8	8	
		For all responses, go to SXPRC1N4 (partner race- partner 1).	For all responses, go to SXPRC2N4 (partner race-partner 2).	For all responses, go to SXPRC3N4 (partner race-partner 3).	For all responses, go to SXPRC4N4 (partner race-partner 4).	For all responses, go to SXPRC5N4 (partner race-partner 5).	
(partner ethnicity-partner 5): Variable label for SXPEN1N4 is partner ethnicity-partner 1. Variable label for SXPEN2N4 is partner ethnicity-partner 2. Variable label for SXPEN3N4 is partner ethnicity-partner 3. Variable label for SXPEN4N4 is partner ethnicity-partner 4.							
Variable label for SXPEN3N4 Variable label for SXPEN4N4	is p is p	oartner ethnicity oartner ethnicity	-partner 3. -partner 4.				
Variable label for SXPEN3N4	is p is p is p	oartner ethnicity oartner ethnicity	-partner 3. -partner 4.	[SXPRC3N4]	[SXPRC4N4]	[SXPRC5N4]	
Variable label for SXPEN3N4 Variable label for SXPEN4N4 Variable label for SXPEN5N4 SP.4.0. Which of the followin racial group or groups best describes [INSERT PARTNER NAME]? Please choose all that apply. If you're not sure give me your best guess. [READ CHOICES. CHECK ALL	is p is p is p g e,	partner ethnicity partner ethnicity partner ethnicity	-partner 3. -partner 4. -partner 5.	[SXPRC3N4]	[SXPRC4N4]	[SXPRC5N4]	
Variable label for SXPEN3N4 Variable label for SXPEN4N4 Variable label for SXPEN5N4 SP.4.0. Which of the followin racial group or groups best describes [INSERT PARTNER NAME]? Please choose all that apply. If you're not sure give me your best guess. [READ CHOICES. CHECK ALL THAT APPLY.] American Indian or Alaska	is p is p is p g g	partner ethnicity- partner ethnicity- partner ethnicity- [SXPRC1N4]	-partner 3. -partner 4. -partner 5. [SXPRC2N4]				
Variable label for SXPEN3N4 Variable label for SXPEN4N4 Variable label for SXPEN5N4 SP.4.0. Which of the followin racial group or groups best describes [INSERT PARTNER NAME]? Please choose all that apply. If you're not sure give me your best guess. [READ CHOICES. CHECK ALL THAT APPLY.] American Indian or Alaska Native	is p is p is p is p is p is g an 1 2	partner ethnicity- partner ethnicity- partner ethnicity- [SXPRC1N4]	partner 3. -partner 4. -partner 5. [SXPRC2N4]	1	1	1	

Questions		Sexual Partners	5			
		Partner 1 [Insert partner name SX_NM1N4]	Partner 2 [Insert partner name SX_NM2N4]	Partner 3 [Insert partner name SX_NM3N4]	Partner 4 [Insert partner name SX_NM4N4]	Partner 5 [Insert partner name SX_NM5N4]
White	5	5	5	5	5	5
Refused to answer	7	7	7	7	7	7
Don't know	8	8	8	8	8	8
		For all responses, go to SXPCM1N4 (commitment- partner 1).	For all responses, go to SXPCM2N4 commitment- partner 2).	For all responses, go to SXPCM3N4 commitment- partner 3).	For all responses, go to SXPCM4N4 commitment -partner 4).	For all responses, go to SXPCM5N4 commitment- partner 5).
Variable label for SXPRC3N4 Variable label for SXPRC4N4 Variable label for SXPRC5N4	is r	ace-partner 4.				
SP.5.0. How would you describe your level of commitment to [INSERT PARTNER NAME]? Are you [READ CHOICES CHECK ONL ONE.]		SXPCM1N4]	[SXPCM2N4]	[SXPCM3N4]	[SXPCM4N4]	[SXPCM5N4]
Not at all committed	1	1	1	1	1	1
Not at all committed Somewhat committed	1 2	1 2	1 2	1 2	1 2	1 2
Somewhat committed Very committed Committed to above a	2 3 nd	2 3	2 3	2 3	2 3	2 3
Somewhat committed Very committed	2 3	2	2	2	2	2

luestions	Sexual Partners							
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5			
	[Insert	[Insert	[Insert	[Insert	[Insert			
	partner name	partner	partner	partner	partner			
	SX_NM1N4]	name	name	name	name			
		SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			
Don't know 8	8	8	8	8	8			
	For all	For all	For all	For all	For all			
	responses, go	responses,	responses,	responses,	responses,			
	to interviewer	go to	go to	go to	go to			
	instructions	interviewer	interviewer	interviewer	interviewer			
	before	instructions	instructions	instructions	instructions			
	SX_VS1N4	before	before	before	before			
	(vaginal sex-	SX_VS2N4	SX_VS3N4	SX_VS4N4	SX_VS5N4			
	partner 1).	(vaginal sex-	(vaginal sex-	(vaginal sex-	(vaginal sex-			
		partner 2).	partner 3).	partner 3).	partner 4).			

partner 5):

Variable label for SXPCM1N4 is commitment-partner 1.

Variable label for SXPCM2N4 is commitment-partner 2.

Variable label for SXPCM3N4 is commitment-partner 3.

Variable label for SXPCM4N4 is commitment-partner 4.

Variable label for SXPCM5N4 is commitment-partner 5.

# Vaginal sex (SV)

Questions	Sexual Partne	Sexual Partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[Insert	[Insert	[Insert	[Insert	[Insert		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		

**Instructions for partner-by-partner series table:** The questions and response options are in the far left column of the table. Each question is asked for partners 1–5. Partners 1-5 are labeled in columns Partner 1, Partner 2, Partner 3, Partner 4, and Partner 5. All Partner 1 questions are asked before moving to Partner 2 questions. Detailed instructions are provided in each table cell.

When question instructions say "insert partner name," and the variable is in the Partner 1 column, then insert response from SX\_NM1N4 (name of partner 1).

When question instructions say "insert partner name," and variable is in the Partner 2 column, insert response to SX\_NM2N4 (name of partner 2).

When question instructions say "insert partner name," and variable is in the same column as Partner 3, insert response to SX\_NM3N4 (name of partner 3).

When question instructions say "insert partner name," and variable is in the same column as Partner 4, insert response to SX\_NM4N4 (name of partner 4).

When question instructions say "insert partner name," and variable is in the same column as Partner 5, insert response to SX\_NM5N4 (name of partner 5).

Interviewer instructions before SX\_VS1N4 (vaginal-partner 1), SX\_VS2N4 (vaginal-partner 2), SX\_VS3N4 (vaginal-partner 3), SX\_VS4N4 (vaginal-partner 4), and SX\_VS5N4 (vaginal-partner 5):

**Transgender**: If the respondent is transgender (BIRTGEN = 1 [male] and GENDER = 2 [female]) or (BIRTGEN = 2 [female] and GENDER = 1 [male]) or (GENDER = 3 [transgender]), then skip to transgender partner-by-partner series table (SX\_TG1N4 [transgender partner 1], SX\_TG2N4 [transgender partner 2], SX\_TG3N4 [transgender partner 3], SX\_TG4N4 [transgender partner 4], or SX\_TG5N4 [transgender partner 5]).

<u>Male-male partners</u>: If the respondent is male (BIRTGEN = 1 [male] or 3 [intersex] or 7 [refused to answer] or 8 [don't know] and GENDER = 1 [male]), and he reports only male partners (SXMLONN4 = 1) then skip to anal sex partner-by-partner series table (SXANL1N4 [anal sex-partner1], SXANL2N4 [anal sex-partner 2], SXANL3N4 [anal sex-partner 3], SXANL4N4 [anal sex-partner 4], or SXANL5N4 [anal sex-partner 5]).

If the respondent is male (BIRTGEN = 1 [male] or 3 [intersex] or 7 [refused to answer] or 8 [don't know] and GENDER = 1 [male]), and SXPGN1N4 (partner gender-partner 1) = 1 (male), then skip to SXANL1N4 [anal sexpartner 1].

If the respondent is male (BIRTGEN = 1 [male] or 3 [intersex] or 7 [refused to answer] or 8 [don't know] and GENDER = 1 [male]), and SXPGN2N4 (partner gender-partner 2) = 1 (male), then skip to SXANL2N4 [anal sexpartner2].

Questions	Sexual Partne	Sexual Partners						
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5			
	[Insert	[Insert	[Insert	[Insert	[Insert			
	partner	partner	partner	partner	partner			
	name	name	name	name	name			
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

If the respondent is male (BIRTGEN = 1 [male] or 3 [intersex] or 7 [refused to answer] or 8 [don't know] and GENDER = 1 [male]), and SXPGN3N4 (partner gender-partner 3) = 1 (male), then skip to SXANL3N4 [anal sexpartner3].

If the respondent is male (BIRTGEN = 1 [male] or 3 [intersex] or 7 [refused to answer] or 8 [don't know] and GENDER = 1 [male]), and SXPGN4N4 (partner gender-partner 4) = 1 (male), then skip to SXANL4N4 [anal sexpartner4].

If the respondent is male (BIRTGEN = 1 [male] or 3 [intersex] or 7 [refused to answer] or 8 [don't know] and GENDER = 1 [male]), and SXPGN5N4 (partner gender-partner 5) = 1 (male), then skip to SXANL5N4 [anal sexpartner5].

<u>**Otherwise</u>**: go to vaginal sex partner-by-partner series table (SX\_VS1N4 [vaginal-partner 1], SX\_VS2N4 [vaginal-partner 2], SX\_VS3N4 [vaginal-partner 3], SX\_VS4N4 [vaginal-partner 4], or SX\_VS5N4 [vaginal-partner 5]).</u>

purther 5]).						
SV.1.0. During the <b>past 12</b>		[SX_VS1N4]	[SX_VS2N4]	[SX_VS3N4]	[SX_VS4N4]	[SX_VS5N4]
months, did you have <u>vaginal</u> se	X					
with [INSERT PARTNER NAME]?	•					
No	0	0	0	0	0	0
		Skip to				
		SXANL1N4	SXANL2N4	SXANL3N4	SXANL4N4	SXANL5N4
		(anal sex-				
		partner 1)	partner 2)	partner 3)	partner 4)	partner 5)
Yes	1	1	1	1	1	1
		Go to				
		SV10+1N4	SV10+2N4	SV10+3N4	SV10+4N4	SV10+5N4
		(vaginal10-	(vaginal10-	(vaginal10-	(vaginal10-	(vaginal10-
		partner 1)	partner 2)	partner 3)	partner 4)	partner 5)
Refused to answer	7	7	7	7	7	7
		Skip to				
		SXANL1N4	SXANL2N4	SXANL3N4	SXANL4N4	SXANL5N4
		(anal sex-				
		partner 1)	partner 2)	partner 3)	partner 4)	partner 5)

Questions	Sexual Partners				
	Partner 1 [Insert partner name SX_NM1N4]	Partner 2 [Insert partner name SX_NM2N4]	Partner 3 [Insert partner name SX_NM3N4]	Partner 4 [Insert partner name SX_NM4N4]	Partner 5 [Insert partner name SX_NM5N4]
Don't know 8		8	8	8	8
	Skip to SXANL1N4 (anal sex- partner 1)	Skip to SXANL2N4 (anal sex- partner 2)	Skip to SXANL3N4 (anal sex- partner 3)	Skip to SXANL4N4 (anal sex- partner 4)	Skip to SXANL5N4 (anal sex- partner 5)
QDS programming note for SX_V		-			-
Variable label for SX_VS1N4 is vag Variable label for SX_VS2N4 is vag Variable label for SX_VS3N4 is vag Variable label for SX_VS4N4 is vag Variable label for SX_VS5N4 is vag	inal sex-partner inal sex-partner inal sex-partner	2. 3. 4.			
SV.1.1. During the <b>past 12</b> <b>months</b> , did you have <u>vaginal</u> sex with [INSERT PARTNER NAME] more than 10 times? [READ	[SV10+1N4]	[SV10+2N4]	[SV10+3N4]	[SV10+4N4]	[SV10+5N4]
CHOICES. CHECK ONLY ONE.]					
No C	0 Go to SXVEN1N4 (times vaginal sex- partner 1).	0 Go to SXVEN2N4 (times vaginal sex- partner 2).	0 Go to SXVEN3N4 (times vaginal sex- partner 3).	0 Go to SXVEN4N4 (times vaginal sex- partner 4).	0 Go to SXVEN5N4 (times vaginal sex- partner 5).
Yes 1	1	1	1	1	1
	Skip to SXANV1N4 (average number vaginal- partner 1).	Skip to SXANV2N4 (average number vaginal- partner 2).	Skip to SXANV3N4 (average number vaginal- partner 3).	Skip to SXANV4N4 (average number vaginal- partner 4).	Skip to SXANV5N4 (average number vaginal- partner 5).
Refused to answer 7	7 Skip to Say box before SXVC1AN4 (condom	7 Skip to interviewer instructions before	7 Skip to interviewer instructions before	7 Skip to interviewer instructions before	7 Skip to interviewer instructions before

	Sexual Partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5	
	[Insert	[Insert	[Insert	[Insert	[Insert	
	partner	partner	partner	partner	partner	
	name	name	name	name	name	
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]	
	vaginal-	SXVC2AN4	SXVC3AN4	SXVC4AN4	SXVC5AN4	
	partner 1a).	(condom	(condom	(condom	(condom	
	, ,	vaginal-	, vaginal-	vaginal-	vaginal-	
		partner 2a).	partner 3a).	partner 4a).	partner 5a).	
		, ,	, ,	, ,		
Don't know 8	8	8	8	8	8	
	Skip to Say	Skip to	Skip to	Skip to	Skip to	
	box before	interviewer	interviewer	interviewer	interviewer	
	SXVC1AN4	instructions	instructions	instructions	instructions	
	(condom	before	before	before	before	
	, vaginal-	SXVC2AN4	SXVC3AN4	SXVC4AN4	SXVC5AN4	
	partner 1a).	(condom	(condom	(condom	(condom	
	, ,	vaginal-	, vaginal-	vaginal-	vaginal-	
		partner 2a).	partner 3a).	partner 4a).	partner 5a).	
QDS programming note for SV10-	+1N4 (vaginal 1(	)-partner 1). SV		•		
(vaginal 10-partner 3), SV10+4N4 (vaginal 10-partner 4), SV10+5N4 (vaginal 10-partner 5): Variable label for SV10+1N4 is vaginal 10-partner 1. Variable label for SV10+2N4 is vaginal 10-partner 2. Variable label for SV10+3N4 is vaginal 10-partner 3. Variable label for SV10+4N4 is vaginal 10-partner 4.						
Variable label for SV10+2N4 is vag Variable label for SV10+3N4 is vag Variable label for SV10+4N4 is vag	inal 10-partner inal 10-partner inal 10-partner	1. 2. 3. 4.				
Variable label for SV10+2N4 is vag Variable label for SV10+3N4 is vag	inal 10-partner inal 10-partner inal 10-partner	1. 2. 3. 4.				
Variable label for SV10+2N4 is vag Variable label for SV10+3N4 is vag Variable label for SV10+4N4 is vag	inal 10-partner inal 10-partner inal 10-partner	1. 2. 3. 4.	[SXVEN3N4]	[SXVEN4N4]	[SXVEN5N4]	
Variable label for SV10+2N4 is vag Variable label for SV10+3N4 is vag Variable label for SV10+4N4 is vag Variable label for SV10+5N4 is vag SV.1.2. During the <b>past 12</b> <b>months</b> , please tell me the exact number of times that you had	inal 10-partner inal 10-partner inal 10-partner inal 10-partner	1. 2. 3. 4. 5.			[SXVEN5N4]	
Variable label for SV10+2N4 is vag Variable label for SV10+3N4 is vag Variable label for SV10+4N4 is vag Variable label for SV10+5N4 is vag SV.1.2. During the <b>past 12</b> <b>months</b> , please tell me the exact number of times that you had <u>vaginal</u> <i>sex</i> with <i>[INSERT</i>	inal 10-partner inal 10-partner inal 10-partner inal 10-partner	1. 2. 3. 4. 5.			[SXVEN5N4] Skip to instructions before SXVC5AN4 (condom vaginal- partner 5a).	
Variable label for SV10+2N4 is vag Variable label for SV10+3N4 is vag Variable label for SV10+4N4 is vag Variable label for SV10+5N4 is vag SV.1.2. During the <b>past 12</b> <b>months</b> , please tell me the exact number of times that you had vaginal sex with [INSERT PARTNER NAME]?	inal 10-partner inal 10-partner inal 10-partner [inal 10-partner [SXVEN1N4] Skip to Say box before SXVC1AN4 (condom vaginal- partner 1a).	1. 2. 3. 4. 5. [SXVEN2N4] Skip to instructions before SXVC2AN4 (condom vaginal- partner 2a).	[SXVEN3N4] Skip to instructions before SXVC3AN4 (condom vaginal- partner 3a).	[SXVEN4N4] Skip to instructions before SXVC4AN4 (condom vaginal- partner 4a).	Skip to instructions before SXVC5AN4 (condom vaginal- partner 5a).	
Variable label for SV10+2N4 is vag Variable label for SV10+3N4 is vag Variable label for SV10+4N4 is vag Variable label for SV10+5N4 is vag SV.1.2. During the <b>past 12</b> <b>months</b> , please tell me the exact number of times that you had <u>vaginal</u> <i>sex</i> with <i>[INSERT</i>	inal 10-partner inal 10-partner inal 10-partner [inal 10-partner [SXVEN1N4] Skip to Say box before SXVC1AN4 (condom vaginal- partner 1a).	1. 2. 3. 4. 5. [SXVEN2N4] Skip to instructions before SXVC2AN4 (condom vaginal-	[SXVEN3N4] Skip to instructions before SXVC3AN4 (condom vaginal-	[SXVEN4N4] Skip to instructions before SXVC4AN4 (condom vaginal-	Skip to instructions before SXVC5AN4 (condom vaginal-	

Questions	Sexual Partne	Sexual Partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[Insert	[Insert	[Insert	[Insert	[Insert		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		
	box before	instructions	instructions	instructions	instructions		
	SXVC1AN4	before	before	before	before		
	(condom	SXVC2AN4	SXVC3AN4	SXVC4AN4	SXVC5AN4		
	vaginal-	(condom	(condom	(condom	(condom		
	partner 1a).	vaginal-	vaginal-	vaginal-	vaginal-		
		partner 2a).	partner 3a).	partner 4a).	partner 5a).		
Refused to answer 88	88	88	88	88	88		
	Skip to Say	Skip to	Skip to	Skip to	Skip to		
	box before	instructions	instructions	instructions	instructions		
	SXVC1AN4	before	before	before	before		
	(condom	SXVC2AN4	SXVC3AN4	SXVC4AN4	SXVC5AN4		
	vaginal-	(condom	(condom	(condom	(condom		
	partner 1a).	vaginal-	vaginal-	vaginal-	vaginal-		
		partner 2a).	partner 3a).	partner 4a).	partner 5a).		

QDS programming note for SXVEN1N4 (times vaginal sex-partner 1), SXVEN2N4 (times vaginal sex-partner 2), SXVEN3N4 (times vaginal sex-partner 3), SXVEN4N4 (times vaginal sex-partner 4), and SXVEN5N4 (times vaginal sex-partner 5):

Range 1–10.

If SXVEN1N4 (times vaginal sex-partner 1) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXVEN2N4 (times vaginal sex-partner 2) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXVEN3N4 (times vaginal sex-partner 3) "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXVEN4N4 (times vaginal sex-partner 4) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXVEN5N4 (times vaginal sex-partner 5) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If the response to SXVEN1N4 (times vaginal sex-partner 1) is >10, then display the following message: "You

Questions	Sexual Partners					
	Partner 1Partner 2Partner 3Partner 4Partner 5					
	[Insert	[Insert	[Insert	[Insert	[Insert	
	partner	partner	partner	partner	partner	
	name	name	name	name	name	
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]	

told me that you had vaginal sex 10 or fewer times during the past 12 months. *Interviewer instructions:* confirm response and if necessary change response to previous questions."

If SXVEN2N4 (times vaginal sex-partner 2) is >10, then display the following message: "You told me that you had vaginal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXVEN3N4 (times vaginal sex-partner 3) is >10, then display the following message: "You told me that you had vaginal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXVEN4N4 (times vaginal sex-partner 4) is >10, then display the following message: "You told me that you had vaginal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXVEN5N4 (times vaginal sex-partner 5) is >10, then display the following message: "You told me that you had vaginal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

Variable label for SXVEN1N4 is times vaginal sex-partner 1.

Variable label for SXVEN2N4 is times vaginal sex-partner 2.

Variable label for SXVEN3N4 is times vaginal sex-partner 3.

Variable label for SXVEN4N4 is times vaginal sex-partner 4.

## Variable label for SXVEN5N4 is times vaginal sex-partner 5.

	<u> </u>				
SV.1.3. On average, how many	[SXANV1N4]	[SXANV2N4]	[SXANV3N4]	[SXANV4N4]	[SXANV5N4]
times did you have <u>vaginal</u> sex					
with [INSERT PARTNER NAME]					
per month?					
	Go to SXMVG1N4 (months vaginal sex- partner 1).	Go to SXMVG2N4 (months vaginal sex- partner 2).	Go to SXMVG3N4 (months vaginal sex- partner 3).	Go to SXMVG4N4 (months vaginal sex- partner 4).	Go to SXMVG5N4 (months vaginal sex- partner 5).
Refused to answer 77	77	77	77	77	77
	Go to SXMVG1N4 (months vaginal sex- partner 1).	Go to SXMVG2N4 (months vaginal sex- partner 2).	Go to SXMVG3N4 (months vaginal sex- partner 3).	Go to SXMVG4N4 (months vaginal sex- partner 4).	Go to SXMVG5N4 (months vaginal sex- partner 5).

Questions	Sexual Partne	Sexual Partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[Insert	[Insert	[Insert	[Insert	[Insert		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		
Don't know 88	88	88	88	88	88		
	Go to	Go to	Go to	Go to	Go to		
	SXMVG1N4	SXMVG2N4	SXMVG3N4	SXMVG4N4	SXMVG5N4		
	(months	(months	(months	(months	(months		
	vaginal sex-	vaginal sex-	vaginal sex-	vaginal sex-	vaginal sex-		
	partner 1).	partner 2).	partner 3).	partner 4).	partner 5).		

QDS programming note for SXANV1N4 (average number vaginal-partner 1), SXANV2N4 (average number vaginal-partner 2), SXANV3N4 (average number vaginal-partner 3), SXANV4N4 (average number vaginal-partner 4), and SXANV5N4 (average number vaginal-partner 5): Range 1–90.

If SXANV1N4 (average number vaginal-partner 1) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXANV2N4 (average number vaginal-partner 2) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXANV3N4 (average number vaginal-partner 3) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXANV4N4 (average number vaginal-partner 4) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXANV5N4 (average number vaginal-partner 5) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If the response to SXANV1N4 (average number vaginal-partner 1) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXANV2N4 (average number vaginal-partner 2) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXANV3N4 (average number vaginal -partner 3) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXANV4N4 (average number vaginal-partner 4) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXANV5N4 (average number vaginal-partner 5) > 90, then display the following message: "Out of range.

Questions		Sexual Partners					
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5	
		[Insert	[Insert	[Insert	[Insert	[Insert	
		partner	partner	partner	partner	partner	
		name	name	name	name	name	
		SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]	
Interviewer instructions: confirm response."							
Variable label for SXANV1N4	is ave	rage number va	nginal-partner 1				
Variable label for SXANV2N4	is ave	rage number va	nginal-partner 2				
Variable label for SXANV3N4	is ave	rage number va	nginal-partner 3				
Variable label for SXANV4N4			· ·				
Variable label for SXANV5N4	is ave		ginal-partner 5	•			
SV.1.4. During the <b>past 12</b>		[SXMVG1N4]	[SXMVG2N4]	[SXMVG3N4]	[SXMVG4N4]	[SXMVG5N4]	
months, how many months d	id						
you have <u>vaginal</u> sex with							
[INSERT PARTNER NAME]?							
	·						
mo	nths						
Refused to answer	77	77	77	77	77	77	
Don't know	88	88	88	88	88	88	
		For all	For all	For all	For all	For all	
		responses,	responses,	responses,	responses,	responses,	
		go to Say	skip to	skip to	skip to	skip to	
		box before	instructions	instructions	instructions	instructions	
		SXVC1AN4	before	before	before	before	
		(condom	SXVC2AN4	SXVC3AN4	SXVC4AN4	SXVC5AN4	
		vaginal-	(condom	(condom	(condom	(condom	
		partner 1a).	vaginal-	vaginal-	vaginal-	vaginal-	
			partner 2a).	partner 3a).	partner 4a).	partner 5a).	

QDS programming note for SXMVG1N4 (months vaginal sex-partner 1), SXMVG2N4 (months vaginal sexpartner 2), SXMVG3N4 (months vaginal sex-partner 3), SXMVG4N4 (months vaginal sex-partner 4), and SXMVG5N4 (months vaginal sex-partner 5):

Range 1–12.

If SXMVG1N4 (months vaginal sex-partner 1) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. Interviewer instructions: confirm response and if necessary change response to previous questions."

If SXMVG2N4 (months vaginal sex-partner 2) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. Interviewer instructions: confirm response and if necessary change response to previous questions."

Questions	Sexual Partne	Sexual Partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[Insert	[Insert	[Insert	[Insert	[Insert		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		

If SXMVG3N4 (months vaginal sex-partner 3) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXMVG4N4 (months vaginal sex-partner 4), or SXMVG5N4 (months vaginal sex-partner 5) is "0," then display the following message: "You told me that you had vaginal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If the response to SXMVG1N4 (months vaginal sex-partner 1) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXMVG2N4 (months vaginal sex-partner 2) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXMVG3N4 (months vaginal sex-partner 3) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXMVG4N4 (months vaginal sex-partner 4) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXMVG5N4 (months vaginal sex-partner 5) >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

Variable label for SXMVG1N4 is months vaginal sex-partner 1.

Variable label for SXMVG2N4 is months vaginal sex-partner 2.

Variable label for SXMVG3N4 is months vaginal sex-partner 3.

Variable label for SXMVG4N4 is months vaginal sex-partner 4.

Variable label for SXMVG5N4 is months vaginal sex-partner 5.

**SAY box before SXVC1AN4 (condom vaginal-partner 1a):** "The next question is about condom use. Please include when a condom was used the entire time, not only part of the time during sex."

Interviewer instructions before SXVC1AN4 (condom vaginal-partner 1a), SXVC2AN4 (condom vaginalpartner 2a), SXVC3AN4 (condom vaginal-partner 3a), SXVC4AN4 (condom vaginal-partner 4a), SXVC5AN4 (condom vaginal-partner 5a):

If SXVEN1N4 (times vaginal sex-partner 1) = 1, then go to SXVC1AN4 (condom vaginal-partner 1a); otherwise skip to SXVC1BN4 (condom vaginal-partner 1b).

If SXVEN2N4 (times vaginal sex-partner 2) = 1, then go to SXVC2AN4 (condom vaginal-partner 2a); otherwise skip to SXVC2BN4 (condom vaginal-partner 2b).

If SXVEN3N4 (times vaginal sex-partner 3) =1, then go to SXVC3AN4 (condom vaginal-partner 3a); otherwise skip to SXVC3BN4 (condom vaginal-partner 3b).

Questions	Sexual Partne	Sexual Partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[Insert	[Insert	[Insert	[Insert	[Insert		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		

If SXVEN4N4 (times vaginal sex-partner 4) = 1, then go to SXVC4AN4 (condom vaginal-partner 4a); otherwise skip to SXVC4BN4 (condom vaginal-partner 4b).

If SXVEN5N4 (times vaginal sex-partner 5) = 1, then go to SXVC4AN4 (condom vaginal-partner 5a); otherwise skip to SXVC5BN4 (condom vaginal-partner 5b).

SV.1.5.a. During the <b>past 12</b>		[SXVC1AN4]	[SXVC2AN4]	[SXVC3AN4]	[SXVC4AN4]	[SXVC5AN4]	
months, when you had <u>vaginal</u>							
sex with [INSERT PARTNER							
NAME] was a condom used?							
No	0	0	0	0	0	0	
Yes	1	1	1	1	1	1	
Refused to answer	7	7	7	7	7	7	
Don't know	8	8	8	8	8	8	
		For all					
		responses,	responses,	responses,	responses,	responses,	
		skip to					
		SXANL1N4	SXANL2N4	SXANL3N4	SXANL4N4	SXANL5N4	
		(anal sex-					
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).	

QDS programming note for SXVC1AN4 (condom vaginal-partner 1a), SXVC2AN4 (condom vaginal-partner 2a), SXVC3AN4 (condom vaginal-partner 3a), SXVC4AN4 (condom vaginal-partner 4a), SXVC5AN4 (condom vaginal-partner 5a):

Variable label for SXVC1AN4 is condom vaginal-partner 1a. Variable label for SXVC2AN4 is condom vaginal-partner 2a.

Variable label for SXVC3AN4 is condom vaginal-partner 3a.

Variable label for SXVC4AN4 is condom vaginal-partner 4a.

## Variable label for SXVC5AN4 is condom vaginal-partner 5a.

SV.1.5.b. During the past 12	[SXVC1BN4]	[SXVC2BN4]	[SXVC3BN4]	[SXVC4BN4]	[SXVC5BN4]
months, when you had vaginal					
sex with <b>[INSERT PARTNER</b>					
NAME] was a condom used					

Questions		Sexual Partners						
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
		[Insert	[Insert	[Insert	[Insert	[Insert		
		partner	partner	partner	partner	partner		
		name	name	name	name	name		
		SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		
[READ CHOICES. CHECK ONLY								
ONE.]								
Never- not even once	1	1	1	1	1	1		
One or more times	2	2	2	2	2	2		
Absolutely every time	3	3	3	3	3	3		
Refused to answer	7	7	7	7	7	7		
Don't know	8	8	8	8	8	8		
		For all	For all	For all	For all	For all		
		responses,	responses,	responses,	responses,	responses,		
		go to	go to	go to	go to	go to		
		SXANL1N4	SXANL2N4	SXANL3N4	SXANL4N4	SXANL5N4		
		(anal sex-	(anal sex-	(anal sex-	(anal sex-	(anal sex-		
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).		

2b), SXVC3BN4 (condom vaginal-partner 3b), SXVC4BN4 (condom vaginal-partner 4b), SXVC5BN4 (condom vaginal-partner 4b), SXVC5BN4 (condom vaginal-partner 5b):

Variable label for SXVC1BN4 is condom vaginal-partner 1b.

Variable label for SXVC2BN4 is condom vaginal-partner 2b.

Variable label for SXVC3BN4 is condom vaginal-partner 3b.

Variable label for SXVC4BN4 is condom vaginal-partner 4b.

Variable label for SXVC5BN4 is condom vaginal-partner 5b.

## Anal sex (SL)

Question	Sexual Partne	Sexual Partners						
	Partner 1	Partner 1Partner 2Partner 3Partner 4Partner						
	[Insert partner	[Insert partner	[Insert partner	[Insert partner	[Insert partner			
	name	name	name	name	name			
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

**Instructions for partner-by-partner series table:** The questions and response options are in the far left column of the table. Each question is asked for partners 1–5. Partners 1-5 are labeled in columns Partner 1, Partner 2, Partner 3, Partner 4, and Partner 5. All Partner 1 questions are asked before moving to Partner 2 questions. Detailed instructions are provided in each table cell.

When question instructions say "insert partner name," and the variable is in the Partner 1 column, then insert response from SX\_NM1N4 (name of partner 1).

When question instructions say "insert partner name," and variable is in the Partner 2 column, insert response to SX\_NM2N4 (name of partner 2).

When question instructions say "insert partner name," and variable is in the same column as Partner 3, insert response to SX\_NM3N4 (name of partner 3).

When question instructions say "insert partner name," and variable is in the same column as Partner 4, insert response to SX\_NM4N4 (name of partner 4).

When question instructions say "insert partner name," and variable is in the same column as Partner 5, insert response to SX\_NM5N4 (name of partner 5).

insert response to 5X_NM5N4 (name of partner 5).								
SL.1.0. During the <b>past 12 months</b> , did you have <u>anal</u> sex	[SXANL1N4]	[SXANL2N4]	[SXANL3N4]	[SXANL4N4]	[SXANL5N4]			
with <b>[INSERT PARTNER</b>								
NAME]? No	0	0	0	0	0			
0	Skip to							
	STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4			
	(aware	(aware	(aware	(aware	(aware			
	status-	status-	status-	status-	status-			
	partner 1).	partner 2).	partner 3).	partner 4).	partner 5).			
	1	1	1	1	1			
Yes	l Go to	Go to	Go to	Go to	Go to			
	SA10+1N4	SA10+2N4	SA10+3N4	SA10+4N4	SA10+5N4			
	(anal 10-							
	partner 1).	partner 2).	partner 3).	partner 4).	partner 5).			
	7	7	7	7	7			
Refused to answer	7 Skip to	Skip to	Skip to	Skip to	Skip to			

Question		Sexual Partne	ers			
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
		[Insert	[Insert	[Insert	[Insert	[Insert
		partner	partner	partner	partner	partner
		name	name	name	name	name
		SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
		STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
		(aware	(aware	(aware	(aware	(aware
		status-	status-	status-	status-	status-
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).
		8	8	8	8	8
Don't know	8	Skip to	Skip to	Skip to	Skip to	Skip to
		STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
		(aware	(aware	(aware	(aware	(aware
		status-	status-	status-	status-	status-
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).

QDS programming note for SXANL1N4 (anal sex-partner 1), SXANL2N4 (anal sex-partner 2), SXANL3N4 (anal sex-partner 3), SXANL4N4 (anal sex-partner 4), SXANL5N4 (anal sex-partner 5):

Variable label for SXANL1N4 is anal sex-partner 1.

Variable label for SXANL2N4 is anal sex-partner 2.

Variable label for SXANL3N4 is anal sex-partner 3.

Variable label for SXANL4N4 is anal sex-partner 4.

Variable label for SXANL5N4 is anal sex-partner 5.

If SX\_VS1N4 (vaginal sex-partner 1) is 0 (no) AND SXANL1N4 (anal sex-partner 1) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM1N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

If SX\_VS2N4 (vaginal sex-partner 2) is 0 (no) AND SXANL2N4 (anal sex-partner 2) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM2N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

If SX\_VS3N4 (vaginal sex-partner 3) is 0 (no) AND SXANL3N4 (anal sex-partner 3) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM3N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

If SX\_VS4N4 (vaginal sex-partner 4) is 0 (no) AND SXANL4N4 (anal sex-partner 4) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM4N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

Question		Sexual Partne	rs			
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
		[Insert	[Insert	[Insert	[Insert	[Insert
		partner	partner	partner	partner	partner
		name	name	name	name	name
		SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
If SX_VS5N4 (vaginal sex-part	tner	5) is 0 (no) ANI	D SXANL5N4 (ar	nal sex-partner	1) is 0 (no), the	n display the
following message: "Earlier y	ou f	old me that yo	u had vaginal or	r anal sex with [	<b>INSERT</b> partner	name
SX_NM5N4]. Is this correct?	Inte	erviewer instruc	tions: return to	previous ques	tions to correct	error."
SL.1.1. During the past 12		[SA10+1N4]	[SA10+2N4]	[SA10+3N4]	[SA10+4N4]	[SA10+5N4]
months, did you have anal se	ЭX					
with [INSERT PARTNER NAM	E]					
more than 10 times? [READ						
CHOICES. CHECK ONLY ONE.	1					
No	0	0	0	0	0	0
		Go to	Go to	Go to	Go to	Go to
		SXAEN1N4	SXAEN2N4	SXAEN3N4	SXAEN4N4	SXAEN5N4
		(times anal	(times anal	(times anal	(times anal	(times anal
		sex-partner	sex-partner	sex-partner	sex-partner	sex-partner
		1).	2).	3).	4).	5).
Vec	1	1	1	1	1	1
Yes	T	1 Skip to	1 Skip to	1 Skip to	1 Skip to	1 Skip to
		Skip to SXANA1N4	Skip to SXANA2N4	Skip to SXANA3N4	Skip to SXANA4N4	Skip to SXANA5N4
		(average number	(average number	(average number	(average number	(average number
		anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
		1).	2).	3).	4).	5).
		1).	2).	5).		5).
Refused to answer	7	7	7	7	7	7
		Skip to	Skip to	Skip to	Skip to	Skip to
		interviewer	interviewer	interviewer	interviewer	interviewer
		instructions	instructions	instructions	instructions	instructions
		before	before	before	before	before
		SXAC1AN4	SXAC2AN4	SXAC3AN4	SXAC4AN4	SXAC5AN4
		(condom	(condom	(condom	(condom	(condom
		anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
		1a).	2a).	3a).	4a).	5a).
Don't know	8	8	8	8	8	8
Don't know	Ö	8 Skip to				
		SKIPLO	Skip to	Skip to	Skip to	Skip to

Question	Sexual Partne	rs			
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
	[Insert	[Insert	[Insert	[Insert	[Insert
	partner	partner	partner	partner	partner
	name	name	name	name	name
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
	interviewer	interviewer	interviewer	interviewer	interviewer
	instructions	instructions	instructions	instructions	instructions
	before	before	before	before	before
	SXAC1AN4	SXAC2AN4	SXAC3AN4	SXAC4AN4	SXAC5AN4
	(condom	(condom	(condom	(condom	(condom
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a).	2a).	3a).	4a).	5a).
QDS programming note for SA1 10-partner 3), SA10+4N4 (anal 3				)-partner 2), SA	10+3N4 (anal
Variable label for SA10+1N4 is a	-				
Variable label for SA10+2N4 is a	•				
Variable label for SA10+3N4 is a	•				
Variable label for SA10+4N4 is a	a second a second s				
Variable label for SA10+5N4 is a	•				
SL.1.2. During the <b>past 12</b>	[SXAEN1N4]	[SXAEN2N4]	[SXAEN3N4]	[SXAEN4N4]	[SXAEN5N4]
months, please tell me the					
exact number of times that you					
had anal sex with <b>[INSER</b>					
PARTNER NAME]?					
	Skip to	Skip to	Skip to	Skip to	Skip to
	interviewer	interviewer	interviewer	interviewer	interviewer
	instructions	instructions	instructions	instructions	instructions
	before	before	before	before	before
	SXAC1AN4	SXAC2AN4	SXAC3AN4	SXAC4AN4	SXAC5AN4
	(condom	(condom	(condom	(condom	(condom
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a).	2a).	3a).	4a).	5a).
	77	77	77	77	77
Refused to answer 77	//				
Refused to answer 77	Skip to	Skip to	Skip to	Skip to	Skip to
Refused to answer 77			Skip to interviewer	Skip to interviewer	Skip to interviewer
Refused to answer 77	Skip to	Skip to	-	-	-

Question	Sexual Partne	ers			
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
	[Insert	[Insert	[Insert	[Insert	[Insert
	partner	partner	partner	partner	partner
	name	name	name	name	name
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
	SXAC1AN4	SXAC2AN4	SXAC3AN4	SXAC4AN4	SXAC5AN4
	(condom	(condom	(condom	(condom	(condom
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a).	2a).	3a).	4a).	5a).
Don't know	88 88	88	88	88	88
	Skip to	Skip to	Skip to	Skip to	Skip to
	interviewer	interviewer	interviewer	interviewer	interviewer
	instructions	instructions	instructions	instructions	instructions
	before	before	before	before	before
	SXAC1AN4	SXAC2AN4	SXAC3AN4	SXAC4AN4	SXAC5AN4
	(condom	(condom	(condom	(condom	(condom
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a).	2a).	3a).	4a).	5a).

QDS programming note for SXAEN1N4 (times anal sex-partner 1), SXAEN2N4 (times anal sex-partner 2), SXAEN3N4 (times anal sex-partner 3), SXAEN4N4 (times anal sex-partner 4), SXAEN5N4): Range 1–10.

If SXAEN1N4 (times anal sex-partner 1) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXAEN2N4 (times anal sex-partner 2) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXAEN3N4 (times anal sex-partner 3) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXAEN4N4 (times anal sex-partner 4) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXAEN5N4 (times anal sex-partner 5) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If the response to SXAEN1N4 (times anal sex-partner 1) is >10, then display the following message: "You told me that you had anal sex 10 or fewer times during the past 12 months. *Interviewer instructions:* 

Question	Sexual Partne	Sexual Partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[Insert	[Insert	[Insert	[Insert	[Insert		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		

confirm response and if necessary change response to previous questions.

SXAEN2N4 (times anal sex-partner 2) is >10, then display the following message: "You told me that you had anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions*.

If SXAEN3N4 (times anal sex-partner 3) is >10, then display the following message: "You told me that you had anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions*.

If SXAEN4N4 (times anal sex-partner 4) is >10, then display the following message: "You told me that you had anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions*.

If SXAEN5N4 (times anal sex-partner 5) >10, then display the following message: "You told me that you had anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions*.

Variable label for SXAEN1N4 is times anal sex-partner 1.

Variable label for SXAEN2N4 is times anal sex-partner 2.

Variable label for SXAEN3N4 is times anal sex-partner 3.

Variable label for SXAEN4N4 is times anal sex-partner 4.

### Variable label for SXAEN5N4 is times anal sex-partner 5.

SL.1.3. On average, how many times did you have <u>anal</u> sex with <b>[INSERT PARTNER NAME]</b> per month?		[SXANA1N4]	[SXANA2N4]	[SXANA3N4]	[SXANA4N4]	[SXANA5N4] 		
Refused to answer	77	77	77	77	77	77		
Don't know	88	88	88	88	88	88		
		For all responses, go to SXMAN1N4 (months anal sex- partner 1).	For all responses, go to SXMAN2N4 (months anal sex- partner 2).	For all responses, go to SXMAN3N4 (months anal sex- partner 3).	For all responses, go to SXMAN4N4 (months anal sex- partner 4).	For all responses, go to SXMAN5N4 (months anal sex- partner 5).		

Question	Sexual Partne	Sexual Partners						
	Partner 1	Partner 1 Partner 2 Partner 3 Partner 4 Partner 5						
	[Insert partner	[Insert partner	[Insert partner	[Insert partner	[Insert partner			
	name	name	name	name	name			
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

QDS programming SXANA1N4 (average number anal-partner1), SXANA2N4 (average number anal-partner 2), SXANA3N4 (average number anal-partner 3), SXANA4N4 (average number anal-partner 4), SXANA1N4 (average number anal-partner 5):

Range 1-90.

If SXANA1N4 (average number anal-partner1) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXANA2N4 (average number anal-partner 2) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXANA3N4 (average number anal-partner 3) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXANA4N4 (average number anal-partner 4) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXANA1N4 (average number anal-partner 5) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If the response to SXANA1N4 (average number anal-partner1) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXANA2N4 (average number anal-partner 2) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXANA3N4 (average number anal-partner 3) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXANA4N4 (average number anal-partner 4) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXANA1N4 (average number anal-partner 5) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

Variable label for SXANA1N4 is average number anal-partner 1. Variable label for SXANA2N4 is average number anal-partner 2. Variable label for SXANA3N4 is average number anal-partner 3.

Question		Sexual Partne	rs			
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
		[Insert	[Insert	[Insert	[Insert	[Insert
		partner	partner	partner	partner	partner
		name	name	name	name	name
		SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
Variable label for SXANA4N	4 is a	verage number	anal-partner 4.			
Variable label for SXANA5N	4 is a	verage number	anal-partner 5.			-
SL.1.4. During the <b>past 12</b>		[SXMAN1N4]	[SXMAN2N4]	[SXMAN3N4	[SXMAN4N4]	[SXMAN5N4]
months, how many months	did			]		
you have anal sex with [INS	ERT					
PARTNER NAME]?						
mol	nths					
Refused to answer	77	77	77		77	77
				77		
Don't know	88	88	88		88	88
				88		
		For all	For all		For all	For all
		responses,	responses,	For all	responses,	responses,
		go to	go to	responses,	go to	go to
		interviewer	interviewer	go to	interviewer	interviewer
		instructions	instructions	interviewer	instructions	instructions
		before	before	instructions	before	before
		SXAC1AN4	SXAC2AN4	before	SXAC4AN4	SXAC5AN4
		(condom	(condom	SXAC3AN4	(condom	(condom
		anal-partner	anal-partner	(condom	anal-partner	anal-partner
		1a).	2a).	anal-partner	4a).	5a).
				3a)		

QDS programming note for SXMAN1N4 (months anal sex-partner 1), SXMAN2N4 (months anal sexpartner 2), SXMAN3N4 (months anal sex-partner 3), SXMAN4N4 (months anal sex-partner 4), and SXMAN5N4 (months anal sex-partner 5): Range 1–12.

If SXMAN1N4 (months anal sex-partner 1) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXMAN2N4 (months anal sex-partner 2) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXMAN3N4 (months anal sex-partner 3) is "0," then display the following message: "You told me that you

Question	Sexual Partne	Sexual Partners						
	Partner 1	Partner 1 Partner 2 Partner 3 Partner 4 Partner 5						
	[Insert partner							
	name	name	name	name	partner name			
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

had anal sex with this partner during the past 12 months. **Interviewer instructions: confirm response and if necessary change response to previous questions.**"

If SXMAN4N4 (months anal sex-partner 4) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If SXMAN5N4 (months anal sex-partner 5) is "0," then display the following message: "You told me that you had anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If the response to SXMAN1N4 (months anal sex-partner 1) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXMAN2N4 (months anal sex-partner 2) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXMAN3N4 (months anal sex-partner 3) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXMAN4N4 (months anal sex-partner 4) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If SXMAN5N4 (months anal sex-partner 5) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

Variable label for SXMAN1N4 is months anal sex-partner 1.

Variable label for SXMAN2N4 is months anal sex-partner 2.

Variable label for SXMAN3N4 is months anal sex-partner 3.

Variable label for SXMAN4N4 is months anal sex-partner 4.

Variable label for SXMAN5N4 is months anal sex-partner 5.

Interviewer instructions before SXAC1AN4 (condom anal-partner 1a), SXAC2AN4 (condom anal-partner 2a), SXAC2AN4 (condom anal-partner 3a), SXAC2AN4 (condom anal-partner 4a), SXAC2AN4 (condom anal-partner 5a):

**Female-male partner #1-anal sex once**: If the respondent is female (BIRTGEN=2 and GENDER=2) AND partner 1 is male (SXPGN1N4 [partner's gender-partner 1] = 1 [male]) AND the respondent had anal sex with partner 1 only one time (SXAEN1N4 [times anal sex-partner 1] = 1), then go to Say box before SXAC1AN4 (condom anal-partner 1a).

**Female-male partner #1-anal sex more than once**: If the respondent is female (BIRTGEN=2 and GENDER=2) AND partner 1 is male (SXPGN1N4 [partner's gender-partner 1] = 1 [male]) AND the respondent had anal sex

Question	Sexual Partne	Sexual Partners						
	Partner 1	Partner 1 Partner 2 Partner 3 Partner 4 Partner 3						
	[Insert							
	partner							
	name	name	name	name	name			
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

with partner 1 more than once (SXAEN1N4 [times anal sex-partner 1]  $\geq$  2) OR SA10+1N4 (anal 10-partner 1) = "yes," then go to Say box before SXAC1BN4 (condom anal-partner 1b).

**Female-male partners #2, 3, 4, 5-anal sex once**: If the respondent is female (BIRTGEN=2 and GENDER=2) AND partners 2, 3, 4, or 5 are male (SXMLONN4 [male only partners] = 1 OR SXPGN2N4 [partner's gender-partner 2] = 1 [male], SXPGN3N4 [partner's gender-partner 3] = 1 [male], SXPGN4N4 [partner's gender-partner 4] = 1 [male], OR SXPGN5N4 [partner's gender-partner 5] = 1 [male]) AND the respondent had anal sex with partners 2, 3, 4, or 5 only one time (SXAEN2N4 [times anal sex-partner 2] = 1, SXAEN3N4 [times anal sex-partner 3] = 1, SXAEN4N4 [times anal sex-partner 4] = 1, SXAEN4N4 [times anal sex-partner 5] = 1, statement 4] = 1, SXAEN4N4 [times anal sex-partner 5] = 1, statement 4] = 1, statement 5] = 1], then go to statement 4] (condom anal-partner 2a), statement 4] = 1, statement 4], or statement 4] (condom anal-partner 5a).

**Female partners #2, 3, 4, 5-anal sex more than once**: If the respondent is female (BIRTGEN=2 and GENDER=2) AND partners 2, 3, 4, or 5 are male (SXMLONN4 [male only partners] = 1 OR SXPGN2N4 [partner's gender-partner 2] = 1 [male], SXPGN3N4 [partner's gender-partner 3] = 1 [male], SXPGN4N4 [partner's gender-partner 4] = 1 [male], SXPGN5N4 [partner's gender-partner 5] = 1 [male]) AND the respondent had anal sex with partners 2, 3, 4, or 5 more than once (SXAEN2N4 [times anal sex-partner 2]  $\geq$  2, SXAEN3N4 [times anal sex-partner 3]  $\geq$  2, SXAEN4N4 [times anal sex-partner 4]  $\geq$  2, SXAEN5N4 [times anal sex-partner 3]  $\geq$  2, SXAEN4N4 [times anal sex-partner 4]  $\geq$  2, SXAEN5N4 [times anal sex-partner 5]  $\geq$  2 OR SA10+2N4 (anal 10-partner 2) = "yes,", SA10+3N4 (anal 10-partner 3) = "yes,", SA10+4N4 (anal 10-partner 4) = "yes,", SA10+5N4 (anal 10-partner 5) = "yes,", then go to SXAC2BN4 (condom anal-partner 2b), SXAC3BN4 (condom anal-partner 3b), SXAC4BN4 (condom anal-partner 4b), SXAC5BN4 (condom anal-partner 5b).

<u>Male-female partner #1-anal sex once</u>: If the respondent is male (BIRTGEN=1 and GENDER=1) and partner 1 is female (SXPGN1N4 [partner's gender-partner 1] = 2 [female]), AND the respondent had anal sex with partner 1 only one time (SXAEN1N4 [times anal sex-partner 1] = 1), then go to Say box before SXAC1AN4 (condom anal-partner 1a).

<u>Male-female partner #1-anal sex more than once</u>: If the respondent is male (BIRTGEN=1 and GENDER=1) AND partner 1 is female (SXPGN1N4 [partner's gender-partner 1] = 2 [female]), AND the respondent had anal sex with partner 1 more than once (SXAEN1N4 [times anal sex-partner 1]  $\geq$  2) OR SA10+1N4 (anal 10-partner 1) = "yes," then go to Say box before SXAC1BN4 (condom anal-partner 1b).

<u>Male-female partners # 2, 3, 4, 5-anal sex once</u>: If the respondent is male (BIRTGEN=1 and GENDER=1) and SXFMONN4 (female only partners) = 1 OR SXPGN2N4 (partner's gender-partner 2) = 2 (female), SXPGN3N4

Question	Sexual Partne	Sexual Partners						
	Partner 1	Partner 1 Partner 2 Partner 3 Partner 4 Partne						
	[Insert	[Insert	[Insert	[Insert	[Insert			
	partner	partner	partner	partner	partner			
	name	name	name	name	name			
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

(partner's gender-partner 3) = 2 (female), SXPGN4N4 (partner's gender-partner 4) = 2 (female), SXPGN5N4 (partner's gender-partner 5) = 2 (female) AND the respondent had anal sex with partners 2, 3, 4, or 5 only one time (SXAEN2N4 [times anal sex-partner 2] = 1, SXAEN3N4 [times anal sex-partner 3] = 1, SXAEN4N4 [times anal sex-partner 4] = 1, SXAEN5N4 [times anal sex-partner 5] = 1, then go to SXAC2AN4 (condom anal-partner 2a), SXAC3AN4 (condom anal-partner 3a), SXAC4AN4 (condom anal-partner 4a), SXAC5AN4 (condom anal-partner 5a).

**Male-female partners # 2, 3, 4, 5-anal sex more than once**: If the respondent is male (BIRTGEN=1 and GENDER=1) and SXFMONN4 (female only partners) = 1 OR SXPGN2N4 (partner's gender-partner 2) = 2 (female), SXPGN3N4 (partner's gender-partner 3) = 2 (female), SXPGN4N4 (partner's gender-partner 4) = 2 (female), SXPGN5N4 (partner's gender-partner 5) = 2 (female) AND the respondent had anal sex with partners 2, 3, 4, or 5 more than once (SXAEN2N4 [times anal sex-partner 2]  $\geq$  2, SXAEN3N4 [times anal sex-partner 3]  $\geq$  2, SXAEN4N4 [times anal sex-partner 4]  $\geq$  2, SXAEN5N4 [times anal sex-partner 5]  $\geq$  2 OR SA10+2N4 (anal 10-partner 2) = "yes,", SA10+3N4 (anal 10-partner 3) = "yes,", SA10+4N4 (anal 10-partner 4) = "yes,", SA10+5N4 (anal 10-partner 5) = "yes,", then go to SXAC2BN4 (condom anal-partner 2b), SXAC3BN4 (condom anal-partner 3b), SXAC4BN4 (condom anal-partner 4b), SXAC5BN4 (condom anal-partner 5b).

**Male-male partner(s)**: If the respondent is male (BIRTGEN=1 and GENDER=1) and partner is male (SXMLONN4 [male only partners] = 1 OR SXPGN1N4 [partner's gender-partner 1] = 1, SXPGN2N4 [partner's gender-partner 2] = 1, SXPGN3N4 [partner's gender-partner 3] = 1, SXPGN4N4 [partner's gender-partner 4] = 1, SXPGN5N4 [partner's gender-partner 5] = 1), then skip to interviewer instructions before ABTM1AN4 (receptive anal-partner 1a), interviewer instructions before ABTM2AN4 (receptive anal-partner 2a), interviewer instructions before ABTM3AN4 (receptive anal-partner 3a), interviewer instructions before ABTM4AN4 (receptive anal-partner 4a), interviewer instructions before ABTM5AN4 (receptive anal-partner 5a).

**SAY box before SXAC1AN4 (condom anal-partner 1a):** "The next question is about condom use. Please include when a condom was used the entire time, not only part of the time."

include when a condom was used the churc time, not only part of the time.							
SL.1.5.a. During the <b>past 12</b>	[SXAC1AN4]	[SXAC2AN4]	[SXAC3AN4]	[SXAC4AN4]	[SXAC5AN4]		
months, when you had <u>anal</u>							
sex with INSERT PARTNER							
NAME] was a condom used?							
No	0	0	0	0	0		
Yes	L 1	1	1	1	1		

Question		Sexual Partners						
		Partner 1 [Insert partner name SX_NM1N4	Partner 2 [Insert partner name SX_NM2N4]	Partner 3 [Insert partner name SX_NM3N4]	Partner 4 [Insert partner name SX_NM4N4]	Partner 5 [Insert partner name SX_NM5N4]		
Refused to answer	7	7	7	7	7	7		
Don't know	8	8	8	8	8	8		
		For all responses, skip to STATS1N4 is aware status- partner 1.	For all responses, skip to STATS2N4 is aware status- partner 2.	For all responses, skip to STATS3N4 is aware status- partner 3.	For all responses, skip to STATS4N4 is aware status- partner 4.	For all responses, skip to STATS5N4 is aware status- partner 5.		

QDS programming note for SXAC1AN4 (condom anal-partner 1a), SXAC2AN4 (condom anal-partner 2a), SXAC3AN4 (condom anal-partner 3a), SXAC4AN4 (condom anal-partner 4a), SXAC5AN4 (condom anal-partner 5a):

Variable label for SXAC1AN4 is condom anal-partner 1a.

Variable label for SXAC2AN4 is condom anal-partner 2a.

Variable label for SXAC3AN4 is condom anal-partner 3a.

Variable label for SXAC4AN4 is condom anal-partner 4a.

Variable label for SXAC5AN4 is condom anal-partner 5a.

SAY box before SXAC1BN4 (condom anal-partner 1b), SXAC2BN4 (condom anal-partner 2b), SXAC3BN4 (condom anal-partner 3b), SXAC4BN4 (condom anal-partner 4b), SXAC5BN4 (condom anal-partner 5b): "The next question is about condom use. Please include times when a condom was used the entire time, not only part of the time."

SL.1.5.b.During the <b>past 12</b>	[SXAC1BN4]	[SXAC2BN4]	[SXAC3BN4]	[SXAC4BN4]	[SXAC5BN4]
months, when you had <u>anal</u>					
sex with [PARTNER NAME]					
was a condom used [READ CHOICES. CHECK ONLY					
ONE.]					
Never – not even once 1	1	1	1	1	1
One or more times 2					
	2	2	2	2	2

Question		Sexual Partne	rs			
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
		[Insert	[Insert	[Insert	[Insert	[Insert
		partner	partner	partner	partner	partner
		name	name	name	name	name
		SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
Absolutely every time	3					
Refused to answer	7	3	3	3	3	3
Don't know	8	7	7	7	7	7
		8	8	8	8	8
		For all	For all	For all	For all	For all
		responses,	responses,	responses,	responses,	responses,
		skip to	skip to	skip to	skip to	skip to
		STATS1N4 is	STATS2N4 is	STATS3N4 is	STATS4N4 is	STATS5N4 is
		aware	aware	aware	aware	aware
		status-	status-	status-	status-	status-
		partner 1.	partner 2.	partner 3.	partner 4.	partner 5.

QDS programming note for SXAC1BN4 (condom anal-partner 1b), SXAC2BN4 (condom anal-partner 2b), SXAC3BN4 (condom anal-partner 3b), SXAC4BN4 (condom anal-partner 4b), SXAC5BN4 (condom anal-partner 5b):

Variable label for SXAC1BN4 is condom anal-partner 1b.

Variable label for SXAC2BN4 is condom anal-partner 2b.

Variable label for SXAC3BN4 is condom anal-partner 3b.

Variable label for SXAC4BN4 is condom anal-partner 4b.

Variable label for SXAC5BN4 is condom anal-partner 5b.

Interviewer instructions for ABTM1AN4 (receptive anal-partner 1a), ABTM2AN4 (receptive anal-partner 2a), ABTM3AN4 (receptive anal-partner 3a), ABTM4AN4, (receptive anal-partner 4a), ABTM5AN4 (receptive anal-partner 5a):

Male-male partner-anal sex once: If the respondent is male (BIRTGEN=1 and GENDER=1) and partner is male (SXMLONN4 [male only partners] = 1 OR SXPGN1N4 [partner's gender-partner 1] = 1, SXPGN2N4 [partner's gender-partner 2] = 1, SXPGN3N4 [partner's gender-partner 3] = 1, SXPGN4N4 [partner's gender-partner 4] = 1, SXPGN5N4 [partner's gender-partner 5] = 1), AND the respondent had anal sex with partners 1, 2, 3, 4, or 5 only one time (SXAEN1N4 [times anal sex-partner 1] = 1, SXAEN2N4 [times anal sex-partner 2] = 1, SXAEN3N4 [times anal sex-partner 3] = 1, SXAEN3N4 [times anal sex-partner 5] = 1, THEN go to ABTM1AN4 (receptive anal-partner 1a), ABTM2AN4 (receptive anal-partner 2a), ABTM3AN4 (receptive anal-partner 3a), ABTM4AN4, (receptive anal-partner 4a), ABTM5AN4

Question	Sexual Partne	Sexual Partners						
	Partner 1	Partner 1 Partner 2 Partner 3 Partner 4 Partner						
	[Insert	partner partner partner p						
	partner							
	name							
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			

(receptive anal-partner 5a).

**Male-male partner-anal sex more than once**: If the respondent is male (BIRTGEN=1 and GENDER=1) and partner is male (SXMLONN4 [male only partners] = 1 OR SXPGN1N4 [partner's gender-partner 1] = 1, SXPGN2N4 [partner's gender-partner 2] = 1, SXPGN3N4 [partner's gender-partner 3] = 1, SXPGN4N4 [partner's gender-partner 4] = 1, SXPGN5N4 [partner's gender-partner 5] = 1), AND the respondent had anal sex with partners 1, 2, 3, 4, or 5 more than one time (SXAEN1N4 [times anal sex-partner 1]  $\geq$  2, SXAEN3N4 [times anal sex-partner 3]  $\geq$  2, SXAEN3N4 [times anal sex-partner 3]  $\geq$  2, SXAEN5N4 [times anal sex-partner 4]  $\geq$  2, SXAEN5N4 [times anal sex-partner 5]  $\geq$  2, THEN skip to ABTM1BN4 (receptive anal-partner 1b), ABTM2BN4 (receptive anal-partner 2b), ABTM3BN4 (receptive anal-partner 3b), ABTM4BN4, (receptive anal-partner 4b), ABTM5BN4 (receptive anal-partner 5b).

anai-partner 4b), ABIMISBN4 (receptive anai-partner 5b).							
SL.1.6.a. During the <b>past 12</b> <b>months</b> , when you had anal	[ABTM1AN4]	[ABTM2AN4]	[ABTM3AN4]	[ABTM4AN4]	[ABTM5AN4]		
sex with INSERT PARTNER							
<b>NAME]</b> , did you have anal sex							
where you were a <u>bottom</u> ?							
No (	0	0	0	0	0		
	Skip to						
	ATP1AN4	ATP2AN4	ATP3AN4	ATP4AN4	ATP5AN4		
	(insertive	(insertive	(insertive	(insertive	(insertive		
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner		
	1a).	2a).	3a).	4a).	5a).		
Yes	. 1	1	1	1	1		
	Go to						
	ABTC1AN4	ABTC2AN4	ABTC3AN4	ABTC4AN4	ABTC5AN4		
	(condom	(condom	(condom	(condom	(condom		
	receptive	receptive	receptive	receptive	receptive		
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner		
	1a).	2a).	3a).	4a).	5a).		
	-07.	2011					
Refused to answer	7 7	7	7	7	7		
	Skip to						
	ATP1AN4	ATP2AN4	ATP3AN4	ATP4AN4	ATP5AN4		

Question	Sexual Partne	rs			
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
	[Insert	[Insert	[Insert	[Insert	[Insert
	partner	partner	partner	partner	partner
	name	name	name	name	name
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
Don't know 8	(insertive	(insertive	(insertive	(insertive	(insertive
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a).	2a).	3a).	4a).	5a).
	8	8	8	8	8
	Skip to	Skip to	Skip to	Skip to	Skip to
	ATP1AN4	ATP2AN4	ATP3AN4	ATP4AN4	ATP5AN4
	(insertive	(insertive	(insertive	(insertive	(insertive
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a).	2a).	3a).	4a).	5a).
QDS programming note for ABT	· · · · · · · · · · · · · · · · · · ·		• •	•	
2a), ABTM3AN4 (receptive anal- (receptive anal-partner 5a): Variable label for ABTM1AN4 rec Variable label for ABTM2AN4 rec Variable label for ABTM3AN4 rec Variable label for ABTM4AN4 rec Variable label for ABTM5AN4 rec	ceptive anal-par ceptive anal-par ceptive anal-par ceptive anal-par ceptive anal-par	rtner 1a. rtner 2a. rtner 3a. rtner 4a. rtner 5a.			
SL.1.6.b. During the <b>past 12</b> <b>months,</b> when you had anal sex with [INSERT PARTNER NAME], how often did you have anal sex where you were a <u>bottom</u> ? [READ CHOICES. CHECK ONLY ONE.]	[ABTM1BN4]	[ABTM2BN4]	[ABTM3BN4]	[ABTM4BN4]	[ABTM5BN4]
Never 1	1	1	1	1	1
	Skip to	Skip to	Skip to	Skip to	Skip to
	interviewer	interviewer	interviewer	interviewer	interviewer
	instructions	instructions	instructions	instructions	instructions
	before	before	before	before	before
	ATP1AN4	ATP2AN4	ATP3AN4	ATP4AN4	ATP5AN4
	(insertive	(insertive	(insertive	(insertive	(insertive
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a).	2a).	3a).	4a).	5a).

Question		Sexual Partne	ers			
		Partner 1 [Insert partner name SX_NM1N4	Partner 2 [Insert partner name SX_NM2N4]	Partner 3 [Insert partner name SX_NM3N4]	Partner 4 [Insert partner name SX_NM4N4]	Partner 5 [Insert partner name SX_NM5N4]
Sometimes	2	2 Go to interviewer instructions before ABTC1AN4 condom receptive anal-partner 1a.	2 Go to interviewer instructions before ABTC2AN4 condom receptive anal-partner 2a.	2 Go to interviewer instructions before ABTC3AN4 condom receptive anal-partner 3a.	2 Go to interviewer instructions before ABTC4AN4 condom receptive anal-partner 4a.	2 Go to interviewer instructions before ABTC5AN4 condom receptive anal-partner 5a.
Always	3	3 Go to interviewer instructions before ABTC1AN4 condom receptive anal-partner 1a.	3 Go to interviewer instructions before ABTC2AN4 condom receptive anal-partner 2a.	3 Go to interviewer instructions before ABTC3AN4 condom receptive anal-partner 3a.	3 Go to interviewer instructions before ABTC4AN4 condom receptive anal-partner 4a.	3 Go to interviewer instructions before ABTC5AN4 condom receptive anal-partner 5a.
Refused to answer	7	7 Skip to interviewer instructions before ATP1AN4 (insertive anal-partner 1a).	7 Skip to interviewer instructions before ATP2AN4 (insertive anal-partner 2a).	7 Skip to interviewer instructions before ATP3AN4 (insertive anal-partner 3a).	7 Skip to interviewer instructions before ATP4AN4 (insertive anal-partner 4a).	7 Skip to interviewer instructions before ATP5AN4 (insertive anal-partner 5a).
Don't know	8	8 Skip to				

Question	Sexual Partne	Sexual Partners							
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5				
	[Insert	[Insert	[Insert	[Insert	[Insert				
	partner	partner	partner	partner	partner				
	name	name	name	name	name				
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]				
	interviewer	interviewer	interviewer	interviewer	interviewer				
	instructions	instructions	instructions	instructions	instructions				
	before	before	before	before	before				
	ATP1AN4	ATP2AN4	ATP3AN4	ATP4AN4	ATP5AN4				
	(insertive	(insertive	(insertive	(insertive	(insertive				
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner				
	1a).	2a).	3a).	4a).	5a).				

QDS programming note for ABTM1BN4 (receptive anal-partner 1b), ABTM2BN4 (receptive anal-partner 2b), ABTM3BN4 (receptive anal-partner 3b), ABTM4BN4, (receptive anal-partner 4b), ABTM5BN4 (receptive anal-partner 5b):

Variable label for ABTM1BN4 receptive anal-partner 1b.

Variable label for ABTM2BN4 receptive anal-partner 2b.

Variable label for ABTM3BN4 receptive anal-partner 3b.

Variable label for ABTM4BN4 receptive anal-partner 4b.

Variable label for ABTM5BN4 receptive anal-partner 5b.

Interviewer instructions for ABTC1AN4 (condom receptive anal-partner 1a), ABTC2AN4 (condom receptive anal-partner 2a), ABTC3AN4 (condom receptive anal-partner 3a), ABTC4AN4 (condom receptive anal-partner 4a), ABTC5AN4 (condom receptive anal-partner 5a):

<u>Male-partner #1 male-anal sex once</u>: If the respondent is male (BIRTGEN=1 and GENDER=1) AND the respondent's partner # 1 is male SXPGN1N4 [partner's gender-partner 1] = 1 AND the respondent had anal sex with partner #1 only one time (SXAEN1N4 [times anal sex-partner 1] = 1, THEN go to Say box before ABTC1AN4 (condom receptive anal-partner 1a).

Male-partners #2, 3, 4, 5 male-anal sex once : If the respondent is male (BIRTGEN=1 and GENDER=1) AND the respondent's partners # 2, 3, 4, or 5 are male (SXMLONN4 [male only partners] = 1 OR SXPGN2N4 [partner's gender-partner 2] = 1, SXPGN3N4 [partner's gender-partner 3] = 1, SXPGN4N4 [partner's gender-partner 4] = 1, SXPGN5N4 [partner's gender-partner 5] = 1), AND the respondent had anal sex with partners #2, 3, 4, or 5 only one time (SXAEN2N4 [times anal sex-partner 2] = 1, SXAEN3N4 [times anal sex-partner 3] = 1, SXAEN4N4 [times anal sex-partner 4] = 1, SXAEN4N4 [times anal sex-partner 4] = 1, SXAEN4N4 [times anal sex-partner 5] = 1, THEN go to ABTC2AN4 (condom receptive anal-partner 4a), ABTC5AN4 (condom receptive anal-partner 5a).

<u>Male-partner #1 male-anal sex more than once</u>: if the respondent is male (BIRTGEN=1 and GENDER=1) AND the respondent's partner #1 is male SXPGN1N4 [partner's gender-partner 1] = 1 AND the respondent

Question	Sexual Partne	Sexual Partners							
	Partner 1	Partner 1 Partner 2 Partner 3 Partner 4 Partner 5							
	[Insert	[Insert [Insert [Insert ]							
	partner								
	name								
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]				

had anal sex with partner #1more than once (SXAEN1N4 [times anal sex-partner 1]  $\geq$  2, THEN go to Say box before ABTC1BN4 (condom receptive anal-partner 1b).\_

<u>Male-partner #2, 3, 4, 5, male-anal sex more than once</u>: If the respondent is male (BIRTGEN=1 and GENDER=1)

AND the respondent's partners # 2, 3, 4, 5 are male (SXMLONN4 [male only partners] = 1 OR SXPGN2N4 [partner's gender-partner 2] = 1, SXPGN3N4 [partner's gender-partner 3] = 1, SXPGN4N4 [partner's genderpartner 4] = 1, SXPGN5N4 [partner's gender-partner 5] = 1), AND the respondent had anal sex with partners 2, 3, 4, or 5 more than one time (SXAEN1N4 [times anal sex-partner 1]  $\ge$  2, SXAEN2N4 [times anal sexpartner 2]  $\ge$  2, SXAEN3N4 [times anal sex-partner 3]  $\ge$  2, SXAEN4N4 [times anal sex-partner 4]  $\ge$  2, SXAEN5N4 [times anal sex-partner 5]  $\ge$  2, THEN go to ABTC2BN4 (condom receptive anal-partner 2b), ABTC3BN4 (condom receptive anal-partner 2b), ABTC4BN4 (condom receptive anal-partner 4b), ABTC5BN4 (condom receptive anal-partner 5b).

SAY box for ABTC1AN4 (condom receptive anal-partner 1a):

"The next question is about condom use. Please include when a condom was used the entire time, not only part of the time during sex."

part of the time during sex.					
SL.1.7a. During the <b>past 12</b>	[ABTC1AN4]	[ABTC2AN4]	[ABTC3AN4]	[ABTC4AN4]	[ABTC5AN4]
months, when you had anal					
sex [INSERT PARTNER NAME]					
where you were a <u>bottom</u> , was					
a condom used?					
No (	0	0	0	0	0
Yes	1	1	1	1	1
Refused to answer	7 7	7	7	7	7
Don't know	8 8	8	8	8	8
	For all				
	responses,	responses,	responses,	responses,	responses,
	skip to				
	interviewer	interviewer	interviewer	interviewer	interviewer
	instructions	instructions	instructions	instructions	instructions
	before	before	before	before	before

Question	Sexual Partne	ers			
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
	[Insert	[Insert	[Insert	[Insert	[Insert
	partner	partner	partner	partner	partner
	name	name	name	name	name
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
	ATPC1AN4	ATPC2AN4	ATPC3AN4	ATPC4AN4	ATPC5AN4
	(condom	(condom	(condom	(condom	(condom
	insertive	insertive	insertive	insertive	insertive
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a).	2a).	3a).	4a).	5a).
QDS programming note for A	BTC1AN4 (condo	m receptive and	al-partner 1a), A	BTC2AN4 (con	dom
receptive anal-partner 2a), Al	3TC3AN4 (condoi	n receptive ana	l-partner 3a), A	BTC4AN4 (cond	dom receptive
anal-partner 4a), ABTC5AN4 (	condom receptiv	e anal-partner	5a):		
Variable label for ABTC1AN4 c	ondom receptive	anal-partner 1a	ı.		
Variable label for ABTC2AN4 c	ondom receptive	anal-partner 2a	ı.		
Variable label for ABTC3AN4 c	ondom receptive	anal-partner 3a	ı.		
Variable label for ABTC4AN4 c	ondom receptive	anal-partner 4a	ı.		
Variable label for ABTC5AN4 c	ondom receptive	anal-partner 5a	<b>.</b>		
SL.1.7.b. During the past 12	[ABTC1BN4]	[ABTC2BN4]	[ABTC3BN4]	[ABTC4BN4]	[ABTC5BN4]
months, when you had anal					
sex with <b>[INSERT PARTNER</b>					
NAME] where you were a					
bottom, was a condom used					
[READ CHOICES. CHECK ONLY					
ONE.]					
Never – not even once	1 1	1	1	1	1
One or more times	2 2	2	2	2	2
Absolutely every time	3 3	3	3	3	3
Refused to answer	7 7	7	7	7	7
Don't know	8 8	8	8	8	8
	For all	For	For all	For all	For all
	responses,	responses	responses,	responses,	responses,
	go to	for 1, 2, 3, 7,	go to	go to	go to
	interviewer	8, go to	interviewer	interviewer	interviewer
	instructions	interviewer	instructions	instructions	instructions

Question	Sexual Partne	rs			
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
	[Insert	[Insert	[Insert	[Insert	[Insert
	partner	partner	partner	partner	partner
	name	name	name	name	name
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
	before ATP1AN4 (condom insertive anal-partner 1a).	instructions before ATP2AN4 (condom insertive anal-partner	before ATP3AN4 (condom insertive anal-partner 3a).	before ATP4AN4 (condom insertive anal-partner 4a).	before ATP5AN4 (condom insertive anal-partner 5a).
	10).	2a).	04).		547.
anal-partner 2b), ABTC3BN4 (co partner 4b), ABTC5BN4 (condor Variable label for ABTC1BN4 con Variable label for ABTC2BN4 con Variable label for ABTC3BN4 con Variable label for ABTC4BN4 con Variable label for ABTC5BN4 con	n receptive ana ndom receptive ndom receptive ndom receptive ndom receptive	<b>I-partner 5b):</b> anal-partner 1b anal-partner 2b anal-partner 3b anal-partner 4b	). ). ).	(condom recep	tive anal-
SL.1.8.a. During the <b>past 12</b>	[ATP1AN4]	[ATP1AN4]	[ATP1AN4]	[ATP1AN4]	[ATP1AN4]
<b>months</b> , when you had anal sex with <b>[INSERT PARTNER</b> <b>NAME]</b> , did you have anal sex where you were a <u>top</u> ?					
No 0	0	0	0	0	0
	Skip to STATS1N4 (aware status- partner 1).	Skip to STATS2N4 (aware status- partner 2).	Skip to STATS3N4 (aware status- partner 3).	Skip to STATS4N4 (aware status- partner 4).	Skip to STATS5N4 (aware status- partner 5).
Yes 1	1	1	1	1	1
	Skip to interviewer instructions before	Skip to interviewer instructions before	Skip to interviewer instructions before	Skip to interviewer instructions before	Skip to interviewer instructions before

Question	Sexual Partne	rs			
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
	[Insert	[Insert	[Insert	[Insert	[Insert
	partner	partner	partner	partner	partner
	name	name	name	name	name
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
	anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
	1a.	2a.	За.	4a.	5a.
Refused to answer 7	7	7	7	7	7
	Skip to	Skip to	Skip to	Skip to	Skip to
	STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
	(aware	(aware	(aware	(aware	(aware
	status-	status-	status-	status-	status-
	partner 1).	partner 2).	partner 3).	partner 4).	partner 5).
Don't know 8	8	8	8	8	8
	Skip to	Skip to	Skip to	Skip to	Skip to
	STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
	(aware	(aware	(aware	(aware	(aware
	status-	status-	status-	status-	status-
	partner 1).	partner 2).	partner 3).	partner 4).	partner 5).
QDS programming note for ATP	C1AN4 (condor	n insertive ana	-partner 1a), A	TPC2AN4 (cond	om insertive
anal-partner 2a), ATPC3AN4 (co	ndom insertive	anal-partner 3	a), ATPC4AN4 (	condom inserti	ve anal-
partner 4a), ATPC5AN4 (condor	n insertive anal	-partner 5a):			
Variable label for ATPC1AN4 inse	ertive anal-part	ner 1a.			
Variable label for ATPC2AN4 inse	ertive anal-part	ner 2a.			
Variable label for ATPC3AN4 inse	ertive anal-part	ner 3a.			
Variable label for ATPC4AN4 inse	ertive anal-part	ner 4a.			
Variable label for ATPC5AN4 inse	ertive anal-part	ner 5a.	1		1
SL.1.8.b. During the <b>past 12</b>	[ATP1BN4]	[ATP2BN4]	[ATP3BN4]	[ATP4BN4]	[ATP5BN4]
months when you had anal sex					
with <b>[INSERT PARTNER</b>					
NAME], how often did you					
have anal sex where you were					
a top? [READ CHOICES. CHECK					
ONLY ONE.]					
Never 1	1	1	1	1	1
	Skip to	Skip to	Skip to	Skip to	Skip to
	STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4

Question		Sexual Partne	rs			
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
		[Insert	[Insert	[Insert	[Insert	[Insert
		partner	partner	partner	partner	partner
		name	name	name	name	name
		SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
		(Aware	(Aware	(Aware	(Aware	(Aware
		status-	status-	status-	status-	status-
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).
Sometimes	2	2	2	2	2	2
		Go to	Go to	Go to	Go to	Go to
		interviewer	interviewer	interviewer	interviewer	interviewer
		instructions	instructions	instructions	instructions	instructions
		before	before	before	before	before
		ATPC1AN4	ATPC2AN4	ATPC3AN4	ATPC4AN4	ATPC5AN4
		(condom	(condom	(condom	(condom	(condom
		insertive	insertive	insertive	insertive	insertive
		anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
		1a).	2a).	3a).	4a).	5a).
Always	3	3	3	3	3	3
		Go to	Go to	Go to	Go to	Go to
		interviewer	interviewer	interviewer	interviewer	interviewer
		instructions	instructions	instructions	instructions	instructions
		before	before	before	before	before
		ATPC1AN4	ATPC2AN4	ATPC3AN4	ATPC4AN4	ATPC5AN4
		(condom	(condom	(condom	(condom	(condom
		insertive	insertive	insertive	insertive	insertive
		anal-partner	anal-partner	anal-partner	anal-partner	anal-partner
		1a).	2a).	3a).	4a).	5a).
Refused to answer	7	7	7	7	7	7
		Skip to	Skip to	Skip to	Skip to	Skip to
		STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
		(Aware	(Aware	(Aware	(Aware	(Aware
		status-	status-	status-	status-	status-
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).
			,			
Don't know	8	8	8	8	8	8

Question	Sexual Partne	Sexual Partners							
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5				
	[Insert	[Insert	[Insert	[Insert	[Insert				
	partner	partner	partner	partner	partner				
	name	name	name	name	name				
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]				
	STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4				
	(Aware	(Aware	(Aware	(Aware	(Aware				
	status-	status-	status-	status-	status-				
	partner 1).	partner 2).	partner 3).	partner 4).	partner 5).				

QDS programming note for ATPC1BN4 (insertive anal-partner 1b), ATPC2BN4 (insertive anal-partner 2b), ATPC3BN4 (insertive anal-partner 3b), ATPC4BN4, (insertive anal-partner 4b), ATPC5BN4 (insertive anal-partner 5b):

Variable label for ATP1BN4 insertive anal-partner 1b.

Variable label for ATP2BN4 insertive anal-partner 2b.

Variable label for ATP3BN4 insertive anal-partner 3b.

Variable label for ATP4BN4 insertive anal-partner 4b.

Variable label for ATP5BN4 insertive anal-partner 5b.

Interviewer instructions for ATPC1AN4 (condom insertive anal-partner 1a), ATPC2AN4 (condom insertive anal-partner 2a), ATPC3AN4 (condom insertive anal-partner 3a), ATPC4AN4 (condom insertive anal-partner 4a), ATPC5AN4 (condom insertive anal-partner 5a):

<u>Male-partner #1 male-anal sex once</u>: If the respondent is male (BIRTGEN=1 and GENDER=1) AND the respondent's partner # 1 is male SXPGN1N4 [partner's gender-partner 1] = 1 AND the respondent had anal sex with partner #1 only one time (SXAEN1N4 [times anal sex-partner 1] = 1, THEN go to Say box before ATPC1AN4 (condom insertive anal-partner 1a).

Male-partners #2, 3, 4, 5 male-anal sex once : If the respondent is male (BIRTGEN=1 and GENDER=1) AND the respondent's partners # 2, 3, 4, or 5 are male (SXMLONN4 [male only partners] = 1 OR SXPGN2N4 [partner's gender-partner 2] = 1, SXPGN3N4 [partner's gender-partner 3] = 1, SXPGN4N4 [partner's gender-partner 4] = 1, SXPGN5N4 [partner's gender-partner 5] = 1), AND the respondent had anal sex with partners #2, 3, 4, or 5 only one time (SXAEN2N4 [times anal sex-partner 2] = 1, SXAEN3N4 [times anal sex-partner 3] = 1, SXAEN4N4 [times anal sex-partner 4] = 1, SXAEN4N4 [times anal sex-partner 4] = 1, SXAEN4N4 [times anal sex-partner 5] = 1, THEN go to ATPC2AN4 (condom insertive anal-partner 4a), ATPC5AN4 (condom insertive anal-partner 5a).

<u>Male-partner #1 male-anal sex more than once:</u> If the respondent is male (BIRTGEN=1 and GENDER=1) AND the respondent's partner #1 is male SXPGN1N4 [partner's gender-partner 1] = 1 AND the respondent had anal sex with partner #1 more than once (SXAEN1N4 [times anal sex-partner 1]  $\geq$  2, THEN go to Say box before ATPC1BN4 (condom insertive anal-partner 1b).\_

Question	Sexual Partne	Sexual Partners							
	Partner 1	Partner 1 Partner 2 Partner 3 Partner 4 Partne							
	[Insert	[Insert [Insert [Insert [Insert							
	partner	partner	partner	partner	partner				
	name	name	name	name	name				
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]				

# <u>Male-partner #2, 3, 4, 5, male-anal sex more than once</u>: If the respondent is male (BIRTGEN=1 and GENDER=1)

AND the respondent's partners # 2, 3, 4, 5 are male (SXMLONN4 [male only partners] = 1 OR SXPGN2N4 [partner's gender-partner 2] = 1, SXPGN3N4 [partner's gender-partner 3] = 1, SXPGN4N4 [partner's gender-partner 4] = 1, SXPGN5N4 [partner's gender-partner 5] = 1), AND the respondent had anal sex with partners 2, 3, 4, or 5 more than one time (SXAEN1N4 [times anal sex-partner 1]  $\geq$  2, SXAEN2N4 [times anal sex-partner 2]  $\geq$  2, SXAEN3N4 [times anal sex-partner 3]  $\geq$  2, SXAEN4N4 [times anal sex-partner 4]  $\geq$  2, SXAEN5N4 [times anal sex-partner 5]  $\geq$  2, SXAEN2N4 [times anal sex-partner 2]  $\geq$  2), THEN go to ATPC2BN4 (condom insertive anal-partner 2b), ATPC3BN4 (condom insertive anal-partner 2b), ATPC5BN4 (condom insertive anal-partner 5b).

**SAY box before ATPC1AN4**: "The next question is about condom use. Please include times when a condom was used the entire time, not only part of the time during sex."

was asea the entire time, not	. 011		ne daning sex.			
SL.1.9.a. During the <b>past 12</b>		[ATPC1AN4]	[ATPC1AN4]	[ATPC1AN4]	[ATPC1AN4]	[ATPC1AN4]
months, when you had anal						
sex with <b>[INSERT PARTNER</b>						
<b>NAME</b> ], was a condom used						
when you were a <u>top</u> ?						
No	0	0	0	0	0	0
Yes	1	1	1	1	1	1
Refused to answer	7	7	7	7	7	7
Don't know	8	8	8	8	8	8
		For all	For all	For all	For all	For all
		responses,	responses,	responses,	responses,	responses,
		skip to	skip to	skip to	skip to	skip to
		STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
		(Aware	(Aware	(Aware	(Aware	(Aware
		status-	status-	status-	status-	status-
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).
ODS programming note for /		C1ANIA (condon	a incortiva anal	norther 1a) A	TDC2ANIA (cond	and incortive

QDS programming note for ATPC1AN4 (condom insertive anal-partner 1a), ATPC2AN4 (condom insertive anal-partner 2a), ATPC3AN4 (condom insertive anal-partner 3a), ATPC4AN4 (condom insertive anal-partner 4a), ATPC5AN4 (condom receptive anal-partner 5a):

Question		Sexual Partne	rs			_
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
		[Insert	[Insert	[Insert	[Insert	[Insert
		partner	partner	partner	partner	partner
		name	name	name	name	name
		SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
Variable label for ATPC1AN4	con	dom insertive a	nal-partner 1a.			
Variable label for ATPC2AN4	con	dom insertive a	nal-partner 2a.			
Variable label for ATPC3AN4	con	dom insertive a	nal-partner 3a.			
Variable label for ATPC4AN4	con	dom insertive a	nal-partner 4a.			
Variable label for ATPC5AN4	con	dom insertive a	nal-partner 5a.			
SAY box before ATPC1BN4:	"Th	e next question	is about condo	m use. Please ir	nclude times wh	nen a condom
was used the entire time, no	t on	ly part of the ti	me during sex."			
SL.1.9.b. During the <b>past 12</b>		[ATPC1BN4]	[ATPC2BN4]	[ATPC3BN4]	[ATPC4BN4]	[ATPC5BN4]
months, when you had anal						
sex with <b>[INSERT PARTNER</b>						
NAME] where you were a to	p,					
was a condom used [READ						
CHOICES. CHECK ONLY ONE.	]					
Never – not even once	1	1	1	1	1	1
One or more times	2	2	2	2	2	2
Absolutely every time	3	3	3	3	3	3
Refused to answer	7	7	7	7	7	7
	on't					
know	8	8	8	8	8	8
			Fau all	Fan all	Fau all	
		For all	For all	For all	For all	For all
		responses,	responses,	responses,	responses,	responses,
		go to	go to	go to	go to	go to
		STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
		(Aware	(Aware	(Aware	(Aware	(Aware
		status-	status-	status-	status-	status-
ODS programming note for	_	partner 1).	partner 2).	partner 3).	partner 4).	partner 5).

QDS programming note for ATPC1BN4 (condom insertive anal-partner 1b), ATPC2BN4 (condom insertive anal-partner 2b), ATPC3BN4 (condom insertive anal-partner 3b), ATPC4BN4 (condom insertive anal-partner 4b), ATPC5BN4 (condom insertive anal-partner 5b):

Variable label for ATPC1BN4 condom insertive anal-partner 1b.

Question	Sexual Partners							
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5			
	[Insert	[Insert	[Insert	[Insert	[Insert			
	partner	partner	partner	partner	partner			
	name	name	name	name	name			
	SX_NM1N4	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]			
Variable label for ATPC2BN4 con	dom insertive a	nal-partner 2b.						
Variable label for ATPC3BN4 con	dom insertive a	nal-partner 3b.						
Variable label for ATPC4BN4 condom insertive anal-partner 4b.								
Variable label for ATPC5BN4 con	dom insertive a	nal-partner 5b.						

## Transgender sex (SG)

Questions	Sexual Partners						
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		

**Instructions for partner-by-partner series table:** The questions and response options are in the far left column of the table. Each question is asked for partners 1–5. Partners 1-5 are labeled in columns Partner 1, Partner 2, Partner 3, Partner 4, and Partner 5. All Partner 1 questions are asked before moving to Partner 2 questions. Detailed instructions are provided in each table cell.

When question instructions say "insert partner name," and the variable is in the Partner 1 column, then insert response from SX\_NM1N4 (name of partner 1).

When question instructions say "insert partner name," and variable is in the Partner 2 column, insert response to SX\_NM2N4 (name of partner 2).

When question instructions say "insert partner name," and variable is in the same column as Partner 3, insert response to SX\_NM3N4 (name of partner 3).

When question instructions say "insert partner name," and variable is in the same column as Partner 4, insert response to SX\_NM4N4 (name of partner 4).

When question instructions say "insert partner name," and variable is in the same column as Partner 5, insert response to SX\_NM5N4 (name of partner 5).

Tesponse to sx_ninstri (nume o				1	1	
SG.1.0 During the <b>past 12</b>		[SX_TG1N4]	[SX_TG2N4]	[SX_TG3N4]	[SX_TG4N4]	[SX_TG5N4]
months, did you have vaginal or	_					
anal sex with [INSERT PARTNER						
NAME]?						
No	0	0	0	0	0	0
		Skip to				
		STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
Yes	1	1	1	1	1	1
		Go to				
		TG10+1N4	TG10+2N4	TG10+3N4	TG10+4N4	TG10+5N4
		(transgender	(transgender	(transgender	(transgender	(transgender
		10-partner	10-partner	10-partner	10-partner	10-partner
		1)	2)	3)	4)	5)
Refused to answer	7	7	7	7	7	7
		Skip to				
		STATS1N4	STATS2N4	STATS3N4	STATS4N4	STATS5N4
Don't know	8	8	8	8	8	8

Questions	Sexual Partners						
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		
	Skip to	Skip to	Skip to	Skip to	Skip to		
	STATS1N4	STATS1N4	STATS1N4	STATS1N4	STATS1N4		

QDS programming note for SX\_TGS1N4 (transgender partner 1), SX\_TGS2N4 (transgender partner 2), SX\_TGS3N4 (transgender partner 3), SX\_TGS4N4 (transgender partner 4), SX\_TGS5N4 (transgender partner 5):

Variable label for SX\_TGS1N4 is transgender-partner 1.

Variable label for SX\_TGS2N4 is transgender-partner 2.

Variable label for SX\_TGS3N4 is transgender-partner 3.

Variable label for SX\_TGS4N4 is transgender-partner 4.

Variable label for SX\_TGS5N4 is transgender-partner 5.

If SX\_TG1N4 (transgender-partner 1) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM1N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

If SX\_TG2N4 (transgender-partner 2) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM2N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

If SX\_TG3N4 (transgender-partner 3) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM3N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

If SX\_TG4N4 (transgender-partner 4) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM4N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

If SX\_TG5N4 (transgender-partner 5) is 0 (no), then display the following message: "Earlier you told me that you had vaginal or anal sex with **[INSERT partner name SX\_NM5N4]**. Is this correct? **Interviewer instructions: return to previous questions to correct error.**"

SG.1.1. During the past 12	[TG10+1N4]	[TG10+2N4]	[TG10+3N4]	[TG10+4N4]	[TG10+5N4]
months, did you have vaginal or					
anal sex with [INSERT PARTNER					
NAME] more than 10 times?					
[READ CHOICES. CHECK ONLY					
ONE]					
Yes 1	1	1	1	1	1

Questions	Sexual Partne	ers			
	Partner 1 [INSERT	Partner 2 [INSERT	Partner 3 [INSERT	Partner 4 [INSERT	Partner 5 [INSERT
	partner	partner	partner	partner	partner
	name	name	name	name	name
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
	Skip to TGAN1N4	Skip to TGAN2N4	Skip to TGAN3N4	Skip to TGAN4N4	Skip to TGAN5N4
	(average	(average	(average	(average	(average
	number transgender -partner 1).	number transgender -partner 2).	number transgender -partner 3).	number transgender -partner 4).	number transgender -partner 5).
No	o o	0	0	0	0
	Go to TGEN1N4 (times transgender -partner 1).	Go to TGEN2N4 (times transgender -partner 2).	Go to TGEN3N4 (times transgender -partner 3).	Go to TGEN4N4 (times transgender -partner 4).	Go to TGEN5N4 (times transgender -partner 5).
Refused to answer	7 7	7	7	7	7
	Skip to Say box before TGC1AN4 (condom transgender -partner 1a).	Skip to interviewer instructions before TGC2AN4 (condom transgender -partner 2a).	Skip to interviewer instructions before TGC3AN4 (condom transgender -partner 3a).	Skip to interviewer instructions before TGC4AN4 (condom transgender -partner 4a).	Skip to interviewer instructions before TGC5AN4 (condom transgender -partner 5a).
Don't know	8 8	8	8	8	8
	Skip to Say box before TGC1AN4 (condom transgender -partner 1a).	Skip to interviewer instructions before TGC2AN4 (condom transgender	Skip to interviewer instructions before TGC3AN4 (condom transgender	Skip to interviewer instructions before TGC4AN4 (condom transgender	Skip to interviewer instructions before TGC5AN4 (condom transgender
		-partner 2a	-partner 3a).	-partner 4a).	-partner 5a).

QDS programming note for TG10+1N4 (transgender 10-partner 1), TG10+2N4 (transgender 10-partner 2), TG10+3N4 (transgender 10-partner 3), TG10+4N4 (transgender 10-partner 4), and TG10+5N4 (transgender 10-partner 5):

Variable label for TG10+1N4 is transgender 10-partner 1.

Questions	Sexual Partne	ers			
	Partner 1 [INSERT partner name SX_NM1N4]	Partner 2 [INSERT partner name SX_NM2N4]	Partner 3 [INSERT partner name SX_NM3N4]	Partner 4 [INSERT partner name SX_NM4N4]	Partner 5 [INSERT partner name SX_NM5N4]
Variable label for TG10+2N4 is trans	sgender 10-par	tner 2.			
Variable label for TG10+3N4 is trans	sgender 10-part	tner 3.			
Variable label for TG10+4N4 is trans	•				
Variable label for TG10+5N4 is trans			1	1	
SG.1.2. During the <b>past 12</b> <b>months</b> , please tell me the exact number of times that you had <u>vaginal or anal</u> sex with <b>[INSERT</b> <b>PARTNER NAME]</b> ?	[TGEN1N4]	[TGEN2N4]	[TGEN3N4]	[TGEN4N4]	[TGEN5N4]
	Skip to Say box before TGC1AN4 (condom transgender -partner 1a).	Skip to instructions before TGC2AN4 (condom transgender -partner 2a).	Skip to instructions before TGC3AN4 (condom transgender -partner 3a).	Skip to instructions before TGC4AN4 (condom transgender -partner 4a).	Skip to instructions before TGC5AN4 (condom transgender -partner 5a).
Don't know 77	77	77	77	77	77
	Skip to Say box before TGC1AN4 (condom transgender -partner 1a).	Skip to Say box before TGC2AN4 (condom transgender -partner 2a).	Skip to Say box before TGC3AN4 (condom transgender -partner 3a).	Skip to Say box before TGC4AN4 (condom transgender -partner 4a).	Skip to Say box before TGC5AN4 (condom transgender -partner 5a).
Refused to answer 88	88	88	88	88	88
	Skip to Say box before TGC1AN4 (condom transgender -partner 1a).	Skip to Say box before TGC2AN4 (condom transgender -partner 2a).	Skip to Say box before TGC3AN4 (condom transgender -partner 3a).	Skip to Say box before TGC4AN4 (condom transgender -partner 4a).	Skip to Say box before TGC4AN4 (condom transgender -partner 4a).
QDS programming note for TGEN1					
2), TGEN3N4 (times transgender -p transgender -partner 5):	artner 3), TGEN	N4N4 (times tra	insgender -part	mer 4), TGEN5N	14 (times

Questions	Sexual Partners						
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		

#### Range 1–10.

If TGEN1N4 (times transgender -partner 1) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGEN2N4 (times transgender -partner 2) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGEN3N4 (times transgender -partner 3) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGEN4N4 (times transgender -partner 4) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGEN5N4 (times transgender -partner 5) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If the response to TGEN1N4 (times transgender -partner 1) is >10, then display the following message: "You told me that you had vaginal or anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGEN2N4 (times transgender -partner 2) is >10, then display the following message: "You told me that you had vaginal or anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGEN3N4 (times transgender -partner 3) is >10, then display the following message: "You told me that you had vaginal or anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGEN4N4 (times transgender -partner 4) is >10, then display the following message: "You told me that you had vaginal or anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGEN5N4 (times transgender -partner 5) is >10, then display the following message: "You told me that you had vaginal or anal sex 10 or fewer times during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

Variable label for TGEN1N4 is times transgender -partner 1. Variable label for TGEN2N4 is times transgender -partner 2. Variable label for TGEN3N4 is times transgender -partner 3.

Questions	Sexual Partne	ers			
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT
	partner	partner	partner	partner	partner
	name	name	name	name	name
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
Variable label for TGEN4N4 is times	transgender -p	oartner 4.			
Variable label for TGEN5N4 is times	transgender -p	partner 5.		-	
SG.1.3. On average, how many	[TGAN1N4]	[TGAN2N4]	[TGAN3N4]	[TGAN4N4]	[TGAN5N4]
times did you have <u>vaginal or anal</u>					
sex with [INSERT PARTNER					
NAME] per month?					
	Go to				
	TGM1N4	TGM2N4	TGM3N4	TGM4N4	TGM5N4
	(months	(months	(months	(months	(months
	transgender	transgender	transgender	transgender	transgender
	-partner 1).	-partner 2).	-partner 3).	-partner 4).	-partner 5).
Refused to answer 77	77	77	77	77	77
	Go to				
	TGM1N4	TGM2N4	TGM3N4	TGM4N4	TGM5N4
	(months	(months	(months	(months	(months
	transgender	transgender	transgender	transgender	transgender
	-partner 1).	-partner 2).	-partner 3).	-partner 4).	-partner 5).
Don't know 88	88	88	88	88	88
	Go to				
	Go to TGM1N4	Go lo TGM2N4	Go lo TGM3N4	Go lo TGM4N4	GO LO TGM5N4
	(months	(months	(months	(months	(months
		transgender	•	•	•
	transgender	-	transgender	transgender	transgender
	partner 1).	-partner 2).	-partner 3).	-partner 4).	-partner 5).

QDS programming note for TGAN1N4 (average number transgender-partner 1), TGAN2N4 (average number transgender-partner 2), TGAN3N4 (average number transgender-partner 3), TGAN4N4 (average number transgender-partner 3), TGAN4N4 (average number transgender-partner 5): Range 1–90.

If TGAN1N4 (average number transgender -partner 1) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGAN2N4 (average number transgender -partner 2) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions:* 

Questions	Sexual Partners						
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		

confirm response and if necessary change response to previous questions."

If TGAN3N4 (average number transgender -partner 3) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGAN4N4 (average number transgender -partner 4) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGAN5N4 (average number transgender -partner 5) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions:* confirm response and if necessary change response to previous questions."

If the response to TGAN1N4 (average number transgender -partner 1) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If TGAN2N4 (average number transgender -partner 2) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If TGAN3N4 (average number transgender -partner 3) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If TGAN4N4 (average number transgender -partner 4) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If TGAN5N4 (average number transgender -partner 5) is > 90, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

Variable label for TGAN1N4 is average number transgender -partner 1.

Variable label for TGAN2N4 is average number transgender -partner 2.

Variable label for TGAN3N4 is average number transgender -partner 3.

Variable label for TGAN4N4 is average number transgender -partner 4.

Variable label for TGAN5N4 is average number transgender -partner 5.

SG.1.4. During the <b>past 12</b> <b>months</b> , how many months did you have <u>vaginal or anal</u> sex with [INSERT PARTNER NAME]?	[TGM1N4]	[TGM2N4]	[TGM3N4]	[TGM4N4]	[TGM5N4]
 months					
Refused to answer 77	77	77	77	77	77

Questions	Sexual Partne	Sexual Partners				
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5	
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT	
	partner	partner	partner	partner	partner	
	name	name	name	name	name	
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]	
Don't know 88	88	88	88	88	88	
	For all	For all	For all	For all	For all	
	responses,	responses,	responses,	responses,	responses,	
	go to Say	skip to	skip to	skip to	skip to	
	box before	instructions	instructions	instructions	instructions	
	TGC1AN4	before	before	before	before	
	(condom	TGC2AN4	TGC3AN4	TGC4AN4	TGC5AN4	
	transgender	(condom	(condom	(condom	(condom	
	-partner 1a).	transgender	transgender	transgender	transgender	
		-partner 2a).	-partner 3a).	-partner 4a).	-partner 5a).	

QDS programming note for TGM1N4 (months transgender-partner 1), TGM2N4 (months transgenderpartner 2), TGM3N4 (months transgender-partner 3), TGM4N4 (months transgender-partner 4), TGM5N4 (months transgender-partner 5):

Range 1–12.

If TGM1N4 (months transgender-partner 1) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGM2N4 (months transgender-partner 2) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGM3N4 (months transgender-partner 3) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGM4N4 (months transgender-partner 4) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If TGM5N4 (months transgender-partner 5) is "0," then display the following message: "You told me that you had vaginal or anal sex with this partner during the past 12 months. *Interviewer instructions: confirm response and if necessary change response to previous questions.*"

If the response to TGM1N4 (months transgender-partner 1) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If TGM2N4 (months transgender-partner 2) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If TGM3N4 (months transgender-partner 3) is >12, then display the following message: "Out of range.

Questions	Sexual Partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5	
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT	
	partner	partner	partner	partner	partner	
	name	name	name	name	name	
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]	

Interviewer instructions: confirm response."

If TGM4N4 (months transgender-partner 4) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

If TGM5N4 (months transgender-partner 5) is >12, then display the following message: "Out of range. *Interviewer instructions: confirm response*."

Variable label for TGM1N4 is months transgender-partner 1.

Variable label for TGM2N4 is months transgender -partner 2.

Variable label for TGM3N4 is months transgender -partner 3.

Variable label for TGM4N4 is months transgender -partner 4.

Variable label for TGM5N4 is months transgender -partner 5.

**SAY box before TGC1AN4 (condom transgender-partner 1a):** "The next question is about condom use. Please include times when a condom was used the entire time, not only part of the time during sex."

Interviewer instructions before TGC1AN4 (condom transgender-partner 1a), TGC2AN4 (condom transgender-partner 2a), TGC3AN4 (condom transgender-partner 3a), TGC4AN4 (condom transgender-partner 4a), TGC5AN4 (condom transgender-partner 5a):

If TGEN1N4 (times transgender -partner 1) = 1, then go to TGC1AN4 (condom transgender-partner 1a); otherwise skip to TGC1BN4 (condom transgender-partner 1b).

If TGEN2N4 (times transgender-partner 2) = 1, then go to TGC2AN4 (condom transgender-partner 2a); otherwise skip to TGC2BN4 (condom transgender-partner 2b).

If TGEN3N4 (times transgender-partner 3) =1, then go to TGC3AN4 (condom transgender-partner 3a); otherwise skip to TGC3BN4 (condom transgender-partner 3b).

If TGEN4N4 (times transgender-partner 4) = 1, then go to TGC4AN4 (condom transgender-partner 4a); otherwise skip to TGC4BN4 (condom transgender-partner 4b).

If TGEN5N4 (times transgender-partner 5) = 1, then go to TGC4AN4 (condom transgender-partner 5a); otherwise skip to TGC5BN4 (condom transgender-partner 5b).

TG.1.5.a. During the <b>past 12</b>	[TGC1AN4]	[TGC2AN4]	[TGC3AN4]	[TGC4AN4]	[TGC5AN4]
months, when you had vaginal or					
anal sex with [INSERT PARTNER					
NAME] was a condom used?					
No 0	0	0	0	0	0
Yes 1	1	1	1	1	1

Questions Sexual Partners							
	Partner 1 [INSERT partner name SX_NM1N4]	Partner 2 [INSERT partner name SX_NM2N4]	Partner 3 [INSERT partner name SX_NM3N4]	Partner 4 [INSERT partner name SX_NM4N4]	Partner 5 [INSERT partner name SX_NM5N4]		
Refused to answer	7	7	7	7	7		
Don't know	8	8	8	8	8		
	For all responses, skip to STATS1N4 (Aware status- partner 1).	For all responses, skip to STATS2N4 (Aware status- partner 2).	For all responses, skip to STATS3N4 (Aware status- partner 3).	For all responses, skip to STATS4N4 (Aware status- partner 4).	For all responses, skip to STATS5N4 (Aware status- partner 5).		
QDS programming note for TGC1 partner 2a), TGC3AN4 (condom t TGC5AN4 (condom transgender-p		ner 3a), TGC4A	N4 (condom tra	ansgender-part	ner 4a),		
partner 2a), TGC3AN4 (condom t	artner 5a): dom transgende dom transgende dom transgende	r-partner 1a. r-partner 2a. r-partner 3a.	N4 (condom tra	ansgender-part	ner 4a),		
partner 2a), TGC3AN4 (condom t TGC5AN4 (condom transgender-p Variable label for TGC1AN4 is con Variable label for TGC2AN4 is con Variable label for TGC3AN4 is con	artner 5a): dom transgende dom transgende dom transgende dom transgende	r-partner 1a. r-partner 2a. r-partner 3a. r-partner 4a.	N4 (condom tra	insgender-part	ner 4a),		
partner 2a), TGC3AN4 (condom t TGC5AN4 (condom transgender-p Variable label for TGC1AN4 is con Variable label for TGC2AN4 is con Variable label for TGC3AN4 is con Variable label for TGC4AN4 is con Variable label for TGC5AN4 is con TG.1.5.b. During the past 12 months, when you had vaginal or anal sex with [INSERT PARTNER NAME] was a condom used [READ CHOICES. CHECK ONLY	artner 5a): dom transgende dom transgende dom transgende dom transgende	r-partner 1a. r-partner 2a. r-partner 3a. r-partner 4a.	N4 (condom tra [TGC3BN4]	ansgender-part	ner 4a), [TGC5BN4]		
partner 2a), TGC3AN4 (condom t TGC5AN4 (condom transgender-p Variable label for TGC1AN4 is con Variable label for TGC2AN4 is con Variable label for TGC3AN4 is con Variable label for TGC4AN4 is con Variable label for TGC5AN4 is con TG.1.5.b. During the past 12 months, when you had vaginal or anal sex with [INSERT PARTNER NAME] was a condom used	dom transgende dom transgende dom transgende dom transgende dom transgende [TGC1BN4]	r-partner 1a. r-partner 2a. r-partner 3a. r-partner 4a. r-partner 5a.					
partner 2a), TGC3AN4 (condom t TGC5AN4 (condom transgender-y Variable label for TGC1AN4 is con Variable label for TGC2AN4 is con Variable label for TGC3AN4 is con Variable label for TGC4AN4 is con Variable label for TGC5AN4 is con TG.1.5.b. During the past 12 months, when you had vaginal or anal sex with [INSERT PARTNER NAME] was a condom used [READ CHOICES. CHECK ONLY ONE.]	dom transgende dom transgende dom transgende dom transgende dom transgende dom transgende [TGC1BN4]	r-partner 1a. r-partner 2a. r-partner 3a. r-partner 4a. r-partner 5a. [TGC2BN4]	[TGC3BN4]	[TGC4BN4]	[TGC5BN4]		
partner 2a), TGC3AN4 (condom t TGC5AN4 (condom transgender-p Variable label for TGC1AN4 is con Variable label for TGC2AN4 is con Variable label for TGC3AN4 is con Variable label for TGC4AN4 is con Variable label for TGC5AN4 is con TG.1.5.b. During the past 12 months, when you had vaginal or anal sex with [INSERT PARTNER NAME] was a condom used [READ CHOICES. CHECK ONLY ONE.] Never- not even once	dom transgende dom transgende dom transgende dom transgende dom transgende fom transgende [TGC1BN4]	r-partner 1a. r-partner 2a. r-partner 3a. r-partner 4a. r-partner 5a. [TGC2BN4]	[TGC3BN4]	[TGC4BN4]	[TGC5BN4]		
partner 2a), TGC3AN4 (condom t TGC5AN4 (condom transgender-p Variable label for TGC1AN4 is con Variable label for TGC2AN4 is con Variable label for TGC3AN4 is con Variable label for TGC4AN4 is con Variable label for TGC5AN4 is con TG.1.5.b. During the past 12 months, when you had <u>vaginal or</u> anal sex with [INSERT PARTNER NAME] was a condom used [READ CHOICES. CHECK ONLY ONE.] Never- not even once	artner 5a): dom transgende dom transgende dom transgende dom transgende dom transgende [TGC1BN4]	r-partner 1a. r-partner 2a. r-partner 3a. r-partner 4a. r-partner 5a. [TGC2BN4]	[TGC3BN4] 1 2	[TGC4BN4] 1 2	[TGC5BN4] 1 2		

Questions	Sexual Partners						
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT		
	partner	partner	partner	partner	partner		
	name	name	name	name	name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		
	For all	For all	For all	For all	For all		
	responses,	responses,	responses,	responses,	responses,		
	go to	go to	go to	go to	go to		
	STATS1N4	STATS1N4	STATS1N4	STATS1N4	STATS1N4		
	(Aware	(Aware	(Aware	(Aware	(Aware		
	status-	status-	status-	status-	status-		
	partner 1).	partner 1).	partner 1).	partner 1).	partner 1).		

QDS programming note for TGC1BN4 (condom transgender 1b), TGC2BN4 (condom transgender 2b), TGC3BN4 (condom transgender 3b), TGC4BN4 (condom transgender 4b), TGC5BN4 (condom transgender 5b):

Variable label for TGC1BN4 is condom transgender-partner 1b.

Variable label for TGC2BN4 is condom transgender-partner 2b.

Variable label for TGC3BN4 is condom transgender-partner 3b.

Variable label for TGC4BN4 is condom transgender-partner 4b.

Variable label for TGC5BN4 is condom transgender-partner 5b.

Status	(SS)
--------	------

Questions	Sexual partner	Sexual partners					
	Partner 1	Partner 2	Partner 3	Partner 4	Partner 5		
	[INSERT	[INSERT	[INSERT	[INSERT	[INSERT		
	partner name	partner name	partner name	partner name	partner name		
	SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]		

**Instructions for partner-by-partner series table:** The questions and response options are in the far left column of the table. Each question is asked for partners 1–5. Partners 1-5 are labeled in columns Partner 1, Partner 2, Partner 3, Partner 4, and Partner 5. All Partner 1 questions are asked before moving to Partner 2 questions. Detailed instructions are provided in each table cell.

When question instructions say "insert partner name," and the variable is in the Partner 1 column, then insert response from SX\_NM1N4 (name of partner 1).

When question instructions say "insert partner name," and variable is in the Partner 2 column, insert response to SX\_NM2N4 (name of partner 2).

When question instructions say "insert partner name," and variable is in the same column as Partner 3, insert response to SX\_NM3N4 (name of partner 3).

When question instructions say "insert partner name," and variable is in the same column as Partner 4, insert response to SX\_NM4N4 (name of partner 4).

When question instructions say "insert partner name," and variable is in the same column as Partner 5, insert response to SX\_NM5N4 (name of partner 5).

SS.1.0. Does [INSERT		[STATS1N4]	[STATS2N4]	[STATS3N4]	[STATS4N4]	[STATS5N4]		
PARTNER NAME] know								
your HIV status?								
No	0	0	0	0	0	0		
		Skip to						
		STPRT1N4	STPRT2N4	STPRT3N4	STPRT4N4	STPRT5N4		
		(partner	(partner	(partner	(partner	(partner		
		status-	status-	status-	status-	status-		
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).		
Yes	1	1	1	1	1	1		
		Go to						
		AWRST1N4	AWRST2N4	AWRST3N4	AWRST4N4	AWRST5N4		
		(aware status						
		every sex-						
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).		
Refused to answer	7	7	7	7	7	7		
		Skip to						
		STPRT1N4	STPRT2N4	STPRT3N4	STPRT4N4	STPRT5N4		
		(partner	(partner	(partner	(partner	(partner		

Questions		Sexual partners						
		status- partner 1).	status- partner 2).	status- partner 3).	status- partner 4).	status- partner 5).		
Don't know	8	8	8	8	8	8		
		Skip to STPRT1N4	Skip to STPRT2N4	Skip to STPRT3N4	Skip to STPRT4N4	Skip to STPRT5N4		
		(partner status-	(partner status-	(partner status-	(partner status-	(partner status-		
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).		

QDS programming note for STATS1N4 (aware status-partner 1), STATS2N4 (aware status-partner 2), STATS3N4 (aware status-partner 3), STATS4N4 (aware status-partner 4), STATS5N4 (aware status-partner 5):

Variable label for STATS1N4 is aware status-partner 1.

Variable label for STATS2N4 is aware status-partner 2.

Variable label for STATS3N4 is aware status-partner 3.

Variable label for STATS4N4 is aware status-partner 4.

#### Variable label for STATS5N4 is aware status-partner 5

Variable label for STATS5N4 is aware status-partner 5.								
SS.1.1. During the <b>past 12</b> months, was <b>[INSERT</b>	2	[AWRST1N4]	[AWRST2N4]	[AWRST3N4]	[AWRS41N4]	[AWRST5N4]		
PARTNER NAME] aware o								
your status every time yo	u							
had sex?								
No	0	0	0	0	0	0		
Yes	1	1	1	1	1	1		
	-	_	_	_	_	-		
Refused to answer	7	7	7	7	7	7		
Don't know	8	8	8	8	8	8		
		For all						
		responses, go						
		to STPRT1N4	to STPRT2N4	to STPRT3N4	to STPRT4N4	to STPRT5N4		
		(Partner	(Partner	(Partner	(Partner	(Partner		
		status-	status-	status-	status-	status-		
		partner 1).	partner 2).	partner 3).	partner 4).	partner 5).		

QDS programming note for AWRST1N4 (Aware status every sex-partner 1), AWRST2N4 (Aware status every sex-partner 2), AWRST3N4 (Aware status every sex-partner 3), AWRST4N4 (Aware status every sex -partner 4), AWRST5N4 (Aware status every sex -partner 5):

Variable label for AWRST1N4 is Aware status every sex -partner 1.

Variable label for AWRST2N4 is Aware status every sex -partner 2.

Variable label for AWRST3N4 is Aware status every sex -partner 3.

Questions	Sexual partner	S			
Variable label for AWRST4N	4 is Aware status	every sex -partne	er 4.		
Variable label for AWRST5N	4 is Aware status	every sex -partne	er 5.		
SS.2.0. Do you know [INSERT PARTNER NAME]'s HIV status?	[STPRT1N4]	[STPRT2N4]	[STPRT3N4]	[STPRT4N4]	[STPRT5N4]
No C	0 If SX_TOTN4 = 1, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 2, skip to interviewer instructions before SXPGN2N4 (partner's gender- partner 2).	0 If SX_TOTN4 = 2, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 3, skip to interviewer instructions before SXPGN3N4 (partner's gender- partner 3).	0 If SX_TOTN4 = 3, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 4, skip to interviewer instructions before SXPGN4N4 (partner's gender- partner 4).	0 If SX_TOTN4 = 4, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 4, skip to interviewer instructions before SXPGN5N4 (partner's gender- partner 5).	0 If SX_TOTN4 = 5, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 5, skip to interviewer instructions before the aggregate information section.
Yes 1	1 Go to PRTST1N4 (Partner status first sex-partner 1).	1 Go to PRTST2N4 (Partner status first sex-partner 2).	1 Go to PRTST3N4 (Partner status first sex-partner 3).	1 Go to PRTST4N4 (Partner status first sex-partner 4).	1 Go to PRTST5N4 (Partner status first sex-partner 5).
Refused to answer 7	7 If SX_TOTN4 = 1, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 ≥ 2, skip to interviewer instructions before	7 If SX_TOTN4 = 2, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 3, skip to interviewer instructions before	7 If SX_TOTN4 = 3, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 ≥ 4, skip to interviewer instructions before	7 If SX_TOTN4 = 4, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 4, skip to interviewer instructions before	7 If SX_TOTN4 = 5, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 ≥ 5, skip to interviewer instructions before the

Questions	Sexual partner	Sexual partners						
	SXPGN2N4	SXPGN3N4	SXPGN4N4	SXPGN5N4	aggregate			
	(partner's	(partner's	(partner's	(partner's	information			
	gender-	gender-	gender-	gender-	section.			
	partner 2).	partner 3).	partner 4).	partner 5).				
			_					
Don't know 8	8	8	8	8	8			
	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4			
	= 1, skip to	= 2, skip to	= 3, skip to	= 4, skip to	= 5, skip to			
	serosorting	serosorting	serosorting	serosorting	serosorting			
	section (Say	section (Say	section (Say	section (Say	section (Say			
	box before	box before	box before	box before	box before			
	SEROSRT1). If	SEROSRT1). If	SEROSRT1). If	SEROSRT1). If	SEROSRT1). If			
	SX_TOTN4 ≥	SX_TOTN4 ≥	SX_TOTN4 ≥	SX_TOTN4 ≥	SX_TOTN4 ≥			
	2, skip to	3, skip to	4, skip to	4, skip to	5, skip to			
	interviewer	interviewer	interviewer	interviewer	interviewer			
	instructions	instructions	instructions	instructions	instructions			
	before	before	before	before	before the			
	SXPGN2N4	SXPGN3N4	SXPGN4N4	SXPGN5N4	aggregate			
	(partner's	(partner's	(partner's	(partner's	information			
	gender-	gender-	gender-	gender-	section.			
	partner 2).	partner 3).	partner 4).	partner 5).				
QDS programming note for S STPRT3N4 (Partner status-pa partner 5):				· · · · · · · · · · · · · · · · · · ·	•••			
Variable label for STPRT1N4 i	s Partner status-	partner 1.						
Variable label for STPRT2N4 i		·						
Variable label for STPRT3N4 i		•						
Variable label for STPRT4N4 i	s Partner status-	, partner 4.						
Variable label for STPRT5N4 i		•						
SS.2.1. During the <b>past 12</b>	[PRTST1N4]	[PRTST2N4]	[PRTS31N4]	[PRTST4N4]	[PRTST5N4]			
months, what was [INSERT								
PARTNERS' NAME]'s HIV								
status the first time that								
you had sex? [DON'T READ								
RESPONSES. CHECK ONLY								
ONE.]								
HIV Positive 1	1	1	1	1	1			
	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4			
	= 1, skip to	= 2, skip to	= 3, skip to	= 4, skip to	= 5, skip to			
	serosorting	serosorting	serosorting	serosorting	serosorting			
	section (Say	section (Say	section (Say	section (Say	section (Say			
	section (say	section (say	section (say	section (say	section (say			

Questions	Sexual partne	ers			
	box before SEROSRT1). If SX_TOTN4 ≥ 2, skip to interviewer instructions before SXPGN2N4 (partner's gender- partner 2).	box before	box before SEROSRT1). If SX_TOTN4 ≥ 4, skip to interviewer instructions before SXPGN4N4 (partner's gender- partner 4).	box before SEROSRT1). If SX_TOTN4 ≥ 4, skip to interviewer instructions before SXPGN5N4 (partner's gender- partner 5).	box before SEROSRT1). If SX_TOTN4 ≥ 5, skip to interviewer instructions before the aggregate information section.
HIV Negative	2 2	2	2	2	2
	Go to PREP1N4 (PrEP-partner 1).	Go to PREP2N4	Go to PREP3N4 (PrEP-partner 3).	Go to PREP4N4 (PrEP-partner 4).	Go to PREP5N4 (PrEP-partner 5).
Refused to answer	7 7	7	7	7	7
	If SX_TOTN4 = 1, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 2, skip to interviewer instructions before SXPGN2N4 (partner's gender- partner 2).	If SX_TOTN4 = 2, skip to serosorting section (Say box before	If SX_TOTN4 = 3, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 ≥ 4, skip to interviewer instructions before SXPGN4N4 (partner's gender- partner 4).	If SX_TOTN4 = 4, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 ≥ 4, skip to interviewer instructions before SXPGN5N4 (partner's gender- partner 5).	If SX_TOTN4 = 5, skip to serosorting section (Say box before SEROSRT1). If SX_TOTN4 $\geq$ 5, skip to interviewer instructions before the aggregate information section.
Don't know	8 8 If SX_TOTN4 = 1, skip to serosorting section (Say box before SEROSRT1). If	8 If SX_TOTN4 = 2, skip to serosorting section (Say box before SEROSRT1). If	8 If SX_TOTN4 = 3, skip to serosorting section (Say box before SEROSRT1). If	8 If SX_TOTN4 = 4, skip to serosorting section (Say box before SEROSRT1). If	8 If SX_TOTN4 = 5, skip to serosorting section (Say box before SEROSRT1). If

Questions	Sexual partner	rs			
	SX_TOTN4 ≥	SX_TOTN4 ≥	SX_TOTN4 ≥	SX_TOTN4 ≥	SX_TOTN4 ≥
	2, skip to	3, skip to	4, skip to	4, skip to	5, skip to
	interviewer	interviewer	interviewer	interviewer	interviewer
	instructions	instructions	instructions	instructions	instructions
	before	before	before	before	before the
	SXPGN2N4	SXPGN3N4	SXPGN4N4	SXPGN5N4	aggregate
	(partner's	(partner's	(partner's	(partner's	information
	gender-	gender-	gender-	gender-	section.
	partner 2).	partner 3).	partner 4).	partner 5).	

QDS programming note for PRTST1N4 (Partner status first sex-partner 1), PRTST2N4 (Partner status first sex-partner 2), PRTST3N4 (Partner status first sex-partner 3), PRTST4N4 (Partner status first sex-partner 4), PRTST5N4 (Partner status first sex-partner 5):

Variable label for PRTST1N4 is Partner status first sex-partner 1.

Variable label for PRTST2N4 is Partner status first sex-partner 2.

Variable label for PRTST3N4 is Partner status first sex-partner 3.

Variable label for PRTST4N4 is Partner status first sex-partner 4.

Variable label for PRTST5N4 is Partner status first sex-partner 5.

## Pre-exposure prophylaxis (SR)

Questions		Sexual partne	rs			
		Partner 1	Partner 2	Partner 3	Partner 4	Partner 5
		[INSERT	[INSERT	[INSERT	[INSERT	[INSERT
		partner	partner	partner	partner	partner
		name	name	name	name	name
		SX_NM1N4]	SX_NM2N4]	SX_NM3N4]	SX_NM4N4]	SX_NM5N4]
SR.1.0. Sometimes people who ar HIV negative take antiretroviral medicine, such as Truvada, to prevent them from getting HIV. W [INSERT PARTNER NAME] taking antiretroviral medicine to preven- them from getting HIV when you last had sex? If you aren't sure,	/as	[PREP1N4]	[PREP2N4]	[PREP3N4]	[PREP4N4]	[PREP5N4]
that's okay.		0	0	0	0	0
No	0					
		1	1	1	1	1
Yes	1					
		7	7	7	7	7
Refused to answer	7					
		8	8	8	8	8
Don't know	8					
		If SX_TOTN4	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4
		= 1, skip to	= 2, skip to	= 3, skip to	= 4, skip to	= 5, skip to
		serosorting	serosorting	serosorting	serosorting	serosorting
		section (Say	section (Say	section (Say	section (Say	section (Say
		box before	box before	box before	box before	box before
		SEROSRT1).	SEROSRT1).	SEROSRT1).	SEROSRT1).	SEROSRT1).
		If SX_TOTN4	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4	If SX_TOTN4
		≥ 2, skip to	≥ 3, skip to	≥ 4, skip to	≥ 4, skip to	≥ 5, skip to
		interviewer	interviewer	interviewer	interviewer	interviewer
		instructions	instructions	instructions	instructions	instructions
		before	before	before	before	before the
		SXPGN2N4	SXPGN3N4	SXPGN4N4	SXPGN5N4	aggregate
		(partner's	(partner's	(partner's	(partner's	information
		gender-	gender-	gender-	gender-	section.
		partner 2).	partner 3).	partner 4).	partner 5).	
QDS programming note for PREP	1N4			-	•	P-partner 3).
PREP4N4 (PrEP-partner 4), PREP5		-				
Variable label for PREP1N4 is PrE		-				

Variable label for PREP2N4 is PrEP-partner 2.

Questions	Sexual partners
Variable label for PREP3N4 is PrEP-par	rtner 3.
Variable label for PREP4N4 is PrEP-par	rtner 4.
Variable label for PREP5N4 is PrEP-par	rtner 5.

#### Aggregate information (SA)

#### Interviewer instructions for aggregate information section:

If SX\_TOTN4 is  $\leq$  5, then skip to the serosorting section (Say box before SEROSRT1). If SX\_TOTN4 is > 5, then go to the Say box below.

**SAY:** "We just talked about the five people you most recently had sex with. Now I'd like to ask you about the other partner(s) with whom you had sex with during the **past 12 months**. For these next questions, please don't include partners you have already discussed."

Interviewer instructions before SXAGC1N4 (aggregate condom use 6 partners): If respondent reported 7 or more sex partners (SX\_TOTN4  $\geq$  7), then skip to SXAGC2N4 (aggregate condom use-more than 6 partners). If respondent reported 6 partners (SX\_TOTN4=6), go to SXAGC1N4 (aggregate condom use- 6 partners).

SA.1.0. During the **past 12 months**, was a condom always used when you had <u>vaginal or anal</u> sex with your other partner? [SXAGC1N4]

No	] (
Yes	1 :
Refused to answer	] 7
Don't know	8

**QDS programming note for SXAGC1N4 (aggregate condom use 6 partners):** Variable label is aggregate condom use-6 partners.

#### SA.1.1. Was your other partner HIV positive? [SXAGP1N4]

No	0
Yes	1
Refused to answer $\Box$	7
Don't know	8

**QDS programming note for SXAGP1N4 (aggregate partner status-6 partners):** Variable label is aggregate partner status-6 partners.

**Interviewer instructions after SXAGP1N4 (aggregate partner status-6 partners):** Skip to the serosorting section (Say box before SEROSRT1).

# SA.1.2 During the **past 12 months**, with how many of these **[INSERT SX\_TOTN4-5]** other partners was a condom always used when you had <u>vaginal or anal</u> sex? **[SXAGC2N4]**

MMP Standard Questionnaire Sexual Behavior

\_\_\_\_ [7777 = Refused to answer, 8888 = Don't know]

**QDS programming note for SXAGC2N4 (aggregate condom us- more than 6 partners):** Range is 0–999.

Variable label is aggregate condom use-more than 6 partners.

**Calculated variable SXAGUPN4:** Create a calculated variable to indicate the aggregate number of partners with whom the respondent had unprotected sex. If SX\_TOTN4 is > 5, then create SXAGUPN4 where (SX\_TOTN4-5)-SXAGC2N4.

**Interviewer instructions for SXAGC2N4 (aggregate condom use more than 6 partners):** If SXAGC2N4 (aggregate condom use more than 6 partners) = SX\_TOTN4 (total number of partners), then skip to the serosorting section (Say box before SEROSRT1). If SXAGC2N4 (aggregate condom use-more than 6 partners) is "don't know" or "refused to answer," then skip to SXAGP2N4. Otherwise, go to SXAGC3N4 (aggregate condom use-more than 6 partners).

SA.1.3 So, you had unprotected sex with [INSERT RESPONSE FROM SXAGUPN4] of these other partners? [SXAGC3N4]

No	0
Yes	1
Refused to answer	7
Don't know	8

**QDS programming note for SXAGC3N4 (aggregate unprotected sex-more than 6 partners):** Variable label is aggregate unprotected sex-more than 6 partners.

SA.1.4 How many of those [INSERT RESPONSE FROM SXAGUPN4] other partners were HIV positive? [SXAGP2N4]

\_\_\_\_ [7777 = Refused to answer, 8888 = Don't know]

QDS programming note for SXAGP2N4 (aggregate concordant partners-more than 6 partners):

Range is 0-999.

SXAGP2N4 cannot be greater than SXAGUPN4.

Variable label for SXAGP2N4 is aggregate concordant partners-more than 6 partners.

MMP Standard Questionnaire Sexual Behavior

#### Serosorting

**SAY:** "For these next questions, I will read you a statement and then I'll ask you to tell me if you strongly disagree, somewhat disagree, are neutral, somewhat agree, or strongly agree. Some of the statements may not apply to your situation; however, tell me whether you think you would disagree or agree. We will use **Response Card L** for these four questions."

S26. If my partner tells me he or she is HIV positive, I am more likely to have unprotected sex with him or her. [CHECK ONLY ONE.] [SEROSRT1] Somewhat agree...... Refused to answer. If my partner tells me he or she is HIV positive, we don't have to worry about using S27. condoms. [CHECK ONLY ONE.] [SEROSRT2] Strongly disagree...... Neutral..... Somewhat agree...... Refused to answer. S28. If I have an undetectable HIV viral load, I am more likely to have unprotected sex. [CHECK ONLY ONE.] [SEROSRT3] Neutral..... Somewhat agree...... MMP Standard Questionnaire Sexual Behavior 123

S29. Having an undetectable HIV viral load means I can worry less about having to use condoms. [CHECK ONLY ONE.] [SEROSRT4]

Strongly disagree	
Somewhat disagree	2
Neutral	a
Somewhat agree	
Strongly agree	
Refused to answer Don't know	

MMP Standard Questionnaire Sexual Behavior

### Drug and Alcohol Use (U)

#### **Cigarette and Alcohol Use**

 SAY: "The next questions are about smoking cigarettes."

 U1.
 Have you smoked at least 100 cigarettes in your entire life? [CIG\_EVR]

 No.
 0
 Skip to Say box

 Yes.
 1
 before U2

 Refused to answer.
 7
 Skip to Say box

 Don't know.
 8
 before U2

#### SAY: "Now we will use Response Card M."

U1a.	How often do you smoke cigarettes now? [READ CHOICES] [CIG_OFT	]
	Daily 🛛 1	
	Weekly	
	Monthly	
	Less than monthly	
	Never	
	Refused to answer	
	Don't know 🛙 8	

**SAY:** "Now I'm going to ask you about any alcohol that you may have had. We will use response card **M**."

U2. During the past 12 months, how often did you drink alcohol? [READ CHOICES] [ALCOHO\_9]

Daily	
Weekly	
Monthly	
Less than monthly	
Never	
Refused to answer	Skip to Say box
Don't know	Skip to Say box before U8
Interviewer instructions:	

MMP Standard Questionnaire Drug and alcohol use

If S1 (male respondent had sex with a woman during the past 12 months) <u>and</u> S6 (male respondent had sex with a man during the past 12 months) are "No," "Refused to answer," or "Don't know," skip to Say box before U4.

If S12 (female respondent had sex with a man during the past 12 months) <u>and</u> S16 (female respondent had sex with a woman) are "No," "Refused to answer," or "Don't know," skip to Say box before U4.

If S21 (transgender respondent had sex during the past 12 months) is "No," "Refused to answer," or "Don't know," skip to Say box before U4.

U3. During the **past 12 months**, did you drink alcohol <u>before or during sex</u>? [ALCOHOL1]

No
Yes 1
Refused to answer
Don't know

*SAY:* "Now I am going to ask you some questions. We will use the calendar to refer to the past 30 days."

U4. During the **past 30 days**, on how many days did you have an alcoholic drink? [DRINK\_9]

[Refused to answer = 77, Don't know = 88]

Inconsistency check: U4 (number of days had an alcoholic drink during the past 30 days) must be between 0 and 30.

Interviewer instructions: If U4 (number of days consumed alcohol during the past 30 days) is "0," "Refused to answer," or "Don't know," skip to Say box before U8.

**SAY:** "We will use the **Alcohol Response Card** for these next questions. For these questions a drink of alcohol is a 12 oz beer, a 5 oz glass of wine, or a 1.5 oz shot of liquor."

U5. During the **past 30 days**, how many alcoholic drinks did you have on a typical day when you were drinking? [NDRINK\_9]

[Refused to answer = 77, Don't know = 88]

Inconsistency check: U5 (number of drinks on a typical day during the past 30 days) must be between 1 and 30.

MMP Standard Questionnaire Drug and alcohol use

126

Interviewer instructions: If [BIRTGEN] is "Female" or "Intersex/ambiguous," skip to U7.

U6. During the **past 30 days**, on how many days did you have <u>5 or more</u> alcoholic drinks in one sitting? [*DRINK5\_9*]

[Refused to answer = 77, Don't know = 88]

QDS programming note: If U6 > U4 then READ: "The number of days in the past 30 days that you had 5 or more drinks [DRINK5\_9] cannot be greater than the number of days you had a drink in the last 30 days [DRINK\_9]."

Inconsistency check: U6 (number of days had 5 or more drinks during the past 30 days) must be  $\leq$  30 and  $\leq$  U4 (number of days had a drink during the past 30 days).

Interviewer instructions: Skip to Say box before U8.

U7. During the **past 30 days**, on how many days did you have <u>4 or more</u> alcoholic drinks in one sitting? [DRINK4\_9]

[Refused to answer = 77, Don't know = 88]

Inconsistency check: U7 (number of days had 4 or more drinks during the past 30 days) must be  $\leq$  30 and  $\leq$  U4 (number of days had a drink during the past 30 days).

QDS programming note: If U7 > U4 then READ: "The number of days in the past 30 days that you had 4 or more drinks [DRINK4\_9] cannot be greater than the number of days you had a drink in the last 30 days [DRINK\_9].

#### **Non-Injection Drug Use**

**SAY:** "Now I'm going to ask you about drugs that you may have used, but <u>didn't inject</u>. I will refer to these as non-injection drugs. This includes drugs like marijuana, crack, club drugs, and painkillers. Tell me about the drugs you used that were not for medical purposes."

#### U8. During the **past 12 months**, did you use any non-injection drugs? [ANID12\_9]

No	$\Longrightarrow$	Skip to Say box
Yes 1		before U12
Refused to answer	ski	n to Say hoy
MMP Standard Questionnaire Drug and alcohol use	bet	p to Say box fore U12 127

**SAY:** "I'm going to read you a list of non-injection drugs. For each one I mention, please tell me how often you used it during the **past 12 months**. Don't include drugs you injected or drugs that were used for medical purposes. For these questions we will use **Response Card M**."

Interviewer instructions: If the respondent's drug use was sporadic during the past 12 months, ask the respondent to choose the response option that best characterizes his or her use.

	During the <b>past 12</b> <b>months</b> , how often did you use:	Daily (1)	Weekly (2)	Monthly (3)	Less than monthly (4)	<b>Never</b> (5)	Refused to answer (7)	Don't Know (8)
U9a.	methamphetamines, also called crystal meth, tina, crank, or ice? [CRYMTC_9]	□ 1	□ 2	□ 3	□ 4	□ 5	7	8
U9b.	other amphetamines or stimulants? [AMPHET_9]	□ 1	□ 2	□ 3	4	5	7	8
U9c.	crack? [CRACK1_9]	1	2	3	4	□ 5	7	8
U9d.	cocaine that is smoked or snorted? [COCSMO_9]	□ 1	□ 2	□ 3	4	□ 5	7	8
U9e.	downers, such as Valium, Ativan, or Xanax? <b>[DOWNER_9]</b>	□ 1	□ 2	□ 3	□ 4	□ 5	7	8
U9f.	painkillers, such as Oxycontin, Vicodin, or Percocet? <b>[PAINKI_9]</b>	□ 1	□ 2	□ 3	□ 4	□ 5	7	8
U9g.	hallucinogens, such as L or mushrooms? [HALLUC_		□ 2	□ 3	□ 4	□ 5	7	8
U9h.	X, also called Ecstasy? [XECT_9]	□ 1	□ 2	□ 3	4	□ 5	7	8
U9i.	Special K, also called ketamine? [SPECK_9]	□ 1	□ 2	□ 3	4	□ 5	7	8
U9j.	GHB? [GHB_9]	1	2	3	4	5	7	8
U9k.	<pre>heroin or opium that is smoked or snorted? [HEROIN_9]</pre>	□ 1	□ 2	□ 3	□ 4	□ 5	7	8
U9I.	marijuana? [MARIJU_9]	□ 1	□ 2	□ 3	4	□ 5	7	8
U9m.	poppers, also called	1	2	3	4	5	7	8

MMP Standard Questionnaire Drug and alcohol use

128

	During the <b>past 12</b> <b>months</b> , how often did you use:	Daily	Weekly (2)	Monthly (3)	Less than monthly (4)	<b>Never</b> (5)	Refused to answer (7)	Don't Know (8)
	amyl nitrate? [POPPER_9]							
U9n.	steroids or hormones? [STRHOR_9]	□ 1	□ 2	□ 3	4	□ 5	7	8
U9o.	any other non- injection drug (Specify:)? [ONINJD_9] [ONINJ9OS]	□ 1	□ 2	□ 3	□ 4	□ 5	7	8

Inconsistency check: If U8 (non-injection drug use) is "Yes" and all of the responses to U9a-U9o are "Never,", then QDS will display a message saying, "You said that you used noninjection drugs during the past 12 months. Please tell me the name of the drug you used and how often you used it during the past 12 months." Interviewer return to previous questions.

Interview instructions:

If S1 (male respondent had sex with a woman during the past 12 months) <u>and</u> S6 (male respondent had sex with a man during the past 12 months) are "No," "Refused to answer," "Don't know," skip to Say box before U12.

If S12 (female respondent had sex with a man during the past 12 months) <u>and</u> S16 (female respondent had sex with a woman) are "No," "Refused to answer," "Don't know," skip to Say box before U12.

If S21 (transgender respondent had sex during the past 12 months) is "No," "Refused to answer," "Don't know," skip to Say box before U12.

# U10. During the **past 12 months**, did you use any non-injection drugs <u>before or during sex</u>? [NID\_BFSX]

No	$\rightarrow$	Skip to Say box
Yes		before U12
Refused to answer		
Don't know		Skip to Say box
		before U12

chec	k the sh	structions: If U9a is "Daily," "Weekly," naded box (column 1) in U11a. Follow tl mn 1) are checked in U11a-o, skip to Sa	he same po	attern for b		
		During the <b>past 12 months</b> , did you	<b>No</b> (0)	Yes (1)	Refused	Don't

MMP Standard Questionnaire Drug and alcohol use

	<u>use</u> : [ONLY READ QUESTIONS WHERE THE SHADED BOX (COLUMN 1) IS CHECKED.]			to answer (7)	<b>Know</b> (8)
U11a.	methamphetamines <u>before or during</u> <u>sex</u> ? [CRAMT2_9]	□ 0	□ 1	7	8
U11b.	other amphetamines or stimulants <u>before or during sex</u> ? [AMPHT2_9]	□ o	□ 1	7	8
U11c.	crack <u>before or during sex</u> ? [CRACK2_9]	□ o	1	7	8
U11d.	cocaine that is smoked or snorted <u>before or during sex</u> ? [COCSM2_9]	□ o	□ 1	7	8
U11e.	downers, such as Valium, Ativan, or Xanax, <u>before or during sex</u> ? [DOWNE2_9]	□ o	□ 1	7	8
U11f.	painkillers, such as Oxycontin, Vicodin, or Percocet <u>before or during sex</u> ? [PAINK2_9]	□ o	□ 1	7	8
U11g.	hallucinogens, such as LSD or mushrooms <u>before or during sex</u> ? [HALLU2_9]	□ o	□ 1	7	8
U11h.	X, also called Ecstasy <u>before or during</u> <u>sex</u> ? [XECT2_9]	□ o	□ 1	7	8
U11i.	Special K, also called ketamine <u>before</u> or during sex? [SPECK2_9]	□ o	□ 1	7	8
U11j.	GHB before or during sex? [GHB2_9]	0 🗌	1	7	8
U11k.	heroin or opium that is smoked or snorted <u>before or during sex?</u> [HEROI2_9]	□ 0	□ 1	7	8
U11I.	marijuana <u>before or during sex</u> ? [MARIJ2_9]	□ 0	□ 1	7	8
U11m.	poppers, also called amyl nitrate, <u>before or during sex</u> ? <b>[POPPE2_9]</b>	□ o	□ 1	7	8
U11n.	steroids or hormones <u>before or during</u> sex? [STRHO2_9]	□ o	□ 1	7	8
U11o.	[RESPONSE FROM U90] <u>before or</u> <u>during sex</u> ? [ONINJ2_9]	□ 0	□ 1	7	8

Inconsistency check: If U10 (non-injection drug use before or during sex) is "Yes" and all of the responses to U11a–U11o are "No," then QDS will display a message saying, "You said that you used non-injection drugs before or during sex during the past 12 months. Please tell me the name of the drug you used and how often you used it before or during sex during the past 12 months." Interviewer return to previous questions.

MMP Standard Questionnaire Drug and alcohol use

#### **Injection Drug Use**

*SAY:* "The next questions are about injection drug use. This means injecting drugs yourself or having someone else inject you. Remember, your answers will be kept confidential."

U12. Have you **ever** shot up or injected any drugs that weren't used for medical purposes? By shooting up, I mean anytime you might have used drugs with a needle, either by mainlining, skin popping or muscling. *[EVERINJ]* 



U12a. During the **past 12 months**, have you shot up or injected any drugs that weren't used for medical purposes? By shooting up, I mean anytime you might have used drugs with a needle, either by mainlining, skin popping, or muscling. *[INJECT12]* 

No	 Skip to Say box
Yes	 before B1
Refused to answer	n
Don't know	 Skip to Say box
	before B1

**SAY:** "Now I'm going to read you a list of drugs. For each drug I mention, please tell me how often you <u>injected</u> it during the **past 12 months**. We will use response card **M** for these questions."

Interviewer instructions: If the respondent's drug use was sporadic during the past 12 months, ask the respondent to choose the response option that best characterizes his or her use.

	During the <b>past 12</b> <b>months</b> , how often did you <u>inject</u> :	Daily (1)	Weekly (2)	Monthly (3)	Less than monthly (4)	<b>Never</b> (5)	Refused to answer (7)	Don't Know (8)
U13a.	heroin and cocaine together, also called speedballs? [HERCOC_9]	□ 1	□ 2	□ 3	□ 4	□ 5	7	8
U13b.	heroin alone? [HEROII_9]	□ 1	□ 2	□ 3	4	□ 5	7	8
U13c.	cocaine alone? [COCAII_9]	□ 1	□ 2	□ 3	4	□ 5	7	8
U13d.	crack? [CRACKI_9]	□ 1	2	3	4	□ 5	7	8

MMP Standard Questionnaire Drug and alcohol use

**Key:** grey box = interviewer instructions; blue box = inconsistency check; orange box = QDS program note; dark red variable = previously used variable; green variable = new variable; grey font for response set = do not read responses

#### 131

	During the <b>past 12</b> <b>months</b> , how often did you <u>inject</u> :	Daily (1)	Weekly (2)	Monthly (3)	Less than monthly (4)	<b>Never</b> (5)	Refused to answer (7)	Don't Know (8)
U13e.	methamphetamines, also called crystal meth, tina, or crank? [CRAMTI_9]	□ 1	□ 2	□ 3	□ 4	□ 5	7	8
U13f.	other amphetamines or stimulants? [AMPHEI_9]	□ 1	□ 2	□ 3	□ 4	□ 5	7	8
U13g.	Oxycontin? [OXYCON_9]	□ 1	2	□ 3	□ 4	□ 5	7	8
U13h.	steroids or hormones? [STRHRI_9]	□ 1	2	□ 3	4	5	7	8
U13i.	any other drug (Specify:)? [OINJDI_9][OINJD9OS]	□ 1	□ 2	□ 3	□ 4	□ 5	7	8

Inconsistency check: If U12 (injection drug use) is "Yes" and all of the responses to U13a–U13i are "Never,", then QDS will display a message saying, "You said that you used injection drugs during the past 12 months. Please tell me the name of the drug you used and how often you used it during the past 12 months." Interviewer return to previous questions.

Interview instructions:

If S1 (male respondent had sex with a woman during the past 12 months) <u>and</u> S6 (male respondent had sex with a man during the past 12 months) are "No," "Refused to answer," or "Don't know," skip to Say box before U16.

If S12 (female respondent had sex with a man during the past 12 months) <u>and</u> S16 (female respondent had sex with a woman) are "No," "Refused to answer," or "Don't know," skip to Say box before U16.

If S21 (transgender respondent had sex during the past 12 months) is "No," "Refused to answer," or "Don't know," skip to Say box before U16

#### U14. During the past 12 months, did you inject drugs before or during sex? [INJ\_BFSX]

No	Skip to Say box
Yes	before U16
Refused to answer.	bejore 010
	Skip to Say box
	before U16

MMP Standard Questionnaire Drug and alcohol use

Interview instructions: If U13a is "Daily," "Weekly," "Monthly," or "Less than monthly," check the shaded box (column 1) in U15a. Follow the same pattern for b-i. If no shaded boxes are checked in U13, skip to Say box before U16.

urec	are checked in 013, skip to say box before 016.							
		During the <b>past 12 months</b> , did you <u>inject</u> : [ONLY READ QUESTIONS WHERE THE SHADED BOX (COLUMN 1) IS CHECKED.]	<b>No</b> (0)	Yes (1)	Refused to answer (7)	Don't Know (8)		
	U15a.	heroin and cocaine together <u>before or</u> <u>during sex</u> ? [HERCO2_9]	□ o	□ 1	7	8		
	U15b.	heroin alone <u>before or during sex</u> ? [HERII2_	<b>9]</b> 🗌 0	□ 1	7	8		
	U15c.	cocaine alone <u>before or during sex</u> ? [COCAI2_9]	□ 0	□ 1	7	8		
	U15d.	crack <u>before or during sex</u> ? [CRACI2_9]	□ o	□ 1	7	8		
	U15e.	methamphetamines <u>before or during</u> sex? [CRAMI2_9]	□ o	□ 1	7	8		
	U15f.	other amphetamines or stimulants <u>before</u> or during sex? [AMPHI2_9]	□ o	□ 1	7	8		
	U15g.	Oxycontin <u>before or during sex</u> ? [OXYCO2_	<b>!</b> □ o	□ 1	7	8		
	U15h.	steroids or hormones <u>before or during</u> <u>sex</u> ? [STRHI2_9]	□ o	□ 1	7	8		
	U15i.	[RESPONSE FROM U14i] <u>before or</u> <u>during sex</u> ? [OINJI2_9]	□ o	□ 1	7	8		

Inconsistency check: If U14 (injection drug use before or during sex) is "Yes" and all of the responses to U15a–U15i are "No," then QDS will display a message saying, "You said that you used injection drugs before or during sex during the past 12 months. Please tell me the name of the drug you used and how often you used it before or during sex during the past 12 months." Interviewer return to previous questions.

SAY: "Now I am going to ask you some questions about sharing needles and equipment."

U16.	When you injected during the past 12 months, did someone use the same needle after
	you used it? [SHR_NDL]

NoE	0
Yes	1
Refused to answer	] 7
Don't knowE	8

# U17. When you injected during the **past 12 months**, did someone use the same cookers, cotton, or rinse water <u>after</u> you used it? [*SHR\_WRKS*]

MMP Standard Questionnaire Drug and alcohol use

No	0
Yes	1
Refused to answer	7
Don't know	8

# U18. When you injected during the **past 12 months**, did you use drugs that had been divided with a syringe? [*DIV\_SYRN*]

NoE	0
Yes	] 1
Refused to answer	] 7
Don't know	8

MMP Standard Questionnaire Drug and alcohol use

#### Transmission Risk Behaviors (B)

**SAY:** "Next I'd like to ask you some questions about how you might have gotten HIV. Some questions may ask you to remember things that happened a long time ago or ask for information about your past partners' behaviors. If you can't remember or don't know the answer to the questions, it is fine to tell me that you don't know. Also, some of these questions may not apply to your situation, but I need to ask you all of the questions."

B1. Were you born with HIV? [IPERINN3]

No	
Yes	Skip to say box
Refused to answer	before P1
Don't know 8	

**SAY:** "Earlier I asked you about things that have been going on in your life in the past 12 months. Now I'm going to ask you about things you did between 1977—around when HIV was recognized in the United States—and when you tested positive for HIV on [INSERT DATE FROM A1].

B2. Before you first tested positive for HIV, did you have sex with a male? [ISEXMAN3]

No
Yes
Refused to answer
Don't know

B3. Before you first tested positive for HIV, did you have sex with a female? [ISEXFEN3]

No	0
Yes	] 1
Refused to answer	7
Don't know	8

Interviewer instructions: If the person was female at birth (BIRTGEN=2) and had sex with a man (ISEXMAN3=1) then go to B4. If the person was male at birth (BIRTGEN=1) and had sex with a woman (ISEXFEN3=1) then go to B10; otherwise skip to B15.

QDS programming note: If [BIRTGEN] is "Don't know" or "Refused to answer," skip to B15. If [BIRTGEN] =2 and [ISEXMAN3] is "Don't know" or "Refused to answer," skip to B15. If [BIRTGEN] =1 and [ISEXFEN3] is "Don't know" or "Refused to answer," skip to B15.

MMP Standard Questionnaire Transmission risk

B4. Before you first tested positive for HIV, did any of your male partners use needles to inject heroin, cocaine, steroids, or any other drug that was not prescribed by a doctor? [IFSXIDN3]

No	0
Yes	
Refused to answer	7
Don't know	8

B5. Before you first tested positive for HIV, did any of your male sex partners have sex with other men? [IFSXBIN3]

No	
Yes	. 1
Refused to answer	7
Don't know	. 🗆 8

B6. Before you first tested positive for HIV, did any of your male sex partners have HIV or AIDS? [IFSXHIN3]

No	$\longrightarrow$	Skip to B15
Yes		экір со в 15
Refused to answer		
Don't know	_ SI	kip to B15

B7. Before you first tested positive for HIV, did any of your male sex partners who had HIV or AIDS have hemophilia or any other bleeding disorder before they found out they had HIV or AIDS? [IFSXHEN3]

No	С
Yes	] 1
Refused to answer	] 7
Don't know	8

**SAY: "**The next question asks about whether your male partners with HIV have ever had a transfusion of blood products. By this I mean something made from someone else's blood—such as blood, red blood cells, plasma, or platelets—that was given to him by IV."

B8. Before you first tested positive for HIV, did any of your male sex partners who had HIV or AIDS receive a transfusion of blood products before they were diagnosed with HIV or AIDS? [IFSXTXN3]

No	
Yes	
Refused to answer	
Don't know	8

MMP Standard Questionnaire Transmission risk

B9. Before you first tested positive for HIV, did any of your male sex partners who had HIV or AIDS receive an organ or tissue transplant before they were diagnosed with HIV or AIDS? [IFSXTPN3]

No	0 🗌 .
Yes	
Refused to answer	
Don't know	. 🗌 8

#### Interviewer instructions: Skip to B15

B10. Before you first tested positive for HIV, did any of your female sex partners use needles to inject heroin, cocaine, steroids, or any other drug that was not prescribed by a doctor? [IMSXIDN3]

No	0
Yes	
Refused to answer	7
Don't know	8

B11. Before you first tested positive for HIV, did any of your female sex partners have HIV or AIDS? [IMSXHIN3]

No	Skip to B15
Refused to answer	

B12. Before you first tested positive for HIV, did any of your female sex partners who had HIV or AIDS have hemophilia or any other bleeding disorder before they found out they had HIV or AIDS? [IMSXHEN3]

No	🗆 0
Yes	🗆 1
Refused to answer	🗆 7
Don't know	🗆 8

**SAY:** "The next question asks about whether your female partners with HIV have ever had a transfusion of blood products. By this I mean something made from someone else's blood—such as blood, red blood cells, plasma, or platelets—that was given to her by IV."

# B13. Before you first tested positive for HIV, did any of your female sex partners who had HIV or AIDS receive a transfusion of blood products before they found out they had HIV or AIDS? [IMSXTXN3]

MMP Standard Questionnaire Transmission risk

Yes	
Refused to answer	7
Don't know	

B14. Before you first tested positive for HIV, did any of your female sex partners who had HIV or AIDS receive an organ or tissue transplant before they found out they had HIV or AIDS? [IMSXTPN3]

No	
Yes	
Refused to answer	
Don't know	

B15. Before you first tested positive for HIV, did you use needles to inject heroin, cocaine, steroids, or any other drug that was not prescribed by a doctor? [IIDUN3]

No	🗋 0
Yes	🗆 1
Refused to answer	7
Don't know	

**SAY:** "People who have blood clotting problems like hemophilia sometimes need to get treated with something to prevent bleeding called clotting factor."

#### B16. Before you first tested positive for HIV, did you ever receive clotting factor? [ICLOTN3]

	No 0 Yes 1	Skip to Say box before B18
	Refused to answer	Chin to Cay box
	Don't know 8	before B18
B17.	Did you ever receive clotting factor before March, 1985? [ICLO85	N3]
	NoD 0 Yes	
	Refused to answer	
	Don't know 8	

**SAY: "**The next question asks about whether you have ever had a transfusion of blood products. By this I mean something made from someone else's blood—such as blood, red blood cells, plasma, or platelets—that was given to you by IV."

# B18. Before you first tested positive for HIV, did you ever receive a transfusion of blood products besides clotting factor? [ITRANN3]

MMP Standard Questionnaire Transmission risk

No	Skip to B20
Refused to answer	
Don't know	Skip to B20

#### B19. Did you ever receive a transfusion of blood products before March, 1985? [ITRA85N3]

No	0
Yes	1
Refused to answer	7
Don't know	8

# B20. Before you first tested positive for HIV, did you receive an organ or tissue transplant or artificial insemination? [ITRPLTN3]

No	🗋 0
Yes	1
Refused to answer	🗆 7
Don't know	🗆 8

B21. Before you first tested positive for HIV, did you work in a health care or laboratory setting where you might have been exposed to human blood or other body fluids? [IHCWRN3]

No	🗆 o
Yes	
Refused to answer	🗆 7
Don't know	D 8

MMP Standard Questionnaire Transmission risk

#### Prevention Activities (P)

SAY: "Next I'd like to ask you about HIV prevention activities." P1. During the **past 12 months**, have you gotten any free condoms, not counting those given to you by a friend, relative, or sex partner? [COND12\_9] Skip to instructions before P2 Yes...... Skip to instructions before P2 From what type of place or places did you get these free condoms? P1a. [DON'T READ CHOICES. CHECK ALL THAT APPLY.] [CONF 12] IDU outreach organization (including needle exchange)...... 5 [CONF\_12E] ..... 

Interviewer instructions: If U12a (injection drug use during the past 12 months) is "Yes," go to P2. If U12a is "No," "Refused to answer," or "Don't know," skip to P3.

P2. During the **past 12 months**, have you gotten any new sterile needles for free, not including those given to you by a friend, relative, or drug-using partner? [STENEE\_9]

No	)
Yes	
Refused to answer	,
Don't know	ļ

P2a. During the **past 12 months**, have you gotten any new cookers, cotton, or rinse water for free, not including those given to you by a friend, relative, or drug-using partner? [KITS\_9]

No	0
Yes	1
Refused to answer	7

MMP Standard Questionnaire Prevention Activities

P3. During the **past 12** months, have you seen or received any informational/educational materials such as posters, leaflets, pamphlets, or videos that tell you how to protect you or your partners from HIV or other STDs? [HIVINFN3]

No
Yes
Refused to answer
Don't know 8

P4. During the **past 12 months**, not including when you may have been tested for HIV, have you had a one-on-one conversation with <u>an outreach worker</u>, <u>counselor</u>, <u>or prevention</u> <u>program worker</u> about ways to protect yourself or your partners from getting HIV or other sexually transmitted diseases? [TALKHI\_9]

No	С
Yes	1
Refused to answer	7
Don't know	3

P5. During the **past 12 months**, not including when you may have been tested for HIV, have you had a one-on-one conversation with a <u>doctor</u>, <u>nurse</u>, <u>or other health care worker</u> about ways to protect yourself or your partners from getting HIV or other sexually transmitted diseases? [PRTLK\_12]

No
Yes 1
Refused to answer
Don't know 8

P6. During the **past 12 months**, not including when you may have been tested for HIV, have you participated in an organized session involving a small group of people to discuss ways to protect yourself or your partners from getting HIV or other sexually transmitted diseases? [GROU1\_12]

No	)
Yes	-
Refused to answer	,
Don't know 🗆 a	1

MMP Standard Questionnaire Prevention Activities

#### Depression (M)

**SAY:** "Now I'm going to ask you some questions about your mood. When answering, please think about how often the following has occurred during the **past 2 weeks**. We will use **Response Card N** for these questions. We will also use the calendar to refer to the past 2 weeks."

	Over the past 2 weeks, how often have you been bothered by any of the following problems?	Not at all (1)	Several Days (2)	More than half the days (3)	Nearly every day (4)	Refuse d to answer (7)	Don't know (8)
M1a.	Little interest or pleasure in doing things [ANX_DEPA]						
M1b.	Feeling down, depressed, or hopeless [ANX_DEPB]						
M1c.	Trouble falling or staying asleep, or sleeping too much [ANX_DEPC]						
M1d.	Feeling tired or having little energy [ANX_DEPD]						
M1e.	Poor appetite or overeating [ANX_DEPE]						
M1f.	Feeling bad about yourself —or that you are a failure or have let yourself or your family down [ANX_DEPF]						
M1g.	Trouble concentrating on things, such as reading the newspaper or watching television [ANX_DEPG]						
M1h.	Moving or speaking so slowly that other people could have noticed, or the opposite - being so fidgety or restless that you have been moving around a lot more than usual [ANX_DEPH]						

MMP Standard Questionnaire Depression

142

#### Gynecological and Reproductive History (G)

Interviewer instructions: If [BIRTGEN] and [GENDER] are "Female," go to Say box before G1; otherwise, skip to say box before C1.

**SAY:** "I'm now going to ask some questions about pelvic exams and Pap smears. A pelvic exam is a vaginal examination. A Pap smear, also called a cervical cancer test or Pap test, is a test used to check for cancer of the cervix. Often a pelvic exam and Pap smear are performed at the same time."

G1.	During the <b>past 12 months</b> , have you had a pelvic examination? [ <i>PLV_EX_9</i> ] No
G2.	During the past 12 months, have you had a Pap smear? [PAP_EX_9]         No.       0         Yes.       1         In the past 12 months, have you had a Pap smear? [PAP_EX_9]         No.       0         Yes.       1         Skip to Say box         before G3         No.       1         Don't know.       8         Skip to Say box         before G3
G2a.	Were the results of this Pap smear normal or not normal? [PAP2_12] Normal
G2b.	Did you receive a follow-up exam or tests for this abnormal result? [PAP2A_12] No 0 Yes 1 Refused to answer 7 Don't know 8

**SAY:** "I am going to read a list of ways that people prevent pregnancy. As I read each one, tell me if you have used it in the past 12 months. Please answer "YES" or "NO." Answer "YES" even if you have only used it once. Have you used this method to prevent pregnancy in the past 12 months? "

MMP Standard Questionnaire Gynecological and Reproductive History

		<b>No</b> (0)	Yes (1)	Refused to answer (7)	Don't know
G3a.	Male condom, also called a "rubber" [BIRCOAN3]				
G3b.	Female condom [BIRCOBN3]				
G3c.	Diaphragm, cervical cap, or cervical sponge[BIRCOCN3]				
G3d.	Spermicidal foam or jelly[BIRCODN3]				
G3e.	Depo-Provera <sup>®</sup> , which is an injection[BIRCOEN3]				
G3f.	Hormonal implants such as Implanon <sup>®</sup> or				
G3g. G3h.	Nexplanon <sup>®</sup> [BIRCOFN3] Birth control pills[BIRCOGN3] Contraceptive patch, for				
	example, Ortho Evra®) [BIRCOHN3]				
G3i.	Contraceptive ring, for example NuvaRing <sup>®</sup> )[BIRCOIN3]				
G3j.	Intrauterine device or IUD, which comes as a coil or loop, for example, Mirena <sup>®</sup> or Paraguard <sup>®</sup> [BIRCOJN3]				
G3k.	Emergency contraception or "morning after pill" [BIRCOKN3]				
G3I.	Withdrawal, also called "pulling out" [BIRCOLN3]				
G3m.	Abstinence, which is not having sex[BIRCOMN3]				
G3n.	Post-menopausal, meaning that you do not have periods anymore[BIRCONN3]				
G3o.	Tubal sterilization, which is having your "tubes tied," or a hysterectomy, which is having				
	your uterus removed[BIRCOON3]				

MMP Standard Questionnaire Gynecological and Reproductive History

**Key:** grey box = interviewer instructions; blue box = inconsistency check; orange box = QDS program note; dark red variable = previously used variable; green variable = new variable; grey font for response set = do not read responses

144

G3p. Partner's vasectomy[BIRCOPN3]				
------------------------------------	--	--	--	--

SAY: "Earlier you told me that you first tested positive for HIV on \_\_\_\_/\_\_\_ \_\_ [INSERT DATE FROM A1]."

G4. Since testing positive for HIV in \_\_\_\_/\_\_\_ [INSERT DATE FROM A1], how many times have you been pregnant? [PREG\_9]

\_\_\_\_\_ [777 = Refused to answer, 888 = Don't know]

QDS programming note: Range is 0–100. If A1 (date first tested positive) is "don't know" or "refused to answer," then G4 should read as follows: "Since testing positive for HIV, how many times have you been pregnant?" and Say box before G4 should NOT be read.

QDS programming note: Range is 0–100.

QDS programming note: If G4 is 1, 2, 3, or 4, program G5-G8 accordingly to skip "extra" pregnancy questions.

If G4=1, then after G5a or b or c skip to Say box before G10.

If G4=2, then after G6a or b or c skip to Say box before G10.

If G4=3, then after G7a or b or c skip to Say box before G10.

If G4=4, then after G8a or b or c skip to Say box before G10.

If G4="don't know" or "refused to answer," then skip to Say box before G10.

Interviewer instructions: If G4 = 0, then skip to Say box before G10; otherwise go to Say box before G5.

If number of times pregnant [PREG\_9] is 1-5, SAY: "Now I would like to ask you about all of your pregnancies since testing positive for HIV, starting with your first one."

If number of times pregnant [PREG\_9] is greater than 5 pregnancies, SAY: "Now I would like to ask you about your first 5 pregnancies since testing positive for HIV."

# G5. For your **1**<sup>st</sup> pregnancy since testing positive for HIV, were you trying to get pregnant? [INTNT1N3]

No	0
Yes	1
Refused to answer	7
 and and Our stimus in Companylarian and Desugations History	

MMP Standard Questionnaire Gynecological and Reproductive History

145

G5b. In what month and year did this outcome occur? [PDTE1N3]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Interviewer instructions: If outcome [OUTCM1N3] was "Live birth," then go to G5c; otherwise skip to G6 if G4>1 or skip to Say box before G10 if G4=1.

**Inconsistency check:** [PDTE1N3] cannot be earlier than [DOB\_13] or earlier than [POS1S\_9] (date first tested positive).

QDS programming note:

Allow a blank response for month.

If [PDTE1N3] < [DOB\_13] then READ: "The outcome date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance. If [PDTE1N3] < [POS1S\_9] then READ: "The outcome date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance. If month is blank for PDTE1N3, use the year values for the validation.

G5c. Was the child diagnosed with HIV? [READ CHOICES. CHECK ONLY ONE.] [KID1HVN3]

No	🗆 o
Yes	🗆 1
Indeterminate	🗆 2
Refused to answer	🗆 7
Don't know	🗆 8

### Interviewer instructions: If G4>1 go to G6, else skip to Say box before G10.

MMP Standard Questionnaire Gynecological and Reproductive History

### G5d. What is your due date? [DUDT1N3]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Interviewer instructions: If G4>1 go to G6, else skip to Say box before G10.

*Inconsistency check:* [DUDT1N3] cannot be earlier than [DOB\_13] or earlier than [POS1S\_9] (date first tested positive) or greater than 10 months after [IDATE] (interview date).

QDS programming note:

If [DUDT1N3] < [DOB\_13] then READ: "The due date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance.

If [DUDT1N3] < [POS15\_9] then READ: "The due date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance.

If [DUDT1N3] > 10 months after [IDATE] then READ: "The due date cannot be more than 10 months after the interview date. Please re-enter date." Do not allow the program to advance.

G6. For the **2<sup>nd</sup> pregnancy** since testing positive for HIV, were you trying to get pregnant? [INTNT2N3]

No	0
Yes	] 1
Refused to answer	] 7
Don't know	8

G6a. What was the outcome of this pregnancy? [READ CHOICES. CHECK ONLY ONE.] [OUTCM2N3]

Currently pregnant	$\Box_1 \longrightarrow C(d)$
Live birth	
Stillbirth	
Miscarriage	
Abortion	
Refused to answer	
Don't know	

### G6b. In what month and year did this outcome occur? [PDTE2N3]

MMP Standard Questionnaire Gynecological and Reproductive History

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Interviewer instructions: If outcome [OUTCM2N3] was "Live birth," then go to G6c; otherwise skip to G7 if G4>2 or skip to Say box before G10 if G4=2.

**Inconsistency check:** [PDTE2N3] cannot be earlier than [DOB\_13] or earlier than [POS1S\_9] (date first tested positive).

### QDS programming note:

Allow a blank response for month.

If [*PDTE2N3*] < [*DOB\_13*] then READ: "The outcome date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance. If [*PDTE2N3*] < [*POS1S\_9*] then READ: "The outcome date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance. If month is blank for PDTE2N3, use the year values for the validation.

### G6c. Was the child diagnosed with HIV? [READ CHOICES. CHECK ONLY ONE.] [KID2HVN3]

No	0
Yes	
Indeterminate	2
Refused to answer	
Don't know	8

### Interviewer instructions: If G4>2 go to G7, else skip to Say box before G10.

### G6d. What is your due date? [DUDT2N3]

$$(M M / Y Y Y)$$
[Month: 77 = Refused to answer, 88= Don't know;  
Year: 7777 = Refused to answer, 8888 = Don't know]

### Interviewer instructions: If G4>2 go to G7, else skip to Say box before G10.

*Inconsistency check:* [DUDT2N3] cannot be earlier than [DOB\_13] or earlier than [POS1S\_9] (date first tested positive) or greater than 10 months after [IDATE] (interview date).

#### QDS programming note:

MMP Standard Questionnaire Gynecological and Reproductive History

If [DUDT2N3] < [DOB\_13] then READ: "The due date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance. If [DUDT2N3] < [POS15\_9] then READ: "The due date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance.

If [DUDT2N3] > 10 months after [IDATE] then READ: "The due date cannot be more than 10 months after the interview date. Please re-enter date." Do not allow the program to advance.

# G7. For the **3<sup>rd</sup> pregnancy** since testing positive for HIV, were you trying to get pregnant? [INTNT3N3]

No	0
Yes	
Refused to answer	
Don't know	

G7a. What was the outcome of this pregnancy? [READ CHOICES. CHECK ONLY ONE.] [OUTCM3N3]

Currently pregnant	 Skin to G7d
Live birth	
Stillbirth	
Miscarriage	
Abortion	
Refused to answer	
Don't know	

G7b. In what month and year did this outcome occur? [PDTE3N3]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know;

Year: 7777 = Refused to answer, 8888 = Don't know]

Interviewer instructions: If outcome [OUTCM1N3] was "Live birth," then go to G7c; otherwise skip to G8 if G4>3 or skip to Say box before G10 if G4=3.

**Inconsistency check:** [PDTE3N3] cannot be earlier than [DOB\_13] or earlier than [POS1S\_9] (date first tested positive).

### QDS programming note:

MMP Standard Questionnaire Gynecological and Reproductive History

Allow a blank response for month. If [PDTE3N3] < [DOB\_13] then READ: "The outcome date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance. If [PDTE3N3] < [POS1S\_9] then READ: "The outcome date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance. If month is blank for PDTE3N3, use the year values for the validation.

#### G7c. Was the child diagnosed with HIV? [READ CHOICES. CHECK ONLY ONE.] [KID3HVN3]

No	
Yes	
Indeterminate	
Refused to answer	
Don't know	

### Interviewer instructions: If G4>3 go to G8, else skip to Say box before G10.

### G7d. What is your due date? [DUDT3N3]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

### Interviewer instructions: If G4>3 go to G8, else skip to Say box before G10.

*Inconsistency check:* [DUDT3N3] cannot be earlier than [DOB 13] or earlier than [POS1S 9] (date first tested positive) or greater than 10 months after [IDATE] (interview date).

### QDS programming note:

If [DUDT3N3] < [DOB\_13] then READ: "The due date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance.

If [DUDT3N3] < [POS1S\_9] then READ: "The due date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance.

If [DUDT3N3] > 10 months after [IDATE] then READ: "The due date cannot be more than 10 months after the interview date. Please re-enter date." Do not allow the program to advance.

#### For the **4**<sup>th</sup> **pregnancy** since testing positive for HIV, were you trying to get pregnant? G8. [INTNT4N3]

MMP Standard Questionnaire Gynecological and Reproductive History

150

Yes	1
Refused to answer	7
Don't know	8 🗆 8

G8a. What was the outcome of this pregnancy? [READ CHOICES. CHECK ONLY ONE.] [OUTCM4N3]

Currently pregnant	$\square_1 \implies$ Skin to G8d
Live birth	
Stillbirth	
Miscarriage	
Abortion	
Refused to answer	
Don't know	

G8b. In what month and year did this outcome occur? [PDTE4N3]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Interviewer instructions: If outcome [OUTCM4N3] was "Live birth," then go to G8c; otherwise skip to G9 if G4>4 or skip to Say box before G10 if G4=4.

*Inconsistency check:* [DUDT4N3] cannot be earlier than [DOB 13] or earlier than [POS1S 9] (date first tested positive).

QDS programming note:

Allow a blank response for month.

If [PDTE4N3] < [DOB\_13] then READ: "The outcome date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance. If [PDTE4N3] < [POS15\_9] then READ: "The outcome date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance. If month is blank for PDTE4N3, use the year values for the validation.

Was the child diagnosed with HIV? [READ CHOICES. CHECK ONLY ONE.] [KID4HVN3] G8c.

No	
Yes	
Indeterminate	
Refused to answer	
Don't know	

MMP Standard Questionnaire Gynecological and Reproductive History

### Interviewer instructions: If G4>4 go to G9, else skip to Say box before G10.

G8d. What is your due date? [DUDT4N3]

Interviewer instructions: If G4>4 go to G9, else skip to Say box before G10.

*Inconsistency check:* [PDTE4N3] cannot be earlier than [DOB\_13] or earlier than [POS1S\_9] (date first tested positive) or greater than 10 months after [IDATE] (interview date).

QDS programming note: If [DUDT4N3] < [DOB\_13] then READ: "The due date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance. If [DUDT4N3] < [POS1S\_9] then READ: "The due date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance.

If [DUDT4N3] > 10 months after [IDATE] then READ: "The due date cannot be more than 10 months after the interview date. Please re-enter date." Do not allow the program to advance.

# G9. For the 5<sup>th</sup> pregnancy since testing positive for HIV, were you trying to get pregnant? [INTNT5N3]

NoE	0
Yes	] 1
Refused to answer	] 7
Don't know	8

G9a. What was the outcome of this pregnancy? [READ CHOICES. CHECK ONLY ONE.] [OUTCM5N3]

Currently pregnant	 Skip to G9d
Live birth	 ,
Still birth	
Miscarriage	
Abortion	
Refused to answer	
Don't know	

MMP Standard Questionnaire Gynecological and Reproductive History

### G9b. In what month and year did this outcome occur? [PDTE5N3]

$$(M M / Y Y Y)$$
 [Month: 77 = Refused to answer, 88= Don't know;  
Year: 7777 = Refused to answer, 8888 = Don't know]

Interviewer instructions: If outcome [OUTCM5N3] was "Live birth," then go to G9c; otherwise skip to Say box before G10.

**Inconsistency check:** [PDTE5N3] cannot be earlier than [DOB\_13] or earlier than [POS1S\_9] (date first tested positive).

QDS programming note:

Allow a blank response for month.

If [PDTE5N3] < [DOB\_13] then READ: "The outcome date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance.

If [PDTE5N3] < [POS15\_9] then READ: "The outcome date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance. If month is blank for PDTE5N3, use the year values for the validation.

G9c. Was the child diagnosed with HIV? [READ CHOICES. CHECK ONLY ONE.] [KID5HVN3]

No	
Yes	
Indeterminate	
Refused to answer	
Don't know	

Interviewer instructions: If outcome [OUTCM5N3] was "Currently pregnant," then go to G9d; otherwise skip to Say box before G10.

G9d. What is your due date? [DUDT5N3]

*Inconsistency check:* [DUDT5N3] cannot be earlier than [DOB\_13] or earlier than [POS1S\_9] (date first tested positive) or greater than 10 months after [IDATE] (interview date).

MMP Standard Questionnaire Gynecological and Reproductive History

QDS programming note:

If [DUDT5N3] < [DOB\_13] then READ: "The due date cannot be earlier than respondent's date of birth. Please re-enter date." Do not allow the program to advance.

If [DUDT5N3] < [POS15\_9] then READ: "The due date cannot be earlier than the date of respondent's first positive HIV test. Please re-enter date." Do not allow the program to advance.

If [DUDT5N3] > 10 months after [IDATE] then READ: "The due date cannot be more than 10 months after the interview date. Please re-enter date." Do not allow the program to advance.

**SAY: "**Now I'm going to switch gears and ask you a question about HIV care."


G10. During the **past 12 months**, have you received *HIV care* at an OBGYN or gynecological clinic? [GYNECARE]

No	
Yes	
Refused to answer	
Don't know	

MMP Standard Questionnaire Gynecological and Reproductive History

### Health Conditions and Preventive Therapy (C)

**SAY:** "Now I'm going to ask you some questions about your CD4 counts also called T-cell counts. A CD4 test measures how your body is fighting HIV."



### C1a. What was the month and year of your **first** CD4 count? [CD4FM\_9]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

Inconsistency check: Confirm response if C1a (date of first CD4 count) is <u>earlier</u> than A6 (date of first visit to a provider for HIV care) or <u>later</u> than A7 (date of most recent visit to a provider for HIV care.)

QDS programming note for C1a: If C1a (date of first CD4 count) is <u>earlier</u> than the A6 (date of first visit to a provider for HIV care), display the following confirmatory response: "Respondent said that date of first CD4 count was earlier than date first went to a HIV provider. Confirm response." Allow program to advance. If C1a (date of first CD4 count) is <u>later</u> than the A7 (most recent care visit), display the following confirmatory response: "Respondent said that date of first CD4 count was later than date of most recent visit to an HIV provider. Confirm response." Allow program to advance. Allow a blank response for month.

SAY: "For the next two questions we will use Response Card O."

C1b.	. What was the result of your <b>first</b> CD4 count? [CD4FCT_9]	
	0–49	□1
	50-99	□2
	100-199	□з
	200-349	□4
	350-499	🗆 5
	500 or more	□6
	Refused to answer	
	Don't know	🗆 8

MMP Standard Questionnaire Health Conditions and Preventive Therapy

C1c.	What was the result of your <b>lowest</b> CD4 count? [CD4LOW_9]	
	0-49	
	50-99	
	100-199	
	200-349	
	350-499	
	500 or more	
	Refused to answer	
	Don't know	

Inconsistency check: C1c CD4LOW\_9 cannot be <u>higher</u> than C1b CD4FCT\_9.

QDS programming note: If C1c is higher than C1b, display the following message: "The result of lowest CD4 count cannot be higher than the result of first CD4 count." Display message to interviewer: Interviewer: Please verify the response. Allow a blank response for month for C2.

C2. What was the month and year of your **most recent** CD4 count? [CD4MR11]

 $\frac{1}{(M M / Y Y Y)} = \frac{1}{[Month: 77 = Refused to answer, 88 = Don't know;}$ Year: 7777 = Refused to answer, 8888 = Don't know]

Inconsistency check: Date cannot be <u>earlier</u> than C1a [CD4FM\_9]. If date of most recent CD4 count is earlier than C1a [CD4FM\_9], display following message: "The date of the most recent CD4 count is earlier than the date of the first CD4 count. Display message to interviewer: Interviewer: Please verify the response. Date cannot be later than I4 (date of interview). Interviewer return to previous question (C1a).

SAY: "Please use Response Card O again."

C2a.	What was the result of your most recent CD4 count? [CDRMR_11]	
	0-49	
	50-99	
	100–199	
	200-349	
	350-499	
	500 or more	
	Refused to answer	
	Don't know 8	

MMP Standard Questionnaire Health Conditions and Preventive Therapy

**SAY:** "Now I'm going to ask you about CD4 counts during the **past 12 months**. Remember, that is from last year, (**DATE WITH PREVIOUS YEAR**) to now (**INTERVIEW DATE**)."

QDS programming note for Say box before C3: The QDS program should enter the appropriate dates. EXAMPLE: If IDATE is 11/11/2014 then the program should read "That is from last year, 11/11/2013 to now 11/11/2014."

### C3. During the past 12 months, how many CD4 counts have you had? [CD12\_N\_9]

[77=

[77=Refused to answer, 88=Don't know]

Inconsistency check: C3 (number of CD4 counts in the past 12 months) must be ≤ 76. C3 cannot be 0 if C1a or C2 responses were during the past 12 months.

QDS programming note, If C3 is 0 and C1a or C2 are during the past 12 months, then display the following message: "You said earlier that you had a CD4 count during the past 12 months." Display message to interviewer: "Interviewer, please verify the response." Interviewer return to previous question (C2).

**SAY:** "Now I'm going to ask you some questions about HIV viral load tests. HIV viral load tests measure the amount of HIV in your blood."

C4.	Have you <b>ever</b> had an HIV viral load test? [VL_DO_9]		
	No		Skip to Say box before C7
	Yes	1	before C7
	Refused to answer		
	Don't know		Skip to Say box Defore C7

C5. What was the month and year of your **most recent** viral load? [VLMR\_11]

(M M / Y Y Y) [Month: 77 = Refused to answer, 88= Don't know; Year: 7777 = Refused to answer, 8888 = Don't know]

QDS programming note for C5: allow a blank response for month.

### SAY: "Please use Response Card P."

MMP Standard Questionnaire Health Conditions and Preventive Therapy

**SAY:** "Now I'm going to ask you about your viral load tests during the **past 12 months**. That is from last year (**DATE WITH PREVIOUS YEAR**) to now (**INTERVIEW DATE**)."

QDS programming note for Say box before C6: The QDS program should enter the appropriate dates. EXAMPLE: If IDATE is 11/11/2014 then the program should read "That is from last year, 11/11/2013 to now 11/11/2014."

C6. During the past 12 months, how many viral load tests have you had? [VL12\_N\_9]

\_\_\_\_ [77=Refused to answer, 88=Don't know]

Inconsistency check: C6 (number of viral load tests) must be ≤ 76.

QDS programming note, If C6 is 0 and C5 is during the past 12 months, then display the following message: "You said earlier that you had a viral load test during the past 12 months." Display message to interviewer: "Interviewer, please verify the response." Interviewer return to previous question (C5).

**SAY:** "The next question is about hepatitis, an infection of the liver. There are vaccines or shots to prevent hepatitis. I'm going to ask you whether you've had these vaccines. Don't include shots that you may have had **after** contact with someone who had Hepatitis A or B."

### C7. Have you ever had a vaccine or shot to prevent hepatitis? [HEPVAC\_9]

No	
Yes	
Refused to answer	
Don't know	

### SAY: "Now I am going to ask you about tuberculosis, also called TB."

## C8. Have you **ever** had a skin test for TB, sometimes called a PPD, or a blood test for TB? [TESTPN13]

MMP Standard Questionnaire Health Conditions and Preventive Therapy

No 0 Yes 1	Skip to Say box before C9
Refused to answer	
Don't know 8	Skip to Say box before C9

### C8a. What month and year did you have your **most recent** TB skin or blood test? [PPDMYN3]

/
(M M / Y Y Y Y) [Month: 77 = Refused to answer, 88= Don't know;
Year: 7777 = Refused to answer. 8888 = Don't know

QDS programming note for C8a: allow a blank response for month.

Inconsistency check: C8a (date of most recent TB test) cannot be <u>earlier</u> than the [DOB\_13] or <u>later</u> than the I4 (date of interview).

### C8b. Have you ever had a positive skin test or blood test for TB? [PP\_PSN13]

No	
Yes	
Refused to answer	
Don't know	

**SAY:** "TB can live in the body for a long time without making a person sick, and the only way we might know about it is through a skin or blood test. When TB does make a person sick, we call it *'active TB.'''* 

#### C8c. Have you ever been diagnosed with active TB? [ACTVTBN3]

No	0
Yes	1
Refused to answer	7
Don't know	8

**SAY:** "Now I'm going to ask about vaccinations. To begin, I'm going to ask about the human papillomavirus or HPV vaccine. Other names for this vaccine are Gardasil and Cervarix."

### C13. Have you ever had a vaccine for HPV? [HPV\_EVR]

No	. 🗌 0
Yes	. 🗆 1
Refused to answer	. 🗆 7
Don't know	. 🗆 8

MMP Standard Questionnaire Health Conditions and Preventive Therapy

# C14. During the **past 12 months**, did you get a vaccine or shot to protect you from seasonal flu? [VACFL\_10]

No	$\Longrightarrow$	Skin to C14h
Yes		
Refused to answer		
Don't know 🗆 8		Skip to C15

C14a. Where did you get your most recent seasonal flu vaccine? [READ CHOICES. CHECK ONLY ONE.] [LOCVA\_10]

Doctor's office	
Health department clinic	2
Drugstore or store (i.e. CVS, Walgreens, Targe	<b>t)</b> Дз
Employer	4
Other (Specify:	)
Refused to answer	
Don't know	

Interviewer instructions: Skip to C15.

C14b. What was the main reason you did not get a seasonal flu vaccine during the past 12 months? [DO NOT READ CHOICES.] [C13B\_FLU]

I could not find a place that offered the vaccine	. 🗆 1
My provider did not offer me the vaccine	2
I was concerned about side effects from the vaccine	. 🔲 3
I was concerned about the safety of the vaccine	. 4
I did not think I needed it	. 🔲 5
I did not have enough insurance or money	. 🗌 6
Other (Specify)	7 [C13B_FOS]
Refused to answer	. 77
Don't know	. 🗌 88

**SAY:** "For the last few questions of the interview, I'm going to ask about different conditions you may or may not have and difficulties that you may or may not experience. Some of these things may seem obvious to you, but please answer the following questions."

### C15. Are you deaf or do you have serious difficulty hearing? [DISDEFN3]

No		0
Yes	$\Box$	1
Refused to answer		7
Don't know		8

MMP Standard Questionnaire Health Conditions and Preventive Therapy

160

C16.	Are you blind or do you have serious difficult [DISBLNN3]	y seeing, even when wearing glasses?
	No	🗖 o
	Yes	
	Refused to answer	
	Don't know	
C17.	Because of a physical, mental, or emotional c	ondition, do you have serious difficulty
	concentrating, remembering, or making decis	sions? [DISCONN3]
	No	
	Yes	
	Refused to answer	
	Don't know	
C18.	Do you have serious difficulty walking or clim	bing stairs? [DISWLKN3]
	No	🗆 o
	Yes	
	Refused to answer	
	Don't know	
C19.	Do you have difficulty dressing or bathing? [D	ISDRSN3]
	No	
	INO	
	Yes	_
	Yes	1 
C20.	Yes Refused to answer	□ 1 □ 7 □ 8
C20.	Yes Refused to answer Don't know	nondition, do you have difficulty doing
C20.	Yes Refused to answer Don't know Because of a physical, mental, or emotional o	in the second se
C20.	Yes Refused to answer Don't know Because of a physical, mental, or emotional of errands alone such as visiting a doctor's office	in the second se

MMP Standard Questionnaire Health Conditions and Preventive Therapy

### Interview Completion (E)

### **End of Interview**

**SAY:** "Thank you again for taking part in this interview. Please remember that all the information you have given me will be kept confidential."

### Interviewer instructions:

Offer assistance with information and resources, according to local protocol.

Don't pay the respondent if the respondent already participated in an MMP interview during the 2014 data collection cycle OR the respondent is <u>less than</u> 18 years old.

Pay the respondent if the respondent's first HIV positive test was <u>after</u> the PDP, OR the interview was partially or fully completed.

### **Payment Verification**

Interviewer instructions: if I5 is "telephone interview," go to E1; otherwise skip to E2.		
E1.	Have arrangements for payment been made? [ARRANGE] No	
Intervi	res 1 wer instructions: Skip to E4.	
E2.	Payment made: [PAYMENT]           No	Skip to E3
E2a.	Why was payment not made? [PAYNMAD] Participant refused payment	Skip to E4
E3.	Receipt signed (or initialed): [RECEIPT] No	Skip to E4

MMP Standard Questionnaire Interview Completion

E3a.	Why was receipt not signed? [RECNS]	
	Participant refused to sign	
	<b>Other (Specify:)</b>	
	[ORECEI]	

### Data Validity

E4.	How confident are you of the validity of the respondent's answers? [CONF]
	Confident
	Some doubts
	Not confident at all
E5.	Record any additional comments, including disruptions that might have taken place
	during the interview, reason the interview might have been stopped, or why the
	respondent's answers may not have been reliable. [ADDCOM1]

QDS programming note for E4: Include a NA response option if Interviewers do not have any additional comments.

MMP Standard Questionnaire Interview Completion

### Response cards

Monthly Income		Year	<u>Yearly Income</u>	
a.	\$0 to \$416	n.	\$0 to \$4,999	
b.	\$417 to \$833	0.	\$5,000 to \$9,999	
c.	\$834 to \$1041	р.	\$10,000 to \$12,499	
d.	\$1042 to \$1249	q.	\$12,500 to \$14,999	
e.	\$1250 to \$1666	r.	\$15,000 to \$19,999	
f.	\$1667 to \$2083	S.	\$20,000 to \$24,999	
g.	\$2084 to \$2499	t.	\$25,000 to \$29,999	
h.	\$2500 to \$2916	u.	\$30,000 to \$34,999	
i.	\$2917 to \$3333	۷.	\$35,000 to \$39,999	
j.	\$3334 to \$4166	` w.	\$40,000 to \$49,999	
k.	\$4167 to \$4999	х.	\$50,000 to \$59,999	
I.	\$5000 to \$6250	у.	\$60,000 to \$74,999	
m.	\$6250 or more	z.	\$75,000 or more	

### **RESPONSE CARD B**

I asked them <u>not to tell any</u> of my partners

I asked them to tell only some of my partners

I asked them to tell all of my partners

I told them that I didn't have any partners

### **RESPONSE CARD C**

Always		
Often		
Sometimes		
Occasionally		
Never		

### **RESPONSE CARD D**

Extremely		
Quite a bit		
Somewhat		
A little bit		
Not at all		

### **RESPONSE CARD E**

Never	
Occasionally	
Sometimes	
Often	
Always	

### **RESPONSE CARD F**

lever
Rarely
About half of the time
Aost of the time
Always

### RESPONSE CARD G

Within the past <b>week</b>	
1–2 <b>weeks</b> ago	
3-4 <b>weeks</b> ago	
1–3 <b>months</b> ago	
More than 3 <b>months</b> ago	
Never skip medicines	

### **Response CARD H**

Never Rarely About half of the time Most of the time Always

Been on medications less than 30 days

### **RESPONSE CARD I**

Not at all sure Somewhat sure

Very sure

Extremely sure

### **RESPONSE CARD J**

Very dissatisfied

Somewhat dissatisfied

Somewhat satisfied

Very satisfied

### **RESPONSE CARD K**

Not at all A little Somewhat A lot

### **RESPONSE CARD L**

Somewhat disagree Neutral Somewhat agree Strongly agree	Strongly disagree		
Somewhat agree	Somewhat disagree		
	Neutral		
Strongly agree	Somewhat agree		
	Strongly agree		

### **RESPONSE CARD M**

Daily Weekly Monthly Less than Monthly Never

### ALCOHOL RESPONSE CARD



### **RESPONSE CARD N**

Not at all

### Several days

More than half the days

Nearly every day

### **R**ESPONSE CARD **O**

0-49 50-99 100-199 200-349 350-499 500 or more

### **RESPONSE CARD P**

Below the level of detection, undetectable

Detectable but less than 5,000 viral copies/ml

5,000 to 100,000 viral copies/ml

Greater than 100,000 viral copies/ml

### 2013 Calendar

January							
S	М	Т	W	R	F	S	
		1	2	3	4	5	
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31			

	February							
S	М	F	S					
					1	2		
3	4	5	6	7	8	9		
10	11	12	13	14	15	16		
17	18	19	20	21	22	23		
24	25	26	27	28				

May

W

S

26

Μ

Т

1	•	5		1.1	•	••	•	•	
	1	2						1	
7	8	9	3	4	5	6	7	8	
14	15	16	10	11	12	13	14	15	
21	22	23	17	18	19	20	21	22	
28			24	25	26	27	28	29	
			31						
			June						
R	F	S	S	М	Т	W	R	F	
2	3	4							
9	10	11	2	3	4	5	6	7	
16	17	18	9	10	11	12	13	14	
23	24	25	16	17	18	19	20	21	
30	31		23	24	25	26	27	28	
			30						
t			September						

	April						
S	М	Т	W	R	F	S	
	1	2	3	4	5	6	
7	8	9	10	11	12	13	
14	15	16	17	18	19	20	
21	22	23	24	25	26	27	
28	29	30					

July

W

October

W

R

R

F

F

S

S

S

S

Μ

Μ

Т

Т

26	27	28	29	30	31			
		Α	ugus	t				
S	М	Т	W	R	F	S		
				1	2	3		
4	5	6	7	8	9	10		
11	12	13	14	15	16	17		
18	19	20	21	22	23	24		

27	28	29	30		
November					

S	М	Т	W	R	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

9	10	11	12	13	14	15								
16	17	18	19	20	21	22								
23	24	25	26	27	28	29								
30														
September														
S	М	Т	W	R	F	S								
1	2	3	4	5	6	7 14								
8	9	10	11	12	13									
15	16	17	18	19	20	21								
22	23	24	25	26	27	28								
29	30													
	December													
S	S M		W	R	F	S								
1	2	3	4	5	6	7								
8	9	10	11	12	13	14								

March

F

S

S M T W R

## 2014 Calendar

January								February								March						
S	М	Т	W	R	F	S		S	М	Т	W	R	F	S	S	М	Т	W	R	F	S	
			1	2	3	4								1							1	
5	6	7	8	9	10	11		2	3	4	5	6	7	8	2	3	4	5	6	7	8	
12	13	14	15	16	17	18		9	10	11	12	13	14	15	9	10	11	12	13	14	15	
19	20	21	22	23	24	25		16	17	18	19	20	21	22	16	17	18	19	20	21	22	
26	27	28	29	30	31			23	24	25	26	27	28		23	24	25	26	27	28	29	
																31						
April							Мау							June								
S	М	Т	W	R	F	S		S	М	Т	W	R	F	S	S	М	Т	W	R	F	S	
		1	2	3	4	5						1	2	3	1	2	3	4	5	6	7	
6	7	8	9	10	11	12		4	5	6	7	8	9	10	8	9	10	11	12	13	14	
13	14	15	16	17	18	19		11	12	13	14	15	16	17	15	16	17	18	19	20	21	
20	21	22	23	24	25	26	-	18	19	20	21	22	23	24	22	23	24	25	26	27	28	
27	28	29	30					25	26	27	28	29	30	31	29	30						
July								August							September							
S	М	Т	W	R	F	S	5	S	М	Т	W	R	F	S	S	М	Т	W	R	F	S	
		1	2	3	4	5							1	2		1	2	3	4	5	6	
6	7	8	9	10	11	12	3	3	4	5	6	7	8	9	7	8	9	10	11	12	13	
13	14	15	16	17	18	19	1	10	11	12	13	14	15	16	14	15	16	17	18	19	20	
20	21	22	23	24	25	26	1	17	18	19	20	21	22	23	21	22	23	24	25	26	27	
27	28	29	30	31				24	25	26	27	28	29	30	28	29	30					
							3	31														
		0	ctob	er			November						December									
S	М	Т	W	R	F	S	5	S	М	Т	W	R	F	S	S	М	Т	W	R	F	S	
			1	2	3	4								1		1	2	3	4	5	6	
5	6	7	8	9	10	11		2	3	4	5	6	7	8	7	8	9	10	11	12	13	
12	13	14	15	16	17	18		9	10	11	12	13	14	15	14	15	16	17	18	19	20	
19	20	21	22	23	24	25		16	17	18	19	20	21	22	21	22	23	24	25	26	27	
<b>26</b> 27 28 29 30 31								23	24	25	26	27	28	29	28	29	30	31				
							3	30														