

BLKWebCATIFront

Tag / Name	A1 INTRO
Field Description	Interviewer asks to speak to the Census respondent.
Universe	
Form Pane Label	Intro
Question Text	<p>Read if incoming call: Thank you for returning our call.</p> <p>Hello, I'm (your Name) from the U.S. Census Bureau. We recently conducted the 2015 National Content Test. Now we're doing a study to find out how well we did our job. This interview should take about 7 minutes to complete.</p> <p>May I speak with <the person who completed the 2015 National Content Test form /<RNAME>>?</p>
Spanish question	<p>Read if incoming call: Gracias por devolvernos la llamada.</p> <p>Buenos días/Buenas tardes, soy (su Nombre) de la Oficina del Censo de los EE.UU. Recientemente llevamos a cabo la Prueba Nacional del Contenido del 2015 . Ahora estamos realizando un estudio para saber cuan bien hicimos nuestro trabajo. Debe tomar alrededor de 7 minutos completar esta entrevista.</p> <p>¿Puedo hablar con <la persona que completó el formulario de la Prueba Nacional del Contenido del 2015 /<RNAME>>?</p>
Input Options	<p>1-Yes, speaking with the correct person. 2- Yes, correct person comes to the phone. 3-No, correct person is not available now 4-Census Respondent permanently unavailable 5-Other outcome Don't Know Refused</p> <p>Blank is not an option on this screen.</p>
Spanish input	<p>1- Sí, hablo con la persona correcta. 2- Sí, la persona correcta viene al teléfono. 3- No, la persona correcta no está disponible ahora. 4- Respondedor del Censo no está disponible permanentemente. 5- Otro resultado.</p>
Fill Instructions	<p>If RNAME = blank, display "the person who completed the 2015 National Content Test form" Else display "<RNAME>"</p>
Spanish fill instructions	<p>If RNAME = blank, display "la persona que completó el formulario de la Prueba Nacional del Contenido del 2015 " Else display "<RNAME>"</p>
Skip Instructions	<p>Set Instructions Set CONTACTCOUNT = CONTACTCOUNT + 1 if valid response given</p> <p>Skip Instructions: If <1,2> GOTO RESIDENT Else if <4> GOTO KNOWL_RESP Else if <3, DK, RF> and CONTACTCOUNT > 1 GOTO KNOWL_RESP</p>

	Else if <3, DK, RF> and CONTACTCOUNT <1, > GOTO CALLBACK Else if <5> GOTO THANK
Special Instructions	Can RNAME come from SCIF or back of instrument? Do I need a separate variable name for the name from the SCIF or the name collected when scheduling an appointment? Can we get the data from the instrument front and back in the output data files?

Tag / Name	A2 – KNOWL_RESP
Field Description	Determine if knowledgeable respondent is available
Universe	INTRO <3, DK, RF> and CONTACTCOUNT>1 OR INTRO=4
Form Pane Label	Someone else
Question Text	I need to speak with someone at least 15 years old who lives here and knows about the people in this household. Would that be you?
Spanish question	Necesito hablar con alguien que tenga al menos 15 años de edad, que viva aquí y conozca acerca de las personas en este hogar. ¿Sería usted esa persona?
Input Options	1-Yes, knowledgeable person is on phone 2-Yes, new person comes to phone 3-Yes, but not available now 4-No Don't Know Refused Blank is not an option on this screen.
Spanish input	1- Sí, persona conocedora está en el teléfono 2- Sí, nueva persona viene al teléfono 3- Sí, pero no está disponible ahora 4-No
Fill Instructions	
Skip Instructions	Skip Instructions: – If KNOWL_RESP=1,2, goto RESIDENT – If KNOWL_RESP= 4, DK, RF, goto SOMEONE_ELSE – Else, goto CALLBACK
Special Instructions	

Tag / Name	A3 – RESIDENT
Field Description	Determine if respondent lived at address
Universe	INTRO <1, 2> or KNOWL_RESP <1, 2>
Form Pane Label	Lived at address
Question Text	<p><Hello, I'm (your Name) from the U.S. Census Bureau. We recently conducted the 2015 National Content Test. Now we're doing a study to find out how well we did our job. This interview should take about 7 minutes to complete.></p> <p>Did you live or stay at <ADDRESS> on September 1, 2015?</p>
Spanish question	<p><Buenos días/Buenas tardes, soy (su Nombre) de la Oficina del Censo de los EE.UU. Recientemente llevamos a cabo la Prueba Nacional del Contenido del 2015. Ahora estamos realizando un estudio para saber cuan bien hicimos nuestro trabajo. Debe tomar alrededor de 7 minutos completar esta entrevista.></p> <p>¿Vivía o se quedaba usted en <ADDRESS> el 1 de septiembre de 2015 ?</p>
Input Options	<p>1-Yes 2 - No Don't Know Refused</p> <p>Blank is not an option on this screen.</p>
Spanish input	<p>1 – Sí 2 - No</p>
Fill Instructions	<p>If INTRO = 2 or KNOWL_RESP=2 display “Hello, I'm (your Name) from the U.S. Census Bureau. We recently conducted the 2015 National Content Test. Now we're doing a study to find out how well we did our job. This interview should take about 7 minutes to complete.”</p> <p>Else display blank</p>
Spanish fill instructions	<p>If INTRO = 2 or KNOWL_RESP=2 display “Buenos días/Buenas tardes, soy (su Nombre) de la Oficina del Censo de los EE.UU. Recientemente llevamos a cabo la Prueba Nacional del Contenido del 2015. Ahora estamos realizando un estudio para saber cuan bien hicimos nuestro trabajo. Debe tomar alrededor de 7 minutos completar esta entrevista.”</p> <p>Else display blank</p>
Skip Instructions	<p>Skip Instructions:</p> <ul style="list-style-type: none"> - If RESIDENT=1 goto INTRO2 - Else, goto SOMEONE_ELSE
Special Instructions	

Tag / Name	A4 – SOMEONE_ELSE
Field Description	Determine if someone who lived at address is available
Universe	KNOWL_RESP <4, DK, RF> or RESIDENT <2, DK, RF>
Form Pane Label	Anyone at address
Question Text	Is there anyone living or staying there now who stayed at <ADDRESS> on September 1, 2015?
Spanish question	¿Actualmente vive o se queda ahí alguna persona que se quedó en <ADDRESS> el 1 de septiembre de 2015?
Input Options	1-Yes, new person comes to phone 2-Yes, but not available now 3-No Don't Know Refused Blank is not an option on this screen.
Spanish input options	1- Sí, nueva persona viene al teléfono 2- Sí, pero no está disponible ahora 3-No
Skip Instructions	Skip Instructions: – If SOMEONE_ELSE=1, goto INTRO2 – If SOMEONE_ELSE=3, goto THANK – Else, goto CALLBACK
Special Instructions	

Tag / Name	A5 INTRO2
Field Description	Survey introduction.
Universe	RESIDENT = 1 or SOMEONE_ELSE = 1
Form Pane Label	Received letter
Question Text	<p><Hello, I'm (your Name) from the U.S. Census Bureau. We recently conducted the 2015 National Content Test. Now we're doing a study to find out how well we did our job. This interview should take about 7 minutes to complete.></p> <p>This interview may be recorded for quality assurance purposes. Do I have your permission to record this interview?</p> <p>◆ If respondent indicates they do not wish to be recorded, please click on XXXX stop recording button located in your CTI Toolkit Agent Desktop.</p> <p>◆ Enter 1 to continue.</p>
Spanish question	<p>< Buenos días/Buenas tardes, soy (su Nombre) de la Oficina del Censo de los EE.UU. Recientemente llevamos a cabo la Prueba Nacional del Contenido del 2015. Ahora estamos realizando un estudio para saber cuan bien hicimos nuestro trabajo. Debe tomar alrededor de 7 minutos completar esta entrevista.></p> <p>Esta entrevista se podrá grabar con el fin de garantizar la calidad. ¿Me da permiso para grabar esta entrevista?</p> <p>◆Si el respondedor indica que no quiere que lo graben, haga clic en XXXX el botón de detener la grabación que se encuentra en su CTI Toolkit Agent Desktop.</p> <p>◆ Entre 1 para continuar.</p>
Input Options	<p>1-Continue Don't Know Refused</p> <p>Blank is not an option on this screen.</p>
Spanish input	1- Continúe
Fill Instructions	<p>If SOMEONE_ELSE=1 display "Hello, I'm (your Name) from the U.S. Census Bureau. We recently conducted the 2015 National Content Test. Now we're doing a study to find out how well we did our job. This interview should take about 7 minutes to complete."</p> <p>Else display blank</p>
Spanish Fill Instructions	<p>If SOMEONE_ELSE=1 display "Buenos días/Buenas tardes, soy (su Nombre) de la Oficina del Censo de los EE.UU. Recientemente llevamos a cabo el Censo del 2010. Ahora estamos realizando un estudio para saber cuan bien hicimos nuestro trabajo. Debe tomar alrededor de 7 minutos completar esta entrevista."</p>

	Else display blank
Skip Instructions	Skip Instructions: GOTO TITLE13
Special Instructions	

Tag / Name	A6 TITLE13
Field Description	Confidentiality information.
Universe	INTRO2 = 2, DK, RF
Form Pane Label	Title 13
Question Text	<p>Your response to this survey is protected by law under Title 13 of the United States Code. This is the same law that protects your privacy. No one outside the Census Bureau will see your answers. This survey is voluntary and will take about 7 minutes.</p> <p>◆ Enter 1 to continue.</p>
Spanish question	<p>Conforme con el Título 13 del Código de los Estados Unidos, su respuesta a esta encuesta está protegida por la ley. Ésta es la misma ley que protege su privacidad. Nadie fuera de la Oficina del Censo puede ver sus respuestas. Esta encuesta es voluntaria y tomará alrededor de 7 minutos.</p> <p>◆ Entre 1 para continuar.</p>
Input Options	<p>1-Continue</p> <p>Blank is not an option on this screen.</p>
Spanish input	1- Continúe
Fill Instructions	
Skip Instructions	Skip Instructions: GOTO ROSTER1
Special Instructions	

Roster Version 1.0

BLKPreDemo.BLKName

Tag / Name	B1a – FNAME
Field Description	Collect roster first names.
Universe	
Form Pane Label	First Name
Question Text	<p><SEE FILL INSTRUCTIONS></p> <p>◆ Enter First Name.</p> <p>◆ If there are no additional people, type 999 in the first name and press enter.</p>
Spanish Question	<p><SEE SPANISH FILL INSTRUCTIONS></p> <p>◆ Entre el primer nombre.</p> <p>◆ Si no hay que listar personas adicionales, entre 999 para continuar.</p>
Input Options	String 20.
Fill Instructions	<p>If LNO=1, display: We need to make a list people of living or staying there on September 1, 2015. We want to list people where they usually live and sleep. For example, college students and armed forces personnel should be listed where they live and sleep most of the time.</p> <p>Let's start with you, what is your first name?</p> <p>If ROOMATE=1 or RELATIVE=1 or NO_PERM=1, display: Anyone else? What is that person's first name? If BABY=1, display: Any other children? What is that child's first name?</p> <p>Else if LNO=2, display: What is the first name of the next person who was living and sleeping</p>

	<p>there on September 1, 2015?</p> <p>Else display:</p> <p>Anyone else? What is that person's first name?</p>
<p>Spanish Fill Instructions</p>	<p>If LNO=1, display:</p> <p>Tenemos que hacer una lista de las personas que vivían o se quedaban allí el 1 de septiembre de 2015. Queremos listar a las personas donde usualmente viven y duermen. Por ejemplo, los estudiantes universitarios y los miembros de las Fuerzas Armadas deben listarse donde viven y duermen la mayor parte del tiempo.</p> <p>Vamos a empezar con usted, ¿cuál es su nombre?</p> <p>If ROOMATE=1 or RELATIVE=1 or NO_PERM=1, display:</p> <p>¿Hay alguien más? ¿Cuál es el nombre de esa persona?</p> <p>If BABY=1, display:</p> <p>¿Algún otro niño? ¿Cuál es el nombre de ese(a) niño(a)?</p> <p>Else if LNO=2, display:</p> <p>¿Cuál es el nombre de la siguiente persona que vivía y dormía allí el 1 de septiembre de 2015?</p> <p>Else display,</p> <p>¿Hay alguien más? ¿Cuál es el nombre de esa persona?</p>
<p>Skip Instructions</p>	<p>Set Instructions: <i>ROSFLG</i> - Set <i>ROSFLG</i>=2 for all persons collected here</p> <p><i>DELETE</i></p>

Roster Version 1.0

	<ul style="list-style-type: none">- Set <i>DELETE</i>=0 for all persons collected here <p><i>LNO</i>:</p> <ul style="list-style-type: none">- Set <i>LNO</i>= previous <i>LNO</i> + 1 <p>Skip Instructions:</p> <ul style="list-style-type: none">- If <i>FNAME</i> =999 GOTO next BLKPreDemo.BLKRoster question- Else GOTO <i>MNAME</i>
Special Instructions	First Name: Store as <i>FNAME</i> , 20 Characters, alphanumeric

Roster Version 1.0

Tag / Name	B1b – MNAME
Field Description	Collect middle initials.
Universe	
Form Pane Label	MI
Question Text	Middle name? ♦ Enter Middle Initial.
Spanish Question	¿ Segundo nombre? ♦ Entre la inicial del segundo nombre.
Input Options	String 20. Blank, Don't Know, and Refused are options.
Fill Instructions	
Skip Instructions	Skip Instructions: – GOTO LNAME
Special Instructions	Middle Initial: Store as <i>MNAME</i> , 20 Characters, alphanumeric Don't know and refused values are stored as blanks.

Roster Version 1.0

Tag / Name	B1 – LNAME
Field Description	Collect roster last names.
Universe	
Form Pane Label	Last Name
Question Text	Last name? ♦ Enter Last Name.
Spanish Question	¿Apellido? ♦ Entre el apellido.
Input Options	String 20.
Fill Instructions	
Skip Instructions	Skip Instructions: – Create new row to collect name and GOTO FNAME of new row
Special Instructions	Last Name: Store as <i>LNAME</i> , 20 Characters, alphanumeric

Tag / Name	B3 - BABY
Field Description	Add any additional children staying the at sample address to the roster.
Universe	ROSTER2=2, DK, RF -OR- ROSTER3=999
Form Pane Label	Babies or foster children
Question Text	We do not want to miss any people who might have been staying there on April 1. Were there any additional people that you didn't mention, for example: Babies or foster children?
Spanish Question	No queremos dejar de contar a ninguna persona que pudiera haber estado quedándose allí el 1 de abril. ¿Hubieron algunas personas adicionales a las cuales usted no mencionó, por ejemplo: ¿Bebés o hijos de crianza del programa foster del gobierno?
Input Options	1-Yes 2-No Don't know Refused Blank is not an option on this screen.
Spanish Input	1 – Sí 2 - No
Fill Instructions	
Skip Instructions	– If BABY=1, goto FNAME – Else if BABY=2, DK, RF, goto RELATIVE
Special Instructions	Help: H_B3_BABY

Tag / Name	B5 -RELATIVE
Field Description	Add any additional relatives staying at the sample address
Universe	BABY=2, DK, RF -OR- FNAME and BABY=1,2,DK, RF
Form Pane Label	Additional relatives
Question Text	Were there any additional people staying there on April 1 that you haven't mentioned, for example: Any other relatives?
Spanish question	¿Hubieron alguna personas adicionales a las cuales usted no mencionó, por ejemplo: ¿Algún otro pariente?
Input Options	1-Yes 2-No Don't Know Refused Blank is not an option on this screen.
Spanish input	1 – Sí 2 - No
Fill Instructions	
Skip Instructions	– If RELATIVE=1, goto FNAME – Else if RELATIVE=2, DK, RF, goto ROOMMATE
Special Instructions	Help: H_B4_RELATIVE

Roster Version 1.0

Tag / Name	B6 - ROOMMATE
Field Description	Add any additional relatives staying at the sample address
Universe	RELATIVE=2, DK, RF -OR- NAME_REL=999
Form Pane Label	Roommates
Question Text	Were there any additional people staying there on April 1 that you haven't mentioned, for example: Roommates or other nonrelatives?
Spanish question	¿Hubieron alguna personas adicionales a las cuales usted no mencionó, por ejemplo: ¿Compañeros de cuarto o algún otro no pariente?
Input Options	1-Yes 2-No Don't Know Refused Blank is not an option on this screen.
Spanish input	1 – Sí 2 - No
Fill Instructions	
Skip Instructions	- If ROOMMATE=1, goto FNAME - Else if ROOMMATE=2, DK, RF, goto NO_PERM
Special Instructions	Help: H_B6_ROOMMATE

Roster Version 1.0

Tag / Name	B8 - NO_PERM
Field Description	Add any additional relatives staying at the sample address
Universe	ROOMMATE=2, DK, RF -OR- NAME_ROOMMATE=999
Form Pane Label	No permanent place
Question Text	How about anyone staying there on September 1st who had no other permanent place to live?
Spanish question	¿Y había alguien quedándose allí el 1 de septiembre que no tuviera otro lugar permanente donde vivir?
Input Options	1-Yes 2-No Don't Know Refused Blank is not an option on this screen.
Spanish input	1 – Sí 2 - No
Fill Instructions	
Skip Instructions	– If NO_PERM=1, goto FNAME – Else if NO_PERM=2, DK, RF, goto COLLEGE
Special Instructions	Help: H_B8_NO_PERM

Roster Version 1.0

Tag / Name	B9 -COLLEGE
Field Description	Are any people on roster living at college
Universe	NO_PERM=2, DK, RF -OR- NAME_NO_PERM=999 -OR- LNO=49
Form Pane Label	Away college or military
Question Text	Now, thinking of all the people you just mentioned, in September, <were you/was anyone> living in college housing or away for the military?
Spanish question	Ahora, pensando en todas las personas que usted acaba de mencionar, en septiembre ¿vivía (usted/alguien) en una vivienda universitaria o en otro lugar para servicio militar?
Input Options	1-Yes 2-No Don't Know Refused Blank is not an option on this screen.
Spanish input	1 – Sí 2 - No
Fill Instructions	If max LNO=1 display: were you Else display: was anyone
Spanish fill instructinos	If max LNO=1 display: usted Else display: alguien
Skip Instructions	– If COLLEGE=1 and max LNO>1, goto COLLEGE_NAME – Else if COLLEGE=1 and max LNO=1, goto THANK – Else if COLLEGE=2, DK, RF, goto INST
Special Instructions	Help: H_B9_COLLEGE

Roster Version 1.0

Tag / Name	B9a – COLLEGE_NAME
Field Description	Name of person living at college
Universe	COLLEGE=1 and more than one person on roster
Form Pane Label	Who is at college or military
Question Text	<p>Who was living in college housing or away for the military?</p> <p>Read names aloud if necessary. Enter all that apply, separate with commas. If no one is away, enter 50 to continue.</p>
Spanish question	<p>¿Quién vivía en una residencia universitaria o en otro lugar mientras estaba en el servicio militar?</p> <p>Lea en voz alta si fuera necesario. Entre todos los que apliquen, separados por comas. Si no hay nadie fuera, entre 50 para continuar.</p>
Input Options	1-49, more than one value accepted or 50 only
Fill Instructions	
Skip Instructions	<p>Set Instructions: <i>DELETE</i>: – Set <i>DELETE</i>=1 for each person selected.</p> <p>Skip Instructions: Goto INST</p>
Special Instructions	Display roster with person number, first name, middle name and last name.

Roster Version 1.0

Tag / Name	B10 -INST
Field Description	Are any people on roster institutionalized
Universe	COLLEGE=2, DK, RF -OR- COLLEGE_NAME=<1-49 or 999>
Form Pane Label	Institutionalized
Question Text	On September 1, 2015, <were you/was anyone> in a place like a nursing home or a jail or prison?
Spanish question	El 1 de septiembre de 2015, ¿se encontraba <usted/alguien> en un lugar como un hogar de convalecencia, cárcel o prisión?
Input Options	1-Yes 2-No Don't Know Refused Blank is not an option on this screen.
Spanish input	1 – Sí 2 - No
Fill Instructions	If max LNO=1 display: were you Else display: was anyone
Spanish fill instructions	If max LNO=1 display: usted Else display: alguien
Skip Instructions	– If INST=1 and max LNO>1, goto INST_NAME – If INST=1 and max LNO=1, goto THANK – Else if INST=2, DK, RF, goto RANDOMSCREEN
Special Instructions	Help: H_B11_INST

Roster Version 1.0

Tag / Name	B10a –INST_NAME
Field Description	Name of institutionalized
Universe	INST = 1
Form Pane Label	Who institutionalized
Question Text	<p>Who was living away in a place like a nursing home or jail or prison?</p> <p>Read names aloud if necessary. Enter all that apply, separate with commas. If no one is away, enter 50 to continue.</p>
Spanish question	<p>¿Quién vivía en otra parte, en un lugar como un hogar de convalecencia, o una cárcel o prisión?</p> <p>Lea en voz alta si fuera necesario. Entre todos los que apliquen, separados por comas. Si no hay nadie fuera, entre 50 para continuar.</p>
Input Options	1-49, more than one value accepted or 50 only
Fill Instructions	
Skip Instructions	<p>Set Instructions: <i>DELETE:</i> – Set <i>DELETE</i>=3 for each person selected.</p> <p>Skip Instructions: Goto RANDOMSCREEN</p>
Special Instructions	<p>Display roster with person number, first name, middle name and last name.</p> <p>If <i>DELETE</i>=1, 2 for a person, display name in gray and do not allow that person to be selected. Else display name in black.</p>

Roster Version 1.0

Tag / Name	B11 –RANDOMSCREEN
Field Description	Warn interviewer of person selection
Universe	LNO=49 OR INST=2, DK, RF INST_NAME=<1-49 or 999>
Form Pane Label	Random selection screen
Question Text	<ul style="list-style-type: none"> ◆ The instrument will now randomly select one other person in the household to collect some additional information. ◆ If there are changes that need to be made to the household, BACKUP and make the necessary changes. ◆ Enter “1” if there are NO MORE CHANGES to the household roster.
Spanish question	<ul style="list-style-type: none"> ◆ Ahora el instrumento seleccionará al azar a otra persona en la vivienda para recopilar información adicional. ◆ Si existen cambios que necesitan hacerse con respecto a la vivienda, RETROCEDA y haga los cambios necesarios. ◆ Entre “1” si NO HAY MÁS CAMBIOS a la lista de los miembros del hogar.
Input Options	1
Fill Instructions	
Skip Instructions	Goto SELECT

Roster Version 1.0

Tag / Name	B12 – SELECT
Field Description	Select 2 nd person to interview
Universe	RANDOMSCREEN
Form Pane Label	
Question Text	<p><We are going to ask for information about you and one other person in the household, <NAME_RANDOM>.</p> <p>◆ Read if necessary: We have randomly selected <NAME_RANDOM> from your household. We are selecting only one other person because we want to keep the interview short. ></p> <p>◆ Enter 1 to continue.</p>
Spanish question	<p><Vamos a pedirle información sobre usted y otra persona en el hogar, <NAME_RANDOM>.</p> <p>◆ Lea si es necesario: Hemos seleccionado a <NAME_RANDOM> al azar de su hogar. Solamente estamos seleccionando a una otra persona porque queremos que la entrevista sea corta.></p> <p>◆ Entre 1 para continuar.</p>
Input Options	1
Fill Instructions	<p>Fill 1</p> <p>If PERCOUNT>2 display “We are going to ask for information about you and one other person in the household, <NAME_RANDOM>.”</p> <p>Read if necessary: We have randomly selected <NAME_RANDOM> from your household. We are selecting only one other person because we want to keep the interview short.”</p> <p>If PERCOUNT=1, 2 display blank.</p> <p>Fill 2</p> <p>Display <NAME_RANDOM></p>
Spanish fill instructions	<p>Fill 1</p> <p>If PERCOUNT>2 display “We are going to ask information about you and one other person in the household, <NAME_RANDOM>.”</p> <p>◆ Lea si es necesario: Hemos seleccionado a <NAME_RANDOM> al azar de su hogar. Solamente estamos seleccionando a una otra persona porque queremos que la entrevista sea corta.”</p> <p>If PERCOUNT=1, 2 display blank.</p> <p>Fill 2</p> <p>Display <NAME_RANDOM></p>
Skip Instructions	<p>Set Instructions:</p> <p>If PERCOUNT=2 set NAME_RANDOM=[First Name Middle Name Last Name] of randomly LNO2.</p> <p>If PERCOUNT>2 set NAME_RANDOM = [First Name Middle Name Last Name]</p>

Roster Version 1.0

	<p>of randomly selected person.</p> <p><i>PERCOUNT</i>: Count of people on the roster.</p> <ul style="list-style-type: none">- Set <i>PERCOUNT</i>=last person number (for a valid person, not last person row) minus the number of people where <i>DELETE</i>=<1, 2, 3, 4> <p>Skip Instructions:</p> <ul style="list-style-type: none">- goto AGE
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

BLKAQE

Tag / Name	C1 – AGE
Field Description	Respondent age
Universe	SELECT
Form Pane Label	Age
Question Text	<p>What was your age on September 1, 2015?</p> <ul style="list-style-type: none"> ◆ Read aloud when necessary: If you don't know the exact age, please estimate. ◆ Make sure the respondent gives the age in completed years as of September 1, 2015. Do not round up. ◆ Do not enter age in months. ◆ For babies less than 1 year old, enter 0 as the age.
Spanish question text	<p>¿Cuál era la edad de usted el 1 de septiembre de 2015?</p> <ul style="list-style-type: none"> ◆ Lea en voz alta cuando sea necesario: Si no conoce la edad exacta, haga el favor de dar un estimado. ◆ Asegúrese de que el respondedor le dé la edad en años completos al 1 de septiembre de 2015. No redondee la cifra. ◆ No entre la edad en meses. ◆ Para bebés menores de 1 año, entre 0 para la edad.
Input Options	Allow ages 0-125, Don't Know, and Refused.
Fill Instructions	
Skip Instructions	<ul style="list-style-type: none"> - If the PERCOUNT=1, goto RACE_ORIGIN - Else goto AGE_2
Special Instructions	<p>Help: H_AGE</p> <p>Only one response allowed.</p>

Tag / Name	C1a – AGE_2
Field Description	Age of randomly selected person
Universe	PERCOUNT>1 and AGE
Form Pane Label	Age
Question Text	<p>How about <NAME_RANDOM>? (What was <NAME_RANDOM>'s age on September 1, 2015?)</p> <ul style="list-style-type: none"> ◆ Read aloud when necessary: If you don't know the exact age, please estimate. ◆ Make sure the respondent gives the age in completed years as of September 1, 2015. Do not round up. ◆ Do not enter age in months. ◆ For babies less than 1 year old, enter 0 as the age.
Spanish question text	<p>¿Y <NAME_RANDOM>? (¿Cuál era la edad de <Name> el 1 de septiembre de 2015?)</p> <ul style="list-style-type: none"> ◆ Lea en voz alta cuando sea necesario: Si no conoce la edad exacta, haga el favor de dar un estimado. ◆ Asegúrese de que el respondedor le dé la edad en años completos al 1 de septiembre de 2015. No redondee la cifra. ◆ No entre la edad en meses. ◆ Para bebés menores de 1 año, entre 0 para la edad.
Input Options	Allow ages 0-125, Don't Know, and Refused.
Fill Instructions	1. Fill 1 Display: <NAME_RANDOM>
Skip Instructions	– Goto REL
Special Instructions	Help: H_AGE Only one response allowed.

Tag / Name	C2 – REL
Field Description	Obtain relationship for HH member in multi-person HH.
Universe	AGE_2
Form Pane Label	Relationship
Question Text	How is <NAME_RANDOM> related to you? Is <name> your opposite-sex husband, wife, or spouse; opposite-sex unmarried partner; same-sex husband, wife, or spouse; same-sex unmarried partner; son or daughter; brother or sister; father or mother; grandchild; or something else?
Spanish question text	¿Cómo está relacionado(a) <NAME_RANDOM> con usted?
Input Options	<p>1-Opposite-sex husband/wife/spouse 2-Opposite-sex unmarried partner 3-Same-sex husband/wife/spouse 4-Same-sex unmarried partner 5-Son or daughter 6- Brother or sister 7- Father or mother 8-Grandchild 9-Other Don't Know Refused</p> <p>Blank is not an option on this screen.</p>
Spanish input options	<p>1-Esposo/esposa del sexo opuesto 2-Pareja no casada del sexo opuesto 3-Esposo/esposa del mismo sexo 4-Pareja no casada del mismo sexo 5-Hijo o hija 6- Hermano(a) 7- Padre o madre 8-Nieto(a) 9-Otro</p>
Fill Instructions	<p>Fill 1</p> <ul style="list-style-type: none"> • Display: <NAME_RANDOM>
Set Instructions	
Skip Instructions	<ul style="list-style-type: none"> - If REL=2, goto REL2 - If REL=9, goto REL3 - Else goto SEX -

Special Instructions	Help: H_RELATIONSHIP
-------------------------	----------------------

Tag / Name	C2a – REL2
Field Description	Obtain more information on relationship in a telephone interview
Universe	REL=2
Form Pane Label	Type of Child
Question Text	<p>♦ Ask or verify.</p> <p>Is <NAME_RANDOM> your biological son or daughter, adopted son or daughter, OR stepson or stepdaughter?</p>
Spanish question text	<p>♦ Pregunte o verifique.</p> <p>¿Es <NAME_RANDOM> su hijo o hija biológico(a), hijo o hija adoptivo(a), o hijastro(a)?</p>
Input Options	<p>1-Biological son or daughter 2- Adopted son or daughter 3- Stepson or stepdaughter 4-Foster son or daughter (DO NOT READ) Don't Know Refused</p> <p>Blank is not an option on this screen.</p>
Spanish input options	<p>1- Hijo o hija biológico(a) 2- Hijo o hija adoptivo(a) 3- Hijastro(a) 4- Hijo(a) de crianza (NO LEA)</p>
Fill Instructions	<p>1. Fill 1</p> <ul style="list-style-type: none"> • Display: <NAME_RANDOM>
Set Instructions	
Skip Instructions	- Goto SEX
Special Instructions	Help: H_CHILD

Tag / Name	C2b – REL3
Field Description	Obtain more information on relationship in a telephone interview
Universe	REL=9
Form Pane Label	Type of Other relationship
Question Text	<p>♦ Ask or verify.</p> <p>Is <NAME_RANDOM> your parent-in-law, son-in-law or daughter-in-law, other relative, roomer or boarder, housemate or roommate, foster child, or other nonrelative?</p>
Spanish question text	<p>♦ Pregunte o verifique.</p> <p>¿Es <NAME_RANDOM> su suegro(a), yerno o nuera, otro pariente, inquilino(a), compañero(a) de casa o de cuarto, hijo de crianza U otra persona que no es pariente?</p>
Input Options	<p>1-Parent-in-law 2- Son-in-law or daughter-in-law 3- Other relative 4-Roomer or boarder 5-Housemate or roommate 6-Foster child 7-Other nonrelative Don't Know Refused</p> <p>Blank is not an option on this screen.</p>
Spanish input options	<p>1-Suegro(a) 2- Yerno o nuera 3- Otro pariente 4-Inquilino(a) 5-Compañero(a) de casa o de cuarto 6-Hijos de crianza del programa Foster del gobierno 7-Otra persona que no es pariente</p>
Fill Instructions	<p>2. Fill 1</p> <ul style="list-style-type: none"> • Display: <NAME_RANDOM>
Set Instructions	
Skip Instructions	- Goto SEX
Special	Help: H_CHILD

Instructions	
--------------	--

Tag / Name	C3 – SEX
Field Description	Obtain sex of 1 st person on roster
Universe	REL NE <2, 9> -OR- REL2 – OR- REL3
Form Pane Label	Sex1
Question Text	<p>◆ Ask or verify sex. Do not enter/record sex based upon observation or responses to other items.</p> <p>Are you male or female?</p>
Spanish question text	<p>◆ Pregunte o verifique el sexo de todas las personas. No entre/registre el sexo basándose en la observación o la respuesta a otras preguntas.</p> <p>¿Es usted de sexo masculino o femenino?</p>
Input Options	<p>1-Male 2-Female Don't Know Refused</p> <p>Blank is not an option on this screen.</p>
Spanish input options	<p>1-Sexo masculino 2-Sexo femenino</p>
Fill Instructions	<p>1. Fill 1</p> <ul style="list-style-type: none"> • Display: <NAME_RANDOM>
Skip Instructions	– Goto SEX_2
Special Instructions	<p>Help: H_SEX</p> <p>Only allow one response</p>

Tag / Name	C3 – SEX_2
Field Description	Obtain sex of randomly selected person.
Universe	REL NE 2 - OR - REL2
Form Pane Label	Sex2
Question Text	<p>◆ Ask or verify sex. Do not enter/record sex based upon observation or responses to other items.</p> <p>Is <NAME_RANDOM> male or female?</p>
Spanish question text	<p>◆ Pregunte o verifique el sexo de todas las personas. No entre/registre el sexo basándose en la observación o la respuesta a otras preguntas.</p> <p>¿Es <NAME> de sexo masculino o femenino?</p>
Input Options	<p>1-Male 2-Female Don't Know Refused</p> <p>Blank is not an option on this screen.</p>
Spanish input options	<p>1-Sexo masculino 2-Sexo femenino</p>
Fill Instructions	<p>2. Fill 1</p> <ul style="list-style-type: none"> • Display: <NAME_RANDOM>
Skip Instructions	– Goto RACE_ORIGIN
Special Instructions	<p>Help: H_SEX</p> <p>Only allow one response</p>

Tag / Name	E2 – WHITE
Field Description	White
Universe	E_INTRO
Form Pane Label	White
Question Text	Are you White?
Spanish question text	¿Es usted blanco(a)?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	
Skip Instructions	Goto BLACK
Special Instructions	Help: H_WHITE

Tag / Name	E3 – HISPANIC
Field Description	Hispanic
Universe	WHITE
Form Pane Label	Hispanic
Question Text	Are you of Hispanic, Latino, or Spanish origin, for example, Mexican, Mexican American, or Chicano; Puerto Rican; Cuban; or another Hispanic, Latino, or Spanish origin?
Spanish question text	¿Es usted de origen hispano, latino o español; por ejemplo, mexicano(a), mexicano(a) americano(a), o chicano(a); puertorriqueño(a); cubano(a); o algún otro origen hispano, latino o español?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	
Skip Instructions	Goto BLACK
Special Instructions	Help: H_HISPANIC

Tag / Name	E4 – BLACK
Field Description	Black
Universe	HISPANIC
Form Pane Label	Black
Question Text	Are you Black or African American?
Spanish question text	¿Es usted negro(a) o africano(a) americano(a)?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	
Skip Instructions	Goto ASIAN
Special Instructions	Help: H_BLACK

Tag / Name	E5 – ASIAN
Field Description	Asian
Universe	BLACK
Form Pane Label	Asian
Question Text	Are you Asian/?
Spanish question text	¿Es usted asiático(a)?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	
Skip Instructions	Goto AIAN
Special Instructions	Help: H_ASIAN

Tag / Name	E6 – AIAN
Field Description	American Indian or Alaska Native
Universe	ASIAN
Form Pane Label	American Indian or Alaska Native
Question Text	Are you American Indian or Alaska Native?
Spanish question text	¿Es usted indígena de las Américas o nativo(a) de Alaska?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	
Skip Instructions	Goto MENA
Special Instructions	Help: H_AIAN

Tag / Name	E7 – MENA
Field Description	Middle Eastern or North African
Universe	ASIAN
Form Pane Label	Middle Eastern or North African
Question Text	Are you Middle Easetern or North African?
Spanish question text	¿ Es usted del Medio Oriente o del Norte de África?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	
Skip Instructions	Goto NHOPI
Special Instructions	Help: H_MENA

Tag / Name	E8 – NHOPI
Field Description	Native Hawaiian or Other Pacific Islander
Universe	MENA
Form Pane Label	Native Hawaiian or Pacific Islander
Question Text	Are you Native Hawaiian or other Pacific Islander?
Spanish question text	¿Es usted nativo(a) de Hawaii o de otra raza u origen de las islas del Pacífico?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	
Skip Instructions	Goto OTHER
Special Instructions	Help: H_NHOPI

Tag / Name	E9 – OTHER
Field Description	Some other race
Universe	NHOPI
Form Pane Label	Some other race
Question Text	Are you some other race or origin that I haven't mentioned?
Spanish question text	¿Es usted de alguna otra raza u origen que no haya mencionado?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	
Skip Instructions	If <1> goto F_INTRO
Special Instructions	Help: H_SOR

Tag / Name	F1 - F_INTRO
Field Description	Yes/no introduction second person
Universe	USUAL and PERCOUNT>1
Form Pane Label	Continue
Question Text	Now I'm going to ask you some questions about <NAME_RANDOM>. ♦ Enter 1 to continue.
Spanish question text	Ahora le voy a hacer algunas preguntas sobre <NAME_RANDOM>. ♦ Entre 1 para continuar.
Input Options	
Fill Instructions	Fill 1 Display: <NAME_RANDOM>
Skip Instructions	goto WHITE_2
Special Instructions	

Tag / Name	F2 – WHITE_2
Field Description	White
Universe	H1
Form Pane Label	White
Question Text	Is <he/she/NAME_RANDOM> White?
Spanish question text	¿Es <él/ella/NAME_RANDOM> blanco(a)?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	Fill 1 If SEX_2=1, display: he If SEX_2=2, display: she If SEX_2=DK, RF, display: <NAME_RANDOM>
Spanish fill instructions	Fill 1 If SEX_2=1, display: él If SEX_2=2, display: ella If SEX_2=DK, RF, display: <NAME_RANDOM>
Skip Instructions	Goto HISPANIC_2
Special Instructions	Help: H_WHITE

Tag / Name	F3 – HISPANIC_2
Field Description	Hispanic
Universe	WHITE_2
Form Pane Label	Hispanic
Question Text	Is <he/she/NAME_RANDOM> of Hispanic, Latino, or Spanish origin?
Spanish question text	¿Es <él/ella/NAME_RANDOM> de origen hispano, latino o español?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	Fill 1 If SEX_2=1, display: he If SEX_2=2, display: she If SEX_2=DK, RF, display: <NAME_RANDOM>
Spanish fill instructions	Fill 1 If SEX_2=1, display: él If SEX_2=2, display: ella If SEX_2=DK, RF, display: <NAME_RANDOM>
Skip Instructions	Goto BLACK_2
Special Instructions	Help: H_HISPANIC

Tag / Name	F4 – BLACK_2
Field Description	Black
Universe	HISPANIC_2
Form Pane Label	Black
Question Text	Is <he/she/NAME_RANDOM> Black or African American?
Spanish question text	¿Es <él/ella/NAME_RANDOM> negro(a) o africano(a) americano(a)?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	Fill 1 If SEX_2=1, display: he If SEX_2=2, display: she If SEX_2=DK, RF, display: <NAME_RANDOM>
Spanish fill instructions	Fill 1 If SEX_2=1, display: él If SEX_2=2, display: ella If SEX_2=DK, RF, display: <NAME_RANDOM>
Skip Instructions	Goto ASIAN_2
Special Instructions	Help: H_BLACK

Tag / Name	F5 – ASIAN_2
Field Description	Asian
Universe	BLACK_2
Form Pane Label	Asian
Question Text	Is <he/she/NAME_RANDOM> Asian?
Spanish question text	¿Es < él /ella/NAME_RANDOM> asiático(a)?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	Fill 1 If SEX_2=1, display: he If SEX_2=2, display: she If SEX_2=DK, RF, display: <NAME_RANDOM>
Spanish fill instructions	Fill 1 If SEX_2=1, display: él If SEX_2=2, display: ella If SEX_2=DK, RF, display: <NAME_RANDOM>
Skip Instructions	Goto AIAN_2
Special Instructions	Help: H_ASIAN

Tag / Name	F6 – AIAN_2
Field Description	American Indian or Alaska Native
Universe	ASIAN_2
Form Pane Label	American Indian or Alaska Native
Question Text	Is <he/she/NAME_RANDOM> American Indian or Alaska Native?
Spanish question text	¿Es <él/ella/NAME_RANDOM> indígena de las Américas o nativo(a) de Alaska?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	Fill 1 If SEX_2=1, display: he If SEX_2=2, display: she If SEX_2=DK, RF, display: <NAME_RANDOM>
Spanish fill instructions	Fill 1 If SEX_2=1, display: él If SEX_2=2, display: ella If SEX_2=DK, RF, display: <NAME_RANDOM>
Skip Instructions	Goto MENA_2
Special Instructions	Help: H_AIAN

Tag / Name	F9 – OTHER_2
Field Description	Some other race
Universe	NHOPI_2
Form Pane Label	Some other race
Question Text	Is <he/she/NAME_RANDOM> some other race or origin that I haven't mentioned?
Spanish question text	¿Es <él /ella/NAME_RANDOM> de otra raza u origen de que no haya mencionado todavía?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1- Sí 2-No
Fill Instructions	Fill 1 If SEX_2=1, display: he If SEX_2=2, display: she If SEX_2=DK, RF, display: <NAME_RANDOM>
Spanish fill instructions	Fill 1 If SEX_2=1, display: él If SEX_2=2, display: ella If SEX_2=DK, RF, display: <NAME_RANDOM>
Skip Instructions	Goto G_INTRO
Special Instructions	Help: H_SOR

Tag / Name	G1 – G_INTRO
Field Description	Followup questions introduction
Universe	PERCOUNT=1 and OTHER Or OTHER_2
Form Pane Label	Continue
Question Text	Now, I just have a few more questions about you. ♦ Enter 1 to continue.
Spanish question text	Sólo tengo algunas preguntas más sobre usted. ♦ Entre 1 para continuar
Input Options	
Fill Instructions	
Skip Instructions	If WHITE =1, goto WHITE_ORIGIN Else if, HISPANIC =1, goto HISPANIC_ORIGIN Else if, BLACK = 1, goto BLACK_ORIGIN Else if, ASIAN=1, goto ASIAN_ORIGIN Else if, AIAN=1, goto AIAN_ORIGIN Else if, MENA=1, goto MENA_ORIGIN Else if, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO
Special Instructions	

Tag / Name	G2 - WHITE_ORIGIN
Field Description	White origin
Universe	G1 and WHITE=1
Form Pane Label	White origin
Question Text	<p>Earlier you said you were White. What is your specific origin or origins? For example, German, Irish, English, Italian, Polish, French, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Antes usted dijo que era blanco(a). ¿Cuál es su origen u orígenes específico? Por ejemplo, alemán, irlandés, inglés, italiano, polaco, francés , etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If HISPANIC=1, goto HISPANIC_ORIGIN</p> <p>Else if Black=1, goto BLACK_ORIGIN Else if, ASIAN=1, goto ASIAN_ORIGIN Else if, AIAN=1, goto AIAN_ORIGIN Else if, MENA=1, goto MENA_ORIGIN Else if, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN</p> <p>Else if PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G3 - HISPANIC_ORIGIN
Field Description	Hispanic origin
Universe	G1 and HISPANIC=1
Form Pane Label	Hispanic origin
Question Text	<p>Earlier you said you were Hispanic, Latino, or Spanish origin. What is your specific origin or origins? For example, Mexican or Mexican American, Puerto Rican, Cuban, Dominican, Salvadoran, Columbian, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que era de origen hispano, latino o español. ¿Cuál es su origen u orígenes específicos? Por ejemplo, mexicano o mexicano americano, puertorriqueño, cubano, dominicano, salvadoreño, colombiano, etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If (WHITE, BLACK, AIAN, ASIAN, NHOPI, MENA and OTHER) all ne 1, goto HISPANIC_RACE Else if Black=1, goto BLACK_ORIGIN Else if, ASIAN=1, goto ASIAN_ORIGIN Else if, AIAN=1, goto AIAN_ORIGIN Else if, MENA=1, goto MENA_ORIGIN Else if, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN</p> <p>Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G3a - HISPANIC_RACE
Field Description	Hispanic race
Universe	G_INTRO and HISPANIC=1 and (WHITE, BLACK, AIAN, ASIAN, NHOPI, MENA and OTHER) all ne 1
Form Pane Label	Hispanic race
Question Text	<p>People of Hispanic, Latino or Spanish origin may be of any race. <In addition to <HISPANIC_ORIGIN>, do/ Do> you consider yourself one or more of these races, White, Black or African American, Asian, American Indian or Alaska Native, Middle Eastern or North African, or Native Hawaiian or Other Pacific Islander?</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Las personas de origen hispano, latino o español pueden ser de cualquier raza. <Además de <HISPANIC_ORIGIN>, ¿se/¿Se> considera usted blanco(a), negro(a) o africano(a) americana(a), asiático(a), indígena de las Américas o nativo(a) de Alaska, del Medio Oriente o del Norte de África , o nativo(a) de Hawaii u otra de las islas del Pacífico?</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	<p>1-Yes, White 2-Yes, Black or African American 3 – Yes, Asian 4-Yes, American Indian or Alaska Native 5- Yes, Middle Eastern or North African 6-Yes, Native Hawaiian or Other Pacific Islander 7-Hispanic (for example, Mexican or Mexican American, Puerto Rican, Cuban, Dominican, Salvadoran, Columbian, etc) (DO NOT READ) 8-Other (DO NOT READ) 9-No/None of these (DO NOT READ) Don't Know Refused</p>
Spanish input options	<p>1- Sí Blanco(a) 2- Sí Negro(a) o Africano(a) Americano(a) 3- Sí Asiático(a) 4- Sí, indígena de las Américas o Nativo(a) de Alaska 5- Sí, del Medio Oriente o del Norte de África 6- Sí , Nativo(a) de Hawaii u otra de las islas del Pacífico 7-Hispano(a) (por ejemplo, mexicano o mexicano americano, puertorriqueño, cubano, dominicano, salvadoreño, colombiano, etc.) (NO LEA) 8-Otra (NO LEA) 9-No/Ninguna de estas respuestas (NO LEA)</p>
Fill Instructions	<p>If HISPANIC_ORIGIN=(DK, RF), display “Do” Else, display “In addition to <HISPANIC_ORIGIN>, do”</p>
Spanish fill instructions	<p>If HISPANIC_ORIGIN=(DK, RF), display “¿Se” Else, display “Además de <HISPANIC_ORIGIN>, ¿se”</p>

Skip Instructions	If HISPANIC_RACE=(8, 9) goto HISP_RACE_OTHER Else if Black=1, goto BLACK_ORIGIN Else if, ASIAN=1, goto ASIAN_ORIGIN Else if, AIAN=1, goto AIAN_ORIGIN Else if, MENA=1, goto MENA_ORIGIN Else if, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO
Special Instructions	Mark all that apply

Tag / Name	G3b – HISP_RACE_OTHER
Field Description	Which other race or origin identifies with
Universe	HISPANIC_RACE = (8,9)
Form Pane Label	Other Race identified with
Question Text	◆Specify exactly what respondent said.
Spanish question text	◆Especifique exactamente lo que dijo el respondedor.
Input Options	String 100.
Fill Instructions	
Skip Instructions	<p>If Black=1, goto BLACK_ORIGIN Else if, ASIAN=1, goto ASIAN_ORIGIN Else if, AIAN=1, goto AIAN_ORIGIN Else if, MENA=1, goto MENA_ORIGIN Else if, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN</p> <p>Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G4 - BLACK_ORIGIN
Field Description	Black origin
Universe	G1 and BLACK=1
Form Pane Label	Black origin
Question Text	<p>Earlier you said you were Black or African American. What is your specific origin or origins? For example, African American, Jamaican, Haitian, Nigerian, Ethiopian, Ghanaian, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que era negro(a) o afroamericano(a). ¿Cuál es su origen u orígenes específicos? Por ejemplo, afroamericano, jamaicano, haitiano, nigeriano, etiope, ghanés, etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, ASIAN=1, goto ASIAN_ORIGIN Else if, AIAN=1, goto AIAN_ORIGIN Else if, MENA=1, goto MENA_ORIGIN Else if, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN</p> <p>Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G5 - ASIAN_ORIGIN
Field Description	Asian origin
Universe	G1 and ASIAN=1
Form Pane Label	Asian origin
Question Text	<p>Earlier you said you were Asian. What is your specific origin or origins? For example, Chinese, Filipino, Asian Indian, Vietnamese, Korean, Japanese, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que es asiático(a). ¿Cuál es su origen u orígenes específicos? Por ejemplo, chino, filipino, indio asiático, vietnamita, coreano, japonés, etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, AIAN=1, goto AIAN_ORIGIN Else if, MENA=1, goto MENA_ORIGIN Else if, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN</p> <p>Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G6 - AIAN_ORIGIN
Field Description	AIAN origin
Universe	G1 and AIAN=1
Form Pane Label	AIAN origin
Question Text	<p>Earlier you said you were American Indian or Alaska Native. What is your tribe or tribes? For example, Navajo Nation, Blackfeet Tribe, Muscogee Creek Nation, Mayan, Nome Eskimo Community, Native Village of Barrow Inupiat Traditional Government, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que era indígena de las Américas o nativo(a) de Alaska. ¿Cuál es su tribu o tribus? Por ejemplo, Navajo Nation, Blackfeet Tribe, Muscogee Creek Nation, Mmaya, Nome Eskimo Community, Native Village of Barrow Inupiat Traditional Government, etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, MENA=1, goto MENA_ORIGIN Else if, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN</p> <p>Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G7 - MENA_ORIGIN
Field Description	MENA origin
Universe	G1 and MENA=1
Form Pane Label	MENA origin
Question Text	<p>Earlier you said you were Middle Eastern or North African. What is your specific origin or origins? For example, Lebanese, Iranian, Egyptian, Syrian, Moroccan, Algerian, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que era del Medio Oriente o del Norte de África. ¿Cuál es su origen u orígenes específicos? Por ejemplo, libanés, iraní, egipcio, sirio, marroquí, argelino, etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, NHOPI=1, goto NHOPI_ORIGIN Else if, OTHER=1, goto OTHER_ORIGIN</p> <p>Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G8 - NHOPI_ORIGIN
Field Description	NHOPI origin
Universe	G1 and NHOPI=1
Form Pane Label	NHOPI origin
Question Text	<p>Earlier you said you were Native Hawaiian or Other Pacific Islander. What is your specific origin or origins? For example, Native Hawaiian, Samoan, Chamorro, Tongan, Fijian, Marshallese, and so on.</p> <p>♦ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que era nativo(a) de Hawaii o de otra de las islas del Pacífico. ¿Cuál es su origen u orígenes específicos? Por ejemplo, nativo de Hawaii, samoano, guameño o Chamorro, tongano, fiyiano, de las islas Marshall, etc.</p> <p>♦ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, OTHER=1, goto OTHER_ORIGIN</p> <p>Else If PERCOUNT=1, goto I_INTRO</p> <p>Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G9 - OTHER_ORIGIN
Field Description	Other origin
Universe	G1 and OTHER=1
Form Pane Label	OTHER origin
Question Text	<p>Earlier you said you were Some other race or origin. What is that race or origin?</p> <p>♦ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que era de alguna otra raza u origen. ¿Cuál es esa raza u origen?</p> <p>♦ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If OTHER_ORIGIN= (biracial, multiracial, mixed, mestizo, biracial, multiracial, mixto), goto OTHER_ORIGIN_SPEC Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	G10 - OTHER_ORIGIN_SPEC
Field Description	Other origin specify
Universe	OTHER_ORIGIN = (biracial, multiracial, mixed, mestizo, biracial, multiracial, mixto)
Form Pane Label	OTHER origin
Question Text	<p>Can you be more specific?</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>¿ Puede ser más específico?</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>Else If PERCOUNT=1, goto I_INTRO Else, goto H_INTRO</p>
Special Instructions	

Tag / Name	H1 – H_INTRO
Field Description	Followup questions introduction Person 2
Universe	PERCOUNT>1
Form Pane Label	Continue
Question Text	Now, I just have a few more questions about < NAME_RANDOM>. ♦ Enter 1 to continue.
Spanish question text	Sólo tengo algunas preguntas más sobre <NAME_RANDOM>. ♦ Entre 1 para continuar
Input Options	
Fill Instructions	
Skip Instructions	If WHITE_2 =1, goto WHITE_ORIGIN_2 Else if, HISPANIC_2 =1, goto HISPANIC_ORIGIN_2 Else if, BLACK_2 = 1, goto BLACK_ORIGIN_2 Else if, ASIAN_2=1, goto ASIAN_ORIGIN_2 Else if, AIAN_2=1, goto AIAN_ORIGIN_2 Else if, MENA_2=1, goto MENA_ORIGIN_2 Else if, NHOPI_2=1, goto NHOPI_ORIGIN_2 Else if, OTHER_2=1, goto OTHER_ORIGIN_2 Else, goto I_INTRO
Special Instructions	

Tag / Name	H2 - WHITE_ORIGIN_2
Field Description	White origin Person 2
Universe	H1 and WHITE_2=1
Form Pane Label	White origin
Question Text	<p>Earlier you said <NAME_RANDOM> was White. What is <NAME_RANDOM>'s specific origin or origins? For example, German, Irish, English, Italian, Polish, French, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Antes usted dijo que <NAME_RANDOM> es blanco(a). ¿Cuál es el origen u orígenes específico de <NAME_RANDOM>? Por ejemplo, alemán, irlandés, inglés, italiano, polaco, francés , etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If HISPANIC_2=1, goto HISPANIC_ORIGIN_2</p> <p>Else if BLACK_2=1, goto BLACK_ORIGIN_2</p> <p>Else if, ASIAN_2=1, goto ASIAN_ORIGIN_2</p> <p>Else if, AIAN_2=1, goto AIAN_ORIGIN_2</p> <p>Else if, MENA_2=1, goto MENA_ORIGIN_2</p> <p>Else if, NHOPI_2=1, goto NHOPI_ORIGIN_2</p> <p>Else if, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H3 - HISPANIC_ORIGIN_2
Field Description	Hispanic origin Person 2
Universe	H1 and HISPANIC_2=1
Form Pane Label	Hispanic origin
Question Text	<p>Earlier you said <NAME_RANDOM> was Hispanic, Latino, or Spanish origin. What is <NAME_RANDOM>'s specific origin or origins? For example, Mexican or Mexican American, Puerto Rican, Cuban, Dominican, Salvadoran, Columbian, and so on.</p> <p>♦ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que <NAME_RANDOM> es de origen hispano, latino o español. ¿Cuál es el origen u orígenes específicos de <NAME_RANDOM>? Por ejemplo, mexicano o mexicano americano, puertorriqueño, cubano, dominicano, salvadoreño, colombiano, etc.</p> <p>♦ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If (WHITE_2, BLACK_2, AIAN_2, ASIAN_2, NHOPI_2, MENA_2 and OTHER_2) all ne 1, goto HISPANIC_RACE_2 Else if BLACK_2=1, goto BLACK_ORIGIN_2 Else if, ASIAN_2=1, goto ASIAN_ORIGIN_2 Else if, AIAN_2=1, goto AIAN_ORIGIN_2 Else if, MENA_2=1, goto MENA_ORIGIN_2 Else if, NHOPI_2=1, goto NHOPI_ORIGIN_2 Else if, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H3a - HISPANIC_RACE_2
Field Description	Hispanic race Person 2
Universe	H_INTRO and HISPANIC_2=1 and (WHITE_2, BLACK_2, AIAN_2, ASIAN_2, NHOPI_2, MENA_2 and OTHER_2) all ne 1
Form Pane Label	Hispanic race
Question Text	<p>People of Hispanic, Latino or Spanish origin may be of any race. <In addition to <HISPANIC_ORIGIN_2>, does/ Does> <he/she/<NAME_RANDOM> > consider <himself/herself/himself or herself> one or more of these races, White, Black or African American, Asian, American Indian or Alaska Native, Middle Eastern or North African, or Native Hawaiian or Other Pacific Islander?</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Las personas de origen hispano, latino o español pueden ser de cualquier raza. <Además de <HISPANIC_ORIGIN_2>, ¿se/¿Se> considera <él/ella/<NAME_RANDOM> blanco(a), negro(a) o africano(a) americana(a), asiático(a), indígena de las Américas o nativo(a) de Alaska, del Medio Oriente o del Norte de África , o nativo(a) de Hawaii u otra de las islas del Pacífico?</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	<p>1-Yes, White 2-Yes, Black or African American 3 – Yes, Asian 4-Yes, American Indian or Alaska Native 5- Yes, Middle Eastern or North African 6-Yes, Native Hawaiian or Other Pacific Islander 7-Hispanic (for example, Mexican or Mexican American, Puerto Rican, Cuban, Dominican, Salvadoran, Columbian, etc) (DO NOT READ) 8-Other (DO NOT READ) 9-No/None of these (DO NOT READ) Don't Know Refused</p>
Spanish input options	<p>1- Sí Blanco(a) 2- Sí Negro(a) o Africano(a) Americano(a) 3- Sí Asiático(a) 4- Sí, indígena de las Américas o Nativo(a) de Alaska 5- Sí, del Medio Oriente o del Norte de África 6- Sí , Nativo(a) de Hawaii u otra de las islas del Pacífico 7-Hispano(a) (por ejemplo, mexicano o mexicano americano, puertorriqueño, cubano, dominicano, salvadoreño, colombiano, etc.) (NO LEA) 8-Otra (NO LEA) 9-No/Ninguna de estas respuestas (NO LEA)</p>
Fill Instructions	<p>Fill 1 If HISPANIC_ORIGIN_2=(DK, RF), display “Does” Else, display “In addition to <HISPANIC_ORIGIN_2>, does”</p>

	<p>Fill 2 If SEX_2=1, display: he If SEX_2=2, display: she If SEX_2=DK, RF, display: <NAME_RANDOM></p> <p>Fill 3 If SEX_2=1, display: himself If SEX_2=2, display: herself If SEX_2=DK, RF, display: himself or herself</p>
<p>Spanish fill instructions</p>	<p>Fill 1 If HISPANIC_ORIGIN_2=(DK, RF), display “¿Se” Else, display “Además de <HISPANIC_ORIGIN_2>, ¿se”</p> <p>Fill 2 If SEX_2=1, display: él If SEX_2=2, display: ella If SEX_2=DK, RF, display: <NAME_RANDOM></p>
<p>Skip Instructions</p>	<p>If HISPANIC_RACE_2=(8, 9) goto HISP_RACE_OTHER_2</p> <p>Else if BLACK_2=1, goto BLACK_ORIGIN_2 Else if, ASIAN_2=1, goto ASIAN_ORIGIN_2 Else if, AIAN_2=1, goto AIAN_ORIGIN_2 Else if, MENA_2=1, goto MENA_ORIGIN_2 Else if, NHOPI_2=1, goto NHOPI_ORIGIN_2 Else if, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
<p>Special Instructions</p>	<p>Mark all that apply</p>

Tag / Name	H3b – HISP_RACE_OTHER_2
Field Description	Which other race or origin Person 2 identifies with
Universe	HISPANIC_RACE_2 = (8,9)
Form Pane Label	Other Race identified with
Question Text	◆Specify exactly what respondent said.
Spanish question text	◆Especifique exactamente lo que dijo el respondedor.
Input Options	String 100.
Fill Instructions	
Skip Instructions	<p>If BLACK_2=1, goto BLACK_ORIGIN_2 Else if, ASIAN_2=1, goto ASIAN_ORIGIN_2 Else if, AIAN_2=1, goto AIAN_ORIGIN_2 Else if, MENA_2=1, goto MENA_ORIGIN_2 Else if, NHOPI_2=1, goto NHOPI_ORIGIN_2 Else if, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H4 - BLACK_ORIGIN_2
Field Description	Black origin Person 2
Universe	H1 and BLACK_2=1
Form Pane Label	Black origin
Question Text	<p>Earlier you said <NAME_RANDOM> was Black or African American. What is <NAME_RANDOM>'s origin or origins? For example, African American, Jamaican, Haitian, Nigerian, Ethiopian, Ghanaian, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que <NAME_RANDOM> es negro(a) o afroamericano(a). ¿Cuál es el origen u orígenes específicos de <NAME_RANDOM>? Por ejemplo, afroamericano, jamaicano, haitiano, nigeriano, etiope, ghanés, etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, ASIAN_2=1, goto ASIAN_ORIGIN_2 Else if, AIAN_2=1, goto AIAN_ORIGIN_2 Else if, MENA_2=1, goto MENA_ORIGIN_2 Else if, NHOPI_2=1, goto NHOPI_ORIGIN_2 Else if, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H5 - ASIAN_ORIGIN_2
Field Description	Asian origin Person 2
Universe	H1 and ASIAN_2=1
Form Pane Label	Asian origin
Question Text	<p>Earlier you said <NAME_RANDOM> was Asian. What is <NAME_RANDOM>'s specific origin or origins? For example, Chinese, Filipino, Asian Indian, Vietnamese, Korean, Japanese, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que <NAME_RANDOM> es asiático(a). ¿Cuál es el origen u orígenes específicos de <NAME_RANDOM>? Por ejemplo, chino, filipino, indio asiático, vietnamita, coreano, japonés, etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, AIAN_2=1, goto AIAN_ORIGIN_2 Else if, MENA_2=1, goto MENA_ORIGIN_2 Else if, NHOPI_2=1, goto NHOPI_ORIGIN_2 Else if, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H6 - AIAN_ORIGIN_2
Field Description	AIAN origin Person 2
Universe	H1 and AIAN_2=1
Form Pane Label	AIAN origin
Question Text	<p>Earlier you said <NAME_RANDOM> was American Indian or Alaska Native. What is <NAME_RANDOM>'s tribe or tribes? For example, Navajo Nation, Blackfeet Tribe, Muscogee Creek Nation, Mayan, Nome Eskimo Community, Native Village of Barrow Inupiat Traditional Government, and so on.</p> <p>♦ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que <NAME_RANDOM> es indígena de las Américas o nativo(a) de Alaska. ¿Cuál es la tribu o tribus de <NAME_RANDOM>? Por ejemplo, Navajo Nation, Blackfeet Tribe, Muscogee Creek Nation, Mmaya, Nome Eskimo Community, Native Village of Barrow Inupiat Traditional Government, etc.</p> <p>♦ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, MENA_2=1, goto MENA_ORIGIN_2 Else if, NHOPI_2=1, goto NHOPI_ORIGIN_2 Else if, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H7 - MENA_ORIGIN_2
Field Description	MENA origin Person 2
Universe	H1 and MENA_2=1
Form Pane Label	MENA origin
Question Text	<p>Earlier you said <NAME_RANDOM> was Middle Eastern or North African. What is <NAME_RANDOM>'s specific origin or origins? For example, Lebanese, Iranian, Egyptian, Syrian, Moroccan, Algerian, and so on.</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que <NAME_RANDOM> es del Medio Oriente o del Norte de África. ¿Cuál es el origen u orígenes específicos de <NAME_RANDOM>? Por ejemplo, libanés, iraní, egipcio, sirio, marroquí, argelino, etc.</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, NHOPI_2=1, goto NHOPI_ORIGIN_2 Else if, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H8 - NHOPI_ORIGIN_2
Field Description	NHOPI origin Person 2
Universe	H1 and NHOPI_2=1
Form Pane Label	NHOPI origin
Question Text	<p>Earlier you said <NAME_RANDOM> was Native Hawaiian or Other Pacific Islander. What is <NAME_RANDOM>'s specific origin or origins? For example, Native Hawaiian, Samoan, Chamorro, Tongan, Fijian, Marshallese, and so on.</p> <p>♦ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que <NAME_RANDOM> es nativo(a) de Hawaii o de otra de las islas del Pacífico. ¿Cuál es el origen u orígenes específicos de <NAME_RANDOM>? Por ejemplo, nativo de Hawaii, samoano, guameño o Chamorro, tongano, fiyiano, de las islas Marshall, etc.</p> <p>♦ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If, OTHER_2=1, goto OTHER_ORIGIN_2</p> <p>Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H9 - OTHER_ORIGIN_2
Field Description	Other origin Person 2
Universe	H1 and OTHER_2=1
Form Pane Label	Other origin
Question Text	<p>Earlier you said <NAME_RANDOM> was Some other race or origin. What is that race or origin?</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>Usted dijo que <NAME_RANDOM> es de alguna otra raza u origen. ¿Cuál es esa raza u origen?</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	<p>If OTHER_ORIGIN_2= (biracial, multiracial, mixed, mestizo, biracial, multiracial, mixto), goto OTHER_ORIGIN_SPEC_2 Else, goto I_INTRO</p>
Special Instructions	

Tag / Name	H10 - OTHER_ORIGIN_SPEC_2
Field Description	Other origin specify Person 2
Universe	OTHER_ORIGIN_2 = (biracial, multiracial, mixed, mestizo, biracial, multiracial, mixto)
Form Pane Label	OTHER origin
Question Text	<p>Can you be more specific?</p> <p>◆ Enter all that apply, separate with commas.</p>
Spanish question text	<p>¿ Puede ser más específico?</p> <p>◆ Entre todas las que apliquen, separadas por comas.</p>
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	Goto I_INTRO
Special Instructions	

Tag / Name	I1 - I_INTRO
Field Description	Final Questions Intro
Universe	PERCOUNT>0
Form Pane Label	Continue
Question Text	<p>Now, I have a couple questions about how you view yourself and how you are perceived by other people.</p> <p>◆ Enter 1 to continue.</p>
Spanish question text	<p>Ahora tengo algunas preguntas sobre cómo se ve usted y cómo lo perciben otras personas.</p> <p>◆ Entre 1 para continuar</p>
Input Options	
Fill Instructions	
Skip Instructions	Goto IDENTIFY
Special Instructions	

Tag / Name	I2 – IDENTIFY
Field Description	Think about self
Universe	I_INTRO
Form Pane Label	Think about self
Question Text	<p>Earlier, you identified as <FILL>.</p> <p>Do these answers fit the way you think about yourself always, sometimes or never?</p>
Spanish question text	<p>Usted se identificó como <FILL>.</p> <p>¿Estas respuestas reflejan la manera que usted piensa sobre sí mismo(a)?</p>
Input Options	<p>1-Always 2-Sometimes 3-Never Don't Know Refused</p>
Spanish input options	<p>1-Siempre 2-A veces 3-Nunca</p>
Fill Instructions	<p>Display all that apply from below:</p> <p>If WHITE=1 display “White” If HISPANIC=1 display “Hispanic, Latino, or Spanish” If BLACK=1 display “Black or African American” If ASIAN=1 display “Asian” If AIAN=1 display “American Indian or Alaska Native” If MENA=1 display “Middle Eastern or North African” If NHOPI=1 display “Native Hawaiian or Other Pacific Islander” If OTHER=1 display “<OTHER_ORIGIN>”</p>
Spanish Fill Instructions	<p>Display all that apply from below:</p> <p>If WHITE=1 display “Blanco(a)” If HISPANIC=1 display “de origen hispano, latino o español” If BLACK=1 display “negro(a) or afroamericano(a)” If ASIAN=1 display “asiático(a)” If AIAN=1 display “indígena de las Américas o nativo(a) de Alaska” If MENA=1 display “del Medio Oriente o del Norte de África” If NHOPI=1 display “nativo(a) de Hawaii o de otra de las islas del Pacífico” If OTHER=1 display “<OTHER_ORIGIN>”</p>
Skip Instructions	Goto PERCEIVED
Special Instructions	

--	--

Tag / Name	I3 – PERCEIVED
Field Description	Perceived as other race or origin
Universe	IDENTIFY
Form Pane Label	Perceived as other race or origin
Question Text	Have you ever been perceived as another race or origin you did not identify with?
Spanish question text	¿Alguna vez lo(a) han percibido como de una raza u origen con el que usted no se identifica?
Input Options	1-Yes 2-No Don't Know Refused
Spanish input options	1-Sí 2-No
Fill Instructions	
Spanish Fill Instructions	
Skip Instructions	If <1>, goto PERCEIVED_SPEC Else, goto THANK
Special Instructions	

Tag / Name	I4 – PERCEIVED_SPEC
Field Description	Perceived as other specify
Universe	PERCEIVED = 1
Form Pane Label	Perceived as other specify
Question Text	What race or origin would that be? ♦ Enter all that apply, separate with commas.
Spanish question text	¿Cuál sería esa raza u origen? ♦ Entre todas las que apliquen, separadas por comas.
Input Options	String 100.
Fill Instructions	
Spanish fill instructions	
Skip Instructions	Goto THANK_COMP
Special Instructions	

BLKWebCATIBack

Tag / Name	J1 - CALLBACK
Field Description	Best callback time for Census Respondent
Universe	INTRO = 3, DK, RF and CONTACTCOUNT = 1 Or KNOWL_RESP = 3 Or SOMEONE_ELSE = 2, DK, RF
Form Pane Label	Callback
Question Text	I'd like to schedule a date to conduct the interview. What date and time would be the best to call back? ◆ Enter the appointment time in WebCATI.
Spanish question	Quisiera hacer una cita para llevar a cabo la entrevista. ¿Qué día y hora sería mejor para llamar de nuevo? ◆ Enter the appointment time in WebCATI.
Input Options	1-Callback time provided Don't Know Refused Blank is not an option on this screen.
Spanish input	1-Callback time provided
Fill Instructions	
Skip Instructions	Skip Instructions: If <1, DK, RF> GOTO RNAME
Special Instructions	

Tag / Name	J2 - RNAME
Field Description	Name of the Census respondent.
Universe	CALLBACK
Form Pane Label	Callback name
Question Text	Whom should I ask for when I call back?
Spanish question	¿Por quién debo preguntar cuando llame de nuevo?
Input Options	String 42 Don't Know and Refused are options on this screen, but they can't be used with other responses. Blank is not an option on this screen.
Fill Instructions	
Skip Instructions	goto THANK
Special Instructions	Text field – 42 characters

Tag / Name	J3 – THANK
Field Description	Thanks respondent.
Universe	RNAME or SOMEONE_ELSE=3 or INTRO = 5
Form Pane Label	Thank
Question Text	Thank you for your time.
Spanish question	Gracias por su tiempo.
Input Options	1 Continue Blank, Don't Know, and Refused are not options on this screen.
Spanish input	1 Continúe
Fill Instructions	
Skip Instructions	Goto CLOSE
Special Instructions	

Tag / Name	J3a – EXIT_WEBCATI
Field Description	Exit to WebCATI
Universe	RF or KNOWL_RESP=RF or RESIDENT=RF or SOMEONE_ELSE=RF
Form Pane Label	Exit to WebCATI
Question Text	◆ Once in WebCATI, set appropriate <refusal> status.
Spanish question	◆ Once in WebCATI, set appropriate <refusal> status.
Input Options	1 Continue Blank, Don't Know, and Refused are not options on this screen.
Spanish input	1 Continúe
Fill Instructions	If INTRO=5, display BLANK Else, display "refusal"
Skip Instructions	Goto CLOSE
Special Instructions	

Tag / Name	J4 – THANK_COMP
Field Description	Thanks respondent for completing survey.
Universe*	PERCEIVED=<2, DK, RF> OR PERCEIVED_SPEC
Form Pane Label	Thank complete
Question Text	This concludes our interview. Thank you very much for your cooperation.
Spanish question	Con esto termina nuestra entrevista. Muchas gracias por su cooperación.
Input Options	1 Continue Blank, Don't Know, and Refused are not options on this screen.
Spanish input	1 Continúe
Fill Instructions	
Skip Instructions	Goto LANGUAGE
Special Instructions	

Tag / Name	J5 - LANGUAGE
Field Description	Asks the enumerator which language the majority of the interview was conducted in.
Universe	THANK_COMP
Form Pane Label	Language
Question Text	What language was the majority of the interview conducted in?
Spanish question	¿En qué idioma se llevó a cabo la mayor parte de la entrevista?
Input Options	<ol style="list-style-type: none"> 1. English 2. Spanish 3. Another language 4. Did not speak with anyone
Spanish input	<ol style="list-style-type: none"> 1. Inglés 2. Español 3. Otro idioma 4. No hablé con nadie
Fill Instructions	
Skip Instructions	goto CLOSE
Special Instructions	Household level Can we get rid of this because WebCATI collects this information now?

Tag / Name	J6 - CLOSE
Field Description	Set Outcome codes.
Universe	THANK or LANGUAGE
Form Pane Label	
Question Text	
Input Options	
Fill Instructions	
Skip Instructions	
Special Instructions	If THANK_COMP, set OUTCOME=001 (complete) If