

Complete this form as indicated by the Dialysis Event Protocol

Instructions for this form are available at http://www.cdc.gov/nhsn/forms/instr/57_502.pdf

*required for saving

Facility ID:	Event ID #:	
*Patient ID:	Social Security #:	
Secondary ID #:	Medicare #:	
Patient Name, Last:	First:	Middle:
*Gender: F M Other	*Date of Birth:	
Ethnicity (Specify):	Race (Specify):	
*Event Type: DE – Dialysis Event	*Date of Event:	*Location:

*Was the patient admitted/readmitted to the dialysis facility on this dialysis event date? Yes No

*Transient Patient Yes No

Risk Factors

*Vascular accesses: (check all that apply)

- Fistula
Buttonhole? Yes No
- Graft
- Tunneled central line
- Nontunneled central line
- Other vascular access device, specify:
Is this a catheter-graft hybrid? Yes No

*Access placement date (mm/yyyy):

- ____ / ____ Unknown
 ____ / ____ Unknown
 ____ / ____ Unknown
 ____ / ____ Unknown
 ____ / ____ Unknown

Vascular access comment: _____

Patient's dialyzer is reused? Yes No

Event Details

*Specify Dialysis Event: (check at least one)

IV antimicrobial start

*Was vancomycin the antimicrobial used for this start? Yes No

Was this a new outpatient start or a continuation of an inpatient course?

- New antimicrobial start Continuation of antimicrobial

Positive blood culture (*specify organism and antimicrobial susceptibilities on pages 2-3)

*Suspected source of positive blood culture (check one):

- Vascular access A source other than the vascular access Contamination Uncertain

*Where was this positive blood culture collected?

- Dialysis clinic Hospital (on the day of or the day following admission) or E.D. Other location

Pus, redness, or increased swelling at vascular access site

*Check the access site(s) with pus, redness, or increased swelling:

- Fistula Graft Tunneled central line Nontunneled central line Other vascular access device

*Specify Problem(s): (check one or more)

- Fever ≥37.8°C (100°F) oral Chills or rigors Drop in blood pressure
- Wound (NOT related to vascular access) with pus or increased redness Urinary tract infection
- Cellulitis (skin redness, heat, or pain without open wound) Pneumonia or respiratory infection
- Other problem (specify): _____
- None

*Specify Outcomes: Loss of vascular access Yes No Unknown
 Hospitalization Yes No Unknown
 Death Yes No Unknown

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).
 Public reporting burden of this collection of information is estimated to average 25 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN:



National Healthcare
Network

PRA (0920-0666)

CDC 57.502 (Front) Rev 9, v8.5

Dialysis Event

Form Approved
OMB No. 0920-0666
Exp. Date: xx/xx/20xx
www.cdc.gov/nhsn

Dialysis Event

Pathogen #	Gram-positive Organisms									
	<i>Staphylococcus coagulase-negative</i>		VANC SIRN							
	(specify species if available):									
	<i>Enterococcus faecium</i>		DAPTO S NS N	GENTHL ^{\$} S R N	LNZ SIRN	VANC SIRN				
	<i>Enterococcus faecalis</i>									
	<i>Enterococcus spp.</i>		(Only those not identified to the species level)							
	<i>Staphylococcus aureus</i>	CIPRO/LEVO/MOXI SIRN	CLIND SIRN	DAPTO S NS N	DOXY/MINO SIRN	ERYTH SIRN	GENT SIRN	LNZ SIRN		
		OX/CEFOX/METH SIRN	RIF SIRN	TETRA SIRN	TIG S NS N	TMZ SIRN	VANC SIRN			
Pathogen #	Gram-negative Organisms									
	<i>Acinetobacter</i> (specify species)	AMK SIRN	AMPSUL SIRN	AZT SIRN	CEFEP SIRN	CEFTAZ SIRN	CIPRO/LEVO SIRN	COL/PB SIRN		
		GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIP/PIPTAZ SIRN		TETRA/DOXY/MINO SIRN			
		TMZ SIRN	TOBRA SIRN							
	<i>Escherichia coli</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP S I/S-DD R N	CEFOT/CEFTRX SIRN		
		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CTET SIRN	CIPRO/LEVO/MOXI SIRN		COL/PB [†] S R N			
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN			
		TIG SIRN	TMZ SIRN	TOBRA SIRN						
	<i>Enterobacter</i> (specify species)	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP S I/S-DD R N	CEFOT/CEFTRX SIRN		
		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CTET SIRN	CIPRO/LEVO/MOXI SIRN		COL/PB [†] S R N			
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN			
		TIG SIRN	TMZ SIRN	TOBRA SIRN						
	<i>Klebsiella pneumonia</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP S I/S-DD R N	CEFOT/CEFTRX SIRN		
	<i>Klebsiella oxytoca</i>	CEFTAZ SIRN	CEFUR SIRN	CEFOX/CTET SIRN	CIPRO/LEVO/MOXI SIRN		COL/PB [†] S R N			
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN			
		TIG SIRN	TMZ SIRN	TOBRA SIRN						

Dialysis Event

Pathogen #	Gram-negative Organisms (continued)									
	Pseudomonas aeruginosa	AMK SIR N	AZT SIR N	CEFEP SIR N	CEFTAZ SIR N	CIPRO/LEVO SIR N	COL/PB SIR N	GENT SIR N		
		IMI SIR N	MERO/DORI SIR N		PIP/PIPTAZ SIR N	TOBRA SIR N				
Pathogen #	Fungal Organisms									
	Candida (specify species if available)	ANID SIR N	CASPO S NS N	FLUCO S S-DD R N	FLUCY SIR N	ITRA S S-DD R N	MICA S NS N	VORI S S-DD R N		
Pathogen #	Other Organisms									
	Organism 1 (specify)	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N
	Organism 1 (specify)	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N
	Organism 1 (specify)	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested

§ GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic

† Clinical breakpoints have not been set by FDA or CLSI, Sensitive and Resistant designations should be based upon epidemiological cutoffs of Sensitive MIC ≤ 2 and Resistant MIC ≥ 4

Drug Codes:

AMK = amikacin	CEFTRX = ceftriaxone	FLUCY = flucytosine	OX = oxacillin
AMP = ampicillin	CEFUR= cefuroxime	GENT = gentamicin	PB = polymyxin B
AMPSUL = ampicillin/sulbactam	CTET= cefotetan	GENTHL = gentamicin –high level test	PIP = piperacillin
AMXCLV = amoxicillin/clavulanic acid	CIPRO = ciprofloxacin	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
ANID = anidulafungin	CLIND = clindamycin	ITRA = itraconazole	RIF = rifampin
AZT = aztreonam	COL = colistin	LEVO = levofloxacin	TETRA = tetracycline
CASPO = caspofungin	DAPTO = daptomycin	LNZ = linezolid	TIG = tigecycline
CEFAZ= cefazolin	DORI = doripenem	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole
CEFEP = cefepime	DOXY = doxycycline	METH = methicillin	TOBRA = tobramycin
CEFOT = cefotaxime	ERTA = ertapenem	MICA = micafungin	VANC = vancomycin
CEFOX= cefoxitin	ERYTH = erythromycin	MINO = minocycline	VORI = voriconazole
CEFTAZ = ceftazidime	FLUCO = fluconazole	MOXI = moxifloxacin	

Dialysis Event

Custom Fields

Label <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>	Label <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>
---	---

Comments

--