

Pneumonia (PNEU)

Page 1 of 4

*required for saving **required for completion

| | | |
|-----------------------------|--------------------------|---------|
| Facility ID: | Event #: | |
| *Patient ID: | Social Security #: | |
| Secondary ID: | Medicare #: | |
| Patient Name, Last: | First: | Middle: |
| *Gender: F M Other | *Date of Birth: | |
| Ethnicity (Specify): | Race (Specify): | |
| *Event Type: PNEU | *Date of Event: | |
| Post-procedure PNEU: Yes No | Date of Procedure: | |
| NHSN Procedure Code: | ICD-9-CM Procedure Code: | |

*MDRO Infection Surveillance:

- Yes, this infection's pathogen & location are in-plan for Infection Surveillance in the MDRO/CDI Module
 No, this infection's pathogen & location are **not** in-plan for Infection Surveillance in the MDRO/CDI Module

*Date Admitted to Facility: *Location:

Risk Factors

 *Ventilator: Yes No Location of Device Insertion: _____ Date of Device Insertion: ___ / ___ / ___
 For NICU only: Birth weight: grams

Event Details

 *Specific Event: PNU1 PNU2 PNU3 *Immunocompromised: Yes No

*Specific Criteria Used: (check all that apply)

Imaging Test Results

 New or progressive and persistent infiltrate

 Consolidation

 Cavitation

 Pneumatoceles (in ≤1 y.o.)

Signs & Symptoms

 Fever

Laboratory

 Positive blood culture

 Leukopenia or leukocytosis

 Positive pleural fluid culture

 Altered mental status (in ≥70 y.o.)

 Positive quantitative culture from LRT specimen

 New onset/change in sputum

 ≥5% BAL cells w/ bacteria

 New onset/worsening cough, dyspnea, tachypnea

 Positive quantitative culture of lung tissue

 Rales or bronchial breath sounds[†]
 Histopathologic exam w/ abscess formation or lung parenchyma invasion by fungal hyphae

 Worsening gas exchange

 Positive culture of virus, *Bordetella*, *Legionella* or *Chlamydia*
 Hemoptysis

 Positive non-culture diagnostic test of respiratory secretions or tissue for virus, *Bordetella*, *Chlamydia*, *Mycoplasma*, *Legionella*
 Pleuritic chest pain

 4-fold rise in paired sera for pathogen

 Temperature instability

 4-fold rise in *L pneumophila* antibody titer

 Apnea, tachypnea, nasal flaring with retraction of chest wall or grunting

 L pneumophila serogroup 1 antigens in urine

 Hypothermia

 Matching positive blood & sputum cultures w/ *Candida* spp.

 Wheezing, rales, or rhonchi[†]
 Fungi from LRT specimen

 Cough

 Bradycardia or tachycardia

[†] There are two criteria referring to rales in the PNU 1 signs and symptoms list. Please choose the one that corresponds to the specific algorithm used to identify this pneumonia (Any Patient or Alternate Criteria based on age).

*Secondary Bloodstream Infection: Yes No

**Died: Yes No

PNEU Contributed to Death: Yes No

Discharge Date:

*Pathogens Identified: Yes No

*If Yes, specify on pages 2-3

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666).

Pneumonia (PNEU)

Page 2 of 4

| Pathogen # | Gram-positive Organisms | | | | | | | | | |
|------------|---|----------------------|--------------|--------------------------|-----------------|----------------------|----------------------|--------------------------|-------------------|--|
| | <i>Staphylococcus</i> coagulase-negative (specify species if available): VANC SIRN | | | | | | | | | |
| | <i>Enterococcus faecium</i> | | DAPTO S NS N | GENTHL ^s SR N | LNZ SIRN | VANC SIRN | | | | |
| | <i>Enterococcus faecalis</i> | | | | | | | | | |
| | <i>Enterococcus</i> spp. (Only those not identified to the species level) | | | | | | | | | |
| | <i>Staphylococcus aureus</i> | CIPRO/LEVO/MOXI SIRN | CLIND SIRN | DAPTO S NS N | DOXY/MINO SIRN | ERYTH SIRN | GENT SIRN | LNZ SR N | | |
| | | OX/CEFOX/METH SIRN | RIF SIRN | TETRA SIRN | TIG S NS N | TMZ SIRN | VANC SIRN | | | |
| Pathogen # | Gram-negative Organisms | | | | | | | | | |
| | <i>Acinetobacter</i> (specify species) | AMK SIRN | AMPSUL SIRN | AZT SIRN | CEFEP SIRN | CEFTAZ SIRN | CIPRO/LEVO SIRN | COL/PB SIRN | | |
| | | GENT SIRN | IMI SIRN | MERO/DORI SIRN | PIP/PIPTAZ SIRN | | TETRA/DOXY/MINO SIRN | | | |
| | | TMZ SIRN | TOBRA SIRN | | | | | | | |
| | <i>Escherichia coli</i> | AMK SIRN | AMP SIRN | AMPSUL/AMXCLV SIRN | | AZT SIRN | CEFAZ SIRN | CEFEP S I/S-DD R N SIRN | CEFOT/CEFTRX SIRN | |
| | | CEFTAZ SIRN | CEFUR SIRN | CEFOX/CTET SIRN | | CIPRO/LEVO/MOXI SIRN | | COL/PB [†] SIRN | | |
| | | ERTA SIRN | GENT SIRN | IMI SIRN | MERO/DORI SIRN | | PIPTAZ SIRN | TETRA/DOXY/MINO SIRN | | |
| | | TIG SIRN | TMZ SIRN | TOBRA SIRN | | | | | | |
| | <i>Enterobacter</i> (specify species) | AMK SIRN | AMP SIRN | AMPSUL/AMXCLV SIRN | | AZT SIRN | CEFAZ SIRN | CEFEP S I/S-DD R N SIRN | CEFOT/CEFTRX SIRN | |
| | | CEFTAZ SIRN | CEFUR SIRN | CEFOX/CTET SIRN | | CIPRO/LEVO/MOXI SIRN | | COL/PB [†] SIRN | | |
| | | ERTA SIRN | GENT SIRN | IMI SIRN | MERO/DORI SIRN | | PIPTAZ SIRN | TETRA/DOXY/MINO SIRN | | |
| | | TIG SIRN | TMZ SIRN | TOBRA SIRN | | | | | | |
| | <i>Klebsiella pneumonia</i> | AMK SIRN | AMP SIRN | AMPSUL/AMXCLV SIRN | | AZT SIRN | CEFAZ SIRN | CEFEP S I/S-DD R N SIRN | CEFOT/CEFTRX SIRN | |
| | <i>Klebsiella oxytoca</i> | CEFTAZ SIRN | CEFUR SIRN | CEFOX/CTET SIRN | | CIPRO/LEVO/MOXI SIRN | | COL/PB [†] SIRN | | |
| | | ERTA SIRN | GENT SIRN | IMI SIRN | MERO/DORI SIRN | | PIPTAZ SIRN | TETRA/DOXY/MINO SIRN | | |
| | | TIG SIRN | TMZ SIRN | TOBRA SIRN | | | | | | |

Pneumonia (PNEU)

Page 3 of 4

| Pathogen # | Gram-negative Organisms (continued) | | | | | | | | | |
|------------|--|-----------------|--------------------|---------------------|---------------------|---------------------|-----------------|--------------------|-----------------|-----------------|
| _____ | <i>Pseudomonas aeruginosa</i> | AMK SIR N | AZT SIR N | CEFEP SIR N | CEFTAZ SIR N | CIPRO/LEVO SIR N | COL/PB SIR N | GENT SIR N | | |
| _____ | | IMI SIR N | MERO/DORI SIR N | | PIP/PIPTAZ SIR N | TOBRA SIR N | | | | |
| Pathogen # | Fungal Organisms | | | | | | | | | |
| _____ | <i>Candida</i> (specify species if available) | ANID SIR N | CASPO S NS N | FLUCO S S-DD R N | FLUCY SIR N | ITRA S S-DD R N | MICA S NS N | VORI S S-DD R N | | |
| Pathogen # | Other Organisms | | | | | | | | | |
| _____ | Organism 1 (specify) | Drug 1 SIR N | Drug 2 SIR N | Drug 3 SIR N | Drug 4 SIR N | Drug 5 SIR N | Drug 6 SIR N | Drug 7 SIR N | Drug 8 SIR N | Drug 9 SIR N |
| _____ | Organism 1 (specify) | Drug 1 SIR N | Drug 2 SIR N | Drug 3 SIR N | Drug 4 SIR N | Drug 5 SIR N | Drug 6 SIR N | Drug 7 SIR N | Drug 8 SIR N | Drug 9 SIR N |
| _____ | Organism 1 (specify) | Drug 1 SIR N | Drug 2 SIR N | Drug 3 SIR N | Drug 4 SIR N | Drug 5 SIR N | Drug 6 SIR N | Drug 7 SIR N | Drug 8 SIR N | Drug 9 SIR N |

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested

[§] GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic

[†] Clinical breakpoints have not been set by FDA or CLSI, Sensitive and Resistant designations should be based upon epidemiological cutoffs of Sensitive MIC ≤ 2 and Resistant MIC ≥ 4

Drug Codes:

| | | | |
|--------------------------------------|-----------------------|--------------------------------------|-------------------------------------|
| AMK = amikacin | CEFTRX = ceftriaxone | FLUCY = flucytosine | OX = oxacillin |
| AMP = ampicillin | CEFUR= cefuroxime | GENT = gentamicin | PB = polymyxin B |
| AMPSUL = ampicillin/sulbactam | CTET= cefotetan | GENTHL = gentamicin –high level test | PIP = piperacillin |
| AMXCLV = amoxicillin/clavulanic acid | CIPRO = ciprofloxacin | IMI = imipenem | PIPTAZ = piperacillin/tazobactam |
| ANID = anidulafungin | CLIND = clindamycin | ITRA = itraconazole | RIF = rifampin |
| AZT = aztreonam | COL = colistin | LEVO = levofloxacin | TETRA = tetracycline |
| CASPO = caspofungin | DAPTO = daptomycin | LNZ = linezolid | TIG = tigecycline |
| CEFAZ= cefazolin | DORI = doripenem | MERO = meropenem | TMZ = trimethoprim/sulfamethoxazole |
| CEFEP = cefepime | DOXY = doxycycline | METH = methicillin | TOBRA = tobramycin |
| CEFOT = cefotaxime | ERTA = ertapenem | MICA = micafungin | VANC = vancomycin |
| CEFOX= cefoxitin | ERYTH = erythromycin | MINO = minocycline | VORI = voriconazole |
| CEFTAZ = ceftazidime | FLUCO = fluconazole | MOXI = moxifloxacin | |

Pneumonia (PNEU)

Page 4 of 4

Custom Fields

| | | | |
|-------|-----|-------|-----|
| Label | / / | Label | / / |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Comments