

Attachment 4 - ClinicalTrials.gov Results Reporting Data Entry Screen Shots

ClinicalTrials.gov PRS
Protocol Registration and Results System

Login

Welcome to the [ClinicalTrials.gov](#) Protocol Registration and Results System (PRS).

OMB NO: 0925-0586
EXPIRATION DATE: 08/31/2015
[Burden Statement](#)

Organization:
One-word organization name assigned by PRS (sent via email when account was created)

Username:

Password: [Forgot password](#)

Login

See [Submit Studies](#) on ClinicalTrials.gov for information on how to apply for an account, how to register your study, and how to submit results.
[Send email to ClinicalTrials.gov PRS Administration](#)

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

OMB NO: 0925-0586

EXPIRATION DATE: 08/31/2015

Burden Statement

Public reporting burden for this collection of information is estimated to average 7.0 hours per response for initial registration, 2.0 hours for each of 8 updates to the registration information during the course of the trial, 25.0 hours per response for initial results submission, 8.0 hours for two substantive updates to the results information. These estimates include the time for reviewing instructions, searching existing data sources, gathering the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0586). Do not return the completed form to this address

Home > Record Summary > Results Section > Participant Flow > Edit

NLM ID: jf1est Test Test Test Test Test [NCT ID not yet assigned]

Edit Participant Flow

[Help](#) [Definitions](#)

Recruitment Details:

Pre-assignment Details:

Arms/Groups (2)

<input type="button" value="Edit"/>	wonderdrug	<input type="button" value="Edit"/>	placebo
* Arm/Group Title:			
Arm/Group Description:	test test test	test test test	
	<input type="button" value="x Delete"/>	<input type="button" value="Move ▶"/>	<input type="button" value="x Delete"/>
			<input type="button" value="◀ Move"/>

Periods (1)

Protocol Enrollment: 200

* Period Title:	Overall Study		
	wonderdrug	placebo	Total (Not public)
* Started:	<input type="text"/> <input type="button" value="Add Comment"/>	<input type="text"/> <input type="button" value="Add Comment"/>	unknown
<input type="button" value="+ Add Milestone"/>			
* Completed:	<input type="text"/> <input type="button" value="Add Comment"/>	<input type="text"/> <input type="button" value="Add Comment"/>	unknown
Not Completed: (Started - Completed)	unknown	unknown	
Reason Not Completed			
-- Select Reason Type -- <input type="button" value="x Delete"/>	<input type="text"/>	<input type="text"/>	unknown
<input type="button" value="+ Add Reason Not Completed"/>	Not Completed = unknown Total from all reasons = unknown	Not Completed = unknown Total from all reasons = unknown	

Home > Record Summary > Results Section > Baseline > Edit Arms/Groups

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Baseline Arm/Groups

[+ Add Arm/Group](#) [Help](#) [Definitions](#)

* Arm/Group Title:	wonderdrug	placebo
Arm/Group Description:	test test test	test test test

Characters remaining: 985

Characters remaining: 985

Baseline Measures

Age, Continuous test 1	
Gender, Male/Female Female Male	
Region of Enrollment United States	

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > Baseline > Edit Analysis Population

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Baseline Analysis Population

[Help](#) [Definitions](#)

	wonderdrug	placebo
* Overall Number of Baseline Participants:	<input type="text"/>	<input type="text"/>

Baseline Analysis Population Description:

Characters remaining: 350

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > Baseline > Edit Measure

NLM ID: jtest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Baseline Measure

Help Definitions

* Baseline Measure Title: Age, Continuous

Baseline Measure Description: Additional information about the measure (e.g., description of scale)

Overall Number of Baseline Participants:	wonderdrug	placebo	Total
	---	---	---

* Measure Type: Mean

* Measure of Dispersion: Standard Deviation

* Category Title	Mean	Mean	Mean
<input type="text" value="test 1"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	Standard Deviation	Standard Deviation	Standard Deviation
	<input type="text"/>	<input type="text"/>	<input type="text"/>

* Unit of Measure: years
Commonly reported units:

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > #ResultsBreadCrumbTitle() > Outcomes > Outcome Measure > Edit Data

NLM ID: jtest Test Test Test Test Test Test [NCT ID not yet assigned]

Outcome Measure Data

Help Definitions

* Outcome Measure Type: Primary

* Outcome Measure Title: Characters remaining: 227

Outcome Measure Description: Characters remaining: 999

* Outcome Measure Time Frame:

(t) Safety Issue?

Arms/Groups (1)

* Arm/Group Title: **test**

Arm/Group Description:

* Number of Participants Analyzed:

Type of Units Analyzed:

Analysis Population Description: Characters remaining: 350

Outcome Measure Data Table

* Measure Type:	Number
* Measure of Dispersion/Precision:	Not Applicable
test	
* Category Title Title 1 <input type="button" value="Delete"/> <input type="button" value="Move"/>	Number 50
* Category Title Title 2 <input type="button" value="Delete"/> <input type="button" value="Move"/>	Number 50
<input type="button" value="+ Add Category"/>	
* Unit of Measure:	participants
Commonly reported units: <input type="button" value="participants"/> <input type="button" value="years"/> <input type="button" value="units on a scale"/> <input type="button" value="percentage of <something>"/>	

* Required by ClinicalTrials.gov
‡ = FDAAA Required to comply with US FDA Amendments Act
(‡) = (FDAAA) May be required to comply with US FDA Amendments Act

Home > Record Summary > Results Section > Outcomes > Outcome Measure > Add Statistical Analysis

NLM ID: jtest Test Test Test Test Test [NCT ID not yet assigned]

Add Outcome Statistical Analysis

Primary Outcome	
Title:	test test test test test
Time Frame:	forever
Unit of Measure:	participants

Tip: Many of the data elements are optional and may be left blank. The minimum requirements are to enter either a P-Value OR an Estimation Parameter (e.g., Mean Difference, Odds Ratio). A Confidence Interval for the Estimation Parameter may also be entered.

Statistical Analysis Overview

[Help](#) [Definitions](#)

* Comparison Group Selection:	Select the Outcome Measure Arms/Groups involved in the statistical analysis. <input type="checkbox"/> test
Comments:	(Optional) Additional details about the statistical analysis, such as null hypothesis and description of power calculation. Characters remaining: 500
* Non-inferiority or Equivalence Analysis?	-- Please Select --
Comments:	If "Yes" (non-inferiority or equivalence analysis), describe details of the power calculation (if not previously provided), definition of non-inferiority margin, and other key parameters. Characters remaining: 500


Statistical Test of Hypothesis

[Help](#) [Definitions](#)

P-Value:	(If applicable) <input type="text"/> (e.g. <0.01)
Comments:	(Optional) Additional information, such as whether or not the p-value is adjusted for multiple comparisons and the <i>a priori</i> threshold for statistical significance. Characters remaining: 250
Method:	(Required if a P-Value is entered) -- Please Select -- If other, please specify: <input type="text"/>
Comments:	(Optional) Any other relevant information, such as adjustments or degrees of freedom. Characters remaining: 150

Method of Estimation

[Help](#) [Definitions](#)

Estimation Parameter:	(If applicable) <input type="text" value="-- Please Select --"/> If other, please specify: <input type="text"/>
Estimated Value:	Provide the data for the Estimation Parameter. <input type="text"/>
Confidence Interval:	(If applicable)  <input type="text"/> % Confidence Interval Number of sides: <input type="text" value="2-Sided"/> Lower Limit: <input type="text"/> Upper Limit: <input type="text"/>
Parameter Dispersion Type and Dispersion Value:	(If applicable) <input type="text" value="-- Please Select --"/> <input type="text"/>
Estimation Comments:	(Optional) Any other relevant estimation information, including the direction of the comparison (e.g., describe which arm or comparison group represents the numerator and denominator for relative risk). <input type="text"/> Characters remaining: 250

Home > Record Summary > Results Section > Adverse Events > Edit Table Defaults

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Adverse Event Table Defaults

[Help](#) [Definitions](#)

Time Frame for Adverse Event Reporting: Please provide description of period in which adverse event data were collected (e.g., 1 year, 6 months) Characters remaining: 255

Additional Description: Characters remaining: 350

Source Vocabulary Name for Table Default: Please enter the name and version of the source vocabulary, if any, for adverse event terms. Source Vocabulary will be applied to all adverse event terms entered in the "Serious" and "Other" adverse event tables, unless otherwise specified. (e.g., SNOMED CT, MedDRA 10.0)

Assessment Type for Table Default: Assessment type will be applied to all adverse event terms entered in the "Serious" and "Other" adverse event tables, unless otherwise specified. If systematic, provide explanation of the method in Additional Description.
 -- Please Select--

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > Adverse Events > Edit Arms/Groups

NLM ID: jftest Test Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Adverse Event Arms/Groups

[Help](#) [Definitions](#)

* Arm/Group Title:	<input type="text" value="Drug A"/>	<input type="text" value="placebo"/>
Arm/Group Description:	<input type="text" value="test"/> Characters remaining: 995	<input type="text" value="test"/> Characters remaining: 995
	<input type="button" value="x Delete"/> <input type="button" value="Move ▶"/>	<input type="button" value="x Delete"/> <input type="button" value="◀ Move"/>

Total for Serious Adverse Events:	4 Affected Participants out of 12 At Risk	0 Affected Participants out of 0 At Risk
Total for Other (Not Including Serious) Adverse Events:	--- Affected Participants out of --- At Risk	--- Affected Participants out of --- At Risk

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > Adverse Events > Edit Serious Total

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Serious Adverse Event Total

[Help](#) [Definitions](#)

Serious Adverse Event(s)	wonderdrug	placebo
* Total Number Affected:	4 participants	0 participants
* Total Number At Risk:	12 participants	0 participants

Tip: The Total Number of Participants at Risk is typically equal to the Number of Participants who Started the first Period in the Participant Flow. [Preview Participant Flow](#)

Save Validate Cancel

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > Adverse Events > Edit Serious Data

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Serious Adverse Event Data

Table includes 1 Serious Adverse Event terms

[Help](#) [Definitions](#)

	wonderdrug	placebo
Total Number of Participants Affected/At Risk:	4 / 12	3 / 12
<input type="button" value="Edit"/> death Blood and lymphati... <input type="button" value="Delete"/>	* Affected /At Risk: Number of Events: 4 / 12 <input type="button" value="Edit"/>	3 / 12 <input type="button" value="Edit"/>

+ Add Serious Adverse Event

Save Validate Cancel

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > Adverse Events > Edit Threshold

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Frequency Threshold for Reporting Other (Not Including Serious) Adverse Events

[Help](#) [Definitions](#)

* Frequency Threshold for Reporting Other Adverse Event: Enter a number between 0 (no threshold, all events reported) and 5 (only events occurring in greater than 5% of participants in any Arm/Group are reported).
 %

Save Cancel

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > Adverse Events > Edit Other (Not Including Serious) Total

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Other (Not Including Serious) Adverse Event Total

[Help](#) [Definitions](#)

Other Adverse Event(s)	Drug ABC	placebo
* Total Number Affected:	<input type="text"/> participants	<input type="text"/> participants
* Total Number At Risk:	<input type="text"/> participants	<input type="text"/> participants

Tip: The Total Number of Participants at Risk is typically equal to the Number of Participants who Started the first Period in the Participant Flow. [Preview Participant Flow](#)

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > Limitations and Caveats

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Limitations and Caveats

[Definitions](#)

Overall Limitations and Caveats:

Characters remaining: 250

If appropriate, please describe limitations of the trial.
Examples: Early termination leading to small numbers of subjects analyzed; Technical problems with measurement leading to unreliable or uninterpretable data.

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > More Information > Certain Agreements

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Certain Agreements

Restrictions on PI after Trial is Completed*

*Other than an agreement solely to comply with applicable provisions of law protecting the privacy of human participants.

Definitions

* Are all PIs Employees of Sponsor?	If all principal investigators are employees of the sponsor, select "Yes". No <input type="button" value="v"/>
Results Disclosure Restriction on PI(s)?	If there is an agreement between the sponsor (or its agent) and any non-employee PI(s) that restricts the PI's rights to discuss or publish trial results after the trial is completed, select "Yes" and select a "Restriction Type." Trial completion is defined as the final date on which data were collected (see Study Completion Date definition). If there are agreements with multiple non-employee PIs and there is a disclosure restriction on at least one PI, select "Yes". Yes <input type="button" value="v"/>
PI Disclosure Restriction Type:	Indicate which type of restriction applies. If there are varying agreements with multiple PIs, choose the type below that represents the most restrictive of the agreements (e.g., the agreement with the greatest embargo time period). <input type="radio"/> None Selected <input type="radio"/> The only disclosure restriction on the PI is that the sponsor can review results communications prior to public release and can embargo communications regarding trial results for a period that is less than or equal to 60 days from the time submitted to the sponsor for review. The sponsor cannot require changes to the communication and cannot extend the embargo. <input checked="" type="radio"/> The only disclosure restriction on the PI is that the sponsor can review results communications prior to public release and can embargo communications regarding trial results for a period that is more than 60 days but less than or equal to 180 days from the time submitted to the sponsor for review. The sponsor cannot require changes to the communication and cannot extend the embargo. <input type="radio"/> Other disclosure agreement that restricts the right of the PI to discuss or publish trial results after the trial is completed. If the restriction type is "Other disclosure agreement ...", please describe the agreement. <div style="border: 1px solid #ccc; height: 80px; width: 100%;"></div> <div style="text-align: right; font-size: small;">Characters remaining: 500</div>

Save Cancel

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Home > Record Summary > Results Section > More Information > Point of Contact

NLM ID: jftest Test Test Test Test Test Test [NCT ID not yet assigned]

Edit Results Point of Contact

Definitions

* Name or Official Title: (of Investigator)	adsfads Enter the specific person's name (e.g., Dr. Jane Smith) or a position title (e.g., Director of Clinical Trials).
* Organization Name:	asdfassf
* Phone:	asdfasf Ext. <input type="text"/>
* Email:	asdfasf ❌ ERROR : An incorrectly formatted Point of Contact Email was entered.

Save Cancel

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services