

Public reporting burden for this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. According to the Paperwork Reduction Act of 1995, a federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with, a collection of information unless it displays a currently valid OMB control number. The valid OMB control number for this information collection is **2130-0505**. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection, including suggestions for reducing this burden to: Information Collection Officer, Federal Railroad Administration, 1200 New Jersey Ave., S.E., Washington D.C. 20590.

### BOILER SPECIFICATION CARD

**Locomotive No.** \_\_\_\_\_ ; **Boiler No.** \_\_\_\_\_ ; **Date built** \_\_\_\_\_  
**Boiler built by:** \_\_\_\_\_  
**Owned by:** \_\_\_\_\_  
**Operated by:** \_\_\_\_\_  
**Type of boiler:** \_\_\_\_\_ ; **Dome, where located:** \_\_\_\_\_

### BOILER SURVEY DATA

Where **condition** is called for, use: **New** - New material at the time of the boiler survey; **Good** - Little or no wear and/or corrosion; **Fair** - Obvious wear and/or corrosion.

#### Boiler Shell Sheets

Material:	Type of Material <small>(wrought iron, carbon steel, or alloy steel)</small>	Carbon Content	Condition
1st course (front)	_____	_____	_____
2nd course	_____	_____	_____
3rd course	_____	_____	_____
Rivets	_____	n/a	n/a

**Documentation of how material was determined shall be attached to this form.**

Measurements:	At Seam	Thinnest		
Front flue sheet, thickness	n/a	_____	,ID _____	,ID _____
1st course, thickness	_____	_____	,ID _____	,ID _____
2nd course, thickness	_____	_____	,ID _____	,ID _____
3rd course, thickness	_____	_____	,ID _____	,ID _____

**When courses are not cylindrical give ID at each end**

**Is boiler shell circular at all points?** \_\_\_\_\_  
 If shell is flattened, state location and mount \_\_\_\_\_  
 Are all flattened areas of shell stayed adequately for the pressure allowed by this form? \_\_\_\_\_

**Water Space at Mud Ring:** Sides \_\_\_\_\_, Front \_\_\_\_\_, Back \_\_\_\_\_  
**Width of water space at sides of fire box measured at center line of boiler:** Front \_\_\_\_\_, Back \_\_\_\_\_

#### Firebox and Wrapper Sheets

Firebox sheets:	Thickness	Material	Condition
Rear flue sheet	_____	_____	_____
Crown	_____	_____	_____
Sides	_____	_____	_____
Door	_____	_____	_____
Combustion chamber	_____	_____	_____
Inside throat	_____	_____	_____

**Wrapper sheets:**

Throat	_____	_____	_____
Back head	_____	_____	_____
Roof	_____	_____	_____
Sides	_____	_____	_____

**Steam Dome**

Dome is made of \_\_\_\_\_ pieces (not including seam welts, if any), Top opening diameter \_\_\_\_\_  
 Middle cylindrical portion - ID \_\_\_\_\_, Opening in boiler shell, longitudinally - \_\_\_\_\_

<b>Dome sheets:</b>	Thickness	Material	Condition
Base	_____	_____	_____
Middle cylindrical portion	_____	_____	_____
Top	_____	_____	_____
Lid	_____	_____	_____

**Boiler shell liner for steam dome opening:**

Is liner part of longitudinal seam? \_\_\_\_\_

**Arch Tubes, Flues, Circulators, Thermic Siphons, Water Bar Tubes, Superheaters, and Dry Pipe**

**Arch tubes:** OD \_\_\_\_\_, wall thickness \_\_\_\_\_; number \_\_\_\_\_; conditions \_\_\_\_\_

**Flues:**

OD \_\_\_\_\_, wall thickness \_\_\_\_\_, length \_\_\_\_\_; number \_\_\_\_\_; condition \_\_\_\_\_  
 OD \_\_\_\_\_, wall thickness \_\_\_\_\_, length \_\_\_\_\_; number \_\_\_\_\_; condition \_\_\_\_\_  
 OD \_\_\_\_\_, wall thickness \_\_\_\_\_, length \_\_\_\_\_; number \_\_\_\_\_; condition \_\_\_\_\_

**Circulators:** OD \_\_\_\_\_, wall thickness \_\_\_\_\_; number \_\_\_\_\_; conditions \_\_\_\_\_

**Thermic siphons:** number \_\_\_\_\_; Plate thickness \_\_\_\_\_; condition \_\_\_\_\_  
 Neck OD \_\_\_\_\_, neck thickness \_\_\_\_\_; condition \_\_\_\_\_

**Water bar tubes:** OD \_\_\_\_\_, wall thickness \_\_\_\_\_

**Superheater units directly connected to boiler with no intervening valve:**

Type \_\_\_\_\_, Tube OD \_\_\_\_\_, wall thickness \_\_\_\_\_; number \_\_\_\_\_; condition \_\_\_\_\_

**Dry pipe subject to pressure:**

OD \_\_\_\_\_, wall thickness \_\_\_\_\_, material \_\_\_\_\_; condition \_\_\_\_\_

### Stay Bolts, Crown Bar Rivets, and Braces

**Stay bolts:**

Smallest crown stay diameter \_\_\_\_\_ ,avg. spacing \_\_\_\_\_ X \_\_\_\_\_ ;condition \_\_\_\_\_  
 Smallest stay bolt diameter \_\_\_\_\_ ,avg. spacing \_\_\_\_\_ X \_\_\_\_\_ ;condition \_\_\_\_\_  
 Smallest combustion chamber stay bolt diameter \_\_\_\_\_ ,avg. spacing \_\_\_\_\_ X \_\_\_\_\_ ;condition \_\_\_\_\_  
**Measurement at smallest diameter**

**Crown bar bolts & rivets:**

Roof sheet rivets, smallest dia. \_\_\_\_\_ ,avg. spacing \_\_\_\_\_ X \_\_\_\_\_ ;condition \_\_\_\_\_  
 Roof sheet bolts, smallest dia. \_\_\_\_\_ ,avg. spacing \_\_\_\_\_ X \_\_\_\_\_ ;condition \_\_\_\_\_  
 Crown sheet rivets, smallest dia. \_\_\_\_\_ ,avg. spacing \_\_\_\_\_ X \_\_\_\_\_ ;condition \_\_\_\_\_  
 Crown sheet bolts, smallest dia. \_\_\_\_\_ ,avg. spacing \_\_\_\_\_ X \_\_\_\_\_ ;condition \_\_\_\_\_

**Braces:**

Total Cross Sectional Area of Braces

	Number	Total Area Stayed	Actual	Equivalent Direct Stay
Backhead	_____	_____	_____	_____
Throat sheet	_____	_____	_____	_____
Front tube sheet	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

### Safety Valves, Heating Surface, and Grate Area

**Safety valves:** Total number of safety valves on locomotive \_\_\_\_\_

Valve Size	Manufacturer	No. valves of this size and manufacture
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

**Heating Surface:**

Heating surface, as part of a circulating system in contact on one side with water or wet steam being heated and on the other side with gas or refractory being cooled, shall be measured on the side receiving heat.

Firebox and Combustion Chamber	_____	square feet
Flue Sheets (less flue ID areas)	_____	square feet
Flues	_____	square feet
Circulators	_____	square feet
Arch Tubes	_____	square feet
Thermic Siphons	_____	square feet
Water Bar Tubes	_____	square feet
Superheaters (front end throttle only)	_____	square feet
Other	_____	square feet
<b>Total Heating Surface</b>	_____	square feet

**Grate area:** \_\_\_\_\_ square feet

## Water Level Indicators, Fusible Plugs, and Low Water Alarms

Height of lowest reading of gauge glasses above crown sheet: \_\_\_\_\_

Height of lowest reading of gauge cocks above crown sheet: \_\_\_\_\_

Is boiler equipped with fusible plug(s)? \_\_\_\_\_, number \_\_\_\_\_

Is boiler equipped with low water alarm(s)? \_\_\_\_\_, number \_\_\_\_\_

### Calculations

**Staybolt stresses:**

Stay bolt under greatest load, maximum stress \_\_\_\_\_ psi

Location \_\_\_\_\_

Crown stay, crown bar rivet, or crown bar bolt under greatest load, max. stress \_\_\_\_\_ psi

Location \_\_\_\_\_

Combustion chamber stay bolt under greatest load, maximum stress \_\_\_\_\_ psi

Location \_\_\_\_\_

**Braces:**

Round or rectangular brace under greatest load, maximum stress \_\_\_\_\_ psi

Location \_\_\_\_\_

Gusset brace under greatest load, maximum stress \_\_\_\_\_ psi

Location \_\_\_\_\_

**Shearing stress on rivets:**

Greatest shear stress on rivets in longitudinal seam \_\_\_\_\_ psi

Location (course #) \_\_\_\_\_ ; Seam Efficiency \_\_\_\_\_

**Boiler shell plate tension:**

Greatest tension on net section of plate in longitudinal seam \_\_\_\_\_ psi

Location (course #) \_\_\_\_\_ ; Seam Efficiency \_\_\_\_\_

**Boiler plate and components, minimum thickness required @ tensile strength:**

Front tube sheet	@		Rear flue sheet	@	
1st course at seam	@		1st course not at seam	@	
2nd course at seam	@		2nd course not at seam	@	
3rd course at seam	@		3rd course not at seam	@	
Roof sheet	@		Crown sheet	@	
Side wrapper sheets	@		Firebox side sheets	@	
Back head	@		Door sheet	@	
Throat sheet	@		Inside throat sheet	@	
Combustion chamber	@		Dome, top	@	
Dome, middle	@		Dome, base	@	
Arch tubes	@		Dome, lid	@	
Water bar tubes	@		Thermic siphons	@	



