BOX STBEG

BOX STBEG Page Order #: 5

BOX INSTRUCTIONS

(STQ1010)

IF ((SP WAS COVERED BY A MEDICARE MANAGED CARE PLAN WITHOUT RX COVERAGE ANYTIME DURING THE CURRENT ROUND) OR (SP WAS COVERED BY A PRIVATE MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND)) AND (SP WAS NOT COVERED BY A MEDICARE PRESCRIPTION DRUG PLAN ANYTIME DURING THE CURRENT ROUND) ST1 - MHMOSTMT (STQ1030).

ELSE GO TO ST2 - MCSAVAIL (STQ1080).

ASSIGNMENTS

TECHN	ICAL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
112	PlanIsPrivateHMO	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
351	MPDPAnytimeCurrRnd	SP covered by an MPDP plan anytime during current round = There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
380	MPDPAnytimePrevRnd	SP covered by an MPDP plan anytime during previous round = There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
381	MHMOAnytimeWithoutR x	SP covered by Medicare Managed Care (Medicare Advantage Plan) without RX during curr. rnd= There is a PLAN where PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLANNUM & PLRORND=curr.round & COVANYTM=1/Yes & MHMORX^=1/Yes)). Exclude Deleted Plans. See T.N. 52.
362	PrivHMOAnytime	SP covered by Private Managed Care Plan anytime during current round = There is a PLAN where PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes)). Exclude Deleted Plans. See T.N. 52.

ST1 Page Order #: 30

Design Screen Type: Code 1

Fields: Field 1: MHMOSTMT

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: MANAGED CARE PLAN NAME:

If SP has a Current Medicare Managed Care plan, display name

of current Medicare Managed Care Plan.

Else display name of (one of) SP's Private Managed Care plan(s).

Question display: If previous round HRND.MHMOSTMT = DK, RF or EMPTY, then:

Display "[Do you/Does (SP)] usually receive any statements or

papers...

MANAGED CARE PLAN NAME:

If SP has a Current Medicare Managed Care plan, display name

of current Medicare Managed Care Plan.

Else display name of (one of) SP's Private Managed Care

plan(s).

Else then:

Display "Last time, we recorded that...".

If previous round HRND.MHMOSTMT = 1/Always, display

"always".

Else if previous round HRND.MHMOSTMT = 2/Sometimes,

display "sometimes". Else display "never".

If previous round HRND.MHMOSTMT ^= empty, display "currently"

Else do not display.

If respondent is SP, display "you always receive statements, sometimes receive statements, or never receive statements". Else display "(SP) always receives statements, sometimes receives

statements, or never receives statements".

Multi Field display:

Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
<u>TEXT:</u>	
Context Header:	MAPLAN: (MANAGED CARE PLAN NAME)
Int. Instr I:	
Question Text:	Now that we have finished talking about medical visits and prescribed medicines, let's talk about [your/(SP's)] medical costs. We should start by looking at any paperwork or written explanations of what was paid by Medicare, any insurance company, or TRICARE.
	[Do you/Does (SP)] usually receive any statements or papers from Medicare, insurance, such as (MANAGED CARE PLAN NAME), or TRICARE that show the charges for medical visits or equipment?/Last time, we recorded that [you/(SP)] (always/sometimes/never) received statements or papers from Medicare, insurance, or TRICARE that show the charges for medical visits or equipment.]
	Please tell me if (currently) [you always receive statements, sometimes receive statements, or never receive statements/(SP) always receives statements, sometimes receives statements, or never receives statements].
Int. Instr II:	
INPUT FIELDS / ROUTING	

Field1: MHMOSTMT (STQ1030)

Cheshire Name: HRND.MHMOSTMT

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TSt1ahmo Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	Always	ST2 - MCSAVAIL (STQ1080)
	English text: ALWAYS	
2	Sometimes	ST2 - MCSAVAIL (STQ1080)
	English text: SOMETIMES	
3	Never	BOX STEND - (STQ3010)
	English text: NEVER	

Attribute	Route
Don't know	ST2 - MCSAVAIL (STQ1080)

Refusal ST2 - MCSAVAIL (STQ1080)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

65 **MHMOCurrent** SP has a current Medicare Managed Care plan (Medicare Advantage plan) = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52. **PlanIsPrivateHMO** 112 SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52. 106 Health Insurance Plan Roster is stored on PLAN. **HIPlanName** Plan name = PLAN.PLNAME. On MRES where MRES.MRESRND = current round: 4 Respondent A Proxy interview (respondent is a proxy) = MRES.SPPROXY=2/Proxy. MRES.RROSTNUM=ROST.ROSTNUM of respondent. An SP interview (respondent is the SP) = MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.

DESIGN NOTES

ST2			Page Order #:	80
Design Screen Type:	Yes/No			
Fields:	Field 1:	MCSAVAIL		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:	we" Else do not displ	TMT = empty, display fire ay. first community intervievely		
		ne last interview".	w, display that [you/(Si	Г <u>Л</u>
	Drug plan) or the Prescription Drug	ent" (MHMO, TRICARE, ere was a (MHMO, TRICA g plan) "current" at the tir isplay "Please include…] ay.	ARE, or Medicare me of the previous rour	
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				

Context Header:

Int. Instr I:

Question Text: [Now that we have finished talking about medical visits and

prescribed medicines, let's talk about [your/(SP's)] medical costs. We should start by looking at any paperwork or written explanations of what costs were paid by Medicare, any insurance company, or

TRICARE.]

[PROBE IF NECESSARY: Do you have any statements or paper from Medicare, insurance, or TRICARE [that [you/(SP)] received since the last interview]? (Please include any statements received

about [your/(SP's)] prescription drug benefit.)]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: MCSAVAIL (STQ1080)

Cheshire Name: HRND.MCSAVAIL

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	ST3 - STHIREP (STQ1107)
	English text: YES	
2	No	BOX STEND - (STQ3010)
	English text: NO	
Attribut	e Route	
Don't kno	w BOX STEND - (STO3010	

Don't know	BOX STEND - (STQ3010)	
Refusal	BOX STEND - (STQ3010)	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

If this is SP's first community interview = (MRES.INTTYPE=2/NewFromFacility or MRES.INTTYPE=3/NewFromSupplement) on MRES where MRES.MRESRND = current round. TricareCurrent
There is a PLAN where PLAN.PLANTYPE = 6/Tricare & PLRO where (PLRO.PLROPLAN = PLAN.PLANNUM & PLRORND = current round & (PLRO.COVTIME = 1/WholeTime or PLRO.COVNOW = 1/Yes)). Exclude Deleted Plans. See T.N. 52. 29 CurrMedManageCarePl an - Change to 65. SP currently in Medicare Managed Care Plan (Medicare Advantage plan) = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52. 342 MPDPCurrent SP has a "current" Medicare Prescription Drug plan = There is a PLAN where PLAN.PLANTYPE=7/MPDP &
an - Change to 65. Advantage plan) = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52. 342 MPDPCurrent SP has a "current" Medicare Prescription Drug plan = There is a PLAN where PLAN.PLANTYPE=7/MPDP &
There is a PLAN where PLAN.PLANTYPE=7/MPDP &
PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.
ThisMPDPCurrentPrevR nd This MPDP Plan was "current" at the time of the previous round interview = For this PLAN, there is a PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.
Tricare "current" at the time of the previous round interview = There is a PLAN where PLAN.PLANTYPE=6/Tricare & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round and (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52. Exclude plans stopped in HIS. See T.N. 476.
MHMOCurrPrevRnd Medicare Managed Care plan (Medicare Advantage plan) "current" at time of previous round interview = There is a PLAN where PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLANNUM & PLRORND=previous round & COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52. Exclude plans stopped in HIS. See T.N. 476.
476 HISStoppedPlans Plans stopped in HIS that are not valid for displays or checks = Any PLAN where PLAN.PLANSFLG=1/Yes is a PLAN
stopped in HIS.

ST3 Page Order #: 90

Design Screen Type: No Entry

Fields: Field 1: STHIREP

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report below question text.

Display all insurance plans SP reported being covered by in the current round or in the previous round in the following order:

First line

If SP was covered by a Medicare Managed care plan, display name

of this Medicare Managed care plan.

Else display "MEDICARE" for the Medicare plan.

Next list Medicaid, Tricare, all Public Plans, all Private Plans and all Medicare Prescription Drug Plans. If there is more than one plan of

any type, display in order of entry.

Report header: PLANS DISCUSSED AT THIS POINT OF THE

INTERVIEW Report layout:

Column 1, header="Plan Name", display PLAN.PLNAME. Column 2, header="Plan Type", display PLAN.PLANTYPE:

If PLANTYPE=1/Medicare, display "MCAR". If PLANTYPE=2/Medicaid, display "MCAD". If PLANTYPE=3/PublicPlan, display "PUBL". If PLANTYPE=4/PrivatePlan, display "PRIV". If PLANTYPE=5/MHMO, display "MHMO". If PLANTYPE=6/Tricare, display "TRIC". If PLANTYPE=7/MPDP, display "MPDP".

<u>TEXT:</u>			
Context Header:		E PERIOD: (SURVEY REFERENCE DATE) F DEATH/DATE OF INSTITUTIONALIZATION)	
Int. Instr I:	INSURANCE SECTIO	DRMATION RECORDED IN THE HEALTH ON FOR RECENT ROUNDS, THE PLAN(S) THE SOURCES OF STATEMENTS YOU FIND FOR THIS SP.	
Question Text:			
Int. Instr II:			
INPUT FIELDS / ROUT	ГING		
Field1:	STHIREP ((STQ1107)	
Cheshire Name:			
Item Text display:			
Item Text:			
Label: Label Position:			
Field Type:	Enumerated	FieldSize:	
Type Name:	TContinueEMPTY	Min Value:	
Answers Allowed: Drop Down List:	1 No	Max Value:	
Lookup File:	No	Mask:	
Lookup File Name:			
Number Label		Route	
1 Continue		ST4 - MATCHST (STQ1110)	
English text	:CONTINUE		
Attribute Route			
Empty ST4 - N	MATCHST (STQ1110)		

9:21:21 AM Wednesday, March 27, 2013

BACKGROUND VARIABLE ASSIGNMENTS

HARD EDIT CHECKS

TECHNICAL NOTES

144	PlanCurrPrevRnd	Plan was "current" at the time of prev. round interview = For this PLAN, there is a PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes or COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52.
145	PlanCoveredPrevRnd	SP covered by PLAN anytime during prev.round = There is a PLAN where PLAN.PLANTYPE ^= 1/Medicare & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=prev. round & (PLRO.COVTIME ^= empty or PLRO.COVANYTM=1/Yes)).

Exclude Deleted Plans. See T.N. 52.

52 DeletedPlans

Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

DESIGN NOTES

ST4			Page Order # :	110
Design Screen Type:	No Entry			
Fields:	Field 1:	MATCHST		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	"MATCH UP MEI STATEMENTS B Else display "PRI	ime ST4 is asked in the DICARE INSURANCE, Y PROVIDER AND DA ESS ENTER TO CONT JNDLE)." in interviewer	AND TRICARE TE OF SERVICE." THE NEXT	у
	Always display "(STATEMENT/BUNDLE	E)", "(MHMO)", "(MPDP	')" in
	Drug plan) or the Prescription Drug	ent" (MHMO, TRICARE re was a (MHMO, TRIC g plan) "current" at the t splay "SELECT" for Ir ay.	CARE, or Medicare time of the previous ro	und
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				

Context Header: SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)

TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Int. Instr I: [MATCH UP MEDICARE, INSURANCE, TRICARE, AND MEDICARE

PRESCRIPTION BENEFIT STATEMENTS BY PROVIDER AND DATE OF SERVICE./PRESS ENTER TO CONTINUE TO THE NEXT

(STATEMENT/BUNDLE).]

Question Text:

Int. Instr II: [SELECT "MPDP STATEMENT OR MA/TRICARE PRESCRIPTION

DRUG BUNDLE" AT THE NEXT SCREEN FOR ALL STATEMENTS FROM THE SP'S "(MPDP)" PLAN, "(MHMO)" PLAN OR TRICARE

PLAN THAT REPORTS PRESCRIPTION DRUG CLAIMS.]

INPUT FIELDS / ROUTING

Field1: MATCHST (STQ1110)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TContinueEMPTYMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number Label Route

1 Continue ST5 - ST_CHARGEBUNDLE (STQ1120)

English text: CONTINUE

Attribute Route

Empty ST5 - ST CHARGEBUNDLE (STQ1120)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

		s	T4
355	TricareCurrent	There is a "current" Tricare plan = There is a PLAN where PLAN.PLANTYPE = 6/Tricare & PLRO where (PLRO.PLROPLAN = PLAN.PLANNUM & PLRORND = current round & (PLRO.COVTIME = 1/WholeTime or PLRO.COVNOW = 1/Yes)). Exclude Deleted Plans. See T.N. 52.	
29	CurrMedManageCarePl an - Change to 65.	SP currently in Medicare Managed Care Plan (Medicare Advantage plan) = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.	
342	MPDPCurrent	SP has a "current" Medicare Prescription Drug plan = There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.	
349	ThisMPDPCurrentPrevR nd	This MPDP Plan was "current" at the time of the previous round interview = For this PLAN, there is a PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.	
72	TricareCurrentPrevRnd	Tricare "current" at the time of the previous round interview = There is a PLAN where PLAN.PLANTYPE=6/Tricare & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round and (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52. Exclude plans stopped in HIS. See T.N. 476.	
51	MHMOCurrPrevRnd	Medicare Managed Care plan (Medicare Advantage plan) "current" at time of previous round interview = There is a PLAN where PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLANNUM & PLRORND=previous round & COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52.	

Exclude Deleted Plans. See T.N. 52. Exclude plans stopped in HIS. See T.N. 476.

checks =

Plans stopped in HIS that are not valid for displays or

Any PLAN where PLAN.PLANSFLG=1/Yes is a PLAN stopped in HIS.

DESIGN NOTES

HISStoppedPlans

476

ST5 Page Order #: 120

Design Screen Type: Roster

Fields: Field 1: ST_CHARGEBUNDLE

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name: Statement Charge Bundle

Roster Type: Single Item Select

Roster Functions: Add Item Yes Display as 'Add Charge Bundle'
Edit Item Yes Display as 'Edit Charge Bundle'

Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Always display "(S)" in interviewer instructions in parenthesis.

If this is the first time ST5 is asked in the current round, display

"FIRST".

Else display "NEXT" in Interviewer Instructions.

Multi Field display:

Roster/Grid Instructions: Display all current round Charge Bundles already entered in the

Statement Series.

Display in order of entry.

Display all loaded Charge Bundles as protected rows.

Note: Completed Charge Bundles loaded at ST5 should be protected and not preselected. The interviewer must add a new charge bundle at ST5 before being able to continue. The interviewer should not be able to select an existing charge bundle and make

updates to the charges already collected.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 Bundle # Display COST.COSTNUM.

2 Statement Display COST.STTYPE response text.

Source(s)

		313		
3	MSN Claim Type	Display COST.MCARTYPE response text.		
4	Claim Control # MSN	Display "Claim Control #" above columns 4,5,6.		
		If (COSA.MSNCLNUM ^= empty and COSA MSNCLNUM ^= DK), display first five digits of COSA.MSNCLNUM. Else if COSA.MSNCLNUM = DK, display "DK". Else do not display.		
5	INS	If (COST.INSCLNUM ^= empty and COST.INSCLNUM ^= DK), display first five digits of COST.INSCLNUM. Else if COST.INSCLNUM = DK, display "DK".		
•	TDI	Else do not display.		
6	TRI	If (COST.TRICLNUM ^= empty and COST.TRICLNUM ^= DK), display first five digits of COST.TRICLNUM. Else if COST.TRICLNUM = DK, display "DK". Else do not display.		
7	RX BEGIN DATE	Display (MPDP SERVICE START DATE)		
. – – –				
SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)				
· · · · · · · · · · · · · · · · · · ·				
ADD THE SOURCE(S) AND TYPE OF STATEMENT(S) FOR THE (FIRST/NEXT) BUNDLE OF EVENTS.				
ADD ONE CHARGE BUNDLE AT THIS ROSTER.				

Report display:

Context Header:

Question Text:

Int. Instr I:

Int. Instr II:

<u>TEXT:</u> _ _ _ _ _ _

INPUT FIELDS / ROUTING

Field1: ST_CHARGEBUNDLE (STQ1120)

Cheshire Name: TEMP

Item Text display: Display "AND" in all response options in BOLD.

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TCOSTPICK135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST5A - (STQ1121)

BACKGROUND VARIABLE ASSIGNMENTS

Charge Bundle details will be collected on COST and CORO: COST key = COST.COSTBASE + COST.COSTNUM COST.COSTNUM = Number of charge bundle generated at ST5.

For charge bundles added, see STATEMENT CHARGE BUNDLE POP-UP specifications for pop-up window programming instructions.

Variables populated:

COST.COSTNUM Charge Bundle COST Number

COST.COSTRNDC Current Round

COST.COSTTYPE 1/ST COST.MCREDPCT 0

COST.STTYPE Statement Type Reported at ST5.

COST.MCARTYPE MSN Type

CORO.COROCOST Charge Bundle COST number

CORO.CORORND Current Round

CORO.COROTYPE 1/ST

BASE.LASTCOST Highest COST.COSTNUM.

NOTE: COST.STATTYPE is set at BOX ST5B based on ST5 - COST.STTYPE and ST5A -

COST.PDPTYPE.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
250	CurrentChargeBundles	Current Round Charge Bundles entered in Statement Series = There is a COST where COST.COSTRNDC = current round and COST.COSTTYPE = 1/ST.
261	NeverinsurancePlan	SP never had a health insurance plan other than Medicare or Tricare = There is no PLAN where (PLAN.PLANTYPE = 2/Medicaid, 3/PublicPlan, or 4/PrivatePlan). Exclude Deleted Plans. See T.N. 52.
262	NeverTricare	SP never had a Tricare plan = There is no PLAN where PLAN.PLANTYPE = 6/Tricare. Exclude Deleted Plans. See T.N. 52.
468	TypeOfStatement	Type of Statement = COST.STATTYPE.
DESIGN	INOTES	

ST5 is called from NS and CPS when SP reports having a statement.

BOX ST5A

BOX ST5	Page Order # :	130		
BOX INSTRUCTIONS				
(STQ1121)	IF ST5 – STTYPE = 8/MPDPorMAorTricare THEN GC STQ1122).	TO ST5A - PDPTYPE	(
	ELSE GO TO BOX ST5B - (STQ1123).			
ASSIGNMENTS				
TECHNICAL NOTES				
DESIGN NOTES				

ST5A

ST5A			Page Order # :	135
Design Screen Type:	Code 1			
Fields:	Field 1:	PDPTYPE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	: :			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:	SELECT THE TYPE OF PRESCRIPTION DRUG STATEMENT FOR THIS BUNDLE.			
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

ST5A

Field1	Field1: PDPTYPE (STQ1122)		2)	
Cheshi	ire Name:	COST.PDPTYPE		
Item Te	ext display:			
Item Te	ext:			
Label: Label F	Position:			
Drop D Looku	ame: rs Allowed: own List:	Enumerated TPDPType 1 No No	M M	ieldSize: lin Value: lax Value: lask:
Number	Label		R	coute
1	MPDP		В	OX ST5B - (STQ1123)
	-	MEDICARE PRESCRIPT		BENEFIT STATEMENT
2	MedAdvantage			OX ST5B - (STQ1123)
	English text: N	MEDICARE ADVANTA		
3	Tricare		В	OX ST5B - (STQ1123)
	English text:	TRICARE STATEMENT		
BACKGROUND VARIABLE ASSIGNMENTS				
SOFT E	DIT CHECKS			
HARD E	DIT CHECKS			
TECHNICAL NOTES				

DESIGN NOTES

BOX ST5B

BOX ST5B Page Order #: 138

BOX INSTRUCTIONS

(STQ1123) SET STATEMENT TYPE..

GO TO BOX ST5 - (STQ1125).

ASSIGNMENTS

STATTYPE

If ST5A-PDPTYPE asked in the current round and (ST5-STTYPE = 8/MPDPorMAorTricare and (ST5A-PDPTYPE = 1/MPDP or 2/MedAdvantage))), set COST.STATTYPE = 8/MPDPBenefit.

Else If ST5A-PDPTYPE asked in the current round and (ST5-STTYPE = 8/MPDPorMAorTricare and ST5A- PDPTYPE = 3/Tricare), set COST.STATTYPE = 4/Tricare.

Else if ST5-STTYPE = 1/Medicare, set COST.STATTYPE = 1/Medicare.

Else if ST5-STTYPE = 2/Insurance, set COST.STATTYPE = 2/Insurance.

Else if ST5-STTYPE = 3MedicareAndInsurance, set COST.STATTYPE = 3/MedicareAndInsurance.

Else if ST5-STTYPE = 4/Tricare, set COST.STATTYPE = 4/Tricare.

Else if ST5-STTYPE = 5/MedicareAndTricare, set COST.STATTYPE = 5/MedicareAndTricare.

Else if ST5-STTYPE = 6/TricareAndInsurance, set COST.STATTYPE = 6/TricareAndInsurance.

Else if ST5-STTYPE =

7/MedicareAndTricareAndInsurance, set

COST.STATTYPE =

7/MedicareAndTricareAndInsurance.

TECHNICAL NOTES

DESIGN NOTES

BOX ST5 Page Order #: 140

BOX INSTRUCTIONS

(STQ1125)

IF TYPE OF STATEMENT = 1/Medicare, 3/MedicareAndInsurance, 5/MedicareAndTricare, OR 7/MedicareAndTricareAndInsurance, GO TO ST7 - MSNCLNUM (STQ1190).

ELSE IF TYPE OF STATEMENT = 2/Insurance OR 6/TricareAndInsurance, GO TO ST10 - INSCLNUM (STQ1330).

ELSE IF TYPE OF STATEMENT = 4/Tricare AND ST5 - STTYPE = 4/Tricare, GO TO ST11 - TRICLNUM (STQ1350).

ELSE GO TO ST11B - PDPBEGMM (STQ1354).

ASSIGNMENTS

TECHNICAL NOTES

468 TypeOfStatement

Type of Statement = COST.STATTYPE.

DESIGN NOTES

BOX ST5 routes all statements where ST5 - STTYPE = 8/MPDPorMAorTricare to ST11B, including charge bundles where COST.STATTYPE = 4/Tricare.

ST7 Page Order #: 150 **Design Screen Type:** Text Fields: Field 1: **MSNCLNUM** Field 2: MSNCLNM2 Field 3: MSNCLNM3 Field 4: MSNCLNM4 MSNCLNM5 Field 5: **Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No **Grid Functions: Add Line** No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Question display: Always display "(MSN)" and "(S)" in interviewer instructions in parenthesis. Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT:

Context Header:

Int. Instr I: ENTER UP TO FIVE CLAIM CONTROL NUMBERS FROM THE

MEDICARE SUMMARY NOTICE (MSN) ASSOCIATED WITH ONE

CLAIM TOTAL.

IF NO CLAIM CONTROL NUMBER(S) LISTED, ENTER "DON'T

KNOW".

Question Text:

Int. Instr II: DO NOT ENTER ANY CLAIM CONTROL NUMBERS IN

COMMENTS.

INPUT FIELDS / ROUTING

Field1: MSNCLNUM (STQ1190)

Cheshire Name: COSA.MSNCLNUM

ST7 claim numbers are stored on one record in SQL and then

transformed to multiple records on COSA in Cheshire.

SQL field = tblCOST.MSNCLNUM

Item Text display:

Item Text:

Label: MSN CLAIM CONTROL NUMBER:

Label Position: Left

Field Type: String FieldSize: 63

Type Name: TMSNCLNUM Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST7 - MSNCLNM2 (STQ1200)

Attribute Route

Don't know ST7 - MSNCLNM2 (STQ1200)

Field2: MSNCLNM2 (STQ1200)

Cheshire Name: COSA.MSNCLNM2

ST7 claim numbers are stored on one record in SQL and then

transformed to multiple records on COSA in Cheshire.

SQL field = tblCOST.MSNCLNM2

Item Text display:

Item Text:

Label: MSN CLAIM CONTROL NUMBER:

Label Position: Left

Field Type: String FieldSize: 63

Type Name: TMSNCLNM2 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

 nber
 Label
 Route

 1
 [Continuous answer.]
 ST7 - MSNCLNM3 (STQ1210)

Attribute Route
Empty BOX ST7 - (STQ1240)

Don't know ST7 - MSNCLNM3 (STQ1210)

Field3: MSNCLNM3 (STQ1210)

Cheshire Name: COSA.MSNCLNM3

ST7 claim numbers are stored on one record in SQL and then

transformed to multiple records on COSA in Cheshire.

SQL field = tblCOST.MSNCLNM3

Item Text display:

Item Text:

Label: MSN CLAIM CONTROL NUMBER:

Label Position: Left

Field Type: String FieldSize: 63

Type Name: TMSNCLNM2 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST7 - MSNCLNM4 (STQ1220)

Attribute Route
Empty BOX ST7 - (STQ1240)

Don't know ST7 - MSNCLNM4 (STQ1220)

Field4: MSNCLNM4 (STQ1220)

Cheshire Name: COSA.MSNCLNM4

ST7 claim numbers are stored on one record in SQL and then

transformed to multiple records on COSA in Cheshire.

SQL field = tblCOST.MSNCLNM4

Item Text display:

Item Text:

Label: MSN CLAIM CONTROL NUMBER:

Label Position: Left

Field Type: String FieldSize: 63

Type Name: TMSNCLNM2 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 [Continuous answer.] ST7 - MSNCLNM5 (STQ1230)

Attribute Route
Empty BOX ST7 - (STQ1240)

Don't know ST7 - MSNCLNM5 (STQ1230)

Field5: (STQ1230) MSNCLNM5

Cheshire Name: COSA.MSNCLNM5

ST7 claim numbers are stored on one record in SQL and then

transformed to multiple records on COSA in Cheshire.

SQL field = tblCOST.MSNCLNM5

Item Text display:

Item Text:

Label: MSN CLAIM CONTROL NUMBER:

Label Position: Left

Field Type: String FieldSize: 63

Type Name: TMSNCLNM2 Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask:

Lookup File: No

Lookup File Name:

Number Label **Route**

[Continuous answer.] BOX ST7 - (STQ1240)

Attribute Route

Empty BOX ST7 - (STQ1240)

Don't know BOX ST7 - (STQ1240)

BACKGROUND VARIABLE ASSIGNMENTS

COSARNDC COST.COSARNDC = current round. This is set in

SQL only in order to flag data transformation to

generate new COSA records.

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1:

For each MSN CLAIM NUMBER entered at ST7, if (CLAIM NUMBER ^= DK and ^= RF), CLAIM NUMBER entered should ^= any other CLAIM NUMBER already entered at ST7. If not true, display message "NUMBER HAS ALREADY BEEN

ENTERED. PLEASE REENTER CLAIM CONTROL NUMBER."

For each MSN CLAIM NUMBER entered at ST7, if (CLAIM NUMBER ^= DK and ^= RF), CLAIM NUMBER entered should be a minimum of twelve characters in length.

If not true, display message "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER."

TECHNICAL NOTES

DESIGN NOTES

 $\ensuremath{\mathsf{MSNCLNUM}}$ is the only required field. The remaining fields are specified to allow EMPTY and are not required.

BOX ST7

BOX ST	7 Pag	ge Order # :	160		
BOX INSTRUCTIONS					
(STQ1240)	IF ST7 - MSNCLNUM = DK, GO TO BOX ST9 - (STQ1320).			
	ELSE GO TO ST8 - MSCLVER1 (STQ1270).				
ASSIGNMENTS	3				
TECHNICAL NO	DTES				
DESIGN NOTE	S				

ST8		Page	e Order#:	180
Design Screen Type:	Text			
Fields:	Field 1:	MSCLVER1		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	Always display "(l	MSN)" in interviewer instructi	ons in parenthes	is.
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:	PLEASE ENTER THE FIRST CLAIM CONTROL NUMBER FROM THE MEDICARE SUMMARY NOTICE (MSN) AGAIN.			
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	;			

Field1: MSCLVER1 (STQ1270)

Cheshire Name: COSA.MSCLVER1

 $\ensuremath{\mathsf{ST7}}$ claim numbers are stored on one record in $\ensuremath{\mathsf{SQL}}$ and then

transformed to multiple records on COSA in Cheshire.

SQL field = tblCOST.MSCLVER1

Item Text display:

Item Text:

Label: MSN CLAIM CONTROL NUMBER:

Label Position: Left

Field Type: String FieldSize: 63

Type Name: TTEMPCLNUM Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST8 - (STQ1290)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1

IF (ST8 - MSCLVERR1 ^= DK and ^= RF), ST8 - MSCLVER1 should ^= any other CLAIM NUMBER already entered at ST7. If not true, display message "NUMBER HAS ALREADY BEEN ENTERED. PLEASE REENTER CLAIM CONTROL NUMBER."

Edit #2:

If (ST8 - MSCLVER1 $^-$ DK and $^-$ RF), ST8 - MSCLVER1 should

be a minimum of twelve characters in length.

If not true, display message "INVALID RESPONSE. ENTRY NOT IN

RANGE. PLEASÉ REENTER."

TECHNICAL NOTES

DESIGN NOTES

BOX ST8

BOX ST8 Page Order #:			190
BOX INSTRUCTIONS			
(STQ1290)	IF ST8 - MSCLVER1 MATCHES ST7 - MSNCLN (STQ1320).	UM, GO TO BOX ST9 -	
	ELSE GO TO ST9 - WHICHNUM (STQ1310).		
ASSIGNMENTS	3		
TECHNICAL N	OTES		
DESIGN NOTES			

ST9		Pa	age Order # :	210
Design Screen Type:	Code 1			
Fields:	Field 1:	WHICHNUM		
	Field 2:	NEWCLNUM		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:	FIRST MSN CLA MSNCLNUM.	IM CONTROL NUMBER:	Display ST7 -	
	SECOND MSN C MSCLVER1.	LAIM CONTROL NUMBE	R: Display ST8 -	
	Always display "(MSN)" in interviewer instru	uctions in parenthes	is.
Multi Field display:	Vertical Alignmer	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				

YOU HAVE ENTERED THE CLAIM CONTROL NUMBERS FROM THE MEDICARE SUMMARY NOTICE (MSN) DIFFERENTLY.

FIRST TIME: (FIRST MSN CLAIM CONTROL NUMBER)

Int. Instr I:

Question Text:

SECOND TIME: (SECOND MSN CLAIM CONTROL NUMBER)

Int. Instr II: WHICH IS CORRECT?

INPUT FIELDS / ROUTING

Field1: WHICHNUM (STQ1310)

Cheshire Name: COST.WHICHNUM

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TWhichnumMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	First	BOX ST9 - (STQ1320)
	English text: FIRST	
2	Second	BOX ST9 - (STQ1320)
	English text: SECOND	
3	Neither	ST9 - NEWCLNUM (STQ1312)
	English text: NEITHER	

Field2: NEWCLNUM (STQ1312)

Cheshire Name: TEMP

Item Text display:

Item Text: ENTER CORRECT MSN CLAIM CONTROL NUMBER:

Label:

Label Position:

Field Type: String FieldSize: 63

Type Name: TMSNCLNUM Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST9 - (STQ1320)

Attribute Route

Don't know BOX ST9 - (STQ1320)

BACKGROUND VARIABLE ASSIGNMENTS

MSCLVER2 If ST9 - WHICHNUM = 2/Second or 3/Neither, set

COSA.MSCLVER2 = ST7 - MSNCLNUM.

SQL field = tblCOST.MSCLVER2. This field is transformed to COSA.MSCLVER2 in Cheshire.

MSNCLNUM If ST9 - WHICHNUM = 2/Second, set

COSA.MSNCLNUM = ST8 - MSCLVER1. Else if ST9 - WHICHNUM = 3/Neither, set COSA.MSNCLNUM = ST9 - NEWCLNUM.

SOFT EDIT CHECKS

HARD EDIT CHECKS

Fdit#

IF (ST9 - NEWCLNUM ^= DK and ^= RF), ST9 - NEWCLNUM should ^= any other CLAIM NUMBER already entered at ST7. If not true, display message "NUMBER HAS ALREADY BEEN ENTERED. PLEASE REENTER CLAIM CONTROL NUMBER."

Edit #2:

If (ST9 - NEWCLNUM ^= DK and ^= RF), ST9 - NEWCLNUM should

be a minimum of twelve characters in length.

If not true, display message "INVALID RESPONSE. ENTRY NOT IN

RANGE. PLEASÉ REENTER."

TECHNICAL NOTES

BOX ST9

BOX ST9 Page Order #: 220

BOX INSTRUCTIONS

(STQ1320) IF TYPE OF STATEMENT = 3/MedicareAndInsurance OR

7/MedicareAndTricareAndInsurance, GO TO ST10 - INSCLNUM (STQ1330).

ELSE IF TYPE OF STATEMENT = 5/MedicareAndTricare, GO TO ST11 -

TRICLNUM (STQ1350).

ELSE GO TO ST12 - INCTYPE (STQ1390).

ASSIGNMENTS

TECHNICAL NOTES

468 TypeOfStatement

Type of Statement = COST.STATTYPE.

ST10			Page Order #:	230
Design Screen Type:	Text			
Fields:	Field 1:	INSCLNUM		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:		NIM CONTROL NUMBE NO CLAIM CONTROL		
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	;			

Field1: INSCLNUM (STQ1330)

Cheshire Name: COST.INSCLNUM

Item Text display:

Item Text:

Label: INSURANCE CLAIM CONTROL NUMBER:

Label Position: Left

Field Type: String FieldSize: 15

Type Name: TINSCLNUM Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST10 - (STQ1340)

Attribute Route

Don't know BOX ST10 - (STQ1340)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

BOX ST10

BOX ST10 Page Order #: 240

BOX INSTRUCTIONS

(STQ1340) IF TYPE OF STATEMENT = 6/TricareAndInsurance OR

7/MedicareAndTricareAndInsurance, GO TO ST11 - TRICLNUM (STQ1350).

ELSE GO TO ST12 - INCTYPE (STQ1390).

ASSIGNMENTS

TECHNICAL NOTES

468 TypeOfStatement

Type of Statement = COST.STATTYPE.

ST11			Page Order #:	250
Design Screen Type:	Text			
Fields:	Field 1:	TRICLNUM		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:		AIM CONTROL NUMBE NO CLAIM CONTROL		
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	ì			

Field1: TRICLNUM (STQ1350)

Cheshire Name: COST.TRICLNUM

Item Text display:

Item Text:

Label: TRICARE CLAIM CONTROL NUMBER:

Label Position: Left

Field Type: String FieldSize: 15

Type Name: TTRICLNUM Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST12 - INCTYPE (STQ1390)

Attribute Route

Don't know ST12 - INCTYPE (STQ1390)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

ST11B			Page Order # :	270
Design Screen Type:	Date			
Fields:	Field 1:	PDPBEGMM		
	Field 2:	PDPBEGDD		
	Field 3:	PDPBEGYY		
	Field 4:	PDPENDMM		
	Field 5:	PDPENDDD		
	Field 6:	PDPENDYY		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item Search Item	No No		
	Search item	NO		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS	3:			
Context header display:				
Question display:				
Multi Field display:	Vertical Alignmer	nt		
		te input fields, COST.Pl DD, COST.PDPBEGYY		
	Display end date PDPENDDD, CO	input fields, COST.PDI ST.PDPENDYY on 2nd	PENDMM, COST. d line.	
	Display all fields	at one time.		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) **Context Header:**

TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

FieldSize:

Int. Instr I: ENTER THE BEGINNING AND ENDING DATES OF SERVICE

FROM THE PRESCRIPTION DRUG BENEFIT STATEMENT.

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

PDPBEGMM (STQ1354) Field1:

Cheshire Name: COST.PDPBEGMM

Item Text display:

BEGINNING DATE: Item Text:

Label: MM **Label Position:** Under

Field Type: Integer

TMonthInt Type Name: Min Value: 01 **Answers Allowed:** Max Value: 12 Mask:

Drop Down List: No Lookup File: No

Lookup File Name:

Number Label Route

[Continuous answer.] ST11B - PDPBEGDD (STQ1356)

Attribute Route Don't know ST11B - PDPBEGDD (STQ1356)

Refusal ST11B - PDPBEGDD (STQ1356)

Field2: PDPBEGDD (STQ1356)

Cheshire Name: COST.PDPBEGDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayIntDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST11B - PDPBEGYY (STQ1358)

Attribute Route
Don't know ST11B - PDPBEGYY (STQ1358)

Refusal ST11B - PDPBEGYY (STQ1358)

Field3: **PDPBEGYY** (STQ1358)

Cheshire Name: COST.DPDBEGYY

Item Text display:

Item Text:

ΥY Label: **Label Position:** Under

Field Type: Integer FieldSize: **TYearDKRF** Type Name: Min Value: 0 **Answers Allowed:** 1 Max Value: 99 No Mask:

Drop Down List: Lookup File: No

Lookup File Name:

Number Label Route

ST11B - PDPENDMM (STQ1362) [Continuous answer.]

Attribute **Route** Don't know ST11B - PDPENDMM (STQ1362)

Refusal ST11B - PDPENDMM (STQ1362)

(STQ1362) Field4: **PDPENDMM**

Cheshire Name: COST.PDPENDMM

Item Text display:

ENDING DATE: **Item Text:**

Label: MM **Label Position:** Under

Field Type: Integer FieldSize:

TMonthInt Type Name: Min Value: 01 **Answers Allowed:** 1 Max Value: 12 Mask:

No **Drop Down List:** Lookup File: No

Lookup File Name:

Number Label Route

ST11B - PDPENDDD (STQ1364) [Continuous answer.]

Attribute **Route** Don't know ST11B - PDPENDDD (STQ1364)

ST11B - PDPENDDD (STQ1364) Refusal

Field5: PDPENDDD (STQ1364)

Cheshire Name: COST.PDPENDDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST11B - PDPENDYY (STQ1366)

Attribute Route

Don't know ST11B - PDPENDYY (STQ1366)

Refusal ST11B - PDPENDYY (STQ1366)

0

99

Field6: PDPENDYY (STQ1366)

Cheshire Name: COST.PDPENDYY

Item Text display:

Item Text:

Label: YY
Label Position: Under

Field Type:IntegerFieldSize:Type Name:TYearDKRFMin Value:Answers Allowed:1Max Value:

Drop Down List: No Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST12 - INCTYPE (STQ1390)

Mask:

Attribute Route

Don't know ST12 - INCTYPE (STQ1390)

Refusal ST12 - INCTYPE (STQ1390)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1

If SP is deceased, Stop Date,

PDPENDMM/PDPENDDD/PDPENDYY, should be on or before

(DATE OF DEATH).

If not true, display message "VERIFY THAT THE STOP DATE WAS

AFTER SP'S DATE OF DEATH, (DATE OF DEATH)."

Edit #2

If SP is institutionalized, Stop Date,

PDPENDMM/PDPENDDD/PDPENDYY, should be on or before

(DATE OF INSTITUTIONALIZATION).

If not true, display message "VERIFY THAT THE STOP DATE WAS

AFTER SP'S DATE OF INSTITUTIONALIZATION, (DATE OF

INSTITUTIONALIZATION)."

Edit #3

Stop Date, PDPENDMM/PDPENDDD/PDPENDYY, must be after

the Start Date, PDPBEGMM/PDPBEGDD/PDPBEGYY.

If not true, display message: "VERIFY THAT THE BEGIN DATE

AND END DATE ARE THE SAME DATE."

HARD EDIT CHECKS

Edit #1

Month and Year of Start Date, PDPBEGMM/PDPBEGYY, should be on or after (SURVEY REFERENCE MONTH AND YEAR). If not true, display message "INVALID DATE. START DATE MUST BE ON OR AFTER (SURVEY REFERENCE MONTH AND YEAR). PLEASE REENTER."

Edit #2

Start Date, PDPBEGMM/PDPBEGDD/PDPBEGYY, should be on or before (TODAY).

If not true, display message "INVALID DATE. START DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

Edit #3

Stop Date, PDPENDMM/PDPENDDD/PDPENDYY, should be on or before (TODAY).

If not true, display message "INVALID DATE. STOP DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

Fdit #4

Stop Date, PDPENDMM/PDPENDDD/PDPENDYY, must be on or after the Start Date, PDPBEGMM/PDPBEGDD/PDPBEGYY. If not true, display message: "INVALID DATE. STOP DATE MUST BE ON OR AFTER (MPDP SERVCE START DATE). PLEASE REENTER."

Edit #5

If SP is deceased, Start Date,

PDPBEGMM/PDPBEGDD/PDPBEGYY, must be on or before (DATE OF DEATH).

If not true, display message "INVALID DATE. START DATE MUST BE ON OR BEFORE SP'S DATE OF DEATH, (DATE OF DEATH). PLEASE REENTER."

Fdit #6

If SP is institutionalized, Start Date,

PDPBEGMM/PDPBEGDD/PDPBEGYY, must be on or before (DATE OF INSTITUTIONALIZATION).

If not true, display message "INVALID DATE. START DATE MUST BE ON OR BEFORE SP'S DATE OF INSTITUTIONALIZATION, (DATE OF INSTITUTIONALIZATION). PLEASE REENTER."

TECHNICAL NOTES

ST12 Page Order #: 290 **Design Screen Type:** Code All Fields: Field 1: **INCTYPE Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No Edit Item No Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Question display: Always display "(S)" in interviewer instructions in parenthesis. Multi Field display: **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT:

(ST CLAIM HEADER) **Context Header:**

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)

TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

WHAT TYPE(S) OF EVENT(S) ARE INCLUDED IN THIS CHARGE

BUNDLE ON THE (TYPE OF STATEMENT)?

Question Text:

Int. Instr I:

CHECK ALL THAT APPLY. Int. Instr II:

INPUT FIELDS / ROUTING

Field1: INCTYPE (STQ1390)

Cheshire Name: NONE

REPLACES THE FOLLOWING CHESHIRE VARIABLES:

1=COST.INCDATES

2=COST.INCHHS - NEED TO ADD TO CHESHIRE

DATABASE 3=COST.INCOMS 4=COST.INCPMS

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TincTypes Min Value:
Answers Allowed: 4 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	ProvDates	BOX ST12 - (STQ1400)
	English text: PROVIDER SERVICE DATES	
2	HHVisits	BOX ST12 - (STQ1400)
	English text: HOME HEALTH VISITS	
3	OMExpenses	BOX ST12 - (STQ1400)
	English text: OTHER MEDICAL EXPENSES	
4	Pmed	BOX ST12 - (STQ1400)
	English text: PRESCRIBED MEDICINES	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit#1

If ((TYPE OF STATEMENT = 8/MPDPBenefit) or (TYPE OF

STATEMENT = 4/Tricare and ST5 - STTYPE =

8/MPDPorMAorTRICARE)), response to ST12 - INCTYPE should not

include 1/ProvDates.

If not true, display message "PLEASE VERIFY THAT PROVIDER SERVICE DATES ARE INCLUDED IN CHARGE BUNDLE."

Edit # 2:

If ((TYPE OF STATEMENT = 8/MPDPBenefit) or (TYPE OF

STATEMENT = 4/Tricare and ST5 - STTYPE = 8/MPDPorMAorTRICARE)), response to ST12 - INCTYPE should not include 2/HHVisits.

If not true, display message "PLEASE VERIFY THAT HOME HEALTH VISITS ARE INCLUDED IN CHARGE BUNDLE."

Edit # 3:

If ((TYPE OF STATEMENT = 8/MPDPBenefit) or (TYPE OF STATEMENT = 4/Tricare and ST5 - STTYPE = 8/MPDPorMAorTRICARE)), response to ST12 - INCTYPE should not include 3/OMExpenses.

If not true, display message "PLEASE VERIFY THAT OTHER

MEDICAL EXPENSES ARE INCLUDED IN CHARGE BUNDLE."

HARD EDIT CHECKS

TECHNICAL NOTES

TypeOfStatement Type of Statement = COST.STATTYPE.

BOX ST12

BOX ST12 Page Order #:			300	
BOX INSTRUCTIONS				
(STQ1400)	IF THE RESPONSE TO ST12 - INCTYPE INCLUD ST13 - PROVIDER_STDATE (STQ1410).	ES 1/ProvDates, GO TO	ı	
	ELSE GO TO BOX ST26 - (STQ1720).			
ASSIGNMENT	rs .			
TECHNICAL N	IOTES			
DESIGN NOTE	ES .			

BOX ST12

ST13 Page Order #: 310 Roster **Design Screen Type:** Fields: Field 1: PROVIDER_STDATE **Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name:** Provider Roster **Roster Type:** Single Item Select **Roster Functions:** Add Item Yes Display as 'Add a Provider' Edit Item Yes Display as 'Edit a Provider' **Delete Item** No Search Item No **Grid Functions:** Add Line No **Delete Line** Nο **DISPLAY INSTRUCTIONS:** Context header display: Question display: Multi Field display: **Roster/Grid Instructions:** Display all Providers except for Providers where PROV.PROVNUM=01 and 02, which are reserved for PM and OM events. Display in alphabetical order by PROV.PROVNAME. COL# **HEADER INSTRUCTIONS** Roster/Grid display: 1 Provider Name Display PROV.PROVNAME. 2 Billing/Group Display PROV.GROUPNAM. Practice Name Report display: TEXT: (ST CLAIM HEADER) **Context Header:** SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)

TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

WHICH MEDICAL PROVIDER IS IN THIS CHARGE BUNDLE?

Int. Instr I:

Question Text:

Int. Instr II: SELECT OR ADD ONLY ONE PROVIDER.

INPUT FIELDS / ROUTING

Field1: PROVIDER_STDATE (STQ1410)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TProvPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST14 - STDATEUPD (STQ1412)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PROV: PROV key = PROV.PROVBASE + PROV.PROVNUM PROV.PROVNUM = Number of Provider selected at ST13.

If Provider added at Provider Roster, see PROVIDER ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated in Provider Roster Pop-Up Window:

PROV.PROVNUM Provider number PROV.PROVRNDC Round number PROV.PROVNAME Provider name

See additional instructions below.

COSTPROV Set COST.COSTPROV = PROV.PROVNUM of

provider selected at ST13.

PRVROSTR If Provider added, set PROV.PRVROSTR =

15/STProviderServiceDates.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

Interviewer can add or select Provider at this roster.

ST14 Page Order #: 312

Design Screen Type: Code 1

Fields: Field 1: STDATEUPD

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name of Provider, (PROVIDER NAME), selected at ST13.

Question display: Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report below Question Text.

Display all events for this provider where:

EVNT.EVNTTYPE = 'DU', 'ER', 'IP', 'IU', 'OP', 'MP', 'SD', or 'SL', and EVNT.EVNTPROV = the PROV.PROVNUM selected at ST13, and

EVNT.EVNTDFLG ^= 1/Yes

Display in order of entry.

Report Header: PROVIDER SERVICE EVENTS

Column 1, Header = "Type". Column 1, Display = Display EVNT.EVNTTYPE

Column 2, Header = "Start Date".

Column 2, Display =

Display EVENT DATE in "Mon DD YYYY" format.

Column 3, Header = "Stop Date".

Column 3, Display =

If (EVNT.EVNTTYPE = 'IU') or (EVNT.EVNTTYPE = 'IP' and

EVNT.IPSTATUS ^= 1/StillInHospital), display EVENT END DATE in

"Mon DD YYYY" format. Else do not display.

Column 4, Header = "Status".

Column 4, Display =

If EVNT.EVNTTYPE = 'IP' and EVNT.IPSTATUS = 1/StillInHospital,

display "ON".

Else if EVNT.VISTTYPE = 2/RepeatVisit, display "RV".

Else do not display.

Column 5, Header = "# Visits".

Column 5, Display =

If EVNT.VISTTYPE = 2/RepeatVisit, display EVNT.RVTIMES.

Else do not display.

Column 6, Header = "Round".

Column 6, Display =

Display "R" + EVNT.EVNTRNDC. EX: R45

Column 7, Display =

If Event Date is out of the Survey Reference Period, display "ORP".

Else do not display.

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)
TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

PROVIDER: (PROVIDER NAME)

Int. Instr I: THE FOLLOWING EVENT DATES HAVE BEEN ENTERED FOR

THIS PROVIDER.

Question Text:

Int. Instr II: DO YOU NEED TO ADD OR EDIT AN EVENT DATE FOR THIS

CHARGE BUNDLE?

INPUT FIELDS / ROUTING

Field1: STDATEUPD (STQ1412)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TSTDateUpd Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	1 No ST24 - EVENT_STDATE (STQ1705)	
	English text: NO, DO NOT NEED TO ADD OR	EDIT EVENT DATES
2	YesAddEvent	ST16 - EVENT_STDATEADD (STQ1430)
	English text: YES, NEED TO ADD EVENT DA	TE
3	YesEditEvent	ST15 - EVENT_STDATEDIT (STQ1414)
	English text: YES, NEED TO EDIT EVENT DA	ATE

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT. EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

ST15 Page Order #: 314

Design Screen Type: Roster

Fields: Field 1: EVENT_STDATEDIT

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name: Statement Event Edit Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item No

Edit Item Yes Display as 'Edit Event Date'

Delete Item No **Search Item** No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name of Provider, (PROVIDER NAME), selected at ST13.

Question display:

Multi Field display:

Roster/Grid Instructions: Display all events for this provider where:

EVNT.EVNTTYPE = 'DU', 'ER', 'IP', 'IU', 'OP', 'MP', 'SD', or 'SL', and EVNT.EVNTPROV = the PROV.PROVNUM selected at ST13, and

EVNT.EVNTDFLG ^= 1/Yes

If EVNT.EVNTTYPE = 'IP' and EVNT.IPSTATUS = 1/StillInHospital,

display as a protected row.

Display in order of entry.

Roster/Grid display:	COL#	HEADER	INSTRUCTIONS
resolution on a alopiay.			

1	Type	Display EVNT.EVNTTYPE.

2 Start Date Display EVENT DATE in "Mon DD YYYY"

format.

3 Stop Date If (EVNT.EVNTTYPE = 'IU') or

(EVNT.EVNTTYPE = 'IP' and EVNT.IPSTATUS ^=1/StillInHospital),

display EVENT END DATE in "Mon DD

YYYY" format. Else do not display.

If EVNT.EVNTTYPE = 'IP' and 4 Status EVNT.IPSTATUS = 1/StillInHospital, display "ON". Else if EVNT.VISTTYPE = 2/RepeatVisit, display "RV". Else do not display. # Visits If EVNT.VISTTYPE = 2/RepeatVisit, display EVNT.RVTIMES. Else do not display. Round Display 'R' + EVNT.EVNTRNDC. EX: 6 R45

If Event Date is out of the Survey

7 Reference Period, display "ORP".

Else do not display.

Report display:

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

PROVIDER: (PROVIDER NAME)

Int. Instr I:

Question Text:

Int. Instr II: SELECT AND EDIT THE EVENT DATE THAT NEEDS

CORRECTION.

INPUT FIELDS / ROUTING

Field1: EVENT_STDATEDIT (STQ1414)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST14 - STDATEUPD (STQ1412)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of event selected at ST15.

If event selected for editing, see STATEMENT EVENT EDIT ROSTER POP-UP specifications for pop-up window programming specifications.

Variables updated in STATEMENT EVENT EDIT ROSTER Pop-Up Window:

EVNT.VISTTYPE SingleVisit or RepeatVisit

EVNT.RVTIMES # of visits
EVNT.EVBEGMM Event Month
EVNT.EVBEGDD Event Day
EVNT.EVBEGYY Event Year
EVNT.EVENDMM Event End Month
EVNT.EVENDDD Event End Day
EVNT.EVENDYY Event End Year

NOTE: EVNT.IPSTATUS cannot be updated in Pop-Up Window.

EVORPFLG If Event date edited is outside the Survey Reference

Period, set EVNT.EVORPFLG = 1/ORP. See General Specifications for setting this ORP flag.

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1

Date of event, EVBEGMM/EVBEGDD/EVBEGYY, should be on or before (TODAY).

If not true, display message "INVALID DATE. DATE MUST BE ON

OR BEFORE (TODAY). PLEASE REENTER."

Edit #2

If (EVNTTYPE = 'IP' or 'IU'), then Discharge date, EVENDMM/EVENDDD/EVENDYY, should be on or before (TODAY). If not true, display message "INVALID DATE. DISCHARGE DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

If (EVNTTYPE = 'IP' or 'IU'), then Discharge date, EVENDMM/EVENDDD/EVENDYY, must be on or after the Admission date, EVBEGMM/EVBEGDD/EVBEGYY. If not true, display message: "INVALID DATE. DISCHARGE DATE MUST BE ON OR AFTER (ADMISSION DATE). PLEASE REENTER."

Edit #4

If EVNTTYPE = 'IP', then the IP Admission and Discharge Date cannot overlap an existing IP stay.

If not true, display message "INVALID DATE. THIS DATE OVERLAPS AN EXISTING IP STAY FROM (ADMISSION DATE) TO [(DISCHARGE DATE)/SP STILL IN HOSPITAL]. PLEASE REENTER."

Display instructions:

Display (ADMISSION DATE) of existing IP stay that the IP stay added overlaps.

If existing IP stay IPSTATUS=1/StillInHosptial, display "SP STILL IN HOSPITAL".

Else display (DISCHARGE DATE) of existing IP stay that the IP stay added overlaps.

See General specifications for overlapping date logic.

Edit #5

If EVNTTYPE = 'IU' and SPALIVE=2/AliveAndInstitute and Date of Institutionalization colllected at INS2 does not have any missing data, SPINSTMM, SPINSTDD, SPINSTYY ^= DK and SPINSTMM, SPINSTDD, SPINSTYY ^= RF, then admission date, EVBEGMM/EVBEGDD/EVBEGYY, and discharge date, EVENDMM/EVENDDD/EVENDYY, cannot match date of institutionalization collected at INS2, SPINSTMM/SPINSTDD/SPINSTYY. If not true, display message "INVALID DATE. THIS DATE

MATCHES THE CURRENT INSTITUTIONALIZATION DATE, (DATE OF INSTITUTIONALIZATION). PLEASE REENTER."

If EVNT.EVNTTYPE = 'DU', 'ER', 'OP', 'MP', 'SL' or 'SD', then Date of event, EVBEGMM/EVBEGDD/EVBEGYY, cannot match an existing event date for the same provider.

The following must be true for the event added to be a duplicate of an existing event:

Both event's EVNTDFLG ^= 1/Yes,

Both event's EVNTTYPE match.

Both event's EVNTPROV match.

Both event's EVENT DATE match. See general specifications for matching date logic.

The date of the event added should not match any event date for the same provider.

If not true, display message "INVALID DATE. THIS DATE HAS

TECHNICAL NOTES

59	SPStatus	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty
		SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY
		SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute
		SP is Deceased = MRES.SPALIVE=3/Deceased.
246	ORPEvent	Existing Event Date is outside survery reference period = EVNT.EVORPFLAG = 1/ORP.
		New event is Out of the Survey Reference Period = See general specifications for Date check logic for determing ORP events.
DESIGN	NOTES	

Interviewer can select events to be edited at this roster.

ST16 Page Order #: 320

Design Screen Type: Roster

Field 1: EVENT_STDATEADD

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name: Statement Event Roster

Roster Type: Multiple Item Select

Roster Functions:

Add Item
Yes
Display as 'Add Event Date '
Edit Item
Yes
Display as 'Edit Event Date '

Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name of Provider, (PROVIDER NAME), selected at ST13.

Question display: Always display "(S)" in interviewer instructions in parenthesis.

Multi Field display:

Roster/Grid Instructions: Display all events for this provider where:

EVNT.EVNTTYPE = 'DU', 'ER', 'IP', 'IU', 'OP', 'MP', 'SD', or 'SL', and EVNT.EVNTPROV = the PROV.PROVNUM selected at ST13, and

EVNT.EVNTDFLG ^= 1/Yes

Display in order of entry.

Display all loaded events as protected rows.

Roster/Grid display:	COL#	HEADER	INSTRUCTIONS

1 Type Display EVNT.EVNTTYPE.

2 Start Date Display EVENT DATE in "Mon DD YYYY"

format.

3 Stop Date If (EVNT.EVNTTYPE = 'IU') or

(EVNT.EVNTTYPE = 'IP' and

EVNT.IPSTATUS ^=1/StillInHospital), display EVENT END DATE in "Mon DD

YYYY" format. Else do not display.

4 Status If EVNT.EVNTTYPE = 'IP' and
EVNT.IPSTATUS = 1/StillInHospital,
display "ON".
Else if EVNT.VISTTYPE = 2/RepeatVisit,

display "RV". Else do not display.

Visits If EVNT.VISTTYPE = 2/RepeatVisit,

display EVNT.RVTIMES. Else do not display.

6 Round Display 'R' + EVNT.EVNTRNDC. EX:

R45

7 If Event Date is out of the Survey

Reference Period, display "ORP".

Else do not display.

Report display:

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)
TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

PROVIDER: (PROVIDER NAME)

Int. Instr I: ADD THE MISSING EVENT DATE(S) IN THIS CHARGE BUNDLE.

Question Text:

Int. Instr II: ADD ALL EVENT DATES FOR THIS PROVIDER.

INPUT FIELDS / ROUTING

Field1: EVENT_STDATEADD (STQ1430)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TSTEventPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST16A - (STQ1450)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT: EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of event selected at ST16.

See STATEMENT EVENT ROSTER POP-UP specifications for pop-up window programming instructions:

Variables populated in Statement Event Roster Pop-Up Window:

EVNT.EVNTNUM

EVNT.EVNTRNDC

EVNT.EVNTTYPE

EVNT.VISTTYPE

EVNT.RVTIMES

EVNT.EVBEGMM

EVNT.EVBEGDD

EVNT.EVBEGYY

EVNT.EVENDMM

EVNT.EVENDDD

EVNT.EVENDYY

EVNT.STEVTYPE

BASE.LASTEVNT

EVCHGFLG If Event added, set EVNT.EVCHGFLG = 1/Yes.

EVORPFLG If Event date added is outside the Survey Reference

Period, set EVNT.EVORPFLG = 1/ORP. See

General Specifications for setting this ORP flag.

EVCHGLOC If Event added, set EVNT.EVCHGLOC = 'ST'.

SOFT EDIT CHECKS

HARD EDIT CHECKS

Fdit #1

Date of event, EVBEGMM/EVBEGDD/EVBEGYY, should be on or before (TODAY).

If not true, display message "INVALID DATE. DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

Fdit #2

If (EVNTTYPE = 'IP' or 'IU'), then Discharge date, EVENDMM/EVENDDD/EVENDYY, should be on or before (TODAY). If not true, display message "INVALID DATE. DISCHARGE DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

Edit #3

If (EVNTTYPE = 'IP' or 'IU'), then Discharge date, EVENDMM/EVENDDD/EVENDYY, must be on or after the Admission date, EVBEGMM/EVBEGDD/EVBEGYY. If not true, display message: "INVALID DATE. DISCHARGE DATE MUST BE ON OR AFTER (ADMISSION DATE). PLEASE REENTER."

Edit #4

If EVNTTYPE = 'IP', then the IP Admission and Discharge Date cannot overlap an existing IP stay.

If not true, display message "INVALID DATE. THIS DATE OVERLAPS AN EXISTING IP STAY FROM (ADMISSION DATE) TO [(DISCHARGE DATE)/SP STILL IN HOSPITAL]. PLEASE REENTER."

Display instructions:

Display (ADMISSION DATE) of existing IP stay that the IP stay added overlaps.

If existing IP stay IPSTATUS=1/StillInHosptial, display "SP STILL IN HOSPITAL".

Else display (DISCHARGE DATE) of existing IP stay that the IP stay added overlaps.

See General specifications for overlapping date logic.

Edit #5

If EVNTTYPE = 'IU' and SPALIVE=2/AliveAndInstitute and Date of Institutionalization collected at INS2 does not have any missing data, SPINSTMM, SPINSTDD, SPINSTYY ^= DK and SPINSTMM, SPINSTDD, SPINSTYY ^= RF, then admission date, EVBEGMM/EVBEGDD/EVBEGYY, and discharge date, EVENDMM/EVENDDD/EVENDYY, cannot match date of institutionalization collected at INS2, SPINSTMM/SPINSTDD/SPINSTYY.

If not true, display message "INVALID DATE. THIS DATE MATCHES THE CURRENT INSTITUTIONALIZATION DATE, (DATE OF INSTITUTIONALIZATION). PLEASE REENTER."

Edit #6

If EVNT.EVNTTYPE = 'DU', 'ER', 'OP', 'MP', 'SL' or 'SD', then Date of event, EVBEGMM/EVBEGDD/EVBEGYY, cannot match an existing event date for the same provider.

The following must be true for the event added to be a duplicate of an existing event:

Both event's EVNTDFLG ^= 1/Yes, Both event's EVNTTYPE match. Both event's EVNTPROV match. Both event's EVENT DATE match. See general specifications for matching date logic.

The date of the event added should not match any event date for the same provider.

If not true, display message "INVALID DATE. THIS DATE HAS ALREADY BEEN ENTERED. PLEASE REENTER. PLEASE REENTER."

TECHNICAL NOTES

59	SPStatus	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty
		SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY
		SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute
		SP is Deceased = MRES.SPALIVE=3/Deceased.
246	ORPEvent	Existing Event Date is outside survery reference period = EVNT.EVORPFLAG = 1/ORP.
		New event is Out of the Survey Reference Period = See general specifications for Date check logic for determing ORP events.
DESIGN	I NOTES	

DESIGN NOTES

Interviewer can only add events at this roster.

BOX ST16A

BOX ST16A Page Order #: 370

BOX INSTRUCTIONS

(STQ1450) IF AT LEAST ONE EVENT DATE ADDED AT ST16 IS NOT OUTSIDE THE

SURVEY REFERENCE PERIOD, GO TO BOX ST16B - (STQ1555).

ELSE GO TO ST14 - STDATEUPD (STQ1412).

ASSIGNMENTS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT. EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

BOX ST16B

BOX ST16B Page Order #: 375

BOX INSTRUCTIONS

(STQ1555) IF AT LEAST ONE EVENT ADDED AT ST16 IS A 'DU', 'IP', 'OP', OR 'MP'

EVENT TYPE, GO TO ST17 - STDATEINTRO (STQ1560).

ELSE GO TO BOX ST17 - (STQ1570).

ASSIGNMENTS

TECHNICAL NOTES

241 TypeOfEvent

Type of Event = EVNT.EVNTTYPE.

DESIGN NOTES

We do not display ST17 Introduction if EVNT.EVNTTYPE = 'ER', 'IU', 'SD', or 'SL' since we do not collect event details for these types of events.

ST17			Page Order # :	380
Design Screen Type:	No Entry			
Fields:	Field 1:	STDATEINTRO		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:				
Question display:	Always display "((s)" in parenthesis.		
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Before we contin questions about	ue with this statement, the visit(s) I just added.	I would like to ask you	a few
Int. Instr II:				

INPUT FIELDS / ROUTING

			3117			
Field1: STDATEINTRO		(STQ1560)				
Cheshire Name:	TEMP					
Item Text display:						
Item Text:						
Label: Label Position:						
Field Type:	Enumerated	FieldSize:				
Type Name:	TContinueEMPTY	Min Value:				
Answers Allowed:	1	Max Value:				
Drop Down List:	No	Mask:				
Lookup File: Lookup File Name:	No					
Lookup File Name:						
Number Label		Route				
1 Continue		BOX ST17 - (STQ1570)				
English text:	:CONTINUE					
Attribute Route						
Empty BOX S	T17 - (STQ1570)					
BACKGROUND VARIAE	BLE ASSIGNMENTS					
SOFT EDIT CHECKS						
HARD EDIT CHECKS						
TECHNICAL NOTES						

BOX ST17

BOX ST17 Page Order #: 390

BOX INSTRUCTIONS

(STQ1570) IF AT LEAST ONE EVENT ADDED AT ST16 IS A 'DU' OR 'MP' EVENT TYPE

AND THE PROVIDER SPECIALTY HAS NOT BEEN COLLECTED, GO TO

ST18 - PROVSPEC (STQ1600).

ELSE GO TO BOX ST18 - (STQ1620).

ASSIGNMENTS

TECHNICAL NOTES

170 ProviderSpecCollected Provider Specialty has already been collected =

PROV.PROVSPÉC ^= EMPTÝ.

Provider Specialty has not been collected =

PROV.PROVSPÉC = EMPTY.

241 TypeOfEvent Type of Event =

EVNT.EVNTTYPE.

DESIGN NOTES

We do not collect ST18 - PROVSPEC if EVNT.EVNTTYPE = 'ER', 'IP', 'OP', 'IU', 'SD', or 'SL'.

ST18 Page Order #: 420 **Design Screen Type:** Code 1 Fields: Field 1: **PROVSPEC** Field 2: **PROVSPOS Enable Functions: HELP** No Yes **COMMENTS** JUMPBACK Yes **Roster Name: Roster Type: Roster Functions:** No Add Item **Edit Item** No Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display name of Provider, (PROVIDER NAME), selected at ST13. Question display: Display name of Provider, (PROVIDER NAME), selected at ST13. Multi Field display: Vertical Alignment **Roster/Grid Instructions:** Roster/Grid display: Report display: **Context Header:** PROVIDER NAME: (PROVIDER NAME) Int. Instr I:

What kind of medical person is (PROVIDER NAME)?

INPUT FIELDS / ROUTING

Question Text:

Int. Instr II:

Field1: PROVSPEC (STQ1600)

Cheshire Name: PROV.PROVSPEC

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TProvspecMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Label	Route
Dentist	BOX ST18 - (STQ1620)
English text: DENTIST/DENTAL PROVIDER	
MedicalDoctor	BOX ST18 - (STQ1620)
English text: MEDICAL DOCTOR	
Audiologist	BOX ST18 - (STQ1620)
English text: AUDIOLOGIST	
Chiropractor	BOX ST18 - (STQ1620)
English text: CHIROPRACTOR	
ClinicalSocialWorker	BOX ST18 - (STQ1620)
English text: CLINICAL SOCIAL WORKER	
Dietitian	BOX ST18 - (STQ1620)
English text: DIETITIAN-NUTRITIONIST	
HearingTherapist	BOX ST18 - (STQ1620)
English text: HEARING THERAPIST	
HomeHealthAide	BOX ST18 - (STQ1620)
English text: HOME HEALTH/HEALTH AIDE	
Homemaker	BOX ST18 - (STQ1620)
English text: HOMEMAKER	
HospiceWorker	BOX ST18 - (STQ1620)
English text: HOSPICE WORKER	
IvTherapist	BOX ST18 - (STQ1620)
English text: I.V. THERAPIST	
Nurse	BOX ST18 - (STQ1620)
English text: NURSE (RN)	
NursePractitioner	BOX ST18 - (STQ1620)
English text: NURSE PRACTITIONER	
	English text: DENTIST/DENTAL PROVIDER MedicalDoctor English text: MEDICAL DOCTOR Audiologist English text: AUDIOLOGIST Chiropractor English text: CHIROPRACTOR ClinicalSocialWorker English text: CLINICAL SOCIAL WORKER Dietitian English text: DIETITIAN-NUTRITIONIST HearingTherapist English text: HEARING THERAPIST HomeHealthAide English text: HOME HEALTH/HEALTH AIDE Homemaker English text: HOMEMAKER HospiceWorker English text: HOSPICE WORKER IvTherapist English text: I.V. THERAPIST Nurse English text: NURSE (RN) NursePractitioner

English text: NURSE'S AIDE	14	NursesAide	BOX ST18 - (STQ1620)
English text: OCCUPATIONAL THERAPIST (OT)		English text: NURSE'S AIDE	
BOX ST18 - (STQ1620) English text: OPTOMETRIST (OD)	15		BOX ST18 - (STQ1620)
English text: OPTOMETRIST (OD)		English text: OCCUPATIONAL THERAPIST (OT)
17	16	Optometrist	BOX ST18 - (STQ1620)
17		English text: OPTOMETRIST (OD)	
BOX ST18 - (STQ1620) English text: PARAMEDIC	17		BOX ST18 - (STQ1620)
English text: PARAMEDIC		English text: OSTEOPATH (DO)	
English text: PARAMEDIC 19 PhysicialTherapist BOX ST18 - (STQ1620) English text: PHYSICAL THERAPIST (PT) 20 PhysiciansAssistant BOX ST18 - (STQ1620) English text: PHYSICIAN'S ASSISTANT 21 Podiatrist BOX ST18 - (STQ1620) English text: PODIATRIST (FOOT DOCTOR) 22 Psychologist BOX ST18 - (STQ1620) English text: PSYCHOLOGIST 23 RespiratoryTherapist BOX ST18 - (STQ1620) English text: RESPIRATORY THERAPIST 24 SocialWorker BOX ST18 - (STQ1620) English text: SOCIAL/CASE WORKER 25 SpeechTherapist BOX ST18 - (STQ1620) English text: SPEECH THERAPIST 26 MentalHealth BOX ST18 - (STQ1620) English text: THERAPIST (MENTAL HEALTH) 27 XrayTechnician BOX ST18 - (STQ1620) English text: X-RAY TECHNICIAN 28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: HOMEOPATH	18	Paramedic	BOX ST18 - (STQ1620)
English text: PHYSICAL THERAPIST (PT)			
PhysiciansAssistant	19	PhysicalTherapist	BOX ST18 - (STQ1620)
PhysiciansAssistant		English text: PHYSICAL THERAPIST (PT)	
Podiatrist	20	PhysiciansAssistant	BOX ST18 - (STQ1620)
English text: PODIATRIST (FOOT DOCTOR) 22		English text: PHYSICIAN'S ASSISTANT	
22	21	Podiatrist	BOX ST18 - (STQ1620)
English text: PSYCHOLOGIST 23 RespiratoryTherapist BOX ST18 - (STQ1620) English text: RESPIRATORY THERAPIST 24 SocialWorker BOX ST18 - (STQ1620) English text: SOCIAL/CASE WORKER 25 SpeechTherapist BOX ST18 - (STQ1620) English text: SPEECH THERAPIST 26 MentalHealth BOX ST18 - (STQ1620) English text: THERAPIST (MENTAL HEALTH) 27 XrayTechnician BOX ST18 - (STQ1620) English text: X-RAY TECHNICIAN 28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST		English text: PODIATRIST (FOOT DOCTOR)	
23 RespiratoryTherapist BOX ST18 - (STQ1620) English text: RESPIRATORY THERAPIST 24 SocialWorker BOX ST18 - (STQ1620) English text: SOCIAL/CASE WORKER 25 SpeechTherapist BOX ST18 - (STQ1620) English text: SPEECH THERAPIST 26 MentalHealth BOX ST18 - (STQ1620) English text: THERAPIST (MENTAL HEALTH) 27 XrayTechnician BOX ST18 - (STQ1620) English text: X-RAY TECHNICIAN 28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST	22	Psychologist	BOX ST18 - (STQ1620)
English text: RESPIRATORY THERAPIST 24 SocialWorker BOX ST18 - (STQ1620) English text: SOCIAL/CASE WORKER 25 SpeechTherapist BOX ST18 - (STQ1620) English text: SPEECH THERAPIST 26 MentalHealth BOX ST18 - (STQ1620) English text: THERAPIST (MENTAL HEALTH) 27 XrayTechnician BOX ST18 - (STQ1620) English text: X-RAY TECHNICIAN 28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST		English text: PSYCHOLOGIST	
24 SocialWorker	23	RespiratoryTherapist	BOX ST18 - (STQ1620)
English text: SOCIAL/CASE WORKER 25 SpeechTherapist BOX ST18 - (STQ1620)		English text: RESPIRATORY THERAPIST	
25 SpeechTherapist BOX ST18 - (STQ1620)	24	SocialWorker	BOX ST18 - (STQ1620)
25 SpeechTherapist BOX ST18 - (STQ1620)		English text: SOCIAL/CASE WORKER	
English text: SPEECH THERAPIST 26 MentalHealth BOX ST18 - (STQ1620) English text: THERAPIST (MENTAL HEALTH) 27 XrayTechnician BOX ST18 - (STQ1620) English text: X-RAY TECHNICIAN 28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST	25	SpeechTheranist	BOX ST18 - (STQ1620)
English text: THERAPIST (MENTAL HEALTH) 27 XrayTechnician BOX ST18 - (STQ1620) English text: X-RAY TECHNICIAN 28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST		English text: SPEECH THERAPIST	
27 XrayTechnician BOX ST18 - (STQ1620) English text: X-RAY TECHNICIAN 28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST	26	MentalHealth	BOX ST18 - (STQ1620)
27 XrayTechnician BOX ST18 - (STQ1620) English text: X-RAY TECHNICIAN 28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST		English text: THERAPIST (MENTAL HEALTH	I)
28 LicensedPracticalNurse BOX ST18 - (STQ1620) English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST	27	XrayTechnician	
English text: LICENSED PRACTICAL NURSE (LPN) 29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST		English text: X-RAY TECHNICIAN	
29 Acupuncturist BOX ST18 - (STQ1620) English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST	28	LicensedPracticalNurse	BOX ST18 - (STQ1620)
English text: ACUPUNCTURIST 30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST		English text: LICENSED PRACTICAL NURSE	
30 Homeopath BOX ST18 - (STQ1620) English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST	29	-	BOX ST18 - (STQ1620)
English text: HOMEOPATH 31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST		English text: ACUPUNCTURIST	
31 MassageTherapist BOX ST18 - (STQ1620) English text: MASSAGE THERAPIST	30		BOX ST18 - (STQ1620)
English text: MASSAGE THERAPIST			
English text: MASSAGE THERAPIST	31	MassageTherapist	BOX ST18 - (STQ1620)
AA 37		English text: MASSAGE THERAPIST	
32 Naturopath BOX ST18 - (STQ1620)	32	Naturopath	BOX ST18 - (STQ1620)
English text: NATUROPATH		English toyt. NATHDODATH	
33 LicensedCounselor BOX ST18 - (STQ1620)	33	LicensedCounselor	BOX ST18 - (STO1620)
English text: LICENSED PROFESSIONAL COUNSELOR [LPC]		English text: LICENSED PROFESSIONAL CO	UNSELOR [LPC]
34 LabTechnician BOX ST18 - (STQ1620)	34	LabTechnician	BOX ST18 - (STQ1620)
English text: LAB TECHNICIAN		English toyt. I AR TECHNICIAN	

91 Othe	er		ST18 - PROVSPOS (ST	ST18
		OTHER MEDICAL PR	OVIDER SPECIALTY	Q1010)
Attribute	Route			
Don't know		18 - (STQ1620)		
Refusal	BOX ST	18 - (STQ1620)		
Field2:		PROVSPOS	(STQ1610)	
Cheshire Na	ıme:	PROV.PROVSPOS		
Item Text dis	splay:	Display "(SPECIFY)" i	in the same blue font used for use.	
Item Text:		OTHER MEDICAL PROVIDER (SPECIFY)		
Label: Label Positio	on:			
Field Type:		String	FieldSize: 30	
Type Name:		TOthrspec	Min Value:	
Answers All		1	Max Value:	
Drop Down I		No	Mask:	
Lookup File: Lookup File		No		
•				
Number Labe			Route	
1 [Con	ntinuous ans	wer.]	BOX ST18 - (STQ1620)
BACKGROUN	ID VARIAB	LE ASSIGNMENTS		
COLT CDIT OF	HECKS			
SOFT EDIT CH				
HARD EDIT C	HECKS			

TECHNICAL NOTES

BOX ST18 Page Order #: 430

BOX INSTRUCTIONS

(STQ1620) IF (AT LEAST ONE EVENT ADDED AT ST16 IS A 'DU', 'ER', 'IP', 'OP', 'IU',

OR 'MP' EVENT TYPE) AND (SP REPORTED RECEIVING HEALTH CARE SERVICES THROUGH V.A. IN THE CURRENT ROUND OR ANY PREVIOUS

ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH V.A. IS

UNKNOWN), GO TO ST19 - VAPLACE (STQ1630).

ELSE GO TO BOX ST19 - (STQ1650).

ASSIGNMENTS

TECHNICAL NOTES

SPReceivedCaretThruV SP reported receiving health care services through V.A.in

the current or any previous round =

There is an HRND where HRND.HRNDRND = current

round and HRND.VACOVER = 1/Yes.

HRND.VACOVER is set at BOX HI20 or collected at HI36.

127 ProviderVAUnknown If Provider is associated with V.A. is unknown =

PROV.VAPLACE = empty.

241 TypeOfEvent Type of Event =

EVNT.EVNTTYPE.

DESIGN NOTES

We do not collect ST19 - VAPLACE if EVNT.EVNTTYPE = 'SD' or 'SL'.

ST19 Page Order #: 440 **Design Screen Type:** Yes/No Fields: Field 1: **VAPLACE Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display name of Provider, (PROVIDER NAME), selected at ST13. Question display: Display name of Provider, (PROVIDER NAME), selected at ST13. Multi Field display: **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT: PROVIDER NAME: (PROVIDER NAME) **Context Header:** Int. Instr I:

Is (PROVIDER NAME) associated with a Department of Veterans

Affairs, or V.A. facility?

9:22:27 AM Wednesday, March 27, 2013

INPUT FIELDS / ROUTING

Question Text:

Int. Instr II:

				3119	
Field1: VAPLACE		VAPLACE	(STQ1630)		
Cheshire N	ame:	PROV.VAPLACE			
Item Text d	isplay:				
Item Text:					
Label: Label Posit	ion:				
Field Type: Enumerated Type Name: TYesNoDKRF Answers Allowed: 1 Drop Down List: No Lookup File: No Lookup File Name:		TYesNoDKRF 1 No	FieldSize: Min Value: Max Value: Mask:		
Number Lab	oel		Route		
1 Yes			BOX ST19 - (STQ1650)		
	nglish text:		DOM CE10 (CEO1(50)		
	nglish text:	NO	BOX ST19 - (STQ1650)		
Attribute		: <u></u>			
Don't know	Route BOX S'	Γ19 - (STQ1650)			
Refusal	BOX S	Г19 - (STQ1650)			
BACKGROUI	ND VARIAE	BLE ASSIGNMENTS			
SOFT EDIT CHECKS					
HARD EDIT (HARD EDIT CHECKS				

TECHNICAL NOTES

BOX ST19 Page Order #: 460

BOX INSTRUCTIONS

(STQ1650)

IF (AT LEAST ONE EVENT ADDED AT ST16 IS A 'DU', 'ER', 'IP', 'OP', OR 'MP' EVENT TYPE) AND (SP COVERED BY A MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH A MANAGED CARE PLAN IS UNKNOWN), GO TO ST20 - HMOASSOC (STQ1660).

ELSE IF (AT LEAST ONE EVENT ADDED AT ST16 IS A 'DU', 'ER', 'IP', 'OP', OR 'MP' EVENT TYPE) AND (SP COVERED BY A MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND) AND (THIS PROVIDER IS NOT ASSOCIATED WITH A MANAGED CARE PLAN), GO TO ST21 - HMOREFER (STQ1670).

ELSE GO TO ST22A_IN - NAVIGATOR (STQ1675).

ASSIGNMENTS

TECHNICAL	NOTES

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2	ManagedCarePlan	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.
128	ProviderHMOUnknown	If Provider is associated with a Managed Care plan is unknown = PROV.HMOASSOC=empty.
130	ProviderNotHMO	Provider is not associated with a Managed Care plan = PROV.HMOASSOC=2/No, DK, or RF.
129	ProviderAssocHMO	Provider is associated with a Managed Care plan = PROV.HMOASSOC=1/Yes.
241	TypeOfEvent	Type of Event = EVNT.EVNTTYPE.

DESIGN NOTES

We do not collect ST20-HMOASSOC or ST21-HMOREFER if EVNT.EVNTTYPE = 'IU', 'SD' or 'SL'.

				5120
ST20			Page Order#:	470
Design Screen Type:	Yes/No			
Fields:	Field 1:	HMOASSOC		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	3 :			
Context header display:	Display name of	Provider, (PROVIDER N	AME), selected at S	Г13.
Question display:	Display name of	Display name of Provider, (PROVIDER NAME), selected at ST13.		
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:	Display all managed care plans SP was covered by anytime during the current round. Display managed care plan name(s) below question text. Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry.		plans, ans. If	
	Column 1, header = "MANAGED CARE PLANS". Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan". Else display health insurance plan name "(PLAN NAME) Managed Care Plan".		aged	

<u>TEXT:</u>

Context Header: PROVIDER NAME: (PROVIDER NAME)

Int. Instr I:

Question Text: Is (PROVIDER NAME) associated with [your/(SP's)] [READ

MANAGED CARE PLAN NAME(S) BELOW] plan?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: HMOASSOC (STQ1660)

Cheshire Name: PROV.HMOASSOC

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TYesNoDKRFMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route
--------	-------	-------

1	Yes	ST22A_IN - NAVIGATOR (STQ1675)	
	English text: YES		
2	No	ST21 - HMOREFER (STQ1670)	
	English text: NO		

Attribute	Route
Don't know	ST21 - HMOREFER (STQ1670)

Refusal ST21 - HMOREFER (STQ1670)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52 DeletedPlans Deleted plans that are not valid for displays or checks =

		\$120		
		Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.		
2	ManagedCarePlan	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.		
107	PlanlsMCaidHMO	SP is covered by a Medicaid Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.MCAIDHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.		
111	PlanIsMCareHMO	SP is covered by a Medicare Managed Care Plan (Medicare Advantage plan) during the current round = There is a PLAN where PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLANNUM & PLRORND=current round & COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.		
112	PlanlsPrivateHMO	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.		
106	HIPlanName	Health Insurance Plan Roster is stored on PLAN. Plan name = PLAN.PLNAME.		
DESIGN NOTES				

				3121
ST21			Page Order #:	480
Design Screen Type:	Yes/No			
Fields:	Field 1:	HMOREFER		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:	Display name of	Provider, (PROVIDER I	NAME), selected at S	Г13.
Question display:	Display name of	Provider, (PROVIDER I	NAME), selected at S	Г13.
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:	Display all managed care plans SP was covered by anytime during the current round. Display managed care plan name(s) below question text. Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry. Column 1, header = "MANAGED CARE PLANS". Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan". Else display health insurance plan name "(PLAN NAME) Managed Care Plan".			

<u>TEXT:</u>

Context Header: PROVIDER NAME: (PROVIDER NAME)

Int. Instr I:

Question Text: [Were you/Was (SP)] referred to (PROVIDER NAME) by [READ

MANAGED CARE PLAN NAME(S) BELOW]?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: HMOREFER (STQ1670)

Cheshire Name: EVNT.HMOREFER

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number	Label	Route	
1	Ves	ST22A	IN -

1 Yes ST22A_IN - NAVIGATOR (STQ1675)

English text: YES

2 No ST22A_IN - NAVIGATOR (STQ1675)

English text: NO

Attribute Route

Don't know ST22A_IN - NAVIGATOR (STQ1675)

Refusal ST22A IN - NAVIGATOR (STQ1675)

BACKGROUND VARIABLE ASSIGNMENTS

HMOREFER is an EVENT level detail. The response to HMOREFER needs to be copied to EVNT.HMOREFER for event added at ST16.

HMOREFER Set EVNT.HMOREFER = ST21 - HMOREFER on

each event added at ST16.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

	ICAL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2	ManagedCarePlan	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.
107	PlanIsMCaidHMO	SP is covered by a Medicaid Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.MCAIDHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
111	PlanIsMCareHMO	SP is covered by a Medicare Managed Care Plan (Medicare Advantage plan) during the current round = There is a PLAN where PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLANNUM & PLRORND=current round & COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
112	PlanIsPrivateHMO	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
106	HIPlanName	Health Insurance Plan Roster is stored on PLAN. Plan name = PLAN.PLNAME.
DESIGN	I NOTES	
	-	

ST22A_IN

ST22A_IN		Pa	nge Order#:	489
Design Screen Type:	Instance Navigator			
Fields:	Field 1:	NAVIGATOR		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	Display all IP, OP	, MP events added at ST1	6.	
	In addition, displacurrent round as	y all other events added fo "DONE".	or this provider in th	e
	Display all DU, El event details to b	R, IU, SD, SL events as "D e collected for these event	OONE". Do not allows.	N
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
Context Header:				
Int. Instr I:				
Question Text:				

Int. Instr II:

ST22A_IN

INPUT FIELDS / ROUTING

Field1: NAVIGATOR (STQ1675)

Cheshire Name: N/A

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TInstanceNavigator Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

 Number
 Label
 Route

 1
 SelectItemInList
 BOX ST22A - (STQ1680)

 English text: ITEM SELECTED IN INSTANCE NAVIGATOR

 2
 SelectContinueInterview
 ST14 - STDATEUPD (STQ1412)

 English text: CONTINUE INTERVIEW SELECTED

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT: EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of event selected at ST16.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

241 TypeOfEvent Type of Event = EVNT.EVNTTYPE.

BOX ST22A

BOX ST22A Page Order #: 490

BOX INSTRUCTIONS

(STQ1680) FOR THIS EVENT ADDED AT ST16,

IF TYPE OF EVENT = 'IP', GO TO IP7 - ANYOPERS (IPQ1240).

ELSE IF TYPE OF EVENT = 'OP', GO TO OP5 - ANYOPERS (OPQ1160).

ELSE IF TYPE OF EVENT = 'MP', GO TO BOX ST22B - (STQ1685).

ELSE GO TO BOX ST23B - (STQ1700).

ASSIGNMENTS

TECHNICAL NOTES

241 TypeOfEvent Type of Event = EVNT.EVNTTYPE.

DESIGN NOTES

BOX ST22A calls the IP, OP Utilization sections, depending on EVNTTYPE of event added at ST16.

MP events are handled by BOX ST23A.

DU, ER, IU, SD, SL events do not collect event details.

IP and OP returns to ST at BOX ST23B.

BOX ST22B

BOX ST22B Page Order #: 495

BOX INSTRUCTIONS

(STQ1685) IF (PROVIDER SPECIALTY IS A MEDICAL DOCTOR) AND ((EVENT DATE

OVERLAPS AN EXISTING IP EVENT) OR (EVENT DATE MATCHES AN EXISTING ER OR OP EVENT) GO TO ST23 - MPSDVIS (STQ1691).

ELSE GO TO BOX ST23A - (STQ1695).

ASSIGNMENTS

TECHNICAL NOTES

171	ProviderMedicalDoctor	Provider Specialty is a Medical Doctor = PROV.PROVSPEC=2/MedicalDoctor
350	OverlapERIPOPStay	Event date overlaps an existing IP stay or Event date matches an existing ER or OP event date = See general specifications for detailed date logic check.

ST23 Page Order #: 500

Design Screen Type: Yes/No

Fields: Field 1: MPSDVIS

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: EVENT MONTH = Display Month of the MP event added at ST16.

Display name of medical provider, (PROVIDER NAME), for MP event added at ST16, where PROV.PROVNUM = EVNT.EVNTPROV.

Display date of event for the for MP event added at ST16.

Question display: EVENT MONTH = Display Month of the MP event added at ST16.

Display name of medical provider, (PROVIDER NAME), for MP

event added at ST16, where PROV.PROVNUM =

EVNT.EVNTPROV.

Display "in" in the second sentence in BOLD.

If event overlaps more than one existing ER, IP, or OP event,

display "any of these places".

Else display "the [READ EVENT LISTED BELOW]".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report below question text.

Display ER, IP, and OP events that overlap or match the MP event

added at ST16.

Report Header: OVERLAPPING EVENT DATES

Column 1, header = "EVENT TYPE".

Column 1, display =

If EVNT.EVNTTYPE = 2/ER, display "Emergency Room".

Else if EVNT.EVNTTYPE = 5/IP, display "Hospital as an Inpatient". Else if EVNT.EVNTTYPE = 9/OP, display "Outpatient Department".

Column 2, header = "EVENT DATE".
Column 2, display EVENT BEGIN DATE
Column 3, header = "EVENT END DATE".
Column 3, display EVENT END DATE

<u>TEXT:</u> _ _ _ _ _ _ _ _ _ _ _ _

Context Header: EVENT MONTH: (EVENT MONTH)

PROVIDER NAME: (PROVIDER NAME)

Int. Instr I:

Question Text: We have recorded that in (EVENT MONTH) [you were/(SP) was]

also in [READ EVENT(S) LISTED BELOW]. Was this visit with (PROVIDER NAME) a visit while [you were/(SP) was] in [the [READ

EVENT LISTED BELOW]/any of these places]?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: MPSDVIS (STQ1691)

Cheshire Name: EVNT.MPSDVIS

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Yes BOX ST23A - (STQ1695)

English text: YES

2 No BOX ST23A - (STQ1695)

English text: NO

Attribute Route

Don't know BOX ST23A - (STQ1695)

Refusal BOX ST23A - (STQ1695)

BACKGROUND VARIABLE ASSIGNMENTS

EVNTTYPE If ST23 - MPSDVIS = 1/Yes, update MP event type

to Separately Billing Doctor, EVNT.EVNTTYPE =

'SD'

STEVTYPE If ST23 - MPSDVIS = 1/Yes, update MP Statement

event type to Separately Billing Doctor,

EVNT.STEVTYPE = 2/SD.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

350 OverlapERIPOPStay Event date overlaps an existing IP stay or Event date

matches an existing ER or OP event date =

See general specifications for detailed date logic check.

BOX ST23A

BOX ST23A Page Order #: 505

BOX INSTRUCTIONS

(STQ1695) IF ST23 ASKED AND ST23 - MPSDVIS = 1/Yes, GO TO BOX ST23B -

(STQ1700).

ELSE GO TO BOX MP2C - (MPQ1220).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

BOX ST23A calls the MP Utilization section.

MP returns to ST at BOX ST23B.

BOX ST23B

BOX ST	Page Order # :	510			
BOX INSTRUCTIONS					
(STQ1700)	GO TO ST22A_IN - NAVIGATOR (STQ1675).				
ASSIGNMENT	rs				
TECHNICAL N	IOTES				
DESIGN NOTE	ES .				
Return from Ut	ilzation sections at BOX ST23B.				

ST24 Page Order #: 515

Design Screen Type: Roster

Fields: Field 1: EVENT_STDATE

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name: Statement Event Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name of Provider, (PROVIDER NAME), selected at ST13.

Question display: Always display "(S)" in interviewer instructions in parenthesis.

Multi Field display:

Roster/Grid Instructions: Display all events for this provider where:

EVNT.EVNTTYPE = 'DU', 'ER', 'IP', 'IU', 'OP', 'MP', 'SD', or 'SL', and EVNT.EVNTPROV = the PROV.PROVNUM selected at ST13, and

EVNT.EVNTDFLG ^= 1/Yes

Display in order of entry.

Roster/Grid display:	COL#	HEADER	INSTRUCTIONS
	1	Type	Display EVNT.EVNTTYPE.

2 Start Date Display EVENT DATE in "Mon DD YYYY"

format.

3 Stop Date If (EVNT.EVNTTYPE = 'IU') or

(EVNT.EVNTTYPE = 'IP' and

EVNT.IPSTATUS ^=1/StillInHospital), display EVENT END DATE in "Mon DD

YYYY" format.. Else do not display.

If EVNT.EVNTTYPE = 'IP' and 4 Status EVNT.IPSTATUS = 1/StillInHospital, display "ON". Else if EVNT.VISTTYPE = 2/RepeatVisit, display "RV". Else do not display. # Visits If EVNT.VISTTYPE = 2/RepeatVisit, display EVNT.RVTIMES. Else do not display. Round Display 'R' + EVNT.EVNTRNDC. EX: 6 R45 7 If Event Date is out of the Survey Reference Period, display "ORP".

Else do not display.

Report display:

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

PROVIDER: (PROVIDER NAME)

Int. Instr I:

Question Text:

Int. Instr II: SELECT THE EVENT DATE(S) THAT ARE INCLUDED IN THIS

CHARGE BUNDLE.

INPUT FIELDS / ROUTING

Field1: EVENT_STDATE (STQ1705)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST24 - (STQ1707)

BACKGROUND VARIABLE ASSIGNMENTS

Create an XCEV record for each event selected at ST24 to link the event to the charge bundle being asked about. XCEV record may already exist.

If XCEV record does not exist, create XCEV record:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVBASE and XCEV.XCEVBAS2 = BASE.BASEID.

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of event selected at ST24.

Set fields as specified below:

XCEVCOST Create XCEV where XCEV.XCEVCOST = this

COST.COSTNUM.

XCEVEVNT Create XCEV where XCEV.XCEVEVNT =

EVNT.EVNTNUM of EVNT selected.

XCEVRNDC Set XCEV.XCEVRNDC = current round.

DELLINK If XCEV exists and XCEV.DELLINK = 1/Yes, update

XCEV.DELLINK = empty.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent

Existing Event Date is outside survery reference period = EVNT.EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for determing ORP events.

DESIGN NOTES

Interviewer can only select events at this roster.

BOX ST24

BOX ST24 Page Order #: 517

BOX INSTRUCTIONS

(STQ1707) IF AT LEAST ONE EVENT SELECTED AT ST24 IS A REPEAT VISIT, GO TO

ST24A - RVLINKS (STQ1708).

ELSE GO TO ST25 - STDATEMTCH (STQ1710).

ASSIGNMENTS

TECHNICAL NOTES

135 RepeatVisitEvent If Event entered as a Repeat Visit =

EVNT.VISTTYPE=2/RepeatVisit.

ST24A

ST24A			Page Order #:	518
Design Screen Type:	Numeric			
Fields:	Field 1:	RVLINKS		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:	Display name of	Provider, (PROVIDER 1	NAME), selected at ST	13.
Question display:	being asked about	of the ST24 Repeat Vis	·	
Multi Field display:	Display in "Month	i, YYYY" tormat.		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(ST CLAIM HEAD SURVEY REFER TO (TODAY/DAT PROVIDER: (PR	RENCE PERIOD: (SUR) E OF DEATH/DATE OF	VEY REFERENCE DA F INSTITUTIONALIZA	TE) TION)
Int. Instr I:				
Question Text:				

ENTER THE NUMBER OF (EVENT TYPE) VISITS IN (EVENT MONTH, YEAR) THAT ARE COVERED BY THIS CHARGE.

Int. Instr II:

ST24A

INIDI			1 00	/ DOI	ITINIO
INPL	JI	ᅡᄩ	LDS	/ KUI	JTING

Field1: RVLINKS (STQ1708)

Cheshire Name: XCEV.RVLINKS

Item Text display:

Item Text:

Label: NUMBER OF VISITS:

Label Position: Left

Field Type: Integer

Type Name: TRvtimes Min Value: 1
Answers Allowed: 1 Max Value: 90

Drop Down List: No

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST24A - (STQ1709)

FieldSize:

Mask:

Attribute Route

Don't know BOX ST24A - (STQ1709)

Refusal BOX ST24A - (STQ1709)

BACKGROUND VARIABLE ASSIGNMENTS

Collect # of visits on XCEV:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of Repeat Visit event currently being asked about.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

BOX ST24A

BOX ST24A Page Order #: 519

BOX INSTRUCTIONS

(STQ1709) IF ANOTHER EVENT SELECTED AT ST24 IS A REPEAT VISIT, GO TO

ST24A - RVLINKS (STQ1708).

ELSE GO TO ST25 - STDATEMTCH (STQ1710).

ASSIGNMENTS

TECHNICAL NOTES

135 RepeatVisitEvent If Event entered as a Repeat Visit =

EVNT.VISTTYPE=2/RepeatVisit.

ST25 Page Order # : 520

Design Screen Type: Code 1

Fields: Field 1: STDATEMTCH

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report below question text.

Display all Events linked to this charge bundle where

XCEV.XCEVEVNT = the EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for the Charge Bundle and XCEV.DELLINK ^=1/Yes. Display PMs followed by OM events, HH events and then

other provider service events.

NOTE: This report is shared by other questions. Not all Event types

will be applicable at each screen.

Report header: EVENTS IN CHARGE BUNDLE

Report layout:

Column 1, header =Type Display EVNT.EVNTTYPE

Column 2, NO HEADER.

If EVNT.RENTPROB=2/Rent and ((EVNT.RENT2BUY ^=

2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY)), display

```
"R".
Else do not display.
Column 3, header = Description
If EVNT.EVNTTYPE = OM then
If EVNT.STOMTYPE = 91, display EVOS.EVOSTEXT on EVOS
where EVOS.EVOSEVNT = this EVNT.EVNTNUM.
Else display EVNT.STOMTYPE response text.
Else if EVNT.EVNTTYPE = PM, display EVNT.PMEDNAME.
Else display PROV.PROVNAME on PROV where PROV.PROVNUM
= this EVNT.EVNTPROV.
Column 4, header = Start Date
\Box If EVNT.EVNTTYPE = HF or HP,
  display COST START DATE in "Mon DD YYYY" format.
Else if (EVNT.EVNTTYPE = DU, ER, IP, IU, OP, MP, SD or SL) or
  (EVNT.EVNTTYPE = OM and
  ((EVNT.OTHRTYPE ^= 5/OstomySupplies and
  ^= 6/IncontinenceSupplies and ^= 7/Bandages) or
  (EVNT.OTHRTYPE = EMPTY)) and
  ((EVNT.OMSTATUS ^= 1/AlterationNotComplete) or
(EVNT.OMSTATUS = EMPTY))),
  display EVENT DATE in "Mon DD YYYY" format.
Else do not display.
Column 5, header = Stop Date
☐ If EVNT.EVNTTYPE = HF or HP,
  display COST STOP DATE in "Mon DD YYYY" format.
Else if (EVNT.EVNTTYPE = IU) or
  (EVNT.EVNTTYPE = IP and
  EVNT.IPSTATUS ^= 1/StillInHospital) or
  (EVNT.EVNTTYPE = OM and EVNT.RENTPROB = 2/Rent and
  (EVNT.RENTSTIL = 2/No, DK, or RF) and
  ((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or
  (EVNT.RENT2BUY = EMPTY))),
  display EVNT END DATE in "Mon DD YYYY" format.
Else do not display.
Column 6, header = Status
If EVNT.VISTTYPE = 2/RepeatVisit, display "RV".
Else if
  (EVNT.EVNTTYPE = OM and
  EVNT.OMSTATUS = 1/AlterationNotComplete) or
  (EVNT.EVNTTYPE = IP and EVNT.IPSTATUS =
```

1/StillInHospital),

display "ON".

Else if EVNT.RENTSTIL = 1/Yes, display "RR".

Else if EVNT.RENT2BUY=2/PurchasedRentToBuy, display "OW".

Else do not display.

Column 7, header = # Visits
If EVNT.VISTTYPE = 2/RepeatVisit, display XCEV.RVLINKS on
XCEV where XCEV.XCEVEVNT = this EVNT.EVNTNUM and
XCEV.XCEVCOST = the COST.COSTNUM for this charge bundle.

Else do not display.

Column 8, header = # Purchases

If (EVNT.EVNTYPE = PM) or

(EVNT.EVNTTYPE = OM and

(EVNT.OTHRTYPE = 5/OstomySupplies,

6/IncontinenceSupplies, or 7/Bandages)),

display XCEV.NUMLINKS on XCEV where XCEV.XCEVEVNT = this EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for this charge bundle.

□Else do not display.

Column 9.

If Event Date is out of Survey Reference Period, display "ORP".

Else do not display.

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

PROVIDER: (PROVIDER NAME)

Int. Instr I: ARE ALL THE PROVIDER EVENTS FROM THE CHARGE BUNDLE

ON (TYPE OF STATEMENT) SHOWN BELOW?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STDATEMTCH (STQ1710)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TSTDateMtch Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	BOX ST26 - (STQ1720)
	English text: YES	
2	NoAddDate	ST13 - PROVIDER_STDATE (STQ1410)
	English text: NO, NEED TO ADD A PROVIDE	R EVENT
3	NoDeleteDate	ST26 - EVENT_STDATEDEL (STQ1715)
	English text: NO, NEED TO REMOVE A PROV	VIDER EVENT

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT. EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

ST26 Page Order #: 525

Design Screen Type: Roster

Fields: Field 1: EVENT_STDATEDEL

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name: Statement Event Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: If more than one provider linked to charge bundle, display the name

of the most recent provider, (PROVIDER NAME), linked to charge

bundle.

Question display: Always display "(S)" in interviewer instructions in parenthesis.

Multi Field display:

Roster/Grid Instructions: Display all Provider Service events linked to this charge bundle:

There is an EVNT where:

EVNT.EVNTTYPE = 'DU', 'ER', 'IP', 'IU', 'OP', 'MP', 'SD', or 'SL', and

There is an XCEV where:

XCEV,XCEVEVNT = this EVNT.EVNTNUM, and

XCEV.XCEVCOST = COST.COSTNUM for this charge bundle, and

XCEV.DELLINK ^= 1/Yes.

Display Name of Provider, PROV.PROVNAME, for each Provider

Service event.

Display in order of entry.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 Type Display EVNT.EVNTTYPE.

2 Provider Name Display PROV.PROVNAME where

PROV.PROVNUM = EVNT.EVNTPROV.

		3120
3	Start Date	Display EVENT DATE in "Mon DD YYYY" format.
4	Stop Date	If (EVNT.EVNTTYPE = 'IU') or (EVNT.EVNTTYPE = 'IP' and EVNT.IPSTATUS ^=1/StillInHospital), display EVENT END DATE in "Mon DD YYYY" format. Else do not display.
5	Status	If EVNT.EVNTTYPE = 'IP' and EVNT.IPSTATUS = 1/StillInHospital, display "ON". Else if EVNT.VISTTYPE = 2/RepeatVisit, display "RV". Else do not display.
6	# Visits	If EVNT.VISTTYPE = 2/RepeatVisit, display XCEV.RVLINKS on XCEV where XCEV.XCEVEVNT=this EVNT.EVNTNUM and XCEV.XCEVCOST=COST.COSTNUM for this charge bundle. Else do not display.
7	Round	Display 'R' + EVNT.EVNTRNDC. EX: R45
8		If Event Date is out of the Survey Reference Period, display "ORP". Else do not display.

Report display:

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION) PROVIDER: (PROVIDER NAME)

Int. Instr I:

Question Text:

SELECT THE EVENT(S) THAT YOU WOULD LIKE TO REMOVE Int. Instr II:

FROM THE CHARGE BUNDLE.

INPUT FIELDS / ROUTING

Field1: EVENT STDATEDEL (STQ1715)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: Lookup File Name:

Number Label Route

No

1 [Continuous answer.] ST25 - STDATEMTCH (STQ1710)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on XCEV:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVBASE and XCEV.XCEVBAS2 = BASE.BASEID.

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of event selected at ST26

Each Event selected at ST26 will be flagged as "deleted" on XCEV. The event will no longer being "linked" to the charge bundle being asked about. See detailed instructions below.

DELLINK Set XCEV.DELLINK = 1/Yes on XCEV where

XCEV.XCEVCOST = this COST.COSTNUM and XCEV.XCEVEVNT = EVNT.EVNTNUM of event

selected.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT.EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

DESIGN NOTES

DISABLE PREVIOUS PAGE.

BOX ST26

530

Page Order #:

BOX 0120					
BOX INSTRUC	CTIONS				
(STQ1720)	IF ST12 – INCTYPE INCLUDES 2/HHVisits, GO TO ST27 - PROVIDER_STHH (STQ1725).				
	ELSE GO TO BOX ST33 - (STQ1785).				
ASSIGNMENT	-s				
TECHNICAL N	NOTES				
DESIGN NOTE	ES				

BOX ST26

ST27				Page	Order#:	535
Design Screen Type:	Roster					
Fields:	Field 1:		PROVIDER_S	тнн		
Enable Functions:	HELP COMMENTS JUMPBACK		No Yes Yes			
Roster Name:	Home Health	n Provid	ler Roster			
Roster Type:	Single Item S	Select				
Roster Functions:	Add Item Edit Item Delete Item Search Item	1	Yes Yes No No		Add a Provider Edit a Provider	
Grid Functions:	Add Line Delete Line		No No			
DISPLAY INSTRUCTIONS):					
Context header display:						
Question display:						
Multi Field display:						
Roster/Grid Instructions:			ers except for F /I=01 and 02, w			ОМ
	Display in	alphab	etical order by F	PROV.PROVN	AME.	
Roster/Grid display:	COL#	HEA	DER		INSTRUCTION	NS
	1	Provide	er Name	Display Pro PROV.PR	ovider Name, OVNAME	
	2	SubPro	ovider Name	If PROV.S SubProvid PROV.SUI Else do no	BPROV.	npty, display
Report display:						
<u>TEXT:</u>						
Context Header:	(ST CLAIN SURVEY		ER) ENCE PERIOD	: (SURVEY RE	EFERENCE DA	TE)

TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Int. Instr I: WHICH HOME HEALTH PROVIDER IS IN THIS CHARGE BUNDLE?

Question Text:

Int. Instr II: SELECT OR ADD ONLY ONE PROVIDER.

INPUT FIELDS / ROUTING

Field1: PROVIDER_STHH (STQ1725)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TProvPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST28 - COSTBEGM (STQ1730)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PROV: PROV key = PROV.PROVBASE + PROV.PROVNUM PROV.PROVNUM = Number of Provider selected at ST27.

If Provider added at Home Health Provider Roster, see HOME HEALTH PROVIDER ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated in Home Health Provider Roster Pop-Up Window:

PROV.PROVNUM Provider number ROV.PROVRNDC Round number PROV.PROVNAME Provider name

See additional instructions below.

COSTPROV Set COST.COSTPROV = PROV.PROVNUM of

provider selected at ST27.

PRVROSTR If Provider added, set PROV.PRVROSTR =

16/STHomeHealthProvider.

SOFT EDIT CHECKS

Interviewer can add or select Provider at this roster.

ST28			Page Order #:	538
Design Screen Type:	Numeric			
Fields:	Field 1:	COSTBEGM		
	Field 2:	COSTBEGD		
	Field 3:	COSTBEGY		
	Field 4:	COSTENDM		
	Field 5:	COSTENDD		
	Field 6:	COSTENDY		
Enable Functions:	HELP	No		
	COMMENTS	No		
	JUMPBACK	No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item Delete Item	No No		
	Search Item	No		
Grid Functions:	Add Line Delete Line	No No		
	Delete Line	110		
DISPLAY INSTRUCTIONS):			
Context header display:	Display name of	Provider, (PROVIDER I	NAME), selected at ST	27.
Question display:				
Multi Field display:	Vertical Alignmer	nt		
		e input fields, COST.CC GD, COST.COSTBEGY		
	Display stop date COST.COSTEND	e input fields, COST.CO DD, COST.COSTENDY	STENDM, , on 2nd line.	
	Display all fields	at one time.		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)
TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

PROVIDER: (PROVIDER NAME)

Int. Instr I:

Question Text:

Int. Instr II: ENTER THE START DATE AND STOP DATE COVERED BY THE

CHARGE BUNDLE.

INPUT FIELDS / ROUTING

Field1: COSTBEGM (STQ1730)

Cheshire Name: COST.COSTBEGM

Item Text display:

Item Text: START DATE:

Label: MM Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TMonthIntMin Value:01Answers Allowed:1Max Value:12Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST28 - COSTBEGD (STQ1731)

Attribute Route

Don't know ST28 - COSTBEGD (STQ1731)

Refusal ST28 - COSTBEGD (STQ1731)

Field2: COSTBEGD (STQ1731)

Cheshire Name: COST.COSTBEGD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST28 - COSTBEGY (STQ1732)

Attribute Route

Don't know ST28 - COSTBEGY (STQ1732)

Refusal ST28 - COSTBEGY (STQ1732)

Field3: COSTBEGY (STQ1732)

Cheshire Name: COST.COSTBEGY

Item Text display:

Item Text:

Label: YY
Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TYear2DKRFMin Value:00Answers Allowed:1Max Value:99Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST28 - COSTENDM (STQ1733)

Attribute Route

Don't know ST28 - COSTENDM (STQ1733)

Refusal ST28 - COSTENDM (STQ1733)

COSTENDM (STQ1733) Field4:

Cheshire Name: COST.COSTENDM

Item Text display:

STOP DATE: **Item Text:**

Label: MM **Label Position:** Under

Field Type: Integer FieldSize: 2 **TMonthInt** Type Name: Min Value: 01 **Answers Allowed:** 1 Max Value: 12 No Mask:

Drop Down List: Lookup File: No

Lookup File Name:

Number Label Route

ST28 - COSTENDD (STQ1734) [Continuous answer.]

Attribute **Route** Don't know ST28 - COSTENDD (STQ1734)

Refusal ST28 - COSTENDD (STQ1734)

Field5: COSTENDD (STQ1734)

Cheshire Name: COST.COSTENDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST28 - COSTENDY (STQ1735)

Attribute Route
Don't know ST28 - COSTENDY (STQ1735)

Refusal ST28 - COSTENDY (STQ1735)

Field6: (STQ1735) COSTENDY

Cheshire Name: COST.COSTENDY

Item Text display:

Item Text:

ΥY Label: **Label Position:** Under

Field Type: Integer FieldSize: 2 TYear2DKRF Type Name: Min Value: 00 **Answers Allowed:** Max Value: 99 No **Drop Down List:** Mask:

Lookup File: No

Lookup File Name:

Number Label Route

BOX ST28A - (STQ1740) [Continuous answer.]

Attribute Route Don't know BOX ST28A - (STQ1740)

Refusal BOX ST28A - (STQ1740)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1

If SP is deceased, Start Date,

COSTBEGM/COSTBEGD/COSTBEGY, should be on or before (DATE OF DEATH).

If not true, display message "VERIFY THAT THE START DATE WAS AFTER SP'S DATE OF DEATH, (DATE OF DEATH)."

Edit #2

If SP is deceased, Stop Date,

COSTENDM/COSTENDD/COSTENDY, should be on or before

(DATE OF DEATH).

If not true, display message "VERIFY THAT THE STOP DATE WAS

AFTER SP'S DATE OF DEATH, (DATE OF DEATH)."

Edit #3

If SP is institutionalized, Start Date,

COSTBEGM/COSTBEGD/COSTBEGY, should be on or before

(DATE OF INSTITUTIONALIZATION).

If not true, display message "VERIFY THAT THE START DATE

WAS AFTER SP'S DATE OF INSTITUTIONALIZATION, (DATE OF

INSTITUTIONALIZATION)."

Edit #4

If SP is institutionalized, Stop Date,

COSTENDM/COSTENDD/COSTENDY, should be on or before

(DATE OF INSTITUTIONALIZATION).

If not true, display message "VERIFY THAT THE STOP DATE WAS AFTER SP'S DATE OF INSTITUTIONALIZATION, (DATE OF

INSTITUTIONALIZATION)."

Edit #5

Start Date, COSTBEGM/COSTBEGD/COSTBEGY, should not be

Out of the Survey Reference period.

If not true, display message "VERIFY THAT THE START DATE IS

OUTSIDE OF THE SURVEY REFERENCE PERIOD."

Edit #6

Stop Date, COSTENDM/COSTENDD/COSTENDY, should not be

Out of the Survey Reference period.

If not true, display message "VERIFY THAT THE STOP DATE IS

OUTSIDE OF THE SURVEY REFERENCE PERIOD."

HARD EDIT CHECKS

Edit #1

Start Date, COSTBEGM/COSTBEGD/COSTBEGY, should be on or before (TODAY).

If not true, display message "INVALID DATE. START DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

Edit #2

Stop Date, COSTENDM/COSTENDD/COSTENDY, should be on or before (TODAY).

If not true, display message "INVALID DATE. STOP DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

Edit #3

Stop Date, COSTENDM/COSTENDD/COSTENDY, must be on or

after the Start Date, COSTBEGM/COSTBEGD/COSTBEGY. If not true, display message: "INVALID DATE. STOP DATE MUST BE ON OR \square AFTER (COST START DATE). PLEASE REENTER."

TECHNICAL NOTES

SP is Alive and not institutionalized =

MRES.SPALIVE=1/Alive or empty

SP is Alive =

MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY

SP is Institutionalized =

MRES.SPALIVE=2/AliveAndInstitute

SP is Deceased =

MRES.SPALIVE=3/Deceased.

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT.EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

BOX ST28A

BOX ST28A Page Order #: 540

BOX INSTRUCTIONS

(STQ1740)

IF (HOME HEALTH PROVIDER WAS ADDED AT ST27) OR (AN EXISTING PROVIDER WAS SELECTED AT ST27 THAT WAS NOT ASSOCIATED WITH A HOME HEALTH EVENT), GO TO ST30 - HHEVNTTYPE (STQ1755).

ELSE GO TO BOX ST31B - (STQ1770).

ASSIGNMENTS

TECHNICAL NOTES

245 ProviderNotHHEvent

Provider not associated with Home Health Event = For this PROV, there is no EVNT where (EVNT.EVNTPROV=PROV.PROVNUM &

(EVNT.EVNTTYPE = 'HP' or 'HF') & EVNT.EVNTDFLG

^= 1/Yes)

ST30 Page Order #: 555 **Design Screen Type:** Code 1 Fields: Field 1: **HHEVNTTYPE Enable Functions: HELP** No **COMMENTS** No **JUMPBACK** No **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display name of Provider, (PROVIDER NAME), selected at ST27. Question display: Multi Field display: **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT: **Context Header:** (ST CLAIM HEADER) SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION) PROVIDER: (PROVIDER NAME)

Int. Instr I:

Question Text:

Int. Instr II: IS THE PROVIDER A HOME HEALTH PROFESSIONAL OR SOME

OTHER TYPE OF HOME HEALTH PROVIDER (HOME HEALTH

AIDE, HOMEMAKER, ETC.)?

INPUT FIELDS / ROUTING

9:23:02 AM Wednesday, March 27, 2013

Field1:	HHEVNTTYPE	(STQ1755)			
Cheshire Name:	TEMP				
Item Text display: Item Text: Label: Label Position:					
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated THHEVNTTYPE 1 No No	FieldSize: Min Value: Max Value: Mask:			
Number Label		Route			
1 HP		ST31 - STHHINTRO (STQ1760)			
English text: 2 HF	HOME HEALTH PROFE	ST21 STUDINTDO (STO1760)			
	OTHER HOME HEALTI	ST31 - STHHINTRO (STQ1760)			
BACKGROUND VARIAB Set Provider Type based	LE ASSIGNMENTS				
PROVTYPE	If ST30 - HHEVNTTYP	E = 1/HP, set /HomeHealthProfessionals. rYPE =			
SOFT EDIT CHECKS					
HARD EDIT CHECKS					
TECHNICAL NOTES					

ST31			Page Order #:	560
Design Screen Type:	No Entry			
Fields:	Field 1:	STHHINTRO		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	3 :			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:		ue with this statement, the home health provide		a few
Int. Instr II:		·		
INPUT FIELDS / ROUTING	3			

			5131
Field1:	STHHINTRO	(STQ1760)	
Cheshire Name:	TEMP		
Item Text display: Item Text:			
Label: Label Position:			
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:	
Number Label		Route	
1 Continue English text	::CONTINUE	BOX ST31A - (STQ1765)	
Attribute Route			
	ST31A - (STQ1765)		
BACKGROUND VARIA	BLE ASSIGNMENTS		
SOFT EDIT CHECKS			
HARD EDIT CHECKS			
TECHNICAL NOTES			

BOX ST31A

BOX ST31A Page Order #: 565

BOX INSTRUCTIONS

(STQ1765) IF ST30 - HHEVNTTYPE = 1/HP, GO TO HH3 - PROVSPEC (HHQ1030).

ELSE GO TO HH20 - HHFTYPE (HHQ1330).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

BOX ST31A calls the Home Health Utilization Section.

Event details will be collected on EVNT where EVNT.EVNTPROV = PROV.PROVNUM of Provider selected at ST27 and EVNT.EVNTTYPE = HP or HF. The EVNT record will be identified or created while administering the HH questions.

Home Health returns to ST at BOX ST31B.

BOX ST31B

BOX ST31B Page Order #: 570

BOX INSTRUCTIONS

(STQ1770) LINK HOME HEALTH PROVIDER TO CHARGE BUNDLE.

GO TO ST32 - STHHMTCH (STQ1775).

ASSIGNMENTS

Create an XCEV record to link Home Health event to the charge bundle being asked about. XCEV record may already exist.

If XCEV record does not exist, create XCEV record:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVBASE and XCEV.XCEVBAS2 = BASE.BASEID.

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of Home Health event currently being asked about.

Set fields as specified below:

XCEVCOST Create XCEV where XCEV.XCEVCOST = this

COST.COSTNUM.

XCEVEVNT Create XCEV where XCEV.XCEVEVNT =

EVNT.EVNTNUM where EVNT.EVNTPROV = PROV.PROVNUM for Home Health Provider

currently being asked about.

XCEVRNDC Set XCEV.XCEVRNDC = current round.

DELLINK If XCEV exists and XCEV.DELLINK = 1/Yes, update

XCEV.DELLINK = empty.

TECHNICAL NOTES

DESIGN NOTES

Return from Home Section Section at BOX ST31B.

ST32 Page Order # : 575

Design Screen Type: Code 1

Fields: Field 1: STHHMTCH

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report below question text.

Display all Events linked to this charge bundle where

XCEV.XCEVEVNT = the EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for the Charge Bundle and XCEV.DELLINK ^=1/Yes. Display PMs followed by OM events, HH events and then

other provider service events.

NOTE: This report is shared by other questions. Not all Event types

will be applicable at each screen.

Report header: EVENTS IN CHARGE BUNDLE

Report layout:

Column 1, header =Type Display EVNT.EVNTTYPE

Column 2, NO HEADER.

If EVNT.RENTPROB=2/Rent and EVNT.RENT2BUY ^=

2/PurchasedRentToBuy, display "R".

□Else do not display.

Column 3, header = Description
If EVNT.EVNTTYPE = OM then
If EVNT.STOMTYPE = 91, display EVOS.EVOSTEXT on EVOS
where EVOS.EVOSEVNT = this EVNT.EVNTNUM.
Else display EVNT.STOMTYPE response text.

Else if EVNT.EVNTTYPE = PM, display EVNT.PMEDNAME.

Else display PROV.PROVNAME on PROV where PROV.PROVNUM = this EVNT.EVNTPROV.

Column 4, header = Start Date ☐ If EVNT.EVNTTYPE = HF or HP, display COST START DATE in "Mon DD YYYY" format.

Else if (EVNT.EVNTTYPE = DU, ER, IP, IU, OP, MP, SD or SL) or

(EVNT.EVNTTYPE = OM and (EVNT.OTHRTYPE ^= 5/OstomySupplies and EVNT.OTHRTYPE ^= 6/IncontinenceSupplies, and EVNT.OTHRTYPE ^= 7/Bandages) and (EVNT.OMSTATUS ^=1/AlterationNotComplete)),

display EVENT DATE in "Mon DD YYYY" format.

Else do not display.

Column 5, header = Stop Date

□If EVNT.EVNTTYPE = HF or HP,
display COST STOP DATE in "Mon DD YYYY" format.

Else if (EVNT.EVNTTYPE = IU) or

(EVNT.EVNTTYPE = IP and EVNT.IPSTATUS ^= 1/StillInHospital) or

(EVNT.EVNTTYPE = OM and (EVNT.RENTSTIL = 2/No, DK, or RF) and (EVNT.RENT2BUY ^= 2/PurchasedRentToBuy)),

display EVNT END DATE in "Mon DD YYYY" format.

Else do not display.

Column 6, header = Status
If EVNT.VISTTYPE = 2/RepeatVisit, display "RV".

Else if (EVNT.EVNTTYPE = OM and EVNT.OMSTATUS = 1/AlterationNotComplete) or

(EVNT.EVNTTYPE = IP and EVNT.IPSTATUS = 1/StillInHospital),

display "ON".

Else if EVNT.RENTSTIL = 1/Yes, display "RR".

ST32 Else if EVNT.RENT2BUY=2/PurchasedRentToBuy, display "OW". Else do not display. Column 7, header = # Visits If EVNT.VISTTYPE = 2/RepeatVisit, display XCEV.RVLINKS on XCEV where XCEV.XCEVEVNT = this EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for this charge bundle. Else do not display. Column 8, header = # Purchases If (EVNT.EVNTYPE = PM) or (EVNT.EVNTTYPE = OM and (EVNT.OTHRTYPE = 5/OstomySupplies, 6/IncontinenceSupplies, or 7/Bandages)), display XCEV.NUMLINKS on XCEV where XCEV.XCEVEVNT = this EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for this charge bundle. □Else do not display. Column 9, □ If Event Date is out of Survey Reference Period, display "ORP". Else do not display. (ST CLAIM HEADER) SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION) PROVIDER: (PROVIDER NAME) THE FOLLOWING HOME HEALTH PROVIDER EVENT HAS BEEN ADDED TO THIS CHARGE BUNDLE. PLEASE ENTER A COMMENT IF THIS EVENT WAS ENTERED IN ERROR OR IF ANOTHER HOME HEALTH EVENT SHOULD BE INCLUDED IN THIS CHARGE BUNDLE.

Question Text:

Int. Instr II:

Int. Instr I:

TEXT:

Context Header:

INPUT FIELDS / ROUTING

Field1: STHHMTCH (STQ1775)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TContinueEMPTY
Answers Allowed: 1

Drop Down List: No Lookup File: No

Lookup File Name:

FieldSize:

Min Value: Max Value:

Mask:

Continue BOX ST33 - (STQ1785)

English text: CONTINUE

Attribute Route

Empty BOX ST33 - (STQ1785)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT. EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

BOX ST	Page Order # :	585		
BOX INSTRUCTIONS				
(STQ1785)	IF ST12 – INCTYPE INCLUDES 3/OMExpenses, STQ1790).	GO TO ST34 - STOMUP	D (
	ELSE GO TO BOX ST40 - (STQ1840).			
ASSIGNMENTS	5			
TECHNICAL N	OTES			
DESIGN NOTE	s			

ST34 Page Order # : 590

Design Screen Type: Code 1

Fields: Field 1: STOMUPD

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display Report below Question Text.

Display all other medical expense items where:

EVNT.EVNTDFLG^=1/Yes, and EVNT.EVNTTYPE = OM.

Display in order of entry.

Report Header = OTHER MEDICAL EXPENSE EVENTS

Column 1, Display =

If EVNT.RENTPROB=2/Rent and ((EVNT.RENT2BUY ^=

2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY)), display

"R".

Column 2, Header = "OME Type".

Column 2, Display =

If EVNT.STOMTYPE = 91/Other, display Other Specify Text, EVOS.EVOSTEXT, on EVOS where EVOS.EVOSEVNT = this EVNT.EVNTNUM.

Else display EVNT.STOMTYPE response text.

Column 3, Header =

"Purchase or Repair/Rental Date".

Column 3, Display =
If ((EVNT.OTHRTYPE ^= 5/OstomySupplies and ^=
6/IncontinenceSupplies and ^= 7/Bandages) or
(EVNT.OTHRTYPE = EMPTY)) and ((EVNT.OMSTATUS ^=
1/AlterationNotComplete) or (EVNT.OMSTATUS = EMPTY)), display
EVNT DATE in "Mon DD YYYY" format.
Else do not display.

Column 4, Header = "Rental Stop Date".

Column 4, Display =

If EVNT.RENTPROB = 2/Rent and (EVNT.RENTSTIL = 2/No, DK, or RF) and ((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY)), display EVNT END DATE in "Mon DD YYYY" format. Else do not display.

Column 5, Header = "Status".
Column 5, Display =
If EVNT.OMSTATUS = 1/AlterationNotComplete, display "ON".
Else if EVNT.RENTSTIL = 1/Yes, display "RR".
Else if EVNT.RENT2BUY = 2/PurchasedRentToBuy, display "OW".
Else do not display.

Column 6, Header = "Round". Column 6, Display =

If ((EVNT.OTHRTYPE $^=$ 5/OstomySupplies and EVNT.OTHRTYPE $^=$ 6/IncontinenceSupplies and EVNT.OTHRTYPE $^=$ 7/Bandages) or (EVNT.OTHRTYPE = EMPTY)), display 'R' + EVNT.EVNTRNDC. EX: R45

Else do not display.

Column 7, Display =

If Event Date is out of the Survey Reference Period, display "ORP". Else do not display.

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)
TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Int. Instr I: THE FOLLOWING OME EVENTS HAVE BEEN ENTERED.

DO YOU NEED TO ADD OR EDIT AN OME EVENT FOR THIS

CHARGE BUNDLE?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1	:	STOMUPD	(STQ1790)
Chesh	ire Name:	TEMP	
Item To	ext display:		
Item T	ext:		
Label: Label l	Position:		
Field T	ype:	Enumerated	FieldSize:
Type N	lame:	TSTOMUpd	Min Value:
	ers Allowed:	1	Max Value:
•	Oown List:	No	Mask:
Looku	-	No	
Looku	p File Name:		
Number	Label		Route
1	No		ST37 - EVENT_STOM (STQ1812)
	English text:	NO, DO NOT NEE	D TO ADD OR EDIT OM EVENT
2	YesAddEvent		ST36 - STOMADD (STQ1800)
	English text:	YES, NEED TO AD	DD AN OME EVENT
3	YesEditEvent		ST35 - EVENT_STOMEDIT(STQ1795)
	English text:	YES, NEED TO ED	DIT AN OME EVENT
BACKG	ROUND VARIAE	BLE ASSIGNMENTS	i <u> </u>
SOFT E	DIT CHECKS		
HARD E	DIT CHECKS		
TECHNI	CAL NOTES		

ST35 Page Order #: 595

Design Screen Type: Roster

Field 1: EVENT_STOMEDIT

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name: Statement OM Edit Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item No

Edit Item Yes Display as 'Edit OME Event'

Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all other medical expense items where:

EVNT.EVNTDFLG^=1/Yes, and EVNT.EVNTTYPE = OM.

If (EVNT.OTHRTYPE=5/Ostomy Supplies, 6/Incontinence Supplies, or 7/Bandages) or (EVNT.OMSTATUS=1/Alteration NotComplete),

display as protected row.

Display in order of entry.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 If EVNT.RENTPROB=2/Rent and

((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or

(EVNT.RENT2BUY = EMPTY)), display

"R".

Else do not display.

2 **OME Type** If EVNT.STOMTYPE = 91/Other, display Other Specify Text, EVOS.EVOSTEXT, on EVOS where EVOS.EVOSEVNT = this EVNT.EVNTNUM. Else display EVNT.STOMTYPE response text. 3 Purchase or If ((EVNT.OTHRTYPE ^= Repair/Rental 5/OstomySupplies and ^= 6/IncontinenceSupplies & ^= 7/Bandages) or (EVNT.OTHRTYPE = EMPTY)) & ((EVNT.OMSTATUS ^= 1/AlterationNotComplete) or (EVNT.OMSTATUS = EMPTY)), display EVENT DATE in "Mon DD YYYY" format. Else do not display. Rental Stop Date If EVNT.RENTPROB = 2/Rent and (EVNT.RENTSTIL = 2/No, DK, or RF) and ((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY)), display **EVENT END DATE in "Mon DD YYYY"** format. Else do not display. 5 Status If EVNT.OMSTATUS = 1/AlterationNotComplete, display "ON". Else if EVNT.RENTSTIL = 1/Yes, display "RR". Else if EVNT.RENT2BUY = 2/PurchasedRentToBuy, display "OW". Else do not display. Round 6 If ((EVNT.OTHRTYPE ^= 5/OstomySupplies and ^= 6/IncontinenceSupplies and ^= 7/Bandages) or (EVNT.OTHRTYPE = EMPTY)), display 'R' + EVNT.EVNTRNDC. EX: R45 Else do not display. 7 If Event Date is out of the Survey Reference Period, display "ORP". Else do not display. (ST CLAIM HEADER) SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

SELECT AND EDIT THE OTHER MEDICAL EXPENSE EVENT

THAT NEEDS CORRECTION.

INPUT FIELDS / ROUTING

Report display:

Context Header:

TEXT:

Int. Instr I:

Int. Instr II:

Question Text:

Field1: EVENT STOMEDIT (STQ1795)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: Lookup File Name:

Number Label Route

No

1 [Continuous answer.] ST34 - STOMUPD (STQ1790)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of event selected at ST35.

If OM event is selected for editing, see STATEMENT OM EDIT ROSTER POP-UP specifications for pop-up window programming specifications.

Fields updated in Pop-Up window:

EVNT.EVBEGMM EVNT.EVBEGDD EVNT.EVBEGYY EVNT.EVENDMM EVNT.EVENDDD EVNT.EVENDYY

EVORPFLG If Event date edited is outside the Survey Reference

Period, set EVNT.EVORPFLG = 1/ORP. See General Specifications for setting this ORP flag.

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1

Date of event, EVBEGMM/EVBEGDD/EVBEGYY, should be on or before (TODAY).

If not true, display message "INVALID DATE. DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

Edit #2

If ((EVNT.RENTSTIL = 2/No, DK, or RF) and ((EVNT.RENT2BUY ^=

2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY))), Rental End Date, EVENDMM/EVENDDD/EVENDYY, should be on or before (TODAY).

If not true, display message "INVALID DATE. RENTAL STOP DATE MUST BE ON OR BEFORE (TODAY). PLEASE REENTER."

Edit #3

If ((EVNT.RENTSTIL = 2/No, DK, or RF) and ((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY))), Rental End Date, EVENDMM/EVENDDD/EVENDYY, must be on or after the Rental Start Date, EVBEGMM/EVBEGDD/EVBEGYY. If not true, display message: "INVALID DATE. RENTAL STOP DATE MUST BE ON OR AFTER (RENTAL START DATE). PLEASE REENTER."

Edit #4

Date of event, EVBEGMM/EVBEGDD/EVBEGYY, cannot match an existing date entered on this roster.

The following must be true for the event added to be a duplicate of an existing event:

Both event's EVNTDFLG ^= 1/Yes.

Both event's STOMTYPE match.

Both event's EVENT DATE match. See general specifications for matching date logic.

Both event's RENTPROB matches, OR

1st Event RENTPROB = 1/Buy and 2nd Event RENTPROB = DK or RF, OR 1st Event RENTPROB = DK or RF and 2nd Event RENTPROB = 1/Buy.

The date of the event added should not match any other date on roctor.

If not true, display message "INVALID DATE. THIS DATE HAS ALREADY BEEN ENTERED. PLEASE REENTER."

TECHNICAL NOTES

59	SPStatus	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty
		SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY
		SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute
		SP is Deceased = MRES.SPALIVE=3/Deceased.
246	ORPEvent	Existing Event Date is outside survery reference period = EVNT.EVORPFLAG = 1/ORP.
		New event is Out of the Survey Reference Period = See general specifications for Date check logic for determing ORP events.
DESIGN NOTES		

DESIGN NOTES

Interviewer can only select events to be edited at this roster.

ST36			Page Order #:	600
Design Screen Type:	Code 1			
Fields:	Field 1:	STOMADD		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(ST CLAIM HEADER) SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)			
Int. Instr I:				
Question Text:				
Int. Instr II:	WHAT TYPE OF OTHER MEDICAL EXPENSE NEEDS TO BE ADDED?			

INPUT FIELDS / ROUTING

Field1: STOMADD (STQ1800)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TSTOMAddMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

mber	Label	Route
1	Glasses	OM2 - EVENT_OMEYEG (OMQ1030)
	English text: GLASSES/CONTACTS	
2	Hearing	OM4 - EVENT_OMHEAR (OMQ1110)
	English text: HEARING/SPEECH DEVICE	
3	Orthopedic	OM6 - ORTHTYPE (OMQ1220)
	English text: ORTHOPEDIC ITEM	
4	DiabeticSupplies	OM10 - EVENT_OMDIAB (OMQ1570)
	English text: DIABETIC SUPPLIES	
5	Ambulance	OM12 - EVENT_OMAMBL (OMQ1640)
	English text: AMBULANCE/RESCUE	
6	Prothesis	OM14 - EVENT_OMPROS (OMQ1710)
	English text: PROSTHESIS	
7	Alteration	OM29 - ALTRTYPE (OMQ3040)
	English text: ALTERATIONS (HOME/CAR)	
8	Oxygen	OM19A - OXGNTYPE (OMQ1830)
	English text: OXYGEN	
9	KidneyDialysis	OM21A - KDNYTYPE (OMQ2240)
	English text: KIDNEY DIALYSIS	
10	OtherMedical	OM24 - OTHRTYPE (OMQ2650)
	English text: ALL OTHER MEDICAL SUPPLI	ES

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

ST36 calls Other Medical Expense Section. Multiple OMs for type selected at ST36 may be added in OM section. EVNT records will be identified or created for Other Medical Expenses added in OM section.

OM returns to ST at BOX ST36.

BOX ST36

BOX ST	36	Page Order # :	610	
BOX INSTRUCTIONS				
(STQ1810)	GO TO ST34 - STOMUPD (STQ1790).			
ASSIGNMENTS	S			
TECHNICAL N	OTES			
DESIGN NOTE	s			
Return to ST from Other Medical Expense Section.				

ST37 Page Order #: 612

Design Screen Type: Roster

Fields: Field 1: EVENT_STOM

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Type: Statement OM Roster
Multiple Item Select

Roster Functions: Add Item No

Edit ItemNoDelete ItemNoSearch ItemNo

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all other medical expense items where:

EVNT.EVNTDFLG^=1/Yes, and EVNT.EVNTTYPE = OM.

Display in order of entry.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 Type Display EVNT.EVNTTYPE.

2 If EVNT.RENTPROB=2/Rent and

((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or

(EVNT.RENT2BUY = EMPTY)), display

"R".

Else do not display.

3 OME Type If EVNT.STOMTYPE = 91/Other, display

Other Specify Text, EVOS.EVOSTEXT, on EVOS where EVOS.EVOSEVNT =

this EVNT.EVNTNUM.

Else display EVNT.STOMTYPE response

text.

Purchase or If ((EVNT.OTHRTYPE ^= 4 Repair/Rental 5/OstomySupplies and ^= 6/IncontinenceSupplies & ^= 7/Bandages) or (EVNT.OTHRTYPE = EMPTY)) & ((EVNT.OMSTATUS ^= 1/AlterationNotComplete) or (EVNT.OMSTATUS = EMPTY)), display EVENT DATE in "Mon DD YYYY" format. Else do not display. 5 If EVNT.RENTPROB = 2/Rent and Rental Stop Date (EVNT.RENTSTIL = 2/No, DK, or RF) and ((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY)), display EVENT END DATE in "Mon DD YYYY" format. Else do not display. 6 Status If EVNT.OMSTATUS = 1/AlterationNotComplete, display "ON". Else if EVNT.RENTSTIL = 1/Yes, display "RR". Else if EVNT.RENT2BUY = 2/PurchasedRentToBuy, display "OW". Else do not display. 7 Round If ((EVNT.OTHRTYPE ^= 5/OstomySupplies and ^= 6/IncontinenceSupplies and ^= 7/Bandages) or (EVNT.OTHRTYPE = EMPTY)), display 'R' + EVNT.EVNTRNDC. EX: R45 Else do not display. If Event Date is out of the Survey 8 Reference Period, display "ORP". Else do not display. (ST CLAIM HEADER) SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION) SELECT OTHER MEDICAL EXPENSES THAT ARE IN THIS CHARGE BUNDLE ON THE (TYPE OF STATEMENT).

INPUT FIELDS / ROUTING

Report display:

Context Header:

TEXT:

Int. Instr I:

Int. Instr II:

Question Text:

Field1: EVENT_STOM (STQ1812)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST37 - (STQ1813)

BACKGROUND VARIABLE ASSIGNMENTS

Create an XCEV record for each event selected at ST37 to link the event to the charge bundle being asked about. XCEV record may already exist.

If XCEV record does not exist, create XCEV record:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVBASE and XCEV.XCEVBAS2 = BASE.BASEID.

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of event selected at ST37.

Set fields as specified below:

XCEVCOST Create XCEV where XCEV.XCEVCOST = this

COST.COSTNUM.

XCEVEVNT Create XCEV where XCEV.XCEVEVNT =

EVNT.EVNTNUM of EVNT selected.

XCEVRNDC Set XCEV.XCEVRNDC = current round.

DELLINK If XCEV exists and XCEV.DELLINK = 1/Yes, update

XCEV.DELLINK = empty.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT.EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for determing ORP events.

DESIGN NOTES

Interviewer can only select events at this roster.

BOX ST37

BOX ST37 Page Order #: 615

BOX INSTRUCTIONS

(STQ1813) IF AT LEAST ONE OTHER MEDICAL EXPENSE SELECTED AT ST37 IS

RENTED, GO TO ST38 - MONTHCOV (STQ1815).

ELSE GO TO BOX ST38B - (STQ1820).

ASSIGNMENTS

TECHNICAL NOTES

242 OMRental Other Medical Expense Item is Rented =

EVNT.RENTPROB = 2/Rent.

ST38 Page Order #: 618

Design Screen Type: Numeric

Fields: Field 1: MONTHCOV

Field 2: MONCOV96

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display the date and OME ITEM TYPE for the ST37 Rental event

being asked about.

Question display:

Multi Field display: Vertical Alignment

Display all fields at one time.

Roster/Grid Instructions:

Roster/Grid display:

Report display:

Context Header: (ST CLAIM HEADER)

OME ITEM TYPE: (OME ITEM TYPE)

RENTAL DATES: (RENTAL START DATE) - (RENTAL STOP DATE)

Int. Instr I:

TEXT:

Question Text:

Int. Instr II: HOW MANY MONTHS ARE COVERED BY THIS CHARGE

BUNDLE?

INPUT FIELDS / ROUTING

Field1: MONTHCOV (STQ1815)

Cheshire Name: XCEV.MONTHCOV

Item Text display:

Item Text:

Label: MONTHS: Label Position: Left

Field Type: Integer
Type Name: TMonthcov

Answers Allowed: 1
Drop Down List: No
Lookup File: No

Lookup File Name:

Number Label

Empty

Route

Mask:

FieldSize:

Min Value:

Max Value:

1

72

1 [Continuous answer.] ST38 - MONCOV96 (STQ1816)

Attribute Route

Don't know ST38 - MONCOV96 (STQ1816)

ST38 - MONCOV96 (STQ1816)

Refusal ST38 - MONCOV96 (STQ1816)

Field2: MONCOV96 (STQ1816)

Cheshire Name: NONE

WE NEED TO TRANFORM MONCOV96=1 BACK TO

XCEV.MONTHCOV=96.

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TMonCov96 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

LessThanOneMonth BOX ST38A - (STQ1817)

English text: LESS THAN 1 MONTH

Attribute Route
Empty BOX ST38A - (STQ1817)

BACKGROUND VARIABLE ASSIGNMENTS

Collect # of months on XCEV:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of OM Rental event being asked about.

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1

ST38 - MONTHCOV and ST38 - MONCOV96 cannot both be

EMPTY.

If not true, display message "ENTRY REQUIRED. PLEASE ENTER NUMBER OF MONTHS OR SELECT "LESS THAN 1 MONTH".

Edit #2

ST38 - MONTHCOV and ST38 - MONCOV96 cannot both be

FILLED.

If not true, display message "INVALID ENTRY. PLEASE ENTER

TECHNICAL NOTES

BOX ST38A

BOX ST38A Page Order #: 620

BOX INSTRUCTIONS

(STQ1817) IF ANOTHER OTHER MEDICAL EXPENSE SELECTED AT ST37 IS

RENTED, GO TO ST38 - MONTHCOV (STQ1815).

ELSE GO TO BOX ST38B - (STQ1820).

ASSIGNMENTS

TECHNICAL NOTES

242 OMRental Other Medical Expense Item is Rented =

EVNT.RENTPROB = 2/Rent.

BOX ST38B

BOX ST38B Page Order #: 622

BOX INSTRUCTIONS

(STQ1820) IF AT LEAST ONE OTHER MEDICAL EXPENSE SELECTED AT ST37 IS

OSTOMY SUPPLIES, INCONTINENCE SUPPLIES OR BANDAGES, GO TO

ST38A - NUMLINKS (STQ1821).

ELSE GO TO ST39 - STOMMTCH (STQ1830).

ASSIGNMENTS

TECHNICAL NOTES

247 OMPurchases Other Medical Expense Item is Ostomy Supplies,

Incontinence Supplies, or Bandages = EVNT.OTHRTYPE = 5/OstomySupplies, 6/IncontinenceSupplies, or 7/Bandages.

ST38A

ST38A		Page Ord	er#:	625
Design Screen Type:	Numeric			
Fields:	Field 1:	NUMLINKS		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:		and OME ITEM TYPE for the ST37 nence Supplies, or Bandages bein		out.
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(ST CLAIM HEADER) OME ITEM TYPE: (OME ITEM TYPE)			
Int. Instr I:				
Question Text:				
Int. Instr II:	HOW MANY PURCHASES OF (NAME OF OME ITEM) ARE COVERED BY THIS CHARGE BUNDLE?			

INPUT FIELDS / ROUTING

ST38A

Field1: NUMLINKS (STQ1821)

Cheshire Name: XCEV.NUMLINKS

Item Text display:

Item Text:

Label: NUMBER OF PURCHASES:

Label Position: Left

Field Type: Integer FieldSize:

Type Name: TNumlinks Min Value: 1
Answers Allowed: 1 Max Value: 100

Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST38AA - (STQ1822)

Attribute Route

Don't know BOX ST38AA - (STQ1822)

Refusal BOX ST38AA - (STQ1822)

BACKGROUND VARIABLE ASSIGNMENTS

Collect # of purchases on XCEV:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 + XCEV.XCEVEVNT

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of OM Ostomy Supplies, Incontinence supplies, or bandages being asked about.

ST38A is asked of all Ostomy Supplies, Incontinence Supplies and Bandages linked to charge bundle.

However, in addition to collecting the number of purchases covered by the charge bundle at ST38A, if the OM event was added at OM24 - OTHRTYPE, we will copy ST38A - NUMLINKS to the current round PMRO.GETNUM on PMRO where PMRO.PMRORND = current round and PMRO.PMROEVNT = this new OM event.

GETNUM If OM event was just added at OM24 - OTHRTYPE,

set PMRO.GETNUM = this OM event's ST38A -

NUMLINKS. Set on PMRO where

PMRO.PMROEVNT = this OM EVNT.EVNTNUM and

PMRO.PMRORND = current round.

SOFT EDIT CHECKS

	ST38A
HARD EDIT CHECKS	
TECHNICAL NOTES	
DESIGN NOTES	

BOX ST38AA

BOX ST38AA

Page Order #:

628

BOX INSTRUCTIONS

(STQ1822)

IF ANOTHER OTHER MEDICAL EXPENSE SELECTED AT ST37 IS OSTOMY SUPPLIES, INCONTINENCE SUPPLIES OR BANDAGES, GO TO ST38A - NUMLINKS (STQ1821).

0.00/1 1.0m=m.to (0.0101)

ELSE GO TO ST39 - STOMMTCH (STQ1830).

ASSIGNMENTS

TECHNICAL NOTES

247 OMPurchases

Other Medical Expense Item is Ostomy Supplies, Incontinence Supplies, or Bandages = EVNT.OTHRTYPE = 5/OstomySupplies,

6/IncontinenceSupplies, or 7/Bandages.

ST39 Page Order #: 630

Design Screen Type: Code 1

Fields: Field 1: STOMMTCH

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report below question text.

Display all Events linked to this charge bundle where

XCEV.XCEVEVNT = the EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for the Charge Bundle and XCEV.DELLINK ^=1/Yes. Display PMs followed by OM events, HH events and then

other provider service events.

NOTE: This report is shared by other questions. Not all Event types

will be applicable at each screen.

Report header: EVENTS IN CHARGE BUNDLE

Report layout:

Column 1, header =Type Display EVNT.EVNTTYPE

Column 2, NO HEADER.

If EVNT.RENTPROB=2/Rent and ((EVNT.RENT2BUY ^=

2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY)), display

```
"R".
Else do not display.
Column 3, header = Description
If EVNT.EVNTTYPE = OM then
If EVNT.STOMTYPE = 91, display EVOS.EVOSTEXT on EVOS
where EVOS.EVOSEVNT = this EVNT.EVNTNUM.
Else display EVNT.STOMTYPE response text.
Else if EVNT.EVNTTYPE = PM, display EVNT.PMEDNAME.
Else display PROV.PROVNAME on PROV where PROV.PROVNUM
= this EVNT.EVNTPROV.
Column 4, header = Start Date
\Box If EVNT.EVNTTYPE = HF or HP,
  display COST START DATE in "Mon DD YYYY" format.
Else if (EVNT.EVNTTYPE = DU, ER, IP, IU, OP, MP, SD or SL) or
  (EVNT.EVNTTYPE = OM and
  ((EVNT.OTHRTYPE ^= 5/OstomySupplies and
  ^= 6/IncontinenceSupplies and ^= 7/Bandages) or
  (EVNT.OTHRTYPE = EMPTY)) and
  ((EVNT.OMSTATUS ^= 1/AlterationNotComplete) or
(EVNT.OMSTATUS = EMPTY))),
  display EVENT DATE in "Mon DD YYYY" format.
Else do not display.
Column 5, header = Stop Date
☐ If EVNT.EVNTTYPE = HF or HP,
  display COST STOP DATE in "Mon DD YYYY" format.
Else if (EVNT.EVNTTYPE = IU) or
  (EVNT.EVNTTYPE = IP and
  EVNT.IPSTATUS ^= 1/StillInHospital) or
  (EVNT.EVNTTYPE = OM and EVNT.RENTPROB = 2/Rent and
  (EVNT.RENTSTIL = 2/No, DK, or RF) and
  ((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or
  (EVNT.RENT2BUY = EMPTY))),
  display EVNT END DATE in "Mon DD YYYY" format.
Else do not display.
Column 6, header = Status
If EVNT.VISTTYPE = 2/RepeatVisit, display "RV".
Else if
  (EVNT.EVNTTYPE = OM and
  EVNT.OMSTATUS = 1/AlterationNotComplete) or
  (EVNT.EVNTTYPE = IP and EVNT.IPSTATUS =
```

1/StillInHospital),

display "ON".

Else if EVNT.RENTSTIL = 1/Yes, display "RR".

Else if EVNT.RENT2BUY=2/PurchasedRentToBuy, display "OW".

Else do not display.

Column 7, header = # Visits
If EVNT.VISTTYPE = 2/RepeatVisit, display XCEV.RVLINKS on
XCEV where XCEV.XCEVEVNT = this EVNT.EVNTNUM and
XCEV.XCEVCOST = the COST.COSTNUM for this charge bundle.

Else do not display.

Column 8, header = # Purchases
If (EVNT.EVNTYPE = PM) or
(EVNT.EVNTTYPE = OM and
(EVNT.OTHRTYPE = 5/OstomySupplies,
6/IncontinenceSupplies, or 7/Bandages)),

display XCEV.NUMLINKS on XCEV where XCEV.XCEVEVNT = this EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for this charge bundle.

□Else do not display.

Column 9.

If Event Date is out of Survey Reference Period, display "ORP". Else do not display.

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)
TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Int. Instr I: ARE ALL THE OTHER MEDICAL EXPENSES FROM THE CHARGE

BUNDLE ON THE (TYPE OF STATEMENT) SHOWN BELOW?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STOMMTCH (STQ1830)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TSTOMMTCH Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number	Label	Route
1 Yes		BOX ST40 - (STQ1840)
	English text: YES	
2	NoAddOM	ST34 - STOMUPD (STQ1790)
	English text: NO, NEED TO ADD AN OME EV	/ENT
3	NoDeleteOM	ST40 - EVENT_STOMDEL (STQ1835)
	English text: NO NEED TO REMOVE AN OM	E EVENT

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT. EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

ST40 Page Order #: 635

Design Screen Type: Roster

Fields: Field 1: EVENT_STOMDEL

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name: Statement OM Roster
Roster Type: Multiple Item Select

Roster Functions: Add Item No

Edit ItemNoDelete ItemNoSearch ItemNo

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Always display "(S)" in interviewer instructions in parenthesis.

Multi Field display:

Roster/Grid Instructions: Display all OME events linked to this charge bundle:

There is an EVNT where: EVNT.EVNTTYPE = 'OM', and

There is an XCEV where:

XCEV,XCEVEVNT = this EVNT.EVNTNUM, and

XCEV.XCEVCOST = COST.COSTNUM for this charge bundle, and

XCEV.DELLINK ^= 1/Yes.

Display in order of entry.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 If EVNT.RENTPROB=2/Rent and

EVNT.RENT2BUY ^=

2/PurchasedRentToBuy, display "R".

Else do not display.

2 **OME Type** If EVNT.STOMTYPE = 91/Other, display Other Specify Text, EVOS.EVOSTEXT, on EVOS where EVOS.EVOSEVNT = this EVNT.EVNTNUM. Else display EVNT.STOMTYPE response text. 3 Purchase or If (EVNT.OTHRTYPE ^= Repair/Rental 5/OstomySupplies and EVNT.OTHRTYPE ^= 6/IncontinenceSupplies and EVNT.OTHRTYPE ^= 7/Bandages) and (EVNT.OMSTATUS ^= 1/AlterationNotComplete), display EVENT DATE in "Mon DD YYYY" format. Else do not display. Rental Stop Date if (EVNT.RENTSTIL = 2/No, DK, or RF) 4 and (EVNT.RENT2BUY ^= 2/PurchasedRentToBuy), display EVENT END DATE in "Mon DD YYYY" format. Else do not display. 5 Status If EVNT.OMSTATUS = 1/AlterationNotComplete, display "ON". Else if EVNT.RENTSTIL = 1/Yes, display "RR". Else if EVNT.RENT2BUY = 2/PurchasedRentToBuy, display "OW". Else do not display. 6 # Purchases If (EVNT.OTHRTYPE = 5/OstomySupplies, 6/IncontinenceSupplies, or 7/Bandages), display XCEV.NUMLINKS on XCEV where XCEV.XCEVEVNT = this **EVNT.EVNTNUM and XCEV.XCEVCOST** = this COST.COSTNUM. Else do not display. 7 Round If (EVNT.OTHRTYPE ^= 5/OstomySupplies and EVNT.OTHRTYPE ^= 6/IncontinenceSupplies and EVNT.OTHRTYPE ^= 7/Bandages), 7/Bandages, display 'R' + EVNT.EVNTRNDC. EX: R45 Else do not display. If Event Date is out of the Survey 8 Reference Period, display "ORP". Else do not display. (ST CLAIM HEADER) SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Report display:

Context Header:

TEXT:

Int. Instr I:

Question Text:

Int. Instr II: SELECT THE EVENT(S) THAT YOU WOULD LIKE TO REMOVE

FROM THE CHARGE BUNDLE.

INPUT FIELDS / ROUTING

Field1: EVENT_STOMDEL (STQ1835)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST39 - STOMMTCH (STQ1830)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on XCEV:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVBASE and XCEV.XCEVBAS2 = BASE.BASEID.

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of event selected at ST40

Each Event selected at ST40 will be flagged as "deleted" on XCEV. The event will no longer being "linked" to the charge bundle being asked about. See detailed instructions below.

DELLINK Set XCEV.DELLINK = 1/Yes on XCEV where

XCEV.XCEVCOST = this COST.COSTNUM and XCEV.XCEVEVNT = EVNT.EVNTNUM of event

selected.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent

Existing Event Date is outside survery reference period = EVNT.EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for determing ORP events.

DESIGN NOTES

DISABLE PREVIOUS PAGE.

BOX ST4	Page Order # :	640			
BOX INSTRUCTIONS					
(STQ1840)	IF ST12 – INCTYPE INCLUDES 4/PMS, GO TO ST-STQ1850).	41 - EVENT_STPM(
	ELSE GO TO BOX ST45 - (STQ1990).				
ASSIGNMENTS					
TECHNICAL NO	TES				
DESIGN NOTES	:				

ST41			Page Order#:	650
Design Screen Type:	Roster			
Fields:	Field 1:	EVENT_STPM		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:	Prescription N	Medicine Roster		
Roster Type:	Multiple Item	Select		
Roster Functions:	Add Item Edit Item Delete Item Search Item	Yes Yes No No	Display as 'Add a Medicine Display as 'Edit a Medicine	
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:	Display all I	Prescription Medicine 6	events where:	
		TDFLG ^=1/Yes, and TTYPE='PM'.		
	Display in a	Iphabetical order.		
Roster/Grid display:	COL#	HEADER	INSTRUCTION	NS
	1 1	Medicine Name	Display prescription medi EVNT.PMEDNAME.	cine name,
	2 8	Strength	Display prescription meditext field, EVNT.PMSTRU	cine strength INI.
Report display:				
TEXT:				
Context Header:	(ST CLAIM SURVEY R	HEADER) EFERENCE PERIOD:	(SURVEY REFERENCE DA ATE OF INSTITUTIONALIZA	

Int. Instr I:

Question Text:

Int. Instr II: SELECT OR ADD ALL PRESCRIPTION MEDICINES THAT ARE IN

THIS CHARGE BUNDLE ON THE (TYPE OF STATEMENT).

INPUT FIELDS / ROUTING

Field1: EVENT_STPM (STQ1850)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 200

Type Name: TEvntPick200 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST42 - NUMLINKS (STQ1860)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of PM event selected at ST41.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM Event number EVNT.EVNTRNDC Round number

EVNT.EVNTTYPE PM

EVNT.PMEDNAME Prescription Medicine name

EVNT.PMSTRUNI Prescription Medicine strength text field

EVNT.EVNTPROV 02

BASE.LASTEVNT Highest EVNT.EVNTNUM

If PM added at ST41, create a current round PMRO:

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected at ST41.

PMRO.PMRORND = current round.

Set PMRO fields as specified below.

FOR ALL PM'S SELECTED AT ST41 ("SELECTED" refers to any PM selected from Roster, whether or not PM was just ADDED or PRE-EXISTED on the roster), create an XCEV record for each PM event selected at ST41 to link the event to the charge bundle being asked about. XCEV record may already exist.

If XCEV record does not exist, create XCEV record:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVBASE and XCEV.XCEVBAS2 = BASE.BASEID.

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of PM event selected at ST41.

Set fields as specified below:

PMROEVNT If PM added at ST41, create PMRO where

PMRO.PMROEVNT = EVNT.EVNTNUM of event

added.

PMRORND If PM added at ST41, create PMRO where

PMRO.PMRORND = current round.

PMROTYPE If PM added at ST41, set PMRO.PMROTYPE = PM.

EVCHGFLG If PM added at ST41, set EVNT.EVCHGFLG = 1/Yes.

XCEVCOST For each PM selected at ST41, create XCEV where

XCEV.XCEVCOST = this COST.COSTNUM.

XCEVEVNT For each PM selected at ST41, create XCEV where

XCEV.XCEVEVNT = EVNT.EVNTNUM of PM

selected (or added).

XCEVRNDC Set XCEV.XCEVRNDC = current round.

DELLINK If XCEV exists and XCEV.DELLINK = 1/Yes, update

XCEV.DELLINK = empty.

EVCHGLOC If Event added, set EVNT.EVCHGLOC = 'ST'.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

Interviewer can add and/or select PMs at this roster. We do not create PMROs for existing PMs that are selected.

ST42			Page Order # :	660
Design Screen Type:	Grid			
Fields:	Field 1:	NUMLINKS		
Enable Functions:	HELP COMMENTS JUMPBACK			
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Iten			
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	6:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:	There is an EVNT where: EVNT.EVNTTYPE = 'PM', and There is an XCEV where: XCEV,XCEVEVNT = this EVNT.EVNTNUM, and XCEV.XCEVCOST = COST.COSTNUM for this charge bundle, and XCEV.DELLINK ^= 1/Yes. Display in alphabetical order based on EVNT.PMEDNAME.			
Roster/Grid display:	COL#	HEADER	INSTRUCTIO	NS
Rosten on a display.	1	Medicine Name	Display the name and strumedicine, EVNT.PMEDNA EVNT.PMSTRUNI. Display	AME + ' ' +
	2	# Purchases	XCEV.NUMLINKS. Input	column 1.
Report display:				
<u>TEXT:</u>				

(ST CLAIM HEADER) **Context Header:**

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE) TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

FieldSize:

Mask:

Int. Instr I:

Question Text:

Int. Instr II: HOW MANY PURCHASES OF EACH MEDICINE SHOWN BELOW

ARE COVERED BY THIS CHARGE BUNDLE?

INPUT FIELDS / ROUTING

NUMLINKS (STQ1860) Field1:

XCEV.NUMLINKS **Cheshire Name:**

Item Text display: GRID COLUMN #2.

Item Text:

Label:

Label Position:

Field Type: Integer **TNumlinks** Type Name:

Min Value: 1 **Answers Allowed:** Max Value: 100 No

Drop Down List: No

Lookup File:

Lookup File Name:

Number Label **Route**

BOX ST42 - (STQ1880) [Continuous answer.]

Attribute Route

Don't know BOX ST42 - (STQ1880)

Refusal BOX ST42 - (STQ1880)

BACKGROUND VARIABLE ASSIGNMENTS

Collect # of purchases on XCEV:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of PM being asked about.

If PM was added at ST41, set PMRO.GETNUM = **GETNUM**

this PM event"s ST42 - NUMLINKS. Set on PMRO

where PMRO.PMROEVNT = this PM

EVNT.EVNTNUM and PMRO.PMRORND = current

round.

SOFT EDIT CHECKS

NUMLINKS = 1 - 8. DK, or RF.
If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY.".

HARD EDIT CHECKS

TECHNICAL NOTES

BOX ST42

BOX ST42 Page Order #: 670

BOX INSTRUCTIONS

(STQ1880) IF AT LEAST ONE PRESCRIPTION MEDICINE WAS ADDED AT ST41, GO

TO ST43 - STPMINTRO (STQ1920).

ELSE GO TO ST44 - STPMMTCH (STQ1941).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

BOX ST42 should only route to ST43 if PM was added as a new PM event at ST41, not if the PM already existed on roster and was selected.

ST43			Page Order #:	710
Design Screen Type:	No Entry			
Fields:	Field 1:	STPMINTRO		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS): -			
Context header display:				
Question display:	Always display "(s)" in parenthesis.		
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	questions about t be very helpful fo	ue with this statement, the prescribed medicine or the following question iner(s) for the medicine	e(s) I just added. [It wo is if we could look at th	ould
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

Field1: STPMINTRO (STQ1920)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TContinue EMPTY Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Continue PM6A_IN - NAVIGATOR (PMQ1183)

English text: CONTINUE

Attribute Route

Empty PM6A_IN - NAVIGATOR (PMQ1183)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

 $\mbox{ST43}$ calls PM section. PM will collect event details for all PMs added at $\mbox{ST41}.$

PM returns to ST at BOX ST43.

BOX ST43

BOX ST4	Page Order # :	720					
BOX INSTRUC	BOX INSTRUCTIONS						
(STQ1930)	GO TO ST44 - STPMMTCH (STQ1941).						
ASSIGNMENTS	3						
TECHNICAL NO	DTES						
DESIGN NOTES	S						
Return from PM	section at BOX ST43.						

ST44 Page Order #: 730

Design Screen Type: Code 1

Fields: Field 1: STPMMTCH

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report below question text.

Display all Events linked to this charge bundle where

XCEV.XCEVEVNT = the EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for the Charge Bundle and XCEV.DELLINK ^=1/Yes. Display PMs followed by OM events, HH events and then

other provider service events.

NOTE: This report is shared by other questions. Not all Event types

will be applicable at each screen.

Report header: EVENTS IN CHARGE BUNDLE

Report layout:

Column 1, header =Type Display EVNT.EVNTTYPE

Column 2, NO HEADER.

If EVNT.RENTPROB=2/Rent and ((EVNT.RENT2BUY ^=

2/PurchasedRentToBuy) or (EVNT.RENT2BUY = EMPTY)), display

```
"R".
Else do not display.
Column 3, header = Description
If EVNT.EVNTTYPE = OM then
If EVNT.STOMTYPE = 91, display EVOS.EVOSTEXT on EVOS
where EVOS.EVOSEVNT = this EVNT.EVNTNUM.
Else display EVNT.STOMTYPE response text.
Else if EVNT.EVNTTYPE = PM, display EVNT.PMEDNAME.
Else display PROV.PROVNAME on PROV where PROV.PROVNUM
= this EVNT.EVNTPROV.
Column 4, header = Start Date
\Box If EVNT.EVNTTYPE = HF or HP,
  display COST START DATE in "Mon DD YYYY" format.
Else if (EVNT.EVNTTYPE = DU, ER, IP, IU, OP, MP, SD or SL) or
  (EVNT.EVNTTYPE = OM and
  ((EVNT.OTHRTYPE ^= 5/OstomySupplies and
  ^= 6/IncontinenceSupplies and ^= 7/Bandages) or
  (EVNT.OTHRTYPE = EMPTY)) and
  ((EVNT.OMSTATUS ^= 1/AlterationNotComplete) or
(EVNT.OMSTATUS = EMPTY))),
  display EVENT DATE in "Mon DD YYYY" format.
Else do not display.
Column 5, header = Stop Date
\Box If EVNT.EVNTTYPE = HF or HP,
  display COST STOP DATE in "Mon DD YYYY" format.
Else if (EVNT.EVNTTYPE = IU) or
  (EVNT.EVNTTYPE = IP and
  EVNT.IPSTATUS ^= 1/StillInHospital) or
  (EVNT.EVNTTYPE = OM and EVNT.RENTPROB = 2/Rent and
  (EVNT.RENTSTIL = 2/No, DK, or RF) and
  ((EVNT.RENT2BUY ^= 2/PurchasedRentToBuy) or
  (EVNT.RENT2BUY = EMPTY))),
  display EVNT END DATE in "Mon DD YYYY" format.
Else do not display.
Column 6, header = Status
If EVNT.VISTTYPE = 2/RepeatVisit, display "RV".
Else if
  (EVNT.EVNTTYPE = OM and
  EVNT.OMSTATUS = 1/AlterationNotComplete) or
  (EVNT.EVNTTYPE = IP and EVNT.IPSTATUS =
```

1/StillInHospital),

display "ON".

Else if EVNT.RENTSTIL = 1/Yes, display "RR".

Else if EVNT.RENT2BUY=2/PurchasedRentToBuy, display "OW".

Else do not display.

Column 7, header = # Visits
If EVNT.VISTTYPE = 2/RepeatVisit, display XCEV.RVLINKS on
XCEV where XCEV.XCEVEVNT = this EVNT.EVNTNUM and
XCEV.XCEVCOST = the COST.COSTNUM for this charge bundle.

Else do not display.

Column 8, header = # Purchases

If (EVNT.EVNTYPE = PM) or

(EVNT.EVNTTYPE = OM and

(EVNT.OTHRTYPE = 5/OstomySupplies,

6/IncontinenceSupplies, or 7/Bandages)),

display XCEV.NUMLINKS on XCEV where XCEV.XCEVEVNT = this EVNT.EVNTNUM and XCEV.XCEVCOST = the COST.COSTNUM for this charge bundle.

□Else do not display.

Column 9.

If Event Date is out of Survey Reference Period, display "ORP". Else do not display.

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)
TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Int. Instr I: ARE ALL THE PRESCRIBED MEDICINES FROM THE CHARGE

BUNDLE ON THE (TYPE OF STATEMENT) SHOWN BELOW?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STPMMTCH (STQ1941)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TSTPMMtchMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route		
1	Yes	BOX ST45 - (STQ1990)		
	English text: YES			
2	NoAddPM	ST41 - EVENT_STPM (STQ1850)		
	English text: NO, NEED TO ADD A MEDICIN	IE NAME		
3	NoDeletePM	ST45 - EVENT_STPMDEL (STQ1951)		
	English text: NO, NEED TO REMOVE A MEDICINE NAME			

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT. EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

ST45 Page Order #: 740

Roster **Design Screen Type:**

Fields: Field 1: **EVENT_STPMDEL**

Enable Functions: HELP No

> **COMMENTS** No **JUMPBACK** No

Roster Name: Prescription Medicine Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item No

> Edit Item No **Delete Item** No Search Item No

Grid Functions: Add Line No

> **Delete Line** Nο

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Always display "(S)" in interviewer instructions in parenthesis.

Multi Field display:

Roster/Grid Instructions: Display all Prescription Medicine events linked to this charge bundle:

> There is an EVNT where: EVNT.EVNTTYPE = 'PM', and

There is an XCEV where:

XCEV,XCEVEVNT = this EVNT.EVNTNUM, and

XCEV.XCEVCOST = COST.COSTNUM for this charge bundle, and

XCEV.DELLINK ^= 1/Yes.

Display in alphabetical order based on EVNT.PMEDNAME.

COL# **HEADER INSTRUCTIONS** Roster/Grid display:

> 1 Medicine Name Display name of PM, EVNT.PMEDNAME. 2

Strength Display prescription medicine strength

text field, EVNT.PMSTRUNI.

3 # Purchases Display XCEV.NUMLINKS on XCEV

where XCEV.XCEVEVNT = this

EVNT.EVNTNUM and XCEV.XCEVCOST

= COST.COSTNUM for this charge

bundle.

RΔ	norf	t dis	nlav	, -
	PUI	. ais	piu	y •

TEXT:

Context Header: (ST CLAIM HEADER)

SURVEY REFERENCE PERIOD: (SURVEY REFERENCE DATE)
TO (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Int. Instr I:

Question Text:

Int. Instr II: SELECT THE PRESCRIBED MEDICINE(S) THAT YOU WOULD

LIKE TO REMOVE FROM THE CHARGE BUNDLE.

INPUT FIELDS / ROUTING

Field1: EVENT_STPMDEL (STQ1951)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST44 - STPMMTCH (STQ1941)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on XCEV:

XCEV key = XCEV.XCEVBASE + XCEV.XCEVCOST + XCEV.XCEVBAS2 +

XCEV.XCEVEVNT

XCEV.XCEVBASE and XCEV.XCEVBAS2 = BASE.BASEID.

XCEV.XCEVCOST = COST.COSTNUM of charge bundle being asked about.

XCEV.XCEVEVNT = EVNT.EVNTNUM of PM event selected at ST45.

Each PM Event selected at ST45 will be flagged as "deleted" on XCEV. The event will no longer being "linked" to the charge bundle being asked about. See detailed instructions below.

DELLINK Set XCEV.DELLINK = 1/Yes on XCEV where

XCEV.XCEVCOST = this COST.COSTNUM and

XCEV.XCEVEVNT = EVNT.EVNTNUM of event selected.

SOFT EDIT CHECKS		
HADD EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		
DESIGN NOTES		
DISABLE PREVIOUS PAGE.		

BOX ST45

BOX ST45 Page Order #: 780

BOX INSTRUCTIONS

(STQ1990) IF ALL EVENT DATES SELECTED FOR THIS CHARGE BUNDLE ARE

OUTSIDE THE SURVEY REFERENCE PERIOD, GO TO ST46 -

ORPMESSAGE (STQ2000).

ELSE GO TO BOX ST46 - (STQ2010).

ASSIGNMENTS

TECHNICAL NOTES

246 ORPEvent Existing Event Date is outside survery reference period =

EVNT. EVORPFLAG = 1/ORP.

New event is Out of the Survey Reference Period = See general specifications for Date check logic for

determing ORP events.

ST46			Page Order #:	790
Design Screen Type:	No Entry			
Fields:	Field 1:	ORPMESSAGE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS Context header display: Question display: Multi Field display:	S :			
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(ST CLAIM HEAI SURVEY REFER TO (TODAY/DAT	DER) RENCE PERIOD: (SUR IE OF DEATH/DATE O	EVEY REFERENCE DA OF INSTITUTIONALIZA	ATE) TION)
Int. Instr I:	SURVEY REFER	NTS IN THIS BUNDLE RENCE PERIOD, WE D RMATION ABOUT THE	OO NOT NEED ANY	
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	G			

Field1:	ORPMESSAGE	(STQ2000)	
Cheshire Name:	TEMP		
Item Text display: Item Text: Label:			
Label Position:			
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:	
Number Label		Route	
1 Continue English text:	CONTINUE	BOX ST80 - (STQ2930)	
Attribute Route	CONTINUE		
	(STQ2930)		
BACKGROUND VARIAB	LE ASSIGNMENTS		
SOFT EDIT CHECKS			
HARD EDIT CHECKS			

BOX ST46

BOX ST46 Page Order #: 800

BOX INSTRUCTIONS

(STQ2010)

IF (TYPE OF STATEMENT = 2/Insurance OR 6/TricareAndInsurance) OR (TYPE OF STATEMENT = 4/Tricare AND ST5 – STTTYPE = 4/Tricare) OR (ST5 - MCARTYPE = 4/MSNPartB), GO TO ST47 - ASGNTAKE (STQ2020).

ELSE GO TO BOX ST47 - (STQ2050).

ASSIGNMENTS

TECHNICAL NOTES

468 TypeOfStatement

Type of Statement = COST.STATTYPE.

ST47			Page Order #:	810
Design Screen Type:	Code 1			
Fields:	Field 1:	ASGNTAKE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(ST CLAIM HEAI EVENT: (CHAR (CHAR	DER) RGE BUNDLE EVENT) RGE BUNDLE EVENT)	(etc.)	
Int. Instr I:	WAS ASSIGNME	ENT TAKEN FOR THIS	CHARGE BUNDLE?	
Question Text:				
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: ASGNTAKE (STQ2020)

Cheshire Name: COST.ASGNTAKE

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TAsgntake Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	BOX ST47 - (STQ2050)
	English text: YES	
2	No	BOX ST47 - (STQ2050)
	English text: NO	
3	CantTell	BOX ST47 - (STQ2050)
	English text: CAN'T TELL	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

If ST5 - MCARTYPE= 4/MSNPartB. then (ST7 - ASGNTAKE = 1/Yes or 2/No).

If not true, display error message, "THE MSN SPECIFIES ASSIGNED OR UNASSIGNED. PLEASE REENTER OR PRESS "PREVIOUS PAGE" TO CORRECT YOUR ENTRY AT ST5".

TECHNICAL NOTES

BOX ST47 Page Order #: 840

BOX INSTRUCTIONS

(STQ2050)

IF ((TYPE OF STATEMENT = 8/MPDPBenefit) or (TYPE OF STATEMENT = 4/Tricare and ST5 - STTYPE = 8/MPDPorMAorTricare)), GO TO ST47A - TOTALCHG (STQ2055).

ELSE IF (TYPE OF STATEMENT = 2/Insurance) OR (TYPE OF STATEMENT = 4/Tricare AND ST5 - STTYPE = 4/Tricare) OR (TYPE OF STATEMENT = 6/TricareAndInsurance), GO TO ST48 - TOTALCHG (STQ2060).

ELSE IF ST5 - MCARTYPE = 4/MSNPartB, GO TO ST52 - TOTALCHG (STQ2080).

ELSE IF ST5 - MCARTYPE = 6/MSNPartAInpatient, GO TO ST56 - DAYSUSED (STQ2100).

ELSE GO TO ST60 - TOTALCHG (STQ2120).

ASSIGNMENTS

TOTALTYP

If ST5 -MCARTYPE ^= 6/MSNPartAInpatient, set CORO.TOTALTYP = 1/TotalCharge on CORO where CORO.CORORND = current round and CORO.COROCOST = this ST charge bundle COST.COSTNUM.

TECHNICAL NOTES

TypeOfStatement Type of Statement = COST.STATTYPE.

ST47A

ST47A			Page Order #:	845
Design Screen Type:	Dollar			
Fields:	Field 1:	TOTALCHG		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	Display "TOTAL COST OF PRESCRIPTION(S)" in BOLD. Always display "(S)" in parenthesis.			
	Display "COST" i	n "IF A TOTAL COST" i	n BOLD.	
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(ST CLAIM HEAD	DER)		
Int. Instr I:	ENTER THE TOTAL COST OF PRESCRIPTION(S) FROM THE PRESCRIPTION DRUG BENEFIT STATEMENT. IF A TOTAL COST IS NOT LISTED, IT MAY BE NECESSARY TO CALCULATE A TOTAL BY ADDING THE COSTS OF INDIVIDUAL ITEMS LISTED ON THE STATEMENT.			

Question Text: Int. Instr II:

ST47A

INPUT FIELDS / ROUTING

Field1: TOTALCHG (STQ2055)

Cheshire Name: CORO.TOTALCHG

Item Text display: Always display "(S)" in parenthesis.

Item Text:

Label: TOTAL CHARGE OF PRESCRIPTION(S):

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST64 - STTCHGPAID2 (STQ2695)

FieldSize:

Attribute Route

Don't know ST64 - STTCHGPAID2 (STQ2695)

Refusal ST64 - STTCHGPAID2 (STQ2695)

BACKGROUND VARIABLE ASSIGNMENTS

STDATQNO COST.STDATQNO = 8/ST47A.

TOTALAMT COST.TOTALAMT = ST47A - TOTALCHG.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

ST48 Page Order #: 850 **Design Screen Type:** Numeric Fields: Field 1: **TOTALCHG** Field 2: **MCAPPAMT MCPAYAMT** Field 3: **Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type:** No **Roster Functions:** Add Item **Edit Item** No Delete Item No Search Item No No **Grid Functions:** Add Line **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Question display: Always display "[SEE SHOWCARD...]" in brackets. Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT: (ST CLAIM HEADER) **Context Header:**

EVENT: (CHARGE BUNDLE EVENT)

(CHARGE BUNDLE EVENT) (etc.)

Int. Instr I: ENTER THE FOLLOWING AMOUNTS FROM THE (TYPE OF

STATEMENT). IF AMOUNT NOT AVAILABLE, ENTER "DON'T

KNOW".

[SEE SHOWCARD ST2 FOR TRICARE STATEMENT EXAMPLES.]

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: TOTALCHG (STQ2060)

Cheshire Name: CORO.TOTALCHG

Item Text display:

Item Text:

Label: TOTAL CHARGE/BILLED AMOUNT:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST48 - MCAPPAMT (STQ2061)

FieldSize:

Attribute Route

Don't know ST48 - MCAPPAMT (STQ2061)

Refusal ST48 - MCAPPAMT (STQ2061)

Field2: MCAPPAMT (STQ2061)

Cheshire Name: COST.MCAPPAMT

Item Text display:

Item Text:

Label: TOTAL MEDICARE APPROVED AMOUNT:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST48 - MCPAYAMT (STQ2062)

FieldSize:

Attribute Route

Don't know ST48 - MCPAYAMT (STQ2062)

Refusal ST48 - MCPAYAMT (STQ2062)

Field3: MCPAYAMT (STQ2062)

Cheshire Name: COST.MCPAYAMT

Item Text display:

Item Text:

Label: TOTAL MEDICARE PAYMENT:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST48 - (STQ2065)

FieldSize:

Attribute Route

Don't know BOX ST48 - (STQ2065)

Refusal BOX ST48 - (STQ2065)

BACKGROUND VARIABLE ASSIGNMENTS

CALCULATE COST.AREMAING:

If ST47 - ASGNTAKE = 1/Yes and ((ST48 - MCAPPAMT ^= DK, RF) and (ST48 - MCPAYAMT ^= DK, RF)), set COST.AREMAING = (MCAPPAMT - MCPAYAMT);

Else if (ST47 - ASGNTAKE = 2/No or 3/CantTell) and ((ST48 - TOTALCHG ^= DK, RF) and (ST48 - MCPAYAMT ^= DK, RF)), set COST.AREMAING = (TOTALCHG - MCPAYAMT);

Else if ST47 - ASGNTAKE = 3/CantTell and ((ST48 - MCAPPAMT ^= DK, RF) and (ST48 - MCPAYAMT ^= DK, RF)), set COST.AREMAING = (MCAPPAMT - MCPAYAMT);

Else set COST.AREMAING = empty.

If Calculated Amount Remaining is < 0, reset COST.AREMAING = 0.

STDATQNO COST.STDATQNO = 1/ST48.

TOTALAMT COST.TOTALAMT = ST48 - TOTALCHG.

AREMAING Set COST.AREMAING based on calculation

instructions above.

ARCALFLG Set COST.ARCALFLG = 1/Yes.

SOFT EDIT CHECKS

Edit #1

TOTALCHG = 4.99 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #2

MCAPPAMT = 3.99 - 16,000.00.

If not true, display message "UNLKELY RESPONSE. PLEASE VERIFY ." $\,$

Edit #3

MCPAYAMT= 3.99 - 16,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Fdit #4

If (MCAPPAMT ^= DK and MCAPPAMT ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then MCAPPAMT <= TOTALCHG. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #5

If (MCPAYAMT^= DK and MCPAYAMT ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then MCPAYAMT <= TOTALCHG. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #6

If (MCPAYAMT ^= DK and MCPAYAMT ^= RF) and (MCAPPAMT^= DK and MCAPPAMT ^= RF), then MCPAYAMT <= MCAPPAMT.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

BOX ST48

BOX ST48 Page Order #: 860

BOX INSTRUCTIONS

(STQ2065) IF AMOUNT REMAINING = DK OR EMPTY, GO TO BOX ST51 - (STQ2072).

ELSE IF (AMOUNT REMAINING < 1.00) OR ((ST48 - MCAPPAMT ^= DK OR RF) AND (AMOUNT REMAINING < 0.02 * ST48 - MCAPPAMT)), GO TO BOX ST80 - (STQ2930).

ELSE GO TO ST49 - STTCHGPAID1 (STQ2066).

ASSIGNMENTS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining =

COST.AREMAING.

ST49		Page Order # :	870
Design Screen Type:	Code 1		
Fields:	Field 1:	STTCHGPAID1	
Enable Functions:	HELP COMMENTS JUMPBACK	No No No	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS):		
Context header display:			
Question display:	Always display "(Always display "(S)" in interviewer instructions in parenthesis.	
	If SP was covered by TRICARE and any other insurance plan besides Medicare during the current round, display "such as TRICARE or an insurance plan". Else if SP was covered by TRICARE and is not covered by any other insurance plan besides Medicare during the current round, display "such as TRICARE" Else if SP was not covered by TRICARE and was covered by any other insurance plan besides Medicare during the current round, display "such as an insurance plan". Else do not display.		
Multi Field display:			
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
TEXT:			

(ST CLAIM HEADER) AMOUNT REMAINING: (AMOUNT

EVENT: (CHARGE BUNDLE EVENT)

REMAINING)

Context Header:

(CHARGE BUNDLE EVENT) (etc.)

Int. Instr I: REVIEW CHARGE BUNDLE ON (TYPE OF STATEMENT) WITH

RESPONDENT IF YOU HAVEN'T ALREADY DONE SO. POINT OUT PROVIDER NAME, DATE(S), AND TYPE OF SERVICE.

THEN ASK:

Question Text: So, I have an amount remaining of \$(AMOUNT REMAINING) that

Medicare didn't pay. [Have you/Has (SP)] or any other source, [such as (TRICARE/an insurance plan/TRICARE or an insurance plan)],

paid any of this amount?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STTCHGPAID1 (STQ2066)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TTchgPaid1Min Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	SomeonePaid	BOX ST64A - (STQ2700)
	English text: SP OR ANY SOURCE PA	ID
2	NothingPaid	BOX ST64A - (STQ2700)
	English text: NOTHING HAS BEEN PA	AID
3	AmountRemainingWrong	ST50 - CHANGAMT (STQ2067)
	English text: AMOUNT REMAINING S	SEEMS WRONG
Attribute	e Route	

Attribute	Route
Don't know	BOX ST64A - (STQ2700)
Refusal	BOX ST64A - (STQ2700)

BACKGROUND VARIABLE ASSIGNMENTS

ARWRONG If ST49 - STTCHGPAID1 =

3/AmountRemaingWrong, set COST.ARWRONG =

1/Yes.

TCHGPAID If ST49 - STTCHGPAID1 = 1/SomeonePaid, set

CORO.TCHGPAID = 1/Yes.

Else if ST49 - STTCHGPAID1 = 2/NothingPaid, set

CORO.TCHGPAID = 2/No.

Else if ST49 - STTCHGPAID1 = DK, set

CORO.TCHGPAID = DK.

Else if ST49 - STTCHGPAID1 = RF, set

CORO.TCHGPAID = RF.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

258 TricarePlan SP covered by TRICARE during the current round =

There is a PLAN where PLAN.PLANTYPE = 6/Tricare & PLRO where (PLRO.PLROPLAN = PLAN.PLANNUM & PLRO.PLRORND = current round & PLRO.COVTIME^=

empty).

Exclude Deleted Plans. See T.N. 52.

259 InsurancePlan SP covered by Insurance plan other than Medicare

during current round =

PLAN where (PLANTYPE = 2/Medicaid, 3/PublicPlan, or

4/PrivatePlan) & PLRO where

(PLROPLAN=PLAN.PLANNUM & PLRORND=current

round & COVTIME^=empty).

Exclude Deleted Plans. See T.N. 52.

ST50			Page Order #:	880
Design Screen Type:	Yes/No			
Fields:	Field 1:	CHANGAMT		
Enable Functions:	HELP COMMENTS JUMPBACK	Yes Yes No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(ST CLAIM HEADER) EVENT: (CHARGE BUNDLE EVENT) (CHARGE BUNDLE EVENT) (etc.)			
Int. Instr I:	THESE AMOUNTS WERE ENTERED FROM THE (TYPE OF STATEMENT) STATEMENT:			
Question Text:	TOTAL CHARGE	TOTAL CHARGE/BILLED AMOUNT: (TOTAL CHARGE AMOUNT)		
	TOTAL MEDICAR APPROVED AMO	RE APPROVED AMOU DUNT)	NT: (MEDICARE	
	TOTAL MEDICAR	RE PAYMENT: (MEDIC	CARE PAYMENT)	

AMOUNT REMAINING AFTER MEDICARE PAYMENT: (AMOUNT

REMAINING)

Int. Instr II: DO YOU WANT TO MAKE ANY CHANGES?

INPUT FIELDS / ROUTING

Field1: CHANGAMT (STQ2067)

Cheshire Name: COST.CHANGAMT

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNo Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

 Number
 Label
 Route

 1
 Yes
 ST51 - TOTALCHG (STQ2068)

 English text: YES

 2
 No
 BOX ST51 - (STQ2072)

English text: NO

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining = COST.AREMAING.

COST.AINLIMAIN

ST51 Page Order #: 890 **Design Screen Type:** Numeric Fields: Field 1: **TOTALCHG** Field 2: **MCAPPAMT MCPAYAMT** Field 3: **Enable Functions: HELP** No **COMMENTS** No **JUMPBACK** No **Roster Name: Roster Type: Roster Functions:** No Add Item **Edit Item** No Delete Item No Search Item No No **Grid Functions:** Add Line **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Question display: Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT: (ST CLAIM HEADER) **Context Header:** EVENT: (CHARGE BUNDLE EVENT) (CHARGE BUNDLE EVENT) (etc.)

MAKE ALL THE NECESSARY CORRECTIONS TO THE AMOUNTS THAT WERE ENTERED FROM THE (TYPE OF STATEMENT).

Int. Instr I:

Int. Instr II:

Question Text:

INPUT FIELDS / ROUTING

Field1: TOTALCHG (STQ2068)

Cheshire Name: CORO.TOTALCHG

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: TOTAL CHARGE/BILLED AMOUNT:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value:

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST51 - MCAPPAMT (STQ2069)

FieldSize:

Attribute Route

Don't know ST51 - MCAPPAMT (STQ2069)

Refusal ST51 - MCAPPAMT (STQ2069)

Field2: MCAPPAMT (STQ2069)

Cheshire Name: COST.MCAPPAMT

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: TOTAL MEDICARE APPROVED AMOUNT:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST51 - MCPAYAMT (STQ2070)

FieldSize:

Attribute Route

Don't know ST51 - MCPAYAMT (STQ2070)

Refusal ST51 - MCPAYAMT (STQ2070)

Field3: MCPAYAMT (STQ2070)

Cheshire Name: COST.MCPAYAMT

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: TOTAL MEDICARE PAYMENT:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST51 - (STQ2072)

FieldSize:

Attribute Route

Don't know BOX ST51 - (STQ2072)

Refusal BOX ST51 - (STQ2072)

BACKGROUND VARIABLE ASSIGNMENTS

CALCULATE COST.AREMAING:

if ST47 - ASGNTAKE = 1/Yes and ((ST51 - MCAPPAMT ^= DK, RF) and (ST51 - MCPAYAMT ^= DK, RF)), set COST.AREMAING = (MCAPPAMT - MCPAYAMT);

Else if (ST47 - ASGNTAKE = 2/No or 3/CantTell) and ((ST51 - TOTALCHG ^= DK, RF) and (ST51 -MCPAYAMT ^= DK, RF)), set COST.AREMAING = (TOTALCHG - MCPAYAMT);

Else if ST47 - ASGNTAKE = 3/CantTell and ((ST51 - MCAPPAMT ^= DK, RF) and (ST51 - MCPAYAMT ^= DK, RF)), set COST.AREMAING = (MCAPPAMT - MCPAYAMT);

Else set COST.AREMAING = empty.

If Calculated Amount Remaining is < 0, reset COST.AREMAING = 0.

TOTALAMT COST.TOTALAMT = ST51 - TOTALCHG. **AREMAING** Set COST.AREMAING based on calculation

instructions above.

SOFT EDIT CHECKS

Edit #1

TOTALCHG = 4.99 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #2

MCAPPAMT = 3.99 - 16,000.00.

If not true, display message "UNLKELY RESPONSE. PLEASE VERIFY."

Edit #3

MCPAYAMT= 3.99 - 16,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #4

If (MCAPPAMT^= DK and MCAPPAMT ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then MCAPPAMT <= TOTALCHG. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #5

If (MCPAYAMT^= DK and MCPAYAMT ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then MCPAYAMT <= TOTALCHG. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #6

If (MCPAYAMT ^= DK and MCPAYAMT ^= RF) and (MCAPPAMT^= DK and MCAPPAMT ^= RF), then MCPAYAMT <= MCAPPAMT. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

BOX ST51

BOX ST51 Page Order #: 900

BOX INSTRUCTIONS

(STQ2072)

IF (AMOUNT REMAINING $^=$ DK AND AMOUNT REMAINING $^=$ EMPTY) AND ((AMOUNT REMAINING < \$1.00) OR ((ST51 - MCAPPAMT $^=$ DK AND ST51 - MCAPPAMT $^=$ RF) AND (AMOUNT REMAINING < .02 * ST51 - MCAPPAMT))), GO TO BOX ST80 - (STQ2930).

ELSE GO TO ST64 - STTCHGPAID2 (STQ2695).

ASSIGNMENTS

TECHNICAL NOTES

230 AmountRemaining

Amount Remaining = COST.AREMAING.

ST52 Page Order #: 910 **Design Screen Type:** Numeric Fields: Field 1: **TOTALCHG** Field 2: **MCAPPAMT** Field 3: **MCPAYAMT MAYBBILL** Field 4: **Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No No Search Item No **Grid Functions: Add Line** No **Delete Line DISPLAY INSTRUCTIONS:** Context header display: Question display: Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display: (ST CLAIM HEADER) **Context Header: EVENT: (CHARGE BUNDLE EVENT)**

(CHARGE BUNDLE EVENT) (etc.)
ENTER THE FOLLOWING AMOUNTS FROM THE MSN:

Int. Instr I:

Int. Instr II:

Question Text:

INPUT FIELDS / ROUTING

Field1: TOTALCHG (STQ2080)

Cheshire Name: CORO.TOTALCHG

Item Text display:

Item Text:

Label: AMOUNT PROVIDER CHARGED:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

FieldSize:

Lookup File: Lookup File Name:

Number Label Route

No

1 [Continuous answer.] ST52 - MCAPPAMT (STQ2081)

Attribute Route

Don't know ST52 - MCAPPAMT (STQ2081)

Refusal ST52 - MCAPPAMT (STQ2081)

Field2: MCAPPAMT (STQ2081)

Cheshire Name: COST.MCAPPAMT

Item Text display:

Item Text:

Label: MEDICARE APPROVED AMOUNT:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST52 - MCPAYAMT (STQ2082)

FieldSize:

Attribute Route

Don't know ST52 - MCPAYAMT (STQ2082)

Refusal ST52 - MCPAYAMT (STQ2082)

Field3: MCPAYAMT (STQ2082)

Cheshire Name: COST.MCPAYAMT

Item Text display: Always display (PROVIDER/YOU) in label in parenthesis.

Item Text:

Label: AMOUNT MEDICARE PAID (PROVIDER/YOU):

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST52 - MAYBBILL (STQ2083)

Attribute Route

Don't know ST52 - MAYBBILL (STQ2083)

FieldSize:

Refusal ST52 - MAYBBILL (STQ2083)

Field4: MAYBBILL (STQ2083)

Cheshire Name: COST.MAYBBILL

Item Text display:

Item Text:

Label: MAXIMUM YOU MAY BE BILLED:

Label Position: Left

Field Type: Real

Type Name: TAmtnor Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Number Label Route

1 [Continuous answer.] BOX ST52 - (STQ2085)

FieldSize:

Attribute Route

Lookup File Name:

Don't know BOX ST52 - (STQ2085)

BACKGROUND VARIABLE ASSIGNMENTS

CALCULATE COST.AREMAING:

If ST47 - ASGNTAKE = 1/Yes, set COST.AREMAING = ST52 -MAYBBILL.

Else if ST47 - ASGNTAKE = 2/No and (ST52 - TOTALCHG = DK or RF) or (ST52 -

MCPAYAMT = DK or RF), set COST.AREMAING = DK;

Else set COST.AREMAING = (TOTALCHG - MCPAYAMT). If calculated Amount

Remaining is < 0, then reset COST.AREMAING = 0.

STDATQNO COST.STDATQNO = 5/ST52.

TOTALAMT COST.TOTALAMT = ST52 - TOTALCHG.

AREMAING Set COST.AREMAING based on calculation

instructions above.

SOFT EDIT CHECKS

Fdit #1

TOTALCHG = 4.99 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #2

MCAPPAMT = 3.99 - 16,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #3

MCPAYAMT = 3.99 - 16,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #4

MAYBBILL = 0 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #5

If (TOTALCHG ^= DK and TOTALCHG ^= RF) and (MCAPPAMT ^= DK and MCAPPAMT ^= RF), then MCAPPAMT <= TOTALCHG.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #6

If (TOTALCHG ^= DK and TOTALCHG ^= RF) and (MCPAYAMT ^= DK and MCPAYAMT ^= RF), then MCPAYAMT <= TOTALCHG. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #7

If (TOTALCHG ^= DK and TOTALCHG ^= RF) and (MAYBBILL ^= DK), then MAYBBILL should be <= TOTALCHG. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #8

If (MCAPPAMT ^= DK and MCAPPAMT ^= RF) and (MCPAYAMT ^= DK and MCPAYAMT ^= RF), then MCPAYAMT <= MCAPPAMT. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #9

If COST.ASGNTAKE = 2/No, and (MAYBBILL ^= DK) and (MCPAYAMT ^= DK and MCPAYAMT ^= RF), then MCPAYAMT <= MAYBBILL.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #10

If COST.ASGNTAKE=1/Yes and (MAYBBILL ^= DK) and (MCAPPAMT ^= DK and MCAPPAMT ^= RF), then MAYBBILL <= MCAPPAMT.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

BOX ST52

BOX ST52 Page Order #: 920

BOX INSTRUCTIONS

(STQ2085) IF AMOUNT REMAINING = DK OR EMPTY, GO TO BOX ST55 - (STQ2095).

ELSE IF AMOUNT REMAINING < \$1.00, GO TO BOX ST80 - (STQ2930).

ELSE GO TO ST53 - STTCHGPAID1 (STQ2086).

ASSIGNMENTS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining =

COST.AREMAING.

ST53			Page Order #:	930
Design Screen Type:	Code 1			
Fields:	Field 1:	STTCHGPAID1		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	Always display "(S)" in interviewer instru	ctions in parenthesis.	
	If SP was covered by TRICARE and any other insurance plan besides Medicare during the current round, display "such as TRICARE or an insurance plan". Else if SP was covered by TRICARE and is not covered by any other insurance plan besides Medicare during the current round, display "such as TRICARE" Else if SP was not covered by TRICARE and was covered by any other insurance plan besides Medicare during the current round, display "such as an insurance plan". Else do not display.			
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				

(ST CLAIM HEADER) AMOUNT REMAINING: (AMOUNT REMAINING)

EVENT: (CHARGE BUNDLE EVENT)

Context Header:

(CHARGE BUNDLE EVENT) (etc.)

Int. Instr I: REVIEW CHARGE BUNDLE ON THE (TYPE OF STATEMENT)

WITH RESPONDENT IF YOU HAVEN'T ALREADY DONE SO. POINT OUT PROVIDER NAME, DATE(S), AND TYPE OF

SERVICE. THEN ASK:

Question Text: So, I have an amount remaining of \$(AMOUNT REMAINING) that

Medicare didn't pay. [Have you/Has (SP)] or any other source, [such as (TRICARE/an insurance plan/TRICARE or an insurance plan)],

paid any of this amount?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STTCHGPAID1 (STQ2086)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TTchgPaid1Min Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1	SomeonePaid	BOX ST64A - (STQ2700)
	English text: SP OR ANY SOURCE PAID	
2	NothingPaid	BOX ST64A - (STQ2700)
	English text: NOTHING HAS BEEN PAID	
3	AmountRemainingWrong	ST54 - CHANGAMT (STQ2087)

English text: AMOUNT REMAINING SEEMS WRONG

Attribute	Route
Don't know	BOX ST64A - (STQ2700)
Refusal	BOX ST64A - (STQ2700)

BACKGROUND VARIABLE ASSIGNMENTS

ARWRONG If ST53 - STTCHGPAID1 =

3/AmountRemaingWrong, set COST.ARWRONG =

1/Yes.

TCHGPAID If ST53 - STTCHGPAID1 = 1/SomeonePaid, set

CORO.TCHGPAID = 1/Yes.

Else if ST53 - STTCHGPAID1 = 2/NothingPaid, set

CORO.TCHGPAID = 2/No.

Else if ST53 - STTCHGPAID1 = DK, set

CORO.TCHGPAID = DK.

Else if ST53 - STTCHGPAID1 = RF, set

CORO.TCHGPAID = RF.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

258 TricarePlan SP covered by TRICARE during the current round =

There is a PLAN where PLAN.PLANTYPE = 6/Tricare & PLRO where (PLRO.PLROPLAN = PLAN.PLANNUM & PLRO.PLRORND = current round & PLRO.COVTIME^=

empty).

Exclude Deleted Plans. See T.N. 52.

259 InsurancePlan SP covered by Insurance plan other than Medicare

during current round =

PLAN where (PLANTYPE = 2/Medicaid, 3/PublicPlan, or

4/PrivatePlan) & PLRO where

(PLROPLAN=PLAN.PLANNUM & PLRORND=current

round & COVTIME^=empty).

Exclude Deleted Plans. See T.N. 52.

ST54			Page Order #:	940
Design Screen Type:	Yes/No			
Fields:	Field 1:	CHANGAMT		
Enable Functions:	HELP COMMENTS JUMPBACK	Yes Yes No		
Roster Name:				
Roster Type:				
Roster Functions: Grid Functions:	Add Item Edit Item Delete Item Search Item Add Line	No No No		
Gria Functions:	Delete Line	No No		
DISPLAY INSTRUCTIONS	3:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(ST CLAIM HEADER) EVENT: (CHARGE BUNDLE EVENT) (CHARGE BUNDLE EVENT) (etc.)			
Int. Instr I:	THESE AMOUNTS WERE ENTERED FROM THE (TYPE OF STATEMENT):			
Question Text:	AMOUNT CHAR	GED: (TOTAL CHARG	E AMOUNT)	
	MEDICARE APP	MEDICARE APPROVED: (MEDICARE APPROVED AMOUNT)		
	MEDICARE PAID: (MEDICARE PAYMENT)			

YOU MAY BE BILLED: (MAY BE BILLED)

Int. Instr II: DO YOU WANT TO MAKE ANY CHANGES?

INPUT FIELDS / ROUTING

Field1: CHANGAMT (STQ2087)

Cheshire Name: COST.CHANGAMT

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TYesNo Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 Yes ST55 - TOTALCHG (STQ2088)

English text: YES

2 No BOX ST55 - (STQ2095)

English text: NO

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

230 AmountRemaining = Amount Remaining =

COST.AREMAING.

ST55 Page Order #: 950 **Design Screen Type:** Numeric Fields: Field 1: **TOTALCHG** Field 2: **MCAPPAMT** Field 3: **MCPAYAMT MAYBBILL** Field 4: **Enable Functions: HELP** Yes Yes **COMMENTS JUMPBACK** No **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No **Grid Functions: Add Line** No No **Delete Line DISPLAY INSTRUCTIONS:** Context header display: Question display: Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display: (ST CLAIM HEADER) **Context Header: EVENT: (CHARGE BUNDLE EVENT)** (CHARGE BUNDLE EVENT) (etc.)

MAKE ALL THE NECESSARY CORRECTIONS TO THE AMOUNTS

THAT WERE ENTERED FROM THE (TYPE OF STATEMENT).

Int. Instr I:

Int. Instr II:

Question Text:

INPUT FIELDS / ROUTING

Field1: TOTALCHG (STQ2088)

Cheshire Name: CORO.TOTALCHG

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: AMOUNT CHARGED:

Label Position: Left

Field Type: Real FieldSize: Type Name: TAmt Min Value:

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No **Lookup File Name:**

Number Label Route

1 [Continuous answer.] ST55 - MCAPPAMT (STQ2089)

0

Attribute Route

Don't know ST55 - MCAPPAMT (STQ2089)

Refusal ST55 - MCAPPAMT (STQ2089)

Field2: MCAPPAMT (STQ2089)

Cheshire Name: COST.MCAPPAMT

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: MEDICARE APPROVED:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST55 - MCPAYAMT (STQ2090)

FieldSize:

Attribute Route

Don't know ST55 - MCPAYAMT (STQ2090)

Refusal ST55 - MCPAYAMT (STQ2090)

Field3: MCPAYAMT (STQ2090)

Cheshire Name: COST.MCPAYAMT

Item Text display: Display previously collected response. Allow field to be

updated.

Always display (PROVIDER/YOU) in label in parenthesis.

FieldSize:

Item Text:

Label: MEDICARE PAID (PROVIDER/YOU):

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value:

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST55 - MAYBBILL (STQ2091)

Attribute Route

Don't know ST55 - MAYBBILL (STQ2091)

Refusal ST55 - MAYBBILL (STQ2091)

Field4: MAYBBILL (STQ2091)

Cheshire Name: COST.MAYBBILL

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: YOU MAY BE BILLED:

Label Position: Left

Field Type: Real

Type Name: TAmtnor Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST55 - (STQ2095)

FieldSize:

Attribute Route

Don't know BOX ST55 - (STQ2095)

BACKGROUND VARIABLE ASSIGNMENTS

CALCULATE COST.AREMAING:

If ST47 - ASGNTAKE = 1/Yes, set COST.AREMAING = ST55 -MAYBBILL.

Else if ST47 - ASGNTAKE = 2/No and (ST55 - TOTALCHG = DK or RF) or (ST55 -

MCPAYAMT = DK or RF), set COST.AREMAING = DK;

Else set COST.AREMAING = (TOTALCHG - MCPAYAMT). If calculated Amount

Remaining is < 0, reset COST.AREMAING = 0.

TOTALAMT COST.TOTALAMT = ST55 - TOTALCHG.

AREMAING Set COST.AREMAING based on calculation

instructions above.

SOFT EDIT CHECKS

Edit #1

TOTALCHG = 4.99 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #2

MCAPPAMT = 3.99 - 16,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #3

MCPAYAMT = 3.99 - 16,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #4

MAYBBILL = 0 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #5

If (TOTALCHG ^= DK and TOTALCHG ^= RF) and (MCAPPAMT ^= DK and MCAPPAMT ^= RF), then MCAPPAMT <= TOTALCHG.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #6

If (TOTALCHG ^= DK and TOTALCHG ^= RF) and (MCPAYAMT ^= DK and MCPAYAMT ^= RF), then MCPAYAMT <= TOTALCHG.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #7

If (TOTALCHG ^= DK and TOTALCHG ^= RF) and (MAYBBILL ^= DK), then MAYBBILL should be <= TOTALCHG.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #8

If (MCAPPAMT ^= DK and MCAPPAMT ^= RF) and (MCPAYAMT ^= DK and MCPAYAMT ^= RF), then MCPAYAMT <= MCAPPAMT. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #9

If COST.ASGNTAKE = 2/No, and (MAYBBILL ^= DK) and (MCPAYAMT ^= DK and MCPAYAMT ^= RF), then MCPAYAMT <= MAYBBILL.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #10

If COST.ASGNTAKE=1/Yes and (MAYBBILL ^= DK) and (MCAPPAMT ^= DK and MCAPPAMT ^= RF), then MAYBBILL <= MCAPPAMT.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

BOX ST55

BOX ST55 Page Order #: 960

BOX INSTRUCTIONS

IF (AMOUNT REMAINING ^= DK AND AMOUNT REMAINING ^= EMPTY) AND (AMOUNT REMAINING < \$1.00), GO TO BOX ST80 - (STQ2930). (STQ2095)

ELSE GO TO ST64 - STTCHGPAID2 (STQ2695).

ASSIGNMENTS

TECHNICAL NOTES

230 **AmountRemaining** Amount Remaining =

COST.AREMAING.

970

Page Order #:

ST56 Design Screen Type: Numeric Fields: Field 1: **DAYSUSED** Field 2: **NONCOVRD** Field 3: **COINSUR MAYBBILL** Field 4: **Enable Functions: HELP** No Yes **COMMENTS JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No No **Grid Functions: Add Line** No **Delete Line**

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display: Vertical Alignment

Display all fields at one time.

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

(ST CLAIM HEADER) **Context Header:**

EVENT: (CHARGE BUNDLE EVENT)

(CHARGE BUNDLE EVENT) (etc.)

ENTER THE FOLLOWING AMOUNTS FROM THE MSN. Int. Instr I:

Question Text:

DISREGARD "AMOUNT CHARGED" IF IT APPEARS ON THE Int. Instr II:

STATEMENT.

INPUT FIELDS / ROUTING

Field1: DAYSUSED (STQ2100)

Cheshire Name: COST.DAYSUSED

Item Text display:

Item Text:

Label: BENEFIT DAYS USED:

Label Position: Left

Field Type: Integer

Type Name: TDaysuseh Min Value: 0
Answers Allowed: 1 Max Value: 120
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST56 - NONCOVRD (STQ2101)

FieldSize:

Field2: NONCOVRD (STQ2101)

Cheshire Name: COST.NONCOVRD

Item Text display:

Item Text:

Label: NON-COVERED CHARGES:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST56 - COINSUR (STQ2102)

FieldSize:

Attribute Route

Don't know ST56 - COINSUR (STQ2102)

Refusal ST56 - COINSUR (STQ2102)

Field3: COINSUR (STQ2102)

Cheshire Name: COST.COINSUR

Item Text display:

Item Text:

Label: DEDUCTIBLE AND COINSURANCE:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

FieldSize:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST56 - MAYBBILL (STQ2103)

Attribute Route

Don't know ST56 - MAYBBILL (STQ2103)

Refusal ST56 - MAYBBILL (STQ2103)

Field4: MAYBBILL (STQ2103)

Cheshire Name: COST.MAYBBILL

Item Text display:

Item Text:

Label: MAXIMUM YOU MAY BE BILLED:

Label Position: Left

Field Type: Real

Type Name: TAmtnor Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST56 - (STQ2105)

FieldSize:

Attribute Route

Don't know BOX ST56 - (STQ2105)

BACKGROUND VARIABLE ASSIGNMENTS

STDATQNO COST.STDATQNO = 6/ST56ST60.

AREMAING COST.AREMAING = ST56 - MAYBBILL.

SOFT EDIT CHECKS

Edit #1

DAYSUSED = 1 - 60.

If not true, display messge "UNLIKELY RESPONSE, PLEASE

VERIFY."

Edit #2

NONCOVRD = 0 - 20,000.00.

If not true, display messge "UNLIKELY RESPONSE, PLEASE

VERIFY."

Edit #3

COINSUR = 0 - 20,000.00.

If not true, display messge "UNLIKELY RESPONSE, PLEASE

VERIFY."

Edit #4

MAYBBILL = 0 - 20,000.00.

If not true, display messge "UNLIKELY RESPONSE, PLEASE

VERIFY."

HARD EDIT CHECKS

TE	CHI	VII C	Α Ι	NI4	$\neg \tau$	EC.
16	СП	AIC.	AI	INI	ш	г.

BOX ST56

BOX ST56 Page Order #: 980

BOX INSTRUCTIONS

(STQ2105) IF AMOUNT REMAINING = DK OR EMPTY, GO TO BOX ST59 - (STQ2115).

ELSE IF AMOUNT REMAINING < \$1.00, GO TO BOX ST80 - (STQ2930).

ELSE GO TO ST57 - STTCHGPAID1 (STQ2106).

ASSIGNMENTS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining =

COST.AREMAING.

ST57			Page Order #:	990
Design Screen Type:	Code 1			
Fields:	Field 1:	STTCHGPAID1		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	3:			
Context header display:				
Question display:	Always display "(S)" in interviewer instruc	ctions in parenthesis.	
	If SP was covered by TRICARE and any other insurance plan besides Medicare during the current round, display "such as TRICARE or an insurance plan". Else if SP was covered by TRICARE and is not covered by any other insurance plan besides Medicare during the current round, display "such as TRICARE" Else if SP was not covered by TRICARE and was covered by any other insurance plan besides Medicare during the current round, display "such as an insurance plan". Else do not display.			
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				

(ST CLAIM HEADER) AMOUNT REMAINING: (AMOUNT REMAINING)

EVENT: (CHARGE BUNDLE EVENT)

Context Header:

(CHARGE BUNDLE EVENT) (etc.)

Int. Instr I: REVIEW CHARGE BUNDLE ON (TYPE OF STATEMENT) WITH

RESPONDENT IF YOU HAVEN'T ALREADY DONE SO. POINT OUT PROVIDER NAME, DATE(S), AND TYPE OF SERVICE.

THEN ASK:

Question Text: So, I have an amount remaining \$(AMOUNT REMAINING) that

Medicare didn't pay. [Have you/Has (SP)] or any other source, [such as (TRICARE/an insurance plan/TRICARE or an insurance plan)],

paid any of this amount?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STTCHGPAID1 (STQ2106)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TTchgPaid1Min Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route	
1	SomeonePaid	BOX ST64A - (STQ2700)	
	English text: SP OR ANY SOURC	E PAID	
2	NothingPaid	BOX ST64A - (STQ2700)	
	English text: NOTHING HAS BEI	EN PAID	
3	AmountRemainingWrong	ST58 - CHANGAMT(STQ2107)	
	English text: AMOUNT REMAIN	ING SEEMS WRONG	
Attribute	e Route		
Don't kno	ow BOX ST64A - (STQ2700)		
D C 1	DOM CE (11 (CEO2500)		
Refusal	BOX ST64A - (STO2700)		

BACKGROUND VARIABLE ASSIGNMENTS

ARWRONG If ST57 - STTCHGPAID1 =

3/AmountRemaingWrong, set COST.ARWRONG =

1/Yes.

TCHGPAID If ST57 - STTCHGPAID1 = 1/SomeonePaid, set

CORO.TCHGPAID = 1/Yes.

Else if ST57 - STTCHGPAID1 = 2/NothingPaid, set

CORO.TCHGPAID = 2/No.

Else if ST57 - STTCHGPAID1 = DK, set

CORO.TCHGPAID = DK.

Else if ST57 - STTCHGPAID1 = RF, set

CORO.TCHGPAID = RF.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52 DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

258 TricarePlan SP covered by TRICARE during the current round =

There is a PLAN where PLAN.PLANTYPE = 6/Tricare & PLRO where (PLRO.PLROPLAN = PLAN.PLANNUM & PLRO.PLRORND = current round & PLRO.COVTIME^=

empty).

Exclude Deleted Plans. See T.N. 52.

259 InsurancePlan SP covered by Insurance plan other than Medicare

during current round =

PLAN where (PLANTYPE = 2/Medicaid, 3/PublicPlan, or

4/PrivatePlan) & PLRO where

(PLROPLAN=PLAN.PLANNUM & PLRORND=current

round & COVTIME^=empty).

Exclude Deleted Plans. See T.N. 52.

ST58			Page Order #:	1000
Design Screen Type:	Yes/No			
Fields:	Field 1:	CHANGAMT		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	EVENT: (CHAR	DER) GE BUNDLE EVENT) GE BUNDLE EVENT) (etc.)	
Int. Instr I:	THESE AMOUNT	TS WERE ENTERED F	ROM THE MSN:	
Question Text:	BENEFITS DAYS	S USED: (DAYS USED)	
	NON-COVERED	CHARGES: (NON CO	VERED CHARGES)	
	DEDUCTIBLE AN	ND COINSURANCE: (COINSURANCE)	
	YOU MAY BE BII	LLED: (MAY BE BILLE	D)	

DO YOU WANT TO MAKE ANY CHANGES?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: CHANGAMT (STQ2107)

Cheshire Name: COST.CHANGAMT

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TYesNoMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	ST59 - DAYSUSED (STQ2108)
	English text: YES	
2	No	BOX ST59 - (STQ2115)
	English text: NO	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining = COST.AREMAING.

ST59 Page Order #: 1010 **Design Screen Type:** Numeric Fields: Field 1: **DAYSUSED** Field 2: **NONCOVRD** Field 3: **COINSUR MAYBBILL** Field 4: **Enable Functions: HELP** No No **COMMENTS JUMPBACK** No **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No **Grid Functions: Add Line** No No **Delete Line DISPLAY INSTRUCTIONS:** Context header display: Question display: Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display:

Context Header: (ST CLAIM HEADER)

EVENT: (CHARGE BUNDLE EVENT)

(CHARGE BUNDLE EVENT) (etc.)

Int. Instr I: MAKE ALL THE NECESSARY CORRECTIONS TO THE AMOUNTS

THAT WERE ENTERED FROM THE (TYPE OF STATEMENT).

Question Text:

Int. Instr II:

0

120

Max Value:

Mask:

INPUT FIELDS / ROUTING

(STQ2108) Field1: **DAYSUSED**

Cheshire Name: COST.DAYSUSED

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: BENEFIT DAYS USED:

Label Position: Left

Field Type: Integer FieldSize: Type Name: **TDaysuseh** Min Value: **Answers Allowed:**

No **Drop Down List:** Lookup File: No

Lookup File Name:

Number Label **Route**

[Continuous answer.] ST59 - NONCOVRD (STQ2109)

Field2: NONCOVRD (STQ2109)

Cheshire Name: COST.NONCOVRD

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: NON-COVERED CHARGES:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST59 - COINSUR (STQ2110)

FieldSize:

Attribute Route

Don't know ST59 - COINSUR (STQ2110)

Refusal ST59 - COINSUR (STQ2110)

Field3: COINSUR (STQ2110)

Cheshire Name: COST.COINSUR

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: DEDUCTIBLE AND COINSURANCE:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Don't know

Number Label Route

ST59 - MAYBBILL (STQ2111)

1 [Continuous answer.] ST59 - MAYBBILL (STQ2111)

FieldSize:

Attribute Route

Refusal ST59 - MAYBBILL (STQ2111)

Field4: MAYBBILL (STQ2111)

Cheshire Name: COST.MAYBBILL

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: YOU MAY BE BILLED:

Label Position: Left

Field Type: Real FieldSize:

Type Name: TAmtnor Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Number Label Route

1 [Continuous answer.] BOX ST59 - (STQ2115)

Attribute Route

Lookup File Name:

Don't know BOX ST59 - (STQ2115)

BACKGROUND VARIABLE ASSIGNMENTS

AREMAING COST.AREMAING = ST59 - MAYBBILL.

SOFT EDIT CHECKS

Edit #1

DAYSUSED = 1 - 60.

If not true, display messge "UNLIKELY RESPONSE, PLEASE

VERIFY."

Edit #2

NONCOVRD = 0 - 20,000.00.

If not true, display messge "UNLIKELY RESPONSE, PLEASE

VERIFY."

Edit #3

COINSUR = 0 - 20.000.00.

If not true, display messge "UNLIKELY RESPONSE, PLEASE

VERIFY."

Edit #4

MAYBBILL = 0 - 20,000.00.

If not true, display messge "UNLIKELY RESPONSE, PLEASE

VERIFY."

HARD EDIT CHECKS

TE	۱Ц	MIC.	AL I	MU.	ᄄ
16	7 MI	AIC.	ᄮᄓ	V	ı∟o

BOX ST59

BOX ST59 Page Order #: 1020

BOX INSTRUCTIONS

IF (AMOUNT REMAINING ^= DK AND AMOUNT REMAINING ^= EMPTY) AND (AMOUNT REMAINING < \$1.00), GO TO BOX ST80 - (STQ2930). (STQ2115)

ELSE GO TO ST64 - STTCHGPAID2 (STQ2695).

ASSIGNMENTS

TECHNICAL NOTES

230 **AmountRemaining** Amount Remaining =

COST.AREMAING.

ST60 Page Order #: 1030 **Design Screen Type:** Numeric Fields: Field 1: **TOTALCHG** Field 2: **NONCOVRD** Field 3: **COINSUR MAYBBILL** Field 4: **Enable Functions: HELP** No No **COMMENTS JUMPBACK** No **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No No Search Item No **Grid Functions: Add Line** No **Delete Line DISPLAY INSTRUCTIONS:** Context header display: Question display: Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display: (ST CLAIM HEADER) **Context Header:**

EVENT: (CHARGE BUNDLE EVENT)

(CHARGE BUNDLE EVENT) (etc.)
ENTER THE FOLLOWING AMOUNTS FROM THE MSN.

Question Text: Int. Instr II:

Int. Instr I:

INPUT FIELDS / ROUTING

Field1: TOTALCHG (STQ2120)

Cheshire Name: CORO.TOTALCHG

Item Text display: Always display (PROVIDER/FACILITY) in label in

parenthesis.

Item Text:

Label: AMOUNT (PROVIDER/FACILITY) CHARGED:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value:

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST60 - NONCOVRD (STQ2121)

FieldSize:

Attribute Route

Don't know ST60 - NONCOVRD (STQ2121)

Refusal ST60 - NONCOVRD (STQ2121)

Field2: NONCOVRD (STQ2121)

Cheshire Name: COST.NONCOVRD

Item Text display:

Item Text:

Label: NON-COVERED CHARGES:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST60 - COINSUR (STQ2122)

FieldSize:

Attribute Route

Don't know ST60 - COINSUR (STQ2122)

Refusal ST60 - COINSUR (STQ2122)

Field3: COINSUR (STQ2122)

Cheshire Name: COST.COINSUR

Item Text display: LABEL DISPLAY INSTRUCTIONS:

If ST6 - 5/MSNPartBOutpatient or 8/MSNPartAHospice,

display "DEDUCTIBLE AND COINSURANCE:".

Else display "COINSURANCE:".

Item Text:

Label: (DEDUCTIBLE AND COINSURANCE/COINSURANCE):

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

NumberLabelRoute1[Continuous answer.]ST60 - MAYBBILL (STQ2123)

FieldSize:

Attribute Route
Don't know ST60 - MAYBBILL (STQ2123)

Refusal ST60 - MAYBBILL (STQ2123)

Field4: MAYBBILL (STQ2123)

Cheshire Name: COST.MAYBBILL

Item Text display:

Item Text:

Label: MAXIMUM YOU MAY BE BILLED:

Label Position: Left

Field Type: Real

Type Name: TAmtnor Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99

Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST60 - (STQ2125)

FieldSize:

Attribute Route

Don't know BOX ST60 - (STQ2125)

BACKGROUND VARIABLE ASSIGNMENTS

STDATQNO COST.STDATQNO = 6/ST56ST60.

TOTALAMT COST.TOTALAMT = ST60 - TOTALCHG.

AREMAING COST.AREMAING = ST60 - MAYBBILL.

SOFT EDIT CHECKS

Edit #1

TOTALCHG = 4.99 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #2

NONCOVRD = 0 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #3

COINSUR = 0 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #4

MAYBBILL = 0 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #5

If (NONCOVRD ^= DK and NONCOVRD ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then NONCOVRD <= TOTALCHG. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #6

If (COINSUR ^= DK and COINSUR ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then COINSUR <= TOTALCHG.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #7

If (MAYBBILL ^= DK and MAYBBILL ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then MAYBBILL <= TOTALCHG.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

\mathbf{H}	DD	ED	T (١.		\sim 1	(S
ПН	KU		IΙL	,п	יםו	-	79

TECHNICAL NOTES

BOX ST60

BOX ST60 Page Order #: 1040

BOX INSTRUCTIONS

(STQ2125) IF AMOUNT REMAINING = DK OR EMPTY, GO TO BOX ST63 - (STQ2135).

ELSE IF AMOUNT REMAINING < \$1.00, GO TO BOX ST80 - (STQ2930).

ELSE GO TO ST61 - STTCHGPAID1 (STQ2126).

ASSIGNMENTS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining =

COST.AREMAING.

ST61		Page Order # :	1050			
Design Screen Type:	Code 1					
Fields:	Field 1:	STTCHGPAID1				
Enable Functions:	HELP COMMENTS JUMPBACK	No No No				
Roster Name:						
Roster Type:						
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No				
Grid Functions:	Add Line Delete Line	No No				
DISPLAY INSTRUCTIONS	:					
Context header display:						
Question display:	Always display "(S)" in interviewer instructions in parenthesis				
	If SP was covered by TRICARE and any other insurance plan besides Medicare during the current round, display "such as TRICARE or an insurance plan". Else if SP was covered by TRICARE and is not covered by any other insurance plan besides Medicare during the current round, display "such as TRICARE" Else if SP was not covered by TRICARE and was covered by any other insurance plan besides Medicare during the current round, display "such as an insurance plan". Else do not display.					
Multi Field display:						
Roster/Grid Instructions:						
Roster/Grid display:						
Report display:						
<u>TEXT:</u>						
Context Header:	(ST CLAIM HEAD REMAINING)	DER) AMOUNT REMAINING: (AMOUNT				

EVENT: (CHARGE BUNDLE EVENT)

(CHARGE BUNDLE EVENT) (etc.)

Int. Instr I: REVIEW CHARGE BUNDLE ON (TYPE OF STATEMENT) WITH

RESPONDENT IF YOU HAVEN'T ALREADY DONE SO. POINT OUT PROVIDER NAME, DATE(S), AND TYPE OF SERVICE.

THEN ASK:

Question Text: So, I have an amount remaining (AMOUNT REMAINING) that

Medicare didn't pay. [Have you/Has (SP)] or any other source, [such as (TRICARE/an insurance plan/TRICARE or an insurance plan)],

paid any of this amount?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STTCHGPAID1 (STQ2126)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TTchgPaid1Min Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	SomeonePaid	BOX ST64A - (STQ2700)
	English text: SP OR ANY SOURCE	PAID
2	NothingPaid	BOX ST64A - (STQ2700)
	English text: NOTHING HAS BEEN	PAID
3	AmountRemainingWrong	ST62 - CHANGAMT(STQ2127)
	English text: AMOUNT REMAININ	IG SEEMS WRONG
Attribute	e Route	
Don't kno	ow BOX ST64A - (STQ2700)	
Refusal	BOX ST64A - (STQ2700)	

BACKGROUND VARIABLE ASSIGNMENTS

ARWRONG If ST61 - STTCHGPAID1 =

3/AmountRemaingWrong, set COST.ARWRONG =

1/Yes.

TCHGPAID If ST61 - STTCHGPAID1 = 1/SomeonePaid, set

CORO.TCHGPAID = 1/Yes.

Else if ST61 - STTCHGPAID1 = 2/NothingPaid, set

CORO.TCHGPAID = 2/No.

Else if ST61 - STTCHGPAID1 = DK, set

CORO.TCHGPAID = DK.

Else if ST61 - STTCHGPAID1 = RF, set

CORO.TCHGPAID = RF.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52 DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

258 TricarePlan SP covered by TRICARE during the current round =

There is a PLAN where PLAN.PLANTYPE = 6/Tricare & PLRO where (PLRO.PLROPLAN = PLAN.PLANNUM & PLRO.PLRORND = current round & PLRO.COVTIME^=

empty).

Exclude Deleted Plans. See T.N. 52.

259 InsurancePlan SP covered by Insurance plan other than Medicare

during current round =

PLAN where (PLANTYPE = 2/Medicaid, 3/PublicPlan, or

4/PrivatePlan) & PLRO where

(PLROPLAN=PLAN.PLANNUM & PLRORND=current

round & COVTIME^=empty).

Exclude Deleted Plans. See T.N. 52.

ST62			Page Order #:	1060
Design Screen Type:	Yes/No			
Fields:	Field 1:	CHANGAMT		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	<u>:</u>			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:	OST CLAIM HEAL EVENT: (CHAR (CHAR		etc.)	
Int. Instr I:	THESE AMOUN	TS WERE ENTERED F	ROM THE MSN:	
Question Text:	AMOUNT CHAR	GED: (TOTAL CHARG	E AMOUNT)	
	NON-COVERED	CHARGES: (NON CO	VERED CHARGES)	
	DEDUCTIBLE AN	ND COINSURANCE: (0	COINSURANCE)	
	YOU MAY BE BI	LLED: (MAY BE BILLE	D)	

DO YOU WANT TO MAKE ANY CHANGES?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: CHANGAMT (STQ2127)

Cheshire Name: COST.CHANGAMT

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TYesNoMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	ST63 - TOTALCHG (STQ2128)
	English text: YES	
2	No	BOX ST63 - (STQ2135)
	English text: NO	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining = COST.AREMAING.

ST63 Page Order #: 1070 **Design Screen Type:** Numeric Fields: Field 1: **TOTALCHG** Field 2: **NONCOVRD** Field 3: **COINSUR MAYBBILL** Field 4: **Enable Functions: HELP** No No **COMMENTS JUMPBACK** No **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No **Grid Functions: Add Line** No No **Delete Line DISPLAY INSTRUCTIONS:** Context header display: Question display: Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display: (ST CLAIM HEADER) **Context Header:**

EVENT: (CHARGE BUNDLE EVENT)

(CHARGE BUNDLE EVENT) (etc.)

MAKE ALL THE NECESSARY CORRECTIONS TO THE AMOUNTS

THAT WERE ENTERED FROM THE (TYPE OF STATEMENT).

Int. Instr I:

INPUT FIELDS / ROUTING

Field1: TOTALCHG (STQ2128)

Cheshire Name: CORO.TOTALCHG

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: AMOUNT CHARGED:

Label Position: Left

Field Type: Real FieldSize: Type Name: TAmt Min Value:

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST63 - NONCOVRD (STQ2129)

0

Attribute Route

Don't know ST63 - NONCOVRD (STQ2129)

Refusal ST63 - NONCOVRD (STQ2129)

Field2: NONCOVRD (STQ2129)

Cheshire Name: COST.NONCOVRD

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: NON-COVERED CHARGES:

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST63 - COINSUR (STQ2130)

FieldSize:

Attribute Route

Don't know ST63 - COINSUR (STQ2130)

Refusal ST63 - COINSUR (STQ2130)

Field3: COINSUR (STQ2130)

Cheshire Name: COST.COINSUR

Item Text display: Display previously collected response. Allow field to be

updated.

LABEL DISPLAY INSTRUCTIONS:

If ST6 - 5/MSNPartBOutpatient or 8/MSNPartAHospice,

display "DEDUCTIBLE AND COINSURANCE:".

Else display "COINSURANCE:".

Item Text:

Label: (DEDUCTIBLE AND COINSURANCE/COINSURANCE):

Label Position: Left

Field Type: Real

Type Name: TAmt Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Don't know

Number Label Route

ST63 - MAYBBILL (STQ2131)

1 [Continuous answer.] ST63 - MAYBBILL (STQ2131)

FieldSize:

Attribute Route

Refusal ST63 - MAYBBILL (STQ2131)

Field4: MAYBBILL (STQ2131)

Cheshire Name: COST.MAYBBILL

Item Text display: Display previously collected response. Allow field to be

updated.

Item Text:

Label: YOU MAY BE BILLED:

Label Position: Left

Field Type: Real

Type Name: TAmtnor Min Value: 0

Answers Allowed: 1 Max Value: 9999999.99
Drop Down List: No Mask: Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST63 - (STQ2135)

FieldSize:

Attribute Route

Don't know BOX ST63 - (STQ2135)

BACKGROUND VARIABLE ASSIGNMENTS

TOTALAMT COST.TOTALAMT = ST63 - TOTALCHG. **AREMAING** COST.AREMAING = ST63 - MAYBBILL.

SOFT EDIT CHECKS

Edit #1

TOTALCHG = 4.99 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #2

NONCOVRD = 0 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #3

COINSUR = 0 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #4

MAYBBILL = 0 - 20,000.00.

If not true, display message "UNLIKELY RESPONSE. PLEASE

VERIFY."

Edit #5

If (NONCOVRD ^= DK and NONCOVRD ^= RF) and (TOTALCHG ^=

DK and TOTALCHG ^= RF), then NONCOVRD <= TOTALCHG. If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #6

If (COINSUR ^= DK and COINSUR ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then COINSUR <= TOTALCHG.

If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

Edit #7

If (MAYBBILL ^= DK and MAYBBILL ^= RF) and (TOTALCHG ^= DK and TOTALCHG ^= RF), then MAYBBILL <= TOTALCHG.
If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

ЦΛ	DD	$T \cap I$		CKS
ПΑ	RU	1 6	ᇽ	しれる

TECHNICAL NOTES

BOX ST63

BOX ST63 Page Order #: 1080

BOX INSTRUCTIONS

IF (AMOUNT REMAINING ^= DK AND AMOUNT REMAINING ^= EMPTY) AND (AMOUNT REMAINING < \$1.00), GO TO BOX ST80 - (STQ2930). (STQ2135)

ELSE GO TO ST64 - STTCHGPAID2 (STQ2695).

ASSIGNMENTS

TECHNICAL NOTES

230 **AmountRemaining** Amount Remaining =

COST.AREMAING.

ST64 Page Order #: 1088

Design Screen Type: Code 1

Fields: Field 1: STTCHGPAID2

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: If ST5 - STTYPE ^= 8/MPDPorMAorTricare, display "AMOUNT

REMAINING: \$(AMOUNT REMAINING)".

Else do not display.

If ST5 - MCARTYPE ^= 6/MsnPartAInpatient, display "[TOTAL

CHARGE = \$(TOTAL CHARGE)]".

Else do not display.

Question display: Interviewer Instructions:

Always display "(S)" in interviewer instructions in parenthesis.

If ST5 - STTYPE ^= 8/MPDPorMAorTricare, display "PROVIDER

NAME".

Else do not display.

If ST5 - STTYPE ^= 8/MPDPorMAorTricare, display "THEN ASK:"

Else display "SELECT...".

Question Text:

If ST5 - STTYPE = 8/MPDPorMAorTricare, display "The total cost of

prescriptions...". Else do not display.

If ST5 - STTYPE = 8/MPDPorMAorTricare, display "[Have you/Had

(SP)]". Else then:

If SP was covered by TRICARE and any other insurance plan besides Medicare during the current round, display "such as

TRICARE or an insurance plan".

Else if SP was covered by TRICARE and is not covered by any other insurance plan besides Medicare during the current round,

display "such as TRICARE"

Else if SP was not covered by TRICARE and was covered by any other insurance plan besides Medicare during the current round, display "such as an insurance plan".

Else do not display.

If only "DU" event types included in this charge bundle, display

"[Have you/Has (SP)]".

Else display "Besides Medicare [have you/has (SP)]".

М	ulti	i Fi	eld	dis	plav	/ :

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: (ST CLAIM HEADER)

[TOTAL CHARGE = \$(TOTAL CHARGE)]

[AMOUNT REMAINING: \$(AMOUNT REMAINING)]

Int. Instr I: REVIEW CHARGE BUNDLE ON [TYPE OF STATEMENT] WITH

RESPONDENT IF YOU HAVEN'T ALREADY DONE SO. POINT OUT (PROVIDER NAME), DATE(S), AND TYPE OF SERVICE(S). (THEN ASK:/SELECT "SP OR ANY SOURCE PAID" IF ALREADY

KNOWN. OTHERWISE ASK:)

[The total cost of prescriptions reported on this statement is (TOTAL **Question Text:**

CHARGE TEXT).] [[Have you/Has (SP)]/Besides Medicare, [have you/has (SP)]] or any other source [, such as (an insurance plan/TRICARE/TRICARE or an insurance plan),] paid anything for

this?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STTCHGPAID2 (STQ2695)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TTChgpaid Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

English text: NOTHING HAS BEEN PAID

Lookup File Name:

Number Label Route

1 SomeonePaid BOX ST64A - (STQ2700)

English text: SP OR ANY SOURCE PAID

2 NothingPaid BOY ST64A (STQ2700)

NothingPaid BOX ST64A - (STQ2700)

Attribute Route

Don't know BOX ST64A - (STQ2700)

Refusal BOX ST64A - (STQ2700)

BACKGROUND VARIABLE ASSIGNMENTS

TCHGPAID If ST64 - STTCHGPAID2 = 1/SomeonePaid, set

CORO.TCHGPAID = 1/Yes.

Else if ST64 - STTCHGPAID2 = 2/NothingPaid, set

CORO.TCHGPAID = 2/No.

Else if ST64 - STTCHGPAID2 = DK, set

CORO.TCHGPAID = DK.

Else if ST64 - STTCHGPAID2 = RF, set

CORO.TCHGPAID = RF.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52 DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

258 TricarePlan SP covered by TRICARE during the current round =

There is a PLAN where PLAN.PLANTYPE = 6/Tricare & PLRO where (PLRO.PLROPLAN = PLAN.PLANNUM & PLRO.PLRORND = current round & PLRO.COVTIME^=

empty).

Exclude Deleted Plans. See T.N. 52.

259 InsurancePlan SP covered by Insurance plan other than Medicare

during current round =

PLAN where (PLANTYPE = 2/Medicaid, 3/PublicPlan, or

4/PrivatePlan) & PLRO where

(PLROPLAN=PLAN.PLANNUM & PLRORND=current

round & COVTIME^=empty).

Exclude Deleted Plans. See T.N. 52.

468 TypeOfStatement

Type of Statement = COST.STATTYPE.

BOX ST64A

BOX ST64A Page Order #: 1092

BOX INSTRUCTIONS

(STQ2700) IF SP OR ANY SOURCE HAS PAID, GO TO BOX ST64B - (STQ2701).

ELSE IF (NOTHING HAS BEEN PAID) OR (RESPONDENT DOES NOT KNOW IF ANYTHING HAS BEEN PAID), GO TO BOX ST78B - (STQ2923).

ELSE GO TO BOX ST80 - (STQ2930).

ASSIGNMENTS

TECHNICAL NOTES

231 SPOrAnySourcePaid SP or any source paid =

For this COST, there is a CORO where (CORO.COROCOST=COST.COSTNUM &

CORO.CORORND=current round & CORO.TCHGPAID =

1/Yes).

232 NothingPaid Nothing paid or Respondent does not know if anything

has been paid =

CORO.TCHGPAID = 2/No or DK on CORO where (CORO.COROCOST = this COST.COSTNUM and

CORO.CORORND = current round).

BOX ST64B

BOX ST64B Page Order #: 1093

BOX INSTRUCTIONS

(STQ2701) CREATE SOURCE OF PAYMENT ROSTER.

IF ADMINISTERING ST AND (ONE OR MORE CHARGE BUNDLES ENTERED IN ST SECTION) AND (ST65 – STADDSOP1 HAS BEEN ASKED IN THE CURRENT ROUND) AND (PAYMENTS HAVE BEEN COLLECTED AT ST67), GO TO ST67 - TSOPAMT (STQ2720).

ELSE GO TO ST65 - STADDSOP1 (STQ2702).

ASSIGNMENTS

TSOP table is loaded once for each new Charge Bundle being asked about in ST..

TSOP key = TSOP.TSOPBASE + TSOP.TSOPNUM.

Before proceeding, delete all TSOP records and load all eligible Sources of Payments:

1st Record:

Always store SP/FAMILY:

TSOP.TSOPTEXT = "SP/FAMILY"
TSOP.TSOPTYPE = 1/SPFamily

2nd Record:

Always store Provider discount:

TSOP.TSOPTEXT = "PROVIDER DISCOUNT/COURTESY"

TSOP.TSOPTYPE = 2/ProvDiscount

3rd Record:

Always store Medicare:

TSOP.TSOPTEXT = "MEDICARE".

TSOP.TSOPTYPE = 6/Medicare

TSOP.TSOPPLAN = '01'

TSOP.TSOPPTYP = 1/Medicare

TSOP.TSOPDISP = "(MCAR)".

Next, store all Medicare HMOs SP was covered by during the survey reference period (not flagged as deleted).

If there is a PLAN with PLAN.PLANTYPE = 5/MHMO and a PLRO where PLRO.PLRORND >= (current round -2), store MHMO plan:

TSOP.TSOPTEXT = PLAN.PLNAME

TSOP.TSOPTYPE = 8/MHMO

TSOP.TSOPPLAN = PLAN.PLANNUM of MHMO plan

TSOP.TSOPPTYP = PLAN.PLANTYPE of MHMO plan

TSOP.TSOPDISP = "(MHMO)".

Repeat for all MHMO plans.

Next, store VA if elibigle.

If (INTTYPE=8/ExitInterviewHadPrev and previous round HRND.VACOVER=1/Yes) or (INTTYPE ^= 8/ExitInterviewHadPrev and current round HRND.VACOVER=1/Yes), store VA:

TSOP.TSOPTEXT = "V.A. - DEPT. OF VETERANS AFFAIRS" TSOP.TSOPTYPE = 5/VA.

Next, store MEDICARE SUBSIDY:

TSOP.TSOPTEXT = "MEDICARE SUBSIDY"

TSOP.TSOPTYPE = 11/MedicareSubsidy.

```
Next, store EXTRA HELP:
   TSOP.TSOPTEXT = "EXTRA HELP"
   TSOP.TSOPTYPE = 12/ExtraHelp.
Next, store COVERAGE GAP DISCOUNT:
   TSOP.TSOPTEXT = "COVERAGE GAP DISCOUNT"
   TSOP.TSOPTYPE = 13/CoverageGapDiscount.
Next, store Medicaid, Public, Private, and Tricare plans SP was covered by during the
survey reference period (not flagged as deleted).
If there is a PLAN with (PLAN.PLANTYPE = 2/Medicaid, 3/PublicPlan, 4/PrivatePlan,
6/Tricare or 7/MPDP) and a PLRO where PLRO.PLRORND >= (current round -2), store
Plan:
  TSOP.TSOPTEXT =
    If PLAN.PLANTYPE = 2/Medicaid, TSOP.TSOPTEXT = 'MEDICAID/MEDICAID HMO';
    Else if PLAN.PLANTYPE = 6/Tricare, TSOP.TSOPTEXT = "TRICARE".
    Else TSOP.TSOPTEXT = PLAN.PLNAME;
  If PLAN.PLANTYPE = 7/MPDP, set TSOP.TSOPTYPE = 10/MedicarePartD.
  Else set TSOP.TSOPTYPE = 3/PlanNotMHMO
  TSOP.TSOPPLAN = PLAN.PLANNUM of HI plan.
  TSOP.TSOPPTYP = PLAN.PLANTYPE of HI plan.
  TSOP.TSOPDISP =
    If PLAN.PLANTYPE = 2/Medicaid, TSOP.TSOPDISP = "(MCAD)".
    Else if PLAN.PLANTYPE = 3/PublicPlan, TSOP.TSOPDISP = "(PUBL)".
    Else if PLAN.PLANTYPE = 4/PrivatePlan, TSOP.TSOPDISP = "(PRIV)".
    Else if PLAN.PLANTYPE = 6/Tricare, TSOP.TSOPDISP = "(TRIC)".
    Else if PLAN.PLANTYPE = 7/MPDP, TSOP.TSOPDISP = "(MPDP)".
Repeat for all Medicaid, Public, Private, Tricare and Medicare Prescription Drug plans.
Next, store Discount Membership Plans SP was covered by during the current round:
If there is a DMEM and a DMRO where DMRO.DMRORND = current round, store Discount
Membership plan:
  TSOP.TSOPTEXT = DMEM.DMNAMEX
  TSOP.TSOPTYPE = 9/DM
  TSOP.TSOPDMEM = DMEM.DMEMNUM
  TSOP.TSOPDISP = "(DM)"
Repeat for all DMEMs.
Next, store all Other Sources of Payments (not flagged as deleted) on OSOP:
Store OSOP:
   TSOP.TSOPTEXT = OSOP.OSOPTEXT
   TSOP.TSOPTYPE = 4/OSOP
   TSOP.TSOPOSOP = OSOP.OSOPNUM
   IF (OSOP.OSOPISHI ^= NULL & (OSOP.OSOPISHI = DK or RF)), TSOP.TSOPDISP =
"(UNKNOWN)".
   ELSE TSOP.TSOPDISP = "(OSOP)".
Repeat for all OSOPs.
TSOPNUM
                        Beginning with 01, create TSOP where
                        TSOP.TSOPNUM = highest TSOP.TSOPNUM + 01.
TSOPTEXT
                        Set TSOP.TSOPTEXT as specified above.
                        Set TSOP.TSOPTYPE as specified above.
TSOPTYPE
LOADFLAG
                        Set TSOP.LOADFLAG = 1/Yes.
```

If SOP is a Health Insurance plan, set TSOP.TSOPPYPE = PLAN.PLANTYPE.

TSOPPTYP

BOX ST64B

TSOPPLAN If SOP is a Health Insurance plan, set

TSOP.TSOPPLAN = PLAN.PLANNUM.

TSOPOSOP If SOP is an Other Source of Payment, set

TSOP.TSOPOSOP = OSOP.OSOPNUM.

TSOPDISP Set TSOP.TSOPDISP as specified above.

TSOPDMEM If SOP is a Discount Membership plan, set

TSOP.TSOPDMEM = DMEM.DMEMNUM.

TECHNICAL NOTES

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
53	PlanTypes	Medicare: PLANTYPE=1/Medicare. Medicaid: PLANTYPE=2/Medicaid. Medicare Advantage: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan. Medicare Prescription Drug: PLANTYPE=7/MPDP.
252	DeletedOSOPs	Deleted OSOPs that are not valid for displays or checks = Any OSOP where (OSOP.OSOPHIDE=1/Yes or OSOP.LOSEOSFG ^=EMPTY) is a deleted OSOP.
117	DeletedDM	Deleted Discount Membership plans that are not valid for displays or checks = Any DMEM where (DMEM.LOSEDMFG ^= EMPTY) is a deleted DM.
38	DMCurrentRnd	SP reported having a Discount Membership plan anytime during the current round = There is a DMEM and DMRO where (DMRO.DMRODMEM = DMEM.DMEMNUM and DMRO.DMRORND = current round and DMRO.DMHAVE = 1/Yes). Exclude Deleted DM's. See T.N. 117.
457	ChgBundlePaymEntere d	One or more charge bundles entered in ST section and ST65 – STADDSOP1 has been asked in the current round = HRND.EVERSTMT = 1/Yes on HRND where HRND.HRNDRND = current round and (ST65-STADDSOP1 = 1/YES or 2/NO)
464	STPaymCollected	Payments collected at ST67 = HRND.STSOPFLG = 1/Yes on HRND where HRND.HRNDRND = current round. HRND.STSOPFLG is set to 1/Yes at BOX ST67A after 1st ST charge bundle where payments collected.

DESIGN NOTES

When administering ST, we will stop probing for new SOP's at ST65 once we collect an ST charge bundle and payments have been collected. A flag is set at BOX ST67A, HRND.STSOPFLG = 1/Yes, which flags that we should no longer probe for new SOP's in ST.

However, if administering NS or CPS and SP reports a statement and NS or CPS routes to CPS, we will always probe for new SOP's at ST65.

ST65 Page Order #: 1095

Design Screen Type: Yes/No

Fields: Field 1: STADDSOP1

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report above question text.

Display all eligible Source of Payments stored on TSOP based on

the following logic:

Do not display TSOP.TSOPTYPE = 11/MedicareSubsidy.

Display all remaining Sources of Payments in the following order

based on TSOP.TSOPTYPE:

= 1/SPFamily= 2/ProvDiscount= 12/ExtraHelp

= 13/CoverageGapDiscount

= 6/Medicare = 8/MHMO

= 10/MedicarePartD

= 5/VA

= 3/PlanNotMHMO

= 4/OSOP

= 9/DM

If there is more than Source of Payment per Source of Payment

Type, display in order of entry in TSOP.

Report header: SOURCES OF PAYMENT

Report layout:

Column 1, header="SOP NAME". Column 1, display = TSOP.TSOPTEXT.

Column 2, header = "SOP TYPE".

Column 2, display =

If TSOP.TSOPDISP ^= empty, display TSOP.TSOPDISP.

Else do not display.

TEXT:

Context Header:

Int. Instr I: ARE ALL OF THE SOURCES OF PAYMENT NECESSARY FOR

COMPLETING THE STATEMENT SECTION LISTED BELOW?

Question Text:

Int. Instr II: SELECT "NO" TO ADD A SOURCE OF PAYMENT.

INPUT FIELDS / ROUTING

Field1: STADDSOP1 (STQ2702)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TYesNoMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	ST67 - TSOPAMT (STQ2720)
	English text: YES	
2	No	ST66 - SOP_ST1 (STQ2703)
	English text: NO	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS			
HARD EDIT CHECKS			
TECHNICAL NOTES			
DESIGN NOTES			

 $\ensuremath{\mathsf{ST65}}$ is called from CPS when adding SOPs. TSOP will already be loaded in CPS section.

ST66 Page Order #: 1100

Design Screen Type: Roster

Fields: Field 1: SOP_ST1

Enable Functions: HELP No

COMMENTS Yes **JUMPBACK** Yes

Roster Name: Source Of Payment Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item Yes Display as 'Add Source of Payment'

Edit ItemNoDelete ItemNoSearch ItemNo

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all eligible Source of Payments stored on TSOP based on

the following logic:

Do not display TSOP.TSOPTYPE = 9/DM or TSOP.TSOPTYPE =

11/MedicareSubsidy.

Display all remaining Sources of Payments in the following order

based on TSOP.TSOPTYPE:

= 1/SPFamily

= 2/ProvDisount

= 12/ExtraHelp

= 13/CoverageGapDiscount

= 6/Medicare

= 8/MHMO

= 10/MedicarePartD

= 5/VA

= 3/PlanNotMHMO

= 4/OSOP

If there is more than Source of Payment per Source of Payment

Type, display in order of entry in TSOP.

Display all loaded Source of Payments as protected rows.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 SOP Name Display TSOP.TSOPTEXT.

2 SOP Type If TSOP.TSOPDISP ^= empty, display

TSOP.TSOPDISP. Else do not display.

Report display:

Context Header:

Int. Instr I: ADD ALL ADDITIONAL SOURCES OF PAYMENT.

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: SOP_ST1 (STQ2703)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TSOPPick Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] ST67 - TSOPAMT (STQ2720)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on TSOP: TSOP key = TSOP.TSOPBASE + TSOP.TSOPNUM. TSOP.TSOPNUM = Number of Source of Payment selected at ST66.

If adding SOP, see SOURCE OF PAYMENT ROSTER POP-UP specifications for pop-up window programming instructions.

Fields collected in Pop-Up window:

TSOP.TSOPNUM TSOP.TSOPTEXT TSOP.TSOPISHI

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1

If MEDICAID is already on the Source of Payment roster, ST66 -

TSOPISHI should ^= 1/Medicaid.

If not true, display "An add has failed. It was a duplicate."

Fdit #2

If TRICARE is already on the Source of Payment roster, ST66 -

TSOPISHI should ^= 9/Tricare.

If not true, display "An add has failed. It was a duplicate."

TECHNICAL NOTES

263	MedicaidSOP	Medicaid already on SOP roster =
∠ 03	WedicaldSOP	Medicald alleady off SOF foster -

Medicaid already on SOP roster = There is a TSOP where TSOP.TSOPPTYP=2/Medicaid.

264 TricareSOP Tricare already on SOP roster =

There is a TSOP where TSOP.TSOPPTYP = 6/Tricare.

ST67 Page Order #: 1110

Design Screen Type: Grid

Fields: Field 1: TSOPAMT

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: If ST5 - STTYPE ^= 8/MPDPorMAorTricare, display "AMOUNT

REMAINING: \$(AMOUNT REMAINING)".

Else do not display.

Question display: Interviewer Instruction display:

If currently administering CPS section, do not display Interviewer

Instructions I. Else then

If ST5 - STTYPE = 3/MedicareAndInsurance, display "REFER

TO INSURANCE STATEMENT."

Else if ST5 - STTYPE = 5/MedicareAndTricare, display "REFER

TO TRICARE STATEMENT."

Else if ST5 - STTYPE = 6/TricareAndInsurance or 7/MedicareAndTricareAndInsurance, display "REFER TO

INSURANCE AND TRICARE STATEMENTS."

Else if ST5 - STTYPE = 8/MPDPorMAorTricare and TYPE OF STATEMENT = 8/MPDPBenefit, display "REFER TO MEDICARE

PRESCRIPTION DRUG BENEFIT STATEMENT"

Else do not display.

Always display "(else)" and "(SOURCE)" in parenthesis.

Multi Field display:

Roster/Grid Instructions: Display all eligible Source of Payments stored on TSOP based on

the following logic:

If ST5 - STTYPE = 8/MPDPorMAorTricare and TYPE OF

STATEMENT = 8/MPDPBenefit, THEN:

Do not display TSOP.TSOPTYPE = 2/ProvDisount, 6/Medicare, and 11/MedicareSubsidy.

Display all remaining Sources of Payments in the following order based on TSOP.TSOPTYPE:

- = 1/SPFamily
- = 12/ExtraHelp
- =13/CoverageGapDiscount
- = 8/MHMO
- = 10/MedicarePartD
- = 5/VA
- = 3/PlanNotMHMO
- = 4/OSOP
- = 9/DM

ELSE THEN:

Do not display TSOP.TSOPTYPE = 11/MedicareSubsidy, 12/ExtraHelp, 13/CoverageGapDiscount, and 6/Medicare. Display all remaining Sources of Payments in the following order based on TSOP.TSOPTYPE:

- = 1/SPFamily
- = 2/ProvDiscount
- = 8/MHMO
- = 10/MedicarePartD
- = 5/VA
- = 3/PlanNotMHMO
- = 4/OSOP
- = 9/DM

If there is more than Source of Payment per Source of Payment Type, display in order of entry in TSOP.

CALCULATION INSTRUCTIONS FOR COLUMN 4: If ST5 - STTYPE = 8/MPDPorMAorTricare, THEN display COST.TOTALCHG.
Else display COST.AREMAING.

If TSOPAMT added, deleted, or updated, in any row at ST67, calculate and display (AMOUNT REMAINING MINUS TOTAL PAYMENTS) in Column 4.

AMOUNT REMAINING MINUS TOTAL PAYMENTS: If at least one row at ST67 has TSOPAMT = DK or RF, display "NOT KNOWN".

Else if ST5 - STTYPE = 8/MPDPorMAorTricare, THEN display (COST.TOTALCHG - TOTAL PAYMENTS).
Else display (COST.AREMAING - TOTAL PAYMENTS).

TOTAL PAYMENTS:

For each row at ST67 where (TSOPAMT ^= EMPTY and TSOPAMT ^= DK and TSOPAMT ^= RF), calculate TOTAL PAYMENTS = TOTAL PAYMENTS + TSOPAMT.

Note: Calculation is for ST67 display only. Do not update COST.AREMAING.

Roster/Grid display: COL # HEADER INSTRUCTIONS 1 SOP Name Display TSOP.TSOPTEXT. Display Only.

2 SOP Type If TSOP.TSOPDISP ^= empty, display

TSOP.TSOPDISP. Else do not display.

Display only.

3 SOP Payment TSOP.TSOPAMT. Input field 1.

4 Amount DISPLAY CALCULATION AS

Remaining SPECIFIED ABOVE.

Report display:

TEXT:

Context Header: (ST CLAIM HEADER)

TOTAL CHARGE = \$(TOTAL CHARGE)

[AMOUNT REMAINING: \$(AMOUNT RÉMAINING)]

Int. Instr I: (REFER TO INSURANCE STATEMENT/REFER TO TRICARE

STATEMENT/REFER TO INSURANCE AND TRICARE

STATEMENTS/REFER TO MEDICARE PRESCRIPTION DRUG

BENEFIT STATEMENT).

Question Text: Who (else) paid besides Medicare? How much did (SOURCE) pay?

Int. Instr II: ENTER ALL PAYMENT AMOUNTS. CORRECT PAYMENT

AMOUNTS AS NECESSARY.

INPUT FIELDS / ROUTING

Field1: TSOPAMT (STQ2720)

Cheshire Name: TSOP.TSOPAMT

SQL tbITSOP is not transformed to TSOP in Cheshire.

Item Text display: GRID COLUMN #3

Item Text:

Label:

Label Position:

Field Type: Real FieldSize:

Type Name:TTsopamtMin Value:0.01Answers Allowed:1Max Value:999999.99Drop Down List:NoMask:Dollars

Lookup File: Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST67HE - (STQ2740)

AttributeRouteEmptyBOX ST67HE - (STQ2740)

Don't know BOX ST67HE - (STQ2740)

No

Refusal BOX ST67HE - (STQ2740)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

TypeOfStatement Type of Statement = COST.STATTYPE.

BOX ST67HE

BOX ST67HE BOX INSTRUCTIONS (STQ2740) IF AT LEAST ONE TSOPAMT = DK OR RF OR THE SUM OF ALL TSOPAMT VALUES FOR THIS COST > 0.00, GO TO BOX ST67A - (STQ2780). ELSE GO TO ST67HE - PAYMHE (STQ2760). ASSIGNMENTS TECHNICAL NOTES

ST67HE

ST67HE			Page Order #:	1117
Design Screen Type:	No Entry			
Fields:	Field 1:	PAYMHE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:		LL PAYMENT AMOUNT AT LEAST ONE PAYM OR 'REFUSED'.		
	USE "PREVIOUS MAKE CORREC	S PAGE" TO RETURN TIONS.	TO THE SOP GRID A	AND
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	G			

ST67HE

Field1:	PAYMHE	(STQ2760)	
Cheshire Name:	TEMP		
Item Text display:			
Label: Label Position:			
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:	
Number Label		Route	
1 Continue	:CONTINUE	ST67HE-PAYMHE	
Attribute Route	CONTINUE		
Empty			
	E-PAYMHE		
BACKGROUND VARIAB	BLE ASSIGNMENTS		
SOFT EDIT CHECKS			
HARD EDIT CHECKS			
TECHNICAL NOTES			
DESIGN NOTES			
DISARI E NEXT PAGE			

ST67HE-PAYMHE routes back to ST67HE-PAYMHE to enforce the intended hard edit. To route past this edit screen, corrections must be made at the SOP Grid by using Previous Page.

BOX ST67A

BOX ST67A Page Order #: 1120

BOX INSTRUCTIONS

(STQ2780) IF AT LEAST ONE SOURCE OF PAYMENT WAS ADDED AT ST66, GO TO BOX ST67B - (STQ2810).

ELSE GO TO BOX ST69F - (STQ2842).

ASSIGNMENTS

At BOX ST67A, flag that there has been at least one ST charge bundle added where payments have been collected. The flag, HRND.STSOPFLG, is checked at BOX ST64B when additional ST charge bundles are added and if set to 1/Yes, BOX ST64B will skip probing for new SOP's at ST65.

STSOPFLG If HRND.STSOPFLG = NULL on HRND where

HRND.HRNDRND = current round, set

HRND.STSOPFLG = 1/Yes.

TECHNICAL NOTES

BOX ST67B

BOX ST67B Page Order #: 1125

BOX INSTRUCTIONS

(STQ2810) IF AT LEAST ONE SOURCE OF PAYMENT ADDED AT ST66 IS A HEALTH

INSURANCE PLAN, GO TO ST67BINT - PLANINTRO (STQ2814).

ELSE GO TO BOX ST69E - (STQ2840).

ASSIGNMENTS

TECHNICAL NOTES

248 SOPPlan Source of Payment is a HI Plan =

Medicaid: TSOP.TSOPISHI=1/Medicaid Public: TSOP.TSOPISHI=2/PublicPlan Private: TSOP.TSOPISHI=3/PrivatePlan MHMO: TSOP.TSOPISHI=7/MHMO Tricare: TSOP.TSOPISHI=9/Tricare.

MPDP: TSOP.TSOPISHI=10/MedicarePartD

ST67BINT

ST67BINT			Page Order # :	1127
Design Screen Type:	No Entry			
Fields:	Field 1:	PLANINTRO		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:				
Question display:	Always display "(s)" in parenthesis.		
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:		ue, I would like to ask y nce plan(s) you just add		bout
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

ST67BINT

		0.0.2
Field1:	PLANINTRO	(STQ2814)
Cheshire Name:	TEMP	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type:	Enumerated	FieldSize:
Type Name:	TContinueEMPTY	Min Value:
Answers Allowed:	1	Max Value:
Drop Down List:	No	Mask:
Lookup File:	No	
Lookup File Name:		
Number Label		Route
1 Continue		ST67B_IN - NAVIGATOR (STQ2815)
English text:	CONTINUE	
Attribute Route		
Empty ST67B_	IN - NAVIGATOR (STO	Q2815)
BACKGROUND VARIAB	LE ASSIGNMENTS	
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		
DESIGN NOTES		

ST67B_IN

ST67B_IN			Page Order #:	1129
Design Screen Type:	Instance Navigator			
Fields:	Field 1:	NAVIGATOR		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:				
Question display:	Display all HI SO	Ps added at ST66.		
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

ST67B_IN

Field1: NAVIGATOR (STQ2815)

Cheshire Name: N/A

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TInstanceNavigator Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 SelectItemInList BOX ST67C - (STQ2820)

English text: ITEM SELECTED IN INSTANCE NAVIGATOR

2 SelectContinueInterview BOX ST69E - (STQ2840)

English text: CONTINUE INTERVIEW SELECTED

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

248 SOPPlan Source of Payment is a HI Plan =

Medicaid: TSOP.TSOPISHI=1/Medicaid Public: TSOP.TSOPISHI=2/PublicPlan Private: TSOP.TSOPISHI=3/PrivatePlan MHMO: TSOP.TSOPISHI=7/MHMO Tricare: TSOP.TSOPISHI=9/Tricare.

MPDP: TSOP.TSOPISHI=10/MedicarePartD

BOX ST67C

BOX ST67C Page Order #: 1131

BOX INSTRUCTIONS

(STQ2820)

CREATE A NEW HEALTH INSURANCE PLAN FOR FIRST/NEXT SOURCE OF PAYMENT ADDED AT ST66.

IF SOURCE OF PAYMENT IS A MEDICARE MANAGED CARE PLAN AND SP HAS A MEDICARE MANAGED CARE PLAN THAT IS CURRENT, GO TO ST68 - STMHMOCHNG1 (STQ2821).

ELSE IF SOURCE OF PAYMENT IS A MEDICARE MANAGED CARE PLAN AND SP DOES NOT HAVE A MEDICARE MANAGED CARE PLAN THAT IS CURRENT, GO TO ST69 - STSOPCURR1 (STQ2822).

ELSE IF SOURCE OF PAYMENT IS A MEDICARE PRESCRIPTION DRUG PLAN AND SP HAS A MEDICARE PRESCRIPTION DRUG PLAN THAT IS CURRENT, GO TO ST69A - STMPDPCHNG (STQ2823).

ELSE IF SOURCE OF PAYMENT IS MEDICARE PRESCRIPTION DRUG PLAN AND SP DOES NOT HAVE A MEDICARE PRESCRIPTION DRUG PLAN THAT IS CURRENT, GO TO ST69B - STSOPCURR2 (STQ2824).

ELSE IF SOURCE OF PAYMENT IS MEDICAID, GO TO HI6 - COVTIME (${\sf HIQ4770}$).

ELSE IF SOURCE OF PAYMENT IS A PUBLIC PLAN, GO TO HI13 - COVTIME (HIQ5780).

ELSE IF SOURCE OF PAYMENT IS A PRIVATE PLAN, GO TO HI21 - COVTIME (HIQ6230).

ELSE GO TO HIT2 - COVTIME (HIQ5330).

ASSIGNMENTS

If SOP added is an MHMO, Public plan, Private plan, or Medicare Prescription Drug plan create a new PLAN and current round PLRO record. See detailed instructions below.

If SOP added is Medicaid then:

If there is a PLAN where PLAN.PLANTYPE=2/Medicaid, regardless if PLAN.PLANDFLG=1/Yes or LOSEPLFG ^= empty or tblPLAN.wvsDeleteFlag = Yes, this stopped Medicaid plan will be restarted. Update existing PLAN flags = empty or No and create a current round PLRO record. See detailed instructions below.

Else if there is no PLAN where PLAN.PLANTYPE=2/Medicaid, ccreate a new PLAN and current round PLRO record. Set PLAN.PLNAME = MEDICAID. See detailed instructions below.

If SOP added is Tricare then:

If there is a PLAN where PLAN.PLANTYPE=6/Tricare, regardless if PLAN.PLANDFLG=1/Yes or LOSEPLFG ^= empty or tblPLAN.wvsDeleteFlag = Yes, this stopped Tricare plan will be restarted. Update existing PLAN flags = empty or No and create a current round PLRO record. See detailed instructions below.

Else if there is no PLAN where PLAN.PLANTYPE=6/Tricare, create a new PLAN and current round PLRO record. Set PLAN.PLNAME = TRICARE. See detailed instructions below.

PLAN KEY = PLAN.PLANBASE + PLAN.PLANNUM

PLRO KEY = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND

Set PLAN/PLRO fields as instructed below:

PLANNUM If creating a new PLAN, create PLAN where

PLAN.PLANNUM = highest PLAN.PLANNUM + 01.

PLANRNDC If creating a new PLAN, set PLAN.PLANRNDC =

current round.

PLANTYPE Set PLANTYPE based on TSOPISHI:

=1/Medicaid, PLANTYPE=2/Medicaid. =2/PublicPlan, PLANTYPE=3/PublicPlan. =3/PrivatePlan, PLANTYPE=4/PrivatePlan.

=7/MHMO, PLANTYPE=5/MHMO. =9/Tricare, PLANTYPE=6/Tricare.

=10/MedicarePartD, PLANTYPE=7/MPDP.

PLNAME If creating a new PLAN,

If SOP is Medicaid, set PLAN.PLNAME =

"MEDICAID".

Else if SOP is Tricare, set PLAN.PLNAME =

"TRICARE".

Else set PLAN.PLNAME = TSOP.TSOPTEXT.

PLROPLAN Create PLRO where PLRO.PLROPLAN = new

PLAN.PLANNUM.

PLRORND PLRO.PLRORND = current round.

COVANYTM If TSOP.TSOPISHI = 7/MHMO or 10/MedicarePartD,

set PLRO.COVANYTM = 1/Yes.

TSOPTYPE If TSOP.TSOPISHI = 1/Medicaid, 2/PublicPlan,

3/PrivatePlan, 9/Tricare, set TSOP.TSOPTYPE =

3/PlanNotMHMO.

Else if TSOP.TSOPISHI = 7/MHMO, set

TSOP.TSOPTYPE = 8/MHMO.

Else if TSOP.TSOPISHI=10/MedicarePartD, set

TSOP.TSOPTYPE =10/MedicarePartD.

TSOPPTYP Set TSOP.TSOPPTYP = PLAN.PLANTYPE. **TSOPPLAN** Set TSOP.TSOPPLAN = PLAN.PLANNUM.

TSOPDISP Set TSOP.TSOPDISP based on PLAN.PLANTYPE:

= 2/Medicaid, TSOPDISP = "(MCAD)".
= 3/PublicPlan, TSOPDISP = "(PUBL)".
= 4/PrivatePlan, TSOPDISP = "(PRIV)".
= 5/MHMO, TSOPDISP = "(MHMO)".
= 6/Tricare, TSOPDISP = "(TRIC)".
= 7/MPDP, TSOPDISP = "(MPDP)".

PLANDFLG If restarting Medicaid or Tricare plan, set

PLAN.PLANDFLG = empty. In addition, if tblPLAN.wvsDeleteFlag = Yes, update to

tblPLAN.wvsDeleteFlag = No.

LOSEPLFG If restarting Medicaid or Tricare plan, set

PLAN.LOSEPLFG = empty.

PLSOPFLG If creating new PLAN, set PLAN.PLSOPFLG = 1/Yes.

TECHNICAL NOTES

248 SOPPlan Source of Payment is a HI Plan =

Medicaid: TSOP.TSOPISHI=1/Medicaid Public: TSOP.TSOPISHI=2/PublicPlan

BOX ST67C

Private: TSOP.TSOPISHI=3/PrivatePlan MHMO: TSOP.TSOPISHI=7/MHMO Tricare: TSOP.TSOPISHI=9/Tricare. MPDP: TSOP.TSOPISHI=10/MedicarePartD

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

65 MHMOCurrent SP has a current Medicare Managed Care plan

(Medicare Advantage plan) =

There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &

PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes).

Exclude Deleted Plans. See T.N. 52.

342 MPDPCurrent SP has a "current" Medicare Prescription Drug plan =

There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &

PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes).

Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

BOX ST67C calls HI section for Medicaid, Tricare, Public Plans, and Private Plans added to SOP roster.

ST68 and ST69 collects status of MHMO plan added to SOP roster. ST69 calls HI section for MHMO plan if "current".

HI returns to ST at BOX ST69A.

ST69A and ST69B collect the status of MPDP plan added to SOP roster. ST does not call HI section for MPDP plan details.

ST68		Page Order # :	1135
Design Screen Type:	Yes/No		
Fields:	Field 1:	STMHMOCHNG1	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	3 :		
Context header display:	Display name of PLAN.PLNAME.	current Medicare Managed Care Plan,	
Question display:	is already a curre purpose of ST68 already reported	then a MHMO is added at the SOP roster and ent MHMO reported in the current round. The is to remind the respondent of the current Note and determine if the plan status has change current Medicare Managed Care Plan,	e 1HMO
	PLAN.PLNAME.	current medicare managed Care Flan,	
Multi Field display:			
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
<u>TEXT:</u>			
Context Header:		RENT MEDICARE MANAGED CARE PLAN	NAME)
Int. Instr I:			

I recorded previously that (CURRENT MEDICARE MANAGED CARE PLAN NAME) was [your/(SP's)] current Medicare Managed Care Plan. Has this information changed?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STMHMOCHNG1 (STQ2821)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 Yes ST69 - STSOPCURR1 (STQ2822)

English text: YES

2 No BOX ST69A - (STQ2825)

English text: NO

Attribute Route

Don't know BOX ST69A - (STQ2825)

Refusal BOX ST69A - (STQ2825)

BACKGROUND VARIABLE ASSIGNMENTS

COVCURNT If ST68 - STMHMOCHNG1 = 2/No, DK, RF, set

current round PLRO.COVCURNT = 2/No on MHMO

PLAN added to SOP roster.

SOFT EDIT CHECKS

Edit #1:

ST68 - STMHMOCHNG1 = 1/Yes.

If not true, display message "INFORMATION FOR THIS PLAN WILL

NOT BE COLLECTED NOW."

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLÁN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

65 MHMOCurrent SP has a current Medicare Managed Care plan

(Medicare Advantage plan) =

There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &

PLRO.PLRORND=current round &

PLRO.COVCURNT=1/Yes).

Exclude Deleted Plans. See T.N. 52.

ST69		Page Order # :	1137
Design Screen Type:	Yes/No		
Fields:	Field 1:	STSOPCURR1	
Enable Functions:	HELP COMMENTS JUMPBACK	No No No	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	3 :		
Context header display:		Medicare Managed Care Plan Name, added at ST66 Source of Payment Roster.	
Question display:	If SP is alive and Else do not displa	not institutionalized, display "currently".	
		Medicare Managed Care Plan Name, added at ST66 Source of Payment Roster.	
	If SP is deceased DEATH/DATE OP Else do not displa	d or institutionalized, display "on (DATE OF FINSTITUTIONALIZATION)". ay.	
Multi Field display:			
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
<u>TEXT:</u>			
Context Header:	MPDP: (ST66 SC	OP MEDICARE PRESCRIPTION DRUG PLA	N)
Int. Instr I:			

[Are you/ls (SP)/Was (SP)] (currently) covered or enrolled in (ST66 SOP MEDICARE MANAGED CARE PLAN NAME) [on (DATE OF

Question Text:

DEATH/DATE OF INSTITUTIONALIZATION)]?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STSOPCURR1 (STQ2822)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TYesNoDKRF
Answers Allowed: 1
Drop Down List: No

Drop Down List: No Lookup File: No

Lookup File Name:

Number Label

Route

Mask:

FieldSize:

Min Value:

Max Value:

1 Yes HIMC6A - MHMORXTM (HIQ4020)

VERIFY IN HI.

English text: YES

2 No BOX ST69A - (STQ2825)

English text: NO

Attribute Route

Don't know BOX ST69A - (STQ2825)

Refusal BOX ST69A - (STQ2825)

BACKGROUND VARIABLE ASSIGNMENTS

COVCURNT Set PLRO.COVCURNT on PLRO where

PLRO.PLROPLAN = PLAN.PLANNUM of MHMO added at SOP roster and PLRO.PLRORND = current

round:

If ST69 - STSOPCURR1 = 1/Yes, set PLRO.COVCURNT = 1/Yes. Else set PLRO.COVCURNT = 2/No.

COVCURNT

If ST68 - STMHMOCHNG1 = 1/Yes and ST69 -

STSOPCURR1 = 1/Yes, update

PLRO.PLROCOVURNT = 2/No on PLRO where PLRO.PLROPLAN = PLAN.PLANNUM of preexisting current MHMO and PLRO.PLRORNDC =

current round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

SP is Alive and not institutionalized =

MRES.SPALIVE=1/Alive or empty

SP is Alive =

MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY

SP is Institutionalized =

MRES.SPALIVE=2/AliveAndInstitute

SP is Deceased =

MRES.SPALIVE=3/Deceased.

DESIGN NOTES

ST69 calls HI section for MHMOs if MHMO added is current.

HI returns to ST at BOX ST69A.

ST69A

ST69A		F	Page Order # :	1153
Design Screen Type:	Yes/No			
Fields:	Field 1:	STMPDPCHNG		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:	is already a curre purpose of ST69	when a MPDP is added at ent MPDP reported in the A is to remind the respon- and determine if the plan	current round. The dent of the current	: MPDP
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		usly that (CURRENT MEI as [your/(SP's)] current Me		
	Has this informat	tion changed?		

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STMPDPCHNG (STQ2823)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Yes ST69B - STSOPCURR2 (STQ2824)

English text: YES

2 No BOX ST69A - (STQ2825)

Attribute Route

Don't know BOX ST69A - (STQ2825)

Refusal BOX ST69A - (STQ2825)

BACKGROUND VARIABLE ASSIGNMENTS

English text: NO

COVCURNT If ST69A - STMDPDCHNG = 2/No, DK, RF, set

current round PLRO.COVCURNT = 2/No for MPDP

PLAN added to SOP roster.

SOFT EDIT CHECKS

Edit #1:

ST69A - STMPDPCHNG = 1/Yes.

If not true, display message "INFORMATION FOR THIS PLAN WILL

NOT BE COLLECTED NOW."

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

ST69A

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

342 MPDPCurrent

SP has a "current" Medicare Prescription Drug plan = There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &

PLRO.PLRORND=current round &

PLRO.COVCURNT=1/Yes).

Exclude Deleted Plans. See T.N. 52.

ST69B

ST69B		Page Order # :	1154
Design Screen Type:	Yes/No		
Fields:	Field 1:	STSOPCURR2	
Enable Functions:	HELP COMMENTS JUMPBACK	No No No	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	S :		
Context header display:	Display name of Medicare Prescription Drug Plan, PLAN.PLNAME, added at ST66 Source of Payment Roster. If SP is deceased or institutionalized, display "on (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)". Else do not display.		
Question display:	If SP is alive and Else do not displa	not institutionalized, display "currently". ay.	
	Display name of Medicare Prescription Drug Plan, PLAN.PLNAME, added at ST66 Source of Payment Roster.		
	If SP is deceased or institutionalized, display "on (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)". Else do not display.		
Multi Field display:			
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
TEXT:			

Context Header: MPDP: (ST66 SOP MEDICARE PRESCRIPTION DRUG PLAN)

ST69B

Int. Instr I:

Question Text: [Are you/Is (SP)/Was (SP)] (currently) covered or enrolled in (ST66

SOP MEDICARE PRESCRIPTION DRUG PLAN) [on (DATE OF

DEATH/DATE OF INSTITUTIONALIZATION)]?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STSOPCURR2 (STQ2824)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

 Number
 Label
 Route

 1
 Yes
 BOX S

Yes BOX ST69A - (STQ2825)
English text: YES

2 No BOX ST69A - (STQ2825)

Attribute Route

Don't know BOX ST69A - (STQ2825)

Refusal BOX ST69A - (STQ2825)

BACKGROUND VARIABLE ASSIGNMENTS

English text: NO

COVCURNT Set PLRO.COVCURNT on PLRO where

PLRO.PLROPLAN = PLAN.PLANNUM of MPDP added at SOP roster and PLRO.PLRORND = current

round:

If ST69B - STSOPCURR2 = 1/Yes, set

PLRO.COVCURNT = 1/Yes. Else set PLRO.COVCURNT = 2/No.

ST69B

COVCURNT If ST69A - STMPD

If ST69A - STMPDPCHNG = 1/Yes and ST69B -

STSOPCURR2 = 1/Yes, update

PLRO.PLROCOVURNT = 2/No on PLRO where PLRO.PLROPLAN = PLAN.PLANNUM of preexisting current MPDP and PLRO.PLRORNDC =

current round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

SP SPStatus SP is Alive and not institutionalized =

MRES.SPALIVE=1/Alive or empty

SP is Alive =

MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY

SP is Institutionalized =

MRES.SPALIVE=2/AliveAndInstitute

SP is Deceased =

MRES.SPALIVE=3/Deceased.

BOX ST69A

BOX ST69A Page Order #: 1155

BOX INSTRUCTIONS

(STQ2825) GO TO ST67B_IN - NAVIGATOR (STQ2815).

ASSIGNMENTS

TECHNICAL NOTES

248 SOPPlan Source of Payment is a HI Plan =

Medicaid: TSOP.TSOPISHI=1/Medicaid Public: TSOP.TSOPISHI=2/PublicPlan Private: TSOP.TSOPISHI=3/PrivatePlan MHMO: TSOP.TSOPISHI=7/MHMO Tricare: TSOP.TSOPISHI=9/Tricare.

MPDP: TSOP.TSOPISHI=10/MedicarePartD

DESIGN NOTES

HI returns to ST at BOX ST69A.

BOX ST69E

BOX ST69E Page Order #: 1167

BOX INSTRUCTIONS

(STQ2840) IF AN "OTHER SOURCE OF PAYMENT" ADDED AT ST66, CREATE AN

OSOP FOR EACH SOURCE OF PAYMENT ADDED AT ST66 THAT IS AN

"OTHER SOURCE OF PAYMENT".

GO TO BOX ST69F - (STQ2842).

ASSIGNMENTS

Other Source of Payment details will be collected on OSOP: OSOP key = OSOP.OSOPBASE + OSOP.OSOPNUM

OSOP.OŚOPNUM = Number of Other Source of Payment generated at BOX ST69E.

Create OSOP record for each OTHER SOURCE OF PAYMENT added at ST66.

Set OSOP and TSOP fields as specified below.

OSOPNUM OSOP.OSOPNUM = highest OSOP.OSOPNUM + 01.

OSOPRNDC OSOP.OSOPRNDC = current round.
OSOP.OSOPTEXT = TSOP.TSOPTEXT.
OSOPISHI OSOP.OSOPISHI = TSOP.TSOPISHI.

TSOPTYPE TSOP.TSOPTYPE = 4/OSOP.

TSOPOSOP TSOP.TSOPOSOP = OSOP.OSOPNUM.

TSOPDISP IF (OSOP.OSOPISHI ^= NULL & (OSOP.OSOPISHI

= DK or RF)), TSOP.TSOPDISP = "(UNKNOWN)".

ELSE TSOP.TSOPDISP = "(OSOP)".

TECHNICAL NOTES

339 SOPIsOSOP Source of Payment is an "Other Source of Payment" =

TSOP.TSOPISHI = 4/NotHIPlanVA, 5/MilitaryPlanNotVA,

6/NotSPsPlan, 8/DM, DK, or RF.

BOX ST69F Page Order #: 1168

BOX INSTRUCTIONS

(STQ2842)

IF ((TYPE OF STATEMENT = 8/MPDPBenefit) or (TYPE OF STATEMENT = 4/Tricare and ST5 - STTYPE = 8/MPDPorMAorTricare)) and ((TOTAL CHARGE ^= DK and TOTAL CHARGE ^= RF) and (ALL PAYMENTS ENTERED AT ST67 ^= DK AND ^= RF)) AND ((TOTAL CHARGE IS > TOTAL PAYMENTS ENTERED AT ST67) AND (THE DIFFERENCE BETWEEN TOTAL CHARGE AND TOTAL PAYMENTS ENTERED AT ST67 IS > \$1.00)), GO TO ST73 - AMTSCORR (STQ2875).

IF (AMOUNT REMAINING ^= DK AND AMOUNT REMAINING ^= EMPTY) AND (AT LEAST ONE PAYMENT ENTERED AT ST67 = DK OR RF) AND (AT LEAST ONE PAYMENT ENTERED AT ST67 ^= DK AND ^= RF) AND (TOTAL OF ALL NON-MISSING PAYMENTS ENTERED AT ST67 IS >= AMOUNT REMAINING), GO TO ST71 - AMTSCORR (STQ2860).

ELSE IF (AMOUNT REMAINING $^=$ DK AND AMOUNT REMAINING $^=$ EMPTY) AND (ALL PAYMENTS ENTERED AT ST67 $^=$ DK AND $^=$ RF) AND (THE ABSOLUTE VALUE OF THE DIFFERENCE BETWEEN THE TOTAL PAYMENTS ENTERED AT ST67 AND AMOUNT REMAINING IS > \$1.00), GO TO ST70 - AMTSCORR (STQ2850).

ELSE GO TO BOX ST77C - (STQ2910).

ASSIGNMENTS

TECHNICAL NOTES

I E O I II I	TEORIGICAL NOTES				
230	AmountRemaining	Amount Remaining = COST.AREMAING.			
255	TotalPayments	Total of non-missing Payments entered in SOP grid = For each TSOP where (TSOP.TSOPAMT ^= DK and TSOP.TSOPAMT ^= EMPTY), then Total Payments = Total Payments + TSOP.TSOPAMT.			
468	TypeOfStatement	Type of Statement = COST.STATTYPE.			
DESIG	DESIGN NOTES				

ST70 Page Order #: 1170

Design Screen Type: Code 1

Fields: Field 1: AMTSCORR

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit ItemNoDelete ItemNoSearch ItemNo

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: If (COST.MCPAYAMT ^= EMPTY and COST.MCPAYAMT ^= DK and

COST.MCPAYAMT ^= RF), display "AFTER MEDICARE PAYMENT".

Else do not display.

Question display: Total Payments = If (TSOP.TSOPAMT ^= DK and TSOP.TSOPAMT

^= RF and TSOP.TSOPAMT ^= EMPTY), Total Payments = Total

Payments + TSOP.TSOPAMT.

If Total Payments > Amount Remaining then

Display "more payments than the amount left after Medicare

paid".

Display "overpaid".

DIFFERENCE = Display the remainder of (Total Payments -

Amount Remaining)

Else then

Display "some amount still unpaid".

Display "unpaid".

DIFFERENCE = Display the remainder of (Amount Remaining -

Total Payments).

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report above question text.

Display all Source of Payments where TSOP.TSOPAMT ^= empty in

the following order based on TSOP.TSOPTYPE:

- = 1/SPFamily
- = 2/ProvDiscount
- =11/MedicareSubsidy
- =12/ExtraHelp
- = 6/Medicare
- = 8/MHMO
- =10/MedicarePartD
- = 5/VA
- = 3/PlanNotMHMO
- = 4/OSOP
- = 9/DM

If there is more than Source of Payment per Source of Payment Type, display in order of entry in TSOP. Not all TSOP.TSOPTYPEs will be applicable.

Report header:

"NON-MEDICARE PAYMENTS"

Report layout:

Column 1, header="SOP NAME". Column 1, display = TSOP.TSOPTEXT.

Column 2, header = "PAYMENT".

Column 2, display =

If TSOP.TSOPAMT = DK, display "DK". Else if TSOP.TSOPAMT = RF, display "RF".

Else display TSOP.TSOPAMT.

TEXT:

Context Header: (ST CLAIM HEADER)

TOTAL CHARGE = \$(TOTAL CHARGE)

AMOUNT REMAINING (AFTER MEDICARE PAYMENT):

\$(AMOUNT REMAINING)

Int. Instr I:

Question Text: There seems to be (some amount still unpaid/more payments than

the amount left after Medicare paid). The total of non-Medicare payments is $TOTAL\ PAYMENTS$. The amount (unpaid/overpaid)

is \$(DIFFERENCE BETWEEN PAYMENTS AND AMOUNT

REMAINING). Is that correct?

Int. Instr II: IF SOURCE OF PAYMENT NEEDS ADDITION OR CORRECTION,

USE "PREVIOUS PAGE" TO RETURN TO THE SOP GRID.

INPUT FIELDS / ROUTING

Field1: AMTSCORR (STQ2850)

Cheshire Name: CORO.AMTSCORR

Item Text display: Do not display response option 2/NoAddCorrectSOP

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TAmtscorrMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route
1	YesEntriesCorrect	BOX ST77C - (STQ2910)
	English text: ENTRIES ABOVE ARE CORREC	CT
2	NoAddCorrectSOP	
		DO NOT DISPLAY.
	English text: NO, SOP NEEDS ADDITION OR	CORRECTION
3	AmountRemainingIncorrect	ST72 - ENTERCOM (STQ2870)
	English text: AMOUNT REMAINING SEEMS	INCORRECT
Attribute	Route	

Attribute	Route
Don't know	BOX ST77C - (STQ2910)
Refusal	BOX ST77C - (STQ2910)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining = COST.AREMAING.

255 TotalPayments

Total of non-missing Payments entered in SOP grid = For each TSOP where (TSOP.TSOPAMT ^= DK and TSOP.TSOPAMT ^= RF and TSOP.TSOPAMT ^= EMPTY), then Total Payments = Total Payments + TSOP.TSOPAMT.

ST71 Page Order #: 1190

Design Screen Type: Code 1

Fields: Field 1: AMTSCORR

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: If (COST.MCPAYAMT ^= EMPTY and COST.MCPAYAMT ^= DK and

COST.MCPAYAMT ^= RF), display "AFTER MEDICARE PAYMENT".

Else do not display.

Question display: If COST.TOTALAMT = DK, RF or empty, display "AMOUNT

REMAINING".

Else display "TOTAL CHARGE".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report above question text.

Display all Source of Payments where TSOP.TSOPAMT ^= empty in

the following order based on TSOP.TSOPTYPE:

= 1/SPFamily = 2/ProvDiscount =11/MedicareSubsidy =12/ExtraHelp = 6/Medicare

=10/MedicarePartD

= 5/VA

= 3/PlanNotMHMO

= 4/OSOP = 9/DM

= 8/MHMO

If there is more than Source of Payment per Source of Payment Type, display in order of entry in TSOP. Not all TSOP.TSOPTYPEs will be applicable.

Report header:

"NON-MEDICARE PAYMENTS"

Report layout:

Column 1, header="SOP NAME". Column 1, display = TSOP.TSOPTEXT.

Column 2, header = "PAYMENT".

Column 2, display =

If TSOP.TSOPAMT = DK, display "DK". Else if TSOP.TSOPAMT = RF, display "RF".

Else display TSOP.TSOPAMT.

TEXT:

Context Header: (ST CLAIM HEADER)

TOTAL CHARGE = \$(TOTAL CHARGE)

AMOUNT REMAINING (AFTER MEDICARE PAYMENT):

\$(AMOUNT REMAINING)

Int. Instr I:

Question Text:

Int. Instr II: THE AMOUNTS ENTERED FOR THE SOURCES OF PAYMENT

EQUAL OR EXCEED THE (TOTAL CHARGE/AMOUNT

REMAINING), WITH AT LEAST ONE SOP BEING A MISSING

AMOUNT. VERIFY ALL AMOUNTS AS ENTERED.

IF SOURCE OF PAYMENT NEEDS ADDITION OR CORRECTION,

USE "PREVIOUS PAGE" TO RETURN TO THE SOP GRID.

INPUT FIELDS / ROUTING

Field1: AMTSCORR (STQ2860)

Cheshire Name: CORO.AMTSCORR

Item Text display: Do not display response option 2/NoAddCorrectSOP

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TAmtscorrMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File: Lookup File Name:

Number Label Route

1 YesEntriesCorrect BOX ST77C - (STQ2910)

English text: ENTRIES ABOVE ARE CORRECT

2 NoAddCorrectSOP

DO NOT DISPLAY.

English text: NO, SOP NEEDS ADDITION OR CORRECTION

3 AmountRemainingIncorrect ST72 - ENTERCOM (STQ2870)

English text: AMOUNT REMAINING SEEMS INCORRECT

Attribute Route

Don't know BOX ST77C - (STQ2910)

Refusal BOX ST77C - (STQ2910)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining = COST.AREMAING.

ST72 Page Order # : 1200

Design Screen Type: No Entry

Fields: Field 1: ENTERCOM

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: If (COST.MCPAYAMT ^= EMPTY and COST.MCPAYAMT ^= DK and

COST.MCPAYAMT ^= RF), display "AFTER MEDICARE PAYMENT".

Else do not display.

Question display: If NO payments entered at ST67 = DK or RF, display "THE TOTAL

OF NON-MEDICARE...". Else do not display.

Total Payments = If (TSOP.TSOPAMT ^= DK and TSOP.TSOPAMT ^= RF and TSOP.TSOPAMT ^= EMPTY), Total Payments = Total

Payments + TSOP.TSOPAMT.

If Total Payments > Amount Remaining then

Display "OVERPAID".

DIFFERENCE = Display the remainder of (Total Payments -

Amount Remaining)

Else then

Display "UNPAID".

DIFFERENCE = Display the remainder of (Amount Remaining -

Total Payments).

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report above question text.

Display all Source of Payments where TSOP.TSOPAMT ^= empty in the following order based on TSOP.TSOPTYPE:

- = 1/SPFamily
- = 2/ProvDiscount
- =11/MedicareSubsidy
- =12/ExtraHelp
- = 6/Medicare
- = 8/MHMO
- =10/MedicarePartD
- = 5/VA
- = 3/PlanNotMHMO
- = 4/OSOP
- = 9/DM

If there is more than Source of Payment per Source of Payment Type, display in order of entry in TSOP. Not all TSOP.TSOPTYPEs will be applicable.

Report header:

"NON-MEDICARE PAYMENTS"

Report layout:

Column 1, header="SOP NAME". Column 1, display = TSOP.TSOPTEXT.

Column 2, header = "PAYMENT".

Column 2, display =

If TSOP.TSOPAMT = DK, display "DK". Else if TSOP.TSOPAMT = RF, display "RF".

Else display TSOP.TSOPAMT.

TEXT: _ _ _ _ _ _

Context Header: (ST CLAIM HEADER)

TOTAL CHARGE = \$(TOTAL CHARGE)

AMOUNT REMAINING (AFTER MEDICARE PAYMENT):

\$(AMOUNT REMAINING)

Int. Instr I:

Question Text:

Int. Instr II: [THE TOTAL OF NON-MEDICARE PAYMENTS IS \$(TOTAL

PAYMENTS). THE AMOUNT (UNPAID/OVERPAID) IS \$(DIFFERENCE BETWEEN PAYMENTS AND AMOUNT

REMAINING).]

USE COMMENTS TO EXPLAIN WHY THE AMOUNT REMAINING

SEEMS INCORRECT.

INPUT FIELDS / ROUTING

Field1: ENTERCOM (STQ2870)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TContinueEMPTY

Answers Allowed: 1
Drop Down List: No
Lookup File: No

Lookup File Name:

FieldSize: Min Value:

Max Value:

Mask:

Number Label Route

1 Continue BOX ST77C - (STQ2910)

English text: CONTINUE

Attribute Route

Empty BOX ST77C - (STQ2910)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

230 AmountRemaining Amount Remaining = COST.AREMAING.

255 TotalPayments Total of non-missing Payments entered in SOP grid =

For each TSOP where (TSOP.TSOPAMT ^= DK and TSOP.TSOPAMT ^= RF and TSOP.TSOPAMT ^= EMPTY), then Total Payments = Total Payments +

TSOP.TSOPAMT.

ST73 Page Order #: 1210

Design Screen Type: Yes/No

Fields: Field 1: AMTSCORR

Enable Functions: HELP No

COMMENTS No JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Total Payments = If (TSOP.TSOPAMT ^= DK and TSOP.TSOPAMT

^= RF and TSOP.TSOPAMT ^= EMPTY), Total Payments = Total

Payments + TSOP.TSOPAMT.

DIFFERENCE = Display the remainder of (Total Charge - Total

Payments).

Question display: Total Payments = If (TSOP.TSOPAMT ^= DK and TSOP.TSOPAMT

^= RF and TSOP.TSOPAMT ^= EMPTY), Total Payments = Total

Payments + TSOP.TSOPAMT.

DIFFERENCE = Display the remainder of (Total Charge - Total

Payments).

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report above question text.

Display all Source of Payments where TSOP.TSOPAMT ^= empty in

the following order based on TSOP.TSOPTYPE:

= 1/SPFamily = 2/ProvDiscount =11/MedicareSubsidy =12/ExtraHelp

= 6/Medicare

- = 8/MHMO
- =10/MedicarePartD
- = 5/VA
- = 3/PlanNotMHMO
- = 4/OSOP
- = 9/DM

If there is more than Source of Payment per Source of Payment Type, display in order of entry in TSOP.

Not all TSOP.TSOPTYPEs will be applicable.

Report header:

"NON-MEDICARE PAYMENTS"

Report layout:

Column 1, header="SOP NAME". Column 1, display = TSOP.TSOPTEXT.

Column 2, header = "PAYMENT".

Column 2, display =

If TSOP.TSOPAMT = DK, display "DK". Else if TSOP.TSOPAMT = RF, display "RF".

Else display TSOP.TSOPAMT.

TEXT:

Context Header: (ST CLAIM HEADER)

TOTAL PAYMENTS: (TOTAL PAYMENTS)

AMOUNT REMAINING: (DIFFERENCE BETWEEN PAYMENTS

AND TOTAL CHARGE)

Int. Instr I:

Question Text: There seems to be some amount still unpaid. The total of non-

Medicare payments is \$(TOTAL PAYMENTS). The amount unpaid is \$(DIFFERENCE BETWEEN TOTAL CHARGE AND PAYMENTS).

Is that correct?

Int. Instr II: IF SOURCE OF PAYMENT NEEDS ADDITION OR CORRECTION,

USE "PREVIOUS PAGE" TO RETURN TO THE SOP GRID.

INPUT FIELDS / ROUTING

Field1: **AMTSCORR** (STQ2875)

Cheshire Name: CORO.AMTSCORR

Do not display response options 2/NoAddCorrectSOP or 3/AmountRemainingIncorrect. Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize: Type Name: **TAmtscorr** Min Value: **Answers Allowed:** 1 Max Value: **Drop Down List:** No Mask:

No Lookup File:

Lookup File Name:

Number	Label	Route
1	YesEntriesCorrect	ST74 - INFOEXPLAIN (STQ2877)
	English text: ENTRIE	ES ABOVE ARE CORRECT
2	NoAddCorrectSOP	
		DO NOT DISPLAY.
	English text: NO, SO	P NEEDS ADDITION OR CORRECTION
3	AmountRemainingIncor	rect
		DO NOT DISPLAY.
	English text: AMOUN	NT REMAINING SEEMS INCORRECT
Attribute	Route	
Don't kno	w BOX ST77C - (STQ2910)
Refusal	BOX ST77C - (STQ2910)
BVCKG	ROUND VARIABLE ASS	IGNMENTS
BACKGI	COUND VARIABLE ASS	IGNIMIEN 13
SOFT E	DIT CHECKS	
HARD E	DIT CHECKS	
TECHNI	CAL NOTES	

ST74		Page Orde	er#:	1220
Design Screen Type:	Yes/No			
Fields:	Field 1:	INFOEXPLAIN		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:	^= RF and TSOP Payments + TSO DIFFERENCE =	If (TSOP.TSOPAMT ^= DK and TS TSOPAMT ^= EMPTY), Total Payr P.TSOPAMT. Display the remainder of (Total Cha	ments = T	otal
Question displays	Payments).			
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	AMOUNT UNPAI	D: (DIFFERNCE BETWEEN TOTA ;)	AL CHAR	GE

IS THERE ADDITIONAL INFORMATION ON THE DRUG BENEFIT STATEMENT THAT EXPLAINS THE AMOUNT STILL UNPAID?

Int. Instr I:

Question Text: Int. Instr II:

		\$174
INPUT FIELDS / ROU	UTING	
Field1:	INFOEXPLAIN	(STQ2877)
Cheshire Name:	TEMP	
Item Text display:		
Item Text:		
Label:		
Label Position:		
Field Type:	Enumerated	FieldSize:
Type Name:	TYesNo	Min Value:
Answers Allowed:	1	Max Value:
Drop Down List:	No	Mask:
Lookup File:	No	
Lookup File Name:		
Number Label		Route
1 Yes		ST75 - ENTERCOM2 (STQ2880)
	xt: YES	
2 No		BOX ST77C - (STQ2910)
English te	xt: NO	
	4 D. E. 40010NIMENTO	
BACKGROUND VARIA	ABLE ASSIGNMENTS	
SOFT EDIT CHECKS		
-		
HARD EDIT CHECKS		

TECHNICAL NOTES

ST75		Page Order	#:	1230
Design Screen Type:	No Entry			
Fields:	Field 1:	ENTERCOM2		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:	^= RF and TSOP. Payments + TSO DIFFERENCE = I	If (TSOP.TSOPAMT ^= DK and TSOPAMT ^= EMPTY), Total PaymonersOPAMT. Display the remainder of (Total Char	ents = To	otal
Question display:	Payments).			
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
Context Header:	AMOUNT UNPAI	D: \$(DIFFERENCE BETWEEN TOT)	ſAL CHA	RGE
Int. Instr I:				
Question Text:				

USE COMMENTS TO ENTER ANY INFORMATION THAT

EXPLAINS THE AMOUNT STILL UNPAID.

Int. Instr II:

			
INPUT FIELDS / ROU	TING		
Field1:	ENTERCOM2	(STQ2880)	
Cheshire Name:	TEMP		
Item Text display:			
Item Text:			
Label: Label Position:			
Field Type:	Enumerated		
Type Name:	TContinueEMPTY	FieldSize: Min Value:	
Answers Allowed:	1	Max Value:	
Drop Down List:	No	Mask:	
Lookup File: Lookup File Name:	No		
Lookup File Name:			
Number Label		Route	
1 Continue		BOX ST77C - (STQ2910)	
English tex	t: CONTINUE	BOX ST77C - (STQ2910)	
Attribute Route			
Empty BOX S	ST77C - (STQ2910)		
BACKGROUND VARIA	BI F ASSIGNMENTS		
DAGREROUND VARIA	DEL AGGIONILIA I		
SOFT EDIT CHECKS			
HARD EDIT CHECKS			

TECHNICAL NOTES

BOX ST77C

BOX ST77C Page Order #: 1240

BOX INSTRUCTIONS

GO TO BOX ST77D - (STQ2915).

ASSIGNMENTS

Payments details are stored on PAYM:

PAYM key = PAYM.PAYMBASE + PAYM.PAYMCOST + PAYM.PAYMNUM.
PAYM.PAYMCOST = COST.COSTNUM of this charge bundle being asked about.
PAYM.PAYMNUM = Unique Number assigned to unique payer linked to this charge bundle.

PAYM records are only created for payers where TSOP.TSOPAMT ^= NULL. TSOP.TSOPAMT may be >= 0, DK, or RF.

Only one PAYM record will be created per unique payer per charge bundle, regardless of PAYM.PAYMRNDC.

DETAILS:

For each payer where TSOP.TSOPAMT >=0, DK, or RF:

If TSOP.TSOPPAYM ^= NULL then do;

There is a PAYM record linked to this charge bundle for this payer where TSOP.TSOPPAYM = PAYM.PAYMCOST + PAYM.PAYMNUM and PAYM.PAYMCOST = this charge bundle COST.COSTNUM.

Update existing PAYM.PAYMAMT = TSOP.TSOPAMT.

Else if there is a PAYM where PAYM.PAYMCOST = this charge bundle COST.COSTNUM and

((TSOP.TSOPTYPE = 1/SPFamily and PAYM.PAYMTYPE = 1/SPFamily) or

(TSOP.TSOP TYPE = 2/ProvDiscount and PAYM.PAYMTYPE = 2/ProvDiscount) or

(TSOP.TSOPTYPE = 5/VA and PAYM.PAYMTYPE = 5/VA) or

(TSOP.TSOPTYPE = 6/Medicare and PAYM.PAYMTYPE = 6/Medicare) or

(TSOP.TSOPTYPE = 7/OtherMilitaryPlanNotVA and PAYM.PAYMTYPE =

7/OtherMilitaryPlanNotVA) or

(TSOP.TSOPTYPE = 11/MedicareSubsidy and PAYM.PAYMTYPE =

11/MedicareSubsidy) or

(TSOP.TSOPTYPE = 12/ExtraHelp and PAYM.PAYMTYPE = 12/ExtraHelp) or

((TSOP.TSOPTYPE = 4/OSOP and PAYM.PAYMTYPE = 4/OSOP) and

(TSOP.TSOPOSOP = PAYM.PAYMOSOP)) or

((TSOP.TSOPTYPE = 9/DM and PAYM.PAYMTYPE = 9/DM) and (TSOP.TSOPDMEM = PAYM.PAYMDMEM)) or

((TSOP.TSOPTYPE = 3/PlanNotMHMO and PAYM.PAYMTYPE = 3/PlanNotMHMO)

and (TSOP.TSOPPLAN = PAYM.PAYMPLAN)) or

((TSOP.TSOPTYPE = 8/MHMO and PAYM.PAYMTYPE = 8/MHMO) and

(TSOP.TSOPPLAN = PAYM.PAYMPLAN)) or

((TSOP.TSOPTYPE = 10/MedicarePartD and PAYM.PAYMTYPE = 10/MedicarePartD) and (TSOP.TSOPPLAN = PAYM.PAYMPLAN))), then do:

This PAYM record is linked to the current round charge bundle for this payer. Update PAYM.PAYMAMT = TSOP.TSOPAMT.

Else do;

Create a new current round PAYM record for this payer.

Set PAYM.PAYMAMT = TSOP.TSOPAMT.

Set additional fields on PAYM as specified below.

PAYMCOST

If creating a new PAYM record, create PAYM where

BOX ST77C

PAYM.PAYMCOST = this COST.COSTNUM.

PAYMNUM If creating a new PAYM record, set

PAYM.PAYMNUM = highest PAYM.PAYMNUM for

PAYM.PAYMCOST + 01.

PAYMRNDC If creating a new PAYM record, set

PAYM.PAYMRNDC = current round.

PAYMTYPE If creating a new PAYM record, set

PAYM.PAYMTYPE = TSOP.TSOPTYPE.

PAYMPLAN If creating a new PAYM record, if TSOP.TSOPTYPE

= 3/PlanNotMHMO, 8/MHMO or 10/MedicarePartD,

set PAYM.PAYMPLAN = TSOP.TSOPPLAN.

PAYMOSOP If creating a new PAYM record, if TSOP.TSOPTYPE

= 4/OSOP, set PAYM.PAYMOSOP =

TSOP.TSOPOSOP.

PAYMISHI If creating a new PAYM record, if TSOP.TSOPISHI

^= empty, set PAYM.PAYMISHI = TSOP.TSOPISHI.

PAYMAMT PAYMAMT = TSOP.TSOPAMT.

PAYMDMEM If creating a new PAYM record, if TSOP.TSOPTYPE

= 9/DM, set PAYM.PAYMDMEM =

TSOP.TSOPDMEM.

TECHNICAL NOTES

BOX ST77D

BOX ST77D Page Order #: 1245

BOX INSTRUCTIONS

(STQ2915) IF THE SP OR FAMILY MADE A PAYMENT AND PAYMENT IS GREATER

THAN \$5.00, GO TO ST78 - EXPPAYBK (STQ2920).

ELSE GO TO BOX ST80 - (STQ2930).

ASSIGNMENTS

TECHNICAL NOTES

234 SPFamilyPayment SP/Family Payment =

For this COST, there is PAYM where (PAYM.PAYMCOST = COST.COSTNUM & PAYM.PAYMTYPE = 1/SPFamily

& PAYM.PAYMDFLG^-1/Yes).

SP/family payment = PAYM.PAYMAMT.

ST78 Page Order #: 1250 **Design Screen Type:** Yes/No Fields: Field 1: **EXPPAYBK Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display SP/Family payment. Question display: Display SP/Family payment. Multi Field display: **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT: (ST CLAIM HEADER) SP/FAMILY PAYMENT: (SP/FAMILY **Context Header:** PAYMENT) **EVENT: (CHARGE BUNDLE EVENT)** (CHARGE BUNDLE EVENT) (etc.)

Int. Instr I:

Question Text: I have recorded that [you have/(SP) has] paid \$(SP/FAMILY

TOTAL CHARGE = \$(TOTAL CHARGE)

PAYMENT). Do you expect any source to pay [you/(SP)] back any

or all of that amount?

Int. Instr II:

9:25:58 AM Wednesday, March 27, 2013

INPUT FIELDS / ROUTING

Field1: EXPPAYBK (STQ2920)

Cheshire Name: CORO.EXPPAYBK

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Yes BOX ST78A - (STQ2922)

English text: YES

2 No BOX ST78A - (STQ2922)

English text: NO

Attribute Route

Don't know BOX ST78A - (STQ2922)

Refusal BOX ST78A - (STQ2922)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

234 SPFamilyPayment SP/Family Payment =

For this COST, there is PAYM where (PAYM.PAYMCOST = COST.COSTNUM & PAYM.PAYMTYPE = 1/SPFamily

& PAYM.PAYMDFLG^-1/Yes).

SP/family payment = PAYM.PAYMAMT.

BOX ST78A

BOX ST78A Page Order #: 1251

BOX INSTRUCTIONS

(STQ2922) IF ST78 - EXPPAYBK = 1/Yes AND ((CURRENTLY ADMINISTERING CPS

AND CHARGES WERE FIRST COLLECTED 2 ROUNDS PREVIOUS TO CURRENT ROUND) OR (SP IS IN THE EXIT SAMPLE)), GO TO ST80 -

EXPAYUNT (STQ2926).

ELSE GO TO BOX ST80 - (STQ2930).

ASSIGNMENTS

TECHNICAL NOTES

16 ExitSample SP is in the Exit Sample =

(MRES.INTTYPE = 8/ExitInterviewHadPrev or 9/ExitInterviewSkipPre) on MRES where

MRES.MRESRND = current round.

271 COST2RoundsOld Charges first collected 2 rounds previous to current round

=

COST.COSTRNDC = (current round - 2).

BOX ST78B

BOX ST78B Page Order #: 1252

BOX INSTRUCTIONS

(STQ2923) IF (CURRENTLY ADMINISTERING CPS AND CHARGES WERE FIRST

COLLECTED 2 ROUNDS PREVIOUS TO CURRENT ROUND) OR (SP IS IN

THE EXIT SAMPLE), GO TO ST79 - EXPAYOUT (STQ2924).

ELSE GO TO BOX ST80 - (STQ2930).

ASSIGNMENTS

TECHNICAL NOTES

16 ExitSample SP is in the Exit Sample =

(MRES.INTTYPE = 8/ExitInterviewHadPrev or

9/ExitInterviewSkipPre) on MRES where MRES.MRESRND = current round.

271 COST2RoundsOld Charges first collected 2 rounds previous to current round

=

COST.COSTRNDC = (current round - 2).

ST79			Page Order #:	1253
Design Screen Type:	Yes/No			
Fields:	Field 1:	EXPAYOUT		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	5:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(CHAR	DER) GE BUNDLE EVENT) (GE BUNDLE EVENT) (E = \$(TOTAL CHARGE)	(etc.)	
Int. Instr I:				
Question Text:	Do you expect ar	nyone to pay any of this	amount?	
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: EXPAYOUT (STQ2924)

Cheshire Name: CORO.EXPAYOUT

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TYesNoDKRFMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route
1	Yes	ST80 - EXPAYUNT (STQ2926)
	English text: YES	
2	No	BOX ST80 - (STQ2930)
	English text: NO	

Attribute	Route
Don't know	BOX ST80 - (STQ2930)
Refusal	BOX ST80 - (STQ2930)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

ST80			Page Order #:	1258
Design Screen Type:	Quantity Unit			
Fields:	Field 1: Field 2: Field 3:	EXPAYUNT EXPAYPCT EXPAYAMT		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:	Vertical Alignmer	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	(CHAR	DER) GE BUNDLE EVENT) (GE BUNDLE EVENT) (E = \$(TOTAL CHARGE)		
Int. Instr I:				
Question Text:	How much do you	u expect wil be paid?		

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: EXPAYUNT (STQ2926)

Cheshire Name: CORO.EXPAYUNT

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TExpayuntMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route
1	Percentage	ST80 - EXPAYPCT (STQ2927)
	English text: PERCENTAGE	
2	Dollars	ST80 - EXPAYAMT (STQ2928)
	English text: DOLLARS	

Attribute	Route
Don't know	BOX ST80 - (STQ2930)
Refusal	BOX ST80 - (STQ2930)

Field2: EXPAYPCT (STQ2927)

Cheshire Name: CORO.EXPAYPCT

Item Text display:

Item Text:

Label: PERCENTAGE:

Label Position: Left

Field Type: Real FieldSize:

 Type Name:
 TExpaypctReal
 Min Value:
 0.0

 Answers Allowed:
 1
 Max Value:
 100

 Drop Down List:
 No
 Mask:
 Percent

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST80 - (STQ2930)

Field3: EXPAYAMT (STQ2928)

Cheshire Name: CORO.EXPAYAMT

Item Text display:

Item Text:

Label: DOLLARS:

Label Position: Left

Field Type: Real FieldSize:

Type Name:TExpayamtMin Value:0.49Answers Allowed:1Max Value:999999.99Drop Down List:NoMask:Dollars

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX ST80 - (STQ2930)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1

If ST80 - EXPAYUNT = 1/Percentage, then ST80 - EXPAYPCT should = 20 - 100.
If not true, display message "PERCENTAGE SEEMS UNLIKELY. PLEASE VERIFY."

Edit #2

If ST80 - EXPAYUNT = 2/Dollars and (SP/Family's payment ^= DK and ^= RF) , then ST80 - EXPAYAMT should <= SP/Family's payment.

If not true, display message "THE AMOUNT ENTERED IS GREATER THAN THE SP/FAMILY PAYMENT. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

BOX ST80 Page Order #: 1260

BOX INSTRUCTIONS

(STQ2930) IF CURRENTLY ADMINISTERING NS, GO TO BOX NSBEG - (NSQ1010).

ELSE IF CURRENTLY ADMINISTERING CPS, GO TO BOX CPSBEG - (CPS1010).

ELSE IF ((TYPE OF STATEMENT = 8/MPDPBenefit) or (TYPE OF STATEMENT = 4/Tricare and ST5 - STTYPE = 8/MPDPorMAorTricare)), GO TO ST82 - ASTATEMENT (STQ2970).

ELSE GO TO ST81 - ABUNDLE (STQ2960).

ASSIGNMENTS

EVERSTMT Set HRND.EVERSTMT = 1/Yes, indication that at

least one charge bundle has been entered in the

current round.

TECHNICAL NOTES

TypeOfStatement Type of Statement = COST.STATTYPE.

DESIGN NOTES

If administering CPS, BOX ST80 routes back to the beginning of CPS to reevaluate which COST BUNDLES still need to be asked about in CPS.

Else if administering NS, BOX ST80 routes back to the beginning of NS to reevaluate which current round EVENTS still need charge bundle data collected.

Else (administering ST), BOX ST80 routes to the ST END LOOP Probe for more statements.

ST81			Page Order #:	1290
Design Screen Type:	Yes/No			
Fields:	Field 1:	ABUNDLE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:	IS THERE ANOTHER CHARGE BUNDLE TO ENTER FROM THIS (TYPE OF STATEMENT)?			
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	ì			

Field1:	ABUNDLE	(STQ2960)
Cheshire Name:	TEMP	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type:	Enumerated	FieldSize:
Type Name:	TYesNo	Min Value:
Answers Allowed:	1	Max Value:
Drop Down List:	No	Mask:
Lookup File: Lookup File Name:	No	
Lookup File Name.		
Number Label		Route
Number Label 1 Yes		ST4 - MATCHST (STO1110)
1 Yes	:YES	ST4 - MATCHST (STQ1110)
1 Yes	:YES	ST4 - MATCHST (STQ1110)
1 Yes English text	:YES	ST4 - MATCHST (STQ1110)
1 Yes English text	:YES	ST4 - MATCHST (STQ1110)
1 Yes English text	:YES :NO	ST4 - MATCHST (STQ1110)
1 Yes English text: 2 No English text:	:YES :NO	ST4 - MATCHST (STQ1110)
1 Yes English text: 2 No English text:	:YES :NO	ST4 - MATCHST (STQ1110)
1 Yes English text: 2 No English text: BACKGROUND VARIAE	:YES :NO	ST4 - MATCHST (STQ1110)
1 Yes English text: 2 No English text: BACKGROUND VARIAE	:YES :NO	ST4 - MATCHST (STQ1110)
1 Yes English text: 2 No English text: BACKGROUND VARIAB	:YES :NO	ST4 - MATCHST (STQ1110)
1 Yes English text: 2 No English text: BACKGROUND VARIAB	:YES :NO	ST4 - MATCHST (STQ1110)

ST82			Page Order # :	1300
Design Screen Type:	Yes/No			
Fields:	Field 1:	ASTATEMENT		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:		RENCE PERIOD: (SUR) E OF DEATH/DATE OI		
Int. Instr I:	IS THERE ANOTHER MSN, INSURANCE, TRICARE, OR MEDICARE PRESCRIPTION DRUG BENEFIT STATEMENT TO ENTER?			
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

Field1:	ASTATEMENT	(STQ2970)	
Cheshire Name:	TEMP		
Item Text display:			
Item Text:			
Label: Label Position:			
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TYesNo 1 No No	FieldSize: Min Value: Max Value: Mask:	
Number Label		Route	
1 Yes		ST4 - MATCHST (STQ1110)	
English text	:YES		
2 No		BOX STEND - (STQ3010)	
English text	:NO		
BACKGROUND VARIA	BLE ASSIGNMENTS		
SOFT EDIT CHECKS			
HARD EDIT CHECKS			
TECHNICAL NOTES			
DESIGN NOTES			

BOX STEND

BOX STEND		Page Order # :	1340		
BOX INSTRUCTIONS					
(STQ3010)	GO TO NEXT SECTION				
ASSIGNMENT	s				
TECHNICAL N	OTES				
DESIGN NOTE	:S				