

Measures Study

Survey

INTRODUCTION (TELEVISION ADS)

Thank you for agreeing to participate in this study today. Make sure you are comfortable and can read the screen from where you sit. The survey will include some audio, so please make sure the sound is on and the speaker volume is turned up.

This study will take about 30 minutes to complete. We ask you to please complete the study in one sitting (without taking any breaks) in order to avoid distractions.

This study is about a new prescription drug. The study has two parts: There are three parts: First, we will show you an advertisement about the new medication. Second, we will ask you some questions about the medication. Finally, we will show you a few more ads for medications and ask you which medications you like best.

PRODUCT ADVERTISEMENT (TELEVISION ADS)

On the next screen, you will see an advertisement for a new drug. The ad may take 15-30 seconds to start playing. Please click the Next button to view the ad.

[PROGRAMMER: **Display ad correspondent to the participant's experimental condition.** Record duration of time spent watching ad and also time spent on each screen answering questions. Each ad should run twice. Also, please disable the "Next" button while each ad is playing to prevent participant from skipping ahead.]

We would like you to watch the ad a second time. Please click the Next button to view the ad.

[PROGRAMMER: Show ad twice.]

INTRODUCTION (PRINT ADS)

Thank you for agreeing to participate in this study today. Make sure you are comfortable and can read the screen from where you sit.

This study will take about 30 minutes to complete. We ask you to please complete the study in one sitting (without taking any breaks) in order to avoid distractions.

This study is about a new medication. There are three parts: First, we will show you an advertisement about the new medication. Second, we will ask you some questions about the medication. Finally, we will show you a few more ads for medications and ask you which medications you like best.

PRODUCT ADVERTISEMENT (PRINT ADS)

On the next screen, you will see an advertisement for a new drug. Please read this ad as if it were in a magazine. You can take as much time as you want to review it.

The ad has two pages. You can enlarge and flip between the pages by clicking on the “Next” and “Back” buttons at the bottom of each page. Once you finish reading, please click “Next” to move to the next part of the study.

[PROGRAMMER: Display ad correspondent to the participant’s experimental condition. Record time spent viewing ad.]

[NOTE: Items will be organized into modules, and we will select which modules to present in each survey wave. We also may randomly assign participants to complete specific modules within each survey wave.]

SURVEY QUESTIONS

Perceived Risk Likelihood

[Present survey instruction before each module.]

Most people don't know how a prescription drug will affect them until they've taken the drug. But we'd like you to make your **best guess** based on the ad you just saw. Please answer the following questions **based on what you saw in the ad.**

1. How likely it is that taking [Coravaz / Dolafex] would cause permanent negative side effects?

1	2	3	4	5	6
Not at all likely					Extremely likely

2. [Coravaz / Dolafex] has very few risks and negative side effects.

1	2	3	4	5	6
Strongly disagree					Strongly agree

3. How likely is it that you would experience at least one negative side effect if you took [Coravaz / Dolafex]?

1	2	3	4	5	6
Not at all likely					Extremely likely

4. How often do you think [Coravaz / Dolafex] causes unwanted side effects?

1	2	3	4	5	6
Never					Always

5. There is a good chance that I would develop at least one negative side effect from taking [Coravaz / Dolafex].

1	2	3	4	5	6
Strongly disagree					Strongly agree

6. If 100 people take [Coravaz / Dolafex], how many do you think will have at least one negative side effect? Please enter a number from 0 to 100: (__ people)

7. What is the chance that you would develop each of the following side effects from taking [Coravaz/Dolafex]?

a. [Heart failure / Suicidal thoughts]

1	2	3	4	5	6
Very low chance					Very high chance

b. [Extreme fatigue / Restlessness or agitation]

1	2	3	4	5	6
Very low chance					Very high chance

c. Dry mouth

1	2	3	4	5	6
Very low chance					Very high chance

8. How likely is it that you would experience the following side effects if you took [Coravaz/Dolafex]?

a. [Heart failure / Suicidal thoughts]

1	2	3	4	5	6
Not at all likely					Extremely likely

b. [Extreme fatigue / Restlessness or agitation]

1	2	3	4	5	6
Not at all likely					Extremely likely

c. Dry mouth

1	2	3	4	5	6
Not at all likely					Extremely likely

Perceived Risk Magnitude

9. How serious are [Coravaz / Dolafex]'s side effects?

1	2	3	4	5	6
---	---	---	---	---	---

Not at all
serious

Extremely
serious

10. How serious are each of the following side effects of [Coravaz/Dolafex]?

a. [Heart failure / Suicidal thoughts]

1 2 3 4 5 6

Not at all
serious

Extremely
serious

b. [Extreme fatigue / Restlessness or agitation]

1 2 3 4 5 6

Not at all
serious

Extremely
serious

c. Dry mouth

1 2 3 4 5 6

Not at all
serious

Extremely
serious

11. If I took [Coravaz / Dolafex] and had any negative side effects, they would probably be:

1 2 3 4 5 6

Very minor

Very serious

12. To what extent do you think [Coravaz / Dolafex]'s side effects would affect your physical health ?

1 2 3 4 5 6

Not at all

Extremely

13. If [Coravaz / Dolafex] did cause you to have negative side effects, how serious would they be?

1 2 3 4 5 6

Not at all
serious

Extremely
serious

14. If [Coravaz /Dolafex] caused you to have the following side effects, how serious would each of them be?

a. [Heart failure / Suicidal thoughts]

1	2	3	4	5	6
Not at all serious					Extremely serious

b. [Extreme fatigue / Restlessness or agitation]

1	2	3	4	5	6
Not at all serious					Extremely serious

c. Dry mouth

1	2	3	4	5	6
Not at all serious					Extremely serious

15. To what extent do you think [Coravaz / Dolafex]'s side effects would affect your physical health and ability to function (strength, energy levels, etc.)?

1	2	3	4	5	6
Not at all					Extremley

Perceived Risk Onset

16. If negative side effects were to occur, how soon after taking [Coravaz / Dolafex] would they start?

Minutes Hours Days Weeks

17. How soon after taking [Coravaz / Dolafex] would you expect side effects to occur?

1	2	3	4	5	6
Never					Very soon

18. If [Coravaz / Dolafex] did cause you to have negative side effects, how quickly would they occur after taking the drug?

1	2	3	4	5	6
Not at all quickly					Very quickly

Perceived Risk Duration

19. How long will [Coravaz / Dolafex]'s negative side effects last once they begin?

1	2	3	4	5	6	7
Minutes	Hours	Days	Weeks	Months	Years	Never

20. Do you think [Coravaz / Dolafex]'s side effects would be short lived or long lasting?

1	2	3	4	5	6
Short-lived					Long-lasting

Perceived Efficacy Likelihood

21. How likely is it that [Coravaz / Dolafex] would [relieve your chronic pain/lower your high blood pressure] if you took it?

1	2	3	4	5	6
Not at all likely					Extremely likely

22. How often do you think [Coravaz / Dolafex] [lowers blood pressure/reduces chronic pain]?

1	2	3	4	5	6
Never					Always

23. If 100 people take [Coravaz / Dolafex], for how many will the drug [lower blood pressure/reduce chronic pain]? Please enter a number in the box below.
 (___ people)

24. I would be able to participate in my usual activities after taking [Coravaz / Dolafex].

1	2	3	4	5	6
---	---	---	---	---	---

Strongly disagree

Strongly agree

25. [Coravaz / Dolafex is more likely to help my [chronic pain / high blood pressure] than other prescription drugs.

1 2 3 4 5 6

Strongly disagree

Strongly agree

Perceived Efficacy Magnitude

26. How well would [Coravaz / Dolafex] relieve [chronic pain/treat high blood pressure]?

1 2 3 4 5 6

Not at all well

Extremely well

27. How effective would [Coravaz / Dolafex] be in treating your [chronic pain / high blood pressure]?

1 2 3 4 5 6

Not at all effective

Extremely effective

28. How much relief would [Coravaz / Dolafex] give you from your [chronic pain / high blood pressure]?

1 2 3 4 5 6

Very little relief

Complete relief

29. Taking [Coravaz / Dolafex] for [high blood pressure / chronic pain]] would...

1 2 3 4 5 6

Improve my [high blood pressure / chronic pain] a little

Improve my [high blood pressure / chronic pain] a lot

30. Taking [Coravaz / Dolafex] for [chronic pain/high blood pressure] would be...

Strongly disagree

Strongly agree

Perceived Efficacy Onset

37. How quickly would you notice if [Coravaz / Dolafex] was working?

1	2	3	4	5
Within minutes	Within hours	Within days	Within weeks	Within months

38. [Coravaz / Dolafex] would work fast.

1	2	3	4	5	6
Strongly disagree					Strongly agree

39. How long do you think it would take for [Coravaz / Dolafex] to improve your [chronic pain/high blood pressure]?

1	2	3	4	5	6
A very long time					A very short time

40. How fast would [Coravaz / Dolafex] [relieve your chronic pain/ lower your high blood pressure]?

1	2	3	4	5	6
Very slow					Very fast

Perceived Efficacy Duration

41. How long would [Coravaz / Dolafex]'s positive effects last, once the drug started working?

1		3				
Minutes	Hours	Days	Weeks	Months	Years	Never

42. How long would one dose of [Coravaz / Dolafex] last before your [chronic pain / high blood pressure] symptoms returned?

1	2	3	4	5	6
---	---	---	---	---	---

OMB Control No: _____ Expires: _____

A short time

A long time

43. How long would [Coravaz / Dolafex] treat your [chronic pain / high blood pressure] before you needed to take another dose?

1 2 3 4 5 6

A short time

A long time

44. Do you think [Coravaz / Dolafex]'s positive effect on [chronic pain/high blood pressure] would be short lived or long lasting?

1 2 3 4 5 6

Short-lived

Long-lasting

Perceived Benefit General

45. [Coravaz / Dolafex] has extra benefits besides treating [chronic pain/high blood pressure].

1 2 3 4 5 6

Strongly
disagree

Strongly agree

46. In addition to treating [chronic pain/high blood pressure] there are other advantages to taking [Coravaz / Dolafex].

1 2 3 4 5 6

Strongly
disagree

Strongly agree

47. If [Coravaz / Dolafex] did have benefits other than treating [chronic pain/high blood pressure], how valuable would they be?

1 2 3 4 5 6

Not at all
valuable

Very valuable

Perceived Benefit Positive Characteristics

OMB Control No: _____ Expires: _____

Not at all likely

Extremely likely

54. How likely it is that taking [Coravaz / Dolafex] would make you feel better?

1 2 3 4 5 6

Not at all likely

Extremely likely

Risk / Benefit Tradeoff

55. The good things about this drug [(pain relief)/(lower blood pressure)] outweigh the bad things (side effects).

1 2 3 4 5 6

Strongly disagree

Strongly agree

56. The benefits of [Coravaz / Dolafex] outweigh all the things I have to do to obtain it (appointments, prescriptions, leave).

1 2 3 4 5 6

Strongly disagree

Strongly agree

57. The benefits of [Coravaz / Dolafex] outweigh any side effects it may have.

1 2 3 4 5 6

Strongly disagree

Strongly agree

Validity Testing

67.

[RANDOMIZE ORDER]	1	2	3	4	5	6
	Strongly disagree					Strongly agree

a. The majority of prescription drugs work the way they are supposed to work.						
b. Prescription drugs are the best option for treating most health conditions.						
c. Prescription drugs are an effective way to treat most health conditions.						
d. Prescription drugs are a safe way to treat most health conditions (reverse coded)						
e. Most people who take a prescription drug will experience at least one side effect.						
f. Most prescription drug side effects that people experience are minor (reverse code).						
g. Over the counter products are safer than prescription drugs.						

68. We would like to ask you about your personal views on prescription medicines in general. These are statements other people have made about their medicines. Please indicate the extent to which you agree or disagree with them by checking the appropriate box. There are no right or wrong answers. We are interested in your personal views.

[RANDOMIZE ORDER]	1	2	3	4	5	6	7
	Strongly disagree						Strongly

	e							agree
a.	If doctors had more time, they would prescribe fewer medicines.							
b.	Doctors place too much trust in medicines.							
c.	Doctors use too many medicines							
d.	Natural remedies are safer than medicines.							
e.	Most medicines are addictive.							
f.	Medicines do more harm than good.							
g.	All medicines are poisons.							
h.	People who take medicines should stop their treatment for a while every now and again.							

69. Are you currently taking or have you ever taken any drugs for [chronic pain/high blood pressure]?

- | | | |
|------------------|---|-------------|
| 1 | 2 | 3 |
| Currently taking | Previously taken but not currently taking | Never taken |

70. How satisfied are you with the ability of your current drug(s) to treat your [chronic pain / high blood pressure]?

- | | | | | | |
|-------------------|---|---|---|---|----------------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| Very dissatisfied | | | | | Very satisfied |

71. How much does your [chronic pain/high blood pressure] affect your daily life?

79. [RANDOMIZE ORDER]	1	2	3	4	5	6	7
	Strongly disagree						Strongly agree
a. We can depend on getting the truth in most prescription drug advertising.							
b. Prescription drug advertising's aim is to inform the consumer.							
c. I believe prescription drug advertising is informative.							
d. Prescription drug advertising is generally truthful.							
e. Prescription drug advertising is a reliable source of information about the risks and benefits of drugs.							
f. Prescription drug advertising is truth well told.							
g. In general, prescription drug advertising presents a true picture of the drug being advertised.							
h. I feel I've been accurately informed after viewing most prescription drug advertising.							
i. Most prescription drug advertising provides consumers with essential information.							
j. Most prescription drug advertising provides consumers with essential							

	Strongly disagree	Disagree	Neither agree nor disagree	Agree	Strongly agree
a. I usually try new products before other people do					
b. I often try new brands because I like variety and get bored with the same old thing					
c. When I shop I look for what is new					
d. I like to be the first among my friends and family to try something new					
e. I like to tell others about new brands or technology					

DRUG CHOICE EXERCISE

60. Next you will view an ad for another [chronic pain / high blood pressure] medication. We will then ask you to answer one question about the new ad.

[PRESENT KESTERIN OR ZINTRIA AD]

If they cost the same, which drug would you choose to take?

- [Coravaz / Dolafex]
- The other medication, [Zintria / Kesterin]

61. Next you will view both the original [Coravaz / Dolafex] ad and an ad for a different version of [Coravaz / Dolafex]. The second ad is the similar to the first one, but some of the information about [Coravaz / Dolafex] is different. We will then ask you to answer one question about the ads.

[PRESENT ORIGINAL AD]

[PRESENT ALTERNATE AD]

If they cost the same, which drug would you choose to take?

- The version of [Coravaz / Dolafex] described in the first ad
- The version of [Coravaz / Dolafex] described in the second ad

CLOSING

Those are all the questions we have for you today. The purpose of this study is to learn how consumers interpret and use prescription drug information. In order to get a real-life reaction, we used pretend products in this study. [Coravaz / Dolafex] is not a real product and is not available for sale.

Please see your healthcare provider for any questions about [chronic pain / high blood pressure] and treatments for this condition.

You have been very helpful. Thank you very much for your participation!