Changes to 2016 Outpatient Department Patient Record Form (PRF)

Proposed changes are indicated in **RED**.

Modified-Patient Information Questions (OPD &ASL combined)

"Patient Information" Section		
Modified-Where visit occurred		
CLIN_LOC (OPD) and PROC_LOC (ASL):		
Old	New	
 OPD clinic where visit occurred Procedure location where procedure was performed 	Hospital location where visit occurred	

Deleted-Last menstrual period (LMP)	
LMP:	
<u>Old</u>	New
Last menstrual period – Month, day, year	Last menstrual period – Month, day, year

Modified-Checkbox list of Expected source(s) of payment for this visit	
PAY_SOURCE:	
<u>Old</u>	<u>New</u>
Private insurance	Private insurance
Medicare	Medicare
Medicaid or CHIP	 Medicaid or CHIP or other
Worker's compensation	state-based program
• Self-pay	Workers' compensation
No charge/Charity	Self-pay
Other	No charge/Charity
Unknown	Other
	Unknown

Attachment V: OPD PRF Changes

Modified-Tobacco use (OPD)

USETOBAC:	
<u>Old</u>	New
Not current	Not current
Current	• Never
 Unknown 	• Former
	• Unknown
	Current
	 Unknown

• <u>Deleted-Vital Signs – Temperature Type (OPD)</u>

"Biometrics/Vital Signs" Section	
TTEMP:	
<u>Old</u>	<u>New</u>
Celsius and Fahrenheit	Celsius and Fahrenheit

• Modified-Reason for Visit Questions (OPD)

"Reason for Visit" Section	
VRFV1-3:	VRFV1-5:
Old	<u>New</u>
 Patient's complaint(s), symptoms(s). or other reason(s) for this visit – <i>Use patient's own words if provided</i>. If there are more than 3 reasons, enter the first 3 documented in the chart. Allow up to 3 lines of Reason for visit verbatim and look-up 	 List the first 5 reasons for visit (i.e., complaint(s), symptom(s), problem(s), concern(s) of the patient) in the order in which they appear. Start with the chief complaint and then move to the patient history for additional reasons. Allow up to 5 lines of Reason for visit verbatim and look-up table entries.
MAJOR:	
<u>Old</u>	<u>New</u>
Major reason for this visit checkboxes	Major reason for this visit checkboxes
1. New problem (<3 mos. onset)	1. New problem (<3 mos. onset)
2. Chronic problem, routine	2. Chronic problem, routine
3. Chronic problem, flare-up	3. Chronic problem, flare-up
4. Pre/Post surgery	4. Preventive care (e.g., routine prenatal, well-
5. Preventive care (e.g., routine prenatal, well-	baby, screening, insurance, general exams)
baby, screening, insurance, general exams)	5. Pre-surgery/procedure
	6. Post-surgery/procedure
	7. Surgery/Procedure

• Modified-Injury/Poisoning/Adverse Effect Questions (OPD)

"Injury/ Trauma/Overdose/Po	isoning/Adverse Effect" Section
INJURY:	
Old	<u>New</u>
 Is this visit related to an injury, overdose, poisoning, or adverse effect of medical or surgical treatment? Yes, injury/trauma Yes, poisoning Yes, adverse effect of medical or surgical treatment No Unknown 	 Is this visit related to an injury/trauma, overdose/poisoning, or adverse effect of medical /surgical treatment? Yes, injury/trauma Yes, overdose/poisoning Yes, adverse effect of medical/surgical treatment or adverse effect of a medicinal drug No Unknown
	INJURY72:
Old	 Add new question on recent timing of injury. If INJURY=Yes, then ask: Did the injury/trauma or overdose/poisoning occur within 72 hours prior to the date and time of this visit? 1-Yes 2-No 3-Unknown 4-Not applicable
INTENTO:	
 Is this injury/poisoning unintentional or intentional? 1. Unintentional 2. Intentional 3. Unknown 	 New Is this injury/trauma or overdose/poisoning intentional or unintentional? Yes, intentional self-harm/suicide attempt Yes, intentional harm by another person (e.g., assault, poisoning) No, unintentional (e.g., accidental) Intent unclear
Old	VCAUSE1-5: Add new question to allow up to 5 lines of causes of injury verbatim and look-up table entries: "Cause of injury/trauma, overdose/poisoning, or adverse effect of medical/surgical treatment - Describe the place and circumstances that preceded the injury/trauma, overdose/poisoning,

or adverse effect."	
---------------------	--

Modified-Diagnosis Verbatim and Look-up Table (OPD &ASL combined)

"Provider's Diagnosis For This Visit" Section	
VDIAG1-3:	VDIAG1-5:
 Old: As specifically as possible, list diagnoses related to this visit including chronic conditions. Allow up to 3 diagnoses verbatim and Look-up table entries 	 New: As specifically as possible, list diagnoses related to this visit including chronic conditions. List primary diagnosis first. Allow up to 5 diagnoses verbatim and look-up table entries

Added-Optional ICD-10-CM diagnosis codes (OPD &ASL combined)

VDIAG1-3_CODE:	VDIAG1-5_CODE:
<u>Old</u>	<u>New</u>
•••	Allow entry of ICD-10-CM diagnosis and V
	<u>codes</u>

Modified-Checkbox list of patient's underlying chronic conditions (OPD &ASL combined)

"Conditions" Section	
PATIENT_HAVE (OPD) and OTH_DIAG (ASL) combined:	
Regardless of the diagnoses previously entered, does the patient now have -	
Mark all that apply.	
<u>Old</u>	<u>New</u>
Airway problem	Airway problem
	Alcohol abuse, misuse, or dependence
	Alzheimer's disease/Dementia
Arthritis	Arthritis
Asthma	Asthma
Cancer	Cancer
Cardiac surgery history	Cardiac surgery history
Cerebrovascular disease/History of stroke or transient	Cerebrovascular disease/History of stroke (CVA) or
ischemic attack (TIA)	transient ischemic attack (TIA)
Chronic renal failure	Chronic kidney disease (CKD)
Chronic obstructive pulmonary disease (COPD)	Chronic obstructive pulmonary disease (COPD)
Congestive heart failure	Congestive heart failure (CHF)
Coronary heart disease (CAD) (on ASL)	Coronary heart disease (CAD), ischemic heart disease
Ischemic heart disease (IHD) (on OPD)	(IHD), or history of myocardial infarction (MI)
Depression	Depression
Diabetes	Diabetes mellitus (DM), Type I

Attachment V: OPD PRF Changes

Diabetes	Diabetes mellitus (DM), Type II
Diabetes	Diabetes mellitus (DM), Type Unspecified
Chronic renal failure	End-stage renal disease (ESRD)
	History of pulmonary embolism (PE), deep vein thrombosis (DVT), or venous thromboembolism (VTE)
	HIV Infection/AIDS
Hyperlipidemia	Hyperlipidemia
Hypertension	Hypertension
Obesity (on OPD) Morbid obesity (on ASL)	Obesity
Obstructive sleep apnea (OSA) (on ASL)	Obstructive sleep apnea (OSA)
Osteoporosis	Osteoporosis
	Substance abuse, misuse, or dependence
None of the above or not documented	None of the above or not documented

Modified-Checkbox list of Services (OPD)

	"Services" Section	
DIAG_SERVICE:		

Enter all examinations/screenings, laboratory tests, imaging, procedures, treatments, health education/counseling and other services not listed ORDERED or PROVIDED.

NO SERVICES

Examinations/Screenings:

- Alcohol abuse screening (includes AUDIT, MAST, CAGE, T-ACE)
- Breast
- Depression screening
- Domestic violence screening
- Foot
- General physical exam
- Neurologic
- Pelvic
- Rectal
- Retinal/Eye Exam
- Skin
- Substance abuse screening (includes NIDA/NM ASSIST, CAGE-AID, DAST-10)

Blood tests Laboratory tests:

- BMP (Basic metabolic panel)
- CBC
- Chlamydia test

Attachment V: OPD PRF Changes

- CMP (Comprehensive metabolic panel)
- Creatinine /Renal function panel
- Culture, blood
- Culture, throat
- Culture, urine
- Culture, other
- Glucose, serum
- Gonorrhea test
- HbA1c (Glycohemoglobin)
- Hepatitis panel
- HIV test
- HPV DNA test
- Lipid profile/panel
- Liver enzymes/Hepatic function panel
- PAP test
- Pregnancy/HCG test
- PSA (prostate specific antigen)
- Rapid strep test
- TSH/Thyroid panel
- Urinalysis
- Vitamin D test

Imaging:

- Bone mineral density
- CT scan
- Echocardiogram
- Other Ultrasound
- Mammography
- MRI
- X-ray

Other tests and procedures: Procedures:

- Audiometry
- Biopsy
- Cardiac stress test
- Colonoscopy
- Cryosurgery (cryotherapy)/ Destruction of tissue
- EKG/ECG
- Electroencephalogram (EEG)
- Electromyogram (EMG)
- Excision of tissue
- Fetal monitoring
- Peak flow
- Sigmoidoscopy
- Spirometry
- Tonometry
- Tuberculosis skin testing/PPD
- Upper gastrointestinal endoscopy (EGD)

Non-medication treatment: Treatments:

- Cast/splint/wrap
- Complementary and alternative medicine (CAM)
- Durable medical equipment
- Home health care
- Mental health counseling, excluding psychotherapy
- Occupational therapy
- Physical therapy
- Psychotherapy
- Radiation therapy
- Wound care

Health education/Counseling:

- Alcohol abuse counseling
- Asthma
- Asthma action plan given to patient
- Diabetes education
- Diet/Nutrition
- Exercise
- Family planning/Contraception
- Genetic counseling
- Growth/Development
- Injury prevention
- STD prevention
- Stress management
- Substance abuse counseling
- Tobacco use/Exposure
- Weight reduction

Other services not listed:

- Other service Specify

• Modified-Tests (OPD)

"Tests" Section	
LAB_TEST:	
Old Was blood for the following laboratory tests drawn on the day of the sampled visit or during the 12 months prior to the visit? 1-Yes	New Was blood for the following laboratory tests drawn on the day of the sampled visit or during the 12 months prior to the visit? 1-Yes
2-No CHOLDATE-SERUMDATE: Old Date of Test	2-No tests found New Date of blood draw

Modified-Medications and Immunizations (OPD)

"Medication & Immunizations" Section	
NOMED:	
• NONE	New
Enter medications that were ordered, supplied,	NOMED=Were any prescription or non-
administered, or continued during this visit.	prescription medications ORDERED or
Include Rx and OTC medications, immunizations,	PROVIDED (by any route of administration) at
allergy shots, oxygen, anesthetics, chemotherapy,	this visit? 1 Yes 2 No Include Rx and
and dietary supplements.	OTC medications, immunizations, allergy shots,
	oxygen, anesthetics, chemotherapy, and dietary
	supplements that were ordered, supplied,
	administered, or continued during this visit.
	Include medications prescribed at a previous visit if the patient was instructed at THIS VISIT to
	continue with the medication. Enter XXX if
	medication cannot be found. Enter 0 for No more.
The maximum number of medications that can be	medication cannot be round. Enter vivi no more
entered is 10 on the OPD PRF and 18 on the ASL	The maximum number of medications that can be
PRF.	entered is 30.
VMED, NCMED:	
Old:	New:
Allow up to 10 drug entries (verbatim and look-up	Allow up to 30 drug entries (verbatim and look-up
table)	table)
1-New	
2-Continued	1-New
	2-Continued
	3-Administered at this visit
	4-Unknown

• <u>Deleted-Medications (ASL)</u>

"Medication(s)" Section	
VMEDA:	
Old: Mark all drugs and anesthetics that were	
administered and whether they were administered	
preoperatively, intraoperatively, and/or	
postoperatively.	•••
1-NONE	
2-Fentanyl	
3-Lidocaine	
4-Nitrous oxide	
5-Oxygen	
6-Pentothal	
7-Propofol	
8-Versed (Midazolam)	
9-Zofran (Ondanestron)	
10-Other, specify	
Preoperatively, Intraoperatively, Postoperatively.	

• Modified- Procedures (ASL)

"Procedure(s)" Section	
VPROC1:	
Old As specifically as possible, list all diagnostic and surgical procedures performed during this visit. NONE	New As specifically as possible, list all diagnostic and surgical procedures performed during this visit. NONE Code each procedure using the lookup list. Once all procedures have been entered, enter 0.

• Added-Optional ICD-10-CM procedure codes (ASL)

"Procedure(s)" Section		
ICD10CM1:		
<u>Old</u>		<u>New</u>
	•••	Allow entry of ICD-10-CM procedure codes.

• Modified and Deleted-Procedure times (ASL)

"Procedure(s)" Section		
ORIN DATE, ORIN TIME, SURB_DATE, SURB_TIME, SURE_DATE, SURE_TIME,		
OROUT DATE, OROUT TIME, POIN DATE, POIN TIME, POUT DATE,		
POUT_TIME:		
<u>Old</u>	New	
 Date and time into operating room Date and time surgery began Date and time surgery ended Date and time out of operating room Date and time out of operating room Date and time into postoperative care Date and time out of postoperative care 		

Modified-Anesthesia types (ASL)

"Anesthesia" Section	
ANESTH:	
<u>Old</u>	New
 NONE General IV sedation MAC (Monitored Anesthesia Care) Topical/Local Regional epidural Regional spinal Regional retrobulbar block Regional peribulbar block Other regional block Other Not documented 	 NONE General Conscious/IV sedation/MAC (Monitored Anesthesia Care) Local/Topical Regional epidural Regional peribulbar block Regional peripheral nerve Regional retrobulbar block Regional spinal (subarachnoid) Other regional block Other Not applicable - no procedure performed

Modified-Follow-up Information ASL)

"Follow-up Information" Section	
FUSURG:	
Old	New
Did someone attempt to follow-up with the	Did someone attempt to follow-up with the
patient within 24 hours after the surgery?	patient within 24 hours after the surgery?
• Yes	• Yes
• No	• No
 Unknown 	 Unknown
	 Not applicable – No procedure
	performed
LEARNED:	
<u>Old</u>	New
What was learned from this follow-up:	What was learned from this follow-up:
 Unable to reach patient 	 Unable to reach patient
 Patient reported no problems 	 Patient reported no medical or surgical
 Patient reported problems and sought 	problems
medical care	 Patient reported problems and sought
 Patient reported problems and was advised 	medical care
by ASC staff to seek medical care	Patient reported problems and was advised
Patient reported problems, but no follow-up	by staff to seek medical care
medical care was needed	Patient reported problems, but no follow-up
• Other	medical care was needed
• Unknown	• Other
	 Unknown

Modified-Visit disposition (OPD &ASL combined)

"Visit disposition" Section VISIT_DISP: Old OPD **New** Mark (X) all that apply. Mark (X) all that apply 1. Refer to other physician Admit to hospital as inpatient 2. Return at specified time **Discharge to observation status** 2. 3. Refer to ER/Admit to hospital Discharge to post-surgery/recovery area in 3. same facility, i.e., not admitted as an inpatient 4. Other Move to observation/post-surgical/recovery care 4. area in same **hospital**, i.e., not admitted as an Old ASL Mark (X) all that apply. inpatient 1. Routine discharge to customary Procedure canceled on arrival to **clinic**/ambulatory surgery location residence 2. Patient was moved to observation/post-Reason for cancellation surgical/recovery care area in same facility, Patient not n.p.o. i.e., not admitted as an inpatient Incomplete or inadequate medical evaluation 3. Admitted to hospital as inpatient Surgical issue 4. Referred to ED Other - Specify_____ 5. Surgery terminated Unknown Reason for termination Refer to ED 6. Allergic reaction 7. Refer to other physician/provider Unable to intubate Return to referring physician/provider Other Return in less than 1 week 9. 6. Procedure cancelled on arrival to 10. Return in 1 week to less than 2 months ambulatory surgery unit 11. Return in 2 months or greater Reason for cancellation 12. Return at unspecified time 13. Return as needed (p.r.n.) Patient not n.p.o. 14. Routine discharge to customary residence Incomplete or inadequate medical 15. Surgery terminated evaluation Reason for termination Surgical issue Allergic reaction 7. Other Unable to intubate 8. Unknown

- Deleted-Lookback module (OPD)
- Deleted-Colorectal cancer screening questions (ASL)

Other **Unknown**

16. Other17. Unknown