

Attachment O

Sample Table Shells

Sample Table Shell 1–Return to Play with Symptoms by Policy Group

<i>Policy Group</i>	Returned to Play with Symptoms No. (%)		Total
	Yes	No	
No Specific RTP			
Specific RTP			
Total			

Sample Table Shell 2–Demographic Characteristics of Athletes

	Number (%)
Age	
14	
15	
16	
17	
18	
Sex	
Male	
Female	
Race	
White	
Black	
Asian	
American Indian/Alaskan Native	
Pacific Islander	
Ethnicity	
Hispanic	
Non-Hispanic	
Years Playing Sport	
0-2	
3-5	
6-9	
10+	
Diagnosed with prior concussion	
Yes	
No	
Number of prior concussions	
1	
2-4	
5+	
Diagnosed with prior sport concussion	
Yes	

No	
Number of prior sport-related concussions	
1	
2-4	
5+	

Sample Table Shell 3–Incidence Rates of Concussions among Athletes

	Number	Athlete Exposure (AE) Hours	Rate per 1000 AE (95% CI)	Relative Risk (95% CI)
Total Events				
Practice				
Game				
Boys’ Soccer				
Practice				
Game				
Girls’ Soccer				
Practice				
Game				
Cumulative Incidence of Athletes with Concussion During the Season				
Overall				
Boys’ Soccer				
Girls’ Soccer				

Sample Table Shell 4–Type and Severity of Concussion Symptoms among Athletes

Symptom	Percent Reporting Symptom	Mean Severity of Symptom
Headache		
Pressure		
Not feeling right		
Dizziness		
Feeling slowed		
Neck pain		
Concentration problems		
In a fog		
Fatigue		
Drowsy		
Confusion		
Balance problems		
Light sensitivity		
Noise sensitivity		

Blurred vision		
Memory loss		
Irritable		
Sleep problems		
More emotional		
Nausea		
Nervous		
Sad		
Loss of consciousness		

Sample Table Shell 5–Association between Coach Education and Risk of Athletes Playing with Symptoms

	Athletes Returned to Play with Symptoms N (%)	Athletes Returned to Play After Symptom Resolution N (%)	Relative Risk (95% CI)
Concussion education required for coaches			
Yes			
No			
Type of Education			
Written			
Video			
PowerPoint			
Quiz			
In person training			
Number of Education Modalities			
1-2			
3			
4-5			
Completed Heads Up training			
Yes			
No			

Sample Table Shell 6–Association between Coach Education and Likelihood of Coach being Aware of Athlete’s Concussion

	Coach aware of concussion N (%)	Coach unaware of concussion N (%)	Adjusted* Relative Risk (95% CI)
Concussion education required for coaches			

Yes			
No			
Type of Education			
Written			
Video			
PowerPoint			
Quiz			
In person training			
Number of Education Modalities			
1-2			
3			
4-5			
Completed Heads Up training			
Yes			
No			

*Adjusted for coach experience