



Gonococcal Isolate Surveillance Project Form 3: Control Strain Susceptibility Testing

Regional Laboratory: (3 letter code)

(SEE CODING INSTRUCTIONS ON BACK)

Form Approved OMB No. 0920-0307 Exp. 08/31/2016

Control ID	Strain #	β-Lac <small>10% 20%</small>	MICs (μg/ml) to Antimicrobial Agents							Date tested <small>(mm/dd/yyyy)</small>	
			Pen	Tet	Spc <small>10% 20%</small>	Cfx	Cro	Cip	Azi		Opt
A	F-18	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
A	F-28	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
A	SPL-4	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
A	P681E	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
A	CDC 10328	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
A	CDC 10329	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
A	SPJ-15	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
B	F-18	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
B	F-28	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
B	SPL-4	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
B	P681E	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
B	CDC 10328	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
B	CDC 10329	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
B	SPJ-15	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
C	F-18	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
C	F-28	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
C	SPL-4	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
C	P681E	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
C	CDC 10328	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
C	CDC 10329	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
C	SPJ-15	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
D	F-18	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
D	F-28	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
D	SPL-4	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
D	P681E	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
D	CDC 10328	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
D	CDC 10329	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___
D	SPJ-15	<input type="checkbox"/> <input type="checkbox"/>			<input type="checkbox"/> <input type="checkbox"/>						___/___/___

Public reporting burden of this collection of information is estimated to average 12 minutes per run of 7 control strains (for a total monthly burden of 48 minutes per laboratory respondent), which includes the time required for transcribing the data from existing laboratory records. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Project Clearance Office, 1600 Clifton Road, NE 1-11, Atlanta, GA 30333, ATTN: P9A (0603-0307). Do not send the completed form to this address.

Coding Instructions

Regional Laboratory Codes:

EMO	Atlanta — Emory University
AUS	Austin — Texas Department of State Health Services
BID	Boston — Beth Israel Deaconess Medical Center
UAB	Birmingham — University of Alabama at Birmingham
UWA	Seattle — University of Washington

NOTE:

Change in Form 3 from “JHU Baltimore – Johns Hopkins University” to “BID Boston – Beth Israel Deaconess Medical Center” anticipated to be effective January 30, 2016.

No change on burden and/or respondents. Referenced in Supporting Statement A, A.1., Overview of Data Collection System

B-Lac: (β -lactamase test) Check the appropriate box.
1 = positive
2 = negative

Pen: (penicillin MIC)
Valid dilutions: 0.008; 0.015; 0.03; 0.06; 0.125; 0.25; 0.5; 1.0; 2.0; 4.0; 8.0; 16.0; 32.0; 64.0

Tet: (tetracycline MIC)
Valid dilutions: 0.06; 0.125; 0.25; 0.5; 1.0; 2.0; 4.0; 8.0; 16.0; 32.0; 64.0

Spc: (spectinomycin sensitivity) Check the appropriate box.
1 = sensitive (MIC < 128 μ g/ml)
2 = resistant (MIC \geq 128 μ g/ml)

Cfx: (cefixime MIC)
Valid dilutions: 0.002; 0.004; 0.008; 0.015; 0.03; 0.06; 0.125; 0.25; 0.5; 1.0; 2.0

Cro: (ceftriaxone MIC)
Valid dilutions: 0.001; 0.002; 0.004; 0.008; 0.015; 0.03; 0.06; 0.125; 0.25; 0.5; 1.0; 2.0

Cip: (ciprofloxacin MIC)
Valid dilutions: 0.001; 0.002; 0.004; 0.008; 0.015; 0.03; 0.06; 0.125; 0.25; 0.5; 1.0; 2.0; 4.0; 8.0; 16.0

Azi: (azithromycin MIC)
Valid dilutions: 0.008; 0.015; 0.03; 0.06; 0.125; 0.25; 0.5; 1.0; 2.0; 4.0; 8.0; 16.0

Opt: (optional agent)

Date tested: (mm/dd/yyyy)
Enter month, day, and year of isolate testing.