1. TEXT

FDA Drug Safety Communication

FDA approves label changes for constipation DRUG D due to risk of serious psychiatric and nerve side effects

RISK RATING: High

RISK RATING LEGEND		
Rating	Explanation	
Low	The severity of the adverse event or risk is low or mild. Only some users will experience the adverse event described.	
Moderate	The severity of the adverse event or risk is moderate. Only some users will experience the adverse event described.	
High	The adverse event or risk is serious and potentially life-threatening or deadly. Only some users will experience the adverse event described.	

Safety Announcement

[7-29-2013] The U.S. Food and Drug Administration (FDA) has strengthened and updated warnings regarding nerve and psychiatric side effects associated with DRUG D, used to treat constipation. A boxed warning, the most serious kind of warning about these potential problems, has been added to the drug label. We have revised the patient Medication Guide dispensed with each prescription and wallet card to include this information and the possibility that the side effects may persist or become permanent.

Patients, caregivers, and health care professionals should watch for nerve and psychiatric side effects when using DRUG D. The nerve side effects can include dizziness, loss of balance, or ringing in the ears. These can occur at any time during drug use, and can last for months to years after the drug is stopped or can be permanent. The psychiatric side effects can include feeling anxious, mistrustful, depressed, or having hallucinations. Patients who develop nerve or psychiatric symptoms should contact their prescribing health care professional. Do not stop taking DRUG D before discussing symptoms with your health care professional.

2. FACE

FDA Drug Safety Communication

FDA approves label changes for constipation DRUG D due to risk of serious psychiatric and nerve side effects

RISK RATING:



Face	Legend
<u>:</u>	The severity of the adverse event or risk is low or mild. Only some users will experience the adverse event described.
\odot	The severity of the adverse event or risk is moderate. Only some users will experience the adverse event described.
:	The adverse event or risk is serious and potentially life-threatening or deadly. Only some users will experience the adverse event described.

Safety Announcement

[7-29-2013] The U.S. Food and Drug Administration (FDA) has strengthened and updated warnings regarding nerve and psychiatric side effects associated with DRUG D, used to treat constipation. A boxed warning, the most serious kind of warning about these potential problems, has been added to the drug label. We have revised the patient Medication Guide dispensed with each prescription and wallet card to include this information and the possibility that the side effects may persist or become permanent.

Patients, caregivers, and health care professionals should watch for nerve and psychiatric side effects when using DRUG D. The nerve side effects can include dizziness, loss of balance, or ringing in the ears. These can occur at any time during drug use, and can last for months to years after the drug is stopped or can be permanent. The psychiatric side effects can include feeling anxious, mistrustful, depressed, or having hallucinations. Patients who develop nerve or psychiatric symptoms should contact their prescribing health care professional. Do not stop taking DRUG D before discussing symptoms with your health care professional.

3. COLOR

FDA Drug Safety Communication

FDA approves label changes for constipation DRUG D due to risk of serious psychiatric and nerve side effects

RISK RATING:



Color	Legend
	The severity of the adverse event or risk is low or mild. Only some users will experience the adverse event described.
	The severity of the adverse event or risk is moderate. Only some users will experience the adverse event described.
	The adverse event or risk is serious and potentially life-threatening or deadly. Only some users will experience the adverse event described.

Safety Announcement

[7-29-2013] The U.S. Food and Drug Administration (FDA) has strengthened and updated warnings regarding nerve and psychiatric side effects associated with DRUG D, used to treat constipation. A boxed warning, the most serious kind of warning about these potential problems, has been added to the drug label. We have revised the patient Medication Guide dispensed with each prescription and wallet card to include this information and the possibility that the side effects may persist or become permanent.

Patients, caregivers, and health care professionals should watch for nerve and psychiatric side effects when using DRUG D. The nerve side effects can include dizziness, loss of balance, or ringing in the ears. These can occur at any time during drug use, and can last for months to years after the drug is stopped or can be permanent. The psychiatric side effects can include feeling anxious, mistrustful, depressed, or having hallucinations. Patients who develop nerve or psychiatric symptoms should contact their prescribing health care professional. Do not stop taking DRUG D before discussing symptoms with your health care professional.

4. NUMBER

FDA Drug Safety Communication

FDA approves label changes for constipation DRUG D due to risk of serious psychiatric and nerve side effects

RISK RATING: 3

#	Legend
1	The severity of the adverse event or risk is low or mild. Only some users will experience the adverse event described.
2	The severity of the adverse event or risk is moderate. Only some users will experience the adverse event described.
3	The adverse event or risk is serious and potentially life-threatening or deadly. Only some users will experience the adverse event described.

Safety Announcement

[7-29-2013] The U.S. Food and Drug Administration (FDA) has strengthened and updated warnings regarding nerve and psychiatric side effects associated with DRUG D, used to treat constipation. A boxed warning, the most serious kind of warning about these potential problems, has been added to the drug label. We have revised the patient Medication Guide dispensed with each prescription and wallet card to include this information and the possibility that the side effects may persist or become permanent.

Patients, caregivers, and health care professionals should watch for nerve and psychiatric side effects when using DRUG D. The nerve side effects can include dizziness, loss of balance, or ringing in the ears. These can occur at any time during drug use, and can last for months to years after the drug is stopped or can be permanent. The psychiatric side effects can include feeling anxious, mistrustful, depressed, or having hallucinations. Patients who develop nerve or psychiatric symptoms should contact their prescribing health care professional. Do not stop taking DRUG D before discussing symptoms with your health care professional.

5. METER

FDA Drug Safety Communication

FDA approves label changes for constipation DRUG D due to risk of serious psychiatric and nerve side effects

RISK RATING:



Meter	Legend
ON NODERATA	The severity of the adverse event or risk is low or mild. Only some users will experience the adverse event described.
on NODERATE TE	The severity of the adverse event or risk is moderate. Only some users will experience the adverse event described.
ON MODERATIC	The adverse event or risk is serious and potentially life-threatening or deadly. Only some users will experience the adverse event described.

Safety Announcement

[7-29-2013] The U.S. Food and Drug Administration (FDA) has strengthened and updated warnings regarding nerve and psychiatric side effects associated with DRUG D, used to treat constipation. A boxed warning, the most serious kind of warning about these potential problems, has been added to the drug label. We have revised the patient Medication Guide dispensed with each prescription and wallet card to include this information and the possibility that the side effects may persist or become permanent.

Patients, caregivers, and health care professionals should watch for nerve and psychiatric side effects when using DRUG D. The nerve side effects can include dizziness, loss of balance, or ringing in the ears. These can occur at any time during drug use, and can last for months to years after the drug is stopped or can be permanent. The psychiatric side effects can include feeling anxious, mistrustful, depressed, or having hallucinations. Patients who develop nerve or psychiatric symptoms should contact their prescribing health care professional. Do not stop taking DRUG D before discussing symptoms with your health care professional.

6. SYMBOL

FDA Drug Safety Communication

FDA approves label changes for constipation DRUG D due to risk of serious psychiatric and nerve side effects

RISK RATING:



Symbol	Legend
$\bigcirc \bigcirc \bigcirc \bigcirc$	The severity of the adverse event or risk is low or mild. Only some users will experience the adverse event described.
	The severity of the adverse event or risk is moderate. Only some users will experience the adverse event described.
	The adverse event or risk is serious and potentially life-threatening or deadly. Only some users will experience the adverse event described.

Safety Announcement

[7-29-2013] The U.S. Food and Drug Administration (FDA) has strengthened and updated warnings regarding nerve and psychiatric side effects associated with DRUG D, used to treat constipation. A boxed warning, the most serious kind of warning about these potential problems, has been added to the drug label. We have revised the patient Medication Guide dispensed with each prescription and wallet card to include this information and the possibility that the side effects may persist or become permanent.

Patients, caregivers, and health care professionals should watch for nerve and psychiatric side effects when using DRUG D. The nerve side effects can include dizziness, loss of balance, or ringing in the ears. These can occur at any time during drug use, and can last for months to years after the drug is stopped or can be permanent. The psychiatric side effects can include feeling anxious, mistrustful, depressed, or having hallucinations. Patients who develop nerve or psychiatric symptoms should contact their prescribing health care professional. Do not stop taking DRUG D before discussing symptoms with your health care professional.



7. CONTROL

FDA Drug Safety Communication

FDA approves label changes for constipation DRUG D due to risk of serious psychiatric and nerve side effects

Safety Announcement

[7-29-2013] The U.S. Food and Drug Administration (FDA) has strengthened and updated warnings regarding nerve and psychiatric side effects associated with DRUG D, used to treat constipation. A boxed warning, the most serious kind of warning about these potential problems, has been added to the drug label. We have revised the patient Medication Guide dispensed with each prescription and wallet card to include this information and the possibility that the side effects may persist or become permanent.

Patients, caregivers, and health care professionals should watch for nerve and psychiatric side effects when using DRUG D. The nerve side effects can include dizziness, loss of balance, or ringing in the ears. These can occur at any time during drug use, and can last for months to years after the drug is stopped or can be permanent. The psychiatric side effects can include feeling anxious, mistrustful, depressed, or having hallucinations. Patients who develop nerve or psychiatric symptoms should contact their prescribing health care professional. Do not stop taking DRUG D before discussing symptoms with your health care professional.