

Attachment 9 Survey 6-Month Control

Survey

Form Approved
 OMB No. 0920-XXXX
 Exp. Date XX/XX/XXXX

Your email *

Enter the same email you used during registration.

Public reporting of this collection of information is estimated to average 15 minutes per response, including the time for reviewing instructions and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a current valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (XXXX-XXXX)

I am confident that I can go to a health clinic for sexual and reproductive health services.

Going to a health clinic for sexual and reproductive health services is hard.

Going to a health clinic for sexual and reproductive health services is expensive.

Only older woman visit health clinics for sexual and reproductive health services.

If I go to a health clinic for sexual and reproductive health services my parents will find out.

The next questions are about sex. By sex we mean when a penis goes inside a vagina.

[4] In the past 3 months, did you have sex?

[1] In the past 3 months, have you visited a health clinic for any sexual and reproductive health service?

- Yes
- No

[2] In the past 3 months, did you make an appointment at a health clinic for any sexual and reproductive health service?

- Yes
- No

[3] What do you think about going to a health clinic?

Most girls my age go to a health clinic for sexual and reproductive health services.

I plan to visit a health clinic the next time I need any sexual or reproductive health services.

I am confident that I can go to a health

[4] In the past 3 months, did you have sex? By sex we mean when a penis goes inside a vagina and nothing else.

- Yes
- No

[5] In the past 3 months, how many times have you had sex? If you have not had sex in the past 3 months, enter '0'.

[6] Of the times you had sex in the past 3 months, how many times did you NOT use each of these birth control methods:

Condoms

Birth control pills

The shot

The patch

The ring

IUD (Mirena or Paraguard)

Implant

[7] In the past 3 months, with how many different people have you had sex? Remember we are only talking about penis in vagina. If you have not had sexual intercourse in the past 3 months, enter '0'.

[8] What type of birth control method did you use the last time you had sexual intercourse? (Check all that you used).

I did not use any method

[8] What type of birth control method did you use the last time you had sexual intercourse? (Check all that you used).

- I did not use any method
- Pull out or withdrawal
- Condoms (male)
- Condoms (female)
- Birth control pills
- The shot (Depo-Provera)
- The patch
- The ring
- IUD (Mirena, Paraguard or Skyla)
- Implant (Nexplanon)
- Emergency contraception

[9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?

- Yes
- No

[10] In the past 3 months, have you had a pregnancy scare? (i.e. you really thought you were pregnant but you were not).

- Yes
- No

[11] Do you intend to have sex in the next 3 months?

- Yes
- No

[12] In the past 3 months, have you started using a new method of birth control?

- Yes
- No

[13] If you were to have sex in the next 3 months, how likely are you to use any of the following methods to prevent a pregnancy?

Condoms

[13] If you were to have sex in the next 3 months, how likely are you to use any of the following methods to prevent a pregnancy?

Condoms

Birth Control pills

The shot (Depo-Provera)

The patch

The ring

IUD (Mirena, Paraguard or Skyla)

Implant (Nexplanon)

Great job! You are half way there.

[14] What do you think about birth control?

In general, birth control is too much of a hassle to use.

If you used birth control, your friends might think you were looking for sex.

In general, birth control can make you sick.

In general, it is a good thing to use birth control every time you have sex.

The IUD (intra uterine device) and the implant are only for older women.

The IUD and the implant can make you infertile.

[15] At what age would you like to have a baby for the first time?

[16] In the past 3 months, have you been told by a doctor or a nurse that you had Chlamydia or Gonorrhea?

Yes

No

Other

[17] In the past 3 months have you participated in any sexual education class?

Yes

No

[18] In the past 3 months, did you or your partner smoke marijuana before or while you had sexual intercourse?

Yes

The IUD and the implant can make you infertile.

Most girls my age use birth control when they have sex.

I have control whether birth control is used every time I have sex.

I am confident that I can use birth control every time I have sex.

If I have sex in the next 3 months, I intend to use birth control every time I have sex.

If I have sex and do not use any birth control, it is likely that I will get pregnant.

I would like to get pregnant in the next 12 months.

[18] In the past 3 months, did you or your partner smoke marijuana before or while you had sexual intercourse?

Yes

No

Never had sex

[19] In the past three months, did you or your partner drink alcohol before or while you had sexual intercourse?

Yes

No

Never had sex

Submit Survey

[Save and Continue Later](#)