Attachment 6 Survey 3-Month Intervention



Survey

Form Approved
OMB No. 0920-XXXX
Exp. Date XX/XX/XXXX

Your email

services.

Enter the same email you used during registration.

Public reporting of this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions and completing and reviewing the collection of information. An agency many not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a current valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (XXXX-XXXX)

■ * * * 57% 2:04 PM

I plan to visit a health clinic the next time I

need any sexual or reproductive health

I am confident that I can go to a health clinic for sexual and reproductive health services.

Going to a health clinic for sexual and reproductive health services is hard.

Going to a health clinic for sexual and reproductive health services is expensive.

Only older woman visit health clinics for sexual and reproductive health services.

If I go to a health clinic for sexual and reproductive health services my parents will find out.

★ ※ # **』** 57% **■** 2:04 PM [1] In the past 3 months, have you visited a health clinic for any sexual and reproductive health service? Yes No [2] In the past 3 months, did you make an appointment at a health clinic for any sexual and reproductive health service? Yes No [3] What do you think about going to a health clinic? Most girls my age go to a health clinic for sexual and reproductive health services. I plan to visit a health clinic the next time I need any sexual or reproductive health services.

[4] In the past 3 months, did you have sex?
By sex we mean when a penis goes inside a vagina.

Yes

No

[5] In the past 3 months, how many times have you had sex? If you have not had sex in the past 3 months, enter '0'.

[6] Of the times you had sex in the past 3 months, how many times did you NOT use each of these birth control methods:

Condoms

Birth control pills

The shot



[10] In the past 3 months, have you ha pregnancy scare? (i.e. you really thou you were pregnant but you were not).	
Yes	
● No	
[11] Do you intend to have sex in the n months?	ext 3
Yes	
No	
[12] In the past 3 months, have you stausing a new method of birth control? Yes No	arted
[13] If you were to have sex in the next months, how likely are you to use any the following methods to prevent a pregnancy?	

[8] What type of birth control method did you use the last time you had sexual intercourse? (Check all that you used). I did not use any method Pull out or withdrawal Condoms (male) Condoms (female) Birth control pills The shot (Depo-Provera) The patch The ring IUD (Mirena, Paraguard or Skyla) Implant (Nexplanon) Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	
Pull out or withdrawal Condoms (male) Condoms (female) Birth control pills The shot (Depo-Provera) The patch The ring IUD (Mirena, Paraguard or Skyla) Implant (Nexplanon) Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	you use the last time you had sexual
Condoms (male) Condoms (female) Birth control pills The shot (Depo-Provera) The patch The ring IUD (Mirena, Paraguard or Skyla) Implant (Nexplanon) Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	■ I did not use any method
 ■ Condoms (female) ■ Birth control pills ■ The shot (Depo-Provera) ■ The patch ■ The ring ■ IUD (Mirena, Paraguard or Skyla) ■ Implant (Nexplanon) ■ Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant? 	■ Pull out or withdrawal
■ Birth control pills ■ The shot (Depo-Provera) ■ The patch ■ The ring ■ IUD (Mirena, Paraguard or Skyla) ■ Implant (Nexplanon) ■ Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	Condoms (male)
 ■ The shot (Depo-Provera) ■ The patch ■ The ring ■ IUD (Mirena, Paraguard or Skyla) ■ Implant (Nexplanon) ■ Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant? 	■ Condoms (female)
 ■ The patch ■ The ring ■ IUD (Mirena, Paraguard or Skyla) ■ Implant (Nexplanon) ■ Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant? 	■ Birth control pills
■ The ring ■ IUD (Mirena, Paraguard or Skyla) ■ Implant (Nexplanon) ■ Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	■ The shot (Depo-Provera)
■ IUD (Mirena, Paraguard or Skyla) ■ Implant (Nexplanon) ■ Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	■ The patch
■ Implant (Nexplanon) ■ Emergency contraception [9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	■ The ring
[9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	■ IUD (Mirena, Paraguard or Skyla)
[9] In the past 3 months, have you been told by a doctor or nurse that you were pregnant?	■ Implant (Nexplanon)
by a doctor or nurse that you were pregnant?	■ Emergency contraception
■ Ves	by a doctor or nurse that you were
103	Yes
● No	No

Condoms
•
Birth Control pills
•
The shot (Depo-Provera)
•
The patch
₹
The ring
▼
IUD (Mirena, Paraguard or Skyla)
▼
Implant (Nexplanon)
▼
Great job! You are half way
there.
14 Al What do you think about hinth control?

Most girls my age use birth control when [14] What do you think about birth control? they have sex. In general, birth control is too much of a hassle to use. I have control whether birth control is used every time I have sex. If you used birth control, your friends might think you were looking for sex. I am confident that I can use birth control • every time I have sex. In general, birth control can make you sick. If I have sex in the next 3 months, I intend to use birth control every time I have sex. In general, it is a good thing to use birth control every time you have sex. If I have sex and do not use any birth control, it is likely that I will get pregnant. The IUD (intra uterine device) and the implant are only for older women. I would like to get pregnant in the next 12 months. The IUD and the implant can make you infertile. Most girls my age use birth control when [15] At what age would you like to have a they have sex. baby for the first time?
 ★ !
 # ...
 57% ■ 2:05 PM
 [18] In the past 3 months, did you or your partner smoke marijuana before or while [15] At what age would you like to have a you had sexual intercourse? baby for the first time? Yes No Never had sex [16] In the past 3 months, have you been told by a doctor or a nurse that you had Chlamydia or Gonorrhea? [19] In the past three months, did you or your partner drink alcohol before or while Yes you had sexual intercourse? No Yes Other No Never had sex [17] In the past 3 months have you participated in any sexual education class? Yes [20] How do you feel about the information included in Crush? No Did not like it at all [18] In the past 3 months, did you or your Did not like it very much partner smoke marijuana before or while Somewhat likedit you had sexual intercourse? Liked it Yes Liked it very much

[20] How do you feel about the information included in Crush?

- Did not like it at all
- Did not like it very much
- Somewhat likedit
- Liked it
- Liked it very much

[21] How likely are you to share Crush with your friends once the study is over?

- I will not share it at all
- I will probably share it
- I may share it
- I will share it
- I will definitely share it

Submit Survey

Save and Continue Later