

Form Approved  
OMB No. 0920-XXXX  
Exp. Date xx/xx/20xx

### ***Healthcare Organization Utilization Survey (Online)***

You are invited to participate in this survey for healthcare organization representatives. The purpose of the survey is to gather information about the utilization of various resources that your organization may have been offered to support provider practice behaviors related to patient alcohol use. Your feedback is important as it will help assess the usefulness of these resources and inform refinements.

This survey will take approximately 30 minutes to complete. Your participation is voluntary and responses will be kept secure. There are no costs associated with participating nor will you directly benefit from participation.

CDC estimates the average public reporting burden for this collection of information as 30 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-XXXX).

---

What activities or resources from the CDC FASD Project has your organization been offered?  
(Select all that apply).

Training on FASD identification and diagnosis

Training on alcohol screening and brief intervention

Implementation guides or technical assistance

Electronic health record technical assistance/resources

Provider resources for FASD diagnosis/care (e.g., pocket guides)

Provider resources for alcohol screening (e.g., pocket guides)

Provider resources for brief intervention (e.g., pocket guides)

Position statements from national professional organizations

Clinical guidelines

Target communications for dissemination (e.g., social media messages, infographics, newsletters)

Other (please specify)

The training on FASD identification and diagnosis has been offered to which of your organization's provider disciplines? (Select all that apply)

Nurses

Physicians, family medicine

Physicians, ob/gyn

Physicians, pediatrics

Physicians, other (please specify)

Medical assistants

Social workers

Other (please specify)

The training on alcohol screening and brief intervention has been offered to which of your organization's provider disciplines? (Select all that apply)

Nurses

Physicians, family medicine

Physicians, ob/gyn

Physicians, pediatrics

Physicians, other (please specify)

Medical assistants

Social workers

Other (please specify)

Has your organization used any of the activities or resources from the CDC Project?

Yes

No

Which activities or resources has your organization used from the CDC Project?

Training on FASD identification and diagnosis

Training on alcohol screening and brief intervention

Implementation guides or technical assistance

Electronic health record technical assistance/resources

Provider resources for FASD diagnosis/care (e.g., pocket guides)

Provider resources for alcohol screening (e.g., pocket guides)

Provider resources for brief intervention (e.g., pocket guides)

Position statements from national professional organizations

Clinical guidelines

Target communications for dissemination (e.g., social media messages, infographics, newsletters)

Other (please specify)

Please answer the following questions in regard to the training on FASD identification and diagnosis that your organization used.

	Not at all useful			Very useful	
	1	2	3	4	5
How useful was the training on FASD identification and diagnosis?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the training on FASD identification and diagnosis?

---

How could the training on FASD identification and diagnosis be improved?

Please answer the following questions in regard to the training on alcohol screening and brief intervention that your organization used.

	Not at all useful				Very useful
	1	2	3	4	5
How useful was the training on alcohol screening and brief intervention?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the training on alcohol screening and brief intervention?

---

How could the training on alcohol screening and brief intervention be improved?



Please answer the following questions in regard to the implementation guides or technical assistance that your organization used.

	Not at all useful				Very useful
	1	2	3	4	5
How useful were the implementation guides or technical assistance?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the implementation guides or technical assistance?

---

How could the implementation guides or technical assistance be improved?

Please answer the following questions in regard to the electronic health record technical assistance/resources that your organization used.

	Not at all useful				Very useful
	1	2	3	4	5
How useful were the electronic health record technical assistance/resources?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the electronic health record technical assistance/resources?

---

How could the electronic health record technical assistance/resources be improved?

Please answer the following questions in regard to the provider resources for FASD diagnosis/care (e.g., pocket guides) that your organization used.

	Not at all useful				Very useful
	1	2	3	4	5
How useful were the provider resources for FASD diagnosis/care (e.g., pocket guides)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the provider resources for FASD diagnosis/care (e.g., pocket guides)?

---

How could the provider resources for FASD diagnosis/care (e.g., pocket guides) be improved?

Please answer the following questions in regard to the provider resources for alcohol screening (e.g., pocket guides) that your organization used.

	Not at all useful				Very useful
	1	2	3	4	5
How useful were the provider resources for alcohol screening (e.g., pocket guides)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the provider resources for alcohol screening (e.g., pocket guides)?

---

How could the provider resources for alcohol screening (e.g., pocket guides) be improved?

Please answer the following questions in regard to the provider resources for brief intervention (e.g., pocket guides) that your organization used.

	Not at all useful				Very useful
	1	2	3	4	5
How useful were the provider resources for brief intervention (e.g., pocket guides)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the provider resources for alcohol brief intervention (e.g., pocket guides)?

---

How could the provider resources for brief intervention (e.g., pocket guides) be improved?

Please answer the following questions in regard to the position statements from national professional organizations that your organization used.

	Not at all useful			Very useful	
	1	2	3	4	5
How useful were the position statements from national professional organizations?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the position statements from national professional organizations?

---

How could the position statements from national professional organizations be improved?

Please answer the following questions in regard to the clinical guidelines that your organization used.

Not at all useful

Very useful

1

2

3

4

5

How useful were the clinical guidelines?

---

What was the impact of using the clinical guidelines?

---

How could the clinical guidelines be improved?

Please answer the following questions in regard to the target communications for dissemination (e.g., social media messages, infographics, newsletters) that your organization used.

	Not at all useful				Very useful
	1	2	3	4	5
How useful were the target communications for dissemination (e.g., social media messages, infographics, newsletters)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the target communications for dissemination (e.g., social media messages, infographics, newsletters)?

---

How could the target communications for dissemination (e.g., social media messages, infographics, newsletters) be improved?



Please answer the following questions in regard to any other activities or resources from the CDC FASD that your organization used.

	Not at all useful				Very useful
	1	2	3	4	5
How useful were the other activities or resources?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

---

What was the impact of using the other activities or resources?

---

How could the other resources be improved?

---

What were the barriers to using these activities or resources?

Lack of time

Competing clinical priorities

Lack of resources (e.g., fiscal, space, technological)

No/limited buy-in from staff

Incompatible internal policy/culture

Lack of leadership support

Training needs

Technical assistance needs

Other (please specify)

---

What changes to the activities/resources would make you more likely to use them?

What changes has your organization made with regard to FASD awareness, identification, and diagnosis?

How will you ensure that these changes are sustained over time?

What additional changes do you hope to make?

What changes has your organization made with regard to alcohol screening and brief intervention?

How will you ensure that these changes are sustained over time?

What additional changes do you hope to make?

What other activities or resources would be useful to your organization in implementing changes toward FASD-informed practice, including prevention of risky alcohol use?

We thank you for your time spent taking this survey.  
Your response has been recorded.

Powered by Qualtrics