

Form Approved
OMB No. 0920-XXXX
Exp. Date xx/xx/20xx

**Rate Calculation and Submission Spreadsheet for Injury Indicators
Hospital Discharge Data – 2013**

This spreadsheet is to be used for the calculation and submission of the hospitalization related Injury Indicator Rates for 2013.

Please keep the following items in mind as you complete the spreadsheets.

- The spreadsheet should be completed after individual indicator case counts have been determined using the methodology specified in the accompanying manual.
- Only cells outlined in red will accept data input. Information copied on subsequent pages does not appear in a red box. To update information in these cells, you must return to the original red-outlined cell.
- All case count cells should be populated.
 - o Small case counts (<5) will be suppressed at CDC.
 - o Rates will not be calculated for age groups with fewer than 20 cases.
 - o Age-adjusted rates, while calculated on this spreadsheet, will not be presented for categories with fewer than 20 cases total.
- Rates will not be calculated until the population data has been entered. The default rate of 0 will be replaced when data is input.
- The spreadsheet file should be renamed inserting the appropriate state postal abbreviation into the file name in place of the 'CC'. If more than one submission is required, then the 01 should be updated to reflect submission number.
- Each sheet within workbook with the exception of the last 'Reports' sheet can be printed using the following sequence of EXCEL settings:

File
Page Setup
(within Page Setup) Orientation Landscape
 Adjust to 75% of Normal Size
Print or Print Preview

Public reporting burden of this collection of information is estimated to average 14 hours per response for awardees funded for base component, 1-enhanced component or 2-enhanced components. The response time includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-XXXX).

State Injury Indicators Report

State Population Data

State:

All

	2013 State population
Age	
<1yr	
1-4yr	
5-14yr	
15-24yr	
25-34	
35-44	
45-54	
55-64	
65-74	
75-84	
85+	
TOTAL	0

Males

	2013 State population
Age	
<1yr	
1-4yr	
5-14yr	
15-24yr	
25-34	
35-44	
45-54	
55-64	
65-74	
75-84	
85+	
TOTAL	0

Females

	2013 State population
Age	
<1yr	
1-4yr	
5-14yr	
15-24yr	
25-34	
35-44	
45-54	
55-64	
65-74	
75-84	
85+	
TOTAL	0

Population Data Source

Please answer the following questions by putting an "x" to the right of the data source you used.

Source	YES
State Demographic Center	
US Census Bureau	
Other (please specify)	

Footnote - if you want to add information

State Injury Indicators Report
Hospital Discharge Data (HDD)

State:

0

The answers to the following questions will be used to assess the quality and comparability of state hospital discharge data sets. Please complete all questions, including the Footnote for Report Credit.

Number of discharges with
an injury primary diagnosis

Number of discharges with a valid external
cause of injury other than E000-E030, E849,
E967, E869.4, E870-E879, or E930-E949

Percentage of HDD injury hospitalizations
with external-cause-of-injury coding

0.0%

Number of discharges with E967 or E869.4
as the **only** valid external cause of injury

Percentage of cases with E967 or
E869.4 as **only** valid e-code

0.0%

Number of discharges with "Other specified NEC"*
as the **first** valid external cause of injury

Percentage of cases with "Other specified
NEC" as **first** valid e-code

0.0%

*Other specified, not elsewhere classifiable: E928.8, E929.8, E958.8, E959, E968.8, E969, E977, E988.8, E989, E995.8, E995.9, E997.8, E998, E999.0, E999.1

Number of discharges with "Unspecified" as the **first** valid external cause of injury

Percentage of cases with "Unspecified" as **first** valid e-code

0.0%

**Unspecified: E887, E928.9, E929.9, E958.9, E968.9, E976, E988.9, E997.9

Factors Affecting Representativeness of State Hospital Discharge Data Sets for Injury Surveillance

Please answer the following questions by putting an "x" in the appropriate column.

QUESTION

YES

NO

Do you estimate that all required hospitals are participating in the system?

<input type="text"/>	<input type="text"/>
----------------------	----------------------

Are sufficient numbers of your state's residents who are injured in-state hospitalized for injury in neighboring states (cross-border hospitalization) such that it affects your rates?

<input type="text"/>	<input type="text"/>
----------------------	----------------------

Did you include re-admissions and transfers?

<input type="text"/>	<input type="text"/>
----------------------	----------------------

Do you receive data on state residents hospitalized in other states? (If yes, please include them in your data.)

<input type="text"/>	<input type="text"/>
----------------------	----------------------

Did use the test dataset to check your programming code? (This is not required. We are just tracking usage of the tool.)

<input type="text"/>	<input type="text"/>
----------------------	----------------------

Footnote - if you want to add information

--

Footnote for Report Credit

Individuals to be Credited (please list all names and include degrees such as BS, MS, MPH, PhD, etc):

HOSPITALIZATIONS FOR ALL INJURIES**HOSPITALIZATIONS FOR ALL INJURIES--OVERALL**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

HOSPITALIZATIONS FOR ALL INJURIES--MALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



HOSPITALIZATIONS FOR ALL INJURIES--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

HOSPITALIZATIONS FOR ALL INJURIES--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

DROWNING-RELATED HOSPITALIZATIONS

DROWNING-RELATED HOSPITALIZATIONS--OVERALL

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0			274,634	1	0.0

DROWNING-RELATED

Age	State population
<1yr	0
1-4yr	0
5-14yr	0
15-24yr	0
25-34	0
35-44	0
45-54	0
55-64	0
65-74	0
75-84	0
85+	0

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

DROWNING-RELATED HOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0			274,634	1	0.0

DROWNING-RELATED

Age	State population
<1yr	0
1-4yr	0
5-14yr	0
15-24yr	0
25-34	0
35-44	0
45-54	0
55-64	0
65-74	0
75-84	0
85+	0
total	0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box O36 will be the

Footnote - if you want to add information



HOSPITALIZATIONS--AGES

Number of hospitalizations	Rate per 100,000
0	0.0
0	0.0
0	0.0
0	0.0
0	0.0
0	0.0
0	0.0
0	0.0
0	0.0
0	0.0
0	0.0
0	0.0

HOSPITALIZATIONS--FEMALES

Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
	0.0	3,795	0.013818	0.0
	0.0	15,192	0.055317	0.0
	0.0	39,977	0.145565	0.0
	0.0	38,077	0.138646	0.0
	0.0	37,233	0.135573	0.0
	0.0	44,659	0.162613	0.0
	0.0	37,030	0.134834	0.0
	0.0	23,961	0.087247	0.0
	0.0	18,136	0.066037	0.0
	0.0	12,315	0.044842	0.0
	0.0	4,259	0.015508	0.0
0		274,634	1	0.0

age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FALL-RELATED HOSPITALIZATIONS**UNINTENTIONAL FALL-RELATED HOSPITALIZATIONS--OVERALL**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FALL-RELATED HOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



UNINTENTIONAL FALL-RELATED HOSPITALIZATIONS--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

UNINTENTIONAL FALL-RELATED HOSPITALIZATIONS--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

0

HIP FRACTURE HOSPITALIZATIONS IN PERSONS AGED 65 YEARS AND OLDER

HIP FRACTURE HOSPITALIZATIONS IN PERSONS AGED 65 YEARS AND OLDER--OVERALL

Age	State population	Number of hospitalizations	Rate per 100,000
65-74	0		0.0
75-84	0		0.0
85+	0		0.0
total	0	0	0.0

HIP FRACTURE HOSPITALIZATIONS IN PERSONS AGED 65 YEARS AND OLDER--MALES **HIP FRAC1**

Age	State population	Number of hospitalizations	Rate per 100,000	Age
65-74	0		0.0	65-74
75-84	0		0.0	75-84
85+	0		0.0	85+
total	0	0	0.0	total

Footnote - if you want to add information

FUTURE HOSPITALIZATIONS IN PERSONS AGED 65 YEARS AND OLDER--FEMALES

State	Number of	Rate per
population	hospitalizations	100,000
0		0.0
0		0.0
0		0.0
0	0	0.0

UNINTENTIONAL FIRE-RELATED HOSPITALIZATIONS**UNINTENTIONAL FIRE-RELATED HOSPITALIZATIONS--OVERALL**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0


Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FIRE-RELATED HOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



UNINTENTIONAL FIRE-RELATED HOSPITALIZATIONS--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

UNINTENTIONAL FIRE-RELATED HOSPITALIZATIONS--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

FIREARM-RELATED HOSPITALIZATIONS

FIREARM-RELATED HOSPITALIZATIONS--OVERALL

Age	State population	Number of hospitalizations	Rate	populatio n	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0			274,634	1	0.0


Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

FIREARM-RELATEDHOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	populatio n	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0			274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



FIREARM-RELATED HOSPITALIZATIONS--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

FIREARM-RELATED HOSPITALIZATIONS--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

ASSAULT-RELATED INJURIES**ASSAULT-RELATED HOSPITALIZATIONS--OVERALL**

Age	State population	Number of hospitalizations	Rate	populatio n	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0			274,634	1	0.0

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

ASSAULT-RELATED HOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	populatio n	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0			274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



ASSAULT-RELATED HOSPITALIZATIONS--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

ASSAULT-RELATED HOSPITALIZATIONS--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

MOTOR VEHICLE TRAFFIC HOSPITALIZATIONS

MOTOR VEHICLE TRAFFIC HOSPITALIZATIONS--OVERALL

Age	State population	Number of hospitalizations	Rate	populatio n	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0			274,634	1	0.0

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

MOTOR VEHICLE TRAFFIC HOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	populatio n	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0			274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



MOTOR VEHICLE TRAFFIC HOSPITALIZATIONS--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

MOTOR VEHICLE TRAFFIC HOSPITALIZATIONS--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

POISONING HOSPITALIZATIONS**POISONING HOSPITALIZATIONS--OVERALL**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0		0		274,634	1	0.0


Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

POISONING HOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0		0		274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



POISONING HOSPITALIZATIONS--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

POISONING HOSPITALIZATIONS--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

SUICIDE ATTEMPT HOSPITALIZATIONS

SUICIDE ATTEMPT HOSPITALIZATIONS--OVERALL

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0		0		274,634	1	0.0

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

SUICIDE ATTEMPT HOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0		0		274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



SUICIDE ATTEMPT HOSPITALIZATIONS--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

SUICIDE ATTEMPT HOSPITALIZATIONS--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

TRAUMATIC BRAIN INJURY HOSPITALIZATIONS**TRAUMATIC BRAIN INJURY HOSPITALIZATIONS--OVERALL**

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

TRAUMATIC BRAIN INJURY HOSPITALIZATIONS--MALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



TRAUMATIC BRAIN INJURY HOSPITALIZATIONS--AGES

Age	State population	Number of hospitalizations	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

TRAUMATIC BRAIN INJURY HOSPITALIZATIONS--FEMALES

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Note: Box O36 will be the age-adjusted rate (per 100,000) for the given indicator

State Injury Indicators Report-2013

Hospital Discharge Data (HDD)

State:

0

Overall Data

Reason for Hospitalization	Number	Age Adjusted Rate	Crude Rate
Hospitalizations for all injuries	0	0.0	---
Drowning-related hospitalizations	0	0.0	---
Unintentional fall-related hospitalizations	0	0.0	---
Hip fracture hospitalization in 65+	0	---	0.0
Unintentional fire-related hospitalizations	0	0.0	---
Firearm-related hospitalizations	0	0.0	---
Assault-related hospitalizations	0	0.0	---
Motor vehicle traffic hospitalizations	0	0.0	---
Poisoning hospitalizations	0	0.0	---
Suicide attempt hospitalizations	0	0.0	---
Traumatic brain injury hospitalizations	0	0.0	---

Sex-Specific Data

Reason for Hospitalization	Number	Male		Female			TOTAL
		Age Adjusted Rate	Crude Rate	Number	Adjusted Rate	Crude Rate	
Hospitalizations for all injuries	0	0.0	---	0	0.0	---	0
Drowning-related hospitalizations	0	0.0	---	0	0.0	---	0
Unintentional fall-related hospitalizations	0	0.0	---	0	0.0	---	0
Hip fracture hospitalization in 65+	0	---	0.0	0	---	0.0	0
Unintentional fire-related hospitalizations	0	0.0	---	0	0.0	---	0
Firearm-related hospitalizations	0	0.0	---	0	0.0	---	0
Assault-related hospitalizations	0	0.0	---	0	0.0	---	0
Motor vehicle traffic hospitalizations	0	0.0	---	0	0.0	---	0


Poisoning hospitalizations	0	0.0	---	0	0.0	---	0
Suicide attempt hospitalizations	0	0.0	---	0	0.0	---	0
Traumatic brain injury hospitalizations	0	0.0	---	0	0.0	---	0

State Injury Indicators Report
Hospital Discharge Data (HDD)

State: 0

Reason for Hospitalization	<1 years old		1-4 years old		5-14 years old		15-24 years old		25-34 years old	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Hospitalizations for all injuries	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Drowning-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unintentional fall-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hip fracture hospitalization in 65+	---	---	---	---	---	---	---	---	---	---
Unintentional fire-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Firearm-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Assault-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Motor vehicle traffic hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Poisoning hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Suicide attempt hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Traumatic brain injury hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Footnote - if you want to add information



State Injury Indicators Report
Hospital Discharge Data (HDD)

State:

0

35-44 years old		Age-Specific Data	45-54 years old		55-64 years old		65-74 years old		75-84 years old	
Number	Rate	Reason for Hospitalization	Number	Rate	Number	Rate	Number	Rate	Number	Rate
0	0.0	Hospitalizations for all injuries	0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	Drowning-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	Unintentional fall-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0
---	---	Hip fracture hospitalization in 65+	---	---	---	---	0	0.0	0	0.0
0	0.0	Unintentional fire-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	Firearm-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	Assault-related hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	Motor vehicle traffic hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	Poisoning hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	Suicide attempt hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	Traumatic brain injury hospitalizations	0	0.0	0	0.0	0	0.0	0	0.0

Rate Calculation and Submission Spreadsheet for Injury Indicators Emergency Department Data – 2013

This spreadsheet is to be used for the calculation and submission of the emergency department related Injury Indicator Rates for 2013.

Please keep the following items in mind as you complete the spreadsheets.

- The spreadsheet should be completed after individual indicator case counts have been determined. Use the methodology specified in STIPDA: Injury Surveillance Workgroup 5: Consensus recommendations for injury surveillance in state health departments. State and Territorial Injury Prevention Directors Association, Atlanta, GA. 2007 (p.24) to develop the injury data set.
 - "Include initial visits to an ED for an injury episode when either:
 - The first-listed diagnosis reflects an injury based on the Barell matrix definition of an injury (Barell, 2002), regardless of any mention of an external cause of injury code [**same as the current HDD instructions**]
 - OR**
 - Valid external cause of injury code (see <http://www.cdc.gov/ncipc/whatsnew/matrix2.htm>), based on the recommended framework for external cause of injury.
 - Complications of care and adverse effects are excluded from both the diagnosis codes as well as the external cause codes."
- After creating the initial ED data set, the codes for the specific indicators are the same as those for the corresponding HDD indicators.
- Only cells outlined in red will accept data input. Information copied on subsequent pages does not appear in a red box. To update information in these cells, you must return to the original red-outlined cell.
- Please answer all the questions on the background information sheets.
- Please do not insert lines into the spreadsheet pages. Additional information may be highlighted in footnotes.
- All case count cells should be populated.
 - o Small case counts (<5) will be suppressed at CDC.
 - o Rates will not be calculated for age groups with fewer than 20 cases.
 - o Age-adjusted rates, while calculated on this spreadsheet, will not be presented for categories with fewer than 20 cases total.
- Rates will not be calculated until the population data has been entered. The default rate of 0 will be replaced when data is input.
- The spreadsheet file should be renamed inserting the appropriate state postal abbreviation into the file name in place of the 'CC'. If more than one submission is required, then the 01 should be updated to reflect submission number.
- Each sheet within workbook with the exception of the last 'Reports' sheet can be printed using the following sequence of EXCEL settings:
 - File
 - Page Setup
 - (within Page Setup) Orientation Landscape
 - Adjust to 75% of Normal Size
 - Print or Print Preview

State Injury Indicators Report

State Population Data

State:

All

	2013 State population
Age	
<1yr	
1-4yr	
5-14yr	
15-24yr	
25-34	
35-44	
45-54	
55-64	
65-74	
75-84	
85+	
TOTAL	0

Males

	2013 State population
Age	
<1yr	
1-4yr	
5-14yr	
15-24yr	
25-34	
35-44	
45-54	
55-64	
65-74	
75-84	
85+	
TOTAL	0

Females

	2013 State population
Age	
<1yr	
1-4yr	
5-14yr	
15-24yr	
25-34	
35-44	
45-54	
55-64	
65-74	
75-84	
85+	
TOTAL	0

Population Data Source

Please answer the following questions by putting an "x" to the right of the data source you used.

Source	YES
State Demographic Center	
US Census Bureau	
Other (please specify)	

Footnote - if you want to add information

**2013 State
population**

0

State Injury Indicators Report
Emergency Department (ED) Data

State:

0

The answers to the following questions will be used to assess the quality and comparability of state emergency department data sets. *Please complete all questions, including the Footnote for Rep*

Number of ED visits with an injury primary diagnosis OR an external cause of injury code

Number of ED visits with a valid external cause of injury other than E000-E030, E849, E967, E869.4, E870-E879, or E930-E949

Percentage of ED visits with external-cause-of-injury coding

0.0%

Number of ED visits with E967 or E869.4 as the **only** valid external cause of injury

Percentage of ED visits with E967 or E869.4 as **only** valid e-code

0.0%

Number of ED visits with "Other specified NEC"* as the **first** valid external cause of injury

Percentage of ED visits with "Other specified NEC" as **first** e-code

0.0%

*Other specified, not elsewhere classifiable: E928.8, E929.8, E958.8, E959, E968.8, E969, E977, E988 E997.8, E998, E999.0, E999.1

Number of ED visits with "Unspecified"*** as the **first** valid external cause of injury

Percentage of ED visits with "Unspecified" as **first** e-code

0.0%

**Unspecified: E887, E928.9, E929.9, E958.9, E968.9, E976, E988.9, E997.9

Factors Affecting Representativeness of State Emergency Department Data Sets for Injury Surve

Please answer the following questions by putting an "x" in the appropriate column.

QUESTION

YES

NO

Do you estimate that all required hospitals are participating in the system?

--	--

Are sufficient numbers of your state's residents who are injured in-state treated in neighboring states (cross-border ED visits) such that it affects your rates?

--	--

Are ED visits that result in hospital admission included?

--	--

Beginning

Are follow-up visits and transfers from other EDs included?

--	--

Do you receive data on state residents treated in other states? (If yes, please include them in your data.)

--	--

Did use the test dataset to check your programming code? (This is not required. We are just tracking usage of the tool.)

--	--

Footnote - if you want to add information

--

Footnote for Report Credit

Individuals to be Credited (please list all names and include degrees such as BS, MS, MPH, P

ate
ort Credit.

.8, E989, E995.8, E995.9

illance

with 2010, ED visits that result in hospitalization, should be EXCLUDED

--

'hD, etc):

EMERGENCY DEPARTMENT (ED) VISITS FOR ALL INJURIES

EMERGENCY DEPARTMENT VISITS FOR ALL INJURIES--OVERALL

EMERGEN

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate	Age
<1yr	0		0.0	3,795	0.013818	0.0	<1yr
1-4yr	0		0.0	15,192	0.055317	0.0	1-4yr
5-14yr	0		0.0	39,977	0.145565	0.0	5-14yr
15-24yr	0		0.0	38,077	0.138646	0.0	15-24yr
25-34	0		0.0	37,233	0.135573	0.0	25-34
35-44	0		0.0	44,659	0.162613	0.0	35-44
45-54	0		0.0	37,030	0.134834	0.0	45-54
55-64	0		0.0	23,961	0.087247	0.0	55-64
65-74	0		0.0	18,136	0.066037	0.0	65-74
75-84	0		0.0	12,315	0.044842	0.0	75-84
85+	0		0.0	4,259	0.015508	0.0	85+
total	0	0		274,634	1	0.0	

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

EMERGENCY DEPARTMENT VISITS FOR ALL INJURIES--MALES

EMERGEN

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate	Age
<1yr	0		0.0	3,795	0.013818	0.0	<1yr
1-4yr	0		0.0	15,192	0.055317	0.0	1-4yr
5-14yr	0		0.0	39,977	0.145565	0.0	5-14yr
15-24yr	0		0.0	38,077	0.138646	0.0	15-24yr
25-34	0		0.0	37,233	0.135573	0.0	25-34
35-44	0		0.0	44,659	0.162613	0.0	35-44
45-54	0		0.0	37,030	0.134834	0.0	45-54
55-64	0		0.0	23,961	0.087247	0.0	55-64
65-74	0		0.0	18,136	0.066037	0.0	65-74
75-84	0		0.0	12,315	0.044842	0.0	75-84
85+	0		0.0	4,259	0.015508	0.0	85+
total	0	0		274,634	1	0.0	total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information



ICY DEPARTMENT VISITS FOR ALL INJURIES--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

ICY DEPARTMENT VISITS FOR ALL INJURIES--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

DROWNING-RELATED EMERGENCY DEPARTMENT (ED) VISITS

DROWNING-RELATED EMERGENCY DEPARTMENT VISITS--OVERALL

DROWNING-RELATED EMERGENCY DEPARTMENT VISITS--OVERALL

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

DROWNING-RELATED EMERGENCY DEPARTMENT VISITS--MALES

DROWNING-RELATED EMERGENCY DEPARTMENT VISITS--MALES

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information



G-RELATED EMERGENCY DEPARTMENT VISITS--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

G-RELATED EMERGENCY DEPARTMENT VISITS--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FALL-RELATED EMERGENCY DEPARTMENT (ED) VISITS

UNINTENTIONAL FALL-RELATED EMERGENCY DEPARTMENT VISITS--OVERALL

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

UNINTENT

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FALL-RELATED EMERGENCY DEPARTMENT VISITS--MALES

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

UNINTENT

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information



REGIONAL FALL-RELATED EMERGENCY DEPARTMENT VISITS--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

REGIONAL FALL-RELATED EMERGENCY DEPARTMENT VISITS--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0	0	274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

HIP FRACTURE EMERGENCY DEPARTMENT VISITS IN PERSONS AGED 65 YEARS AND OLDER

HIP FRACTURE EMERGENCY DEPARTMENT VISITS IN PERSONS AGED 65 YEARS AND OLDER--OVERA

Age	State population	Number of ED visits	Rate per 100,000
65-74	0		0.0
75-84	0		0.0
85+	0		0.0
total	0	0	0.0

HIP FRACTURE EMERGENCY DEPARTMENT VISITS IN PERSONS AGED 65 YEARS AND OLDER--MALES

Age	State population	Number of ED visits	Rate per 100,000
65-74	0		0.0
75-84	0		0.0
85+	0		0.0
total	0	0	0.0

Footnote - if you want to add information

.LL

HIP FRACTURE EMERGENCY DEPARTMENT VISITS IN PERSONS AGED 65 YEARS AND OLDER--FEMALE

Age	State population	Number of ED visits	Rate per 100,000
65-74	0		0.0
75-84	0		0.0
85+	0		0.0
total	0	0	0.0

S

UNINTENTIONAL FIRE-RELATED EMERGENCY DEPARTMENT (ED) VISITS

UNINTENTIONAL FIRE-RELATED EMERGENCY DEPARTMENT VISITS--OVERALL

UNINTENT

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FIRE-RELATED EMERGENCY DEPARTMENT VISITS--MALES

UNINTENT

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,00) for the given indicator

Note: Box C

Footnote - if you want to add information



REGIONAL FIRE-RELATED EMERGENCY DEPARTMENT VISITS--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

REGIONAL FIRE-RELATED EMERGENCY DEPARTMENT VISITS--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

FIREARM-RELATED EMERGENCY DEPARTMENT (ED) VISITS

FIREARM-RELATED EMERGENCY DEPARTMENT VISITS--OVERALL

FIREARM-

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

FIREARM-RELATED EMERGENCY DEPARTMENT VISITS--MALES

FIREARM-

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information



RELATED EMERGENCY DEPARTMENT VISITS--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

RELATED EMERGENCY DEPARTMENT VISITS--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

ASSAULT-RELATED EMERGENCY DEPARTMENT (ED) VISITS

ASSAULT-RELATED EMERGENCY DEPARTMENT VISITS--OVERALL

ASSAULT-

Age	State population	Number of ED visits	Rate	populatio n	Weight	Adjusted rate
<1yr	0			0.0	3,795	0.013818
1-4yr	0			0.0	15,192	0.055317
5-14yr	0			0.0	39,977	0.145565
15-24yr	0			0.0	38,077	0.138646
25-34	0			0.0	37,233	0.135573
35-44	0			0.0	44,659	0.162613
45-54	0			0.0	37,030	0.134834
55-64	0			0.0	23,961	0.087247
65-74	0			0.0	18,136	0.066037
75-84	0			0.0	12,315	0.044842
85+	0			0.0	4,259	0.015508
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

ASSAULT-RELATED EMERGENCY DEPARTMENT VISITS--MALES

ASSAULT-

Age	State population	Number of ED visits	Rate	populatio n	Weight	Adjusted rate
<1yr	0			0.0	3,795	0.013818
1-4yr	0			0.0	15,192	0.055317
5-14yr	0			0.0	39,977	0.145565
15-24yr	0			0.0	38,077	0.138646
25-34	0			0.0	37,233	0.135573
35-44	0			0.0	44,659	0.162613
45-54	0			0.0	37,030	0.134834
55-64	0			0.0	23,961	0.087247
65-74	0			0.0	18,136	0.066037
75-84	0			0.0	12,315	0.044842
85+	0			0.0	4,259	0.015508
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information



RELATED EMERGENCY DEPARTMENT VISITS--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

RELATED EMERGENCY DEPARTMENT VISITS--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

D36 will be the age-adjusted rate (per 100,000) for the given indicator

MOTOR VEHICLE TRAFFIC EMERGENCY DEPARTMENT (ED) VISITS

MOTOR VEHICLE TRAFFIC EMERGENCY DEPARTMENT VISITS--OVERALL

MOTOR VE

Age	State population	Number of ED visits	Rate	population n	Weight	Adjusted rate
<1yr	0			0.0	3,795	0.013818
1-4yr	0			0.0	15,192	0.055317
5-14yr	0			0.0	39,977	0.145565
15-24yr	0			0.0	38,077	0.138646
25-34	0			0.0	37,233	0.135573
35-44	0			0.0	44,659	0.162613
45-54	0			0.0	37,030	0.134834
55-64	0			0.0	23,961	0.087247
65-74	0			0.0	18,136	0.066037
75-84	0			0.0	12,315	0.044842
85+	0			0.0	4,259	0.015508
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

MOTOR VEHICLE TRAFFIC EMERGENCY DEPARTMENT VISITS--MALES

MOTOR VE

Age	State population	Number of ED visits	Rate	population n	Weight	Adjusted rate
<1yr	0			0.0	3,795	0.013818
1-4yr	0			0.0	15,192	0.055317
5-14yr	0			0.0	39,977	0.145565
15-24yr	0			0.0	38,077	0.138646
25-34	0			0.0	37,233	0.135573
35-44	0			0.0	44,659	0.162613
45-54	0			0.0	37,030	0.134834
55-64	0			0.0	23,961	0.087247
65-74	0			0.0	18,136	0.066037
75-84	0			0.0	12,315	0.044842
85+	0			0.0	4,259	0.015508
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information



VEHICLE TRAFFIC EMERGENCY DEPARTMENT VISITS--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

VEHICLE TRAFFIC EMERGENCY DEPARTMENT VISITS--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

POISONING EMERGENCY DEPARTMENT (ED) VISITS

POISONING EMERGENCY DEPARTMENT VISITS--OVERALL

POISONING EMERGENCY DEPARTMENT VISITS--OVERALL

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

POISONING EMERGENCY DEPARTMENT VISITS--MALES

POISONING EMERGENCY DEPARTMENT VISITS--MALES

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information



G EMERGENCY DEPARTMENT VISITS--AGES

State population	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

G EMERGENCY DEPARTMENT VISITS--FEMALES

State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

D36 will be the age-adjusted rate (per 100,000) for the given indicator

SUICIDE ATTEMPT EMERGENCY DEPARTMENT (ED) VISITS

SUICIDE ATTEMPT EMERGENCY DEPARTMENT VISITS--OVERALL

SUICIDE A

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

SUICIDE ATTEMPT EMERGENCY DEPARTMENT VISITS--MALES

SUICIDE A

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box (

Footnote - if you want to add information

ATTEMPT EMERGENCY DEPARTMENT VISITS--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

ATTEMPT EMERGENCY DEPARTMENT VISITS--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

TRAUMATIC BRAIN INJURY EMERGENCY DEPARTMENT (ED) VISITS

TRAUMATIC BRAIN INJURY EMERGENCY DEPARTMENT VISITS--OVERALL

TRAUMAT

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

TRAUMATIC BRAIN INJURY EMERGENCY DEPARTMENT VISITS--MALES

TRAUMAT

Age	State population	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

IC BRAIN INJURY EMERGENCY DEPARTMENT VISITS--AGES

State	Number of ED visits	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

IC BRAIN INJURY EMERGENCY DEPARTMENT VISITS--FEMALES

State	Number of ED visits	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0	0	274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

State Injury Indicators Report-2013
Emergency Department (ED) Data

State:

0

Overall Data

Reason for ED visit	Number	Age Adjusted Rate	Crude Rate
ED visits for all injuries	0	0.0	---
Drowning-related ED visits	0	0.0	---
Unintentional fall-related ED visits	0	0.0	---
Hip fracture ED visits in 65+	0	---	0.0
Unintentional fire-related ED visits	0	0.0	---
Firearm-related ED visits	0	0.0	---
Assault-related ED visits	0	0.0	---
Motor vehicle traffic ED visits	0	0.0	---
Poisoning ED visits	0	0.0	---
Suicide attempt ED visits	0	0.0	---
Traumatic brain injury ED visits	0	0.0	---

Sex-Specific Data

Reason for ED visit	Number	Male	
		Age Adjusted Rate	Crude Rate
ED visits for all injuries	0	0.0	---
Drowning-related ED visits	0	0.0	---
Unintentional fall-related ED visits	0	0.0	---
Hip fracture ED visits in 65+	0	---	0.0
Unintentional fire-related ED visits	0	0.0	---
Firearm-related ED visits	0	0.0	---
Assault-related ED visits	0	0.0	---
Motor vehicle traffic ED visits	0	0.0	---
Poisoning ED visits	0	0.0	---
Suicide attempt ED visits	0	0.0	---
Traumatic brain injury ED visits	0	0.0	---

State Injury Indicators Report
Emergency Department (ED) Data

State:

0

Age-Specific Data

Reason for ED visit	<1 years old		1-4 years old	
	Number	Rate	Number	Rate
ED visits for all injuries	0	0.0	0	0.0
Drowning-related ED visits	0	0.0	0	0.0
Unintentional fall-related ED visits	0	0.0	0	0.0
Hip fracture ED visits in 65+	---	---	---	---
Unintentional fire-related ED visits	0	0.0	0	0.0
Firearm-related ED visits	0	0.0	0	0.0

Assault-related ED visits	0	0.0	0	0.0
Motor vehicle traffic ED visits	0	0.0	0	0.0
Poisoning ED visits	0	0.0	0	0.0
Suicide attempt ED visits	0	0.0	0	0.0
Traumatic brain injury ED visits	0	0.0	0	0.0

Footnote - if you want to add information

Female			TOTAL
Number	Adjusted Rate	Crude Rate	
0	0.0	---	0
0	0.0	---	0
0	0.0	---	0
0	---	0.0	0
0	0.0	---	0
0	0.0	---	0
0	0.0	---	0
0	0.0	---	0
0	0.0	---	0
0	0.0	---	0
0	0.0	---	0
0	0.0	---	0

5-14 years old		15-24 years old		25-34 years old		35-44 years old	
Number	Rate	Number	Rate	Number	Rate	Number	Rate
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
---	---	---	---	---	---	---	---
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0

0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0



State Injury Indicators Report
Emergency Department (ED) Data

State:

0

Age-Specific Data	45-54 years old		55-64 years old		65-74 years old
	Number	Rate	Number	Rate	Number
ED visits for all injuries	0	0.0	0	0.0	0
Drowning-related ED visits	0	0.0	0	0.0	0
Unintentional fall-related ED visits	0	0.0	0	0.0	0
Hip fracture ED visits in 65+	---	---	---	---	0
Unintentional fire-related ED visits	0	0.0	0	0.0	0
Firearm-related ED visits	0	0.0	0	0.0	0

Assault-related ED visits	0	0.0	0	0.0	0
Motor vehicle traffic ED visits	0	0.0	0	0.0	0
Poisoning ED visits	0	0.0	0	0.0	0
Suicide attempt ED visits	0	0.0	0	0.0	0
Traumatic brain injury ED visits	0	0.0	0	0.0	0

0.0	0	0.0	0	0.0
0.0	0	0.0	0	0.0
0.0	0	0.0	0	0.0
0.0	0	0.0	0	0.0
0.0	0	0.0	0	0.0

Rate Calculation and Submission Spreadsheet for Injury Indicators Death Data – 2013

This spreadsheet is to be used for the calculation and submission of the death related Injury Indicator Rates for 2013.

Please keep the following items in mind as you complete the spreadsheets.

- The spreadsheet should be completed after individual indicator case counts have been determined using the Injury Indicator Case Report.
- Only cells outlined in red will accept data input. Information copied on subsequent pages does not appear in a red box. To update information in these cells, you must return to the original red-outlined cell.
- Please answer all the questions on the background information sheet.
- Please do not insert lines into the spreadsheet pages. Additional information may be highlighted in footnotes.
- All case count cells should be populated.
 - o Small case counts (<5) will be suppressed at CDC.
 - o Rates will not be calculated for age groups with fewer than 20 cases.
 - o Age-adjusted rates, while calculated on this spreadsheet, will not be presented for categories with fewer than 20 cases.
- Rates will not be calculated until the population data has been entered. The default rate of 0 will be reported if no data is entered.
- The spreadsheet file should be renamed inserting the appropriate state postal abbreviation into the file name. If more than one submission is required, then the 01 should be updated to reflect submission number.
- Each sheet within workbook with the exception of the last 'Reports' sheet can be printed using the following sequence of EXCEL settings.
 - File
 - Page Setup
 - (within Page Setup) Orientation Landscape
 - Adjust to 75% of Normal Size
 - Print or Print Preview

State Injury Indicators Report

State Population Data

State:

All

Age	2013 State population
<1yr	<input style="width: 100%; height: 18px;" type="text"/>
1-4yr	<input style="width: 100%; height: 18px;" type="text"/>
5-14yr	<input style="width: 100%; height: 18px;" type="text"/>
15-24yr	<input style="width: 100%; height: 18px;" type="text"/>
25-34	<input style="width: 100%; height: 18px;" type="text"/>
35-44	<input style="width: 100%; height: 18px;" type="text"/>
45-54	<input style="width: 100%; height: 18px;" type="text"/>
55-64	<input style="width: 100%; height: 18px;" type="text"/>
65-74	<input style="width: 100%; height: 18px;" type="text"/>
75-84	<input style="width: 100%; height: 18px;" type="text"/>
85+	<input style="width: 100%; height: 18px;" type="text"/>
TOTAL	0

Males

Age	2013 State population
<1yr	<input style="width: 100%; height: 18px;" type="text"/>
1-4yr	<input style="width: 100%; height: 18px;" type="text"/>
5-14yr	<input style="width: 100%; height: 18px;" type="text"/>
15-24yr	<input style="width: 100%; height: 18px;" type="text"/>
25-34	<input style="width: 100%; height: 18px;" type="text"/>
35-44	<input style="width: 100%; height: 18px;" type="text"/>
45-54	<input style="width: 100%; height: 18px;" type="text"/>
55-64	<input style="width: 100%; height: 18px;" type="text"/>
65-74	<input style="width: 100%; height: 18px;" type="text"/>
75-84	<input style="width: 100%; height: 18px;" type="text"/>
85+	<input style="width: 100%; height: 18px;" type="text"/>
TOTAL	0

Females

Age	2013 State population
<1yr	<input style="width: 100%; height: 18px;" type="text"/>
1-4yr	<input style="width: 100%; height: 18px;" type="text"/>
5-14yr	<input style="width: 100%; height: 18px;" type="text"/>
15-24yr	<input style="width: 100%; height: 18px;" type="text"/>
25-34	<input style="width: 100%; height: 18px;" type="text"/>
35-44	<input style="width: 100%; height: 18px;" type="text"/>
45-54	<input style="width: 100%; height: 18px;" type="text"/>
55-64	<input style="width: 100%; height: 18px;" type="text"/>
65-74	<input style="width: 100%; height: 18px;" type="text"/>
75-84	<input style="width: 100%; height: 18px;" type="text"/>
85+	<input style="width: 100%; height: 18px;" type="text"/>
TOTAL	0

Population Data Source

Please answer the following questions by putting an "x" to the right of the data source you used.

Source	YES
State Demographic Center	<input style="width: 100%; height: 18px;" type="text"/>
US Census Bureau	<input style="width: 100%; height: 18px;" type="text"/>
Other (please specify)	<input style="width: 100%; height: 18px;" type="text"/>

Footnote - if you want to add information

**2013 State
population**

0

0

State Injury Indicators Report
Death Data

Overall State Population:

0

Enter the full name of your health agency

Did use the test dataset to check your programming code?
(This is not required. We are just tracking usage of the tool.)

Footnote - if you want to add information

Footnote for Report Credit

Individuals to be Credited (please list all names and include degrees such as BS, MS, MPH, PhD, etc):

INJURY FATALITIES

INJURY FATALITIES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0			3,795	0.013818	0.0
1-4yr	0			15,192	0.055317	0.0
5-14yr	0			39,977	0.145565	0.0
15-24yr	0			38,077	0.138646	0.0
25-34	0			37,233	0.135573	0.0
35-44	0			44,659	0.162613	0.0
45-54	0			37,030	0.134834	0.0
55-64	0			23,961	0.087247	0.0
65-74	0			18,136	0.066037	0.0
75-84	0			12,315	0.044842	0.0
85+	0			4,259	0.015508	0.0
total	0	0		274,634	1	0.0

INJURY FA

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

INJURY FATALITIES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0			3,795	0.013818	0.0
1-4yr	0			15,192	0.055317	0.0
5-14yr	0			39,977	0.145565	0.0
15-24yr	0			38,077	0.138646	0.0
25-34	0			37,233	0.135573	0.0
35-44	0			44,659	0.162613	0.0
45-54	0			37,030	0.134834	0.0
55-64	0			23,961	0.087247	0.0
65-74	0			18,136	0.066037	0.0
75-84	0			12,315	0.044842	0.0
85+	0			4,259	0.015508	0.0
total	0	0		274,634	1	0.0

INJURY FA

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

MORTALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

MORTALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL DROWNING FATALITIES

UNINTENTIONAL DROWNING FATALITIES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

UNINTENT

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL DROWNING FATALITIES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

UNINTENT

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

REGIONAL DROWNING FATALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

REGIONAL DROWNING FATALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FALL-RELATED FATALITIES

UNINTENTIONAL FALL-RELATED FATALITIES--OVERALL

UNINTENT

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate	Age
<1yr	0		0.0	3,795	0.013818	0.0	<1yr
1-4yr	0		0.0	15,192	0.055317	0.0	1-4yr
5-14yr	0		0.0	39,977	0.145565	0.0	5-14yr
15-24yr	0		0.0	38,077	0.138646	0.0	15-24yr
25-34	0		0.0	37,233	0.135573	0.0	25-34
35-44	0		0.0	44,659	0.162613	0.0	35-44
45-54	0		0.0	37,030	0.134834	0.0	45-54
55-64	0		0.0	23,961	0.087247	0.0	55-64
65-74	0		0.0	18,136	0.066037	0.0	65-74
75-84	0		0.0	12,315	0.044842	0.0	75-84
85+	0		0.0	4,259	0.015508	0.0	85+
total	0	0		274,634	1	0.0	

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FALL-RELATED FATALITIES--MALES

UNINTENT

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate	Age
<1yr	0		0.0	3,795	0.013818	0.0	<1yr
1-4yr	0		0.0	15,192	0.055317	0.0	1-4yr
5-14yr	0		0.0	39,977	0.145565	0.0	5-14yr
15-24yr	0		0.0	38,077	0.138646	0.0	15-24yr
25-34	0		0.0	37,233	0.135573	0.0	25-34
35-44	0		0.0	44,659	0.162613	0.0	35-44
45-54	0		0.0	37,030	0.134834	0.0	45-54
55-64	0		0.0	23,961	0.087247	0.0	55-64
65-74	0		0.0	18,136	0.066037	0.0	65-74
75-84	0		0.0	12,315	0.044842	0.0	75-84
85+	0		0.0	4,259	0.015508	0.0	85+
total	0	0		274,634	1	0.0	total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

REGIONAL FALL-RELATED FATALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

REGIONAL FALL-RELATED FATALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FIRE-RELATED FATALITIES

UNINTENTIONAL FIRE-RELATED FATALITIES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

UNINTENT

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

UNINTENTIONAL FIRE-RELATED FATALITIES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

UNINTENT

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

REGIONAL FIRE-RELATED FATALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

REGIONAL FIRE-RELATED FATALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

FIREARM-RELATED FATALITIES

FIREARM-RELATED FATALITIES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

FIREARM-I

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

FIREARM-RELATED FATALITIES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

FIREARM-I

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

RELATED FATALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

RELATED FATALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

HOMICIDES

HOMICIDES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0			3,795	0.013818	0.0
1-4yr	0			15,192	0.055317	0.0
5-14yr	0			39,977	0.145565	0.0
15-24yr	0			38,077	0.138646	0.0
25-34	0			37,233	0.135573	0.0
35-44	0			44,659	0.162613	0.0
45-54	0			37,030	0.134834	0.0
55-64	0			23,961	0.087247	0.0
65-74	0			18,136	0.066037	0.0
75-84	0			12,315	0.044842	0.0
85+	0			4,259	0.015508	0.0
total	0	0		274,634	1	0.0

HOMICIDES--AGES

Age	State population	Number of deaths	Rate per 100,000
<1yr	0	0	0.0
1-4yr	0	0	0.0
5-14yr	0	0	0.0
15-24yr	0	0	0.0
25-34	0	0	0.0
35-44	0	0	0.0
45-54	0	0	0.0
55-64	0	0	0.0
65-74	0	0	0.0
75-84	0	0	0.0
85+	0	0	0.0

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

HOMICIDES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0			3,795	0.013818	0.0
1-4yr	0			15,192	0.055317	0.0
5-14yr	0			39,977	0.145565	0.0
15-24yr	0			38,077	0.138646	0.0
25-34	0			37,233	0.135573	0.0
35-44	0			44,659	0.162613	0.0
45-54	0			37,030	0.134834	0.0
55-64	0			23,961	0.087247	0.0
65-74	0			18,136	0.066037	0.0
75-84	0			12,315	0.044842	0.0
85+	0			4,259	0.015508	0.0
total	0	0		274,634	1	0.0

HOMICIDES--FEMALES

Age	State population	Number of deaths	Rate
<1yr	0		0.0
1-4yr	0		0.0
5-14yr	0		0.0
15-24yr	0		0.0
25-34	0		0.0
35-44	0		0.0
45-54	0		0.0
55-64	0		0.0
65-74	0		0.0
75-84	0		0.0
85+	0		0.0
total	0	0	

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box O36 will be the age-adjusted rate (pe

Footnote - if you want to add information

2000 population	Weight	Adjusted rate
3,795	0.013818	0.0
15,192	0.055317	0.0
39,977	0.145565	0.0
38,077	0.138646	0.0
37,233	0.135573	0.0
44,659	0.162613	0.0
37,030	0.134834	0.0
23,961	0.087247	0.0
18,136	0.066037	0.0
12,315	0.044842	0.0
4,259	0.015508	0.0
274,634	1	0.0

(r 100,000) for the given indicator

MOTOR VEHICLE TRAFFIC FATALITIES

MOTOR VEHICLE TRAFFIC FATALITIES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

MOTOR VE

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

MOTOR VEHICLE TRAFFIC FATALITIES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

MOTOR VE

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

VEHICLE TRAFFIC FATALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

VEHICLE TRAFFIC FATALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0	0	274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

POISONING FATALITIES

POISONING FATALITIES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0	

POISONIN

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

POISONING FATALITIES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate	
<1yr	0			0.0	3,795	0.013818	0.0
1-4yr	0			0.0	15,192	0.055317	0.0
5-14yr	0			0.0	39,977	0.145565	0.0
15-24yr	0			0.0	38,077	0.138646	0.0
25-34	0			0.0	37,233	0.135573	0.0
35-44	0			0.0	44,659	0.162613	0.0
45-54	0			0.0	37,030	0.134834	0.0
55-64	0			0.0	23,961	0.087247	0.0
65-74	0			0.0	18,136	0.066037	0.0
75-84	0			0.0	12,315	0.044842	0.0
85+	0			0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0	

POISONIN

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

G FATALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

G FATALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

POISONING: DRUG POISONING FATALITIES

POISONING: DRUG POISONING FATALITIES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

POISONIN

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

POISONING: DRUG POISONING FATALITIES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

POISONIN

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

G: DRUG POISONING FATALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

G: DRUG POISONING FATALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

SUICIDES

SUICIDES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0			3,795	0.013818	0.0
1-4yr	0			15,192	0.055317	0.0
5-14yr	0			39,977	0.145565	0.0
15-24yr	0			38,077	0.138646	0.0
25-34	0			37,233	0.135573	0.0
35-44	0			44,659	0.162613	0.0
45-54	0			37,030	0.134834	0.0
55-64	0			23,961	0.087247	0.0
65-74	0			18,136	0.066037	0.0
75-84	0			12,315	0.044842	0.0
85+	0			4,259	0.015508	0.0
total	0	0		274,634	1	0.0

SUICIDES-

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

SUICIDES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0			3,795	0.013818	0.0
1-4yr	0			15,192	0.055317	0.0
5-14yr	0			39,977	0.145565	0.0
15-24yr	0			38,077	0.138646	0.0
25-34	0			37,233	0.135573	0.0
35-44	0			44,659	0.162613	0.0
45-54	0			37,030	0.134834	0.0
55-64	0			23,961	0.087247	0.0
65-74	0			18,136	0.066037	0.0
75-84	0			12,315	0.044842	0.0
85+	0			4,259	0.015508	0.0
total	0	0		274,634	1	0.0

SUICIDES-

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

-AGES

State population	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

-FEMALES

State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

336 will be the age-adjusted rate (per 100,000) for the given indicator

TRAUMATIC BRAIN INJURY FATALITIES

TRAUMATIC BRAIN INJURY FATALITIES--OVERALL

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

TRAUMAT

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+

Note: Box G17 will be the age-adjusted rate (per 100,000) for the given indicator

TRAUMATIC BRAIN INJURY FATALITIES--MALES

Age	State population	Number of deaths	Rate	2000 population	Weight	Adjusted rate
<1yr	0		0.0	3,795	0.013818	0.0
1-4yr	0		0.0	15,192	0.055317	0.0
5-14yr	0		0.0	39,977	0.145565	0.0
15-24yr	0		0.0	38,077	0.138646	0.0
25-34	0		0.0	37,233	0.135573	0.0
35-44	0		0.0	44,659	0.162613	0.0
45-54	0		0.0	37,030	0.134834	0.0
55-64	0		0.0	23,961	0.087247	0.0
65-74	0		0.0	18,136	0.066037	0.0
75-84	0		0.0	12,315	0.044842	0.0
85+	0		0.0	4,259	0.015508	0.0
total	0	0		274,634	1	0.0

TRAUMAT

Age
<1yr
1-4yr
5-14yr
15-24yr
25-34
35-44
45-54
55-64
65-74
75-84
85+
total

Note: Box G36 will be the age-adjusted rate (per 100,000) for the given indicator

Note: Box C

Footnote - if you want to add information

IC BRAIN INJURY FATALITIES--AGES

State	Number of deaths	Rate per 100,000
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0
0	0	0.0

IC BRAIN INJURY FATALITIES--FEMALES

State	Number of deaths	Rate	2000 population	Weight	Adjusted rate
0		0.0	3,795	0.013818	0.0
0		0.0	15,192	0.055317	0.0
0		0.0	39,977	0.145565	0.0
0		0.0	38,077	0.138646	0.0
0		0.0	37,233	0.135573	0.0
0		0.0	44,659	0.162613	0.0
0		0.0	37,030	0.134834	0.0
0		0.0	23,961	0.087247	0.0
0		0.0	18,136	0.066037	0.0
0		0.0	12,315	0.044842	0.0
0		0.0	4,259	0.015508	0.0
0	0		274,634	1	0.0

036 will be the age-adjusted rate (per 100,000) for the given indicator

State Injury Indicators Report-2013

Death Data

State:

0

Overall Data

Injury	Number	Age Adjusted Rate
Injury fatalities	0	0.0
Unintentional drowning fatalities	0	0.0
Unintentional fall-related fatalities	0	0.0
Unintentional fire-related fatalities	0	0.0
Firearm-related fatalities	0	0.0
Homicides	0	0.0
Motor vehicle traffic fatalities	0	0.0
Poisoning fatalities	0	0.0
Poisoning: drug poisoning fatalities	0	0.0
Suicides	0	0.0
Traumatic brain injury fatalities	0	0.0

Sex-Specific Data

Injury	Number	Male	Female
		Age Adjusted Rate	Number
Injury fatalities	0	0.0	0
Unintentional drowning fatalities	0	0.0	0
Unintentional fall-related fatalities	0	0.0	0
Unintentional fire-related fatalities	0	0.0	0
Firearm-related fatalities	0	0.0	0
Homicides	0	0.0	0
Motor vehicle traffic fatalities	0	0.0	0
Poisoning fatalities	0	0.0	0
Poisoning: drug poisoning fatalities	0	0.0	0
Suicides	0	0.0	0
Traumatic brain injury fatalities	0	0.0	0

State Injury Indicators Report

Death Data

State:

0

Age-Specific Data

Injury	<1 years old		1-4 years old	
	Number	Rate	Number	Rate
Injury fatalities	0	0.0	0	0.0
Unintentional drowning fatalities	0	0.0	0	0.0
Unintentional fall-related fatalities	0	0.0	0	0.0
Unintentional fire-related fatalities	0	0.0	0	0.0
Firearm-related fatalities	0	0.0	0	0.0

Homicides	0	0.0	0	0.0
Motor vehicle traffic fatalities	0	0.0	0	0.0
Poisoning fatalities	0	0.0	0	0.0
Poisoning: drug poisoning fatalities	0	0.0	0	0.0
Suicides	0	0.0	0	0.0
Traumatic brain injury fatalities	0	0.0	0	0.0

Footnote - if you want to add information

emale

**Age Adjusted
Rate**

TOTAL

0.0	0
0.0	0
0.0	0
0.0	0
0.0	0
0.0	0
0.0	0
0.0	0
0.0	0
0.0	0
0.0	0
0.0	0
0.0	0

5-14 years old		15-24 years old		25-34 years old		35-44 years old	
Number	Rate	Number	Rate	Number	Rate	Number	Rate
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0

0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0
0	0.0	0	0.0	0	0.0	0	0.0



State Injury Indicators Report
Death Data

State:

0

Injury	45-54 years old		55-64 years old		65-74 y
	Number	Rate	Number	Rate	Number
Injury fatalities	0	0.0	0	0.0	0
Unintentional drowning fatalities	0	0.0	0	0.0	0
Unintentional fall-related fatalities	0	0.0	0	0.0	0
Unintentional fire-related fatalities	0	0.0	0	0.0	0
Firearm-related fatalities	0	0.0	0	0.0	0

Homicides	0	0.0	0	0.0	0
Motor vehicle traffic fatalities	0	0.0	0	0.0	0
Poisoning fatalities	0	0.0	0	0.0	0
Poisoning: drug poisoning fatalities	0	0.0	0	0.0	0
Suicides	0	0.0	0	0.0	0
Traumatic brain injury fatalities	0	0.0	0	0.0	0

ears old	75-84 years old		85+ years old	
Rate	Number	Rate	Number	Rate
0.0	0	0.0	0	0.0
0.0	0	0.0	0	0.0
0.0	0	0.0	0	0.0
0.0	0	0.0	0	0.0
0.0	0	0.0	0	0.0

