1

Occupational Health Safety Network (OHSN) Data Elements and Value Sets Version 1.0: Required and Optional, with Descriptions

*Indicates Required Data Elements for participation in OHSN

Other data elements are optional

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
Facility Level Data			
*Facility ID (ID that uniquely identifies the healthcare facility. Facility must enter this ID.)	String up to 15 characters	N/A	American Hospital Association – AHA— IDs are preferred.
	1		
*Facility Name (Name of the healthcare facility)	String up to 100 characters in length	N/A	
Event Level Data			
*Event ID (ID number of the traumatic injury event. This value must be unique for each event.)	String up to 15 characters	N/A	This can be a random number assigned by the facility. Must NOT include personal identifiers such as date of birth or social security number.
	r		
*Event Date (Date the event, condition, or injury occurred)	Format YYYY-MM-DD, eg 2012-02-24	N/A	
Event Time (Time that the event, condition, or injury occurred)	Format hh:mm	N/A	Use 24 hour clock.
Event Reported Date (Date that the event, condition, or injury was reported to participating OHSN organization)	Format YYYY-MM-DD	N/A	

OHSN Data Elements and Value Sets - *Indicates Required; others are optional

Public reporting burden of this collection of information is estimated to average 3 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-xxxx).

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
Event Hours on Duty (Number of hours the healthcare worker was on duty before the incident.)	Decimal, e.g., 2.50	N/A	
*Event Location (Location where the event that	Inpatient-Unspecified	LO100	Use if you do not know the exact inpatient location.
caused the traumatic injury occurred) Note: These are based on values from the CDC/National Healthcare Safety Network (NHSN)	Inpatient-Adult Critical Care Units	LO101	Burn Critical Care, Medical Cardiac Critical Care, Medical Critical Care, Med/Surg Critical Care, Neurologic Critical Care, Neurosurg. Critical Care, Prenatal Critical Care, Respiratory Critical Care, Surgical Cardiothoracic Critical Care, Surgical Critical Care, Trauma Critical Care
	Inpatient-Neonatal Units	LO102	Well Baby Nursery, Step down Neonatal Nursery, Neonatal Critical Care Levels II / III
	Inpatient-Pediatric Critical Care Units	LO103	Pediatric: Burn Critical Care, Cardiothoracic Critical Care, Medical Cardiac Critical Care, Medical Critical Care, Med/Surg Critical Care, Neurosurg. Critical Care, Respiratory Critical Care, Surgical Critical Care, Trauma Critical Care
	Inpatient-Specialty Care areas (Adult or Pediatric)	LO104	Long Term Acute Care, Bone Marrow Transplant, Acute Dialysis Unit, Hematology/Oncology, Solid Organ Transplant, Pediatric Bone Marrow Transplant, Pediatric Dialysis, Pediatric Hem/Onc, Pediatric Long-Term Acute Care, Pediatric Solid Organ Transplant
	Inpatient-Adult Wards	LO105	Adult Medical or Surgical Wards: Antenatal Care Ward, Burn Ward, Ear/Nose/Throat Ward, Gastrointestinal Ward, Gerontology Ward, Genitourinary Ward, Gynecology

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
			Ward, Jail Unit, Labor /
			Delivery/Recovery/Postpartum, Medical
			Ward, Med/Surg Ward, Mixed Acuity Ward,
			Neurology Ward, Neurosurgical Ward,
			Ophthalmology Ward, Orthopedic Trauma
			Ward, Orthopedic Ward, Plastic Surgery
			Ward, Postpartum Ward, Pulmonary Ward,
			Rehabilitation Ward, School Infirmary
			(inpatient), Surgical Ward, Stroke (Acute)
			Unit, Telemetry Unit, Vascular Surgery Ward
	Inpatient-Pediatric Wards	LO106	Pediatric Burn Ward, Pediatric
			Ear/Nose/Throat, Pediatric Genitourinary,
			Medical Pediatric Ward, Pediatric Med/Surg
			Ward, Pediatric Mixed Acuity Ward, Pediatric
			Neurosurgical Ward, Pediatric Orthopedic
			Ward, Pediatric Rehab Ward, Pediatric
			Surgical Ward
	Inpatient-Step Down Units	LO107	Adult or Pediatric
	Inpatient-Operating Rooms	LO108	Cardiac Catheterization Room, Cesarean
			Section Room, Interventional Radiology,
			Operating Room, Post Anesthesia Care
			Unit/Recovery Room
	Inpatient-Long-term Care	LO109	Inpatient Hospice, LTC Unit, LTC Alzheimer's
			Unit, LTC Behavioral Health/Psych Unit,
			Ventilator Dependent Unit, LTC Rehab Unit
	Inpatient-Behavioral Health/Psych Ward (Adult or Pediatric)	LO110	
	Inpatient-Other locations, please specify	LO199	Includes Patient Transportation, Sleep
	,		Studies, Pulmonary Function Testing,
			Treatment Room. Use if you know the
			inpatient location but cannot find it otherwise
			on the list. Specify location in field for Event
			Location Text.

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	Outpatient- Unspecified	LO200	Use if you do not know the exact outpatient
			location.
	Outpatient-Acute Care-Emergency	LO201	
	Department/Urgent Care		
	Outpatient-Acute Care-Ambulatory	LO202	
	Surgery/Observation		
	Outpatient-Clinic (Nonacute) settings	LO203	Allergy, Behavioral Health, Blood Collection,
			Cardiac Rehab, Cardiology, Continence,
			Dermatology, Diabetes/Endocrinology,
			Ear/Nose/Throat, Family Medicine, Genetics,
			Gynecology, Holistic Medicine, Hyperbaric
			Oxygen, Infusion, Neurology, Occupational
			Health, Occupational Therapy,
			Ophthalmology, Orthopedic, Ostomy, Outpt
			Dental, Outpt GI, Outpt Hem/Onc, Outpt
			Hemodialysis, Outpt HIV, Outpt Medical, Oupt
			Rehab, Pain, Pediatric Behavioral Health, Ped.
			Cardiology, Ped. Clinic, Ped Dental, Ped.
			Dermatology, Ped. Diabetes/Endocrinology,
			Ped. Gastrointestinal, Ped. Hem/Onc, Ped.
			Nephrology, Ped. Orthopedic, Ped.
			Rheumatology, Ped. Scoliosis, Physical
			Therapy, Physician's office, Podiatry,
			Prenatal, Pulmonary, Rheumatology,
			School/Prison infirmary (outpatient),
			Specimen Collection Area, Speech Therapy,
			Surgical Services, Well Baby, Wound Center,
			Wound Ostomy Continence, Mobile Blood
		10204	collection center
	Outpatient-Community locations	LO204	Includes Home Care, Home-based Hospice,
			Specimen collection in area not designed for
			healthcare, Blood Collection (not a
			van/mobile) in a location not designed for

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
			healthcare (ex – school gym)
	Outpatient-Other locations, please specify	LO299	Use if you know the outpatient location and
			can't find it otherwise listed. Specify location
			in field for Event Location Text.
	Radiology (Inpatient and outpatient)	LO301	Includes Mobile MRI/CT.
	Non-patient-care locations-Unspecified	LO400	Use if you do not know the exact non-patient-
	Now we tight and to estimate Administration	10404	care location.
	Non-patient-care locations-Administrative areas	LO401	
	Non-patient-care locations-Laboratories	LO402	Inpatient or Outpatient
	Non-patient-care locations- Hospital	LO403	Housekeeping, Environmental Services,
	Maintenance		Kitchen, Engineering, Biomedical Engineering,
			Sterile Plant Processing, Plant Maintenance,
			Loading Dock, Central Sterile Supply, Central
			Trash Area, Laundry
	Non-patient-care locations-Pharmacy	LO404	
	Non-patient-care locations-Morgue	LO405	
	Non-patient-care locations-Public areas	LO406	Including cafeteria, waiting rooms, parking
			lot, etc. These can be further specified by the Event Area values.
	Non-patient-care locations-Other	LO499	Use if you know the non-patient location and
	Non-patient-care locations-other	20455	can't find it otherwise listed. Specify location
			in field for Event Location Text.
	Unknown	UNK	A proper value is applicable, but not known.
Event Area	Patient room	EA101	Other than patient bathroom or shower
(Area of the facility where the injury			room.
occurred)	Patient bathroom	EA102	Patient bathroom or shower room.
	Exam room	EA103	
	Operating Room	EA104	
	Kitchen/dietary/cafeteria/dining/break	EA201	
	room		

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	Facility entrance/exit/lobby/foyer	EA202	
	Waiting room area	EA203	
	Corridor/hallway/elevator/stairwell	EA204	
	Nurses' station	EA205	
	Office/workstation	EA206	
	Public bathroom/staff bathroom/staff	EA207	
	locker room		
	Outside hospital	EA301	Includes parking lot, sidewalk, garage, loading dock.
	Off-site home/patient residence	EA401	
	Other room or location not listed above,	EA999	Specify in field for Event Area Text.
	please specify		
	Unknown	UNK	A proper value is applicable, but not known.
Event Medical Treatment	Hospitalized	MT1	
(The type of medical treatment the	Visit to a healthcare professional	MT2	
healthcare worker received at the	First Aid at the scene	MT3	
time of the injury event)	No medical treatment	MT4	
	Other, please specify	MT9	<i>Specify in field for Event Medical Treatment Text.</i>
	Unknown	UNK	A proper value is applicable, but not known.
*Event Type	STF: Slip, trip, fall: Unspecified	ET100	
(The type of event that occurred:	STF: Slip or trip without fall	ET101	
STF=slip/trip/fall,	STF: Fall on same level	ET102	Includes fall to upper level.
PHM=patient handling/movement,	STF: Fall to lower level	ET103	
WPV=workplace violence)	PHM: Unspecified	ET200	
	PHM: Patient handling musculoskeletal	ET201	
	disorder (MSD) with no equipment		
	PHM: Patient handling MSD with	ET202	
	equipment		
	WPV: Unspecified	ET300	

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	WPV: Verbal assault	ET301	Includes threat.
	WPV: Assault against property	ET302	
	WPV: Physical assault to person	ET303	
	Exposure to blood/body fluid	ET401	Includes needlesticks with or without BBF
			exposure, other sharps injuries, body fluid
			splashes, medical waste.
	Exposure to other biohazard	ET402	Includes insects, mildew, MRSA, meningitis, TB.
	Exposure to other harmful substance or	ET403	Includes fumes, dust, chemicals, fiberglass,
	environment		electricity, radiation, burns, heat/cold
			exposure.
	Contact with objects and equipment	ET404	
	Musculoskeletal Disorder not related to	ET501	
	patient handling		
	Transportation incident	ET601	
	Fire or explosion	ET701	
	Other, please specify	ET999	Specify in field for Event Type Text.
Event Description	Text string up to 700 characters	N/A	
(Narrative text that describes what			
happened)			
*Event Severity	OSHA Recordable, unspecified:	OS10	ONLY to be used when the event cannot be
(Indicate the Severity level of the	(ONLY to be used when cannot be placed in		placed in one of the categories below.
event based on OSHA severity.)	OS11, OS12, OS13, or OS14)		
	OSHA Recordable, Death	OS11	OSHA recordable case – Death.
If more than one category applies,			
choose the one that reflects the higher severity. For example, if	OSHA Recordable, Days away from work	OS12	OSHA recordable case with days away from work.
there are both Days Away (OS12)	OSHA Recordable, Job transfer or	O\$13	OSHA recordable case with job
and Job Transfer (OS13), choose	restriction		transfer/restriction.
OS12.	OSHA Recordable, all other cases	O\$14	An OSHA Recordable case that did not result

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
			in death, days away, or job
			transfer/restriction.
	Not OSHA recordable	OS20	Injury/illness that is not OSHA recordable.
			Includes no injury ("near-miss").
	Unknown	UNK	A proper value is applicable but not known.
Worker Level Data			
Worker ID (ID of worker)	String up to 15 characters	N/A	This can be a random number assigned by the
			facility. Must NOT include personal identifiers
			such as date of birth or social security
			number.
Worker Gender	Female	F	
(Gender of the worker)	Male	М	
	Undifferentiated	UN	
*Worker Age	Number	N/A	The age of the worker who was injured as a
(Age in years of the worker at the			2-digit number. If worker age is unavailable,
time of the event)			enter 0. This column cannot be left blank.
Worker Usual Location	Healthcare service location	Use Event	
(Location where the worker	(Same as Event Location)	Location	
normally worked)		Codes	
*Worker Occupation	Physician, unspecified	OC110	
(Occupation category of worker at	Attending Physicians & Dentists	OC111	
time of event based on categories	Interns/Residents	OC112	
used in AHA annual survey +	Nurse, unspecified	OC120	
additional OHSN value sets)	Registered Nurses	OC121	
	Licensed Practical (Vocational) Nurses	OC122	
	Pharmacy, unspecified	OC130	
	Pharmacists	OC131	
	Pharmacy Technicians	OC132	

Public reporting burden of this collection of information is estimated to average 3 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-xxxx).

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	Nursing assistive personnel	OC140	Includes patient care technicians, patient care
			assistants, nurse aides.
	Radiology Technicians	OC150	Includes ultrasound technicians, nuclear
			medicine technicians.
	Laboratory professional/technical	OC160	Includes phlebotomists.
	Respiratory Therapists	OC170	
	Rehabilitation Personnel	OC180	Includes physical therapists, occupational
			therapists, speech therapists, etc.
	Other trainees	OC190	
	All other personnel-patient care staff	OC199	Includes Advanced Registered Nurse
			Practitioners, Physician Assistants,
			paramedics, medical assistants. Specify in
			field for Worker Occupation Text.
	Housekeeping/laundry	OC210	
	Food service	OC220	
	All other personnel-non-patient care staff	OC299	Specify in field for Worker Occupation Text.
	Unknown	UNK	A proper value is applicable, but not known.
	•		
Worker Type	Full-time	EM1	Not a contractor.
(Type of employee at the time of	Part-time	EM2	Not a contractor.
the event; used to choose	Contractor	EM3	Contract Employee.
appropriate denominators for rates)	Casual	EM4	Casual or per diem.
	Volunteer	EM5	
	Other, please specify	EM9	Specify in field for Worker Type Text.
	Unknown	UNK	A proper value is applicable, but not known.
Worker Start Date	Format YYYY-MM-DD	N/A	
(Date the worker started the job			
held at the time of the event)			
Worker Race	American Indian or Alaska Native	1002-5	

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
(Race of worker)	Asian	2028-9	
	Black or African American	2054-5	
	Native Hawaiian or Other Pacific Islander	2076-8	
	White	2106-3	
	Other Race, please specify	2131-1	Specify in field for Worker Race Text.
	Unknown	UNK	A proper value is applicable, but not known.
	·		
Worker Ethnicity	Hispanic or Latino	2135-2	
(Ethnicity of worker)	Not Hispanic or Latino	2186-5	
	Undifferentiated	UNK	
Injury Level Data			
Injury Body Part	Head, including face	0	
(The primary body part of the	Neck, including throat	1	
healthcare worker that was injured	Shoulder, including clavicle and scapula	21	
or exhibits a health condition)	Chest, including ribs and internal organs	22	
	Back, including spine and spinal cord	23	
	Abdomen	24	
	Pelvic region	25	
	Arms	31	
	Wrists	32	
	Hand(s) except finger(s)	33	
	Finger(s), fingernails(s)	34	
	Legs	41	
	Ankles	42	
	Foot (feet), except toe(s)	43	
	Toe(s), toenail(s)	44	
	Body Systems	5	Applies when the functioning of an entire
			body system has been affected without
			specific injury to any other part of the body.
	Other body parts, please specify	9	Specify in field for Injury Body Part Text.
	Unknown	UNK	A proper value is applicable but not known.

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
Injury Nature (The primary nature of the	Dislocation	011	Displacement and subluxation of bone or cartilage.
healthcare worker's injury/health condition)	Fractures	012	Traumatic injuries that result in fractures of bones or teeth.
	Sprains, strains, tears	021	Cases of sprains and strains of muscles, joints, tendons, and ligaments. Includes edema.
	Open wounds	03	Involving open wounds, broken skin, or outward opening, beyond the superficial skin surface, e.g., lacerations or puncture wounds.
	Amputations	031	Traumatic loss of a limb or other external body part. For an injury to be classified in this group, bone must be lost.
	Surface wounds and bruises	04	Traumatic bruises and other injuries that occur to the surface of the body and generally do not involve open wounds. Includes skin disorders, needlesticks, other sharps injuries.
	Burns	05	Tissue damage resulting from a variety of sources including heat, flame, hot substances, lightning, radiation, heat, extremely cold objects, and electricity.
	Intracranial injury	06	Traumatic injuries to the cranium or skull and the structures within.
	Multiple traumatic injuries and disorders	08	<i>Combinations of traumatic injuries or disorders of different types.</i>
	Other traumatic injuries and disorders	09	Traumatic injuries or disorders that are not assigned to the other major groups.
	Internal injuries to organs and blood vessels of the trunk	094	Traumatic injuries involving internal organs or blood vessels of the trunk and are not classified in any other major group.
	Crushing injuries	0971	

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	Back pain, hurt back	0972	
	Soreness, pain, hurt, except the back	0973	
	Multiple nonspecified injuries and	0978	
	disorders		
	Nonclassifiable	9999	Insufficient information to select even an
			unspecified code at the division level or there
			appears to be no injury or illness. Includes
			"Near-Miss."
	Unknown	UNK	A proper value is applicable but not known.
* Informe Courses	CTT Useende Unemersförd en menne	16100	
*+Injury Source (The primary source or secondary	STF Hazard: Unspecified or none	IS100	
source of the injury or the primary	STF Hazard: Contaminant	IS101	Includes water, soap, body fluid, grease/oil,
hazard involved)			coffee, wax, gel, slick, slippery not otherwise
hazaru hivolveu)			classified.
+Only required for slip, trip, fall	STF Hazard: Cord or tubing	IS102	Includes hose, medical tubing, phone cord,
events; optional for workplace			nurse call cord, equipment cords.
violence and patient	STF Hazard: Object	IS103	Includes tripping over or getting caught on
handling/movement events			objects or items on floor, propped against
			wall, or in the pathway.
	STF Hazard: Ice or snow	IS104	
STF= slip/trip/fall	STF Hazard: Surface irregularity	IS105	Includes surface irregularities due to buckled,
PHM= patient handling/movement			loose, or damaged mat, carpeting, or rug;
WPV= workplace violence			when some part of the walking surface is
			irregular; cracked tiles; loose gravel, door
	CTT Useende Alsoude southe shates	164.06	guards; etc.
	STF Hazard: A curb or wheel stop	IS106	
	STF Hazard: Steps, stairs, or handrail	IS107	Creatify in field for Inium Course Toyt
	STF Hazard: Other, please specify	IS199	Specify in field for Injury Source Text.
	PHM Equipment: Unspecified	IS200	
	PHM Equipment: Full body sling lift –	IS210	
	Unspecified		

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	PHM Equipment: Full body sling lift –	IS211	
	Ceiling lift		
	PHM Equipment: Full body sling lift –	IS212	
	Floor-based lift		
	PHM Equipment: Sit-to-stand lift	IS220	
	PHM Equipment: Lateral transfer device-	IS230	
	Unspecified		
STF= slip/trip/fall	PHM Equipment: Air assisted lateral	IS231	
PHM= patient handling/movement	transfer device	16222	
WPV= workplace violence	PHM Equipment: Mechanical lateral transfer device	IS232	
· · · · · · · · · · · · · · · · · · ·	PHM Equipment: Friction-reducing lateral	IS233	Includes slide sheet.
	transfer device	15255	inclutes sheet.
	PHM Equipment: Repositioning aid for	IS241	
	bed/chair		
	PHM Equipment: Motorized	IS242	
	bed/stretcher/wheelchair		
	PHM Equipment: Specialty function bed	IS243	
	PHM Equipment: Shower chair	IS244	
	PHM Equipment: Height adjustable exam	IS245	
	table		
	PHM Equipment: Gait belt	IS246	
	PHM Equipment: Other, please specify	IS299	Specify in field for Injury Source Text.
	WPV: Weapon: Unspecified	IS300	
	WPV: Weapon: Firearm	IS301	
	WPV: Weapon: Knife	IS302	Excluding eating utensil knife.
	WPV: Weapon: Bar, rod, club, stick	IS303	
	WPV: Weapon: Building materials	IS304	Includes door, window, floor, wall.
	WPV: Weapon: Medical instrument or	IS305	
	equipment		
	WPV: Weapon: Food, utensils, meal tray	IS306	

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	WPV: Weapon: Bodily fluids or substances	IS307	
	of person		
	WPV: Weapon: Other, please specify	IS309	Specify in field for Injury Source Text.
	WPV: Persons (without weapon)	IS311	This code does not apply to PHM events.
	WPV: Other, please specify	IS399	Specify in field for Injury Source Text.
STF= slip/trip/fall,	General Source: Chemicals and chemical	IS401	
PHM= patient handing/movement,	products		
WPV= workplace violence	General Source: Containers	IS402	
	General Source: Furniture and fixtures	IS403	
	General Source: Machinery	IS404	
	General Source: Parts and materials	IS405	
	General Source: Plants, animals, and minerals	IS407	
	General Source: Structures and surfaces	IS408	Other than STF hazards.
	General Source: Tools, instruments, and	IS409	Other than STF hazards or weapons.
	equipment		
	General Source: Vehicles	IS410	
	General Source: Other, please specify	IS499	Specify in field for Injury Source Text.
	Unknown	UNK	A proper value is applicable but not known.
*+Injury Contributing Factor	STF: Shoe with open back	CF1101	
(The primary factor contributing to	STF: Non-slip-resistant shoe	CF1102	
the injury of a healthcare worker)	STF: Other, please specify	CF1199	Specify in field for Injury Contributing Factor Text.
+Only required for workplace violence	PHM: Patient factor: Unspecified	CF2100	
events; optional for slip/trip/fall and patient handling/movement events	PHM: Patient factor: Slipped	CF2101	Patient slipped, tripped, fell, or lost balance.
	PHM: Patient factor: Sudden movement	CF2102	Patient made sudden or unpredictable movement.
	PHM: Patient factor: Uncooperative	CF2103	

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	PHM: Patient factor: Patient equipment or tubes	CF2104	
	PHM: Patient factor: Patient size or weight	CF2105	
	PHM: Patient factor: Patient's inability to assist	CF2106	
STF= slip/trip/fall PHM= patient handling/movement	PHM: Patient factor: Other, please specify	CF2199	<i>Specify in field for Injury Contributing Factor</i> <i>Text.</i>
WPV= workplace violence	PHM: Equipment not used: Reason unspecified	CF2200	
	PHM: Equipment not used: No equipment available	CF2201	
	PHM: Equipment not used: Refused by patient or family	CF2202	
	PHM: Equipment not used: Equipment not accessible	CF2203	For example, needs to be transferred from another room.
	PHM: Equipment not used: Equipment not suitable for use	CF2204	For example, equipment not clean or not working.
	PHM: Equipment not used: Difficult to use	CF2205	For example, equipment not user-friendly.
	PHM: Equipment not used: Space constraints	CF2206	
	PHM: Equipment not used: Lack of training	CF2207	Lack of training in use of equipment.
	PHM: Equipment not used: Urgent medical situation	CF2208	
	PHM: Equipment not used: Other reason, please specify	CF2299	<i>Specify in field for Injury Contributing Factor</i> <i>Text.</i>
	WPV: Patient Unspecified	CF3100	Perpetrator of violence was a patient, but the reason was unspecified.
	WPV: Patient: Anesthesia recovery	CF3101	
	WPV: Patient: Anger related to system	CF3102	Anger related to the healthcare system in general.

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	WPV: Patient: Anger related to situation	CF3103	Anger related to the patient's situation or
			condition.
	WPV: Patient: Anger related to policies		Anger at staff members related to
		CF3104	enforcement of hospital policies.
	WPV: Patient: Anger related to wait	CF3105	Anger related to long wait times.
	WPV: Patient: Cognitive dysfunction	CF3106	Includes hypoxic patient, confused patient.
STF= slip/trip/fall	WPV: Patient: Influenced by medication	CF3107	
PHM= patient handling/movement WPV= workplace violence	WPV: Patient: Mental or behavioral health problems	CF3108	
	WPV: Patient: Substance abuse	CF3109	
	WPV: Patient: Other, please specify	CF3199	Specify in field for Injury Contributing Factor Text.
	WPV: Worker: Unspecified	CF3200	Perpetrator of violence was a co-worker of the victim, but the reason/s was unspecified.
	WPV: Worker: Anger between co-workers	CF3201	
	WPV: Worker: Mental or behavioral health problems	CF3202	
	WPV: Worker: Substance abuse	CF3203	
	WPV: Worker: Other	CF3299	
	WPV: Visitor: Unspecified	CF3300	Perpetrator of violence was a visitor to the
			facility, but the reason/s was unspecified.
	WPV: Visitor: Anger related to system	CF3301	
	WPV: Visitor: Anger related to situation	CF3302	Anger related to the patient's situation or condition.
	WPV: Visitor: Anger related to policies	CF3303	Anger at staff members related to
			enforcement of hospital policies.
	WPV: Visitor: Anger related to wait	CF3304	Anger related to long wait times.
	WPV: Visitor: Domestic dispute with HCW	CF3305	
	WPV: Visitor: Domestic dispute with	CF3306	

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	patient		
	WPV: Visitor: Mental or behavioral health problems	CF3307	
	WPV: Visitor: Substance abuse	CF3308	
	WPV: Visitor: Other, please specify	CF3399	<i>Specify in field for Injury Contributing Factor</i> <i>Text.</i>
	Other, please specify	CF9999	<i>Specify in field for Injury Contributing Factor</i> <i>Text.</i>
	Unknown	UNK	A proper value is applicable, but not known.
*+Injury Activity	STF: Making occupied bed	AC111	
(The primary activity the healthcare	STF: Carrying, pushing or pulling a load	AC121	
worker was performing at the time	STF: Walking	AC131	
the event occurred)	STF: Running	AC141	
+Only required for patient handling	STF: Awkward posture	AC151	Reaching, stretching, twisting, bending, or some other awkward posture.
events; optional for slip/trip/fall and workplace violence events	STF: Cleaning	AC161	Includes washing, waxing, sweeping, dusting, making unoccupied beds, etc.
	STF: Other, please specify	AC199	Specify in field for Injury Activity Text.
	PHM: Hygiene: Unspecified	AC210	
STF= slip/trip/fall,	PHM: Hygiene: Bathing patient in bed	AC211	
PHM= patient handling/movement, WPV= workplace violence	PHM: Hygiene: Bathing/toileting patient in bathroom	AC212	
	PHM: Hygiene: Dressing/undressing or diapering patient	AC213	Includes applying or removing TED hose.
	PHM: Positioning: Unspecified	AC230	
	PHM: Positioning:	AC231	
	Positioning/repositioning in bed or		
	stretcher		
	PHM: Positioning:	AC232	Includes wheelchair, dependency chair, etc.
	Positioning/repositioning in chair		

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	PHM: Responding to patient medical	AC241	For example, Code Blue.
	emergency		
	PHM: Sustained lifting/holding of body	AC251	For example, holding patient leg/s for
	parts		sterilization or holding a retractor during
			thoracic surgery for long period of time.
	PHM: Transfer: Unspecified	AC260	
STF= slip/trip/fall	PHM: Transfer: Transferring/lifting to/from	AC261	Includes transferring/lifting to/from bed,
PHM= patient handling/movement	bed or chair		chair, wheelchair, dependency chair, toilet,
WPV= workplace violence	DUM: Transfor: Transforming /lifting from		car, etc.
	PHM: Transfer: Transferring/lifting from floor	AC262	
	PHM: Transfer: Lateral transfer of patient	AC263	To/from stretcher/exam table/surgical
	to/from bed		lift/trolley.
	PHM: Transfer: Transferring/lifting	AC264	
	deceased patient		
	PHM: Transport: Unspecified	AC270	
	PHM: Transport: Moving patient by	AC271	
	wheelchair		
	PHM: Transport: Moving patient by	AC272	
	stretcher, bed, litter, trolley, etc. PHM: Transport: Escorting patient without		
	equipment	AC273	
	PHM: Other, please specify	AC299	Specify in field for Injury Activity Text.
	WPV: Interaction with Patient Unspecified	AC310	
	WPV: Interaction with Patient: Assisting		Any activity assisting or providing care to the
		AC311	patient, where the patient causes the
			incident.
	WPV: Interaction with Patient: Dispute	AC312	
	WPV: Interaction with Co-worker:	AC320	
	Unspecified		
	WPV: Interaction with Co-worker: Assisting	AC321	Any activity assisting a co-worker, where the
			co-worker causes the incident.

Data Element (Description)	Value Set (Descriptions)	Codes	Notes
	WPV: Interaction with Co-worker: Dispute	AC322	
	WPV: Interaction with Visitor: Unspecified	AC330	
	WPV: Interaction with Visitor: Domestic	AC331	
	dispute		
	WPV: Interaction with Visitor: Non-	AC332	
	domestic dispute		
	WPV: Intervening in assault on another	AC341	
	person WPV: Intervening in an assault on property	AC342	
	WPV: Involved in an assault without	AC342	
	preceding interaction with perpetrator	AC343	
	WPV: Other, please specify	AC399	Specify in field for Injury Activity Text.
	Other activity, please specify	AC999	Specify in field for Injury Activity Text.
	Unknown	UNK	A proper value is applicable, but not known.
		••••	
Injury Prevention:	STF: Redesign of work area	PR101	
Recommendation	STF: Shoe policy	PR102	
	STF: Other, please specify	PR199	Specify in field for Injury Prevention Text.
	PHM: Having more patient lifting equipment	PR201	
	PHM: Having properly working lifting equipment	PR202	
	PHM: Other, please specify	PR299	Specify in field for Injury Prevention Text.
	WPV: Restricted movement of public	PR301	
	WPV: Security devices	PR302	For example, metal detectors, cameras, panic
			button.
	WPV: Other, please specify	PR399	Specify in field for Injury Prevention Text.
	General: Safety training	PR401	
	General: Higher staff-to-patient ratios	PR501	Staffing patterns.
	Other, please specify	PR999	Specify in field for Injury Prevention Text.
	Unknown	UNK	A proper value is applicable, but not known.

Published November 2012