

Medicare Current Beneficiary Survey

Section Specifications for FQM

Round 69

FACILITY QUESTIONNAIRE MISSING DATA

Created on 5/9/2014 6:10:39 PM

BOX FQMBEG

BOX INSTRUCTIONS

GO TO FQMISS1 - FQMISSNG.

FQMISS1

Code 1

QUESTION TEXT

THE FOLLOWING ITEMS ARE MISSING FROM FQ. CONFIRM THAT THE RESPONDENT CAN ANSWER AT LEAST ONE QUESTION.

PRESS "1" TO CONTINUE.

FIELD 1: FQMISSNG**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX FQM1

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Report Display instructions:

If FQ1A - PLACNAME = DK or RF and FQM1A - MSFNAME = DK, EMPTY or NULL, then display "IS FACILITY'S NAME CORRECT?".

If FQ2 - FADDROK = DK or RF and FQM2A - MSFADDR = DK, EMPTY, or NULL, then display "IS FACILITY'S ADDRESS CORRECT?".

If FQ4 - MADDROK = RF and FQM2C - MSMADDR = DK, EMPTY or NULL, then display "IS FACILITY'S MAILING ADDRESS CORRECT?".

If FQ3 - FADMNOK = DK or RF and FQM3A - MSFADMN = DK, EMPTY or NULL, then display "IS FACILITY'S ADMINISTRATOR CORRECT?".

If FQ5 - FPHONOK = DK or RF and FQM4A - MSFPHON = DK, EMPTY or NULL, then display "IS FACILITY'S PHONE NUMBER CORRECT?".

If FA1 - PLACTYP1 = RF and FQM5A - MSPLACTY = DK, EMPTY or NULL, then display "WHAT IS THE TYPE OF PLACE FOR (FACILITY)?".

If FA12 - BEDSNUM = DK or RF and FQM6A - MSBEDSNU = DK, EMPTY or NULL, then display "WHAT IS THE NUMBER OF BEDS IN (FACILITY)?".

If FA13 - CAIDCRT1 = DK or RF and FQM7A - MSCAIDC1 = DK, EMPTY or NULL, then display "IS THERE MEDICAID CERTIFICATION FOR (FACILITY)?".

If FA14 - CARECRT1 = DK or RF and FQM8A - MSCAREC1 = DK, EMPTY or NULL, then display "IS THERE MEDICARE CERTIFICATION FOR (FACILITY)?".

If FA15 - CAIDICF = DK or RF and FQM9A - MSCAIDIC = DK, EMPTY or NULL, then display "IS THERE MEDICAID-ICF/MR CERTIFICATION FOR (FACILITY)?".

If FA16 - HDEPTLIC = DK or RF and (FA13 - CAIDCRT1, FA14 - CARECRT1, FA15 - CAIDICF, FQM7A - MSCAIDC1, FQM8 - MSCAREC1, and FQM9A MSCAIDIC <> 1/Yes), and FQM10A - MSHDEPTL = DK, EMPTY or NULL, then display "IS THERE STATE DEPARTMENT LICENSING FOR (FACILITY)?".

If FA18 - HDEPTPCH = DK or RF and FQM11A - MSHDEPTP = DK, EMPTY or NULL, then display "IS THERE NON-NURSING LICENSING FOR (FACILITY)?".

Report Display:

(IS FACILITY'S NAME CORRECT?)

(IS FACILITY'S ADDRESS CORRECT?)

(IS FACILITY'S MAILING ADDRESS CORRECT?)

(IS FACILITY'S ADMINISTRATOR CORRECT?)

(IS FACILITY'S PHONE NUMBER CORRECT?)

[WHAT IS THE TYPE OF PLACE FOR (FACILITY)?]

[WHAT IS THE NUMBER OF BEDS IN (FACILITY)?]

[IS THERE MEDICAID CERTIFICATION FOR (FACILITY)?]

[IS THERE MEDICARE CERTIFICATION FOR (FACILITY)?]

[IS THERE MEDICAID-ICF/MR CERTIFICATION FOR (FACILITY)?]

[IS THERE STATE DEPARTMENT LICENSING FOR (FACILITY)?]

[IS THERE NON-NURSING LICENSING FOR (FACILITY)?]

BOX FQM1

BOX INSTRUCTIONS

IF (FQ1A - PLACNAME = DK OR RF) AND (FQM1A - MSFNAME = DK, EMPTY, OR NULL),
GO TO FQM1A - MSFNAME.

ELSE GO TO BOX FQM2.

FQM1A

Yes/No

QUESTION TEXT

I need to verify that our information about you is correct.

Is (FACILITY) the exact name of this (facility/home)?

FIELD 1: MSFNAME**FIELD 1 ROUTING**

Value	Label	Route
0	NO	FQM1B - ADDRNAME
1	YES	BOX FQM2
	Don't Know	BOX FQM2
	Refused	BOX FQM2

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
PLACNAME	If FQM1A - MSFNAME = 1/Yes or RF, then PLAC.PLACNAME = PreloadPLAC.PLACNAME
PLACNAME	If FQM1A - MSFNAME = 1/Yes or RF, then FQ.PLACNAME = PreloadPLAC.PLACNAME

FQM1B

Text

QUESTION TEXT

What is the exact name of the place where (SP) was physically located on (REFERENCE DATE)?

FIELD 1: ADDRNAME**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX FQM2

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
PLACNAME	PLAC.PLACNAME = FQM1B - ADDRNAME
PLACNAME	FQ.PLACNAME = FQM1B - ADDRNAME

DESIGN NOTES

Use the updated FACILITY name for "(FACILITY)". Fill in all questions that follow.

BOX FQM2

BOX INSTRUCTIONS

IF (FQ2 - FADDROK = DK OR RF) AND (FQM2A - MSFADDR = DK, EMPTY, OR NULL), GO TO FQM2A - MSFADDR.

ELSE GO TO BOX FQM2A1.

FQM2A

Yes/No

QUESTION TEXT

Is [READ ADDRESS LISTED BELOW] the correct address of the place where (SP) was physically located on (REFERENCE DATE)?

FIELD 1: MSFADDR**FIELD 1 ROUTING**

Value	Label	Route
0	NO	FQM2B - ADDRESS
1	YES	BOX FQM2A1
	Don't Know	BOX FQM2A1
	Refused	BOX FQM2A1

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Report Display Instructions:

PRELOAD ADDRESS = PreloadPLAC.ADDRESS

PRELOAD CITY = PreloadPLAC.ADDRCITY

PRELOAD STATE = PreloadPLAC.ADDRSTAT

PRELOAD ZIP = PreloadPLAC.ADDRZIP

Report Header:

PREVIOUSLY REPORTED ADDRESS:

Report Display:

(PRELOAD ADDRESS)

(PRELOAD CITY) (PRELOAD STATE) (PRELOAD ZIP)

BACKGROUND VARIABLE ASSIGNMENTS

Variable Name	Assignment Instructions
ADDRESS	If FQM2A - MSFADDR = 1/Yes or RF then FQ.ADDRESS = PreloadPLAC.ADDRESS
ADDRCITY	If FQM2A - MSFADDR = 1/Yes or RF then FQ.ADDRCITY = PreloadPLAC.ADDRCITY
ADDRSTAT	If FQM2A - MSFADDR = 1/Yes or RF then FQ.ADDRSTAT = PreloadPLAC.ADDRSTAT
ADDRZIP	If FQM2A - MSFADDR = 1/Yes or RF then FQ.ADDRZIP = PreloadPLAC.ADDRZIP
ADDRESS	If FQM2A - MSFADDR = 1/Yes or RF then PLAC.ADDRESS = PreloadPLAC.ADDRESS
ADDRCITY	If FQM2A - MSFADDR = 1/Yes or RF then PLAC.ADDRCITY = PreloadPLAC.ADDRCITY
ADDRSTAT	If FQM2A - MSFADDR = 1/Yes or RF then PLAC.ADDRSTAT = PreloadPLAC.ADDRSTAT
ADDRZIP	If FQM2A - MSFADDR = 1/Yes or RF then PLAC.ADDRZIP = PreloadPLAC.ADDRZIP

FQM2B

Address

QUESTION TEXT

What is the correct address of the place where (SP) was physically located on (REFERENCE DATE)?

FIELD 1: ADDRESS

ADDRESS

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2B - ADDR CITY

FIELD 2: ADDR CITY

CITY

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2B - ADDR STAT

FIELD 3: ADDR STAT

STATE

FIELD 3 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2B - ADDR ZIP

FIELD 4: ADDRZIP

ZIP

FIELD 4 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX FQM2A1

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Report Display Instructions:

PRELOAD ADDRESS = PreloadPLAC.ADDRESS

PRELOAD CITY = PreloadPLAC.ADDRCITY

PRELOAD STATE = PreloadPLAC.ADDRSTAT

PRELOAD ZIP = PreloadPLAC.ADDRZIP

Report Header:

PREVIOUSLY REPORTED ADDRESS:

Report Display:

(PRELOAD ADDRESS)

(PRELOAD CITY) (PRELOAD STATE) (PRELOAD ZIP)

BACKGROUND VARIABLE ASSIGNMENTS

Variable Name	Assignment Instructions
ADDRESS	PLAC.ADDRESS = FQM2B - ADDRESS
ADDRRCITY	PLAC.ADDRCITY = FQM2B - ADDRRCITY
ADDRSTAT	PLAC.ADDRSTAT = FQM2B - ADDRSTAT
ADDRZIP	PLAC.ADDRZIP = FQM2B - ADDRZIP

DESIGN NOTES

Use the updated FQM2B - ADDRSTAT state for "(PREFERRED NAME(S) FOR MEDICAID)".

BOX FQM2A1

BOX INSTRUCTIONS

IF (FQ4 - MADDROK = RF) AND (FQM2C - MSMADDR = EMPTY, OR NULL), GO TO FQM2C - MSMADDR.

ELSE GO TO BOX FQM3.

FQM2C

Yes/No

QUESTION TEXT

Is [READ ADDRESS LISTED BELOW] the correct address for your office?

FIELD 1: MSMADDR**FIELD 1 ROUTING**

Value	Label	Route
0	NO	FQM2D - MAILADDR
1	YES	BOX FQM3
	Refused	BOX FQM3

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Report Display Instructions:

PRELOAD MAILING ADDRESS = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILADDR. Else display PLAC.ADDRESS.

PRELOAD MAILING CITY = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILED CITY. Else display PLAC.ADDRCITY.

PRELOAD MAILING STATE = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILSTAT. Else display PLAC.ADDRSTAT.

PRELOAD MAILING ZIP = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILZIP. Else display PLAC.ADDRZIP.

Report Header:

PREVIOUSLY REPORTED MAILING ADDRESS:

Report Display:

(PRELOAD MAILING ADDRESS)

(PRELOAD MAILING CITY) (PRELOAD MAILING STATE) (PRELOAD MAILING ZIP)

BACKGROUND VARIABLE ASSIGNMENTS

Variable Name	Assignment Instructions
MAILADDR	If FQ4-MADDROK = 1/Yes or RF: If PreloadFQ.MAILADDR <> EMPTY, then FQ.MAILADDR = PreloadFQ.MAILADDR. Else FQ.MAILADDR = FQ.ADDRESS
MAILCITY	If FQ4-MADDROK = 1/Yes or RF: If PreloadFQ.MAILADDR <> EMPTY, then FQ.MAILCITY = PreloadFQ.MAILCITY. Else FQ.MAILCITY = FQ.ADDRCITY
MAILSTAT	If FQ4-MADDROK = 1/Yes or RF: If PreloadFQ.MAILADDR <> EMPTY, then FQ.MAILSTAT = PreloadFQ.MAILSTAT. Else FQ.MAILSTAT = FQ.ADDRSTAT
MAILZIP	If FQ4-MADDROK = 1/Yes or RF: If PreloadFQ.MAILADDR <> EMPTY, then FQ.MAILZIP = PreloadFQ.MAILZIP. Else FQ.MAILZIP = FQ.ADDRZIP

FQM2D

Text

QUESTION TEXT

What is the correct address for your office?

FIELD 1: MAILADDR

ADDRESS

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2D - MAILCITY
	Don't Know	FQM2D - MAILCITY
	Refused	FQM2D - MAILCITY

FIELD 2: MAILCITY

CITY

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2D - MAILSTAT
	Don't Know	FQM2D - MAILSTAT
	Refused	FQM2D - MAILSTAT

FIELD 3: MAILSTAT

STATE

FIELD 3 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM2D - MAILZIP
	Don't Know	FQM2D - MAILZIP
	Refused	FQM2D - MAILZIP

FIELD 4: MAILZIP

ZIP

FIELD 4 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX FQM3
	Don't Know	BOX FQM3
	Refused	BOX FQM3

OTHER PROGRAMMING INSTRUCTIONS**REPORT DISPLAY**

Report Display Instructions:

PRELOAD MAILING ADDRESS = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILADDR. Else display PLAC.ADDRESS.

PRELOAD MAILING CITY = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILCITY. Else display PLAC.ADDRCITY.

PRELOAD MAILING STATE = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILSTAT. Else display PLAC.ADDRSTAT.

PRELOAD MAILING ZIP = If PreloadFQ.MAILADDR <> EMPTY, then display PreloadFQ.MAILZIP. Else display PLAC.ADDRZIP.

Report Header:

PREVIOUSLY REPORTED MAILING ADDRESS:

Report Display:

(PRELOAD MAILING ADDRESS)

(PRELOAD MAILING CITY) (PRELOAD MAILING STATE) (PRELOAD MAILING ZIP)

BOX FQM3

BOX INSTRUCTIONS

IF (FQ3 - FADMNOK = DK OR RF) AND (FQM3A - MSFADMN = DK, EMPTY, OR NULL), GO TO FQM3A - MSFADMN.

ELSE GO TO BOX FQM4.

FQM3A

Yes/No

QUESTION TEXT

[Is (ADMINISTRATOR'S NAME)/Are you] (still) the current administrator of (FACILITY)?

FIELD 1: MSFADMN**FIELD 1 ROUTING**

Value	Label	Route
0	NO	FQM3B - FACRNAMM
1	YES	BOX FQM4
	Don't Know	BOX FQM4
	Refused	BOX FQM4

FQM3B

Text

QUESTION TEXT

What is the current administrator's name?

SELECT A RESPONSE BELOW OR ADD TO THE PERSON ROSTER.

FIELD 1: FACRNAMM**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX FQM4

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
XFACRADM	PLAC.XFACRADM = FACRNUM added/selected in PLAC where PLACNUM = 001
XFACRADM	FQ.XFACRADM = FACRNUM added/selected

BOX FQM4

BOX INSTRUCTIONS

IF (FQ5 - FPHONOK = DK OR RF) AND (FQM4A - MSFPHON = DK, EMPTY, OR NULL), GO TO FQM4A - MSFPHON.

ELSE GO TO BOX FQM5.

FQM4A

Yes/No

QUESTION TEXT

(VERIFY PHONE NUMBER IS FOR FQ RESPONDENT. DO NOT READ ALOUD.)

Is (FACILITY AREA CODE AND PHONE NUMBER) the correct phone number for (FACILITY)?

FIELD 1: MSFPHON**FIELD 1 ROUTING**

Value	Label	Route
0	NO	FQM4B - ADDRAREA
1	YES	BOX FQM5
	Don't Know	BOX FQM5
	Refused	BOX FQM5

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
ADDRAREA	If FQM4A - MSFPHON = 1/Yes or RF then PLAC.ADDRAREA = PreloadPLAC.ADDRAREA
ADDREXCH	If FQM4A - MSFPHON = 1/Yes or RF then PLAC.ADDREXCH = PreloadPLAC.ADDREXCH
ADDRLOCL	If FQM4A - MSFPHON = 1/Yes or RF then PLAC.ADDRLOCL = PreloadPLAC.ADDRLOCL
ADDRAREA	If FQM4A - MSFPHON = 1/Yes or RF then FQ.ADDRAREA = PreloadPLAC.ADDRAREA

Variable Name	Assignment Instructions
ADDREXCH	If FQM4A - MSFPHON = 1/Yes or RF then FQ.ADDREXCH = PreloadPLAC.ADDREXCH
ADDRLOCL	If FQM4A - MSFPHON = 1/Yes or RF then FQ.ADDRLOCL = PreloadPLAC.ADDRLOCL

FQM4B

Numeric

QUESTION TEXT

What is the phone number?

FIELD 1: ADDRAREA

AREA CODE

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM4B - ADDREXCH
	Don't Know	FQM4B - ADDREXCH
	Refused	FQM4B - ADDREXCH

FIELD 2: ADDREXCH

EXCHANGE

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	FQM4B - ADDRLOCL
	Don't Know	FQM4B - ADDRLOCL
	Refused	FQM4B - ADDRLOCL

FIELD 3: ADDRLOCL

LOCAL

FIELD 3 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX FQM5
	Don't Know	BOX FQM5
	Refused	BOX FQM5

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
ADDRAREA	If FQM4B - ADDRAREA <> DK, RF then PLAC.ADDRAREA = FQM4B - ADDRAREA. Else PLAC.ADDRAREA = PreloadPLAC.ADDRAREA.
ADDREXCH	If FQM4B - ADDREXCH <> DK, RF then PLAC.ADDREXCH = FQM4B - ADDREXCH. Else PLAC.ADDREXCH = PreloadPLAC.ADDREXCH.
ADDRLOCL	If FQM4B - ADDRLOCL <> DK, RF then PLAC.ADDRLOCL = FQM4B - ADDRLOCL. Else PLAC.ADDRLOCL = PreloadPLAC.ADDRLOCL.
ADDRAREA	If FQM4B - ADDRAREA <> DK, RF then FQ.ADDRAREA = FQM4B - ADDRAREA. Else FQ.ADDRAREA = PreloadPLAC.ADDRAREA.
ADDREXCH	If FQM4B - ADDREXCH <> DK, RF then FQ.ADDREXCH = FQM4B - ADDREXCH. Else FQ.ADDREXCH = PreloadPLAC.ADDREXCH.

Variable Name	Assignment Instructions
ADDRLOCL	If FQM4B - ADDRLOCL <> DK, RF then FQ.ADDRLOCL = FQM4B - ADDRLOCL. Else FQ.ADDRLOCL = PreloadPLAC.ADDRLOCL.

BOX FQM5

BOX INSTRUCTIONS

IF (FA1 - PLACTYP1 = RF) AND (FQM5A - MSPLACTY = EMPTY OR NULL), GO TO FQM5A - MSPLACTY.

ELSE GO TO BOX FQM6.

FQM5A

Code 1

QUESTION TEXT

SHOW CARD FA2

What type of place is (FACILITY)?

PRESS F1 FOR PLACE DEFINITIONS.

IF RESPONDENT REPORTS CCRC OR RETIREMENT COMMUNITY, PROBE FOR TYPE OF PLACE FOR UNIT WHERE SP RESIDES. DO NOT ENTER "OTHER".

FIELD 1: MSPLACTY

FIELD 1 ROUTING

Value	Label	Route
1	FREE STANDING NURSING HOME	BOX FQM6
4	NURSING HOME UNIT WITHIN A CCRC OR RETIREMENT CENTER	BOX FQM6
6	HOSPITAL	DO NOT DISPLAY.
7	HOSPITAL-BASED SNF UNIT	DO NOT DISPLAY
8	ASSISTED LIVING FACILITY	BOX FQM6
9	BOARD AND CARE HOME	BOX FQM6
10	DOMICILIARY CARE HOME	BOX FQM6
11	PERSONAL CARE HOME	BOX FQM6
12	REST HOME/RETIREMENT HOME	BOX FQM6
13	HOME OFFICE OR MANAGEMENT OFFICE FOR A CHAIN OR GROUP OF OFF-SITE NURSING FACILITIES	DO NOT DISPLAY.
15	MENTAL HEALTH CENTER/PSYCHIATRIC SETTING	BOX FQM6

Value	Label	Route
16	INSTITUTION FOR THE MENTALLY RETARDED/DEVELOPMENTALLY DISABLED	BOX FQM6
17	REHABILITATION FACILITY	BOX FQM6
91	OTHER	FQM5A - MSPLTPOS
	Refused	BOX FQM6

FIELD 2: MSPLTPOS

OTHER (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX FQM6

OTHER PROGRAMMING INSTRUCTIONS

BACKGROUND VARIABLE ASSIGNMENTS

Variable Name	Assignment Instructions
PLACTYPE	If FQM5A - MSPLACTY = 1/FreeStandingNursingHome or 4/NursingHomeUnitCCRC then PLAC.PLACTYPE = 4/NursingHomeorNHUnit. Else PLAC.PLACTYPE = FQM5A - MSPLACTY
PLACTPOS	If FQM5A - MSPLACTY = 91/Other, then PLAC.PLACTPOS = FQM5A-MSPLTPOS. Else PLAC.PLACTPOS = EMPTY.

BOX FQM6

BOX INSTRUCTIONS

IF (FA12 - BEDSNUM = DK OR RF) AND (FQM6A - MSBEDSNU = DK, EMPTY, OR NULL),
GO TO FQM6A - MSBEDSNU.

ELSE GO TO BOX FQM7.

FQM6A

Numeric

QUESTION TEXT

How many beds does (FACILITY) have?

PRESS F1 FOR EXPANDED DEFINITIONS OF "BEDS".

FIELD 1: MSBEDSNU

NO. OF BEDS

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX FQM7
	Don't Know	BOX FQM7
	Refused	BOX FQM7

BOX FQM7

BOX INSTRUCTIONS

IF (FA13 - CAIDCRT1 = DK OR RF) AND (FQM7A - MSCAIDC1 = DK, EMPTY, OR NULL), GO TO FQM7A - MSCAIDC1.

ELSE GO TO BOX FQM8.

FQM7A

Yes/No

QUESTION TEXT

Is (FACILITY) certified by [(PREFERRED NAME(S) FOR MEDICAID)/MEDICAID] as a Nursing Facility (NF)?

IF R MENTIONS:

- ICF (INTERMEDIATE CARE FACILITY), NOTE IN COMMENTS AND ENTER 1.
- ICF/MR (INTERMEDIATE CARE FACILITY- MENTAL RETARDATION), NOTE IN COMMENTS AND ENTER 0.

FIELD 1: MSCAIDC1**FIELD 1 ROUTING**

Value	Label	Route
0	NO	BOX FQM8
1	YES	BOX FQM8
	Don't Know	BOX FQM8
	Refused	BOX FQM8

BOX FQM8

BOX INSTRUCTIONS

IF (FA14 - CARECRT1 = DK OR RF) AND (FQM8A - MSCAREC1 = DK, EMPTY, OR NULL),
GO TO FQM8A - MSCAREC1.

ELSE GO TO BOX FQM9.

FQM8A

Yes/No

QUESTION TEXT

Is (FACILITY) certified by Medicare as a SNF?

FIELD 1: MSCAREC1**FIELD 1 ROUTING**

Value	Label	Route
0	NO	BOX FQM9
1	YES	BOX FQM9
	Don't Know	BOX FQM9
	Refused	BOX FQM9

BOX FQM9

BOX INSTRUCTIONS

IF (FA15 - CAIDICF = DK OR RF) AND (FQM9A - MSCAIDIC = DK, EMPTY, OR NULL), GO TO FQM9A - MSCAIDIC.

ELSE GO TO BOX FQM10.

FQM9A

Yes/No

QUESTION TEXT

Does (FACILITY) have any beds certified by [(PREFERRED NAME(S) FOR MEDICAID)/MEDICAID] as ICF-MR (Intermediate Care Facility for the Mentally Retarded) beds?

FIELD 1: MSCAIDIC**FIELD 1 ROUTING**

Value	Label	Route
0	NO	BOX FQM10
1	YES	BOX FQM10
	Don't Know	BOX FQM10
	Refused	BOX FQM10

BOX FQM10

BOX INSTRUCTIONS

IF (FA16 - HDEPTLIC = DK OR RF) AND (FQM10A - MSHDEPTL = DK, EMPTY, OR NULL)
AND (FA13 - CAIDCRT1, FA14 - CARECRT1, FA15 - CAIDICF, FQM7A - MSCAIDC1, FQM8A
- MSCAREC1 AND FQM9A - MSCAIDIC <> 1/Yes) GO TO FQM10A - MSHDEPTL.

ELSE GO TO BOX FQM11.

FQM10A

Code 1

QUESTION TEXT

Is (FACILITY) licensed as a nursing (facility/home) by the (STATE) State Health Department or by some other agency?

FIELD 1: MSHDEPTL**FIELD 1 ROUTING**

Value	Label	Route
0	NO, NOT LICENSED	BOX FQM11
1	YES, LICENSED BY STATE HEALTH DEPARTMENT	BOX FQM11
2	YES, LICENSED BY SOME OTHER AGENCY	FQM10A - MSHDPLOS
	Don't Know	BOX FQM11
	Refused	BOX FQM11

FIELD 2: MSHDPLOS

OTHER AGENCY (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX FQM11

BOX FQM11

BOX INSTRUCTIONS

IF (FA18 - HDEPTPCH = DK OR RF) AND (FQM11A - MSHDEPTP = DK, EMPTY, OR NULL),
GO TO FQM11A - MSHDEPTP.

ELSE GO TO BOX FQMCOMP.

FQM11A

Code 1

QUESTION TEXT

Does (FACILITY) have any beds licensed as personal care, board and care, assisted living, or domiciliary care beds by the (STATE) State Health Department or by some other state agency?

FIELD 1: MSHDEPTP

FIELD 1 ROUTING

Value	Label	Route
0	NO, NOT LICENSED	BOX FQMCOMP
1	YES, LICENSED BY STATE HEALTH DEPARTMENT	BOX FQMCOMP
2	YES, LICENSED BY SOME OTHER AGENCY	FQM11A - MSHDPPOS
	Don't Know	BOX FQMCOMP
	Refused	BOX FQMCOMP

FIELD 2: MSHDPPOS

OTHER AGENCY (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX FQMCOMP

BOX FQMCOMP

BOX INSTRUCTIONS

GO TO FQMEND - FQMSEND.

FQMEND

Code 1

QUESTION TEXT

YOU HAVE REACHED THE END OF THE SECTION FOR FACILITY LEVEL MISSING DATA.
PRESS "1" TO RETURN TO FACILITY NAVIGATION SCREEN.

FIELD 1: FQMSSEND

FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	BOX FQMEND

OTHER PROGRAMMING INSTRUCTIONS

BACKGROUND VARIABLE ASSIGNMENTS

FQMDDISP:

If FQM1A - MSFNAME <> DK and FQM2A - MSFADDR <> DK and FQM2C - MSMADDR <> DK and FQM3A - MSFADMN <> DK and FQM4A - MSFPHON <> DK and FQM6A - MSBEDSNU <> DK and FQM7A - MSCAIDC1 <> DK and FQM8A - MSCAREC1 <> DK, and FQM9A - MSCAIDIC <> DK and FQM10A - MSHDEPTL <> DK and FQM11A - MSHDEPTP <> DK, then FQMDDISP = 5/Complete. Else FQMDDISP = 3/StartedNotComplete.

BOX FQMEND

BOX INSTRUCTIONS

GO TO NAVIGATOR

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

Any DK responses to the following variables should be set to EMPTY upon return to the Navigator:

FQM1A - MSFNAME

FQM2A - MSFADDR

FQM2C - MSMADDR

FQM3A - MSFADMN

FQM4A - MSFPHON

FQM6A - MSBEDSNU

FQM7A - MSCAIDC1

FQM8A - MSCAREC1

FQM9A - MSCAIDIC

FQM10A - MSHDEPTL

FQM11A - MSHDEPTP