

**Attachment 2**  
**Part A**

**PATH Study Data Collection Instruments**

## **Table of Contents**

<b><u>Section</u></b>	<b><u>Page</u></b>	
	<b><u>English</u></b>	<b><u>Spanish</u></b>
IN4-1 – Household Screener.....	3	38
IN4-2 – Adult Questionnaire – Individual Screener.....	73	143
IN4-3 – Adult Questionnaire – New and Aged-Up Interview.....	213	940
IN4-4 – Adult Questionnaire – Extended Interview .....	1658	2296

# Household Screener

---

**PATH  
Household Screener  
Wave 4 (version 4.0)**

**Table of Contents**

---

ENUMERATION ..... 1  
TOBACCO USE ..... 10  
ENUMERATION CHECK AND SAMPLE SELECTION ..... 14  
RELATIONSHIP AND RESIDENTIAL TENURE ..... 16  
CONTACT INFORMATION ..... 20

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

<b>SECTION</b>	<b># OF QUESTIONS</b>
Enumeration	14
Tobacco Use	6
Enumeration Check and Sample Selection	3
Relationship and Residential Tenure	4
Contact Information	26

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_SOMBIntro**

**IF RESPONDENT ASKS ABOUT THE OFFICE OF MANAGEMENT AND BUDGET (OMB), READ THE FOLLOWING PARAGRAPH ALOUD**

OMB Control Number: 0925-0664

Expiration Date: XX/XX/XXXX

Public reporting burden for this collection of information is estimated to average 14 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0664). Do not return the completed form to this address.

**PRESS 1 TO CONTINUE**

1 CONTINUE

ASK: All respondents.

DISPLAY: Display OMB statement text in grey. Display "IF RESPONDENT ASKS..." statement and "PRESS 1 TO CONTINUE" in blue. Pending language selected in F2; display English OMB statement if English is selected, display Spanish OMB statement if Spanish is selected. Default to English display.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**ENUMERATION**

<b>PATH ID:</b> <b>R04_HM0001</b>
<p>I am going to ask some questions about the people who think of this address as their main home.</p> <p>This includes people who usually stay at this address but might be temporarily away on business, on vacation, in a hospital, or living at school in a dorm, fraternity or sorority.</p> <p>It does not include college students who live in off-campus housing.</p> <p>Including yourself, how many people live at this address and have no other place they usually live?</p> <p>[RESPONDENT INDICATED THAT THE ORIGINAL NUMBER OF PEOPLE LIVING AT THIS ADDRESS WAS WRONG AND NEEDS TO BE CORRECTED: OK, I need to confirm the number of people who live here. You told me before that {NUMBER OF PEOPLE} {live / lives} here. How many people really live here?</p> <p><b>IF NEEDED:</b> [Names of all that live here: NAME1, NAME2, and NAME3.]]</p> <p>1     __ __ __  NUMBER OF PEOPLE</p> <p>ASK: All households.</p> <p>DISPLAY: If re-routed from R04_HM0051, display "[RESPONDENT INDICATED THAT THE ORIGINAL NUMBER OF PEOPLE LIVING AT THIS ADDRESS WAS WRONG AND NEEDS TO BE CORRECTED: OK, I need to confirm the number of people who live here. You told me before that {NUMBER OF PEOPLE} live here. How many people really live here? IF NEEDED: [Names of all that live here: NAME1, NAME3, and NAME3.]]". Else, do not display this text.</p> <p>FOR {NUMBER OF PEOPLE}, IF THERE IS ONLY 1 PERSON LIVING AT THIS ADDRESS, DISPLAY AS "1 person" and "lives". ELSE, DISPLAY AS "# people" and "live".</p>

<b>PATH ID:</b> <b>R04_HM0002</b>
<p>What is your first name?</p> <p>1    FIRST NAME</p> <p>ASK: All households.</p>

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_HM0099</b>	
How old are you?  1    _ _ _  -8   DON'T KNOW -7   REFUSED  ASK: All households.	GO TO BOX R04_HMR13

<b>PATH ID:</b> <b>R04_HM0100</b>
Please look at this list. Are you...  <b>READ RESPONSE OPTIONS ALOUD.</b>  1   Less than 18 years old, 2   18 to 24 years old, 3   25 to 29 years old, 4   30 to 44 years old, 5   45 to 64 years old, or 6   65 years old or older? -8   DON'T KNOW -7   REFUSED  ASK: All households when the household screener respondent does not know or refuses to report their age. DISPLAY: Display interviewer instructions in blue.

<b>BOX ID:</b> <b>R04_HMR13</b>
If the screener respondent is 100 years old or older, go to R04_HM0099_LC3. Else, if the screener respondent is less than 18 years old and not an emancipated youth, go to R04_HM0099_LC1. Else, go to Box R04_HMR08.

<b>PATH ID:</b> <b>R04_HM0099_LC3</b>
<b>YOU RECORDED THAT THE SCREENER RESPONDENT IS 100 YEARS OLD OR OLDER.</b>  <b>IS THAT CORRECT?</b>  1   YES - SCREENER RESPONDENT IS 100 YEARS OLD OR OLDER 2   NO - I NEED TO GO BACK AND CHANGE MY ANSWER  ASK: Household screener respondents who report being 100 years old or older. DISPLAY: Display interviewer instructions in blue.



**PATH  
Household Screener  
Wave 4 (version 4.0)**

**PATH ID: R04\_HM0099\_LC1**

YOU RECORDED THAT THE SCREENER RESPONDENT IS NOT 18 YEARS OLD OR OLDER.

IS THAT CORRECT?

- 1 YES - SCREENER RESPONDENT IS NOT 18 YEARS OLD OR OLDER
- 2 NO - I NEED TO GO BACK AND CHANGE MY ANSWER

ASK: Household screener respondents who report being less than 18 years old (and are not an emancipated youth).

DISPLAY: Display interviewer instructions in blue.

**BOX ID: R04\_HMR08**

If the screener respondent is less than 18 years old and not an emancipated youth, go to R04\_HM0099\_LC2.

Else, if the screener respondent reported their age and it was incorrectly recorded as less than 18 years old, go to R04\_HM0099.

Else, if the screener respondent did not know or refused to report their age, but reported an age range that was incorrectly recorded as less than 18 years old, go to R04\_HM0100.

Else, if the screener respondent did not know or refused to report their age or age range, go to R04\_HM0061.

Else, if more than 1 person lives in the household, go to R04\_HM0061.

Else, go to Box R04\_HMR01.

**PATH ID: R04\_HM0099\_LC2**

PRESS G TO GO BACK AND PRESS 7 "NOT SPEAKING TO AN ADULT RESIDENT" AT R04\_HMS005. DO NOT RE-READ R04\_HMS005 TO THE RESPONDENT.

- 1 GOTO GO TO R04\_HMS005

ASK: Household screener respondents who report being less than 18 years old (and are not an emancipated youth) and have confirmed they are not 18 years old or older.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_HM0061</b>
<p>[YOU ARE ADDING HOUSEHOLD MEMBER(S). ASK ALL QUESTIONS ABOUT THE ADDED HOUSEHOLD MEMBER(S)</p> <p>]Next, please tell me the first names of all other members of this household.</p> <p>IF TWO HOUSEHOLD MEMBERS HAVE THE SAME FIRST NAME, ASK FOR A MIDDLE INITIAL OR A SUFFIX (SUCH AS JUNIOR OR SENIOR) TO DISTINGUISH THEM.</p> <p>1    FIRST NAME</p> <p>ASK: Households with more than 1 person. DISPLAY: Display interviewer instructions in blue. IF RE-ROUTED FROM R04_HM0051, DISPLAY "YOU ARE ADDING HOUSEHOLD MEMBER(S). ASK ALL QUESTIONS ABOUT THE ADDED HOUSEHOLD MEMBER(S)". ELSE, DO NOT DISPLAY THIS TEXT.</p>

<b>BOX ID:</b> <b>R04_HMR01</b>
<p>Go through items R04_HM0005 – R04_HM0012 (following appropriate skips), for each household member. These items are also asked about the household screener respondent with the exception of R04_HM0006, R04_HM0007, and R04_HM0008.</p> <p>Complete all items about the screener respondent first (person reported in R04_HM0002).</p> <p>If more than one person is living in the household (R04_HM0001 &gt; 1), loop through all items again for each household member in the order in which the members were reported (persons reported in R04_HM0061). Complete the loop for one person before going to the next household member.</p> <p>When there are no additional household members, go to Box R04_HMR02.</p>

<b>PATH ID:</b> <b>R04_HM0005</b>
<p>What is [your / NAME's] <b>sex</b>?</p> <p>1    MALE 2    FEMALE -8   DON'T KNOW -7   REFUSED</p> <p>ASK: All households, about each household member. DISPLAY: If asking about the screener respondent, display "your". Else, display "NAME's" and fill with the appropriate name from R04_HM0002. Display QxQ word "sex" in bold/green.</p>

<b>BOX ID:</b> <b>R04_HMR14</b>
<p>If asking about a household member who is not the household screener respondent, go to R04_HM0006.</p> <p>Else, if asking about the household screener respondent, go to Box R04_HMR03.</p>

**PATH  
Household Screener  
Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_HM0006</b>
How old is [NAME]?
IF PERSON IS UNDER 1 YEAR, ENTER "0".
1    _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: All households, about each household member (excluding the household screener respondent).
DISPLAY: Fill [NAME] with the appropriate first name as identified in R04_HM0061. Display interviewer instruction in blue.

<b>BOX ID:</b> <b>R04_HMR03</b>
If a household member (excluding the household screener respondent) was reported to be 100 years old or older, go to R04_HM0007.
Else, if a household member's age (excluding the household screener respondent) is reported as don't know or refused, go to R04_HM0008.
Else, if a household member's age is reported as 17 years or older, go to R04_HM0009.
Else, go to R04_HM0010.

<b>PATH ID:</b> <b>R04_HM0007</b>								
I just need to check that [NAME]'s age is [FILL WITH R04_HM0006]. Is that correct?								
<table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1   YES</td> <td style="text-align: right;">GO TO R04_HM0009</td> </tr> <tr> <td>2   NO</td> <td style="text-align: right;">GO TO R04_HM0006</td> </tr> <tr> <td>-8  DON'T KNOW</td> <td style="text-align: right;">GO TO R04_HM0009</td> </tr> <tr> <td>-7  REFUSED</td> <td style="text-align: right;">GO TO R04_HM0009</td> </tr> </table>	1   YES	GO TO R04_HM0009	2   NO	GO TO R04_HM0006	-8  DON'T KNOW	GO TO R04_HM0009	-7  REFUSED	GO TO R04_HM0009
1   YES	GO TO R04_HM0009							
2   NO	GO TO R04_HM0006							
-8  DON'T KNOW	GO TO R04_HM0009							
-7  REFUSED	GO TO R04_HM0009							
ASK: All households, about each household member (excluding the household screener respondent) aged 100 or older.								
DISPLAY: Fill [NAME] with the appropriate first name as identified in R04_HM0061.								

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0008**

Please look at this list. Is [NAME]...

**READ RESPONSE OPTIONS ALOUD.**

- |                          |                  |
|--------------------------|------------------|
| 1 Under 10 years old,    | GO TO R04_HM0010 |
| 2 10 to 11 years old,    | GO TO R04_HM0010 |
| 3 12 to 17 years old,    | GO TO R04_HM0010 |
| 4 18 to 24 years old,    |                  |
| 5 25 to 29 years old,    |                  |
| 6 30 to 44 years old,    |                  |
| 7 45 to 64 years old, or |                  |
| 8 65 years old or older? |                  |
| -8 DON'T KNOW            |                  |
| -7 REFUSED               |                  |

ASK: All households, about each household member (excluding the household screener respondent) whose age is reported as don't know or refused.

DISPLAY: Fill [NAME] with the appropriate first name as identified in R04\_HM0061. Display interviewer instruction in blue.

**PATH ID: R04\_HM0009**

[Are you / Is NAME] currently serving on active duty in the U.S. Armed Forces, Military Reserves or National Guard?

**IF NEEDED:** [Active duty for the Reserves or National Guard does not include the regular training for the Reserves or Guard. It does include being activated for deployment such as for the Iraq War.]

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each household member aged 17 or older.

DISPLAY: If asking about the screener respondent, display "Are you". Else, display "Is NAME" and fill with appropriate name. Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0010**

[Are you / Is NAME] Hispanic, [Latino / Latina / Latino or Latina], or of Spanish origin?

- |    |            |                  |
|----|------------|------------------|
| 1  | YES        |                  |
| 2  | NO         | GO TO R04_HM0011 |
| -8 | DON'T KNOW | GO TO R04_HM0011 |
| -7 | REFUSED    | GO TO R04_HM0011 |

ASK: All households, about each household member.

DISPLAY: If asking about the screener respondent, display "Are you". Else, display "Is NAME" and fill with appropriate name. If the person this question is asking about is male (R04\_HM0005 = 1), display "Latino"; if female (R04\_HM0005 = 2), display "Latina"; if sex is unknown (R04\_HM0005 = -8, -7), display "Latino or Latina".

**PATH ID: R04\_HM0050**

What is [your / NAME's] origin? Please look at this list and choose all that apply.

**READ RESPONSE OPTIONS ALOUD.**

- 1 Mexican, Mexican American, [Chicano | Chicana | Chicano or Chicana],
- 2 Puerto Rican,
- 3 Cuban, or
- 4 Another Hispanic, [Latino | Latina | Latino or Latina], or Spanish origin?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each household member reported to be Hispanic, Latino/a, or of Spanish origin.

DISPLAY: If asking about the screener respondent, display "your". Else, display "NAME's" and fill with appropriate name. If the person this question is asking about is male (R04\_HM0005 = 1), display "Chicano" and "Latino"; if female (R04\_HM0005 = 2), display "Chicana" and "Latina"; if sex is unknown (R04\_HM0005 = -8, -7), display "Chicano or Chicana" and "Latino or Latina". Display interviewer instruction in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0011**

What is [your / NAME's] race? Please look at this list and choose all that apply.

READ RESPONSE OPTIONS ALOUD.

- 1 White,
- 2 Black or African American,
- 3 American Indian or Alaska Native,
- 4 Asian, or
- 5 Native Hawaiian or Other Pacific Islander?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each household member.

DISPLAY: If asking about the screener respondent, display "your". Else, display "NAME's" and fill with appropriate name. Display interviewer instruction in blue.

**PATH ID: R04\_HM0012**

WAS ANYONE IN THE HOUSEHOLD MISREPORTED AS A HOUSEHOLD MEMBER? LEAVE EMPTY UNLESS THE RESPONDENT HAS TOLD YOU THAT SOMEONE WAS MISREPORTED. IF MISREPORTED, ENTER 'X'.

PRESS ENTER TO CONTINUE.

ASK: All households. (This screen is a field interviewer instruction; no question is asked to the respondent on this screen.)

DISPLAY: Display interviewer instructions in blue.

**BOX ID: R04\_HMR02**

If there are additional household members to ask about, go back to Box R04\_HMR01 and complete loop for remaining household members.

Else, if there are no remaining household members to ask about:

If the household has two or more household members that are the same age, and those same-aged household members are between the ages of 10 and 17, go to R04\_HM0014.

Else, go to Box R04\_HMR12.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0014**

You mentioned there are children living here that are the same age.

Are [they **twins** / any of them **twins** or other **multiple births**]?

Please include any type of [twins / twins or other multiple births], **identical** or **non-identical** (who are also called fraternal).

- |    |            |                     |
|----|------------|---------------------|
| 1  | YES        |                     |
| 2  | NO         | GO TO BOX R04_HMR12 |
| -8 | DON'T KNOW | GO TO BOX R04_HMR12 |
| -7 | REFUSED    | GO TO BOX R04_HMR12 |

ASK: Households that have two or more same-aged household members between the ages of 10 and 17.

DISPLAY: If there are 2 members who are the same age, fill with "they twins" and "twins". If there are 3 or more members who are the same age, fill with "any of them twins or other multiple births" and "twins or other multiple births". Display QxQ words "twins", "multiple births", and "identical or non-identical" in bold/green.

**PATH ID: R04\_HM0015**

Please tell me which of the children are [**twins** / **twins** or other **multiple births**].

**ENTER AN 'X' NEXT TO EACH CHILD WHO IS A TWIN OR MULTIPLE BIRTH.**

**IF NEEDED:** [The children who are the same age are: {NAME/AGE, NAME/AGE, NAME/AGE...}]

**WHEN YOU ARE FINISHED SELECTING ALL THE TWINS/MULTIPLE BIRTHS, LEAVE THE REMAINING FIELDS BLANK AND PRESS 1 TO CONTINUE.**

ASK: Households that have two or more same-aged household members between the ages of 10 and 17 who are reported to be twins or part of a multiple birth.

DISPLAY: The default for this field is blank – it will only be filled if necessary. If there are 2 members who are the same age, fill with "twins". If there are 3 or more members who are the same age, fill with "twins or other multiple births". Fill {NAME/AGE} with the names and ages of every member in the household that is the same age. Display QxQ words "twins" and "multiple births" in bold/green. Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

## TOBACCO USE

<b>BOX ID:</b> <b>R04_HMR12</b>
If household has any adult members aged 18 years or older who are not on active military duty, go to Box R04_HMT01. Else, skip the Tobacco Use questions and go to R04_HM0020.

<b>BOX ID:</b> <b>R04_HMT01</b>
These next questions are about tobacco.  [Not all tobacco use questions are asked of all adults.]  <a href="#">PRESS 1 TO CONTINUE</a>

<b>BOX ID:</b> <b>R04_HMR09</b>
Go through items R04_HY1003 – R04_HD1002 for each adult household member aged 18 or older (including the screener respondent). Complete all items about the screener respondent first (person reported in R04_HM0002). If more than one adult is living in the household, loop through all items again for each adult, in the order in which they were reported (in R04_HM0061). Complete the loop for one adult before going to the next adult. When there are no additional household members, go to R04_HM0020.

<b>PATH ID:</b> <b>R04_HY1003</b>
Please look at this picture. [Do you / Does NAME] now smoke cigarettes, cigars, or pipes every day, some days, or not at all?  1 EVERY DAY 2 SOME DAYS 3 NOT AT ALL -8 DON'T KNOW -7 REFUSED  ASK: All households, about each adult household member aged 18 or older (who are not on active military duty). DISPLAY: If asking about the screener respondent, display "Do you". Else, display "Does NAME" and fill with appropriate name.



**PATH  
Household Screener  
Wave 4 (version 4.0)**

**PATH ID: R04\_HS1003**

Please look at this picture. [Do you / Does NAME] now use smokeless tobacco, such as dip, spit, moist snuff or chewing tobacco, every day, some days, or not at all?

[Do not include snus, e-cigarettes or products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill].

- 1 EVERY DAY
- 2 SOME DAYS
- 3 NOT AT ALL
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "Do you". Else, display "Does NAME" and fill with appropriate name.

**PATH ID: R04\_HE1003**

Now please think about other tobacco products that [you may have / NAME may have] used at any point in [your / their] life.

Please look at this picture. [Have you / Has NAME] ever used an e-cigarette, electronic cigarette or any other electronic nicotine product, even one or two times?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "you may have", "your", and "Have you". Else, display "NAME may have", "their" and "Has NAME" and fill with appropriate name. Underline "any point" and "ever".

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HH1002**

Please look at this picture. [Have you / Has NAME] ever smoked tobacco in a hookah or waterpipe, even one or two times?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "Have you". Else, display "Has NAME" and fill with appropriate name in title case. Underline "ever".

**PATH ID: R04\_HU1002**

Please look at this picture. [Have you / Has NAME] ever used snus, even one or two times?

[Snus is a type of smokeless tobacco product that you don't have to spit when using.]

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "Have you". Else, display "Has NAME". Underline "ever".

**PATH ID: R04\_HD1002**

Please look at this picture. [Have you / Has NAME] ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks or Strips, even one or two times?

[Do not include snus, e-cigarettes or products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill.]

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "Have you". Else, display "Has NAME" and fill with appropriate name. Underline "ever".

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HMR11**

If there are additional household members aged 18 or older to ask about, go back to Box R04\_HMR09 and complete loop for remaining household members.

Else, if there are no remaining household members aged 18 or older to ask about, go to R04\_HM0020.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**ENUMERATION CHECK AND SAMPLE SELECTION**

<b>PATH ID: R04_HM0020</b>
[I just asked you questions about {NUMBER} household members: {LIST FIRST NAMES OF ALL HOUSEHOLD MEMBERS}.
]Before we move on, I just want to confirm, is there anyone else who lives at this address?
1 YES
2 NO
GO TO BOX R04_HMT02
ASK: All households.
DISPLAY: If only two or more members in the household, display "I just asked you questions about {NUMBER} household members: {LIST ALL HH MEMBERS}." For "{NUMBER}", display the number of household members collected in the enumeration grid. For {LIST FIRST NAMES OF ALL HOUSEHOLD MEMBERS}, display the first name of each household member collected in the grid. If two household members, connect names with "and"; if more than two household members, separate names with a comma and put ", and" before last name in list. If only one member in the household, do not display this text.

<b>PATH ID: R04_HM0051</b>
People who live at this address consider it their main home. This might include people who are temporarily away on business, vacation, in a hospital, or away at college.
For college students, include people who are living in a dorm, fraternity or sorority, but do not include people who are living in off-campus housing.
You just mentioned that someone else lives at this address. Is that correct?
1 YES
2 NO
GO BACK TO R04_HM0001
ASK: Households that need to report household members that were not reported previously.

<b>BOX ID: R04_HMT02</b>
PRESS 1 TO CONTINUE. YOU WILL <u>NOT</u> BE ABLE TO GO BACK AND MAKE CHANGES AFTER YOU CONTINUE PAST THIS POINT.

**PATH  
Household Screener  
Wave 4 (version 4.0)**

**BOX ID: R04\_HMV01**

PROGRAM: Run the sampling algorithm. After the algorithm is run, set a gate so the interviewer cannot go back and change previous answers. If at least one household member is selected as a sampled person (SP) for the PATH Study, go to R04\_HX0014. Else, if no household members are selected, go to Box R04\_HLR03.

**PATH ID: R04\_HX0014**

[Based on the information you have provided, we have selected {SP FILL 1}, {SP FILL 2}, {SP FILL 3}, {SP FILL 4}, {SP FILL 5}, {SP FILL 6}, {SP FILL 7}, {SP FILL 8}, and {SP FILL 9} to participate in the study.]

[In addition, we would also like to talk to a parent of {SHADOW YOUTH NAMES} about inviting them to participate in the study when they turn 12.]

[Based on the information you have provided, we would like to talk to a parent of {SHADOW YOUTH NAMES} about inviting them to participate in the study when they turn 12. No one else in this household has been selected to participate in the study.]

**PRESS 1 TO CONTINUE**

1 CONTINUE

ASK: All households.

DISPLAY: If at least one adult or youth is sampled and no shadow youth are sampled in the household, display "Based on the information you have provided, we have selected {SP FILL 1}, {SP FILL 2}, {SP FILL 3}, {SP FILL 4}, {SP FILL 5}, {SP FILL 6}, {SP FILL 7}, {SP FILL 8}, and {SP FILL 9} to participate in the study." For each sampled person (SP) selected, fill {SP FILL #} with NAME/AGE/GENDER. If the household screener respondent is selected and is the only member in the household, just display "you" in {SP FILL #}. If the household screener respondent is selected and there are other selected members in the household, separate names with "and". If two or more, separate names with a comma and put ", and" before the last name listed. List screener respondent last and display "and you" in {SP FILL #}.

If at least one adult or youth is sampled and at least one shadow youth is sampled in the household, display text above and ALSO display "In addition, we would also like to talk to a parent of {SHADOW YOUTH NAMES} about inviting them to participate in the study when they turn 12." Fill with appropriate names of shadow youth(s) in title case. If more than one shadow youth, separate names with "and". If two or more, separate names with a comma and put ", and" before the last name listed.

If no adult or youth is sampled in the household and ONLY shadow youth are selected, ONLY display the following text: "Based on the information you have provided, we would like to talk to a parent of {SHADOW YOUTH NAMES} about inviting them to participate in the study when they turn 12. No one else in this household has been selected to participate in the study." Fill with appropriate names of shadow youth(s) in title case. If more than one shadow youth, separate names with "and". If two or more, separate names with a comma and put ", and" before the last name listed.

If R04\_HM0100 = -8, -7 or R04\_HM0008 = -8, -7, exclude that household member from the list of shadow youth.

Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**RELATIONSHIP AND RESIDENTIAL TENURE**

**BOX ID: R04\_HMR05**

IF THERE IS ONLY ONE PERSON IN THE HOUSEHOLD, SKIP R04\_HX0020, R04\_HX0015, R04\_HX0021, AND R04\_HX0018. GO TO BOX R04\_HLR03. Assign '01' IN THE RELATIONSHIP GRID.

**PATH ID: R04\_HX0020**

Next, I have some questions about the relationships among the people who live here.

**PRESS 1 TO CONTINUE**

1 CONTINUE

ASK: Households where more than one sampled person (SP) was selected.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HX0015**

What is [NAME's / your] **relationship** to [you / SP]? In other words, [NAME / you] [is / are] [your / SP's]....?

- 1 SAMPLED PERSON (SP)
- 2 SPOUSE OR DOMESTIC PARTNER
- 3 FIANCÉ OR BOYFRIEND/GIRLFRIEND
- 4 SON / DAUGHTER (BIOLOGICAL, ADOPTED, FOSTER, OR STEP)
- 5 SON-IN-LAW / DAUGHTER-IN-LAW
- 6 GRANDSON / GRANDDAUGHTER (BIOLOGICAL, ADOPTED, FOSTER, OR STEP)
- 7 BROTHER / SISTER (BIOLOGICAL, ADOPTED, FOSTER, OR STEP)
- 8 BROTHER-IN-LAW / SISTER-IN-LAW
- 9 MOTHER / FATHER (BIOLOGICAL, ADOPTED, FOSTER, OR STEP)
- 10 MOTHER-IN-LAW / FATHER-IN-LAW
- 11 GRANDMOTHER / GRANDFATHER (BIOLOGICAL, ADOPTED, FOSTER, OR STEP)
- 12 COUSIN
- 13 UNCLE / AUNT
- 14 NEPHEW / NIECE
- 15 OTHER RELATIVE
- 16 OTHER NON-RELATIVE (ROOMMATE OR HOUSEMATE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each sampled person (SP) and all shadow sampled youth.

(This question is asked for each household member reported in the enumeration grid in relation to SP# 1. The question is repeated for each SP #2, SP #3, SP #4, SP #5, SP #6, SP #7, SP #8, SP #9 as needed. This question does not ask for the reverse relationship between SPs after their relationship is established. EX. If we ask how SP #2 is related to SP #1, we do not also ask how SP #1 is related to SP #2.)

DISPLAY: When collecting information about the screener respondent's relationship to other sampled household members, display "your", "SP", "you", "are", and "SP's".

When collecting information about the other household members' relationship to the screener respondent, display "NAME's", "you", "NAME", "is", and "your".

Fill SP with the first name of the sampled household member as collected in the enumeration grid.

Fill NAME with the first name of the sampled or non-sampled household member as collected in the enumeration grid.

Display QxQ word "relationship" in bold/green.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HMR06**

If the household screener respondent is an emancipated youth, go to Box R04\_HLR03.  
Else, for households in which a parent(s) is identified in R04\_HX0015 (father, mother, step-father, step-mother) for any given youth SP or shadow youth SP, go to R04\_HX0021.  
Else, for households in which no parent(s) is identified in R04\_HX0015 (father, mother, step-father, step-mother) for any given youth SP or shadow youth SP, go to R04\_HX0018.  
Else, go to Box R04\_HLR03.

**PATH ID: R04\_HX0021**

The next question is about [SP YOUTH FIRST NAME]'s parents.

I have recorded that [FILL] [is / are] [SP YOUTH FIRST NAME]'s [parent / parents]. Is that right?

- |    |                                |                       |
|----|--------------------------------|-----------------------|
| 1  | YES                            | GO TO BOX R04_HLR03   |
| 2  | NO, I NEED TO CHANGE MY ANSWER | GO BACK TO R04_HX0015 |
| -8 | DON'T KNOW                     | GO TO BOX R04_HLR03   |
| -7 | REFUSED                        | GO TO BOX R04_HLR03   |

ASK: All households, about sampled youth or shadow sampled youth for whom more than 2 parents (mother/father or step-mother/step-father) are listed in R04\_HX0015.

DISPLAY: For [FILL], fill with first names of parents identified in R04\_HX0015 when R04\_HX0015 = 9. If two names are listed, connect with "and"; if more than two are listed, separate names with a comma and put ", and" before last name in list. For {SP YOUTH NAME}, display first name of youth SP from enumeration grid. If one parent name is listed, display "is" and "parent". If more than one parent name is listed, display "are" and "parents".



**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HX0018**

The next question is about [SP YOUTH FIRST NAME].

I'm going to read a list of names. Please tell me who [SP YOUTH NAME]'s parent or guardian is.

**READ ALL NAMES ON LIST. PICK PARENT OR GUARDIAN(S) FROM LIST.**

[PROGRAM: DISPLAY LIST OF ALL PEOPLE IN HOUSEHOLD HERE]

**REMINDER: A PARENT OR GUARDIAN CAN BE A ROLE, RATHER THAN A RELATIONSHIP. THE PARENT OR GUARDIAN SHOULD BE KNOWLEDGEABLE ABOUT THE YOUTH AND BE RESPONSIBLE FOR MAKING DECISIONS ON ACTIVITIES LIKE SCHOOL PERMISSIONS, WHERE TO LIVE, ETCETERA.**

- 95 PARENT OR GUARDIAN IS NOT ON THE LIST
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about sampled youth or shadow sampled youth for whom a mother/father or step-mother/step-father was not identified in R04\_HX0015.

DISPLAY: For [SP YOUTH NAME], display first name of youth SP from enumeration grid. Underline "parent or guardian". For [DISPLAY LIST OF ALL PEOPLE IN HOUSEHOLD], display list of all people in household except SP YOUTH ordered by age from oldest to youngest. Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

## CONTACT INFORMATION

**BOX ID:** R04\_HLR03

CONTACT INFORMATION IS COLLECTED FOR **ALL** HOUSEHOLDS, INCLUDING HOUSEHOLDS WHERE NO MEMBERS ARE SELECTED FOR THE PATH STUDY.

**PATH ID:** R04\_HL0001

I'd like to take a brief moment and get some of your contact information for my records.

**PRESS 1 TO CONTINUE**

1 CONTINUE

ASK: All households.

DISPLAY: Display interviewer instructions in blue.

**PATH ID:** R04\_HL0002

Can you tell me your full name?

**VERIFY ALL SPELLING. IF PERSON HAS NO MIDDLE NAME, LEAVE MIDDLE INITIAL BLANK.**

- 1 FIRST NAME
- 2 MI
- 3 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Household respondent about themselves, including a household respondent when no members in household were selected.

DISPLAY: Pre-populate FIRST NAME field based on R04\_HM0003. If the first name is don't know or refused, continue on to ask MI and LAST. Blank fields are allowed.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_HL0017</b>
I have your address as...
<b>READ ADDRESS ALOUD.</b>
ADDRESS LINE 1
ADDRESS LINE 2
CITY, STATE ZIP CODE
Is that correct?
1    YES
2    NO
GO TO R04_HL0003
ASK: All households.
DISPLAY: Fill address information from sample list. Display in easy-to-read format. Display interviewer instructions in blue.

<b>PATH ID:</b> <b>R04_HL0018</b>
What is your address?
<b>VERIFY ALL SPELLING.</b>
1    ADDRESS LINE 1
2    ADDRESS LINE 2
3    CITY
4    STATE
5    ZIP CODE
-8    DON'T KNOW
-7    REFUSED
ASK: Households that need to correct the physical address.
DISPLAY: Fill street address, apartment #, city, state, zip, from sample list. Display in easy-to-read format. Display interviewer instructions in blue.

<b>PATH ID:</b> <b>R04_HL0003</b>
Do you receive mail at that address?
1    YES
2    NO
-8    DON'T KNOW
-7    REFUSED
GO TO R04_HX0016
GO TO R04_HX0016
GO TO R04_HX0016
ASK: All households.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HL0004**

Can I please have your mailing address?

**VERIFY ALL SPELLING.**

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Households who don't receive mail at the physical address.

DISPLAY: Display interviewer instructions in blue.

**PATH ID: R04\_HX0016**

Is this home owned or rented by you or someone in this household?

**IF NEEDED:** [Ownership includes having a mortgage or loan.]

- 1 OWNED
- 2 RENTED
- 3 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households.

DISPLAY: Display interviewer instructions in blue.

**PATH ID: R04\_HL0005**

What is the best telephone number to reach you?

**ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.**

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HLR08**

Households who provided their best telephone number, go to R04\_HL0006.  
Else, households who did not provide, did not know, or refused to report a valid best telephone number, go to R04\_HL0016.

**PATH ID: R04\_HL0006**

Is this a home or cell phone number?

- 1 HOME
- 2 CELL
- 4 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Households who provided a best telephone number.

**PATH ID: R04\_HL0007**

Is there a second telephone number where you can be reached? **IF NEEDED:** [What is that number?]

**ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.**

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Households who provided a best telephone number.

DISPLAY: Display interviewer instructions in blue.

**BOX ID: R04\_HLR09**

Households who provided a second best telephone number, go to R04\_HL0008.  
Else, households who did not provide, did not know, or refused to report a valid second best telephone number, go to R04\_HL0016.

**PATH ID: R04\_HL0008**

Is this a home or cell phone number?

- 1 HOME
- 2 CELL
- 4 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Households who provided a second best telephone number.

**PATH  
Household Screener  
Wave 4 (version 4.0)**

**PATH ID: R04\_HL0016**

Can you please give me your e-mail address?

VERIFY ALL SPELLING AND PUNCTUATION. RECORD TEXT BEFORE @ SYMBOL IN THE EMAIL NAME FIELD. TEXT AFTER THE @ SYMBOL IS ENTERED IN THE EMAIL PROVIDER FIELD.

- 1 EMAIL NAME
- 2 EMAIL PROVIDER
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households.

DISPLAY: Display interviewer instructions in blue.

**BOX ID: R04\_HLR04**

Households where no members were selected for the PATH Study, go to R04\_HX0017.

Households where the only member selected for the PATH Study is the household screener respondent, go to R04\_HX0017.

Else, go to Box R04\_HLR02.

**BOX ID: R04\_HLR02**

DISPLAY INSTRUCTIONS:

[PROGRAMMING NOTE: FOR SPECIFICATION PURPOSES, THE PERSON FOR WHOM THE CI IS BEING COLLECTED IS REFERRED TO AS THE "TARGET" IN R04\_HL0010 to R04\_HM0027.]

Full name is collected for all TARGETS. TARGETS are adult SP's, parents or guardians of youth SPs and shadow youth, and youth SP's, shadow youth and emancipated youth. (Parents or guardians of youth SPs and shadow youth are identified in R04\_HX0018. The parent or guardian must be part of the same household, so parents or guardians identified in R04\_HX0018\_OS are not included as TARGETS.)

For [SP ARRAY] create an array that holds the first name of each adult SP and youth SP and emancipated youth SP. Do not include the household screener respondent. The array should hold the first name provided in (R04\_HM0061).

After displaying the transition text in R04\_HL0009, create a loop and ask R04\_HL0010 through R04\_HM0027 about all targets. Do not ask these questions about the household screener respondent.

**PATH  
Household Screener  
Wave 4 (version 4.0)**

**PATH ID: R04\_HL0009**

[As I mentioned, the computer has selected {LIST ALL NAMES IN SP ARRAY}[, and you] to be in the study.

][The computer has selected {SHADOW YOUTH'S NAME} to participate in the study when they turn 12 years old. ]I'd like your help in getting some basic contact information[ for their parent or guardian]. [For {YOUTH SPs AND SHADOW YOUTH}, I will ask for contact information for their parent or guardian.] [This information will be used only for the purposes of this study.]

**PRESS 1 TO CONTINUE.**

1 CONTINUE

ASK: Households where at least 1 person (not including the screener respondent) has been sampled or there are sampled shadow youth.

DISPLAY: IF THERE ARE SPs, DISPLAY "As I mentioned, the computer has selected {LIST ALL NAMES IN SP ARRAY}[, and you] to be in the study."

ELSE, DO NOT DISPLAY THIS TEXT.

IF HOUSEHOLD RESPONDENT IS NOT AN SP, FILL {LIST ALL NAMES IN SP ARRAY} WITH LIST OF ALL SP NAMES, SEPARATED BY COMMAS WITH ", and" BEFORE THE LAST NAME IN THE ARRAY, AND DO NOT DISPLAY ", and you".

IF HOUSEHOLD RESPONDENT IS AN SP, FILL {LIST ALL NAMES IN SP ARRAY} WITH LIST OF ALL OTHER SP NAMES, SEPARATED BY COMMAS, AND DISPLAY ", and you" .

ELSE, DO NOT DISPLAY THIS TEXT.

IF THERE ARE SHADOW YOUTHS, DISPLAY "The computer has selected {SHADOW YOUTH'S NAME} to participate in the study when they turn 12 years old. " FILL {SHADOW YOUTH'S NAME} WITH LIST OF ALL SHADOW YOUTH, SEPARATED BY COMMAS WITH ", and" BEFORE THE LAST NAME IN THE ARRAY.

ELSE, DO NOT DISPLAY THIS TEXT.

IF THERE ARE ONLY SHADOW YOUTHS AND NO SPs AND A HOUSEHOLD MEMBER IS IDENTIFIED AS THE PARENT/GUARDIAN OF A SHADOW YOUTH, DISPLAY " for their parent or guardian".

ELSE, DO NOT DISPLAY THIS TEXT.

IF THERE ARE YOUTH SPs AND A HOUSEHOLD MEMBER IS IDENTIFIED AS THE PARENT/GUARDIAN OF A YOUTH SP, DISPLAY "For {YOUTH SPs AND SHADOW YOUTH}, I will ask for contact information for their parent or guardian."

ELSE, DO NOT DISPLAY THIS TEXT.

FILL {YOUTH SPs AND SHADOW YOUTH} WITH THE LIST OF ALL YOUTH SP NAMES, FOLLOWED BY ALL SHADOW YOUTH NAMES, SEPARATED BY COMMAS WITH ", and" BEFORE THE LAST NAME IN THE ARRAY. DO NOT LIST YOUTH SPs OR SHADOW YOUTH WHO DO NOT HAVE AN IDENTIFIED PARENT/GUARDIAN IN THE HOUSEHOLD.

IF THERE ARE YOUTH SPs AND/OR SHADOW YOUTHS, DISPLAY "This information will be used only for the purposes of this study."

IF R04\_HM0100 = -8, -7 OR R04\_HM0008 = -8, -7, EXCLUDE THAT HOUSEHOLD MEMBER FROM THE LIST OF SHADOW YOUTH.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HLR07**

Repeat R04\_HL0010 – R04\_HM0027 for each TARGET person, following routing as indicated in the loop. Each target person completes this loop a single time, even if they fall under multiple target categories. (For example, if an adult is also a parent of a sampled youth, they only answer these questions once.)

TARGET persons include: All adult SPs, all youth SPs and emancipated youths, all shadow youth, and each parent/guardian of a youth SP or shadow youth.

TARGET persons exclude the household respondent, even if they are an SP or the parent/guardian of a youth SP or shadow youth, because they have already provided contact information.

Go to R04\_HL0010 and begin loop for each target person.

**PATH ID: R04\_HL0010**

Can I have [TARGET]'s full name?

VERIFY ALL SPELLING. [TARGET] IS [FILL]. IF PERSON HAS NO MIDDLE NAME, LEAVE MIDDLE INITIAL BLANK.

- 1 FIRST NAME
- 2 MI
- 3 LAST NAME

ASK: Adult SPs, Youth SPs, emancipated youth, and parents of youth or shadow youth.

DISPLAY: Fill [TARGET] in the question and interviewer instruction with the first name of the target (R04\_HM0061). To select the appropriate parent or guardian target, refer to the relationship matrix (R04\_HX0015). If no parent/step-parent is identified in R04\_HX0015 for youth/shadow-youth SP, use response to R04\_HX0018.

Fill [FILL] in the interviewer instruction with "SELECTED AS AN ADULT" if the target is an adult SP.

Fill [FILL] with "A PARENT OR GUARDIAN OF [YOUTH SP OR SHADOW YOUTH NAME]" if the target is the parent, step-parent or guardian of a youth SP or shadow sample youth. Fill [YOUTH SP OR SHADOW YOUTH NAME] with the SP youth's or SP shadow youth's first name if the target is a parent, step-parent or guardian.

Fill [FILL] with "SELECTED AS A YOUTH" if the target is a youth SP.

Fill [FILL] with "SELECTED AS A SHADOW YOUTH" if the target is a shadow youth.

If the first name in R04\_HL0010 is DON'T KNOW or REFUSED, continue on to ask MI and LAST.

**BOX ID: R04\_HLR06**

If target person is a youth SP and is not an emancipated youth, go to R04\_HM0025.

Else, if target person is a shadow youth, go to Box R04\_HLR05.

Else, if target person is an adult SP, emancipated youth, or parent/guardian of youth SP or shadow youth, go to R04\_HL0011.



**PATH  
Household Screener  
Wave 4 (version 4.0)**

**PATH ID: R04\_HL0011**

What is the best phone number to reach [TARGET]?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult SPs, emancipated youth, and parents of youth or shadow youth.

**BOX ID: R04\_HLR10**

Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who provided a valid phone number, go to R04\_HL0012.

Else, adult SPs, emancipated youth, and parents of sampled youth or shadow youth who did not provide, did not know, or refused to report a valid phone number, go to R04\_HL0015.

**PATH ID: R04\_HL0012**

Is this a home or cell phone number?

- 1 HOME
- 2 CELL
- 4 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who provided a valid phone number in R04\_HL0011.

**PATH ID: R04\_HL0013**

Is there a second telephone number where [TARGET] can be reached?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who provided a valid phone number in R04\_HL0011.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HLR11**

Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who provided a valid second phone number, go to R04\_HL0014.

Else, adult SPs, emancipated youth, and parents of sampled youth or shadow youth who did not provide, did not know, or refused to report a valid second phone number, go to R04\_HL0015.

**PATH ID: R04\_HL0014**

Is this a home or cell phone number?

- 1 HOME
- 2 CELL
- 4 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Sampled persons and parents of sampled youth or shadow youth who provided a valid second phone number in R04\_HL0013.

**PATH ID: R04\_HL0015**

Can you please give me [TARGET]'s e-mail address?

VERIFY ALL SPELLING AND PUNCTUATION. RECORD TEXT BEFORE @ SYMBOL IN THE EMAIL NAME FIELD. TEXT AFTER THE @ SYMBOL IS ENTERED IN THE EMAIL PROVIDER FIELD.

- 1 EMAIL NAME
- 2 EMAIL PROVIDER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_HM0025</b>		
How well does [TARGET] speak English? Would you say very well, well, not well, or not at all?		
1	VERY WELL	GO TO BOX R04_HLR05
2	WELL	GO TO BOX R04_HLR05
3	NOT WELL	
4	NOT AT ALL	GO TO R04_HM0027
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth.		

<b>PATH ID:</b> <b>R04_HM0026</b>		
Is [TARGET] able to speak English well enough to complete an interview in English?		
1	YES	GO TO BOX R04_HLR05
2	NO	
-8	DON'T KNOW	GO TO BOX R04_HLR05
-7	REFUSED	GO TO BOX R04_HLR05
ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who do not speak English well.		

<b>PATH ID:</b> <b>R04_HM0027</b>		
Would [TARGET] be able to complete the interview in Spanish?		
1	YES	
2	NO	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who do not speak English well enough to complete an interview in English.		

<b>BOX ID:</b> <b>R04_HLR05</b>		
If there are additional target persons remaining, go back to R04_HL0010 and complete loop for all remaining target persons.		
Else, if loop has been completed for all target persons, go to R04_HX0017.		

**PATH**  
**Household Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HX0017**

Thanks for providing us contact information. We want to be sure that every household in this area has been given a chance to participate in this important study.

Is there any other person or group of people you haven't already told me about who lives and receives mail [here / at ADDRESS]?

ALSO INCLUDE PEOPLE WHO LIVE HERE AND GET MAIL ONLY AT A P.O. BOX.

A YES ANSWER TO THIS QUESTION WILL LAUNCH THE HIDDEN HOUSEHOLD PROCEDURE.

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, regardless of SPs or no SPs selected, EXCEPT those added as multi-units at a base address and those added as a result of the Add Household Procedure. This item should be asked after the contact information is collected from all TARGETs.

DISPLAY: If house number and/or street name is missing, display "here". Else, display "at ADDRESS" and fill with address in an easy-to-read format. Display interviewer instructions in blue.

**PATH ID: R04\_LCHS01**

INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW IN?

- 1 ENGLISH
- 2 SPANISH

ASK: All households (asked of Interviewer)

**PATH  
Household Screener  
Wave 4 (version 4.0)**

**PATH ID: R04\_HM0028**

{THERE IS A POSSIBLE SP THAT IS ALREADY IN THE PATH STUDY. HOME OFFICE NEEDS TO REVIEW THIS CASE. DO **NOT** CONTINUE TO DO ANY INTERVIEWS WITH ANYONE IN THIS HOUSEHOLD.}

{{SAMPLED YOUTH's NAME's} [DOES/DO] NOT HAVE A PARENT OR GUARDIAN LIVING IN THE HOUSEHOLD. THE PARENT INTERVIEW AND YOUTH INTERVIEW **WILL NOT** BE COLLECTED FOR {SAMPLED YOUTH's NAME's}.}

Thank you for taking the time to answer these questions. **IF NEEDED:** [Someone will contact you to schedule an appointment for the next interview.]

**THIS IS THE END OF THE HOUSEHOLD SCREENER. PRESS 1 TO CONTINUE.**

1 CONTINUE

ASK: Households where at least one member was selected.

DISPLAY: IF AddrMatchFlagSource >= 1, display "THERE IS A POSSIBLE SP THAT IS ALREADY IN THE PATH STUDY. HOME OFFICE NEEDS TO REVIEW THIS CASE. DO NOT CONTINUE TO DO ANY INTERVIEWS WITH ANYONE IN THIS HOUSEHOLD." and "IF NEEDED: [Someone will contact you to schedule an appointment for the next interview.]" IF AddrMatchFlagSource = 0, do not display this text.

IF R04\_HX0018 = 95, display "{SAMPLED YOUTH's NAME} DOES NOT HAVE A PARENT OR GUARDIAN LIVING IN THE HOUSEHOLD. THE PARENT INTERVIEW AND YOUTH INTERVIEW WILL NOT BE COLLECTED FOR {SAMPLED YOUTH's NAME}." Do not show brackets. Fill {SAMPLED YOUTH's NAME's} with the names of the sampled youth for whom a parent or guardian is not identified. If one name, display "DOES". If two names, display "DO" and connect names with 'and'. If more than two names, connect names with commas, and 'and' before the last name in the list. IF R04\_HX0018 != 95, do not display this text.

**PATH ID: R04\_HM0029**

Thank you for your time today. Based on the information you've given us, your household has not been selected for participation in the study at this time. We may contact you in the future about other opportunities to participate in this important national study.

**THIS IS THE END OF THE HOUSEHOLD SCREENER. PRESS 1 TO RETURN TO IMS.**

1 CONTINUE

ASK: Households where no member was selected.

## Household Screener (Spanish)

---

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**Table of Contents**

---

ENUMERATION ..... 1  
TOBACCO USE ..... 10  
ENUMERATION CHECK AND SAMPLE SELECTION ..... 14  
RELATIONSHIP AND RESIDENTIAL TENURE ..... 16  
CONTACT INFORMATION ..... 20

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

<b>SECTION</b>	<b># OF QUESTIONS</b>
Enumeration	14
Tobacco Use	6
Enumeration Check and Sample Selection	3
Relationship and Residential Tenure	4
Contact Information	26



**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_SOMBIntro**

**IF RESPONDENT ASKS ABOUT THE OFFICE OF MANAGEMENT AND BUDGET (OMB), READ THE FOLLOWING PARAGRAPH ALOUD**

Número de control de la OMB: 0925-0664

Fecha de vencimiento: XX/XX/XXXX

Se calcula que el tiempo para esta recolección de información es de 14 minutos por cuestionario, incluyendo el tiempo necesario para revisar las instrucciones, buscar fuentes de datos existentes, reunir y mantener los datos necesarios y completar y revisar la recolección de información. Ninguna agencia puede realizar ni patrocinar una recolección de información, y ninguna persona está obligada a responder a dicha recolección de información, a menos que esta muestre un número de control vigente de la OMB. Envíe sus comentarios respecto a este cálculo de tiempo o a otro aspecto de esta recolección de información, incluyendo sugerencias de cómo reducir este cálculo de tiempo a: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0664). No devuelva el cuestionario contestado a esta dirección.

**PRESS 1 TO CONTINUE**

1 CONTINUE

ASK: All respondents.

DISPLAY: Display OMB statement text in grey. Display "IF RESPONDENT ASKS..." statement and "PRESS 1 TO CONTINUE" in blue. Pending language selected in F2; display English OMB statement if English is selected, display Spanish OMB statement if Spanish is selected. Default to English display.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

## ENUMERATION

<b>PATH ID:</b> <b>R04_HM0001</b>
<p>Voy a hacerle algunas preguntas acerca de las personas que consideran a este domicilio como su vivienda principal.</p> <p>Esto incluye a personas que normalmente viven en este domicilio, pero que podrían estar fuera temporalmente por cuestiones de negocios, vacaciones, hospitalizaciones o que viven en un campus universitario.</p> <p>No incluye a estudiantes universitarios que viven fuera del campus universitario.</p> <p>Incluyéndose usted, ¿cuántas personas viven en este domicilio y no viven normalmente en otro lugar?</p> <p>[RESPONDENT INDICATED THAT THE ORIGINAL NUMBER OF PEOPLE LIVING AT THIS ADDRESS WAS WRONG AND NEEDS TO BE CORRECTED:</p> <p>Muy bien. Necesito verificar la cantidad de personas que viven aquí. Anteriormente me dijo que {NUMBER OF PEOPLE} {vive / viven} aquí. ¿Cuántas personas viven en realidad aquí?</p> <p>IF NEEDED: [Los nombres de las personas que viven aquí son: NAME1, NAME2 y NAME3.]]</p> <p>1     __ __ __  CANTIDAD DE PERSONAS</p> <p>ASK: All households.</p> <p>DISPLAY: If re-routed from R04_HM0051, display "[RESPONDENT INDICATED THAT THE ORIGINAL NUMBER OF PEOPLE LIVING AT THIS ADDRESS WAS WRONG AND NEEDS TO BE CORRECTED: Muy bien. Necesito verificar la cantidad de personas que viven aquí. Anteriormente me dijo que {NUMBER OF PEOPLE} aquí. ¿Cuántas personas viven en realidad aquí? IF NEEDED: [Los nombres de las personas que viven aquí son: NAME1, NAME3, and NAME3.]]". Else, do not display this text.</p> <p>FOR {NUMBER OF PEOPLE}, IF THERE IS ONLY 1 PERSON LIVING AT THIS ADDRESS, DISPLAY AS "una persona" and "vive". ELSE, DISPLAY AS "# personas" and "viven"</p>

<b>PATH ID:</b> <b>R04_HM0002</b>
<p>¿Cuál es su primer nombre?</p> <p>1    FIRST NAME</p> <p>ASK: All households.</p>

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_HM0099</b>
¿Cuántos años tiene?
1    _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: All households.
GO TO BOX R04_HMR13

<b>PATH ID:</b> <b>R04_HM0100</b>
Por favor mire esta lista. ¿Tiene usted...
<b>READ RESPONSE OPTIONS ALOUD.</b>
1    menos de 18 años de edad,
2    entre 18 y 24 años de edad,
3    entre 25 y 29 años de edad,
4    entre 30 y 44 años de edad,
5    entre 45 y 64 años de edad o
6    65 años de edad o más?
-8    DON'T KNOW
-7    REFUSED
ASK: All households when the household screener respondent does not know or refuses to report their age.
DISPLAY: Display interviewer instructions in blue.

<b>BOX ID:</b> <b>R04_HMR13</b>
If the screener respondent is 100 years old or older, go to R04_HM0099_LC3.
Else, if the screener respondent is less than 18 years old and not an emancipated youth, go to R04_HM0099_LC1.
Else, go to Box R04_HMR08.

<b>PATH ID:</b> <b>R04_HM0099_LC3</b>
<b>YOU RECORDED THAT THE SCREENER RESPONDENT IS 100 YEARS OLD OR OLDER.</b>
<b>IS THAT CORRECT?</b>
1    YES - SCREENER RESPONDENT IS 100 YEARS OLD OR OLDER
2    NO - I NEED TO GO BACK AND CHANGE MY ANSWER
ASK: Household screener respondents who report being 100 years old or older.
DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0099\_LC1**

YOU RECORDED THAT THE SCREENER RESPONDENT IS NOT 18 YEARS OLD OR OLDER.

IS THAT CORRECT?

- 1 YES - SCREENER RESPONDENT IS NOT 18 YEARS OLD OR OLDER
- 2 NO - I NEED TO GO BACK AND CHANGE MY ANSWER

ASK: Household screener respondents who report being less than 18 years old (and are not an emancipated youth).

DISPLAY: Display interviewer instructions in blue.

**BOX ID: R04\_HMR08**

If the screener respondent is less than 18 years old and not an emancipated youth, go to R04\_HM0099\_LC2.

Else, if the screener respondent reported their age and it was incorrectly recorded as less than 18 years old, go to R04\_HM0099.

Else, if the screener respondent did not know or refused to report their age, but reported an age range that was incorrectly recorded as less than 18 years old, go to R04\_HM0100.

Else, if the screener respondent did not know or refused to report their age or age range, go to R04\_HM0061.

Else, if more than 1 person lives in the household, go to R04\_HM0061.

Else, go to Box R04\_HMR01.

**PATH ID: R04\_HM0099\_LC2**

PRESS G TO GO BACK AND PRESS 7 "NOT SPEAKING TO AN ADULT RESIDENT" AT R04\_HMS005. DO NOT RE-READ R04\_HMS005 TO THE RESPONDENT.

- 1 GOTO GO TO R04\_HMS005

ASK: Household screener respondents who report being less than 18 years old (and are not an emancipated youth) and have confirmed they are not 18 years old or older.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0061**

[YOU ARE ADDING HOUSEHOLD MEMBER(S). ASK ALL QUESTIONS ABOUT THE ADDED HOUSEHOLD MEMBER(S)]

]Ahora, dígame por favor únicamente el nombre de los demás miembros de este hogar.

IF TWO HOUSEHOLD MEMBERS HAVE THE SAME FIRST NAME, ASK FOR A MIDDLE INITIAL OR A SUFFIX (SUCH AS JUNIOR OR SENIOR) TO DISTINGUISH THEM.

1 FIRST NAME

ASK: Households with more than 1 person.

DISPLAY: Display interviewer instructions in blue.

IF RE-ROUTED FROM R04\_HM0051, DISPLAY "YOU ARE ADDING HOUSEHOLD MEMBER(S). ASK ALL QUESTIONS ABOUT THE ADDED HOUSEHOLD MEMBER(S)". ELSE, DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_HMR01**

Go through items R04\_HM0005 – R04\_HM0012 (following appropriate skips), for each household member. These items are also asked about the household screener respondent with the exception of R04\_HM0006, R04\_HM0007, and R04\_HM0008.

Complete all items about the screener respondent first (person reported in R04\_HM0002).

If more than one person is living in the household (R04\_HM0001 > 1), loop through all items again for each household member in the order in which the members were reported (persons reported in R04\_HM0061). Complete the loop for one person before going to the next household member.

When there are no additional household members, go to Box R04\_HMR02.

**PATH ID: R04\_HM0005**

¿De qué **sexo** es [usted/NAME]?

1 MALE

2 FEMALE

-8 DON'T KNOW

-7 REFUSED

ASK: All households, about each household member.

DISPLAY: If asking about the screener respondent, display "usted". Else, display "NAME's" and fill with the appropriate name from R04\_HM0002.

Display QxQ word "sexo" in bold/green.

**BOX ID: R04\_HMR14**

If asking about a household member who is not the household screener respondent, go to R04\_HM0006.

Else, if asking about the household screener respondent, go to Box R04\_HMR03.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0006**

¿Qué edad tiene [NAME]?

IF PERSON IS UNDER 1 YEAR, ENTER "0".

- 1 | | | |
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each household member (excluding the household screener respondent).

DISPLAY: Fill [NAME] with the appropriate first name as identified in R04\_HM0061. Display interviewer instruction in blue.

**BOX ID: R04\_HMR03**

If a household member (excluding the household screener respondent) was reported to be 100 years old or older, go to R04\_HM0007.

Else, if a household member's age (excluding the household screener respondent) is reported as don't know or refused, go to R04\_HM0008.

Else, if a household member's age is reported as 17 years or older, go to R04\_HM0009.

Else, go to R04\_HM0010.

**PATH ID: R04\_HM0007**

Permítame verificar que la edad [de NAME] es [FILL WITH R04\_HM0006] años. ¿Es correcto?

- |    |            |                  |
|----|------------|------------------|
| 1  | YES        | GO TO R04_HM0009 |
| 2  | NO         | GO TO R04_HM0006 |
| -8 | DON'T KNOW | GO TO R04_HM0009 |
| -7 | REFUSED    | GO TO R04_HM0009 |

ASK: All households, about each household member (excluding the household screener respondent) aged 100 or older.

DISPLAY: Fill [de NAME] with the appropriate first name as identified in R04\_HM0061.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0008**

Por favor mire esta lista. ¿Tiene [NAME]...

**READ RESPONSE OPTIONS ALOUD.**

- |    |                              |                  |
|----|------------------------------|------------------|
| 1  | menos de 10 años de edad,    | GO TO R04_HM0010 |
| 2  | entre 10 y 11 años de edad,  | GO TO R04_HM0010 |
| 3  | entre 12 y 17 años de edad,  | GO TO R04_HM0010 |
| 4  | entre 18 y 24 años de edad,  |                  |
| 5  | entre 25 y 29 años de edad,  |                  |
| 6  | entre 30 y 44 años de edad,  |                  |
| 7  | entre 45 y 64 años de edad o |                  |
| 8  | 65 años de edad o más?       |                  |
| -8 | DON'T KNOW                   |                  |
| -7 | REFUSED                      |                  |

ASK: All households, about each household member (excluding the household screener respondent) whose age is reported as don't know or refused.

DISPLAY: Fill [NAME] with the appropriate first name as identified in R04\_HM0061. Display interviewer instruction in blue.

**PATH ID: R04\_HM0009**

¿[Actualmente está [usted/NAME] en servicio militar activo en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos?

**IF NEEDED:** [El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares, como por ejemplo la Guerra de Iraq.]

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each household member aged 17 or older.

DISPLAY: If asking about the screener respondent, display "usted". Else, display "NAME" and fill with appropriate name. Display interviewer instructions in blue.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_HM0010</b>
[Es [usted/NAME] de origen hispano, latino o español?	
1 YES	
2 NO	GO TO R04_HM0011
-8 DON'T KNOW	GO TO R04_HM0011
-7 REFUSED	GO TO R04_HM0011
ASK: All households, about each household member.	
DISPLAY: If asking about the screener respondent, display "usted". Else, display "NAME" and fill with appropriate name. If the person this question is asking about is male (R04_HM0005 = 1), display ""; if female (R04_HM0005 = 2), display ""; if sex is unknown (R04_HM0005 = -8, -7), display "".	

<b>PATH ID:</b>	<b>R04_HM0050</b>
¿Cuál es [su origen/el origen de NAME]? Mire esta lista y escoja todas las opciones que correspondan.	
<b>READ RESPONSE OPTIONS ALOUD.</b>	
1 Mexicano, mexicano americano, chicano,	
2 Puertorriqueño,	
3 Cubano o	
4 De otro origen hispano, latino o español	
-8 DON'T KNOW	
-7 REFUSED	
ASK: All households, about each household member reported to be Hispanic, Latino/a, or of Spanish origin.	
DISPLAY: If asking about the screener respondent, display "su origen". Else, display "el origen de NAME" and fill with appropriate name. If the person this question is asking about is male (R04_HM0005 = 1), display ""; if female (R04_HM0005 = 2), display ""; if sex is unknown (R04_HM0005 = -8, -7), display "". Display interviewer instruction in blue.	



**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0011**

¿Cuál es [su raza/la raza de NAME]? Mire esta lista y escoja todas las opciones que correspondan.

READ RESPONSE OPTIONS ALOUD.

- 1 Blanca,
- 2 Negra o africana americana,
- 3 India americana o nativa de Alaska,
- 4 Asiática o
- 5 Nativa de Hawái o de otra isla del Pacífico
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each household member.

DISPLAY: If asking about the screener respondent, display "su raza". Else, display "la raza de NAME" and fill with appropriate name. Display interviewer instruction in blue.

**PATH ID: R04\_HM0012**

WAS ANYONE IN THE HOUSEHOLD MISREPORTED AS A HOUSEHOLD MEMBER? LEAVE EMPTY UNLESS THE RESPONDENT HAS TOLD YOU THAT SOMEONE WAS MISREPORTED . IF MISREPORTED, ENTER 'X'.

PRESS ENTER TO CONTINUE.

ASK: All households. (This screen is a field interviewer instruction; no question is asked to the respondent on this screen.)

DISPLAY: Display interviewer instructions in blue.

**BOX ID: R04\_HMR02**

If there are additional household members to ask about, go back to Box R04\_HMR01 and complete loop for remaining household members.

Else, if there are no remaining household members to ask about:

If the household has two or more household members that are the same age, and those same-aged household members are between the ages of 10 and 17, go to R04\_HM0014.

Else, go to Box R04\_HMR12.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0014**

Usted mencionó que aquí viven niños que tienen la misma edad.

¿Son [gemelos/gemelos o nacieron en otro parto múltiple]?

Incluya a todo tipo de [gemelos/gemelos o nacidos en otro parto múltiple] – ya sean **idénticos** o **no idénticos** (también llamados fraternos).

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_HMR12

GO TO BOX R04\_HMR12

GO TO BOX R04\_HMR12

ASK: Households that have two or more same-aged household members between the ages of 10 and 17.

DISPLAY: If there are 2 members who are the same age, fill with "gemelos" and "gemelos". If there are 3 or more members who are the same age, fill with "gemelos o nacieron en otro parto múltiple" and "gemelos o nacieron en otro parto múltiple". Display QxQ words "gemelos", "parto multiple", "idénticos", and "no idénticos" in bold/green.

**PATH ID: R04\_HM0015**

Por favor dígame cuáles niños son [gemelos/gemelos o nacieron en otro parto múltiple].

ENTER AN 'X' NEXT TO EACH CHILD WHO IS A TWIN OR MULTIPLE BIRTH.

IF NEEDED: [Los niños que tienen la misma edad son: {NAME/AGE, NAME/AGE, NAME/AGE...}]

WHEN YOU ARE FINISHED SELECTING ALL THE TWINS/MULTIPLE BIRTHS, LEAVE THE REMAINING FIELDS BLANK AND PRESS 1 TO CONTINUE.

ASK: Households that have two or more same-aged household members between the ages of 10 and 17 who are reported to be twins or part of a multiple birth.

DISPLAY: The default for this field is blank – it will only be filled if necessary. If there are 2 members who are the same age, fill with "gemelos". If there are 3 or more members who are the same age, fill with "gemelos o nacieron en otro parto múltiple". Fill {NAME/AGE} with the names and ages of every member in the household that is the same age. Display QxQ words "gemelos" and "parto múltiple" in bold/green. Display interviewer instructions in blue.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

## TOBACCO USE

<b>BOX ID:</b> <b>R04_HMR12</b>
If household has any adult members aged 18 years or older who are not on active military duty, go to Box R04_HMT01. Else, skip the Tobacco Use questions and go to R04_HM0020.

<b>BOX ID:</b> <b>R04_HMT01</b>
Las siguientes preguntas son acerca del tabaco.  [No a todos los adultos se les hacen todas las preguntas sobre el consumo de tabaco.]  <a href="#">PRESS 1 TO CONTINUE</a>

<b>BOX ID:</b> <b>R04_HMR09</b>
Go through items R04_HY1003 – R04_HD1002 for each adult household member aged 18 or older (including the screener respondent). Complete all items about the screener respondent first (person reported in R04_HM0002). If more than one adult is living in the household, loop through all items again for each adult, in the order in which they were reported (in R04_HM0061). Complete the loop for one adult before going to the next adult. When there are no additional household members, go to R04_HM0020.

<b>PATH ID:</b> <b>R04_HY1003</b>
Por favor mire esta imagen. ¿Fuma [usted/NAME] ahora cigarrillos, puros o pipa todos los días, algunos días o nunca?  1    EVERY DAY 2    SOME DAYS 3    NOT AT ALL -8   DONT' KNOW -7   REFUSED  ASK: All households, about each adult household member aged 18 or older (who are not on active military duty). DISPLAY: If asking about the screener respondent, display "usted". Else, display "NAME" and fill with appropriate name.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HS1003**

Por favor mire esta imagen. ¿Consume [usted/NAME] ahora productos de tabaco que no se fuma, como tabaco de inhalar o rapé, dip, spit o tabaco de mascar todos los días, algunos días o nunca?

[No incluya el snus, cigarrillos electrónicos ni productos que contienen nicotina tales como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras].

- 1 EVERY DAY
- 2 SOME DAYS
- 3 NOT AT ALL
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "usted". Else, display "NAME" and fill with appropriate name.

**PATH ID: R04\_HE1003**

Ahora, piense en otros productos de tabaco que [usted/NAME] podría haber consumido en algún momento de su vida.

Por favor mire esta imagen. ¿Ha fumado [usted/NAME] alguna vez un cigarrillo electrónico o algún otro producto electrónico con nicotina, incluso si solo fueron una o dos veces?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "usted", "", and "usted". Else, display "NAME", "" and "NAME" and fill with appropriate name. Underline "algún momento" and "alguna vez".

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HH1002**

Por favor mire esta imagen. ¿Ha fumado [usted/NAME] alguna vez tabaco en una hookah o pipa de agua, incluso si solo fue una o dos veces?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "usted". Else, display "NAME" and fill with appropriate name in title case. Underline "alguna vez".

**PATH ID: R04\_HU1002**

Por favor mire esta imagen. ¿Ha consumido [usted/NAME] alguna vez snus, incluso si solo fue una o dos veces?

[El snus es un tipo de tabaco que no se fuma y no es necesario escupirlo al consumirlo.]

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "usted". Else, display "NAME". Underline "alguna vez".

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HD1002**

Por favor mire esta imagen. ¿Ha consumido [usted/ NAME] alguna vez productos de tabaco que se disuelve, como por ejemplo Ariva, Stonewall, u Orbs, Sticks o Strips de Camel, incluso si solo fueron una o dos veces?

[No incluya el snus, cigarrillos electrónicos ni productos que contienen nicotina tales como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras.]

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, about each adult household member aged 18 or older (who are not on active military duty).

DISPLAY: If asking about the screener respondent, display "usted". Else, display "NAME" and fill with appropriate name. Underline "alguna vez".

**BOX ID: R04\_HMR11**

If there are additional household members aged 18 or older to ask about, go back to Box R04\_HMR09 and complete loop for remaining household members.

Else, if there are no remaining household members aged 18 or older to ask about, go to R04\_HM0020.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**ENUMERATION CHECK AND SAMPLE SELECTION**

<b>PATH ID:</b> <b>R04_HM0020</b>
[Acabo de hacerle preguntas acerca de {NUMBER} miembros del hogar: {LIST FIRST NAMES OF ALL HOUSEHOLD MEMBERS}.
]Antes de continuar, solo deseo confirmar: ¿hay alguna otra persona que viva en este domicilio?
1   YES
2   NO
GO TO BOX R04_HMT02
ASK: All households.
DISPLAY: If only two or more members in the household, display "Acabo de hacerle preguntas acerca de {NUMBER} miembros del hogar: {LIST ALL HH MEMBERS}." For "{NUMBER}", display the number of household members collected in the enumeration grid. For {LIST FIRST NAMES OF ALL HOUSEHOLD MEMBERS}, display the first name of each household member collected in the grid. If two household members, connect names with "y"; if more than two household members, separate names with a comma and put "y" before last name in list. If only one member in the household, do not display this text.

<b>PATH ID:</b> <b>R04_HM0051</b>
Las personas que viven en este domicilio lo consideran como su vivienda principal. Esto podría incluir a personas que están temporalmente fuera en viajes de negocios, vacaciones, hospitalizadas o están en la universidad.
Para los estudiantes universitarios, incluya a estudiantes que viven en un campus universitario o fraternidad. No incluye a estudiantes que viven fuera del campus universitario.
Acaba de mencionar que alguien más vive en este domicilio. ¿Es correcto?
1   YES
2   NO
GO BACK TO R04_HM0001
ASK: Households that need to report household members that were not reported previously.

<b>BOX ID:</b> <b>R04_HMT02</b>
<b>PRESS 1 TO CONTINUE. YOU WILL NOT BE ABLE TO GO BACK AND MAKE CHANGES AFTER YOU CONTINUE PAST THIS POINT.</b>

<b>BOX ID:</b> <b>R04_HMV01</b>
PROGRAM: Run the sampling algorithm. After the algorithm is run, set a gate so the interviewer cannot go back and change previous answers. If at least one household member is selected as a sampled person (SP) for the PATH Study, go to R04_HX0014. Else, if no household members are selected, go to Box R04_HLR03.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HX0014**

[De acuerdo con la información que nos ha dado, hemos seleccionado a {SP FILL 1}, {SP FILL 2}, {SP FILL 3}, {SP FILL 4}, {SP FILL 5}, {SP FILL 6}, {SP FILL 7}, {SP FILL 8} y a {SP FILL 9} para participar en el estudio.]

[Además, también quisiéramos hablar con uno de los padres de {SHADOW YOUTH NAMES} para invitarlos a participar en el estudio cuando cumplan 12 años.]

[De acuerdo con la información que nos ha dado, quisiéramos hablar con uno de los padres de {SHADOW YOUTH NAMES} para invitarlos a participar en el estudio cuando cumplan 12 años. Nadie más en este hogar ha sido seleccionado para participar en el estudio.]

**PRESS 1 TO CONTINUE**

1 CONTINUE

ASK: All households.

DISPLAY: If at least one adult or youth is sampled and no shadow youth are sampled in the household, display "De acuerdo con la información que nos ha dado, hemos seleccionado a {SP FILL 1}, {SP FILL 2}, {SP FILL 3}, {SP FILL 4}, {SP FILL 5}, {SP FILL 6}, {SP FILL 7}, {SP FILL 8} y a {SP FILL 9} para participar en el estudio." For each sampled person (SP) selected, fill {SP FILL #} with NAME/AGE/GENDER. If the household screener respondent is selected and is the only member in the household, just display "usted" in {SP FILL #}. If the household screener respondent is selected and there are other selected members in the household, separate names with "y". If two or more, separate names with a comma and put "y" before the last name listed. List screener respondent last and display "y usted" in {SP FILL #}.

If at least one adult or youth is sampled and at least one shadow youth is sampled in the household, display text above and ALSO display "Además, también quisiéramos hablar con uno de los padres de {SHADOW YOUTH NAMES} para invitarlos a participar en el estudio cuando cumplan 12 años." Fill with appropriate names of shadow youth(s) in title case. If more than one shadow youth, separate names with "y". If two or more, separate names with a comma and put "y" before the last name listed.

If no adult or youth is sampled in the household and ONLY shadow youth are selected, ONLY display the following text: "De acuerdo con la información que nos ha dado, quisiéramos hablar con uno de los padres de {SHADOW YOUTH NAMES} para invitarlos a participar en el estudio cuando cumplan 12 años. Nadie más en este hogar ha sido seleccionado para participar en el estudio." Fill with appropriate names of shadow youth(s) in title case. If more than one shadow youth, separate names with "y". If two or more, separate names with a comma and put "y" before the last name listed.

If R04\_HM0100 = -8, -7 or R04\_HM0008 = -8, -7, exclude that household member from the list of shadow youth.

Display interviewer instructions in blue.



**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

## RELATIONSHIP AND RESIDENTIAL TENURE

**BOX ID: R04\_HMR05**

IF THERE IS ONLY ONE PERSON IN THE HOUSEHOLD, SKIP R04\_HX0020, R04\_HX0015, R04\_HX0021, AND R04\_HX0018. GO TO BOX R04\_HLR03. Assign '01' IN THE RELATIONSHIP GRID.

**PATH ID: R04\_HX0020**

Ahora, tengo algunas preguntas acerca de la relación o parentesco entre las personas que viven aquí.

**PRESS 1 TO CONTINUE**

1 CONTINUE

ASK: Households where more than one sampled person (SP) was selected.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HX0015**

¿Cuál es la **relación** o parentesco [de NAME/suya] con [usted/SP]? En otras palabras, qué es [NAME/usted] de [usted/ SP NAME]?

- 1 PERSONA SELECCIONADA (SP)
- 2 CÓNYUGE O PAREJA DE HECHO
- 3 PROMETIDO/PROMETIDA O NOVIO/NOVIA
- 4 HIJO/HIJA (BIOLÓGICO, ADOPTIVO, TEMPORAL, HIJASTRO(A))
- 5 YERNO / NUERA
- 6 NIETO/NIETA (BIOLÓGICO, ADOPTIVO, TEMPORAL, NIETASTRO)
- 7 HERMANO/HERMANA (BIOLÓGICA, ADOPTIVA, TEMPORAL O HERMANASTRA)
- 8 CUÑADO/CUÑADA
- 9 MADRE/PADRE (BIOLÓGICO, ADOPTIVO, TEMPORAL O PADRASTRO/MADRASTRA)
- 10 SUEGRA/SUEGRO
- 11 ABUELA/ABUELO (BIOLÓGICO, ADOPTIVO, TEMPORAL O ABUELASTRO/ABUELASTRA)
- 12 PRIMO/PRIMA
- 13 TÍO/TÍA
- 14 SOBRINO/SOBRINA
- 15 OTRO PARIENTE
- 16 OTRA PERSONA NO EMPARENTADA (COMPAÑERO DE VIVIENDA)
- 8 DONT KNOW
- 7 REFUSED

ASK: All households, about each sampled person (SP) and all shadow sampled youth.

(This question is asked for each household member reported in the enumeration grid in relation to SP# 1. The question is repeated for each SP #2, SP #3, SP #4, SP #5, SP #6, SP #7, SP #8, SP #9 as needed. This question does not ask for the reverse relationship between SPs after their relationship is established. EX. If we ask how SP #2 is related to SP #1, we do not also ask how SP #1 is related to SP #2.)

DISPLAY: When collecting information about the screener respondent's relationship to other sampled household members, display "suya", "SP", "usted", "", and "SP NAME".

When collecting information about the other sampled household member's relationship to the screener respondent, display "de NAME", "usted", "NAME", "", and "usted".

Fill SP NAME with the first name of the sampled household member as collected in the enumeration grid. Fill NAME with the first name of the sampled or non-sampled household member as collected in the enumeration grid. Display QxQ word "relación" in bold/green.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HMR06**

If the household screener respondent is an emancipated youth, go to Box R04\_HLR03.  
Else, for households in which a parent(s) is identified in R04\_HX0015 (father, mother, step-father, step-mother) for any given youth SP or shadow youth SP, go to R04\_HX0021.  
Else, for households in which no parent(s) is identified in R04\_HX0015 (father, mother, step-father, step-mother) for any given youth SP or shadow youth SP, go to R04\_HX0018.  
Else, go to Box R04\_HLR03.

**PATH ID: R04\_HX0021**

La siguiente pregunta es acerca de los padres de [SP YOUTH FIRST NAME].

Tengo anotado que [FILL] [es / son] [el padre o la madre/los padres] de [SP YOUTH FIRST NAME].  
¿Es correcto?

- |    |                                |                       |
|----|--------------------------------|-----------------------|
| 1  | YES                            | GO TO BOX R04_HLR03   |
| 2  | NO, I NEED TO CHANGE MY ANSWER | GO BACK TO R04_HX0015 |
| -8 | DON'T KNOW                     | GO TO BOX R04_HLR03   |
| -7 | REFUSED                        | GO TO BOX R04_HLR03   |

ASK: All households, about sampled youth or shadow sampled youth for whom more than 2 parents (mother/father or step-mother/step-father) are listed in R04\_HX0015.

DISPLAY: For [FILL], fill with first names of parents identified in R04\_HX0015 when R04\_HX0015 = 9. If two names are listed, connect with "y"; if more than two are listed, separate names with a comma and put "y" before last name in list. For {SP YOUTH NAME}, display first name of youth SP from enumeration grid. If one parent name is listed, display "es" and "el padre o la madre". If more than one parent name is listed, display "son" and "padres".

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HX0018**

La siguiente pregunta es acerca de [SP YOUTH FIRST NAME].

Voy a leerle una lista de nombres. ¿Podría decirme quién es el padre, la madre o el tutor de [SP YOUTH NAME].

**READ ALL NAMES ON LIST. PICK PARENT OR GUARDIAN(S) FROM LIST.**

[PROGRAM: DISPLAY LIST OF ALL PEOPLE IN HOUSEHOLD HERE]

**REMINDER: A PARENT OR GUARDIAN CAN BE A ROLE, RATHER THAN A RELATIONSHIP. THE PARENT OR GUARDIAN SHOULD BE KNOWLEDGEABLE ABOUT THE YOUTH AND BE RESPONSIBLE FOR MAKING DECISIONS ON ACTIVITIES LIKE SCHOOL PERMISSIONS, WHERE TO LIVE, ETCETERA.**

95 PARENT OR GUARDIAN IS NOT ON THE LIST

-8 DON'T KNOW

-7 REFUSED

ASK: All households, about sampled youth or shadow sampled youth for whom a mother/father or step-mother/step-father was not identified in R04\_HX0015.

DISPLAY: For {SP YOUTH NAME}, display first name of youth SP from enumeration grid. Underline "el padre, la madre o el tutor". For [DISPLAY LIST OF ALL PEOPLE IN HOUSEHOLD], display list of all people in household except SP YOUTH ordered by age from oldest to youngest. Display interviewer instructions in blue.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

## CONTACT INFORMATION

**BOX ID: R04\_HLR03**

CONTACT INFORMATION IS COLLECTED FOR **ALL** HOUSEHOLDS, INCLUDING HOUSEHOLDS WHERE NO MEMBERS ARE SELECTED FOR THE PATH STUDY.

**PATH ID: R04\_HL0001**

Quisiera ahora obtener alguna de su información de contacto para mis registros.

**PRESS 1 TO CONTINUE**

1 CONTINUE

ASK: All households.

DISPLAY: Display interviewer instructions in blue.

**PATH ID: R04\_HL0002**

¿Podría decirme su nombre completo?

**VERIFY ALL SPELLING. IF PERSON HAS NO MIDDLE NAME, LEAVE MIDDLE INITIAL BLANK.**

1 FIRST NAME

2 MI

3 LAST NAME

-8 DON'T KNOW

-7 REFUSED

ASK: Household respondent about themselves, including a household respondent when no members in household were selected.

DISPLAY: Pre-populate FIRST NAME field based on R04\_HM0003. If the first name is don't know or refused, continue on to ask MI and LAST. Blank fields are allowed.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_HL0017</b>
Tengo anotado que su dirección es ...
<b>READ ADDRESS ALOUD.</b>
ADDRESS LINE 1 ADDRESS LINE 2 CITY, STATE ZIP CODE
¿Es correcto?
1 YES <span style="float: right;">GO TO R04_HL0003</span>
2 NO
ASK: All households. DISPLAY: Fill address information from sample list. Display in easy-to-read format. Display interviewer instructions in blue.

<b>PATH ID: R04_HL0018</b>
¿Cuál es su dirección?
<b>VERIFY ALL SPELLING.</b>
1 ADDRESS LINE 1 2 ADDRESS LINE 2 3 CITY 4 STATE 5 ZIP CODE -8 DON'T KNOW -7 REFUSED
ASK: Households that need to correct the physical address. DISPLAY: Fill street address, apartment #, city, state, zip, from sample list. Display in easy-to-read format. Display interviewer instructions in blue.

<b>PATH ID: R04_HL0003</b>
¿Recibe usted el correo en esta dirección?
1 YES <span style="float: right;">GO TO R04_HX0016</span>
2 NO
-8 DON'T KNOW <span style="float: right;">GO TO R04_HX0016</span>
-7 REFUSED <span style="float: right;">GO TO R04_HX0016</span>
ASK: All households.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HL0004**

¿Me podría dar su dirección postal?

**VERIFY ALL SPELLING.**

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Households who don't receive mail at the physical address.

DISPLAY: Display interviewer instructions in blue.

**PATH ID: R04\_HX0016**

¿Es usted o alguien del hogar el propietario de esta vivienda o pagan alquiler?

**IF NEEDED:** [Ser propietario incluye tener una hipoteca o un préstamo.]

- 1 OWNED
- 2 RENTED
- 3 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households.

DISPLAY: Display interviewer instructions in blue.

**PATH ID: R04\_HL0005**

¿Cuál es el mejor número de teléfono para comunicarse con usted?

**ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.**

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW GO TO R04\_HL0016
- 7 REFUSED GO TO R04\_HL0016

ASK: All households.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HLR08**

Households who provided their best telephone number, go to R04\_HL0006.  
Else, households who did not provide, did not know, or refused to report a valid best telephone number, go to R04\_HL0016.

**PATH ID: R04\_HL0006**

¿Es este número de una línea fija en casa o de un celular?

- 1 HOME
- 2 CELL
- 4 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Households who provided a best telephone number.

**PATH ID: R04\_HL0007**

¿Tiene un número alternativo que podamos utilizar para comunicarnos con usted? **IF NEEDED:** [¿Cuál es ese número?]

**ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.**

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW GO TO R04\_HL0016
- 7 REFUSED GO TO R04\_HL0016

ASK: Households who provided a best telephone number.

DISPLAY: Display interviewer instructions in blue.

**BOX ID: R04\_HLR09**

Households who provided a second best telephone number, go to R04\_HL0008.  
Else, households who did not provide, did not know, or refused to report a valid second best telephone number, go to R04\_HL0016.

**PATH ID: R04\_HL0008**

¿Es este número de una línea fija en casa o de un celular?

- 1 HOME
- 2 CELL
- 4 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Households who provided a second best telephone number.



**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HL0016**

¿Me podría dar su correo electrónico?

VERIFY ALL SPELLING AND PUNCTUATION. RECORD TEXT BEFORE @ SYMBOL IN THE EMAIL NAME FIELD. TEXT AFTER THE @ SYMBOL IS ENTERED IN THE EMAIL PROVIDER FIELD.

- 1 EMAIL NAME
- 2 EMAIL PROVIDER
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households.

DISPLAY: Display interviewer instructions in blue.

**BOX ID: R04\_HLR04**

Households where no members were selected for the PATH Study, go to R04\_HX0017.

Households where the only member selected for the PATH Study is the household screener respondent, go to R04\_HX0017.

Else, go to Box R04\_HLR02.

**BOX ID: R04\_HLR02**

DISPLAY INSTRUCTIONS:

[PROGRAMMING NOTE: FOR SPECIFICATION PURPOSES, THE PERSON FOR WHOM THE CI IS BEING COLLECTED IS REFERRED TO AS THE "TARGET" IN R04\_HL0010 to R04\_HM0027.]

Full name is collected for all TARGETS. TARGETS are adult SP's, parents or guardians of youth SPs and shadow youth, and youth SP's, shadow youth and emancipated youth. (Parents or guardians of youth SPs and shadow youth are identified in R04\_HX0018. The parent or guardian must be part of the same household, so parents or guardians identified in R04\_HX0018\_OS are not included as TARGETS.)

For [SP ARRAY] create an array that holds the first name of each adult SP and youth SP and emancipated youth SP. Do not include the household screener respondent. The array should hold the first name provided in (R04\_HM0061).

After displaying the transition text in R04\_HL0009, create a loop and ask R04\_HL0010 through R04\_HM0027 about all targets. Do not ask these questions about the household screener respondent.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HL0009**

[Como mencioné, la computadora ha seleccionado a {LIST ALL NAMES IN SP ARRAY}[ y a usted] para participar en el estudio.

][La computadora ha seleccionado a {SHADOW YOUTH'S NAME} para participar en el estudio cuando cumpla 12 años. ]Quisiera solicitarle su ayuda para obtener alguna información básica de contacto[ de uno de sus padres o tutores]. [Para {YOUTH SPs AND SHADOW YOUTH}, le pediré la información de contacto de uno de los padres o tutores.] [Esta información se usará únicamente para los objetivos de este estudio.]

**PRESS 1 TO CONTINUE.**

1 CONTINUE

ASK: Households where at least 1 person (not including the screener respondent) has been sampled or there are sampled shadow youth.

DISPLAY: IF THERE ARE SPs, DISPLAY "Como mencioné, la computadora ha seleccionado a {LIST ALL NAMES IN SP ARRAY}[ y a usted] para participar en el estudio."

ELSE, DO NOT DISPLAY THIS TEXT.

IF HOUSEHOLD RESPONDENT IS NOT AN SP, FILL {LIST ALL NAMES IN SP ARRAY} WITH LIST OF ALL SP NAMES, SEPARATED BY COMMAS WITH "y" BEFORE THE LAST NAME IN THE ARRAY, AND DO NOT DISPLAY "y usted".

IF HOUSEHOLD RESPONDENT IS AN SP, FILL {LIST ALL NAMES IN SP ARRAY} WITH LIST OF ALL OTHER SP NAMES, SEPARATED BY COMMAS, AND DISPLAY "y usted" .

ELSE, DO NOT DISPLAY THIS TEXT.

IF THERE ARE SHADOW YOUTHS, DISPLAY "La computadora ha seleccionado a {SHADOW YOUTH'S NAME} para participar en el estudio cuando cumplan 12 años. " FILL {SHADOW YOUTH'S NAME} WITH LIST OF ALL SHADOW YOUTH, SEPARATED BY COMMAS WITH "y" BEFORE THE LAST NAME IN THE ARRAY.

ELSE, DO NOT DISPLAY THIS TEXT.

IF THERE ARE ONLY SHADOW YOUTHS AND NO SPs AND A HOUSEHOLD MEMBER IS IDENTIFIED AS THE PARENT/GUARDIAN OF A SHADOW YOUTH, DISPLAY " de uno de sus padres o tutores".

ELSE, DO NOT DISPLAY THIS TEXT.

IF THERE ARE YOUTH SPs AND A HOUSEHOLD MEMBER IS IDENTIFIED AS THE PARENT/GUARDIAN OF A YOUTH SP, DISPLAY "Para {YOUTH SPs AND SHADOW YOUTH}, le pediré la información de contacto de uno de los padres o tutores."

ELSE, DO NOT DISPLAY THIS TEXT.

FILL {YOUTH SPs AND SHADOW YOUTH} WITH THE LIST OF ALL YOUTH SP NAMES, FOLLOWED BY ALL SHADOW YOUTH NAMES, SEPARATED BY COMMAS WITH "y" BEFORE THE LAST NAME IN THE ARRAY. DO NOT LIST YOUTH SPs OR SHADOW YOUTH WHO DO NOT HAVE AN IDENTIFIED PARENT/GUARDIAN IN THE HOUSEHOLD.

IF THERE ARE YOUTH SPs AND/OR SHADOW YOUTHS, DISPLAY "Esta información se usará únicamente para los objetivos de este estudio."

IF R04\_HM0100 = -8, -7 OR R04\_HM0008 = -8, -7, EXCLUDE THAT HOUSEHOLD MEMBER FROM THE LIST OF SHADOW YOUTH.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HLR07**

Repeat R04\_HL0010 – R04\_HM0027 for each TARGET person, following routing as indicated in the loop. Each target person completes this loop a single time, even if they fall under multiple target categories. (For example, if an adult is also a parent of a sampled youth, they only answer these questions once.)

TARGET persons include: All adult SPs, all youth SPs and emancipated youths, all shadow youth, and each parent/guardian of a youth SP or shadow youth.

TARGET persons exclude the household respondent, even if they are an SP or the parent/guardian of a youth SP or shadow youth, because they have already provided contact information.

Go to R04\_HL0010 and begin loop for each target person.

**PATH ID: R04\_HL0010**

¿Me podría dar el nombre completo de [TARGET]?

**VERIFY ALL SPELLING. [TARGET] IS [FILL]. IF PERSON HAS NO MIDDLE NAME, LEAVE MIDDLE INITIAL BLANK.**

- 1 FIRST NAME
- 2 MI
- 3 LAST NAME

ASK: Adult SPs, Youth SPs, emancipated youth, and parents of youth or shadow youth.

DISPLAY: Fill [TARGET] in the question and interviewer instruction with the first name of the target (R04\_HM0061). To select the appropriate parent or guardian target, refer to the relationship matrix (R04\_HX0015). If no parent/step-parent is identified in R04\_HX0015 for youth/shadow-youth SP, use response to R04\_HX0018.

Fill [FILL] in the interviewer instruction with "SELECTED AS AN ADULT" if the target is an adult SP.

Fill [FILL] with "A PARENT OR GUARDIAN OF [YOUTH SP OR SHADOW YOUTH NAME]" if the target is the parent, step-parent or guardian of a youth SP or shadow sample youth.

Fill [YOUTH SP OR SHADOW YOUTH NAME] with the SP youth's or SP shadow youth's first name if the target is a parent, step-parent or guardian.

Fill [FILL] with "SELECTED AS A YOUTH" if the target is a youth SP.

Fill [FILL] with "SELECTED AS A SHADOW YOUTH" if the target is a shadow youth.

If the first name in R04\_HL0010 is DON'T KNOW or REFUSED, continue on to ask MI and LAST.

**BOX ID: R04\_HLR06**

If target person is a youth SP and is not an emancipated youth, go to R04\_HM0025.

Else, if target person is a shadow youth, go to Box R04\_HLR05.

Else, if target person is an adult SP, emancipated youth, or parent/guardian of youth SP or shadow youth, go to R04\_HL0011.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HL0011**

¿Cuál es el mejor número telefónico para comunicarse con [TARGET]?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW GO TO R04\_HL0015
- 7 REFUSED GO TO R04\_HL0015

ASK: Adult SPs, emancipated youth, and parents of youth or shadow youth.

**BOX ID: R04\_HLR10**

Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who provided a valid phone number, go to R04\_HL0012.

Else, adult SPs, emancipated youth, and parents of sampled youth or shadow youth who did not provide, did not know, or refused to report a valid phone number, go to R04\_HL0015.

**PATH ID: R04\_HL0012**

¿Es este número de una línea fija en casa o de un celular?

- 1 HOME
- 2 CELL
- 4 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who provided a valid phone number in R04\_HL0011.

**PATH ID: R04\_HL0013**

¿Tiene un número alternativo que podamos utilizar para comunicarnos con [TARGET]?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who provided a valid phone number in R04\_HL0011.

DISPLAY: Display interviewer instructions in blue.

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_HLR11**

Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who provided a valid second phone number, go to R04\_HL0014.

Else, adult SPs, emancipated youth, and parents of sampled youth or shadow youth who did not provide, did not know, or refused to report a valid second phone number, go to R04\_HL0015.

**PATH ID: R04\_HL0014**

¿Es este número de una línea fija en casa o de un celular?

- 1 HOME
- 2 CELL
- 4 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Sampled persons and parents of sampled youth or shadow youth who provided a valid second phone number in R04\_HL0013.

**PATH ID: R04\_HL0015**

¿Me podría dar el correo electrónico de [TARGET]?

VERIFY ALL SPELLING AND PUNCTUATION. RECORD TEXT BEFORE @ SYMBOL IN THE EMAIL NAME FIELD. TEXT AFTER THE @ SYMBOL IS ENTERED IN THE EMAIL PROVIDER FIELD.

IF NO EMAIL ADDRESS AVAILABLE, PRESS 3 TO CONTINUE.

- 1 EMAIL NAME
- 2 EMAIL PROVIDER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth.

DISPLAY: Display interviewer instructions in blue .

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_HM0025</b>	
¿Qué tan bien habla [TARGET] inglés? ¿Diría que lo habla muy bien, bien, no muy bien o nada en absoluto?		
1	VERY WELL	GO TO BOX R04_HLR05
2	WELL	GO TO BOX R04_HLR05
3	NOT WELL	
4	NOT AT ALL	GO TO R04_HM0027
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth.		

<b>PATH ID:</b>	<b>R04_HM0026</b>	
¿Puede [TARGET] hablar inglés lo suficientemente bien como para hacer la entrevista en inglés?		
1	YES	GO TO BOX R04_HLR05
2	NO	
-8	DON'T KNOW	GO TO BOX R04_HLR05
-7	REFUSED	GO TO BOX R04_HLR05
ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who do not speak English well.		

<b>PATH ID:</b>	<b>R04_HM0027</b>	
¿Podrá [TARGET] contestar la entrevista en español?		
1	YES	
2	NO	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult SPs, emancipated youth, and parents of sampled youth or shadow youth who do not speak English well enough to complete an interview in English.		

<b>BOX ID:</b>	<b>R04_HLR05</b>
If there are additional target persons remaining, go back to R04_HL0010 and complete loop for all remaining target persons.	
Else, if loop has been completed for all target persons, go to R04_HX0017.	

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HX0017**

Gracias por darnos la información de contacto. Queremos asegurarnos de que a todos los hogares en esta zona se les ha dado la oportunidad de participar en este importante estudio.

¿Hay alguna otra persona o grupo de personas de quien no hayamos hablado y que viva y reciba correspondencia {aquí/en ADDRESS}?

ALSO INCLUDE PEOPLE WHO LIVE HERE AND GET MAIL ONLY AT A P.O. BOX.

A YES ANSWER TO THIS QUESTION WILL LAUNCH THE HIDDEN HOUSEHOLD PROCEDURE.

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All households, regardless of SPs or no SPs selected, EXCEPT those added as multi-units at a base address and those added as a result of the Add Household Procedure. This item should be asked after the contact information is collected from all TARGETs.

DISPLAY: If house number and/or street name is missing, display "aquí". Else, display "en ADDRESS" and fill with address in an easy-to-read format. Display interviewer instructions in blue.

**PATH ID: R04\_LCHS01**

INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW IN?

- 1 ENGLISH
- 2 SPANISH

ASK: All households (asked of Interviewer)

**PATH**  
**Household Screener (Spanish)**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_HM0028**

{THERE IS A POSSIBLE SP THAT IS ALREADY IN THE PATH STUDY. HOME OFFICE NEEDS TO REVIEW THIS CASE. DO **NOT** CONTINUE TO DO ANY INTERVIEWS WITH ANYONE IN THIS HOUSEHOLD.}

{{SAMPLED YOUTH's NAME's} [DOES/DO] NOT HAVE A PARENT OR GUARDIAN LIVING IN THE HOUSEHOLD. THE PARENT INTERVIEW AND YOUTH INTERVIEW WILL NOT BE COLLECTED FOR {SAMPLED YOUTH's NAME's}.}

Gracias por su tiempo y por contestar estas preguntas. **IF NEEDED:** [Alguien se comunicará con usted para hacer una cita para la próxima entrevista.]

**THIS IS THE END OF THE HOUSEHOLD SCREENER. PRESS 1 TO CONTINUE.**

1 CONTINUE

ASK: Households where at least one member was selected.

DISPLAY: IF AddrMatchFlagSource >= 1, display "THERE IS A POSSIBLE SP THAT IS ALREADY IN THE PATH STUDY. HOME OFFICE NEEDS TO REVIEW THIS CASE. DO NOT CONTINUE TO DO ANY INTERVIEWS WITH ANYONE IN THIS HOUSEHOLD." and "IF NEEDED: [Alguien se comunicará con usted para hacer una cita para la próxima entrevista.]" IF AddrMatchFlagSource = 0, do not display this text.

IF R04\_HX0018 = 95, display "{SAMPLED YOUTH's NAME} DOES NOT HAVE A PARENT OR GUARDIAN LIVING IN THE HOUSEHOLD. THE PARENT INTERVIEW AND YOUTH INTERVIEW WILL NOT BE COLLECTED FOR {SAMPLED YOUTH's NAME}." Do not show brackets. Fill {SAMPLED YOUTH's NAME's} with the names of the sampled youth for whom a parent or guardian is not identified. If one name, display "DOES". If two names, display "DO" and connect names with 'and'. If more than two names, connect names with commas, and 'and' before the last name in the list. IF R04\_HX0018 != 95, do not display this text.

**PATH ID: R04\_HM0029**

Gracias por su colaboración el día de hoy. De acuerdo con la información que nos ha dado, su hogar no ha sido seleccionado para participar en el estudio en este momento. Es posible que lo volvamos a contactar más adelante respecto a otras oportunidades de participar en este importante estudio a nivel nacional.

**THIS IS THE END OF THE HOUSEHOLD SCREENER. PRESS 1 TO RETURN TO IMS.**

1 CONTINUE

ASK: Households where no member was selected.



## Adult Questionnaire – Individual Screener

---

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**Table of Contents**

---

INTRODUCTORY DEMOGRAPHICS ..... 1  
TOBACCO USE ..... 13

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>SECTION</b>	<b># OF QUESTIONS</b>
Introductory Demographics	18
Tobacco Use	89

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

OMB Control Number: 0925-0664

Expiration Date: XX/XX/XXXX

Public reporting burden for this collection of information is estimated to average 6 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0664). Do not return the completed form to this address.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

## INTRODUCTORY DEMOGRAPHICS

<b>BOX ID:</b> R04_AMV02
PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.
<b>R03_CIG_USER_STATUS</b> - Wave 3 cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_ECIG_USER_STATUS</b> - Wave 3 e-cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_GTRAD_USER_STATUS</b> - Wave 3 traditional cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_GRILLO_USER_STATUS</b> - Wave 3 cigarillo user status (current, experimental current, experimental former, new former, still former)
<b>R03_GFILTR_USER_STATUS</b> - Wave 3 filtered cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_PIPE_USER_STATUS</b> - Wave 3 pipe user status (current, experimental current, experimental former, new former, still former)
<b>R03_HOOK_USER_STATUS</b> - Wave 3 hookah user status (current, experimental current, experimental former, new former, still former)
<b>R03_SNUS_USER_STATUS</b> - Wave 3 snus user status (current, experimental current, experimental former, new former, still former)
<b>R03_SMKLS_USER_STATUS</b> - Wave 3 smokeless tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_TOBACCO_USER_STATUS</b> - Wave 3 tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_EVER_NEVER_CIGS</b> - Wave 3 ever or never user of cigarettes
<b>R03_EVER_NEVER_EPRODS</b> - Wave 3 ever or never user of e-products
<b>R03_EVER_NEVER_GTRAD</b> - Wave 3 ever or never user of traditional cigars
<b>R03_EVER_NEVER_GRILLO</b> - Wave 3 ever or never user of cigarillos
<b>R03_EVER_NEVER_GFILTR</b> - Wave 3 ever or never user of filtered cigars
<b>R03_EVER_NEVER_BTRAD</b> - Wave 3 ever or never user of traditional cigars as blunts
<b>R03_EVER_NEVER_BRILLO</b> - Wave 3 ever or never user of cigarillos as blunts
<b>R03_EVER_NEVER_BFILTR</b> - Wave 3 ever or never user of filtered cigars as blunts
<b>R03_EVER_NEVER_PIPE</b> - Wave 3 ever or never user of pipes
<b>R03_EVER_NEVER_HOOK</b> - Wave 3 ever or never user of hookah
<b>R03_EVER_NEVER_SNUS</b> - Wave 3 ever or never user of snus
<b>R03_EVER_NEVER_SMKLS</b> - Wave 3 ever or never user of smokeless tobacco
<b>R03_EVER_NEVER DISSBL</b> - Wave 3 ever or never user of dissolvable tobacco
<b>R03_NUMLIFE_CIGS</b> - The respondent reported smoking 100+ cigarettes in their lifetime at any previous wave.
<b>R03_NUMLIFE_EPROD</b> - The respondent reported using e-cigarettes 100+ times in their lifetime at any previous wave.
<b>R03_NUMLIFE_GTRAD</b> - The respondent reported smoking 100+ traditional cigars in their lifetime at any previous wave.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**R03\_NUMLIFE\_GRILLO** - The respondent reported smoking 100+ cigarillos in their lifetime at any previous wave.

**R03\_NUMLIFE\_GFILTR** - The respondent reported smoking 100+ filtered cigars in their lifetime at any previous wave.

**R03\_NUMLIFE\_PIPE** - The respondent reported smoking a pipe 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_HOOK** - The respondent reported smoking hookah 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_SNUS** - The respondent reported using 100+ snus pouches in their lifetime at any previous wave.

**R03\_NUMLIFE\_SMKLS** - The respondent reported using smokeless tobacco 100+ times in their lifetime at any previous wave.

**R03\_REGUSE\_CIGS** - The respondent reported smoking cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_EPROD** - The respondent reported using e-cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_GTRAD** - The respondent reported smoking traditional cigars fairly regularly at any previous wave.

**R03\_REGUSE\_GRILLO** - The respondent reported smoking cigarillos fairly regularly at any previous wave.

**R03\_REGUSE\_GFILTR** - The respondent reported smoking filtered cigars fairly regularly at any previous wave.

**R03\_REGUSE\_PIPE** - The respondent reported smoking a pipe fairly regularly at any previous wave.

**R03\_REGUSE\_HOOK** - The respondent reported smoking hookah fairly regularly at any previous wave.

**R03\_REGUSE\_SNUS** - The respondent reported using snus fairly regularly at any previous wave.

**R03\_REGUSE\_SMKLS** - The respondent reported using smokeless tobacco fairly regularly at any previous wave.

**R03\_GENDER** - Respondent's reported gender

**R03\_PREGNANT** - Respondent reported being pregnant at Wave 3.

**R03\_VA\_HEALTHCARE** - Respondent reported being enrolled in VA health care in any previous wave.

**R03\_ASTHMA** - Respondent reported being diagnosed with asthma in any previous wave.

**R03\_HIGH\_CHOLESTEROL** - Respondent reported being diagnosed with high cholesterol in any previous wave.

**R03\_HIGH\_BLOOD\_PRESSURE** - Respondent reported being diagnosed with high blood pressure in any previous wave.

**R03\_STROKE** - Respondent reported having had a stroke in any previous wave.

**R03\_ANY\_HEART\_CONDITION** - Respondent reported being diagnosed with any heart condition in any previous wave.

**R03\_CANCER** - Respondent reported being diagnosed with cancer in any previous wave.

**R03\_ULCER** - Respondent reported being diagnosed with an ulcer in any previous wave.

**R03\_COPD** - Respondent reported being diagnosed with COPD in any previous wave.

**R03\_DIABETES** - Respondent reported being diagnosed with diabetes in any previous wave.

**R03\_EVER\_USER\_ALCOHOL** - Respondent reported ever using alcohol in any previous wave.

**R03\_EVER\_USER\_MARIJUANA** - Respondent reported ever using marijuana in any previous wave.

**R03\_EVER\_USER\_RITALIN** - Respondent reported ever using ritalin in any previous wave.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**R03\_EVER\_USER\_PAINKILLERS** - Respondent reported ever using painkillers in any previous wave.  
**R03\_EVER\_USER\_COCAINE** - Respondent reported ever using cocaine in any previous wave.  
**R03\_EVER\_USER\_STIMULANTS** - Respondent reported ever using stimulants in any previous wave.  
**R03\_EVER\_USER\_OTHERDRUG** - Respondent reported ever using other drugs in any previous wave.  
**R03\_USCITIZEN** – Respondent reported US citizenship in any previous wave.

**R04\_CONTACTFLAG\_LD** - Adult respondent or parent/guardian of youth respondent has provided contact information.  
**R04\_LINKED\_ADDRESS** - Respondents' best address from IMS.  
**R04\_VTBESTSPPHONE** - Respondents' best phone number from IMS.  
**R04\_PHONE2** - Respondents' second phone number from IMS.  
**R04\_PARENT\_COMPLETE\_LD** - Adult respondent has completed a parent survey about a youth or shadow youth respondent.

**BOX ID: R04\_AMD04**

**Note** - In the following specifications, “!=” represents “not equal to”.

**Note** - References to the various respondent types are as follows:

**"New cohort adult respondents"** = Adult respondents who are new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.

**"Aged-up adult respondents"** = Adult respondents whose last completed interview in a previous wave was in the Youth cohort, and have now aged-up into the Adult cohort. This is their first interview in the Adult cohort, but not their first interview in the PATH Study.

**"New baseline adult respondents"** = Adult respondents where this is their first interview in the Adult cohort. Includes both the "New cohort adult" AND "Aged-up adult" respondents.

**"Continuing adult respondents"** = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study.

**"All adult respondents"** = All adult respondents in the Adult cohort.

**BOX ID: R04\_AMR03**

New cohort adult respondents, go to R04\_AM0001\_RS.

Else, adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.

Else, go to R04\_AM0007.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0001_RS</b>
What is your date of birth?
1    _ _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents.
GO TO R04_AM0002_RS GO TO R04_AM0002_RS

<b>PATH ID:</b> <b>R04_AM0001_RS_LC1</b>
I recorded that your date of birth is {DOB2}. Is that correct?
1   Yes
2   No
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AM0002_RS</b>
What is your age?
1    _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents.
GO TO R04_AM0004_RS

<b>PATH ID:</b> <b>R04_AM0003_RS</b>
Are you...
1   Less than 18 years old,
2   18 to 24 years old,
3   25 to 29 years old, or
4   30 years old or older?
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who did not know or refused to report their age.



**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0004\_RS**

What is your sex?

- 1 Male
- 2 Female
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

**PATH ID: R04\_AM0005\_RS**

Are you Hispanic, [Latino I Latina I Latino or Latina], or of Spanish origin? Choose all that apply.

- 1 No, not of Hispanic, [Latino I Latina I Latino or Latina], or Spanish origin
- 2 Yes, Mexican, Mexican American, [Chicano I Chicana I Chicano or Chicana]
- 3 Yes, Puerto Rican
- 4 Yes, Cuban
- 5 Yes, another Hispanic, [Latino I Latina I Latino or Latina], or Spanish origin
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

DISPLAY: IF R04\_AM0004 = 1, DISPLAY "Latino" and "Chicano";

ELSE, IF R04\_AM0004 = 2, DISPLAY "Latina" and "Chicana";

ELSE, IF R04\_AM0004 = -8 or -7, DISPLAY "Latino or Latina" and "Chicano or Chicana".

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0006\_RS**

What is your race? Choose all that apply.

- 1 White
- 2 Black or African American
- 3 American Indian or Alaska Native
- 4 Asian Indian
- 5 Chinese
- 6 Filipino
- 7 Japanese
- 8 Korean
- 9 Vietnamese
- 10 Other Asian
- 11 Native Hawaiian
- 12 Guamanian or Chamorro
- 13 Samoan
- 14 Other Pacific Islander
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

**BOX ID: R04\_AMR12**

Adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.  
Else, go to R04\_AM0007.

**PATH ID: R04\_AT0047**

What is your marital status?

- 1 Now married
- 2 Widowed
- 3 Divorced
- 4 Separated
- 5 Never married
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AM0007
Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?
Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.
1 Yes, now on active duty
2 Yes, on active duty in the past, but not now
3 No, training for Reserves or National Guard only
4 No, never served in the military
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> R04_AMR11
New cohort adult respondents who are currently on active duty, go to R04_AM0008_RS.
Else, aged-up adult respondents who are currently on active duty or new baseline adult respondents who have been on active duty in the past, go to R04_AM0011_NB.
Else, go to Box R04_AMR08.

<b>PATH ID:</b> R04_AM0008_RS
You said you are currently on active duty in the U.S. Armed Forces. Is that correct?
1 Yes <span style="float: right;">GO TO R04_AM0011_NB</span>
2 No <span style="float: right;">GO TO R04_AM0011_NB</span>
-8 DON'T KNOW <span style="float: right;">GO TO R04_AM0011_NB</span>
-7 REFUSED <span style="float: right;">GO TO R04_AM0011_NB</span>
ASK: New cohort adult respondents who are currently on active duty.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0050_RS</b>
Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?
Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.
1 Yes, now on active duty
2 Yes, on active duty in the past, but not now
3 No, training for Reserves or National Guard only
4 No, never served in the military
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AMR08
GO TO BOX R04_AMR08
GO TO BOX R04_AMR08
GO TO BOX R04_AMR08
ASK: New cohort adult respondents who recanted their current active duty status.

<b>PATH ID:</b> <b>R04_AM0011_NB</b>
In which branch or branches [do/did] you serve on active duty? Choose all that apply.
1 Army
2 Navy
3 Air Force
4 Marine Corps
5 Coast Guard
-8 DON'T KNOW
-7 REFUSED
ASK: New baseline adult respondents who are currently on active duty or have been on active duty in the past.
DISPLAY: IF R04_AM0007 = 2 OR R04_AM0050_RS = 2, DISPLAY "did".
ELSE, DISPLAY "do".

<b>BOX ID:</b> <b>R04_AMR08</b>
New cohort adult respondents who are currently on active duty, go to R04_AM0009_RS.
Else, go to Box R04_AMR09.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0009_RS</b>	
People who are currently on active duty in the U.S. Armed Forces are not eligible to be interviewed in this study. We appreciate you taking the time to speak with us. Please give the computer back to the interviewer.	
1   CONTINUE	GO TO R04_AL3002_RS
ASK: New cohort adult respondents who are currently on active duty. (New PATH Study respondents who are a part of the replenishment cohort are not eligible if currently on active duty at the time of their PATH Study baseline interview.)	

<b>BOX ID:</b> <b>R04_AMR09</b>
New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty or don't know or refused to report if they are currently on active duty, go to R04_AM0074_RS.
Else, go to Box R04_AMR13.

<b>PATH ID:</b> <b>R04_AM0074_RS</b>
During 2014, were you on full-time active duty in the U.S. Armed Forces, Military Reserves, or National Guard <u>for the entire year</u> ?
Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty.
DISPLAY: UNDERLINE "for the entire year".

<b>BOX ID:</b> <b>R04_AMR13</b>
Adult respondents who already completed a parent interview, go to Box R04_AMR10.
Else, new baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, go to R04_AM0069.
Else, go to R04_AM0065.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0069</b>
<p>Are you a citizen of the United States?</p> <ul style="list-style-type: none"> <li>1 Yes, born in the United States</li> <li>2 Yes, born in Puerto Rico, Guam, the U.S. Virgin Islands, or Northern Marianas</li> <li>3 Yes, born abroad of U.S. citizen parent or parents</li> <li>4 Yes, U.S. citizen by naturalization</li> <li>5 No, not a U.S. citizen</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: New baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, who did not already complete a parent interview.</p>

<b>PATH ID:</b> <b>R04_AM0065</b>
<p>About how many years have you lived in the United States? (If you have lived in the United States for less than a year, enter 1.)</p> <ul style="list-style-type: none"> <li>1 I have lived in the United States my whole life <span style="float: right;">GO TO BOX R04_AMR10</span></li> <li>2 I__ __ __  YEARS</li> <li>-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_AMR10</span></li> <li>-7 REFUSED <span style="float: right;">GO TO BOX R04_AMR10</span></li> </ul> <p>ASK: Adult respondents who did not already complete a parent interview.          DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "I have lived in the United States my whole life" ON RIGHT.          DISPLAY "YEARS" AS TITLE.</p>

<b>PATH ID:</b> <b>R04_AM0065_LC1</b>
<p>The computer recorded that you have lived in the United States for [R04_AM0065] years. That is older than you are now.</p> <p>If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.</p> <ul style="list-style-type: none"> <li>1 BACK <span style="float: right;">GO TO R04_AM0065</span></li> <li>2 NEXT <span style="float: right;">GO TO BOX R04_AMR10</span></li> </ul> <p>ASK: IF R04_AM0065 &gt; R04_ACHIEVEDAGE.</p>

<b>BOX ID:</b> <b>R04_AMR10</b>
<p>New cohort adult respondents not currently on active duty, go to R04_AM0075_RS.          Else, go to Box R04_AMR15.</p>

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0075_RS</b>
At any time during 2014 did you live in the U.S., that is, in any of the 50 states or the District of Columbia?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents not currently on active duty.

<b>BOX ID:</b> <b>R04_AMR15</b>
Adult respondents who already completed a parent interview, go to Box R04_ACT02. Else, go to Box R04_AMD03.

<b>BOX ID:</b> <b>R04_AMD03</b>
Display questions R04_AM0066 through R04_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R04_AM0066 is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AM0066</b>
How well do you...  speak English?
1    Very well
2    Well
3    Not well
4    Not at all
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0070</b>
read English?
1    Very well
2    Well
3    Not well
4    Not at all
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0073</b>
write in English?
1   Very well
2   Well
3   Not well
4   Not at all
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0071</b>
Do you speak a language other than English at home?
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0072</b>
What other languages do you speak at home? Choose all that apply.
1   Spanish
2   Chinese
3   Tagalog
4   Vietnamese
5   French
6   Korean
7   German
8   Arabic
9   Russian
10   Some other language (SPECIFY)
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview and speak another language at home.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."



**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**TOBACCO USE**

<b>BOX ID: R04_ACT02</b>
The next questions are about your experience with <b>cigarettes</b> .

<b>BOX ID: R04_ACR50</b>
If new cohort adult respondent, go to R04_AC1002_RS. Else, go to R04_AC1004.

<b>PATH ID: R04_AC1002_RS</b>
Have you ever smoked a cigarette, even one or two puffs?
1 Yes
2 No <span style="float: right;">GO TO BOX R04_ACV04</span>
-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ACV04</span>
-7 REFUSED <span style="float: right;">GO TO BOX R04_ACV04</span>
ASK: New cohort adult respondents.

<b>PATH ID: R04_AC1004</b>
In the past 30 days, have you smoked a cigarette, even one or two puffs?
1 Yes <span style="float: right;">GO TO BOX R04_ACR14</span>
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarette.

<b>PATH ID: R04_AC1002_12M</b>
In the past 12 months, have you smoked a cigarette, even one or two puffs?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have not smoked a cigarette in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarette).

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR14**

Adult respondents who have never smoked cigarettes in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were experimental former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AC1010.

Else, adult respondents who did not smoke in the past 12 months, go to R04\_AC1009.

Else, go to R04\_AC1003.

**PATH ID: R04\_AC1003**

Do you now smoke cigarettes...

- |    |            |                     |
|----|------------|---------------------|
| 1  | Every day  | GO TO BOX R04_ACV04 |
| 2  | Some days  | GO TO BOX R04_ACV04 |
| 3  | Not at all |                     |
| -8 | DON'T KNOW | GO TO BOX R04_ACV04 |
| -7 | REFUSED    | GO TO BOX R04_ACV04 |

ASK: Adult respondents who have smoked a cigarette in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a cigarette.

**PATH ID: R04\_AC1009**

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

- |    |               |                  |
|----|---------------|------------------|
| 1  | __ __  DAYS   |                  |
| 2  | __ __  MONTHS |                  |
| 3  | __ __  YEARS  |                  |
| -8 | DON'T KNOW    | GO TO R04_AC1010 |
| -7 | REFUSED       | GO TO R04_AC1010 |

ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current cigarette smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1009_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last smoked a cigarette.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AC1009
2    NEXT	GO TO R04_AC1010
ASK: IF R04_AC1009_NN = 0.	
DISPLAY: IF R04_AC1009_UN = 1, DISPLAY "days",	
IF R04_AC1009_UN = 2, DISPLAY "months",	
IF R04_AC1009_UN = 3, DISPLAY "years".	

<b>PATH ID:</b> <b>R04_AC1009_LC2</b>	
The computer recorded that it has been [R04_AC1009_NN] years since you last smoked a cigarette. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AC1009
2    NEXT	GO TO R04_AC1010
ASK: IF (R04_AC1009_NN > R04_ACHIEVEDAGE) AND R04_AC1009_UN = 3.	

<b>PATH ID:</b> <b>R04_AC1010</b>	
Have you completely quit smoking cigarettes?	
1    Yes	
2    No	
3    I have never smoked a cigarette in my entire life, not even one or two puffs	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Adult respondents who smoked in the past 12 months, but currently smoke cigarettes not at all; and adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_CIG_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ACV04</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_CIGS = 1 (Ever user)</b> Adult respondents who have ever smoked a cigarette and did not recant prior use.
<b>R04_EVER_NEVER_CIGS = 2 (Never user)</b> Adult respondents who have not ever smoked a cigarette.
<b>R04_INIT_CIGS_ADULT = 1 (Initiator)</b> Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette.

<b>BOX ID:</b> <b>R04_ACR10</b>
Young adult respondents who have never smoked a cigarette, go to R04_AC1103. Else, young adult respondents who have not smoked a cigarette in the past 12 months, go to R04_AC1206. Else, go to Box R04_ACR17.

<b>PATH ID:</b> <b>R04_AC1103</b>
Have you ever been curious about smoking a cigarette?
1 Very curious
2 Somewhat curious
3 A little curious
4 Not at all curious
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents who have never smoked a cigarette.

<b>PATH ID:</b> <b>R04_AC1206</b>
Do you think you will smoke a cigarette in the next year?
1 Definitely yes
2 Probably yes
3 Probably not
4 Definitely not
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents who have never smoked a cigarette or have not reported smoking a cigarette in the past 12 months.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR17**

Adult respondents who have never smoked a cigarette, go to R04\_AC1104.  
Else, go to Box R04\_ACR48.

**PATH ID: R04\_AC1104**

Do you think that you will try a cigarette soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette.

**BOX ID: R04\_ACR48**

Young adult respondents who have never smoked a cigarette, go to R04\_AC1205.  
Else, go to Box R04\_AVT01.

**PATH ID: R04\_AC1205**

If one of your best friends were to offer you a cigarette, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVT01**

The next questions are about **electronic nicotine products**, such as e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.

These products are battery-powered and produce vapor or aerosol instead of smoke. Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with cartridges or a tank system. They typically use a nicotine liquid called "e-liquid", although the amount of nicotine can vary and some may not contain any nicotine at all.

Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, eGo, and iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

**BOX ID: R04\_AVR49**

New cohort adult respondents, go to R04\_AV1001\_RS.

Else, go to R04\_AV1004.

**PATH ID: R04\_AV1001\_RS**

Have you ever seen or heard of an e-cigarette or electronic nicotine product before this study?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

ASK: New cohort adult respondents.

**PATH ID: R04\_AV1002\_RS**

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

ASK: New cohort adult respondents who have heard of e-products.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1004</b>
In the past 30 days, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)
[SHOW GENERIC IMAGE OF E-PRODUCTS]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AVR04
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used an e-product.

<b>PATH ID:</b> <b>R04_AV1002_12M</b>
In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)
[SHOW GENERIC IMAGE OF E-PRODUCTS]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not used an e-product in the past 30 days (excluding new cohort adult respondents who have not ever used an e-product).

<b>BOX ID:</b> <b>R04_AVR04</b>
Adult respondents who have never used e-products in all previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04_AVV02.
Else, adult respondents who were experimental former e-product users in the previous wave and did not use e-products in the past 12 months, go to Box R04_AVV02.
Else, adult respondents who were former e-product users in the previous wave and did not use e-products in the past 12 months, go to R04_AV1010.
Else, adult respondents who did not use e-products in the past 12 months, go to R04_AV1009.
Else, go to R04_AV1003.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV1003</b>	
Do you now use electronic nicotine products...		
1	Every day	GO TO BOX R04_AVV02
2	Some days	GO TO BOX R04_AVV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AVV02
-7	REFUSED	GO TO BOX R04_AVV02
ASK: Adult respondents who have used an e-product in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used an e-product.		

<b>PATH ID:</b>	<b>R04_AV1009</b>	
About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).		
1	_ _  DAYS	
2	_ _  MONTHS	
3	_ _  YEARS	
-8	DON'T KNOW	GO TO R04_AV1010
-7	REFUSED	GO TO R04_AV1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current e-product users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used an e-product, but did not use in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AV1009_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last took a puff from an electronic nicotine product.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AV1009
2	NEXT	GO TO R04_AV1010
ASK: IF R04_AV1009_NN = 0. DISPLAY: IF R04_AV1009_UN = 1, DISPLAY "days". IF R04_AV1009_UN = 2, DISPLAY, "months". IF R04_AV1009_UN = 3, DISPLAY "years".		



**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1009_LC2</b>	
The computer recorded that it has been [R04_AV1009_NN] years since you last took a puff from an electronic nicotine product. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AV1009
2    NEXT	GO TO R04_AV1010
ASK: IF (R04_AV1009_NN > R04_ACHIEVEDAGE) AND R04_AV1009_UN = 3.	

<b>PATH ID:</b> <b>R04_AV1010</b>
Have you completely quit using electronic nicotine products?
1    Yes
2    No
3    I have never used an electronic nicotine product in my entire life, not even one or two times
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use e-products not at all; and adult respondents who have ever used an e-product, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_EPROD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AVV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_EPRODS = 1 (Ever user)</b> Adult respondents who have ever used any electronic nicotine products and did not recant prior use.
<b>R04_EVER_NEVER_EPRODS = 2 (Never user)</b> Adult respondents who have not ever used any electronic nicotine products.
<b>R04_INIT_EPRODS_ADULT = 1 (Initiator)</b> Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product.

<b>BOX ID:</b> <b>R04_AVR18</b>
New cohort adult respondents who did not say they have heard of an e-product, go to Box R04_AGR52.
Else, young adult respondents who have heard of but never used an e-product, go to R04_AV1103.
Else, young adult respondents who have heard of but not used e-products in the past 12 months, go to R04_AV1206.
Else, go to Box R04_AVR16.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1103</b>
Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)
1 Very curious
2 Somewhat curious
3 A little curious
4 Not at all curious
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents who have heard of but never used an e-product.

<b>PATH ID:</b> <b>R04_AV1206</b>
Do you think you will use an electronic nicotine product in the next year?
1 Definitely yes
2 Probably yes
3 Probably not
4 Definitely not
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents who have heard of but never used an e-product or have not reported using an e-product in the past 12 months.

<b>BOX ID:</b> <b>R04_AVR16</b>
Adult respondents who have heard of but never used e-products, go to R04_AV1104. Else, go to Box R04_AVR48.

<b>PATH ID:</b> <b>R04_AV1104</b>
Do you think that you will try an electronic nicotine product soon?
1 Definitely yes
2 Probably yes
3 Probably not
4 Definitely not
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have heard of but never used an e-product.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AVR48</b>
Young adult respondents who have heard of but never used e-products, go to R04_AV1105. Else, go to Box R04_AGR52.

<b>PATH ID:</b> <b>R04_AV1105</b>
If one of your best friends were to offer you an electronic nicotine product, would you try it?  1    Definitely yes 2    Probably yes 3    Probably not 4    Definitely not -8   DON'T KNOW -7   REFUSED  ASK: Young adult respondents who have heard of but never used an e-product.

<b>BOX ID:</b> <b>R04_AGR52</b>
New cohort adult respondents, go to Box R04_AGT06. Else, go to R04_AGT01.

<b>BOX ID:</b> <b>R04_AGT06</b>
The next questions are about <b>traditional cigars</b> , <b>cigarillos</b> , and <b>filtered cigars</b> . These products go by lots of different names, so please use these descriptions and photos to understand what they are.  <b>Traditional cigars</b> contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.  [SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

<b>BOX ID:</b> <b>R04_AGT05</b>
<b>Cigarillos</b> and <b>filtered cigars</b> are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with tips or filters. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, and Winchester.  [SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS]

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1001_RS</b>
Have you ever seen or heard of a cigar, cigarillo, or filtered cigar before this study?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR53
GO TO BOX R04_AGR53
GO TO BOX R04_AGR53
ASK: New cohort adult respondents.

<b>BOX ID:</b> <b>R04_AGD04</b>
For R04_AG9002_RS, display as a stem and leaf question. For each leaf, display a yes/no response.

<b>PATH ID:</b> <b>R04_AG9002_RS</b>
Which type of cigar have you heard of before this study?
1   Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others
2   Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have heard of cigars.

<b>BOX ID:</b> <b>R04_AGR57</b>
New cohort adult respondents who have heard of traditional cigars, go to R04_AG9003_RS.
Else, new cohort adult respondents who have heard of cigarillos or filtered cigars, go to R04_AG9004_RS.
Else, new cohort adult respondents who have heard of cigars, but did not know or refused to report which types of cigar they have heard of, go to R04_AG9003_RS.
Else, go to Box R04_AGR56.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9003_RS</b>
Have you ever smoked a traditional cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have heard of a traditional cigar, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of.

<b>BOX ID:</b> <b>R04_AGR56</b>
New cohort adult respondents who have heard of cigarillos or filtered cigars, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of, go to R04_AG9004_RS. Else, go to Box R04_AGR54.

<b>PATH ID:</b> <b>R04_AG9004_RS</b>
Have you ever smoked a cigarillo or filtered cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR54
GO TO BOX R04_AGR54
GO TO BOX R04_AGR54
ASK: New cohort adult respondents who have heard of a cigarillo or filtered cigar, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG9009_RS</b>
Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.
The kind...
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]
1 With a plastic or wooden tip
2 With a filter (like a cigarette filter)
3 Without a tip or filter
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

<b>BOX ID: R04_AGR54</b>
New cohort adult respondents who have ever smoked a traditional cigar, go to R04_AG9030. Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04_AG9031. Else, go to Box R04_AGR53.

<b>BOX ID: R04_AGT01</b>
The next questions are about <b>traditional cigars, cigarillos, and filtered cigars</b> . These products go by lots of different names, so please use these descriptions and photos to understand what they are.
<b>Traditional cigars</b> contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9030</b>
In the past 30 days, have you smoked a traditional cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR55
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a traditional cigar.

<b>PATH ID:</b> <b>R04_AG9003_12M</b>
In the past 12 months, have you smoked a traditional cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not smoked a traditional cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a traditional cigar).

<b>BOX ID:</b> <b>R04_AGR55</b>
Continuing and aged-up adult respondents, go to Box R04_AGT02. Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04_AG9031. Else, go to Box R04_AGR53.

<b>BOX ID:</b> <b>R04_AGT02</b>
<b>Cigarillos</b> and <b>filtered cigars</b> are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, and Cheyenne.
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG9031</b>
In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AG9004_12M
GO TO R04_AG9004_12M
GO TO R04_AG9004_12M
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

<b>PATH ID: R04_AG9049</b>
Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply.
The kind...
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]
1 With a plastic or wooden tip
2 With a filter (like a cigarette filter)
3 Without a tip or filter
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days.

<b>BOX ID: R04_AGR18</b>
Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip, go to R04_AG9051.
Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04_AG9052.
Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04_AG9053.
Else, go to Box R04_AGR53.



**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9051</b>
In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs?
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip.

<b>BOX ID:</b> <b>R04_AGR19</b>
Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04_AG9052.
Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter., go to R04_AG9053.
Else, go to Box R04_AGR53.

<b>PATH ID:</b> <b>R04_AG9052</b>
In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs?
[SHOW GENERIC IMAGE OF FILTERED CIGARS]
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter.

<b>BOX ID:</b> <b>R04_AGR20</b>
Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04_AG9053.
Else, go to Box R04_AGR53.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9053</b>	
In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs?	
[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]	
1   Yes	GO TO BOX R04_AGR53
2   No	GO TO BOX R04_AGR53
-8   DON'T KNOW	GO TO BOX R04_AGR53
-7   REFUSED	GO TO BOX R04_AGR53
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter.	

<b>PATH ID:</b> <b>R04_AG9004_12M</b>	
In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs?	
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]	
1   Yes	
2   No	GO TO BOX R04_AGR53
-8   DON'T KNOW	GO TO BOX R04_AGR53
-7   REFUSED	GO TO BOX R04_AGR53
ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarillo or filtered cigar).	

<b>PATH ID:</b> <b>R04_AG9009_12M</b>	
Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.	
The kind...	
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]	
1   With a plastic or wooden tip	
2   With a filter (like a cigarette filter)	
3   Without a tip or filter	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 12 months, but not in the past 30 days.	

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR53**

New cohort adult respondents who did not say they had heard of cigars, go to Box R04\_APT01.  
Else, new cohort adult respondents who have heard of cigars, go to R04\_AG9105\_RS.  
Else, go to R04\_AG9107.

**PATH ID: R04\_AG9105\_RS**

Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it?  
(Remember all information you give to the PATH Study will be kept private.)

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AGV01 |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: New cohort adult respondents who have heard of cigars.

DISPLAY: Underline "ever".

**PATH ID: R04\_AG9107**

[Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

]In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AGV01 |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a blunt.

DISPLAY: IF R04\_ADULTTYPE = 1, 2, DISPLAY "Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt"." ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1095**

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AGV01

GO TO BOX R04\_AGV01

ASK: Adult respondents who have smoked a blunt in the past 12 months.

**PATH ID: R04\_AG9106**

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past 12 months. (This question is repeated for each cigar type identified in R04\_AG1095.)

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_12MBLUNT\_ONLY\_BTRAD** = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BRILLO** = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BFILTR** = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

**R04\_INIT\_BLUNT\_BTRAD\_ADULT** = Adult respondents who initiated smoking traditional cigars as blunts between Waves or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BRILLO\_ADULT** = Adult respondents who initiated smoking cigarillos as blunts between Waves or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BFILTR\_ADULT** = Adult respondents who initiated smoking filtered cigars as blunts between Waves or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months.

**BOX ID: R04\_AGD02**

PROGRAM: CREATE [CIGARFILL]

If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "traditional cigar".

If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "cigarillo".

If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "filtered cigar".

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR09**

PROGRAM: CREATE **CIGARLOOP1** FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:

**For Cigars (non-blunt):**

Repeat Box R04\_AGR05 through Box R04\_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. (This excludes any type of cigar the respondent has smoked as a blunt every time in the past 12 months.)

**For Cigars as Blunt-Only:**

Blunt-only cigar smokers will be asked Box R04\_AGR05 through Box R04\_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.

**BOX ID: R04\_AGT04**

DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.

The next questions are about [CIGARFILL]s, like those shown below.

As you answer these questions, please think **ONLY** about your use of **[CIGARFILL]s** when smoked as **blunts**.

[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:]  
There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARFILL].

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AGR05</b>
<p>Adult respondents who never smoked any cigar type and has not smoked blunts in the past 12 months, go to Box R04_APT01.</p> <p>Else, adult respondents who were experimental former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to Box R04_AGR06.</p> <p>Else, adult respondents who were former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04_AG1010[TC/CG/FC].</p> <p>Else, adult respondents who did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04_AG1009[TC/CG/FC].</p> <p>Else, adult respondents who smoked a (non-blunt) traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R04_AG1003[TC/CG/FC]</p> <p>Else, adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months, go to R04_AG1003[TJ/GJ/FJ].</p> <p>Else, go to Box R04_APT01.</p>

<b>PATH ID:</b> <b>R04_AG1003</b>															
<p>Do you now smoke [[CIGARFILL]s/ as blunts]...</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 10%; text-align: center;">1</td> <td style="width: 70%;">Every day</td> <td style="width: 20%; text-align: right;">GO TO BOX R04_AGR06</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Some days</td> <td style="text-align: right;">GO TO BOX R04_AGR06</td> </tr> <tr> <td style="text-align: center;">3</td> <td>Not at all</td> <td></td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R04_AGR06</td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO BOX R04_AGR06</td> </tr> </table> <p>ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a traditional cigar/cigarillo/filtered cigar; and adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months.</p> <p>DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as blunts". ELSE, DO NOT DISPLAY THIS TEXT.</p>	1	Every day	GO TO BOX R04_AGR06	2	Some days	GO TO BOX R04_AGR06	3	Not at all		-8	DON'T KNOW	GO TO BOX R04_AGR06	-7	REFUSED	GO TO BOX R04_AGR06
1	Every day	GO TO BOX R04_AGR06													
2	Some days	GO TO BOX R04_AGR06													
3	Not at all														
-8	DON'T KNOW	GO TO BOX R04_AGR06													
-7	REFUSED	GO TO BOX R04_AGR06													

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009**

About how long has it been since you last smoked a [[CIGARFILL]/ as a blunt]? (If it was earlier today, enter 1 day.)

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AGR32

-7 REFUSED

GO TO BOX R04\_AGR32

ASK: Adult respondents who smoked traditional cigars/cigarillos/filtered cigars or blunts in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current traditional cigar/cigarillo/filtered cigar smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009TC\_LC1**

The computer recorded that it has been "0" [days/months/years] since you last smoked traditional cigars[ as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1009TC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009TC\_NN = 0.

DISPLAY: IF R04\_AG1009TC\_UN = 1, DISPLAY "days".

IF R04\_AG1009TC\_UN = 2, DISPLAY "months".

IF R04\_AG1009TC\_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.



**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1009TC_LC2</b>	
The computer recorded that it has been [R04_AG1009TC_NN] years since you last smoked traditional cigars[ as a blunt]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1009TC
2 NEXT	GO TO BOX R04_AGR32
ASK: IF (R04_AG1009TC_NN > R04_ACHIEVEDAGE) AND R04_AG1009TC_UN = 3.	
DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.	

<b>PATH ID: R04_AG1009CG_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last smoked cigarillos[ as a blunt].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1009CG
2 NEXT	GO TO BOX R04_AGR32
ASK: IF R04_AG1009CG_NN = 0.	
DISPLAY: IF R04_AG1009CG_UN = 1, DISPLAY "days".	
IF R04_AG1009CG_UN = 2, DISPLAY "months".	
IF R04_AG1009CG_UN = 3, DISPLAY "years".	
IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.	

<b>PATH ID: R04_AG1009CG_LC2</b>	
The computer recorded that it has been [R04_AG1009CG_NN] years since you last smoked cigarillos[ as a blunt]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1009CG
2 NEXT	GO TO BOX R04_AGR32
ASK: IF (R04_AG1009CG_NN > R04_ACHIEVEDAGE) AND R04_AG1009CG_UN = 3.	
DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.	

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AG1009FC_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last smoked filtered cigars[ as a blunt].		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AG1009FC
2	NEXT	GO TO BOX R04_AGR32
ASK: IF R04_AG1009FC_NN = 0.		
DISPLAY: IF R04_AG1009FC_UN = 1, DISPLAY "days".		
IF R04_AG1009FC_UN = 2, DISPLAY "months".		
IF R04_AG1009FC_UN = 3, DISPLAY "years".		
IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.		

<b>PATH ID:</b>	<b>R04_AG1009FC_LC2</b>	
The computer recorded that it has been [R04_AG1009FC_NN] years since you last smoked filtered cigars[ as a blunt]. That is older than you are now.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AG1009FC
2	NEXT	GO TO BOX R04_AGR32
ASK: IF (R04_AG1009FC_NN > R04_ACHIEVEDAGE) AND R04_AG1009FC_UN = 3.		
DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.		

<b>BOX ID:</b>	<b>R04_AGR32</b>
If adult respondent is answering loop series about blunt use, go to Box R04_AGR06.	
Else, go to R04_AG1010[TC/CG/FC].	

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1010</b>
Have you completely quit smoking [CIGARFILL]s?  1    Yes 2    No 3    I have never smoked a [CIGARFILL] in my entire life, not even one or two puffs -8   DON'T KNOW -7   REFUSED
ASK: Adult respondents who smoked traditional cigar/cigarillos/filtered cigars in the past 12 months, but currently smoke not at all; and adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave). DISPLAY: FOR R04_AG1010TC: DISPLAY OPTION 3 IF R03_GTRAD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION. FOR R04_AG1010CG: DISPLAY OPTION 3 IF R03_GRILLO_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION. FOR R04_AG1010FC: DISPLAY OPTION 3 IF R03_GFILTR_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AGR06</b>
If LOOP = GTRAD and respondent has ever smoked cigarillos or filtered cigars, or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = GRILLO and respondent has ever smoked filtered cigars or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = GFILTR and respondent smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = BTRAD and respondent smoked cigarillos as blunts or filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = BRILLO and respondent smoked filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.  Else, if all loops complete, go to Box R04_AGV04.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV04**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_GTRAD = 1 (Ever user)** Adult respondents who have ever smoked a traditional cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GTRAD = 2 (Never user)** Adult respondents who have not ever smoked a traditional cigar.

**R04\_EVER\_NEVER\_GRILLO = 1 (Ever user)** Adult respondents who have ever smoked a cigarillo and did not recant prior use.

**R04\_EVER\_NEVER\_GRILLO = 2 (Never user)** Adult respondents who have not ever smoked a cigarillo.

**R04\_EVER\_NEVER\_GFILTR = 1 (Ever user)** Adult respondents who have ever smoked a filtered cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GFILTR = 2 (Never user)** Adult respondents who have not ever smoked a filtered cigar.

**R04\_INIT\_GTRAD\_ADULT = 1 (Initiator)** Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar.

**R04\_INIT\_GRILLO\_ADULT = 1 (Initiator)** Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo.

**R04\_INIT\_GFILTR\_ADULT = 1 (Initiator)** Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who have ever smoked a filtered cigar.

**BOX ID: R04\_APT01**

The next questions are about smoking tobacco in **pipes**.

There are many different types of pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe.

[SHOW GENERIC IMAGE OF PIPE]

**BOX ID: R04\_APR33**

New cohort adult respondents, go to R04\_AP1001\_RS.

Else, go to R04\_AP1004.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1001_RS</b>	
Have you ever seen or heard of a pipe before this study?	
[SHOW GENERIC IMAGE OF PIPES]	
1 Yes	
2 No	GO TO BOX R04_APV02
-8 DON'T KNOW	GO TO BOX R04_APV02
-7 REFUSED	GO TO BOX R04_APV02
ASK: New cohort adult respondents.	

<b>PATH ID: R04_AP1002_RS</b>	
Have you ever smoked a pipe filled with tobacco, even one or two puffs?	
[SHOW GENERIC IMAGE OF PIPES]	
1 Yes	
2 No	GO TO BOX R04_APV02
-8 DON'T KNOW	GO TO BOX R04_APV02
-7 REFUSED	GO TO BOX R04_APV02
ASK: New cohort adult respondents who have heard of pipes.	

<b>PATH ID: R04_AP1004</b>	
In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs?	
[SHOW GENERIC IMAGE OF PIPE]	
1 Yes	GO TO BOX R04_APR05
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a pipe.	

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1002_12M</b>
In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?
[SHOW GENERIC IMAGE OF PIPE]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have not smoked a pipe in the past 30 days (excluding new cohort adult respondents who have not ever smoked a pipe).

<b>BOX ID: R04_APR05</b>
Adult respondents who have never smoked a pipe in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04_APV02.
Else, adult respondents who were experimental former pipe smokers in the previous wave and did not smoke in the past 12 months, go to Box R04_APV02.
Else, adult respondents who were former pipe smokers in the previous wave and did not smoke in the past 12 months, go to R04_AP1010.
Else, adult respondents who have not smoked in the past 12 months, go to R04_AP1009.
Else, go to R04_AP1003.

<b>PATH ID: R04_AP1003</b>	
Do you now smoke a pipe filled with tobacco...	
1 Every day	GO TO BOX R04_APV02
2 Some days	GO TO BOX R04_APV02
3 Not at all	
-8 DON'T KNOW	GO TO BOX R04_APV02
-7 REFUSED	GO TO BOX R04_APV02
ASK: Adult respondents who have smoked a pipe in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a pipe.	

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1009</b>		
About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).		
1	__ __  DAYS	
2	__ __  MONTHS	
3	__ __  YEARS	
-8	DON'T KNOW	GO TO R04_AP1010
-7	REFUSED	GO TO R04_AP1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current pipe smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months.		

<b>PATH ID:</b> <b>R04_AP1009_LC1</b>		
The computer recorded that it has been "0" [days/months /years] since you last smoked a pipe.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AP1009
2	NEXT	GO TO R04_AP1010
ASK: IF R04_AP1009_NN = 0. DISPLAY: IF R04_AP1009_UN = 1, DISPLAY "days". IF R04_AP1009_UN = 2, DISPLAY "months". IF R04_AP1009_UN = 3, DISPLAY "years".		

<b>PATH ID:</b> <b>R04_AP1009_LC2</b>		
The computer recorded that it has been [R04_AP1009_NN] years since you last smoked a pipe. That is older than you are now.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AP1009
2	NEXT	GO TO R04_AP1010
ASK: IF (R04_AP1009_NN > R04_ACHIEVEDAGE) AND R04_AP1009_UN = 3.		

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1010</b>
Have you completely quit smoking pipes filled with tobacco?
1    Yes
2    No
3    I have never smoked a pipe filled with tobacco in my entire life, not even one or two puffs
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke pipes not at all; and adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_PIPE_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_APV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_PIPE = 1 (Ever user)</b> Adult respondents who have ever smoked a pipe and did not recant prior use.
<b>R04_EVER_NEVER_PIPE = 2 (Never user)</b> Adult respondents who have not ever smoked a pipe.
<b>R04_INIT_PIPE_ADULT = 1 (Initiator)</b> Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have ever smoked a pipe.

<b>BOX ID:</b> <b>R04_AHT01</b>
We next ask about smoking tobacco in a <b>hookah</b> , which is a type of water pipe. It is sometimes also called a “narghile” pipe. From now on, we will use “hookah” to refer to a water pipe or narghile pipe.
There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah.
[SHOW GENERIC IMAGE OF HOOKAH]

<b>BOX ID:</b> <b>R04_AHR49</b>
If new cohort adult respondent, go to R04_AH1001_RS.
Else, go to R04_AH1004.



**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH1001_RS</b>
Have you ever seen or heard of a hookah before this study?
[SHOW GENERIC IMAGE OF HOOKAH]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AHV02
GO TO BOX R04_AHV02
GO TO BOX R04_AHV02
ASK: New cohort adult respondents.

<b>PATH ID: R04_AH1002_RS</b>
Have you ever smoked tobacco in a hookah, even one or two puffs?
[SHOW GENERIC IMAGE OF HOOKAH]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AHV02
GO TO BOX R04_AHV02
GO TO BOX R04_AHV02
ASK: New cohort adult respondents who have heard of a hookah.

<b>PATH ID: R04_AH1004</b>
In the past 30 days, have you smoked tobacco in a hookah, even one or two puffs?
[SHOW GENERIC IMAGE OF HOOKAH]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AHR06
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked hookah.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH1002_12M</b>
In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?
[SHOW GENERIC IMAGE OF HOOKAH]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have not smoked hookah in the past 30 days (excluding new cohort adult respondents who have not ever smoked hookah).

<b>BOX ID: R04_AHR06</b>
Adult respondents who have never smoked hookah in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04_AHV02.
Else, adult respondents who were experimental former hookah smokers in the previous wave and did not smoke in the past 12 months, go to Box R04_AHV02.
Else, adult respondents who were former hookah smokers in the previous wave and did not smoke in the past 12 months, go to R04_AH1010.
Else, adult respondents who have not smoked in the past 12 months, go to R04_AH1009.
Else, go to R04_AH1003.

<b>PATH ID: R04_AH1003</b>
Do you now smoke tobacco in a hookah...
1 Every day GO TO BOX R04_AHV02
2 Some days GO TO BOX R04_AHV02
3 Not at all
-8 DON'T KNOW GO TO BOX R04_AHV02
-7 REFUSED GO TO BOX R04_AHV02
ASK: Adult respondents who have smoked hookah in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked hookah.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1009</b>		
About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)		
1	__ __  DAYS	
2	__ __  MONTHS	
3	__ __  YEARS	
-8	DON'T KNOW	GO TO R04_AH1010
-7	REFUSED	GO TO R04_AH1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current hookah smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked hookah, but did not smoke in the past 12 months.		

<b>PATH ID:</b> <b>R04_AH1009_LC1</b>		
The computer recorded that it has been "0" [days/months/years] since you last smoked tobacco in a hookah.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AH1009
2	NEXT	GO TO R04_AH1010
ASK: IF R04_AH1009_NN = 0.		
DISPLAY: IF R04_AH1009_UN = 1, DISPLAY "days".		
IF R04_AH1009_UN = 2, DISPLAY "months".		
IF R04_AH1009_UN = 3, DISPLAY "years".		

<b>PATH ID:</b> <b>R04_AH1009_LC2</b>		
The computer recorded that it has been [R04_AH1009_NN] years since you last smoked tobacco in a hookah. That is older than you are now.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AH1009
2	NEXT	GO TO R04_AH1010
ASK: IF (R04_AH1009_NN > R04_ACHIEVEDAGE) AND R04_AH1009_UN = 3.		

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1010</b>
Have you completely quit smoking tobacco in a hookah?
1    Yes
2    No
3    I have never smoked hookah in my entire life, not even one or two puffs
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke hookah not at all; and adult respondents who have ever smoked hookah, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_HOOK_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AHV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_HOOK = 1 (Ever user)</b> Adult respondents who have ever smoked a hookah and did not recant prior use.
<b>R04_EVER_NEVER_HOOK = 2 (Never user)</b> Adult respondents who have not ever smoked hookah.
<b>R04_INIT_HOOK_ADULT = 1 (Initiator)</b> Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah.

<b>BOX ID:</b> <b>R04_AHR03</b>
New cohort adult respondents who did not say they had heard of a hookah, go to Box R04_AST01. Else, young adult respondents who have heard of but never smoked hookah, go to R04_AH1103. Else, young adults who have heard of but not smoked hookah in the past 12 months, go to R04_AH1206. Else, go to Box R04_AHR08.

<b>PATH ID:</b> <b>R04_AH1103</b>
Have you ever been curious about smoking tobacco in a hookah?
1    Very curious
2    Somewhat curious
3    A little curious
4    Not at all curious
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1206</b>
Do you think you will smoke tobacco in a hookah in the next year?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah or have not reported smoking hookah in the past 12 months.

<b>BOX ID:</b> <b>R04_AHR08</b>
Adult respondents who have heard of but never smoked hookah, go to R04_AH1104. Else, go to Box R04_AHR48.

<b>PATH ID:</b> <b>R04_AH1104</b>
Do you think you will try smoking tobacco in a hookah soon?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have heard of but never smoked hookah.

<b>BOX ID:</b> <b>R04_AHR48</b>
Young adult respondents who have heard of but never smoked hookah, go to R04_AH1205. Else, go to R04_AH9031.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1205**

If one of your best friends were to offer you a hookah, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH ID: R04\_AH9031**

Have you ever smoked marijuana from a hookah? (Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**PATH ID: R04\_AH9040**

Have you ever smoked herbal or tobacco-free shisha in a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**BOX ID: R04\_AST01**

**Smokeless tobacco** is tobacco which you put in your mouth. Smokeless tobacco may be loose or it may be packaged in small pouches that you place under your lip. Frequently you chew, suck, or spit while using smokeless tobacco, although for some types you may not need to.

There are many different types of smokeless tobacco which go by lots of different names, so please use these descriptions and photos to understand what they are.

[SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO]

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUT03**

**Snus** is a type of smokeless tobacco. Snus usually comes in small pouches, although some snus may be sold as loose snus. Typically, with most kinds of smokeless tobacco, you spit, but you do not need to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.

Please think about **snus** as you answer the following questions. There will be a separate section later about other types of smokeless tobacco products (such as dip, spit, chewing tobacco and smokeless tobacco pouches).

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

**BOX ID: R04\_AUR49**

New cohort adult respondents, go to R04\_AU1001\_RS.  
Else, go to R04\_AU1004.

**PATH ID: R04\_AU1001\_RS**

Have you ever seen or heard of snus before this study?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- |               |                     |
|---------------|---------------------|
| 1 Yes         |                     |
| 2 No          | GO TO BOX R04_AUV03 |
| -8 DON'T KNOW | GO TO BOX R04_AUV03 |
| -7 REFUSED    | GO TO BOX R04_AUV03 |

ASK: New cohort adult respondents.

**PATH ID: R04\_AU1002\_RS**

Have you ever used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- |               |                     |
|---------------|---------------------|
| 1 Yes         |                     |
| 2 No          | GO TO BOX R04_AUV03 |
| -8 DON'T KNOW | GO TO BOX R04_AUV03 |
| -7 REFUSED    | GO TO BOX R04_AUV03 |

ASK: New cohort adult respondents who have heard of snus.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1004</b>
In the past 30 days, have you used snus, even one or two times?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1   Yes <span style="float: right;">GO TO BOX R04_AUR22</span>
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used snus.

<b>PATH ID:</b> <b>R04_AU1002_12M</b>
In the past 12 months, have you used snus, even one or two times?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not used snus in the past 30 days (excluding new cohort adult respondents who have not ever used snus).

<b>BOX ID:</b> <b>R04_AUR22</b>
Adult respondents who have never used snus in all previous waves and did not use snus in the past 12 months or did not know or refused to report whether they used snus in the past 12 months, go to Box R04_AUV03.
Else, adult respondents who were experimental former snus users in the previous wave and did not use snus in the past 12 months, go to Box R04_AUV03.
Else, adult respondents were former snus users in the previous wave and did not use snus in the past 12 months, go to R04_AU1010.
Else, adult respondents who have not used snus in the past 12 months, go to R04_AU1009.
Else, go to R04_AU1003.



**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1003</b>		
Do you now use snus...		
1	Every day	GO TO BOX R04_AUV03
2	Some days	GO TO BOX R04_AUV03
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AUV03
-7	REFUSED	GO TO BOX R04_AUV03
ASK: Adult respondents who have used snus in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used snus.		

<b>PATH ID:</b> <b>R04_AU1009</b>		
About how long has it been since you last used snus? (If it was earlier today, enter 1 day.)		
1	__ __  DAYS	
2	__ __  MONTHS	
3	__ __  YEARS	
-8	DON'T KNOW	GO TO R04_AU1010
-7	REFUSED	GO TO R04_AU1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current snus users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used snus, but did not use in the past 12 months.		

<b>PATH ID:</b> <b>R04_AU1009_LC1</b>		
The computer recorded that it has been "0" [days/months/years] since you last used snus.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AU1009
2	NEXT	GO TO R04_AU1010
ASK: IF R04_AU1009_NN = 0.		
DISPLAY: IF R04_AU1009_UN = 1, DISPLAY "days".		
IF R04_AU1009_UN = 2, DISPLAY "months".		
IF R04_AU1009_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1009_LC2</b>	
The computer recorded that it has been [R04_AU1009_NN] years since you last used snus. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AU1009
2    NEXT	GO TO R04_AU1010
ASK: IF (R04_AU1009_NN > R04_ACHIEVEDAGE) AND R04_AU1009_UN = 3.	

<b>PATH ID:</b> <b>R04_AU1010</b>
Have you completely quit using snus?
1    Yes
2    No
3    I have never used snus in my entire life, not even one or two times
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use snus not at all; and adult respondents who have ever used snus, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_SNUS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AUV03</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_SNUS = 1 (Ever user)</b> Adult respondents who have ever used snus and did not recant prior use.
<b>R04_EVER_NEVER_SNUS = 2 (Never user)</b> Adult respondents who have not ever used snus.
<b>R04_INIT_SNUS_ADULT = 1 (Initiator)</b> Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR06</b>
New cohort adult respondents who did not say they have heard of snus, go to Box R04_AST03.
Else, young adult respondents who have heard of but never used snus, go to R04_AU1103.
Else, young adult respondents who heard of but never used snus or have not used snus in the past 12 months, go to R04_AU1206.
Else, go to Box R04_AUR24.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1103</b>
Have you ever been curious about using snus?  1 Very curious 2 Somewhat curious 3 A little curious 4 Not at all curious -8 DON'T KNOW -7 REFUSED
ASK: Young adult respondents who have heard of but never used snus.

<b>PATH ID: R04_AU1206</b>
Do you think you will use snus in the next year?  1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED
ASK: Young adult respondents who have heard of but never used snus or have not reported using snus in the past 12 months.

<b>BOX ID: R04_AUR24</b>
Adult respondents who have heard of but never used snus, go to R04_AU1104. Else, go to Box R04_AUR48.

<b>PATH ID: R04_AU1104</b>
Do you think you will try snus soon?  1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who have heard of but never used snus.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR48**

Young adult respondents who have heard of but never used snus, go to R04\_AU1205.  
Else, go to Box R04\_AST03.

**PATH ID: R04\_AU1205**

If one of your best friends were to offer you snus, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used snus.

**BOX ID: R04\_AST03**

The next questions are about **smokeless tobacco** other than snus.

Smokeless tobacco is a type of tobacco which you put in your mouth and chew, suck, or spit. It may be loose or packaged in small pouches that you can place directly in your mouth. There are many kinds of smokeless tobacco, such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman, and Levi Garrett.

Please do **not** include snus when answering the following questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR49**

New cohort adult respondents, go to R04\_AS1001\_RS.  
Else, go to R04\_AS1004.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1001_RS</b>
Have you ever seen or heard of smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, before this study?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ASV03
GO TO BOX R04_ASV03
GO TO BOX R04_ASV03
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AS1002_RS</b>
Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ASV03
GO TO BOX R04_ASV03
GO TO BOX R04_ASV03
ASK: New cohort adult respondents who have heard of smokeless tobacco.

<b>PATH ID:</b> <b>R04_AS1004</b>
In the past 30 days, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ASR29
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used smokeless tobacco.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1002_12M</b>
<p>In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?</p> <p>[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]</p> <ul style="list-style-type: none"> <li>1 Yes</li> <li>2 No</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Adult respondents who have not used smokeless tobacco in the past 30 days (excluding new cohort adult respondents who have not ever used smokeless tobacco).</p>

<b>BOX ID:</b> <b>R04_ASR29</b>
<p>Adult respondents who have never used smokeless tobacco in previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04_ASV03.</p> <p>Else, adult respondents who were experimental former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to Box R04_ASV03.</p> <p>Else, adult respondents who were former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to R04_AS1010.</p> <p>Else, adult respondents who have not used smokeless tobacco in the past 12 months, go to R04_AS1009.</p> <p>Else, go to R04_AS1003.</p>

<b>PATH ID:</b> <b>R04_AS1003</b>										
<p>Do you now use smokeless tobacco...</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1 Every day</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_ASV03</td> </tr> <tr> <td style="padding-left: 40px;">2 Some days</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_ASV03</td> </tr> <tr> <td style="padding-left: 40px;">3 Not at all</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-8 DON'T KNOW</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_ASV03</td> </tr> <tr> <td style="padding-left: 40px;">-7 REFUSED</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_ASV03</td> </tr> </table> <p>ASK: Adult respondents who have used smokeless tobacco in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used smokeless tobacco.</p>	1 Every day	GO TO BOX R04_ASV03	2 Some days	GO TO BOX R04_ASV03	3 Not at all		-8 DON'T KNOW	GO TO BOX R04_ASV03	-7 REFUSED	GO TO BOX R04_ASV03
1 Every day	GO TO BOX R04_ASV03									
2 Some days	GO TO BOX R04_ASV03									
3 Not at all										
-8 DON'T KNOW	GO TO BOX R04_ASV03									
-7 REFUSED	GO TO BOX R04_ASV03									

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1009</b>		
About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)		
1	__ __  DAYS	
2	__ __  MONTHS	
3	__ __  YEARS	
-8	DON'T KNOW	GO TO R04_AS1010
-7	REFUSED	GO TO R04_AS1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current smokeless tobacco users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months.		

<b>PATH ID:</b> <b>R04_AS1009_LC1</b>		
The computer recorded that it has been "0" [days/months/years] since you last used smokeless tobacco.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AS1009
2	NEXT	GO TO R04_AS1010
ASK: IF R04_AS1009_NN = 0.		
DISPLAY: IF R04_AS1009_UN = 1, DISPLAY "days".		
IF R04_AS1009_UN = 2, DISPLAY "months".		
IF R04_AS1009_UN = 3, DISPLAY "years".		

<b>PATH ID:</b> <b>R04_AS1009_LC2</b>		
The computer recorded that it has been [R04_AS1009_NN] years since you last used smokeless tobacco. That is older than you are now.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AS1009
2	NEXT	GO TO R04_AS1010
ASK: IF (R04_AS1009_NN > R04_ACHIEVEDAGE) AND R04_AS1009_UN = 3.		

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1010</b>
Have you completely quit using smokeless tobacco?  1    Yes 2    No 3    I have never used smokeless tobacco in my entire life, not even one or two times -8    DON'T KNOW -7    REFUSED  ASK: Adult respondents who used in the past 12 months, but currently use smokeless tobacco not at all; and adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave). DISPLAY: DISPLAY OPTION 3 IF R03_SMKLS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_ASV03</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_EVER_NEVER_SMKLS = 1 (Ever user)</b> Adult respondents who have ever used smokeless tobacco and did not recant prior use. <b>R04_EVER_NEVER_SMKLS = 2 (Never user)</b> Adult respondents who have not ever used smokeless tobacco. <b>R04_INIT_USER_SMKLS = 1 (Initiator)</b> Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco.

<b>BOX ID:</b> <b>R04_ASR06</b>
New cohort adult respondents who did not say they have heard of smokeless tobacco, go to Box R04_ADT01. Else, young adult respondents who have heard of but never used smokeless tobacco, go to R04_AS1103. Else, young adult respondents who have heard of but not used smokeless tobacco in the past 12 months, go to R04_AS1206. Else, go to Box R04_ASR24.



**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1103</b>
Have you ever been curious about using smokeless tobacco?  1   Very curious 2   Somewhat curious 3   A little curious 4   Not at all curious -8   DON'T KNOW -7   REFUSED  ASK: Young adult respondents who have heard of but never used smokeless tobacco.

<b>PATH ID:</b> <b>R04_AS1206</b>
Do you think you will use smokeless tobacco in the next year?  1   Definitely yes 2   Probably yes 3   Probably not 4   Definitely not -8   DON'T KNOW -7   REFUSED  ASK: Young adult respondents who have heard of but never used smokeless tobacco or have not reported using smokeless tobacco in the past 12 months.

<b>BOX ID:</b> <b>R04_ASR24</b>
Adult respondents who have heard of but never used smokeless tobacco, go to R04_AS1104. Else, go to Box R04_ASR48.

<b>PATH ID:</b> <b>R04_AS1104</b>
Do you think you will try smokeless tobacco soon?  1   Definitely yes 2   Probably yes 3   Probably not 4   Definitely not -8   DON'T KNOW -7   REFUSED  ASK: Adult respondents who have heard of but never used smokeless tobacco.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ASR48</b>
Young adult respondents who have heard of but never used smokeless tobacco, go to R04_AS1205. Else, go to Box R04_ADT01.

<b>PATH ID:</b> <b>R04_AS1205</b>
If one of your best friends were to offer you smokeless tobacco, would you try it?  1    Definitely yes 2    Probably yes 3    Probably not 4    Definitely not -8   DON'T KNOW -7   REFUSED  ASK: Young adult respondents who have heard of but never used smokeless tobacco.

<b>BOX ID:</b> <b>R04_ADT01</b>
The next question asks about another type of tobacco called <b>dissolvable tobacco</b> . You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.  Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks or Strips.  [SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

<b>BOX ID:</b> <b>R04_ADR01</b>
New cohort adult respondents, go to R04_AD1001_RS. Else, go to R04_AD1002_12M.

<b>PATH ID:</b> <b>R04_AD1001_RS</b>
Have you ever seen or heard of dissolvable tobacco before this study?  [SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: New cohort adult respondents.
GO TO BOX R04_ADV01 GO TO BOX R04_ADV01 GO TO BOX R04_ADV01

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AD1002_RS</b>
Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ADV01
GO TO BOX R04_ADV01
GO TO BOX R04_ADV01
ASK: New cohort adult respondents who have heard of dissolvable tobacco.

<b>PATH ID:</b> <b>R04_AD1002_12M</b>
In the past 12 months, have you used dissolvable tobacco, even one or two times?
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used dissolvable tobacco.

<b>BOX ID:</b> <b>R04_ADV01</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER DISSBL = 1 (Ever user)</b> Adult respondents who have ever used dissolvable tobacco.
<b>R04_EVER_NEVER DISSBL = 2 (Never user)</b> Adult respondents who have not ever used dissolvable tobacco.

<b>BOX ID:</b> <b>R04_AXR124</b>
New cohort adult respondents, go to R04_TOBCONF.
Else, aged-up and continuing adult respondents, go to R04_AZ1002.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_TOBCONF**

[The computer has recorded that you have never used any tobacco products. Is that correct?/The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?]

You have used:

[LIST ALL PRODUCTS EVER USED]]

You have not used:

[LIST ALL PRODUCTS NEVER USED]]

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and change your answers.

1 BACK

GO TO PREVIOUS QUESTION

2 NEXT

GO TO R04\_AZ1002

ASK: IF R04\_ADULTTYPE = 3.

DISPLAY: IF R04\_AC1002\_RS = 2, -8, -7 AND (R04\_AV1001\_RS = 2, -8, -7 OR R04\_AV1002\_RS = 2, -8, -7) AND (R04\_AG1001\_RS = 2, -8, -7 OR (R04\_AG1001\_RS = 1 AND R04\_AG9003\_RS != 1 AND R04\_AG9004\_RS != 1 AND R04\_AG9105\_RS != 1)) AND (R04\_AP1001\_RS = 2, -8, -7 OR R04\_AP1002\_RS = 2, -8, -7) AND (R04\_AH1001\_RS = 2, -8, -7 OR R04\_AH1002\_RS = 2, -8, -7) AND (R04\_AU1001\_RS = 2, -8, -7 OR R04\_AU1002\_RS = 2, -8, -7) AND (R04\_AS1001\_RS = 2, -8, -7 OR R04\_AS1002\_RS = 2, -8, -7) AND (R04\_AD1001\_RS = 2, -8, -7 OR R04\_AD1002\_RS = 2, -8, -7), DISPLAY "The computer has recorded that you have never used any tobacco products. Is that correct?".

ELSE, IF R04\_EVER\_NEVER\_CIGS = 1 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1) AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_AG1095\_02 = 1) AND (R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1) AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_EVER\_NEVER\_DISSBL = 1, DISPLAY "The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?" AND "You have used: [LIST ALL PRODUCTS EVER USED]]".

ELSE, IF R04\_EVER\_NEVER\_CIGS = 1 OR R04\_EVER\_NEVER\_EPRODS = 1 OR R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1 OR R04\_EVER\_NEVER\_GRILLO = 1 OR R04\_AG1095\_02 = 1 OR R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1 OR R04\_EVER\_NEVER\_PIPE = 1 OR R04\_EVER\_NEVER\_HOOK = 1 OR R04\_EVER\_NEVER\_SNUS = 1 OR R04\_EVER\_NEVER\_SMKLS = 1 OR R04\_EVER\_NEVER\_DISSBL = 1, DISPLAY "The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?" AND "You have used: [LIST ALL PRODUCTS EVER USED]]" AND "You have not used: [LIST ALL PRODUCTS NEVER USED]]".

FOR "[LIST ALL PRODUCTS EVER USED]" AND "[LIST ALL PRODUCTS NEVER USED]", DISPLAY THE PRODUCT NAMES IN LOWERCASE LETTERS AS A BULLETPPOINT LIST

FOR "[LIST ALL PRODUCTS EVER USED]", IF R04\_EVER\_NEVER\_CIGS = 1, INCLUDE "cigarettes"; IF R04\_EVER\_NEVER\_EPRODS = 1, INCLUDE "electronic nicotine products"; (IF R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1, INCLUDE "traditional cigars"; (IF R04\_EVER\_NEVER\_GRILLO = 1 OR R04\_AG1095\_02 = 1, INCLUDE "cigarillos"; (IF R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1, INCLUDE "filtered cigars"; IF R04\_EVER\_NEVER\_PIPE = 1, INCLUDE "pipes"; IF R04\_EVER\_NEVER\_HOOK = 1, INCLUDE

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

"hookah"; IF R04\_EVER\_NEVER\_SNUS = 1, INCLUDE "snus"; IF R04\_EVER\_NEVER\_SMKLS = 1, INCLUDE "smokeless tobacco"; IF R04\_EVER\_NEVER\_DISSBL = 1, INCLUDE "dissolvable tobacco".  
FOR "[LIST ALL PRODUCTS NEVER USED]", IF R04\_EVER\_NEVER\_CIGS != 1, INCLUDE "cigarettes"; IF R04\_EVER\_NEVER\_EPRODS != 1, INCLUDE "electronic nicotine products"; (IF R04\_EVER\_NEVER\_GTRAD != 1 AND R04\_AG1095\_01 != 1, INCLUDE "traditional cigars"; (IF R04\_EVER\_NEVER\_GRILLO != 1 AND R04\_AG1095\_02 != 1, INCLUDE "cigarillos"; (IF R04\_EVER\_NEVER\_GFILTR != 1 AND R04\_AG1095\_03 != 1, INCLUDE "filtered cigars"; IF R04\_EVER\_NEVER\_PIPE != 1, INCLUDE "pipes"; IF R04\_EVER\_NEVER\_HOOK != 1, INCLUDE "hookah"; IF R04\_EVER\_NEVER\_SNUS != 1, INCLUDE "snus"; IF R04\_EVER\_NEVER\_SMKLS != 1, INCLUDE "smokeless tobacco"; IF R04\_EVER\_NEVER\_DISSBL != 1, INCLUDE "dissolvable tobacco".

**PATH ID: R04\_AZ1002**

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco and dissolvable tobacco.

Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill.

- 1 Yes (SPECIFY)
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AXR125**

New cohort adult respondents, go to R04\_GATE.

Else, aged-up and continuing adult respondents, go to next section.

**PATH ID: R04\_GATE**

Please confirm that your answers to the prior questions are correct. Once you press the confirm button below, you will not be able to go back and change your answers to the prior questions.

- 1 Confirm answers are correct

ASK: New cohort adult respondents.

**PATH**  
**Adult Questionnaire – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AXR01</b>
PROGRAM: <b>Run second stage sampling algorithm for new cohort adult respondents only.</b>
New cohort adult respondents that are not sampled and thus screened out of the PATH Study, go to R04_AL3002_RS.
Else, sampled new cohort adult respondents and all other adult respondents will then be routed through the remainder of the questionnaire as follows:
For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.
For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

<b>BOX ID:</b> <b>R04_AXV11</b>
PROGRAM: SET DISPOSITION CODES
New cohort adult respondents that are screened out after the Phase 2 Screener, set disposition code to CPX.
New cohort adult respondents that report active military duty, set disposition code to CAM.

<b>PATH ID:</b> <b>R04_AL3002_RS</b>
<b>[FOR RESPONDENTS WHO ARE UNDER AGE 18, DISPLAY:]</b> Interviewer: This respondent is under age 18 and is not eligible to be interviewed in this study.
<b>[FOR RESPONDENTS WHO ARE ACTIVE DUTY MILITARY, DISPLAY:]</b> Interviewer: This respondent is on active duty in the U.S. Armed Services and is not eligible to be interviewed in this study.
<b>[FOR RESPONDENTS WHO ARE PART OF THE REPLENISHMENT SAMPLE WHO ARE NOT SAMPLED AT THE END OF THE PHASE 2 SCREENER, DISPLAY:]</b> Interviewer: This respondent has completed a brief adult interview.
1    Monitor Password
ASK: New cohort adult respondents that are currently on active military duty or have screened out of the Phase 2 screener (disposition codes CAM and CPX).

## **Adult Questionnaire (Spanish) – Individual Screener**

---

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**Table of Contents**

---

INTRODUCTORY DEMOGRAPHICS ..... 1  
TOBACCO USE ..... 13



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>SECTION</b>	<b># OF QUESTIONS</b>
Introductory Demographics	18
Tobacco Use	89

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

Número de control de la OMB: 0925-0664

Fecha de vencimiento: XX/XX/XXXX

Se calcula que el tiempo para esta recolección de información es de 6 minutos por cuestionario, incluyendo el tiempo necesario para revisar las instrucciones, buscar fuentes de datos existentes, reunir y mantener los datos necesarios y completar y revisar la recolección de información. Ninguna agencia puede realizar ni patrocinar una recolección de información, y ninguna persona está obligada a responder a dicha recolección de información, a menos que esta muestre un número de control vigente de la OMB. Envíe sus comentarios respecto a este cálculo de tiempo o a otro aspecto de esta recolección de información, incluyendo sugerencias de cómo reducir este cálculo de tiempo a: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0664). No devuelva el cuestionario contestado a esta dirección.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

## INTRODUCTORY DEMOGRAPHICS

<b>BOX ID:</b> R04_AMV02
PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.
<b>R03_CIG_USER_STATUS</b> - Wave 3 cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_ECIG_USER_STATUS</b> - Wave 3 e-cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_GTRAD_USER_STATUS</b> - Wave 3 traditional cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_GRILLO_USER_STATUS</b> - Wave 3 cigarillo user status (current, experimental current, experimental former, new former, still former)
<b>R03_GFILTR_USER_STATUS</b> - Wave 3 filtered cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_PIPE_USER_STATUS</b> - Wave 3 pipe user status (current, experimental current, experimental former, new former, still former)
<b>R03_HOOK_USER_STATUS</b> - Wave 3 hookah user status (current, experimental current, experimental former, new former, still former)
<b>R03_SNUS_USER_STATUS</b> - Wave 3 snus user status (current, experimental current, experimental former, new former, still former)
<b>R03_SMKLS_USER_STATUS</b> - Wave 3 smokeless tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_TOBACCO_USER_STATUS</b> - Wave 3 tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_EVER_NEVER_CIGS</b> - Wave 3 ever or never user of cigarettes
<b>R03_EVER_NEVER_EPRODS</b> - Wave 3 ever or never user of e-products
<b>R03_EVER_NEVER_GTRAD</b> - Wave 3 ever or never user of traditional cigars
<b>R03_EVER_NEVER_GRILLO</b> - Wave 3 ever or never user of cigarillos
<b>R03_EVER_NEVER_GFILTR</b> - Wave 3 ever or never user of filtered cigars
<b>R03_EVER_NEVER_BTRAD</b> - Wave 3 ever or never user of traditional cigars as blunts
<b>R03_EVER_NEVER_BRILLO</b> - Wave 3 ever or never user of cigarillos as blunts
<b>R03_EVER_NEVER_BFILTR</b> - Wave 3 ever or never user of filtered cigars as blunts
<b>R03_EVER_NEVER_PIPE</b> - Wave 3 ever or never user of pipes
<b>R03_EVER_NEVER_HOOK</b> - Wave 3 ever or never user of hookah
<b>R03_EVER_NEVER_SNUS</b> - Wave 3 ever or never user of snus
<b>R03_EVER_NEVER_SMKLS</b> - Wave 3 ever or never user of smokeless tobacco
<b>R03_EVER_NEVER DISSBL</b> - Wave 3 ever or never user of dissolvable tobacco
<b>R03_NUMLIFE_CIGS</b> - The respondent reported smoking 100+ cigarettes in their lifetime at any previous wave.
<b>R03_NUMLIFE_EPROD</b> - The respondent reported using e-cigarettes 100+ times in their lifetime at any previous wave.
<b>R03_NUMLIFE_GTRAD</b> - The respondent reported smoking 100+ traditional cigars in their lifetime at any previous wave.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**R03\_NUMLIFE\_GRILLO** - The respondent reported smoking 100+ cigarillos in their lifetime at any previous wave.

**R03\_NUMLIFE\_GFILTR** - The respondent reported smoking 100+ filtered cigars in their lifetime at any previous wave.

**R03\_NUMLIFE\_PIPE** - The respondent reported smoking a pipe 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_HOOK** - The respondent reported smoking hookah 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_SNUS** - The respondent reported using 100+ snus pouches in their lifetime at any previous wave.

**R03\_NUMLIFE\_SMKLS** - The respondent reported using smokeless tobacco 100+ times in their lifetime at any previous wave.

**R03\_REGUSE\_CIGS** - The respondent reported smoking cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_EPROD** - The respondent reported using e-cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_GTRAD** - The respondent reported smoking traditional cigars fairly regularly at any previous wave.

**R03\_REGUSE\_GRILLO** - The respondent reported smoking cigarillos fairly regularly at any previous wave.

**R03\_REGUSE\_GFILTR** - The respondent reported smoking filtered cigars fairly regularly at any previous wave.

**R03\_REGUSE\_PIPE** - The respondent reported smoking a pipe fairly regularly at any previous wave.

**R03\_REGUSE\_HOOK** - The respondent reported smoking hookah fairly regularly at any previous wave.

**R03\_REGUSE\_SNUS** - The respondent reported using snus fairly regularly at any previous wave.

**R03\_REGUSE\_SMKLS** - The respondent reported using smokeless tobacco fairly regularly at any previous wave.

**R03\_GENDER** - Respondent's reported gender

**R03\_PREGNANT** - Respondent reported being pregnant at Wave 3.

**R03\_VA\_HEALTHCARE** - Respondent reported being enrolled in VA health care in any previous wave.

**R03\_ASTHMA** - Respondent reported being diagnosed with asthma in any previous wave.

**R03\_HIGH\_CHOLESTEROL** - Respondent reported being diagnosed with high cholesterol in any previous wave.

**R03\_HIGH\_BLOOD\_PRESSURE** - Respondent reported being diagnosed with high blood pressure in any previous wave.

**R03\_STROKE** - Respondent reported having had a stroke in any previous wave.

**R03\_ANY\_HEART\_CONDITION** - Respondent reported being diagnosed with any heart condition in any previous wave.

**R03\_CANCER** - Respondent reported being diagnosed with cancer in any previous wave.

**R03\_ULCER** - Respondent reported being diagnosed with an ulcer in any previous wave.

**R03\_COPD** - Respondent reported being diagnosed with COPD in any previous wave.

**R03\_DIABETES** - Respondent reported being diagnosed with diabetes in any previous wave.

**R03\_EVER\_USER\_ALCOHOL** - Respondent reported ever using alcohol in any previous wave.

**R03\_EVER\_USER\_MARIJUANA** - Respondent reported ever using marijuana in any previous wave.

**R03\_EVER\_USER\_RITALIN** - Respondent reported ever using ritalin in any previous wave.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**R03\_EVER\_USER\_PAINKILLERS** - Respondent reported ever using painkillers in any previous wave.  
**R03\_EVER\_USER\_COCAINE** - Respondent reported ever using cocaine in any previous wave.  
**R03\_EVER\_USER\_STIMULANTS** - Respondent reported ever using stimulants in any previous wave.  
**R03\_EVER\_USER\_OTHERDRUG** - Respondent reported ever using other drugs in any previous wave.  
**R03\_USCITIZEN** – Respondent reported US citizenship in any previous wave.

**R04\_CONTACTFLAG\_LD** - Adult respondent or parent/guardian of youth respondent has provided contact information.  
**R04\_LINKED\_ADDRESS** - Respondents' best address from IMS.  
**R04\_VTBESTSPPHONE** - Respondents' best phone number from IMS.  
**R04\_PHONE2** - Respondents' second phone number from IMS.  
**R04\_PARENT\_COMPLETE\_LD** - Adult respondent has completed a parent survey about a youth or shadow youth respondent.

**BOX ID: R04\_AMD04**

**Note** - In the following specifications, "!=" represents "not equal to".

**Note** - References to the various respondent types are as follows:

**"New cohort adult respondents"** = Adult respondents who are new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.

**"Aged-up adult respondents"** = Adult respondents whose last completed interview in a previous wave was in the Youth cohort, and have now aged-up into the Adult cohort. This is their first interview in the Adult cohort, but not their first interview in the PATH Study.

**"New baseline adult respondents"** = Adult respondents where this is their first interview in the Adult cohort. Includes both the "New cohort adult" AND "Aged-up adult" respondents.

**"Continuing adult respondents"** = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study.

**"All adult respondents"** = All adult respondents in the Adult cohort.

**BOX ID: R04\_AMR03**

New cohort adult respondents, go to R04\_AM0004\_RS.

Else, adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.

Else, go to R04\_AM0007.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0001_RS</b>
¿Cuál es su fecha de nacimiento?
1    _ _ _ _
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AM0002_RS
GO TO R04_AM0002_RS
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AM0001_RS_LC1</b>
Anoté que su fecha de nacimiento es {DOB2}. ¿Es correcto?
1   Sí
2   No
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AM0002_RS</b>
¿Qué edad tiene usted?
1    _ _
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AM0004_RS
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AM0003_RS</b>
¿Tiene usted...
1   menos de 18 años de edad,
2   entre 18 y 24 años de edad,
3   entre 25 y 29 años de edad o
4   30 años de edad o más?
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who did not know or refused to report their age.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0004\_RS**

¿Cuál es su sexo?

- 1 Masculino
- 2 Femenino
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

**PATH ID: R04\_AM0005\_RS**

¿Es usted de origen hispano, latino o español? Escoja todas las opciones que correspondan.

- 1 No. De ningún origen hispano, latino ni español
- 2 Sí. Mexicano, mexicano americano o chicano
- 3 Sí. Puertorriqueño
- 4 Sí. Cubano
- 5 Sí. De otro origen hispano, latino o español
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

DISPLAY: IF R04\_AM0004 = 1, DISPLAY "" and "";

ELSE, IF R04\_AM0004 = 2, DISPLAY "" and "";

ELSE, IF R04\_AM0004 = -8 or -7, DISPLAY "" and "".

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0006\_RS**

¿Cuál es su raza? Escoja todas las opciones que correspondan.

- 1 Blanca
- 2 Negra o africana americana
- 3 India americana o nativa de Alaska
- 4 Hindú
- 5 China
- 6 Filipina
- 7 Japonesa
- 8 Coreana
- 9 Vietnamita
- 10 Otra raza asiática
- 11 Nativa de Hawái
- 12 Guameña o chamorra
- 13 Samoana
- 14 De otra isla del Pacífico
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

**BOX ID: R04\_AMR12**

Adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.  
Else, go to R04\_AM0007.

**PATH ID: R04\_AT0047**

¿Cuál es su estado civil?

- 1 Actualmente casado
- 2 Viudo
- 3 Divorciado
- 4 Separado
- 5 Nunca se ha casado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0007**

¿Ha prestado alguna vez servicio militar en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos?

Nota: El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares, como por ejemplo la Guerra de Iraq.

- 1 Sí. Actualmente está en servicio activo
- 2 Sí. Estuvo en servicio activo en el pasado pero no actualmente
- 3 No. Únicamente en entrenamiento para la Reserva o la Guardia Nacional
- 4 No. Nunca ha prestado el servicio militar
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR11**

New cohort adult respondents who are currently on active duty, go to R04\_AM0008\_RS.

Else, aged-up adult respondents who are currently on active duty or new baseline adult respondents who have been on active duty in the past, go to R04\_AM0011\_NB.

Else, go to Box R04\_AMR08.

**PATH ID: R04\_AM0008\_RS**

Usted dijo que actualmente está en servicio activo en las Fuerzas Armadas de Estados Unidos. ¿Es correcto?

- 1 Sí GO TO R04\_AM0011\_NB
- 2 No
- 8 DON'T KNOW GO TO R04\_AM0011\_NB
- 7 REFUSED GO TO R04\_AM0011\_NB

ASK: New cohort adult respondents who are currently on active duty.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0050\_RS**

¿Ha prestado alguna vez servicio militar en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos?

Nota: El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares, como por ejemplo la Guerra de Iraq.

- |    |   |                     |
|----|---|---------------------|
| 1  | Sí. Actualmente está en servicio activo                               |                     |
| 2  | Sí. Estuvo en servicio activo en el pasado pero no actualmente        |                     |
| 3  | No. Únicamente en entrenamiento para la Reserva o la Guardia Nacional | GO TO BOX R04_AMR08 |
| 4  | No. Nunca ha prestado el servicio militar                             | GO TO BOX R04_AMR08 |
| -8 | DON'T KNOW  | GO TO BOX R04_AMR08 |
| -7 | REFUSED   | GO TO BOX R04_AMR08 |

ASK: New cohort adult respondents who recanted their current active duty status.

**PATH ID: R04\_AM0011\_NB**

¿En qué rama o ramas militares [presta/prestó] el servicio militar? Escoja todas las opciones que correspondan.

- 1 Ejército
- 2 Marina
- 3 Fuerza Aérea
- 4 Cuerpo de Marines
- 5 Guardia Costera
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are currently on active duty or have been on active duty in the past.

DISPLAY: IF R04\_AM0007 = 2 OR R04\_AM0050\_RS = 2, DISPLAY "prestó".

ELSE, DISPLAY "presta".

**BOX ID: R04\_AMR08**

New cohort adult respondents who are currently on active duty, go to R04\_AM0009\_RS.

Else, go to Box R04\_AMR09.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0009\_RS**

Las personas que actualmente están en servicio activo en las Fuerzas Armadas de Estados Unidos no reúnen los requisitos para ser entrevistadas en este estudio. Le agradecemos el tiempo que dedicó a hablar con nosotros. Por favor, entréguele la computadora al entrevistador.

1 CONTINUE

GO TO R04\_AL3002\_RS

ASK: New cohort adult respondents who are currently on active duty. (New PATH Study respondents who are a part of the replenishment cohort are not eligible if currently on active duty at the time of their PATH Study baseline interview.)

**BOX ID: R04\_AMR09**

New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty or don't know or refused to report if they are currently on active duty, go to R04\_AM0074\_RS.

Else, go to Box R04\_AMR13.

**PATH ID: R04\_AM0074\_RS**

En el 2014, ¿estuvo en servicio militar activo de tiempo completo en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos durante todo el año?

Nota: El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares, como por ejemplo la Guerra de Iraq.

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty.

DISPLAY: UNDERLINE "durante todo el año".

**BOX ID: R04\_AMR13**

Adult respondents who already completed a parent interview, go to Box R04\_AMR10.

Else, new baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, go to R04\_AM0069.

Else, go to R04\_AM0065.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AM0069
¿Es usted ciudadano estadounidense? 1 Sí. Nació en Estados Unidos 2 Sí. Nació en Puerto Rico, Guam, las Islas Vírgenes de los Estados Unidos o las Islas Marianas del Norte 3 Sí. Nació en el extranjero de padres ciudadanos estadounidenses 4 Sí. Es ciudadano estadounidense por naturalización 5 No. No es ciudadano estadounidense -8 DON'T KNOW -7 REFUSED
ASK: New baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, who did not already complete a parent interview.

<b>PATH ID:</b> R04_AM0065
Aproximadamente, ¿cuántos años lleva viviendo en Estados Unidos? (Si lleva menos de un año viviendo en Estados Unidos, anote 1.) 1 He vivido en Estados Unidos toda mi vida GO TO BOX R04_AMR10 2  __ __ __  AÑOS -8 DON'T KNOW GO TO BOX R04_AMR10 -7 REFUSED GO TO BOX R04_AMR10
ASK: Adult respondents who did not already complete a parent interview. DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "He vivido en Estados Unidos toda mi vida" ON RIGHT. DISPLAY "AÑOS" AS A TITLE.

<b>PATH ID:</b> R04_AM0065_LC1
La computadora registró que usted lleva viviendo en Estados Unidos [R04_AM0065] años. Son más años de los que usted tiene actualmente.  Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta. 1 BACK GO TO R04_AM0065 2 NEXT GO TO BOX R04_AMR10
ASK: IF R04_AM0065 > R04_ACHIEVEDAGE.

<b>BOX ID:</b> R04_AMR10
New cohort adult respondents not currently on active duty, go to R04_AM0075_RS. Else, go to Box R04_AMR15.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0075_RS</b>
En algún momento durante el 2014, ¿vivió usted en Estados Unidos, es decir en alguno de los 50 estados o en el distrito de Columbia?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents not currently on active duty.

<b>BOX ID:</b> <b>R04_AMR15</b>
Adult respondents who already completed a parent interview, go to Box R04_ACT02. Else, go to Box R04_AMD03.

<b>BOX ID:</b> <b>R04_AMD03</b>
Display questions R04_AM0066 through R04_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R04_AM0066 is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AM0066</b>
¿Qué tan bien... habla usted inglés?
1   Muy bien
2   Bien
3   No muy bien
4   Nada en absoluto
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0070</b>
lee usted en inglés?
1   Muy bien
2   Bien
3   No muy bien
4   Nada en absoluto
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0073</b>
escribe usted en inglés?
1   Muy bien
2   Bien
3   No muy bien
4   Nada en absoluto
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0071</b>
¿Habla en su casa un idioma diferente al inglés?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0072</b>
¿Qué otros idiomas habla en casa? Escoja todas las opciones que correspondan.
1   Español
2   Chino
3   Tagalo
4   Vietnamita
5   Francés
6   Coreano
7   Alemán
8   Árabe
9   Ruso
10   Otro idioma (ESPECIFIQUE)
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview and speak another language at home.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

## TOBACCO USE

**BOX ID: R04\_ACT02**

Las siguientes preguntas son acerca de su experiencia con **cigarrillos**.

**BOX ID: R04\_ACR50**

If new cohort adult respondent, go to R04\_AC1002\_RS.  
Else, go to R04\_AC1004.

**PATH ID: R04\_AC1002\_RS**

¿Alguna vez ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_ACV04 |
| -8 | DON'T KNOW | GO TO BOX R04_ACV04 |
| -7 | REFUSED    | GO TO BOX R04_ACV04 |

ASK: New cohort adult respondents.

**PATH ID: R04\_AC1004**

En los últimos 30 días, ¿ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         | GO TO BOX R04_ACR14 |
| 2  | No         |                     |
| -8 | DON'T KNOW |                     |
| -7 | REFUSED    |                     |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarette.

**PATH ID: R04\_AC1002\_12M**

En los últimos 12 meses, ¿ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?

- |    |            |  |
|----|------------|--|
| 1  | Sí         |  |
| 2  | No         |  |
| -8 | DON'T KNOW |  |
| -7 | REFUSED    |  |

ASK: Adult respondents who have not smoked a cigarette in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarette).

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR14**

Adult respondents who have never smoked cigarettes in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were experimental former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AC1010.

Else, adult respondents who did not smoke in the past 12 months, go to R04\_AC1009.

Else, go to R04\_AC1003.

**PATH ID: R04\_AC1003**

¿Actualmente fuma cigarrillos...?

1	Todos los días	GO TO BOX R04_ACV04
2	Algunos días	GO TO BOX R04_ACV04
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_ACV04
-7	REFUSED	GO TO BOX R04_ACV04

ASK: Adult respondents who have smoked a cigarette in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a cigarette.

**PATH ID: R04\_AC1009**

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un cigarrillo? (Si fue más temprano hoy, anote un día.)

1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AC1010
-7	REFUSED	GO TO R04_AC1010

ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current cigarette smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months.



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC1009_LC1
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó un cigarrillo.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1009
2 NEXT GO TO R04_AC1010
ASK: IF R04_AC1009_NN = 0.
DISPLAY: IF R04_AC1009_UN = 1, DISPLAY "días",
IF R04_AC1009_UN = 2, DISPLAY "meses",
IF R04_AC1009_UN = 3, DISPLAY "años".

<b>PATH ID:</b> R04_AC1009_LC2
La computadora registró que han pasado [R04_AC1009_NN] años desde la última vez que fumó un cigarrillo. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1009
2 NEXT GO TO R04_AC1010
ASK: IF (R04_AC1009_NN > R04_ACHIEVEDAGE) AND R04_AC1009_UN = 3.

<b>PATH ID:</b> R04_AC1010
¿Ha dejado de fumar cigarrillos por completo?
1 Sí
2 No
3 En toda mi vida nunca he fumado un cigarrillo, ni siquiera una o dos probaditas
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke cigarettes not at all; and adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_CIG_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ACV04</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_CIGS = 1 (Ever user)</b> Adult respondents who have ever smoked a cigarette and did not recant prior use.
<b>R04_EVER_NEVER_CIGS = 2 (Never user)</b> Adult respondents who have not ever smoked a cigarette.
<b>R04_INIT_CIGS_ADULT = 1 (Initiator)</b> Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette.

<b>BOX ID:</b> <b>R04_ACR10</b>
Young adult respondents who have never smoked a cigarette, go to R04_AC1103.
Else, young adult respondents who have not smoked a cigarette in the past 12 months, go to R04_AC1206.
Else, go to Box R04_ACR17.

<b>PATH ID:</b> <b>R04_AC1103</b>
Alguna vez, ¿ha sentido curiosidad por fumar un cigarrillo?
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have never smoked a cigarette.

<b>PATH ID:</b> <b>R04_AC1206</b>
¿Cree que fumará un cigarrillo el próximo año?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have never smoked a cigarette or have not reported smoking a cigarette in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR17**

Adult respondents who have never smoked a cigarette, go to R04\_AC1104.  
Else, go to Box R04\_ACR48.

**PATH ID: R04\_AC1104**

¿Cree que probará un cigarrillo pronto?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette.

**BOX ID: R04\_ACR48**

Young adult respondents who have never smoked a cigarette, go to R04\_AC1205.  
Else, go to Box R04\_AVT01.

**PATH ID: R04\_AC1205**

¿Si uno de sus mejores amigos le ofreciera un cigarrillo, lo fumaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVT01**

Las siguientes preguntas son acerca de **productos electrónicos con nicotina**, tales como cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.

Estos productos funcionan con batería y producen vapor o aerosol en vez de humo. Algunos productos electrónicos con nicotina se pueden comprar como productos desechables que se usan una sola vez, mientras que otros se compran como productos reusables que vienen con cartuchos o un sistema de tanque. Normalmente usan un líquido con nicotina llamado "líquido electrónico", aunque la cantidad de nicotina puede variar y es posible que algunos no contengan nada de nicotina.

Algunas marcas conocidas son Vuse, Blu, Logic, MarkTen, NJOY, eGo y iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

**BOX ID: R04\_AVR49**

New cohort adult respondents, go to R04\_AV1001\_RS.

Else, go to R04\_AV1004.

**PATH ID: R04\_AV1001\_RS**

¿Alguna vez había visto u oído hablar de un cigarrillo electrónico o producto electrónico con nicotina antes de este estudio?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

ASK: New cohort adult respondents.

**PATH ID: R04\_AV1002\_RS**

¿Alguna vez ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

ASK: New cohort adult respondents who have heard of e-products.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1004
En los últimos 30 días, ¿ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)
[SHOW GENERIC IMAGE OF E-PRODUCTS]
1 Sí <span style="float: right;">GO TO BOX R04_AVR04</span>
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used an e-product.

<b>PATH ID:</b> R04_AV1002_12M
En los últimos 12 meses, ¿ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)
[SHOW GENERIC IMAGE OF E-PRODUCTS]
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have not used an e-product in the past 30 days (excluding new cohort adult respondents who have not ever used an e-product).

<b>BOX ID:</b> R04_AVR04
Adult respondents who have never used e-products in all previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04_AVV02.
Else, adult respondents who were experimental former e-product users in the previous wave and did not use e-products in the past 12 months, go to Box R04_AVV02.
Else, adult respondents who were former e-product users in the previous wave and did not use e-products in the past 12 months, go to R04_AV1010.
Else, adult respondents who did not use e-products in the past 12 months, go to R04_AV1009.
Else, go to R04_AV1003.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1003</b>		
¿Actualmente fuma productos electrónicos con nicotina...?		
1	Todos los días	GO TO BOX R04_AVV02
2	Algunos días	GO TO BOX R04_AVV02
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AVV02
-7	REFUSED	GO TO BOX R04_AVV02
ASK: Adult respondents who have used an e-product in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used an e-product.		

<b>PATH ID: R04_AV1009</b>		
¿Aproximadamente cuánto tiempo hace desde que tomó su última probadita de un producto electrónico con nicotina? (Si fue más temprano hoy, anote un día).		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AV1010
-7	REFUSED	GO TO R04_AV1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current e-product users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used an e-product, but did not use in the past 12 months.		

<b>PATH ID: R04_AV1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que le dio una probadita a un producto electrónico con nicotina.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AV1009
2	NEXT	GO TO R04_AV1010
ASK: IF R04_AV1009_NN = 0. DISPLAY: IF R04_AV1009_UN = 1, DISPLAY "días", IF R04_AV1009_UN = 2, DISPLAY "meses", IF R04_AV1009_UN = 3, DISPLAY "años".		

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1009_LC2
La computadora registró que han pasado [R04_AV1009_NN] años desde la última vez que le dio una probadita a un producto electrónico con nicotina. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AV1009
2 NEXT GO TO R04_AV1010
ASK: IF (R04_AV1009_NN > R04_ACHIEVEDAGE) AND R04_AV1009_UN = 3.

<b>PATH ID:</b> R04_AV1010
¿Ha dejado de fumar productos electrónicos con nicotina por completo?
1 Sí
2 No
3 En toda mi vida nunca he fumado un producto electrónico con nicotina, ni siquiera una o dos veces
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use e-products not at all; and adult respondents who have ever used an e-product, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_EPROD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> R04_AW02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_EPRODS = 1 (Ever user)</b> Adult respondents who have ever used any electronic nicotine products and did not recant prior use.
<b>R04_EVER_NEVER_EPRODS = 2 (Never user)</b> Adult respondents who have not ever used any electronic nicotine products.
<b>R04_INIT_EPRODS_ADULT = 1 (Initiator)</b> Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product.

<b>BOX ID:</b> R04_AVR18
New cohort adult respondents who did not say they have heard of an e-product, go to Box R04_AGR52.
Else, young adult respondents who have heard of but never used an e-product, go to R04_AV1103.
Else, young adult respondents who have heard of but not used e-products in the past 12 months, go to R04_AV1206.
Else, go to Box R04_AVR16.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1103**

¿Ha sentido curiosidad alguna vez por fumar un producto electrónico con nicotina? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**PATH ID: R04\_AV1206**

¿Cree que fumará un producto electrónico con nicotina en el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product or have not reported using an e-product in the past 12 months.

**BOX ID: R04\_AVR16**

Adult respondents who have heard of but never used e-products, go to R04\_AV1104.  
Else, go to Box R04\_AVR48.

**PATH ID: R04\_AV1104**

¿Cree que probará un producto electrónico con nicotina pronto?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used an e-product.



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR48**

Young adult respondents who have heard of but never used e-products, go to R04\_AV1105.  
Else, go to Box R04\_AGR52.

**PATH ID: R04\_AV1105**

¿Si uno de sus mejores amigos le ofreciera un producto electrónico con nicotina, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**BOX ID: R04\_AGR52**

New cohort adult respondents, go to Box R04\_AGT06.  
Else, go to R04\_AGT01.

**BOX ID: R04\_AGT06**

Las siguientes preguntas son acerca de **puros tradicionales** o "grandes", **puritos** y **puros con filtro**. Ya que a estos productos se les conocen por distintos nombres, use las siguientes descripciones y fotos para identificarlos.

Los **puros tradicionales** o "grandes" contienen tabaco envuelto en una hoja de tabaco. Algunas marcas conocidas de puros son Macanudo, Romeo y Julieta, Arturo Fuente y Cohiba, pero hay muchas más.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**BOX ID: R04\_AGT05**

Los **puritos** y los **puros con filtro** son más pequeños que los puros tradicionales. Normalmente son de color café. Algunos son del mismo tamaño que los cigarrillos y otros vienen con boquillas o filtros. Algunas marcas conocidas son Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts y Winchester.

[SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS]

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1001_RS	
¿Alguna vez había visto u oído hablar de un puro, un purito o un puro con filtro antes de este estudio?	
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]	
1 Sí	
2 No	GO TO BOX R04_AGR53
-8 DON'T KNOW	GO TO BOX R04_AGR53
-7 REFUSED	GO TO BOX R04_AGR53
ASK: New cohort adult respondents.	

<b>BOX ID:</b> R04_AGD04
For R04_AG9002_RS, display as a stem and leaf question. For each leaf, display a sí/no response.

<b>PATH ID:</b> R04_AG9002_RS	
Antes de este estudio, ¿de qué tipo de puro había oído hablar?	
1 Puros tradicionales o "grandes" como Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba u otros	
2 Puritos o puros con filtro como Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne u otros	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New cohort adult respondents who have heard of cigars.	

<b>BOX ID:</b> R04_AGR57
New cohort adult respondents who have heard of traditional cigars, go to R04_AG9003_RS. Else, new cohort adult respondents who have heard of cigarillos or filtered cigars, go to R04_AG9004_RS. Else, new cohort adult respondents who have heard of cigars, but did not know or refused to report which types of cigar they have heard of, go to R04_AG9003_RS. Else, go to Box R04_AGR56.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9003_RS</b>
¿Alguna vez ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have heard of a traditional cigar, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of.

<b>BOX ID:</b> <b>R04_AGR56</b>
New cohort adult respondents who have heard of cigarillos or filtered cigars, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of, go to R04_AG9004_RS. Else, go to Box R04_AGR54.

<b>PATH ID:</b> <b>R04_AG9004_RS</b>
¿Alguna vez ha fumado un purito o puro con filtro, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR54
GO TO BOX R04_AGR54
GO TO BOX R04_AGR54
ASK: New cohort adult respondents who have heard of a cigarillo or filtered cigar, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of.

<b>PATH ID:</b> <b>R04_AG9009_RS</b>
¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado alguna vez? Escoja todas las opciones que correspondan.
Los que ...
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]
1    tienen una boquilla de plástico o madera
2    tienen un filtro (como un filtro de cigarrillo)
3    no tienen una boquilla ni un filtro
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR54**

New cohort adult respondents who have ever smoked a traditional cigar, go to R04\_AG9030.  
Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04\_AG9031.  
Else, go to Box R04\_AGR53.

**BOX ID: R04\_AGT01**

Las siguientes preguntas son acerca de **puros tradicionales** o "grandes", **puritos** y **puros con filtro**. Ya que a estos productos se les conocen por distintos nombres, use las siguientes descripciones y fotos para identificarlos.

Los **puros tradicionales** o "grandes" contienen tabaco envuelto en una hoja de tabaco. Algunas marcas conocidas de puros son Macanudo, Romeo y Julieta, Arturo Fuente y Cohiba, pero hay muchas más.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG9030
En los últimos 30 días, ¿ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1 Sí <span style="float: right;">GO TO BOX R04_AGR55</span>
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a traditional cigar.

<b>PATH ID:</b> R04_AG9003_12M
En los últimos 12 meses, ¿ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have not smoked a traditional cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a traditional cigar).

<b>BOX ID:</b> R04_AGR55
Continuing and aged-up adult respondents, go to Box R04_AGT02. Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04_AG9031. Else, go to Box R04_AGR53.

<b>BOX ID:</b> R04_AGT02
Los <b>puritos</b> y los <b>puros con filtro</b> son más pequeños que los puros tradicionales. Normalmente son de color café. Algunos son del mismo tamaño que los cigarrillos y otros vienen con filtros o con boquillas de plástico o madera. Algunas marcas conocidas son Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag y Cheyenne.
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9031**

En los últimos 30 días, ¿ha fumado un purito o un puro con filtro, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- |    |            |                      |
|----|------------|----------------------|
| 1  | Sí         |                      |
| 2  | No         | GO TO R04_AG9004_12M |
| -8 | DON'T KNOW | GO TO R04_AG9004_12M |
| -7 | REFUSED    | GO TO R04_AG9004_12M |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

**PATH ID: R04\_AG9049**

¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

Los que ...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- |    |   |
|----|---|
| 1  | tienen una boquilla de plástico o madera        |
| 2  | tienen un filtro (como un filtro de cigarrillo) |
| 3  | no tienen una boquilla ni un filtro             |
| -8 | DON'T KNOW                                      |
| -7 | REFUSED   |

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days.

**BOX ID: R04\_AGR18**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip, go to R04\_AG9051.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04\_AG9052.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9051</b>
En los últimos 12 meses, ¿ha fumado de los que tienen una boquilla de plástico o de madera, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip.

<b>BOX ID:</b> <b>R04_AGR19</b>
Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04_AG9052.
Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter., go to R04_AG9053.
Else, go to Box R04_AGR53.

<b>PATH ID:</b> <b>R04_AG9052</b>
En los últimos 12 meses, ¿ha fumado de los que tienen filtro (como el filtro de un cigarillo), incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF FILTERED CIGARS]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter.

<b>BOX ID:</b> <b>R04_AGR20</b>
Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04_AG9053.
Else, go to Box R04_AGR53.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9053**

En los últimos 12 meses, ¿ha fumado de los que no tienen filtro, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         | GO TO BOX R04_AGR53 |
| 2  | No         | GO TO BOX R04_AGR53 |
| -8 | DON'T KNOW | GO TO BOX R04_AGR53 |
| -7 | REFUSED    | GO TO BOX R04_AGR53 |

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter.

**PATH ID: R04\_AG9004\_12M**

En los últimos 12 meses, ¿ha fumado un purito o un puro con filtro, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AGR53 |
| -8 | DON'T KNOW | GO TO BOX R04_AGR53 |
| -7 | REFUSED    | GO TO BOX R04_AGR53 |

ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarillo or filtered cigar).

**PATH ID: R04\_AG9009\_12M**

¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado en los últimos 12 meses? Escoja todas las opciones que correspondan.

Los que ...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- 1 tienen una boquilla de plástico o madera
  - 2 tienen un filtro (como un filtro de cigarrillo)
  - 3 no tienen una boquilla ni un filtro
- 8 DON'T KNOW  
-7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 12 months, but not in the past 30 days.



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR53**

New cohort adult respondents who did not say they had heard of cigars, go to Box R04\_APT01.  
Else, new cohort adult respondents who have heard of cigars, go to R04\_AG9105\_RS.  
Else, go to R04\_AG9107.

**PATH ID: R04\_AG9105\_RS**

A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt".

Alguna vez, ¿ha fumado parte o todo un puro tradicional, purito o puro con filtro de marihuana?  
(Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AGV01 |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: New cohort adult respondents who have heard of cigars.

DISPLAY: Underline "Alguna vez".

**PATH ID: R04\_AG9107**

[A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt".

]En los últimos 12 meses, ¿ha fumado parte o todo un puro tradicional, purito o puro con filtro con marihuana? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AGV01 |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a blunt.

DISPLAY: IF R04\_ADULTTYPE = 1, 2, DISPLAY "A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1095**

¿Cuál de los siguientes se parecen al tipo de puro que normalmente fuma como si fuera un "toque o blunt"? Escoja todas las opciones que correspondan.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

- 1 Grupo 1
- 2 Grupo 2
- 3 Grupo 3
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AGV01

GO TO BOX R04\_AGV01

ASK: Adult respondents who have smoked a blunt in the past 12 months.

**PATH ID: R04\_AG9106**

Ahora piense en los últimos 12 meses cuando fumó el tipo de puro que se muestra a continuación.

En los últimos 12 meses, ¿con qué frecuencia reemplazó el tabaco por marihuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Siempre
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past 12 months. (This question is repeated for each cigar type identified in R04\_AG1095.)

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AGV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_12MBLUNT_ONLY_BTRAD</b> = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. <b>R04_12MBLUNT_ONLY_BRILLO</b> = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. <b>R04_12MBLUNT_ONLY_BFILTR</b> = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months. <b>R04_INIT_BLUNT_BTRAD_ADULT</b> = Adult respondents who initiated smoking traditional cigars as blunts between Waves or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months. <b>R04_INIT_BLUNT_BRILLO_ADULT</b> = Adult respondents who initiated smoking cigarillos as blunts between Waves or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months. <b>R04_INIT_BLUNT_BFILTR_ADULT</b> = Adult respondents who initiated smoking filtered cigars as blunts between Waves or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months.

<b>BOX ID:</b> R04_AGD02
PROGRAM: CREATE [CIGARFILL]  If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "puro tradicional". If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "purito". If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "puro con filtro".

<b>BOX ID:</b> R04_AGR09
PROGRAM: CREATE CIGARLOOP1 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:  <b>For Cigars (non-blunt):</b> Repeat Box R04_AGR05 through Box R04_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. (This excludes any type of cigar the respondent has smoked as a blunt every time in the past 12 months.)  <b>For Cigars as Blunt-Only:</b> Blunt-only cigar smokers will be asked Box R04_AGR05 through Box R04_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AGT04</b>
DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.
 Las siguientes preguntas son acerca de [CIGARFILL]s, como los que se muestran a continuación.
 Cuando conteste estas preguntas, por favor piense ÚNICAMENTE en su consumo de [CIGARFILL]s[ cuando los fumó como si fueran " <u>toques o blunts</u> ".
 [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:] Más adelante habrá otra sección acerca de otras clases de puros.
 [SHOW GENERIC IMAGE OF CIGARFILL].

<b>BOX ID:</b> <b>R04_AGR05</b>
Adult respondents who never smoked any cigar type and has not smoked blunts in the past 12 months, go to Box R04_APT01.
 Else, adult respondents who were experimental former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to Box R04_AGR06.
Else, adult respondents who were former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04_AG1010[TC/CG/FC].
Else, adult respondents who did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04_AG1009[TC/CG/FC].
Else, adult respondents who smoked a (non-blunt) traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R04_AG1003[TC/CG/FC]
 Else, adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months, go to R04_AG1003[TJ/GJ/FJ].
 Else, go to Box R04_APT01.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1003</b>		
¿Actualmente fuma [[CIGARFILL]s/ como si fueran "toques o blunts"]...		
1	Todos los días	GO TO BOX R04_AGR06
2	Algunos días	GO TO BOX R04_AGR06
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AGR06
-7	REFUSED	GO TO BOX R04_AGR06
<p>ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a traditional cigar/cigarillo/filtered cigar; and adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months.</p> <p>DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fueran "toques o blunts"". ELSE, DO NOT DISPLAY THIS TEXT.</p>		

<b>PATH ID: R04_AG1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un [[CIGARFILL]/ como si fuera un "toque" o "blunt"]? (Si fue más temprano hoy, anote un día.)		
1	__ __  DÍAS	
2	__ __  MESES	
3	__ __  AÑOS	
-8	DON'T KNOW	GO TO BOX R04_AGR32
-7	REFUSED	GO TO BOX R04_AGR32
<p>ASK: Adult respondents who smoked traditional cigars/cigarillos/filtered cigars or blunts in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current traditional cigar/cigarillo/filtered cigar smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months.</p> <p>DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.</p>		

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009TC\_LC1**

La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puros tradicionales [como si fuera un "toque o blunt"].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1009TC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009TC\_NN = 0.

DISPLAY: IF R04\_AG1009TC\_UN = 1, DISPLAY "días".

IF R04\_AG1009TC\_UN = 2, DISPLAY "meses".

IF R04\_AG1009TC\_UN = 3, DISPLAY "años".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009TC\_LC2**

La computadora registró que han pasado [R04\_AG1009TC\_NN] años desde la última vez que fumó puros tradicionales [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1009TC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF (R04\_AG1009TC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009TC\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009CG\_LC1**

La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puritos [como si fuera un "toque o blunt"].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009CG  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF R04\_AG1009CG\_NN = 0.

DISPLAY: IF R04\_AG1009CG\_UN = 1, DISPLAY "días".

IF R04\_AG1009CG\_UN = 2, DISPLAY "meses".

IF R04\_AG1009CG\_UN = 3, DISPLAY "años".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009CG\_LC2**

La computadora registró que han pasado [R04\_AG1009CG\_NN] años desde la última vez que fumó puritos [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009CG  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF (R04\_AG1009CG\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009CG\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009FC\_LC1**

La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puros con filtro [como si fuera un "toque o blunt"].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009FC  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF R04\_AG1009FC\_NN = 0.

DISPLAY: IF R04\_AG1009FC\_UN = 1, DISPLAY "días".

IF R04\_AG1009FC\_UN = 2, DISPLAY "meses".

IF R04\_AG1009FC\_UN = 3, DISPLAY "años".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009FC\_LC2**

La computadora registró que han pasado [R04\_AG1009FC\_NN] años desde la última vez que fumó puros con filtro [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |        |                     |
|--------|---------------------|
| 1 BACK | GO TO R04_AG1009FC  |
| 2 NEXT | GO TO BOX R04_AGR32 |

ASK: IF (R04\_AG1009FC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009FC\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AGR32**

If adult respondent is answering loop series about blunt use, go to Box R04\_AGR06.

Else, go to R04\_AG1010[TC/CG/FC].

**PATH ID: R04\_AG1010**

¿Ha dejado de fumar [CIGARFILL]s por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he fumado un [CIGARFILL], ni siquiera una o dos probaditas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoked traditional cigar/cigarillos/filtered cigars in the past 12 months, but currently smoke not at all; and adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).

DISPLAY: FOR R04\_AG1010TC: DISPLAY OPTION 3 IF R03\_GTRAD\_USER\_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

FOR R04\_AG1010CG: DISPLAY OPTION 3 IF R03\_GRILLO\_USER\_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

FOR R04\_AG1010FC: DISPLAY OPTION 3 IF R03\_GFILTR\_USER\_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AGR06
If LOOP = GTRAD and respondent has ever smoked cigarillos or filtered cigars, or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = GRILLO and respondent has ever smoked filtered cigars or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = GFILTR and respondent smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = BTRAD and respondent smoked cigarillos as blunts or filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = BRILLO and respondent smoked filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.  Else, if all loops complete, go to Box R04_AGV04.

<b>BOX ID:</b> R04_AGV04
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_EVER_NEVER_GTRAD = 1 (Ever user)</b> Adult respondents who have ever smoked a traditional cigar and did not recant prior use. <b>R04_EVER_NEVER_GTRAD = 2 (Never user)</b> Adult respondents who have not ever smoked a traditional cigar. <b>R04_EVER_NEVER_GRILLO = 1 (Ever user)</b> Adult respondents who have ever smoked a cigarillo and did not recant prior use. <b>R04_EVER_NEVER_GRILLO = 2 (Never user)</b> Adult respondents who have not ever smoked a cigarillo. <b>R04_EVER_NEVER_GFILTR = 1 (Ever user)</b> Adult respondents who have ever smoked a filtered cigar and did not recant prior use. <b>R04_EVER_NEVER_GFILTR = 2 (Never user)</b> Adult respondents who have not ever smoked a filtered cigar.  <b>R04_INIT_GTRAD_ADULT = 1 (Initiator)</b> Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar. <b>R04_INIT_GRILLO_ADULT = 1 (Initiator)</b> Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo. <b>R04_INIT_GFILTR_ADULT = 1 (Initiator)</b> Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who have ever smoked a filtered cigar.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_APT01</b>
Las siguientes preguntas son acerca de fumar tabaco en <b>pipa</b> .
Hay muchas clases diferentes de pipas. Todas tienen una cánula y una cazoleta donde se pone el tabaco. La foto a continuación es de una pipa tradicional.
[SHOW GENERIC IMAGE OF PIPE]

<b>BOX ID:</b> <b>R04_APR33</b>
New cohort adult respondents, go to R04_AP1001_RS.
Else, go to R04_AP1004.

<b>PATH ID:</b> <b>R04_AP1001_RS</b>
¿Alguna vez había visto u oído hablar de una pipa antes de este estudio?
[SHOW GENERIC IMAGE OF PIPES]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_APV02
GO TO BOX R04_APV02
GO TO BOX R04_APV02
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AP1002_RS</b>
¿Alguna vez ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF PIPES]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_APV02
GO TO BOX R04_APV02
GO TO BOX R04_APV02
ASK: New cohort adult respondents who have heard of pipes.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1004</b>
En los últimos 30 días, ¿ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF PIPE]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_APR05
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a pipe.

<b>PATH ID:</b> <b>R04_AP1002_12M</b>
En los últimos 12 meses, ¿ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF PIPE]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not smoked a pipe in the past 30 days (excluding new cohort adult respondents who have not ever smoked a pipe).

<b>BOX ID:</b> <b>R04_APR05</b>
Adult respondents who have never smoked a pipe in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04_APV02.
Else, adult respondents who were experimental former pipe smokers in the previous wave and did not smoke in the past 12 months, go to Box R04_APV02.
Else, adult respondents who were former pipe smokers in the previous wave and did not smoke in the past 12 months, go to R04_AP1010.
Else, adult respondents who have not smoked in the past 12 months, go to R04_AP1009.
Else, go to R04_AP1003.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1003</b>		
¿Actualmente fuma una pipa con tabaco...?		
1	Todos los días	GO TO BOX R04_APV02
2	Algunos días	GO TO BOX R04_APV02
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_APV02
-7	REFUSED	GO TO BOX R04_APV02
ASK: Adult respondents who have smoked a pipe in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a pipe.		

<b>PATH ID: R04_AP1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó una pipa con tabaco? (Si fue más temprano hoy, anote un día).		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AP1010
-7	REFUSED	GO TO R04_AP1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current pipe smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months.		

<b>PATH ID: R04_AP1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó una pipa.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AP1009
2	NEXT	GO TO R04_AP1010
ASK: IF R04_AP1009_NN = 0.		
DISPLAY: IF R04_AP1009_UN = 1, DISPLAY "días",		
IF R04_AP1009_UN = 2, DISPLAY "meses",		
IF R04_AP1009_UN = 3, DISPLAY "años".		

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AP1009_LC2
La computadora registró que han pasado [R04_AP1009_NN] años desde la última vez que fumó una pipa. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AP1009</span>
2 NEXT <span style="float: right;">GO TO R04_AP1010</span>
ASK: IF (R04_AP1009_NN > R04_ACHIEVEDAGE) AND R04_AP1009_UN = 3.

<b>PATH ID:</b> R04_AP1010
¿Ha dejado de fumar pipas con tabaco por completo?
1 Sí
2 No
3 En toda mi vida nunca he fumado una pipa con tabaco, ni siquiera una o dos probaditas
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke pipes not at all; and adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_PIPE_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> R04_APV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_PIPE = 1 (Ever user)</b> Adult respondents who have ever smoked a pipe and did not recant prior use.
<b>R04_EVER_NEVER_PIPE = 2 (Never user)</b> Adult respondents who have not ever smoked a pipe.
<b>R04_INIT_PIPE_ADULT = 1 (Initiator)</b> Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have ever smoked a pipe.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHT01**

Las siguientes preguntas son acerca de fumar tabaco en una **hookah**, que es un tipo de pipa de agua. También se conoce como narguile. De ahora en adelante usaremos la palabra "hookah" para referirnos a la pipa de agua o narguile.

Hay muchos tipos de hookahs. La gente normalmente fuma hookahs en grupo en bares o cafés de hookahs. La foto a continuación es de una hookah tradicional.

[SHOW GENERIC IMAGE OF HOOKAH]

**BOX ID: R04\_AHR49**

If new cohort adult respondent, go to R04\_AH1001\_RS.  
Else, go to R04\_AH1004.

**PATH ID: R04\_AH1001\_RS**

¿Alguna vez había visto u oído hablar de una hookah antes de este estudio?

[SHOW GENERIC IMAGE OF HOOKAH]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AHV02 |
| -8 | DON'T KNOW | GO TO BOX R04_AHV02 |
| -7 | REFUSED    | GO TO BOX R04_AHV02 |

ASK: New cohort adult respondents.

**PATH ID: R04\_AH1002\_RS**

¿Alguna vez ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF HOOKAH]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AHV02 |
| -8 | DON'T KNOW | GO TO BOX R04_AHV02 |
| -7 | REFUSED    | GO TO BOX R04_AHV02 |

ASK: New cohort adult respondents who have heard of a hookah.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1004</b>
En los últimos 30 días, ¿ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF HOOKAH]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AHR06
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked hookah.

<b>PATH ID:</b> <b>R04_AH1002_12M</b>
En los últimos 12 meses, ¿ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF HOOKAH]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not smoked hookah in the past 30 days (excluding new cohort adult respondents who have not ever smoked hookah).

<b>BOX ID:</b> <b>R04_AHR06</b>
Adult respondents who have never smoked hookah in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04_AHV02.
Else, adult respondents who were experimental former hookah smokers in the previous wave and did not smoke in the past 12 months, go to Box R04_AHV02.
Else, adult respondents who were former hookah smokers in the previous wave and did not smoke in the past 12 months, go to R04_AH1010.
Else, adult respondents who have not smoked in the past 12 months, go to R04_AH1009.
Else, go to R04_AH1003.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH1003</b>		
¿Actualmente fuma tabaco en una hookah...?		
1	Todos los días	GO TO BOX R04_AHV02
2	Algunos días	GO TO BOX R04_AHV02
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AHV02
-7	REFUSED	GO TO BOX R04_AHV02
ASK: Adult respondents who have smoked hookah in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked hookah.		

<b>PATH ID: R04_AH1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó tabaco en una hookah? (Si fue más temprano hoy, anote un día)		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AH1010
-7	REFUSED	GO TO R04_AH1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current hookah smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked hookah, but did not smoke in the past 12 months.		

<b>PATH ID: R04_AH1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó tabaco en una hookah.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AH1009
2	NEXT	GO TO R04_AH1010
ASK: IF R04_AH1009_NN = 0. DISPLAY: IF R04_AH1009_UN = 1, DISPLAY "días", IF R04_AH1009_UN = 2, DISPLAY "meses", IF R04_AH1009_UN = 3, DISPLAY "años".		



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1009_LC2</b>
<p>La computadora registró que han pasado [R04_AH1009_NN] años desde la última vez que fumó tabaco en una hookah. Son más años de los que usted tiene actualmente.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <p style="text-align: center;"> <span style="margin-right: 150px;">1    BACK</span> <span>GO TO R04_AH1009</span>  <span>2    NEXT</span> <span>GO TO R04_AH1010</span> </p> <p>ASK: IF (R04_AH1009_NN &gt; R04_ACHIEVEDAGE) AND R04_AH1009_UN = 3.</p>

<b>PATH ID:</b> <b>R04_AH1010</b>
<p>¿Ha dejado de fumar tabaco en una hookah por completo?</p> <p style="text-align: center;"> 1    Sí  2    No  3    En toda mi vida nunca he fumado una hookah, ni siquiera una o dos probaditas  -8   DON'T KNOW  -7   REFUSED </p> <p>ASK: Adult respondents who smoked in the past 12 months, but currently smoke hookah not at all; and adult respondents who have ever smoked hookah, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).</p> <p>DISPLAY: DISPLAY OPTION 3 IF R03_HOOK_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.</p>

<b>BOX ID:</b> <b>R04_AHV02</b>
<p>PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):</p> <p><b>R04_EVER_NEVER_HOOK = 1 (Ever user)</b> Adult respondents who have ever smoked a hookah and did not recant prior use.</p> <p><b>R04_EVER_NEVER_HOOK = 2 (Never user)</b> Adult respondents who have not ever smoked hookah.</p> <p><b>R04_INIT_HOOK_ADULT = 1 (Initiator)</b> Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah.</p>

<b>BOX ID:</b> <b>R04_AHR03</b>
<p>New cohort adult respondents who did not say they had heard of a hookah, go to Box R04_AST01.</p> <p>Else, young adult respondents who have heard of but never smoked hookah, go to R04_AH1103.</p> <p>Else, young adults who have heard of but not smoked hookah in the past 12 months, go to R04_AH1206.</p> <p>Else, go to Box R04_AHR08.</p>

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1103</b>
Alguna vez, ¿ha sentido curiosidad por fumar tabaco en una hookah?
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah.

<b>PATH ID:</b> <b>R04_AH1206</b>
¿Cree que fumará tabaco en una hookah el próximo año?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah or have not reported smoking hookah in the past 12 months.

<b>BOX ID:</b> <b>R04_AHR08</b>
Adult respondents who have heard of but never smoked hookah, go to R04_AH1104. Else, go to Box R04_AHR48.

<b>PATH ID:</b> <b>R04_AH1104</b>
¿Cree que probará fumar tabaco en una hookah pronto?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have heard of but never smoked hookah.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR48**

Young adult respondents who have heard of but never smoked hookah, go to R04\_AH1205.  
Else, go to R04\_AH9031.

**PATH ID: R04\_AH1205**

¿Si uno de sus mejores amigos le ofreciera fumar en hookah, la probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH ID: R04\_AH9031**

¿Alguna vez ha fumado marihuana de una hookah? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**PATH ID: R04\_AH9040**

¿Alguna vez ha fumado shisha aromática o sin tabaco en una hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AST01**

El tabaco que no se fuma es tabaco que se pone en la boca. El tabaco que no se fuma puede venir suelto o empaçado en bolsitas que se ponen bajo el labio. Cuando se consume tabaco que no se fuma, la persona con frecuencia lo mastica, lo chupa o lo escupe, aunque con algunas clases de tabaco que no se fuma no es necesario hacer eso.

Hay muchas clases diferentes de tabaco que no se fuma que se conocen por distintos nombres, así que por favor use las descripciones y las fotos para entender qué tipo de producto es.

[SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO]

**BOX ID: R04\_AUT03**

El **snus** es una clase de tabaco que no se fuma. Por lo general, el snus viene en bolsitas pero también hay snus que se vende suelto. Normalmente, al consumir la mayoría de clases de tabaco que no se fuma, la persona lo escupe, pero con el snus no es necesario hacerlo. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus.

Piense en su consumo de **snus** cuando conteste estas preguntas. Más adelante habrá otra sección acerca de las otras clases de productos de tabaco que no se fuma (como el dip, el tabaco de mascar y las bolsitas de tabaco que no se fuma.)

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

**BOX ID: R04\_AUR49**

New cohort adult respondents, go to R04\_AU1001\_RS.  
Else, go to R04\_AU1004.

**PATH ID: R04\_AU1001\_RS**

¿Alguna vez había visto u oído hablar del snus antes de este estudio?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AUV03 |
| -8 | DON'T KNOW | GO TO BOX R04_AUV03 |
| -7 | REFUSED    | GO TO BOX R04_AUV03 |

ASK: New cohort adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1002_RS</b>
¿Alguna vez ha consumido snus, incluso si solo fue una o dos veces?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
ASK: New cohort adult respondents who have heard of snus.

<b>PATH ID:</b> <b>R04_AU1004</b>
En los últimos 30 días, ¿ha consumido snus, incluso si solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AUR22
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used snus.

<b>PATH ID:</b> <b>R04_AU1002_12M</b>
En los últimos 12 meses, ¿ha consumido snus, incluso si solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not used snus in the past 30 days (excluding new cohort adult respondents who have not ever used snus).

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR22**

Adult respondents who have never used snus in all previous waves and did not use snus in the past 12 months or did not know or refused to report whether they used snus in the past 12 months, go to Box R04\_AUV03.

Else, adult respondents who were experimental former snus users in the previous wave and did not use snus in the past 12 months, go to Box R04\_AUV03.

Else, adult respondents were former snus users in the previous wave and did not use snus in the past 12 months, go to R04\_AU1010.

Else, adult respondents who have not used snus in the past 12 months, go to R04\_AU1009.

Else, go to R04\_AU1003.

**PATH ID: R04\_AU1003**

¿Actualmente consume snus ...?

1	Todos los días	GO TO BOX R04_AUV03
2	Algunos días	GO TO BOX R04_AUV03
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AUV03
-7	REFUSED	GO TO BOX R04_AUV03

ASK: Adult respondents who have used snus in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used snus.

**PATH ID: R04\_AU1009**

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió snus? (Si fue más temprano hoy, anote un día.)

1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AU1010
-7	REFUSED	GO TO R04_AU1010

ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current snus users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used snus, but did not use in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU1009_LC1
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que consumió snus.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU1009
2 NEXT GO TO R04_AU1010
ASK: IF R04_AU1009_NN = 0.
DISPLAY: IF R04_AU1009_UN = 1, DISPLAY "días",
IF R04_AU1009_UN = 2, DISPLAY "meses",
IF R04_AU1009_UN = 3, DISPLAY "años".

<b>PATH ID:</b> R04_AU1009_LC2
La computadora registró que han pasado [R04_AU1009_NN] años desde la última vez que consumió snus. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU1009
2 NEXT GO TO R04_AU1010
ASK: IF (R04_AU1009_NN > R04_ACHIEVEDAGE) AND R04_AU1009_UN = 3.

<b>PATH ID:</b> R04_AU1010
¿Ha dejado de consumir snus por completo?
1 Sí
2 No
3 En toda mi vida nunca he consumido snus, ni siquiera una o dos veces
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use snus not at all; and adult respondents who have ever used snus, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_SNUS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AUV03</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_SNUS = 1 (Ever user)</b> Adult respondents who have ever used snus and did not recant prior use.
<b>R04_EVER_NEVER_SNUS = 2 (Never user)</b> Adult respondents who have not ever used snus.
<b>R04_INIT_SNUS_ADULT = 1 (Initiator)</b> Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR06</b>
New cohort adult respondents who did not say they have heard of snus, go to Box R04_AST03. Else, young adult respondents who have heard of but never used snus, go to R04_AU1103. Else, young adult respondents who heard of but never used snus or have not used snus in the past 12 months, go to R04_AU1206. Else, go to Box R04_AUR24.

<b>PATH ID:</b> <b>R04_AU1103</b>
Alguna vez, ¿ha sentido curiosidad por consumir snus?
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used snus.

<b>PATH ID:</b> <b>R04_AU1206</b>
¿Cree que consumirá snus el próximo año?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used snus or have not reported using snus in the past 12 months.



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR24**

Adult respondents who have heard of but never used snus, go to R04\_AU1104.  
Else, go to Box R04\_AUR48.

**PATH ID: R04\_AU1104**

¿Cree que probará snus pronto?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used snus.

**BOX ID: R04\_AUR48**

Young adult respondents who have heard of but never used snus, go to R04\_AU1205.  
Else, go to Box R04\_AST03.

**PATH ID: R04\_AU1205**

¿Si uno de sus mejores amigos le ofreciera snus, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used snus.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AST03**

Las siguientes preguntas son acerca del **tabaco que no se fuma**, sin incluir el snus.

El tabaco que no se fuma es una clase de tabaco que se pone en la boca y se mastica, se chupa o se escupe. Puede venir suelto o en bolsitas que se ponen en la boca. Hay muchas clases de tabaco que no se fuma, como por ejemplo el dip, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly, Redman y Levi Garrett.

Por favor **no** incluya el snus cuando conteste las siguientes preguntas.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR49**

New cohort adult respondents, go to R04\_AS1001\_RS.

Else, go to R04\_AS1004.

**PATH ID: R04\_AS1001\_RS**

¿Alguna vez había visto u oído hablar del tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar antes de este estudio?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_ASV03

GO TO BOX R04\_ASV03

GO TO BOX R04\_ASV03

ASK: New cohort adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1002_RS</b>
Alguna vez, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar, incluso si solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ASV03
GO TO BOX R04_ASV03
GO TO BOX R04_ASV03
ASK: New cohort adult respondents who have heard of smokeless tobacco.

<b>PATH ID:</b> <b>R04_AS1004</b>
En los últimos 30 días, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar, incluso solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ASR29
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used smokeless tobacco.

<b>PATH ID:</b> <b>R04_AS1002_12M</b>
En los últimos 12 meses, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar, incluso solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not used smokeless tobacco in the past 30 days (excluding new cohort adult respondents who have not ever used smokeless tobacco).

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ASR29</b>
<p>Adult respondents who have never used smokeless tobacco in previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04_ASV03.</p> <p>Else, adult respondents who were experimental former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to Box R04_ASV03.</p> <p>Else, adult respondents who were former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to R04_AS1010.</p> <p>Else, adult respondents who have not used smokeless tobacco in the past 12 months, go to R04_AS1009.</p> <p>Else, go to R04_AS1003.</p>

<b>PATH ID:</b> <b>R04_AS1003</b>										
<p>¿Actualmente consume tabaco que no se fuma...?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1    Todos los días</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_ASV03</td> </tr> <tr> <td style="padding-left: 40px;">2    Algunos días</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_ASV03</td> </tr> <tr> <td style="padding-left: 40px;">3    Nunca</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_ASV03</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_ASV03</td> </tr> </table> <p>ASK: Adult respondents who have used smokeless tobacco in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used smokeless tobacco.</p>	1    Todos los días	GO TO BOX R04_ASV03	2    Algunos días	GO TO BOX R04_ASV03	3    Nunca		-8   DON'T KNOW	GO TO BOX R04_ASV03	-7   REFUSED	GO TO BOX R04_ASV03
1    Todos los días	GO TO BOX R04_ASV03									
2    Algunos días	GO TO BOX R04_ASV03									
3    Nunca										
-8   DON'T KNOW	GO TO BOX R04_ASV03									
-7   REFUSED	GO TO BOX R04_ASV03									

<b>PATH ID:</b> <b>R04_AS1009</b>										
<p>¿Aproximadamente cuánto tiempo hace desde la última vez que consumió tabaco que no se fuma? (Si fue más temprano hoy, anote un día.)</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1     __ __  DÍAS</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">2     __ __  MESES</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">3     __ __  AÑOS</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AS1010</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AS1010</td> </tr> </table> <p>ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current smokeless tobacco users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months.</p>	1     __ __  DÍAS		2     __ __  MESES		3     __ __  AÑOS		-8   DON'T KNOW	GO TO R04_AS1010	-7   REFUSED	GO TO R04_AS1010
1     __ __  DÍAS										
2     __ __  MESES										
3     __ __  AÑOS										
-8   DON'T KNOW	GO TO R04_AS1010									
-7   REFUSED	GO TO R04_AS1010									

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AS1009_LC1
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que consumió tabaco que no se fuma.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AS1009
2 NEXT GO TO R04_AS1010
ASK: IF R04_AS1009_NN = 0.
DISPLAY: IF R04_AS1009_UN = 1, DISPLAY "días",
IF R04_AS1009_UN = 2, DISPLAY "meses",
IF R04_AS1009_UN = 3, DISPLAY "años".

<b>PATH ID:</b> R04_AS1009_LC2
La computadora registró que han pasado [R04_AS1009_NN] años desde la última vez que consumió tabaco que no se fuma. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AS1009
2 NEXT GO TO R04_AS1010
ASK: IF (R04_AS1009_NN > R04_ACHIEVEDAGE) AND R04_AS1009_UN = 3.

<b>PATH ID:</b> R04_AS1010
¿Ha dejado de consumir tabaco que no se fuma por completo?
1 Sí
2 No
3 En toda mi vida nunca he consumido tabaco que no se fuma, ni siquiera una o dos veces
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use smokeless tobacco not at all; and adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_SMKLS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASV03**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_SMKLS = 1 (Ever user)** Adult respondents who have ever used smokeless tobacco and did not recant prior use.

**R04\_EVER\_NEVER\_SMKLS = 2 (Never user)** Adult respondents who have not ever used smokeless tobacco.

**R04\_INIT\_USER\_SMKLS = 1 (Initiator)** Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR06**

New cohort adult respondents who did not say they have heard of smokeless tobacco, go to Box R04\_ADT01.

Else, young adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1103.

Else, young adult respondents who have heard of but not used smokeless tobacco in the past 12 months, go to R04\_AS1206.

Else, go to Box R04\_ASR24.

**PATH ID: R04\_AS1103**

Alguna vez, ¿ha sentido curiosidad por consumir tabaco que no se fuma?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco.

**PATH ID: R04\_AS1206**

¿Cree que consumirá tabaco que no se fuma el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco or have not reported using smokeless tobacco in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ASR24</b>
Adult respondents who have heard of but never used smokeless tobacco, go to R04_AS1104. Else, go to Box R04_ASR48.

<b>PATH ID:</b> <b>R04_AS1104</b>
¿Cree que probará consumir tabaco que no se fuma pronto?  1    Definitivamente sí 2    Probablemente sí 3    Probablemente no 4    Definitivamente no -8   DON'T KNOW -7   REFUSED  ASK: Adult respondents who have heard of but never used smokeless tobacco.

<b>BOX ID:</b> <b>R04_ASR48</b>
Young adult respondents who have heard of but never used smokeless tobacco, go to R04_AS1205. Else, go to Box R04_ADT01.

<b>PATH ID:</b> <b>R04_AS1205</b>
¿Si uno de sus mejores amigos le ofreciera tabaco que no se fuma, lo probaría?  1    Definitivamente sí 2    Probablemente sí 3    Probablemente no 4    Definitivamente no -8   DON'T KNOW -7   REFUSED  ASK: Young adult respondents who have heard of but never used smokeless tobacco.

<b>BOX ID:</b> <b>R04_ADT01</b>
La siguiente pregunta es acerca de otro producto de tabaco llamado <b>tabaco que se disuelve</b> . Los productos de tabaco que se disuelve no se fuman - están hechos de tabaco finamente molido y con sabor añadido que se disuelve en la boca.  Los productos de tabaco que se disuelve vienen en gran variedad de formas incluyendo pastillitas, palillos y tiritas. Algunas marcas conocidas son Ariva, Stonewall o Orbs, Sticks o Strips de Camel.  [SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ADR01</b>
New cohort adult respondents, go to R04_AD1001_RS. Else, go to R04_AD1002_12M.

<b>PATH ID:</b> <b>R04_AD1001_RS</b>
¿Alguna vez había visto u oído hablar de tabaco que se disuelve antes de este estudio?
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ADV01
GO TO BOX R04_ADV01
GO TO BOX R04_ADV01
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AD1002_RS</b>
¿Ha consumido alguna vez productos de tabaco que se disuelve, como por ejemplo Ariva, Stonewall, u Orbs, Sticks o Strips de Camel, incluso si solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ADV01
GO TO BOX R04_ADV01
GO TO BOX R04_ADV01
ASK: New cohort adult respondents who have heard of dissolvable tobacco.

<b>PATH ID:</b> <b>R04_AD1002_12M</b>
En los últimos 12 meses, ¿ha consumido tabaco que se disuelve, incluso si solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used dissolvable tobacco.



**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ADV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_DISSBL = 1 (Ever user)** Adult respondents who have ever used dissolvable tobacco.

**R04\_EVER\_NEVER\_DISSBL = 2 (Never user)** Adult respondents who have not ever used dissolvable tobacco.

**BOX ID: R04\_AXR124**

New cohort adult respondents, go to R04\_TOBCONF.

Else, aged-up and continuing adult respondents, go to R04\_AZ1002.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_TOBCONF**

[La computadora ha registrado que usted nunca ha consumido ningún producto de tabaco. ¿Es correcto?/La computadora ha registrado que usted ha consumido los siguientes productos de tabaco, incluso si solo fueron una o dos veces. ¿Es correcta esta lista?]

Usted ha consumido:

[LIST ALL PRODUCTS EVER USED]]

Usted no ha consumido:

[LIST ALL PRODUCTS NEVER USED]]

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS para cambiar sus respuestas.

1 BACK

GO TO PREVIOUS QUESTION

2 NEXT

GO TO R04\_AZ1002

ASK: IF R04\_ADULTTYPE = 3.

DISPLAY: DISPLAY: IF R04\_AC1002\_RS = 2, -8, -7 AND (R04\_AV1001\_RS = 2, -8, -7 OR R04\_AV1002\_RS = 2, -8, -7) AND (R04\_AG1001\_RS = 2, -8, -7 OR (R04\_AG1001\_RS = 1 AND R04\_AG9003\_RS != 1 AND R04\_AG9004\_RS != 1 AND R04\_AG9105\_RS != 1)) AND (R04\_AP1001\_RS = 2, -8, -7 OR R04\_AP1002\_RS = 2, -8, -7) AND (R04\_AH1001\_RS = 2, -8, -7 OR R04\_AH1002\_RS = 2, -8, -7) AND (R04\_AU1001\_RS = 2, -8, -7 OR R04\_AU1002\_RS = 2, -8, -7) AND (R04\_AS1001\_RS = 2, -8, -7 OR R04\_AS1002\_RS = 2, -8, -7) AND (R04\_AD1001\_RS = 2, -8, -7 OR R04\_AD1002\_RS = 2, -8, -7), DISPLAY "La computadora ha registrado que usted nunca ha consumido ningún producto de tabaco. ¿Es correcto?"

ELSE, IF R04\_EVER\_NEVER\_CIGS = 1 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1) AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_AG1095\_02 = 1) AND (R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1) AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_EVER\_NEVER\_DISSBL = 1, DISPLAY "La computadora ha registrado que usted ha consumido los siguientes productos de tabaco, incluso si solo fueron una o dos veces. ¿Es correcta esta lista?" AND "Usted ha consumido: [LIST ALL PRODUCTS EVER USED]"

ELSE, IF R04\_EVER\_NEVER\_CIGS = 1 OR R04\_EVER\_NEVER\_EPRODS = 1 OR R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1 OR R04\_EVER\_NEVER\_GRILLO = 1 OR R04\_AG1095\_02 = 1 OR R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1 OR R04\_EVER\_NEVER\_PIPE = 1 OR R04\_EVER\_NEVER\_HOOK = 1 OR R04\_EVER\_NEVER\_SNUS = 1 OR R04\_EVER\_NEVER\_SMKLS = 1 OR R04\_EVER\_NEVER\_DISSBL = 1, DISPLAY "La computadora ha registrado que usted ha consumido los siguientes productos de tabaco, incluso si solo fueron una o dos veces. ¿Es correcta esta lista?" AND "Usted ha consumido: [LIST ALL PRODUCTS EVER USED]" AND "Usted no ha consumido: [LIST ALL PRODUCTS NEVER USED]"

FOR "[LIST ALL PRODUCTS EVER USED]" AND "[LIST ALL PRODUCTS NEVER USED]", DISPLAY THE PRODUCT NAMES IN LOWERCASE LETTERS AS A BULLETPPOINT LIST

FOR "[LIST ALL PRODUCTS EVER USED]", IF R04\_EVER\_NEVER\_CIGS = 1, INCLUDE "cigarrillos"; IF R04\_EVER\_NEVER\_EPRODS = 1, INCLUDE "productos electrónicos con nicotina"; (IF R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1, INCLUDE "puros tradicionales"; (IF R04\_EVER\_NEVER\_GRILLO = 1 OR R04\_AG1095\_02 = 1, INCLUDE "puritos"; (IF R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1, INCLUDE "puros con filtro"; IF R04\_EVER\_NEVER\_PIPE = 1, INCLUDE "pipas"; IF R04\_EVER\_NEVER\_HOOK = 1, INCLUDE

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

"hookah"; IF R04\_EVER\_NEVER\_SNUS = 1, INCLUDE "snus"; IF R04\_EVER\_NEVER\_SMKLS = 1, INCLUDE "tabaco que no se fuma"; IF R04\_EVER\_NEVER\_DISSBL = 1, INCLUDE "tabaco que se disuelve".

FOR "[LIST ALL PRODUCTS NEVER USED]", IF R04\_EVER\_NEVER\_CIGS != 1, INCLUDE "cigarrillos"; IF R04\_EVER\_NEVER\_EPRODS != 1, INCLUDE "productos electrónicos con nicotina"; (IF R04\_EVER\_NEVER\_GTRAD != 1 AND R04\_AG1095\_01 != 1, INCLUDE "puros tradicionales"; (IF R04\_EVER\_NEVER\_GRILLO != 1 AND R04\_AG1095\_02 != 1, INCLUDE "puritos"; (IF R04\_EVER\_NEVER\_GFILTR != 1 AND R04\_AG1095\_03 != 1, INCLUDE "puros con filtro"; IF R04\_EVER\_NEVER\_PIPE != 1, INCLUDE "pipas"; IF R04\_EVER\_NEVER\_HOOK != 1, INCLUDE "hookah"; IF R04\_EVER\_NEVER\_SNUS != 1, INCLUDE "snus"; IF R04\_EVER\_NEVER\_SMKLS != 1, INCLUDE "tabaco que no se fuma"; IF R04\_EVER\_NEVER\_DISSBL != 1, INCLUDE "tabaco que se disuelve".

**PATH ID: R04\_AZ1002**

Usted acaba de contestar preguntas acerca de cigarrillos, productos electrónicos con nicotina, puros tradicionales, puritos, puros con filtro, pipas, hookahs, snus, tabaco que no se fuma y tabaco que se disuelve.

Aparte de estos productos, ¿ha consumido alguna vez algún otro producto de tabaco? No incluya productos con nicotina tales como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras.

- 1 Sí (ESPECIFIQUE)
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AXR125**

New cohort adult respondents, go to R04\_GATE.

Else, aged-up and continuing adult respondents, go to next section.

**PATH ID: R04\_GATE**

Por favor confirme que sus respuestas a las preguntas anteriores son correctas. Una vez que oprima el botón confirmar a continuación, no podrá regresar para cambiar sus respuestas a las preguntas anteriores.

- 1 Confirme que las respuestas son correctas

ASK: New cohort adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Individual Screener**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR01**

PROGRAM: Run second stage sampling algorithm for new cohort adult respondents only.

New cohort adult respondents that are not sampled and thus screened out of the PATH Study, go to R04\_AL3002\_RS.

Else, sampled new cohort adult respondents and all other adult respondents will then be routed through the remainder of the questionnaire as follows:

For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

**BOX ID: R04\_AXV11**

PROGRAM: SET DISPOSITION CODES

New cohort adult respondents that are screened out after the Phase 2 Screener, set disposition code to CPX.

New cohort adult respondents that report active military duty, set disposition code to CAM.

**PATH ID: R04\_AL3002\_RS**

**[FOR RESPONDENTS WHO ARE UNDER AGE 18, DISPLAY:]**

Interviewer: This respondent is under age 18 and is not eligible to be interviewed in this study.

**[FOR RESPONDENTS WHO ARE ACTIVE DUTY MILITARY, DISPLAY:]**

Interviewer: This respondent is on active duty in the U.S. Armed Services and is not eligible to be interviewed in this study.

**[FOR RESPONDENTS WHO ARE PART OF THE REPLENISHMENT SAMPLE WHO ARE NOT SAMPLED AT THE END OF THE PHASE 2 SCREENER, DISPLAY:]**

Interviewer: This respondent has completed a brief adult interview.

1 Monitor Password

ASK: New cohort adult respondents that are currently on active military duty or have screened out of the Phase 2 screener (status code CPX).

## **Adult Questionnaire – New and Aged-Up Interview**

---

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**Table of Contents**

---

INTRODUCTORY DEMOGRAPHICS .....	1
TOBACCO USE .....	13
CIGARETTE .....	68
ELECTRONIC NICOTINE PRODUCTS .....	109
CIGAR .....	157
PIPE .....	226
HOOKAH .....	255
SNUS .....	287
SMOKELESS TOBACCO .....	320
NEW PRODUCT - PLACEHOLDER .....	354
POLYUSE .....	356
NICOTINE DEPENDENCE .....	361
PACKAGING AND HEALTH WARNINGS .....	442
RISK PERCEPTIONS AND ATTITUDES .....	459
MEDIA USE .....	482
SECONDHAND SMOKE EXPOSURE .....	487
SOCIAL NORMS, PEER AND FAMILY INFLUENCES .....	493
HEALTH .....	499
MARKETING, ADVERTISING AND PROMOTION .....	626
ADDITIONAL DEMOGRAPHICS .....	633
PRODUCT BARCODE SCANNING MODULE .....	648
CONTACT INFORMATION .....	660
APPENDIX: USER GROUPS .....	672
APPENDIX: DERIVED VARIABLES .....	700

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>SECTION</b>	<b># OF QUESTIONS</b>
Introductory Demographics	18
Tobacco Use	89
Cigarette	64
Electronic Nicotine Products	84
Cigar	82
Pipe	48
Hookah	58
Snus	58
Smokeless Tobacco	57
New Product - Placeholder	5
Polyuse	5
Nicotine Dependence	148
Packaging and Health Warnings	41
Risk Perceptions and Attitudes	67
Media Use	8
Secondhand Smoke Exposure	12
Social Norms, Peer and Family Influences	13
Health	268
Marketing, Advertising and Promotion	17
Additional Demographics	27
Product Barcode Scanning	26
Contact Information	28

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

OMB Control Number: 0925-0664

Expiration Date: XX/XX/XXXX

Public reporting burden for this collection of information is estimated to average 68 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0664). Do not return the completed form to this address



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## INTRODUCTORY DEMOGRAPHICS

<b>BOX ID:</b> R04_AMV02
PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.
<b>R03_CIG_USER_STATUS</b> - Wave 3 cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_ECIG_USER_STATUS</b> - Wave 3 e-cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_GTRAD_USER_STATUS</b> - Wave 3 traditional cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_GRILLO_USER_STATUS</b> - Wave 3 cigarillo user status (current, experimental current, experimental former, new former, still former)
<b>R03_GFILTR_USER_STATUS</b> - Wave 3 filtered cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_PIPE_USER_STATUS</b> - Wave 3 pipe user status (current, experimental current, experimental former, new former, still former)
<b>R03_HOOK_USER_STATUS</b> - Wave 3 hookah user status (current, experimental current, experimental former, new former, still former)
<b>R03_SNUS_USER_STATUS</b> - Wave 3 snus user status (current, experimental current, experimental former, new former, still former)
<b>R03_SMKLS_USER_STATUS</b> - Wave 3 smokeless tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_TOBACCO_USER_STATUS</b> - Wave 3 tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_EVER_NEVER_CIGS</b> - Wave 3 ever or never user of cigarettes
<b>R03_EVER_NEVER_EPRODS</b> - Wave 3 ever or never user of e-products
<b>R03_EVER_NEVER_GTRAD</b> - Wave 3 ever or never user of traditional cigars
<b>R03_EVER_NEVER_GRILLO</b> - Wave 3 ever or never user of cigarillos
<b>R03_EVER_NEVER_GFILTR</b> - Wave 3 ever or never user of filtered cigars
<b>R03_EVER_NEVER_BTRAD</b> - Wave 3 ever or never user of traditional cigars as blunts
<b>R03_EVER_NEVER_BRILLO</b> - Wave 3 ever or never user of cigarillos as blunts
<b>R03_EVER_NEVER_BFILTR</b> - Wave 3 ever or never user of filtered cigars as blunts
<b>R03_EVER_NEVER_PIPE</b> - Wave 3 ever or never user of pipes
<b>R03_EVER_NEVER_HOOK</b> - Wave 3 ever or never user of hookah
<b>R03_EVER_NEVER_SNUS</b> - Wave 3 ever or never user of snus
<b>R03_EVER_NEVER_SMKLS</b> - Wave 3 ever or never user of smokeless tobacco
<b>R03_EVER_NEVER DISSBL</b> - Wave 3 ever or never user of dissolvable tobacco
<b>R03_NUMLIFE_CIGS</b> - The respondent reported smoking 100+ cigarettes in their lifetime at any previous wave.
<b>R03_NUMLIFE_EPROD</b> - The respondent reported using e-cigarettes 100+ times in their lifetime at any previous wave.
<b>R03_NUMLIFE_GTRAD</b> - The respondent reported smoking 100+ traditional cigars in their lifetime at any previous wave.
<b>R03_NUMLIFE_GRILLO</b> - The respondent reported smoking 100+ cigarillos in their lifetime at any

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

previous wave.

**R03\_NUMLIFE\_GFILTR** - The respondent reported smoking 100+ filtered cigars in their lifetime at any previous wave.

**R03\_NUMLIFE\_PIPE** - The respondent reported smoking a pipe 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_HOOK** - The respondent reported smoking hookah 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_SNUS** - The respondent reported using 100+ snus pouches in their lifetime at any previous wave.

**R03\_NUMLIFE\_SMKLS** - The respondent reported using smokeless tobacco 100+ times in their lifetime at any previous wave.

**R03\_REGUSE\_CIGS** - The respondent reported smoking cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_EPROD** - The respondent reported using e-cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_GTRAD** - The respondent reported smoking traditional cigars fairly regularly at any previous wave.

**R03\_REGUSE\_GRILLO** - The respondent reported smoking cigarillos fairly regularly at any previous wave.

**R03\_REGUSE\_GFILTR** - The respondent reported smoking filtered cigars fairly regularly at any previous wave.

**R03\_REGUSE\_PIPE** - The respondent reported smoking a pipe fairly regularly at any previous wave.

**R03\_REGUSE\_HOOK** - The respondent reported smoking hookah fairly regularly at any previous wave.

**R03\_REGUSE\_SNUS** - The respondent reported using snus fairly regularly at any previous wave.

**R03\_REGUSE\_SMKLS** - The respondent reported using smokeless tobacco fairly regularly at any previous wave.

**R03\_GENDER** - Respondent's reported gender

**R03\_PREGNANT** - Respondent reported being pregnant at Wave 3.

**R03\_VA\_HEALTHCARE** - Respondent reported being enrolled in VA health care in any previous wave.

**R03\_ASTHMA** - Respondent reported being diagnosed with asthma in any previous wave.

**R03\_HIGH\_CHOLESTEROL** - Respondent reported being diagnosed with high cholesterol in any previous wave.

**R03\_HIGH\_BLOOD\_PRESSURE** - Respondent reported being diagnosed with high blood pressure in any previous wave.

**R03\_STROKE** - Respondent reported having had a stroke in any previous wave.

**R03\_ANY\_HEART\_CONDITION** - Respondent reported being diagnosed with any heart condition in any previous wave.

**R03\_CANCER** - Respondent reported being diagnosed with cancer in any previous wave.

**R03\_ULCER** - Respondent reported being diagnosed with an ulcer in any previous wave.

**R03\_COPD** - Respondent reported being diagnosed with COPD in any previous wave.

**R03\_DIABETES** - Respondent reported being diagnosed with diabetes in any previous wave.

**R03\_EVER\_USER\_ALCOHOL** - Respondent reported ever using alcohol in any previous wave.

**R03\_EVER\_USER\_MARIJUANA** - Respondent reported ever using marijuana in any previous wave.

**R03\_EVER\_USER\_RITALIN** - Respondent reported ever using ritalin in any previous wave.

**R03\_EVER\_USER\_PAINKILLERS** - Respondent reported ever using painkillers in any previous wave.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**R03\_EVER\_USER\_COCAINE** - Respondent reported ever using cocaine in any previous wave.  
**R03\_EVER\_USER\_STIMULANTS** - Respondent reported ever using stimulants in any previous wave.  
**R03\_EVER\_USER\_OTHERDRUG** - Respondent reported ever using other drugs in any previous wave.  
**R03\_USCITIZEN** – Respondent reported US citizenship in any previous wave.

**R04\_CONTACTFLAG\_LD** - Adult respondent or parent/guardian of youth respondent has provided contact information.  
**R04\_LINKED\_ADDRESS** - Respondents' best address from IMS.  
**R04\_VTBESTSPPHONE** - Respondents' best phone number from IMS.  
**R04\_PHONE2** - Respondents' second phone number from IMS.  
**R04\_PARENT\_COMPLETE\_LD** - Adult respondent has completed a parent survey about a youth or shadow youth respondent.

**BOX ID: R04\_AMD04**

**Note** - In the following specifications, “!=” represents “not equal to”.

**Note** - References to the various respondent types are as follows:

**"New cohort adult respondents"** = Adult respondents who are new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.

**"Aged-up adult respondents"** = Adult respondents whose last completed interview in a previous wave was in the Youth cohort, and have now aged-up into the Adult cohort. This is their first interview in the Adult cohort, but not their first interview in the PATH Study.

**"New baseline adult respondents"** = Adult respondents where this is their first interview in the Adult cohort. Includes both the "New cohort adult" AND "Aged-up adult" respondents.

**"Continuing adult respondents"** = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study.

**"All adult respondents"** = All adult respondents in the Adult cohort.

**BOX ID: R04\_AMR03**

New cohort adult respondents, go to R04\_AM0001\_RS.

Else, adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.

Else, go to R04\_AM0007.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0001_RS</b>
What is your date of birth?
1    _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents.
GO TO R04_AM0002_RS GO TO R04_AM0002_RS

<b>PATH ID:</b> <b>R04_AM0001_RS_LC1</b>
I recorded that your date of birth is {DOB2}. Is that correct?
1   Yes
2   No
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AM0002_RS</b>
What is your age?
1    _ _
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents.
GO TO R04_AM0004_RS

<b>PATH ID:</b> <b>R04_AM0003_RS</b>
Are you...
1   Less than 18 years old,
2   18 to 24 years old,
3   25 to 29 years old, or
4   30 years old or older?
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who did not know or refused to report their age.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0004\_RS**

What is your sex?

- 1 Male
- 2 Female
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

**PATH ID: R04\_AM0005\_RS**

Are you Hispanic, [Latino I Latina I Latino or Latina], or of Spanish origin? Choose all that apply.

- 1 No, not of Hispanic, [Latino I Latina I Latino or Latina], or Spanish origin
- 2 Yes, Mexican, Mexican American, [Chicano I Chicana I Chicano or Chicana]
- 3 Yes, Puerto Rican
- 4 Yes, Cuban
- 5 Yes, another Hispanic, [Latino I Latina I Latino or Latina], or Spanish origin
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

DISPLAY: IF R04\_AM0004 = 1, DISPLAY "Latino" and "Chicano";

ELSE, IF R04\_AM0004 = 2, DISPLAY "Latina" and "Chicana";

ELSE, IF R04\_AM0004 = -8 or -7, DISPLAY "Latino or Latina" and "Chicano or Chicana".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0006\_RS**

What is your race? Choose all that apply.

- 1 White
- 2 Black or African American
- 3 American Indian or Alaska Native
- 4 Asian Indian
- 5 Chinese
- 6 Filipino
- 7 Japanese
- 8 Korean
- 9 Vietnamese
- 10 Other Asian
- 11 Native Hawaiian
- 12 Guamanian or Chamorro
- 13 Samoan
- 14 Other Pacific Islander
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

**BOX ID: R04\_AMR12**

Adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.  
Else, go to R04\_AM0007.

**PATH ID: R04\_AT0047**

What is your marital status?

- 1 Now married
- 2 Widowed
- 3 Divorced
- 4 Separated
- 5 Never married
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0007**

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

- 1 Yes, now on active duty
- 2 Yes, on active duty in the past, but not now
- 3 No, training for Reserves or National Guard only
- 4 No, never served in the military
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR11**

New cohort adult respondents who are currently on active duty, go to R04\_AM0008\_RS.

Else, aged-up adult respondents who are currently on active duty or new baseline adult respondents who have been on active duty in the past, go to R04\_AM0011\_NB.

Else, go to Box R04\_AMR08.

**PATH ID: R04\_AM0008\_RS**

You said you are currently on active duty in the U.S. Armed Forces. Is that correct?

- 1 Yes GO TO R04\_AM0011\_NB
- 2 No
- 8 DON'T KNOW GO TO R04\_AM0011\_NB
- 7 REFUSED GO TO R04\_AM0011\_NB

ASK: New cohort adult respondents who are currently on active duty.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0050_RS</b>
Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?
Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.
1   Yes, now on active duty
2   Yes, on active duty in the past, but not now
3   No, training for Reserves or National Guard only
4   No, never served in the military
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AMR08
GO TO BOX R04_AMR08
GO TO BOX R04_AMR08
GO TO BOX R04_AMR08
ASK: New cohort adult respondents who recanted their current active duty status.

<b>PATH ID:</b> <b>R04_AM0011_NB</b>
In which branch or branches [do/did] you serve on active duty? Choose all that apply.
1   Army
2   Navy
3   Air Force
4   Marine Corps
5   Coast Guard
-8   DON'T KNOW
-7   REFUSED
ASK: New baseline adult respondents who are currently on active duty or have been on active duty in the past.
DISPLAY: IF R04_AM0007 = 2 OR R04_AM0050_RS = 2, DISPLAY "did".
ELSE, DISPLAY "do".

<b>BOX ID:</b> <b>R04_AMR08</b>
New cohort adult respondents who are currently on active duty, go to R04_AM0009_RS.
Else, go to Box R04_AMR09.

<b>PATH ID:</b> <b>R04_AM0009_RS</b>
People who are currently on active duty in the U.S. Armed Forces are not eligible to be interviewed in this study. We appreciate you taking the time to speak with us. Please give the computer back to the interviewer.
1   CONTINUE
GO TO R04_AL3002_RS
ASK: New cohort adult respondents who are currently on active duty. (New PATH Study respondents who are a part of the replenishment cohort are not eligible if currently on active duty at the time of their PATH Study baseline interview.)



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AMR09**

New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty or don't know or refused to report if they are currently on active duty, go to R04\_AM0074\_RS.  
Else, go to Box R04\_AMR13.

**PATH ID: R04\_AM0074\_RS**

During 2014, were you on full-time active duty in the U.S. Armed Forces, Military Reserves, or National Guard for the entire year?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty.

DISPLAY: UNDERLINE "for the entire year".

**BOX ID: R04\_AMR13**

Adult respondents who already completed a parent interview, go to Box R04\_AMR10.  
Else, new baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, go to R04\_AM0069.  
Else, go to R04\_AM0065.

**PATH ID: R04\_AM0069**

Are you a citizen of the United States?

- 1 Yes, born in the United States
- 2 Yes, born in Puerto Rico, Guam, the U.S. Virgin Islands, or Northern Marianas
- 3 Yes, born abroad of U.S. citizen parent or parents
- 4 Yes, U.S. citizen by naturalization
- 5 No, not a U.S. citizen
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, who did not already complete a parent interview.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AMD03**

Display questions R04\_AM0066 through R04\_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R04\_AM0066 is the stem. Show all leaves on the screen at once.

**PATH ID: R04\_AM0066**

How well do you...

  speak English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH ID: R04\_AM0070**

  read English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH ID: R04\_AM0073**

  write in English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0071</b>
Do you speak a language other than English at home?
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0072</b>
What other languages do you speak at home? Choose all that apply.
1   Spanish
2   Chinese
3   Tagalog
4   Vietnamese
5   French
6   Korean
7   German
8   Arabic
9   Russian
10  Some other language (SPECIFY)
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview and speak another language at home.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## TOBACCO USE

**BOX ID: R04\_ACT02**

The next questions are about your experience with **cigarettes**.

**BOX ID: R04\_ACR50**

If new cohort adult respondent, go to R04\_AC1002\_RS.  
Else, go to R04\_AC1004.

**PATH ID: R04\_AC1002\_RS**

Have you ever smoked a cigarette, even one or two puffs?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_ACV04 |
| -8 | DON'T KNOW | GO TO BOX R04_ACV04 |
| -7 | REFUSED    | GO TO BOX R04_ACV04 |

ASK: New cohort adult respondents.

**PATH ID: R04\_AC1004**

In the past 30 days, have you smoked a cigarette, even one or two puffs?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        | GO TO BOX R04_ACR14 |
| 2  | No         |                     |
| -8 | DON'T KNOW |                     |
| -7 | REFUSED    |                     |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarette.

**PATH ID: R04\_AC1002\_12M**

In the past 12 months, have you smoked a cigarette, even one or two puffs?

- |    |            |
|----|------------|
| 1  | Yes        |
| 2  | No         |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Adult respondents who have not smoked a cigarette in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarette).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR14**

Adult respondents who have never smoked cigarettes in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were experimental former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AC1010.

Else, adult respondents who did not smoke in the past 12 months, go to R04\_AC1009.

Else, go to R04\_AC1003.

**PATH ID: R04\_AC1003**

Do you now smoke cigarettes...

1	Every day	GO TO BOX R04_ACV04
2	Some days	GO TO BOX R04_ACV04
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_ACV04
-7	REFUSED	GO TO BOX R04_ACV04

ASK: Adult respondents who have smoked a cigarette in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a cigarette.

**PATH ID: R04\_AC1009**

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

1	__ __  DAYS	
2	__ __  MONTHS	
3	__ __  YEARS	
-8	DON'T KNOW	GO TO R04_AC1010
-7	REFUSED	GO TO R04_AC1010

ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current cigarette smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1009_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last smoked a cigarette.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AC1009
2    NEXT	GO TO R04_AC1010
ASK: IF R04_AC1009_NN = 0.	
DISPLAY: IF R04_AC1009_UN = 1, DISPLAY "days",	
IF R04_AC1009_UN = 2, DISPLAY "months",	
IF R04_AC1009_UN = 3, DISPLAY "years".	

<b>PATH ID:</b> <b>R04_AC1009_LC2</b>	
The computer recorded that it has been [R04_AC1009_NN] years since you last smoked a cigarette. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AC1009
2    NEXT	GO TO R04_AC1010
ASK: IF (R04_AC1009_NN > R04_ACHIEVEDAGE) AND R04_AC1009_UN = 3.	

<b>PATH ID:</b> <b>R04_AC1010</b>	
Have you completely quit smoking cigarettes?	
1    Yes	
2    No	
3    I have never smoked a cigarette in my entire life, not even one or two puffs	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Adult respondents who smoked in the past 12 months, but currently smoke cigarettes not at all; and adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_CIG_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACV04**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_CIGS = 1 (Ever user)** Adult respondents who have ever smoked a cigarette and did not recant prior use.

**R04\_EVER\_NEVER\_CIGS = 2 (Never user)** Adult respondents who have not ever smoked a cigarette.

**R04\_INIT\_CIGS\_ADULT = 1 (Initiator)** Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette.

**BOX ID: R04\_ACR10**

Young adult respondents who have never smoked a cigarette, go to R04\_AC1103.

Else, young adult respondents who have not smoked a cigarette in the past 12 months, go to R04\_AC1206.

Else, go to Box R04\_ACR17.

**PATH ID: R04\_AC1103**

Have you ever been curious about smoking a cigarette?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

**PATH ID: R04\_AC1206**

Do you think you will smoke a cigarette in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette or have not reported smoking a cigarette in the past 12 months.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR17**

Adult respondents who have never smoked a cigarette, go to R04\_AC1104.  
Else, go to Box R04\_ACR48.

**PATH ID: R04\_AC1104**

Do you think that you will try a cigarette soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette.

**BOX ID: R04\_ACR48**

Young adult respondents who have never smoked a cigarette, go to R04\_AC1205.  
Else, go to Box R04\_AVT01.

**PATH ID: R04\_AC1205**

If one of your best friends were to offer you a cigarette, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AVT01</b>
The next questions are about <b>electronic nicotine products</b> , such as e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.
These products are battery-powered and produce vapor or aerosol instead of smoke. Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with cartridges or a tank system. They typically use a nicotine liquid called "e-liquid", although the amount of nicotine can vary and some may not contain any nicotine at all.
Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, eGo, and iTaste.
[SHOW GENERIC IMAGE OF E-PRODUCTS]

<b>BOX ID:</b> <b>R04_AVR49</b>
New cohort adult respondents, go to R04_AV1001_RS. Else, go to R04_AV1004.

<b>PATH ID:</b> <b>R04_AV1001_RS</b>
Have you ever seen or heard of an e-cigarette or electronic nicotine product before this study?
[SHOW GENERIC IMAGE OF E-PRODUCTS]
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AVV02
GO TO BOX R04_AVV02
GO TO BOX R04_AVV02
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AV1002_RS</b>
Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)
[SHOW GENERIC IMAGE OF E-PRODUCTS]
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AVV02
GO TO BOX R04_AVV02
GO TO BOX R04_AVV02
ASK: New cohort adult respondents who have heard of e-products.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1004**

In the past 30 days, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

GO TO BOX R04\_AVR04

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used an e-product.

**PATH ID: R04\_AV1002\_12M**

In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not used an e-product in the past 30 days (excluding new cohort adult respondents who have not ever used an e-product).

**BOX ID: R04\_AVR04**

Adult respondents who have never used e-products in all previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04\_AVV02.

Else, adult respondents who were experimental former e-product users in the previous wave and did not use e-products in the past 12 months, go to Box R04\_AVV02.

Else, adult respondents who were former e-product users in the previous wave and did not use e-products in the past 12 months, go to R04\_AV1010.

Else, adult respondents who did not use e-products in the past 12 months, go to R04\_AV1009.

Else, go to R04\_AV1003.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1003</b>		
Do you now use electronic nicotine products...		
1	Every day	GO TO BOX R04_AVV02
2	Some days	GO TO BOX R04_AVV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AVV02
-7	REFUSED	GO TO BOX R04_AVV02
ASK: Adult respondents who have used an e-product in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used an e-product.		

<b>PATH ID: R04_AV1009</b>		
About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).		
1	_ _  DAYS	
2	_ _  MONTHS	
3	_ _  YEARS	
-8	DON'T KNOW	GO TO R04_AV1010
-7	REFUSED	GO TO R04_AV1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current e-product users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used an e-product, but did not use in the past 12 months.		

<b>PATH ID: R04_AV1009_LC1</b>		
The computer recorded that it has been "0" [days/months/years] since you last took a puff from an electronic nicotine product.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AV1009
2	NEXT	GO TO R04_AV1010
ASK: IF R04_AV1009_NN = 0.		
DISPLAY: IF R04_AV1009_UN = 1, DISPLAY "days".		
IF R04_AV1009_UN = 2, DISPLAY, "months".		
IF R04_AV1009_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1009_LC2</b>	
The computer recorded that it has been [R04_AV1009_NN] years since you last took a puff from an electronic nicotine product. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AV1009
2    NEXT	GO TO R04_AV1010
ASK: IF (R04_AV1009_NN > R04_ACHIEVEDAGE) AND R04_AV1009_UN = 3.	

<b>PATH ID:</b> <b>R04_AV1010</b>	
Have you completely quit using electronic nicotine products?	
1    Yes	
2    No	
3    I have never used an electronic nicotine product in my entire life, not even one or two times	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Adult respondents who used in the past 12 months, but currently use e-products not at all; and adult respondents who have ever used an e-product, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_EPROD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

<b>BOX ID:</b> <b>R04_AVV02</b>	
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
<b>R04_EVER_NEVER_EPRODS = 1 (Ever user)</b> Adult respondents who have ever used any electronic nicotine products and did not recant prior use.	
<b>R04_EVER_NEVER_EPRODS = 2 (Never user)</b> Adult respondents who have not ever used any electronic nicotine products.	
<b>R04_INIT_EPRODS_ADULT = 1 (Initiator)</b> Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product.	

<b>BOX ID:</b> <b>R04_AVR18</b>	
New cohort adult respondents who did not say they have heard of an e-product, go to Box R04_AGR52.	
Else, young adult respondents who have heard of but never used an e-product, go to R04_AV1103.	
Else, young adult respondents who have heard of but not used e-products in the past 12 months, go to R04_AV1206.	
Else, go to Box R04_AVR16.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1103**

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**PATH ID: R04\_AV1206**

Do you think you will use an electronic nicotine product in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product or have not reported using an e-product in the past 12 months.

**BOX ID: R04\_AVR16**

Adult respondents who have heard of but never used e-products, go to R04\_AV1104.  
Else, go to Box R04\_AVR48.

**PATH ID: R04\_AV1104**

Do you think that you will try an electronic nicotine product soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used an e-product.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR48**

Young adult respondents who have heard of but never used e-products, go to R04\_AV1105.  
Else, go to Box R04\_AGR52.

**PATH ID: R04\_AV1105**

If one of your best friends were to offer you an electronic nicotine product, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**BOX ID: R04\_AGR52**

New cohort adult respondents, go to Box R04\_AGT06.  
Else, go to R04\_AGT01.

**BOX ID: R04\_AGT06**

The next questions are about **traditional cigars**, **cigarillos**, and **filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

**Traditional cigars** contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**BOX ID: R04\_AGT05**

**Cigarillos** and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with tips or filters. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, and Winchester.

[SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS]

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1001_RS</b>
Have you ever seen or heard of a cigar, cigarillo, or filtered cigar before this study?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR53
GO TO BOX R04_AGR53
GO TO BOX R04_AGR53
ASK: New cohort adult respondents.

<b>BOX ID:</b> <b>R04_AGD04</b>
For R04_AG9002_RS, display as a stem and leaf question. For each leaf, display a yes/no response.

<b>PATH ID:</b> <b>R04_AG9002_RS</b>
Which type of cigar have you heard of before this study?
1   Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others
2   Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have heard of cigars.

<b>BOX ID:</b> <b>R04_AGR57</b>
New cohort adult respondents who have heard of traditional cigars, go to R04_AG9003_RS.
Else, new cohort adult respondents who have heard of cigarillos or filtered cigars, go to R04_AG9004_RS.
Else, new cohort adult respondents who have heard of cigars, but did not know or refused to report which types of cigar they have heard of, go to R04_AG9003_RS.
Else, go to Box R04_AGR56.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9003_RS</b>
Have you ever smoked a traditional cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have heard of a traditional cigar, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of.

<b>BOX ID:</b> <b>R04_AGR56</b>
New cohort adult respondents who have heard of cigarillos or filtered cigars, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of, go to R04_AG9004_RS. Else, go to Box R04_AGR54.

<b>PATH ID:</b> <b>R04_AG9004_RS</b>
Have you ever smoked a cigarillo or filtered cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR54
GO TO BOX R04_AGR54
GO TO BOX R04_AGR54
ASK: New cohort adult respondents who have heard of a cigarillo or filtered cigar, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9009_RS</b>
Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.
The kind...
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]
1 With a plastic or wooden tip
2 With a filter (like a cigarette filter)
3 Without a tip or filter
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

<b>BOX ID:</b> <b>R04_AGR54</b>
New cohort adult respondents who have ever smoked a traditional cigar, go to R04_AG9030. Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04_AG9031. Else, go to Box R04_AGR53.

<b>BOX ID:</b> <b>R04_AGT01</b>
The next questions are about <b>traditional cigars</b> , <b>cigarillos</b> , and <b>filtered cigars</b> . These products go by lots of different names, so please use these descriptions and photos to understand what they are.
<b>Traditional cigars</b> contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9030</b>
In the past 30 days, have you smoked a traditional cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1   Yes <span style="float: right;">GO TO BOX R04_AGR55</span>
2   No
-8  DON'T KNOW
-7  REFUSED
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a traditional cigar.

<b>PATH ID:</b> <b>R04_AG9003_12M</b>
In the past 12 months, have you smoked a traditional cigar, even one or two puffs?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1   Yes
2   No
-8  DON'T KNOW
-7  REFUSED
ASK: Adult respondents who have not smoked a traditional cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a traditional cigar).

<b>BOX ID:</b> <b>R04_AGR55</b>
Continuing and aged-up adult respondents, go to Box R04_AGT02. Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04_AG9031. Else, go to Box R04_AGR53.

<b>BOX ID:</b> <b>R04_AGT02</b>
<b>Cigarillos</b> and <b>filtered cigars</b> are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, and Cheyenne.
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9031**

In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- |    |            |                      |
|----|------------|----------------------|
| 1  | Yes        |                      |
| 2  | No         | GO TO R04_AG9004_12M |
| -8 | DON'T KNOW | GO TO R04_AG9004_12M |
| -7 | REFUSED    | GO TO R04_AG9004_12M |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

**PATH ID: R04\_AG9049**

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- 1 With a plastic or wooden tip
- 2 With a filter (like a cigarette filter)
- 3 Without a tip or filter
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days.

**BOX ID: R04\_AGR18**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip, go to R04\_AG9051.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04\_AG9052.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9051**

In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip.

**BOX ID: R04\_AGR19**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04\_AG9052.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter., go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9052**

In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter.

**BOX ID: R04\_AGR20**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9053</b>	
In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs?	
[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]	
1   Yes	GO TO BOX R04_AGR53
2   No	GO TO BOX R04_AGR53
-8   DON'T KNOW	GO TO BOX R04_AGR53
-7   REFUSED	GO TO BOX R04_AGR53
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter.	

<b>PATH ID:</b> <b>R04_AG9004_12M</b>	
In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs?	
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]	
1   Yes	
2   No	GO TO BOX R04_AGR53
-8   DON'T KNOW	GO TO BOX R04_AGR53
-7   REFUSED	GO TO BOX R04_AGR53
ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarillo or filtered cigar).	

<b>PATH ID:</b> <b>R04_AG9009_12M</b>	
Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.	
The kind...	
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]	
1   With a plastic or wooden tip	
2   With a filter (like a cigarette filter)	
3   Without a tip or filter	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 12 months, but not in the past 30 days.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AGR53</b>
New cohort adult respondents who did not say they had heard of cigars, go to Box R04_APT01. Else, new cohort adult respondents who have heard of cigars, go to R04_AG9105_RS. Else, go to R04_AG9107.

<b>PATH ID:</b> <b>R04_AG9105_RS</b>
Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a “blunt”.
Have you <u>ever</u> smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGV01
GO TO BOX R04_AGV01
GO TO BOX R04_AGV01
ASK: New cohort adult respondents who have heard of cigars.
DISPLAY: Underline "ever".

<b>PATH ID:</b> <b>R04_AG9107</b>
[Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a “blunt”.
]In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGV01
GO TO BOX R04_AGV01
GO TO BOX R04_AGV01
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a blunt.
DISPLAY: IF R04_ADULTTYPE = 1, 2, DISPLAY "Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a “blunt”." ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1095**

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AGV01

GO TO BOX R04\_AGV01

ASK: Adult respondents who have smoked a blunt in the past 12 months.

**PATH ID: R04\_AG9106**

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past 12 months. (This question is repeated for each cigar type identified in R04\_AG1095.)



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_12MBLUNT\_ONLY\_BTRAD** = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BRILLO** = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BFILTR** = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

**R04\_INIT\_BLUNT\_BTRAD\_ADULT** = Adult respondents who initiated smoking traditional cigars as blunts between Waves or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BRILLO\_ADULT** = Adult respondents who initiated smoking cigarillos as blunts between Waves or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BFILTR\_ADULT** = Adult respondents who initiated smoking filtered cigars as blunts between Waves or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months.

**BOX ID: R04\_AGD02**

PROGRAM: CREATE [CIGARFILL]

If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "traditional cigar".

If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "cigarillo".

If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "filtered cigar".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR09**

PROGRAM: CREATE **CIGARLOOP1** FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:

**For Cigars (non-blunt):**

Repeat Box R04\_AGR05 through Box R04\_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. (This excludes any type of cigar the respondent has smoked as a blunt every time in the past 12 months.)

**For Cigars as Blunt-Only:**

Blunt-only cigar smokers will be asked Box R04\_AGR05 through Box R04\_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.

**BOX ID: R04\_AGT04**

DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.

The next questions are about [CIGARFILL]s, like those shown below.

As you answer these questions, please think **ONLY** about your use of **[CIGARFILL]s** when smoked as **blunts**.

[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:]  
There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARFILL].

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR05**

Adult respondents who never smoked any cigar type and has not smoked blunts in the past 12 months, go to Box R04\_APT01.

Else, adult respondents who were experimental former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to Box R04\_AGR06.

Else, adult respondents who were former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04\_AG1010[TC/CG/FC].

Else, adult respondents who did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04\_AG1009[TC/CG/FC].

Else, adult respondents who smoked a (non-blunt) traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R04\_AG1003[TC/CG/FC]

Else, adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months, go to R04\_AG1003[TJ/GJ/FJ].

Else, go to Box R04\_APT01.

**PATH ID: R04\_AG1003**

Do you now smoke [[CIGARFILL]s/ as blunts]...

1	Every day	GO TO BOX R04_AGR06
2	Some days	GO TO BOX R04_AGR06
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AGR06
-7	REFUSED	GO TO BOX R04_AGR06

ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a traditional cigar/cigarillo/filtered cigar; and adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as blunts". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009**

About how long has it been since you last smoked a [[CIGARFILL]/ as a blunt]? (If it was earlier today, enter 1 day.)

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AGR32

-7 REFUSED

GO TO BOX R04\_AGR32

ASK: Adult respondents who smoked traditional cigars/cigarillos/filtered cigars or blunts in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current traditional cigar/cigarillo/filtered cigar smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009TC\_LC1**

The computer recorded that it has been "0" [days/months/years] since you last smoked traditional cigars[ as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1009TC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009TC\_NN = 0.

DISPLAY: IF R04\_AG1009TC\_UN = 1, DISPLAY "days".

IF R04\_AG1009TC\_UN = 2, DISPLAY "months".

IF R04\_AG1009TC\_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1009TC_LC2</b>
The computer recorded that it has been [R04_AG1009TC_NN] years since you last smoked traditional cigars[ as a blunt]. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AG1009TC
2 NEXT GO TO BOX R04_AGR32
ASK: IF (R04_AG1009TC_NN > R04_ACHIEVEDAGE) AND R04_AG1009TC_UN = 3.
DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

<b>PATH ID: R04_AG1009CG_LC1</b>
The computer recorded that it has been "0" [days/months/years] since you last smoked cigarillos[ as a blunt].
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AG1009CG
2 NEXT GO TO BOX R04_AGR32
ASK: IF R04_AG1009CG_NN = 0.
DISPLAY: IF R04_AG1009CG_UN = 1, DISPLAY "days".
IF R04_AG1009CG_UN = 2, DISPLAY "months".
IF R04_AG1009CG_UN = 3, DISPLAY "years".
IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

<b>PATH ID: R04_AG1009CG_LC2</b>
The computer recorded that it has been [R04_AG1009CG_NN] years since you last smoked cigarillos[ as a blunt]. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AG1009CG
2 NEXT GO TO BOX R04_AGR32
ASK: IF (R04_AG1009CG_NN > R04_ACHIEVEDAGE) AND R04_AG1009CG_UN = 3.
DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009FC\_LC1**

The computer recorded that it has been "0" [days/months/years] since you last smoked filtered cigars[ as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1009FC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009FC\_NN = 0.

DISPLAY: IF R04\_AG1009FC\_UN = 1, DISPLAY "days".

IF R04\_AG1009FC\_UN = 2, DISPLAY "months".

IF R04\_AG1009FC\_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009FC\_LC2**

The computer recorded that it has been [R04\_AG1009FC\_NN] years since you last smoked filtered cigars[ as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1009FC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF (R04\_AG1009FC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009FC\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AGR32**

If adult respondent is answering loop series about blunt use, go to Box R04\_AGR06.

Else, go to R04\_AG1010[TC/CG/FC].

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1010**

Have you completely quit smoking [CIGARFILL]s?

- 1 Yes
- 2 No
- 3 I have never smoked a [CIGARFILL] in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoked traditional cigar/cigarillos/filtered cigars in the past 12 months, but currently smoke not at all; and adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).

DISPLAY: FOR R04\_AG1010TC: DISPLAY OPTION 3 IF R03\_GTRAD\_USER\_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

FOR R04\_AG1010CG: DISPLAY OPTION 3 IF R03\_GRILLO\_USER\_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

FOR R04\_AG1010FC: DISPLAY OPTION 3 IF R03\_GFILTR\_USER\_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

**BOX ID: R04\_AGR06**

If LOOP = GTRAD and respondent has ever smoked cigarillos or filtered cigars, or smoked blunts in the past 12 months, go back to Box R04\_AGR05 and complete for the next product.

Else, if LOOP = GRILLO and respondent has ever smoked filtered cigars or smoked blunts in the past 12 months, go back to Box R04\_AGR05 and complete for the next product.

Else, if LOOP = GFILTR and respondent smoked blunts in the past 12 months, go back to Box R04\_AGR05 and complete for the next product.

Else, if LOOP = BTRAD and respondent smoked cigarillos as blunts or filtered cigars as blunts in the past 12 months, go back to Box R04\_AGR05 and complete for the next product.

Else, if LOOP = BRILLO and respondent smoked filtered cigars as blunts in the past 12 months, go back to Box R04\_AGR05 and complete for the next product.

Else, if all loops complete, go to Box R04\_AGV04.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV04**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_GTRAD = 1 (Ever user)** Adult respondents who have ever smoked a traditional cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GTRAD = 2 (Never user)** Adult respondents who have not ever smoked a traditional cigar.

**R04\_EVER\_NEVER\_GRILLO = 1 (Ever user)** Adult respondents who have ever smoked a cigarillo and did not recant prior use.

**R04\_EVER\_NEVER\_GRILLO = 2 (Never user)** Adult respondents who have not ever smoked a cigarillo.

**R04\_EVER\_NEVER\_GFILTR = 1 (Ever user)** Adult respondents who have ever smoked a filtered cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GFILTR = 2 (Never user)** Adult respondents who have not ever smoked a filtered cigar.

**R04\_INIT\_GTRAD\_ADULT = 1 (Initiator)** Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar.

**R04\_INIT\_GRILLO\_ADULT = 1 (Initiator)** Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo.

**R04\_INIT\_GFILTR\_ADULT = 1 (Initiator)** Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who have ever smoked a filtered cigar.

**BOX ID: R04\_APT01**

The next questions are about smoking tobacco in **pipes**.

There are many different types of pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe.

[SHOW GENERIC IMAGE OF PIPE]

**BOX ID: R04\_APR33**

New cohort adult respondents, go to R04\_AP1001\_RS.

Else, go to R04\_AP1004.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1001_RS</b>
Have you ever seen or heard of a pipe before this study?
[SHOW GENERIC IMAGE OF PIPES]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents.
GO TO BOX R04_APV02
GO TO BOX R04_APV02
GO TO BOX R04_APV02

<b>PATH ID:</b> <b>R04_AP1002_RS</b>
Have you ever smoked a pipe filled with tobacco, even one or two puffs?
[SHOW GENERIC IMAGE OF PIPES]
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have heard of pipes.
GO TO BOX R04_APV02
GO TO BOX R04_APV02
GO TO BOX R04_APV02

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1004**

In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

- 1 Yes GO TO BOX R04\_APR05
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a pipe.

**PATH ID: R04\_AP1002\_12M**

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not smoked a pipe in the past 30 days (excluding new cohort adult respondents who have not ever smoked a pipe).

**BOX ID: R04\_APR05**

Adult respondents who have never smoked a pipe in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_APV02.

Else, adult respondents who were experimental former pipe smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_APV02.

Else, adult respondents who were former pipe smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AP1010.

Else, adult respondents who have not smoked in the past 12 months, go to R04\_AP1009.

Else, go to R04\_AP1003.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AP1003</b>	
Do you now smoke a pipe filled with tobacco...		
1	Every day	GO TO BOX R04_APV02
2	Some days	GO TO BOX R04_APV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_APV02
-7	REFUSED	GO TO BOX R04_APV02
ASK: Adult respondents who have smoked a pipe in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a pipe.		

<b>PATH ID:</b>	<b>R04_AP1009</b>	
About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).		
1	_ _  DAYS	
2	_ _  MONTHS	
3	_ _  YEARS	
-8	DON'T KNOW	GO TO R04_AP1010
-7	REFUSED	GO TO R04_AP1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current pipe smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AP1009_LC1</b>	
The computer recorded that it has been "0" [days/months /years] since you last smoked a pipe.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AP1009
2	NEXT	GO TO R04_AP1010
ASK: IF R04_AP1009_NN = 0. DISPLAY: IF R04_AP1009_UN = 1, DISPLAY "days". IF R04_AP1009_UN = 2, DISPLAY "months". IF R04_AP1009_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AP1009_LC2
The computer recorded that it has been [R04_AP1009_NN] years since you last smoked a pipe. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AP1009
2 NEXT GO TO R04_AP1010
ASK: IF (R04_AP1009_NN > R04_ACHIEVEDAGE) AND R04_AP1009_UN = 3.

<b>PATH ID:</b> R04_AP1010
Have you completely quit smoking pipes filled with tobacco?
1 Yes
2 No
3 I have never smoked a pipe filled with tobacco in my entire life, not even one or two puffs
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke pipes not at all; and adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_PIPE_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> R04_APV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_PIPE = 1 (Ever user)</b> Adult respondents who have ever smoked a pipe and did not recant prior use.
<b>R04_EVER_NEVER_PIPE = 2 (Never user)</b> Adult respondents who have not ever smoked a pipe.
<b>R04_INIT_PIPE_ADULT = 1 (Initiator)</b> Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have ever smoked a pipe.

<b>BOX ID:</b> R04_AHT01
We next ask about smoking tobacco in a <b>hookah</b> , which is a type of water pipe. It is sometimes also called a “narghile” pipe. From now on, we will use “hookah” to refer to a water pipe or narghile pipe.
There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah.
[SHOW GENERIC IMAGE OF HOOKAH]

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID: R04_AHR49</b>
If new cohort adult respondent, go to R04_AH1001_RS. Else, go to R04_AH1004.

<b>PATH ID: R04_AH1001_RS</b>
Have you ever seen or heard of a hookah before this study?
[SHOW GENERIC IMAGE OF HOOKAH]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AHV02
GO TO BOX R04_AHV02
GO TO BOX R04_AHV02
ASK: New cohort adult respondents.

<b>PATH ID: R04_AH1002_RS</b>
Have you ever smoked tobacco in a hookah, even one or two puffs?
[SHOW GENERIC IMAGE OF HOOKAH]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AHV02
GO TO BOX R04_AHV02
GO TO BOX R04_AHV02
ASK: New cohort adult respondents who have heard of a hookah.

<b>PATH ID: R04_AH1004</b>
In the past 30 days, have you smoked tobacco in a hookah, even one or two puffs?
[SHOW GENERIC IMAGE OF HOOKAH]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AHR06
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked hookah.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1002_12M</b>
In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?
[SHOW GENERIC IMAGE OF HOOKAH]
<ul style="list-style-type: none"> <li>1    Yes</li> <li>2    No</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul>
ASK: Adult respondents who have not smoked hookah in the past 30 days (excluding new cohort adult respondents who have not ever smoked hookah).

<b>BOX ID:</b> <b>R04_AHR06</b>
Adult respondents who have never smoked hookah in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04_AHV02.
Else, adult respondents who were experimental former hookah smokers in the previous wave and did not smoke in the past 12 months, go to Box R04_AHV02.
Else, adult respondents who were former hookah smokers in the previous wave and did not smoke in the past 12 months, go to R04_AH1010.
Else, adult respondents who have not smoked in the past 12 months, go to R04_AH1009.
Else, go to R04_AH1003.

<b>PATH ID:</b> <b>R04_AH1003</b>										
Do you now smoke tobacco in a hookah...										
<table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1    Every day</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_AHV02</td> </tr> <tr> <td style="padding-left: 40px;">2    Some days</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_AHV02</td> </tr> <tr> <td style="padding-left: 40px;">3    Not at all</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_AHV02</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="text-align: right; padding-right: 40px;">GO TO BOX R04_AHV02</td> </tr> </table>	1    Every day	GO TO BOX R04_AHV02	2    Some days	GO TO BOX R04_AHV02	3    Not at all		-8   DON'T KNOW	GO TO BOX R04_AHV02	-7   REFUSED	GO TO BOX R04_AHV02
1    Every day	GO TO BOX R04_AHV02									
2    Some days	GO TO BOX R04_AHV02									
3    Not at all										
-8   DON'T KNOW	GO TO BOX R04_AHV02									
-7   REFUSED	GO TO BOX R04_AHV02									
ASK: Adult respondents who have smoked hookah in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked hookah.										

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AH1009</b>	
About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)		
1	__ __  DAYS	
2	__ __  MONTHS	
3	__ __  YEARS	
-8	DON'T KNOW	GO TO R04_AH1010
-7	REFUSED	GO TO R04_AH1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current hookah smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked hookah, but did not smoke in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AH1009_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last smoked tobacco in a hookah.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AH1009
2	NEXT	GO TO R04_AH1010
ASK: IF R04_AH1009_NN = 0. DISPLAY: IF R04_AH1009_UN = 1, DISPLAY "days". IF R04_AH1009_UN = 2, DISPLAY "months". IF R04_AH1009_UN = 3, DISPLAY "years".		

<b>PATH ID:</b>	<b>R04_AH1009_LC2</b>	
The computer recorded that it has been [R04_AH1009_NN] years since you last smoked tobacco in a hookah. That is older than you are now.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AH1009
2	NEXT	GO TO R04_AH1010
ASK: IF (R04_AH1009_NN > R04_ACHIEVEDAGE) AND R04_AH1009_UN = 3.		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1010</b>
Have you completely quit smoking tobacco in a hookah?
1    Yes
2    No
3    I have never smoked hookah in my entire life, not even one or two puffs
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke hookah not at all; and adult respondents who have ever smoked hookah, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_HOOK_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AHV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_HOOK = 1 (Ever user)</b> Adult respondents who have ever smoked a hookah and did not recant prior use.
<b>R04_EVER_NEVER_HOOK = 2 (Never user)</b> Adult respondents who have not ever smoked hookah.
<b>R04_INIT_HOOK_ADULT = 1 (Initiator)</b> Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah.

<b>BOX ID:</b> <b>R04_AHR03</b>
New cohort adult respondents who did not say they had heard of a hookah, go to Box R04_AST01.
Else, young adult respondents who have heard of but never smoked hookah, go to R04_AH1103.
Else, young adults who have heard of but not smoked hookah in the past 12 months, go to R04_AH1206.
Else, go to Box R04_AHR08.

<b>PATH ID:</b> <b>R04_AH1103</b>
Have you ever been curious about smoking tobacco in a hookah?
1    Very curious
2    Somewhat curious
3    A little curious
4    Not at all curious
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1206</b>
Do you think you will smoke tobacco in a hookah in the next year?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah or have not reported smoking hookah in the past 12 months.

<b>BOX ID:</b> <b>R04_AHR08</b>
Adult respondents who have heard of but never smoked hookah, go to R04_AH1104. Else, go to Box R04_AHR48.

<b>PATH ID:</b> <b>R04_AH1104</b>
Do you think you will try smoking tobacco in a hookah soon?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have heard of but never smoked hookah.

<b>BOX ID:</b> <b>R04_AHR48</b>
Young adult respondents who have heard of but never smoked hookah, go to R04_AH1205. Else, go to R04_AH9031.

<b>PATH ID:</b> <b>R04_AH1205</b>
If one of your best friends were to offer you a hookah, would you try it?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9031**

Have you ever smoked marijuana from a hookah? (Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**PATH ID: R04\_AH9040**

Have you ever smoked herbal or tobacco-free shisha in a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**BOX ID: R04\_AST01**

**Smokeless tobacco** is tobacco which you put in your mouth. Smokeless tobacco may be loose or it may be packaged in small pouches that you place under your lip. Frequently you chew, suck, or spit while using smokeless tobacco, although for some types you may not need to.

There are many different types of smokeless tobacco which go by lots of different names, so please use these descriptions and photos to understand what they are.

[SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO]

**BOX ID: R04\_AUT03**

**Snus** is a type of smokeless tobacco. Snus usually comes in small pouches, although some snus may be sold as loose snus. Typically, with most kinds of smokeless tobacco, you spit, but you do not need to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.

Please think about **snus** as you answer the following questions. There will be a separate section later about other types of smokeless tobacco products (such as dip, spit, chewing tobacco and smokeless tobacco pouches).

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AUR49</b>
New cohort adult respondents, go to R04_AU1001_RS. Else, go to R04_AU1004.

<b>PATH ID:</b> <b>R04_AU1001_RS</b>
Have you ever seen or heard of snus before this study?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AU1002_RS</b>
Have you ever used snus, even one or two times?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
ASK: New cohort adult respondents who have heard of snus.

<b>PATH ID:</b> <b>R04_AU1004</b>
In the past 30 days, have you used snus, even one or two times?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AUR22
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used snus.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1002_12M</b>
In the past 12 months, have you used snus, even one or two times?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have not used snus in the past 30 days (excluding new cohort adult respondents who have not ever used snus).

<b>BOX ID: R04_AUR22</b>
Adult respondents who have never used snus in all previous waves and did not use snus in the past 12 months or did not know or refused to report whether they used snus in the past 12 months, go to Box R04_AUV03.
Else, adult respondents who were experimental former snus users in the previous wave and did not use snus in the past 12 months, go to Box R04_AUV03.
Else, adult respondents were former snus users in the previous wave and did not use snus in the past 12 months, go to R04_AU1010.
Else, adult respondents who have not used snus in the past 12 months, go to R04_AU1009.
Else, go to R04_AU1003.

<b>PATH ID: R04_AU1003</b>
Do you now use snus...
1 Every day GO TO BOX R04_AUV03
2 Some days GO TO BOX R04_AUV03
3 Not at all
-8 DON'T KNOW GO TO BOX R04_AUV03
-7 REFUSED GO TO BOX R04_AUV03
ASK: Adult respondents who have used snus in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used snus.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1010</b>
Have you completely quit using snus?  1    Yes 2    No 3    I have never used snus in my entire life, not even one or two times -8   DON'T KNOW -7   REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use snus not at all; and adult respondents who have ever used snus, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave). DISPLAY: DISPLAY OPTION 3 IF R03_SNUS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AUV03</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_EVER_NEVER_SNUS = 1 (Ever user)</b> Adult respondents who have ever used snus and did not recant prior use. <b>R04_EVER_NEVER_SNUS = 2 (Never user)</b> Adult respondents who have not ever used snus. <b>R04_INIT_SNUS_ADULT = 1 (Initiator)</b> Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR06</b>
New cohort adult respondents who did not say they have heard of snus, go to Box R04_AST03. Else, young adult respondents who have heard of but never used snus, go to R04_AU1103. Else, young adult respondents who heard of but never used snus or have not used snus in the past 12 months, go to R04_AU1206. Else, go to Box R04_AUR24.

<b>PATH ID:</b> <b>R04_AU1103</b>
Have you ever been curious about using snus?  1    Very curious 2    Somewhat curious 3    A little curious 4    Not at all curious -8   DON'T KNOW -7   REFUSED
ASK: Young adult respondents who have heard of but never used snus.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1206</b>
Do you think you will use snus in the next year?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used snus or have not reported using snus in the past 12 months.

<b>BOX ID:</b> <b>R04_AUR24</b>
Adult respondents who have heard of but never used snus, go to R04_AU1104. Else, go to Box R04_AUR48.

<b>PATH ID:</b> <b>R04_AU1104</b>
Do you think you will try snus soon?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have heard of but never used snus.

<b>BOX ID:</b> <b>R04_AUR48</b>
Young adult respondents who have heard of but never used snus, go to R04_AU1205. Else, go to Box R04_AST03.

<b>PATH ID:</b> <b>R04_AU1205</b>
If one of your best friends were to offer you snus, would you try it?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used snus.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AST03**

The next questions are about **smokeless tobacco** other than snus.

Smokeless tobacco is a type of tobacco which you put in your mouth and chew, suck, or spit. It may be loose or packaged in small pouches that you can place directly in your mouth. There are many kinds of smokeless tobacco, such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman, and Levi Garrett.

Please do **not** include snus when answering the following questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR49**

New cohort adult respondents, go to R04\_AS1001\_RS.

Else, go to R04\_AS1004.

**PATH ID: R04\_AS1001\_RS**

Have you ever seen or heard of smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, before this study?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_ASV03 |
| -8 | DON'T KNOW | GO TO BOX R04_ASV03 |
| -7 | REFUSED    | GO TO BOX R04_ASV03 |

ASK: New cohort adult respondents.

**PATH ID: R04\_AS1002\_RS**

Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_ASV03 |
| -8 | DON'T KNOW | GO TO BOX R04_ASV03 |
| -7 | REFUSED    | GO TO BOX R04_ASV03 |

ASK: New cohort adult respondents who have heard of smokeless tobacco.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1004**

In the past 30 days, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

- 1 Yes GO TO BOX R04\_ASR29  
2 No  
-8 DON'T KNOW  
-7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used smokeless tobacco.

**PATH ID: R04\_AS1002\_12M**

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- 1 Yes  
2 No  
-8 DON'T KNOW  
-7 REFUSED

ASK: Adult respondents who have not used smokeless tobacco in the past 30 days (excluding new cohort adult respondents who have not ever used smokeless tobacco).

**BOX ID: R04\_ASR29**

Adult respondents who have never used smokeless tobacco in previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04\_ASV03.

Else, adult respondents who were experimental former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to Box R04\_ASV03.

Else, adult respondents who were former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to R04\_AS1010.

Else, adult respondents who have not used smokeless tobacco in the past 12 months, go to R04\_AS1009.

Else, go to R04\_AS1003.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1003</b>		
Do you now use smokeless tobacco...		
1	Every day	GO TO BOX R04_ASV03
2	Some days	GO TO BOX R04_ASV03
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_ASV03
-7	REFUSED	GO TO BOX R04_ASV03
ASK: Adult respondents who have used smokeless tobacco in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used smokeless tobacco.		

<b>PATH ID: R04_AS1009</b>		
About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)		
1	_ _  DAYS	
2	_ _  MONTHS	
3	_ _  YEARS	
-8	DON'T KNOW	GO TO R04_AS1010
-7	REFUSED	GO TO R04_AS1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current smokeless tobacco users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months.		

<b>PATH ID: R04_AS1009_LC1</b>		
The computer recorded that it has been "0" [days/months/years] since you last used smokeless tobacco.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AS1009
2	NEXT	GO TO R04_AS1010
ASK: IF R04_AS1009_NN = 0.		
DISPLAY: IF R04_AS1009_UN = 1, DISPLAY "days".		
IF R04_AS1009_UN = 2, DISPLAY "months".		
IF R04_AS1009_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1009_LC2</b>
The computer recorded that it has been [R04_AS1009_NN] years since you last used smokeless tobacco. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1009
2 NEXT	GO TO R04_AS1010
ASK: IF (R04_AS1009_NN > R04_ACHIEVEDAGE) AND R04_AS1009_UN = 3.	

<b>PATH ID:</b>	<b>R04_AS1010</b>
Have you completely quit using smokeless tobacco?	
1 Yes	
2 No	
3 I have never used smokeless tobacco in my entire life, not even one or two times	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who used in the past 12 months, but currently use smokeless tobacco not at all; and adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_SMKLS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

<b>BOX ID:</b>	<b>R04_ASV03</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
<b>R04_EVER_NEVER_SMKLS = 1 (Ever user)</b> Adult respondents who have ever used smokeless tobacco and did not recant prior use.	
<b>R04_EVER_NEVER_SMKLS = 2 (Never user)</b> Adult respondents who have not ever used smokeless tobacco.	
<b>R04_INIT_USER_SMKLS = 1 (Initiator)</b> Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR06**

New cohort adult respondents who did not say they have heard of smokeless tobacco, go to Box R04\_ADT01.

Else, young adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1103.

Else, young adult respondents who have heard of but not used smokeless tobacco in the past 12 months, go to R04\_AS1206.

Else, go to Box R04\_ASR24.

**PATH ID: R04\_AS1103**

Have you ever been curious about using smokeless tobacco?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco.

**PATH ID: R04\_AS1206**

Do you think you will use smokeless tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco or have not reported using smokeless tobacco in the past 12 months.

**BOX ID: R04\_ASR24**

Adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1104.

Else, go to Box R04\_ASR48.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1104**

Do you think you will try smokeless tobacco soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used smokeless tobacco.

**BOX ID: R04\_ASR48**

Young adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1205.  
Else, go to Box R04\_ADT01.

**PATH ID: R04\_AS1205**

If one of your best friends were to offer you smokeless tobacco, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco.

**BOX ID: R04\_ADT01**

The next question asks about another type of tobacco called **dissolvable tobacco**. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks or Strips.

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

**BOX ID: R04\_ADR01**

New cohort adult respondents, go to R04\_AD1001\_RS.  
Else, go to R04\_AD1002\_12M.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AD1001\_RS**

Have you ever seen or heard of dissolvable tobacco before this study?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_ADV01 |
| -8 | DON'T KNOW | GO TO BOX R04_ADV01 |
| -7 | REFUSED    | GO TO BOX R04_ADV01 |

ASK: New cohort adult respondents.

**PATH ID: R04\_AD1002\_RS**

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_ADV01 |
| -8 | DON'T KNOW | GO TO BOX R04_ADV01 |
| -7 | REFUSED    | GO TO BOX R04_ADV01 |

ASK: New cohort adult respondents who have heard of dissolvable tobacco.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AD1002\_12M**

In the past 12 months, have you used dissolvable tobacco, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used dissolvable tobacco.

**BOX ID: R04\_ADV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_DISSBL = 1 (Ever user)** Adult respondents who have ever used dissolvable tobacco.

**R04\_EVER\_NEVER\_DISSBL = 2 (Never user)** Adult respondents who have not ever used dissolvable tobacco.

**BOX ID: R04\_AXR124**

New cohort adult respondents, go to R04\_TOBCONF.

Else, aged-up and continuing adult respondents, go to R04\_AZ1002.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_TOBCONF**

[The computer has recorded that you have never used any tobacco products. Is that correct?/The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?]

You have used:

[LIST ALL PRODUCTS EVER USED]]

You have not used:

[LIST ALL PRODUCTS NEVER USED]]

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and change your answers.

1 BACK

GO TO PREVIOUS QUESTION

2 NEXT

GO TO R04\_AZ1002



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

ASK: IF R04\_ADULTTYPE = 3.

DISPLAY: IF R04\_AC1002\_RS = 2, -8, -7 AND (R04\_AV1001\_RS = 2, -8, -7 OR R04\_AV1002\_RS = 2, -8, -7) AND (R04\_AG1001\_RS = 2, -8, -7 OR (R04\_AG1001\_RS = 1 AND R04\_AG9003\_RS != 1 AND R04\_AG9004\_RS != 1 AND R04\_AG9105\_RS != 1)) AND (R04\_AP1001\_RS = 2, -8, -7 OR R04\_AP1002\_RS = 2, -8, -7) AND (R04\_AH1001\_RS = 2, -8, -7 OR R04\_AH1002\_RS = 2, -8, -7) AND (R04\_AU1001\_RS = 2, -8, -7 OR R04\_AU1002\_RS = 2, -8, -7) AND (R04\_AS1001\_RS = 2, -8, -7 OR R04\_AS1002\_RS = 2, -8, -7) AND (R04\_AD1001\_RS = 2, -8, -7 OR R04\_AD1002\_RS = 2, -8, -7), DISPLAY "The computer has recorded that you have never used any tobacco products. Is that correct?"

ELSE, IF R04\_EVER\_NEVER\_CIGS = 1 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1) AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_AG1095\_02 = 1) AND (R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1) AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_EVER\_NEVER\_DISSBL = 1, DISPLAY "The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?" AND "You have used: [LIST ALL PRODUCTS EVER USED]"

ELSE, IF R04\_EVER\_NEVER\_CIGS = 1 OR R04\_EVER\_NEVER\_EPRODS = 1 OR R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1 OR R04\_EVER\_NEVER\_GRILLO = 1 OR R04\_AG1095\_02 = 1 OR R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1 OR R04\_EVER\_NEVER\_PIPE = 1 OR R04\_EVER\_NEVER\_HOOK = 1 OR R04\_EVER\_NEVER\_SNUS = 1 OR R04\_EVER\_NEVER\_SMKLS = 1 OR R04\_EVER\_NEVER\_DISSBL = 1, DISPLAY "The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?" AND "You have used: [LIST ALL PRODUCTS EVER USED]" AND "You have not used: [LIST ALL PRODUCTS NEVER USED]"

FOR "[LIST ALL PRODUCTS EVER USED]" AND "[LIST ALL PRODUCTS NEVER USED]", DISPLAY THE PRODUCT NAMES IN LOWERCASE LETTERS AS A BULLETPPOINT LIST

FOR "[LIST ALL PRODUCTS EVER USED]", IF R04\_EVER\_NEVER\_CIGS = 1, INCLUDE "cigarettes"; IF R04\_EVER\_NEVER\_EPRODS = 1, INCLUDE "electronic nicotine products"; (IF R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1, INCLUDE "traditional cigars"; (IF R04\_EVER\_NEVER\_GRILLO = 1 OR R04\_AG1095\_02 = 1, INCLUDE "cigarillos"; (IF R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1, INCLUDE "filtered cigars"; IF R04\_EVER\_NEVER\_PIPE = 1, INCLUDE "pipes"; IF R04\_EVER\_NEVER\_HOOK = 1, INCLUDE "hookah"; IF R04\_EVER\_NEVER\_SNUS = 1, INCLUDE "snus"; IF R04\_EVER\_NEVER\_SMKLS = 1, INCLUDE "smokeless tobacco"; IF R04\_EVER\_NEVER\_DISSBL = 1, INCLUDE "dissolvable tobacco".

FOR "[LIST ALL PRODUCTS NEVER USED]", IF R04\_EVER\_NEVER\_CIGS != 1, INCLUDE "cigarettes"; IF R04\_EVER\_NEVER\_EPRODS != 1, INCLUDE "electronic nicotine products"; (IF R04\_EVER\_NEVER\_GTRAD != 1 AND R04\_AG1095\_01 != 1, INCLUDE "traditional cigars"; (IF R04\_EVER\_NEVER\_GRILLO != 1 AND R04\_AG1095\_02 != 1, INCLUDE "cigarillos"; (IF R04\_EVER\_NEVER\_GFILTR != 1 AND R04\_AG1095\_03 != 1, INCLUDE "filtered cigars"; IF R04\_EVER\_NEVER\_PIPE != 1, INCLUDE "pipes"; IF R04\_EVER\_NEVER\_HOOK != 1, INCLUDE "hookah"; IF R04\_EVER\_NEVER\_SNUS != 1, INCLUDE "snus"; IF R04\_EVER\_NEVER\_SMKLS != 1, INCLUDE "smokeless tobacco"; IF R04\_EVER\_NEVER\_DISSBL != 1, INCLUDE "dissolvable tobacco".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AZ1002**

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco and dissolvable tobacco.

Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill.

- 1 Yes (SPECIFY)
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AXR125**

New cohort adult respondents, go to R04\_GATE.

Else, aged-up and continuing adult respondents, go to next section.

**PATH ID: R04\_GATE**

Please confirm that your answers to the prior questions are correct. Once you press the confirm button below, you will not be able to go back and change your answers to the prior questions.

- 1 Confirm answers are correct

ASK: New cohort adult respondents.

**BOX ID: R04\_AXR01**

PROGRAM: **Run second stage sampling algorithm for new cohort adult respondents only.**

New cohort adult respondents that are not sampled and thus screened out of the PATH Study, go to R04\_AL3002\_RS.

Else, sampled new cohort adult respondents and all other adult respondents will then be routed through the remainder of the questionnaire as follows:

For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AXV11</b>
PROGRAM: SET DISPOSITION CODES
New cohort adult respondents that are screened out after the Phase 2 Screener, set disposition code to CPX.
New cohort adult respondents that report active military duty, set disposition code to CAM.

<b>PATH ID:</b> <b>R04_AL3002_RS</b>
<b>[FOR RESPONDENTS WHO ARE UNDER AGE 18, DISPLAY:]</b> Interviewer: This respondent is under age 18 and is not eligible to be interviewed in this study.
<b>[FOR RESPONDENTS WHO ARE ACTIVE DUTY MILITARY, DISPLAY:]</b> Interviewer: This respondent is on active duty in the U.S. Armed Services and is not eligible to be interviewed in this study.
<b>[FOR RESPONDENTS WHO ARE PART OF THE REPLENISHMENT SAMPLE WHO ARE NOT SAMPLED AT THE END OF THE PHASE 2 SCREENER, DISPLAY:]</b> Interviewer: This respondent has completed a brief adult interview.
1    Monitor Password
ASK: New cohort adult respondents that are currently on active military duty or have screened out of the Phase 2 screener (disposition codes CAM and CPX).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**CIGARETTE**

**BOX ID: R04\_ACR13**

Aged-up and continuing adult respondents who were a former user, had smoked 100 or more cigarettes and had smoked fairly regularly as of the previous wave; and at the current wave has not smoked in the past 12 months or now smokes not at all, go to Box R04\_ACV01.  
Else, go to Box R04\_ACT01.

**BOX ID: R04\_ACT01**

The next questions ask about your experience with **cigarettes**.

**BOX ID: R04\_ACR11**

New cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1006\_RS.  
Else, aged-up and continuing adult respondents who had not smoked 100 or more cigarettes as of the previous wave, go to R04\_AC1005.  
Else, aged-up and continuing adult respondents who had never smoked fairly regularly as of the previous wave, go to R04\_AC1100.  
Else, go to Box R04\_ACV01.

**PATH ID: R04\_AC1006\_RS**

How old were you the first time you smoked part or all of a cigarette?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AC1120\_RS

-7 REFUSED

GO TO R04\_AC1120\_RS

ASK: New cohort adult respondents who have ever smoked a cigarette.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AC1006\_RS\_LC1**

The computer recorded that you first smoked all or part of a cigarette at age [R04\_AC1006\_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1006\_RS

2 NEXT

GO TO R04\_AC1005

ASK: IF R04\_AC1006\_RS <= 10.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1006\_RS\_LC2**

The computer recorded that you first smoked all or part of a cigarette at age [R04\_AC1006\_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1006\_RS

2 NEXT

GO TO R04\_AC1005

ASK: IF R04\_AC1006\_RS > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AC1120\_RS**

The first time you smoked part or all of a cigarette, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report the age they first smoked a cigarette.

**PATH ID: R04\_AC1005**

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

- 1 1 or more puffs but never a whole cigarette
- 2 1 to 10 cigarettes (about ½ pack total)
- 3 11 to 20 cigarettes (about ½ pack to 1 pack)
- 4 21 to 50 cigarettes (more than 1 pack but less than 3 packs)
- 5 51 to 99 cigarettes (more than 2 ½ packs but less than 5 packs)
- 6 100 or more cigarettes (5 packs or more)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes in the previous wave, and new cohort adult respondents who have ever smoked a cigarette.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR53**

Aged-up and continuing adult respondents who have smoked 100 or more cigarettes in their lifetime and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked 100 or more cigarettes, go to R04\_AC1100.

Else, go to Box R04\_ACV01.

**PATH ID: R04\_AC1100**

Have you ever smoked cigarettes fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have smoked 100 or more cigarettes in their lifetime and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked 100 or more cigarettes.

**BOX ID: R04\_ACR19**

New baseline respondents that have ever smoked fairly regularly, but had never smoked fairly regularly in the previous wave, go to R04\_AC1007\_NB.

Else, go to Box R04\_ACV01.

**PATH ID: R04\_AC1007\_NB**

How old were you when you first started smoking cigarettes fairly regularly?

- 1 |\_\_|\_\_| Years old
- 8 DON'T KNOW GO TO R04\_AC1121\_NB
- 7 REFUSED GO TO R04\_AC1121\_NB

ASK: New baseline adult respondents who have ever smoked cigarettes fairly regularly, but had never smoked fairly regularly in the previous wave.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1007_NB_LC1</b>	
The computer recorded that you started smoking cigarettes fairly regularly at age [R04_AC1007_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AC1007_NB
2   NEXT	GO TO BOX R04_ACV01
ASK: IF R04_AC1007_NB <= 5.	

<b>PATH ID:</b> <b>R04_AC1007_NB_LC2</b>	
The computer recorded that you started smoking cigarettes fairly regularly at age [R04_AC1007_NB]. This is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AC1007_NB
2   NEXT	GO TO BOX R04_ACV01
ASK: IF R04_AC1007_NB > R04_ACHIEVEDAGE.	

<b>PATH ID:</b> <b>R04_AC1121_NB</b>
When you first started smoking cigarettes fairly regularly, were you...
1   Less than 18 years old,
2   18 to 24 years old,
3   25 to 34 years old,
4   35 to 44 years old,
5   45 to 54 years old, or
6   55 years old or older?
-8   DON'T KNOW
-7   REFUSED
ASK: New baseline adult respondents who did not know or refused to report the age they started smoking cigarettes fairly regularly.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_CIG\_USER\_STATUS = 1 (Current user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke every day or some days.

**R04\_CIG\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a cigarette and have not smoked more than 100 cigarettes in lifetime, and now smoke every day or some days.

**R04\_CIG\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a cigarette and have not smoked more than 100 cigarettes in lifetime, and did not smoke in the past 12 months or now smokes not at all.

**R04\_CIG\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former cigarette smokers at the previous wave and aged-up adult respondents who ever smoked cigarettes at the previous wave, who have ever smoked cigarettes fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since the previous wave, who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_CIG\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former cigarette smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a cigarette and have smoked at least 100 cigarettes in their entire life, who did not smoke in the past 12 months.

**R04\_CURRENT\_CIG\_USE = 1 (Every day user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke every day.

**R04\_CURRENT\_CIG\_USE = 2 (Some day user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1** Adult respondents who are experimental former, recent former, or long-term former cigarette smokers who smoked in the past 30 days.

**BOX ID: R04\_ACR01**

New baseline respondents that are every day cigarette smokers, go to R04\_AC1020\_NB.

Else, aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1008.

Else, go to Box R04\_ACR42.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1020\_NB**

How old were you when you first started smoking cigarettes every day?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO BOX R04\_AC1122\_NB

-7 REFUSED

GO TO BOX R04\_AC1122\_NB

ASK: New baseline adult respondents who are every day cigarette smokers.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AC1020\_NB\_LC1**

The computer recorded that you started smoking cigarettes every day at age [R04\_AC1020\_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1020\_NB

2 NEXT

GO TO BOX R04\_ACR21

ASK: IF R04\_AC1020\_NB <= 5 OR R04\_AC1020\_NB < R04\_AC1007\_NB.

**PATH ID: R04\_AC1020\_NB\_LC2**

The computer recorded that you started smoking cigarettes every day at age [R04\_AC1020\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1020\_NB

2 NEXT

GO TO BOX R04\_ACR21

ASK: IF R04\_AC1020\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AC1122\_NB**

When you first started smoking cigarettes every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking cigarettes every day.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR21**

Aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1008.  
Else, go to Box R04\_ACR22.

**PATH ID: R04\_AC1008**

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette.

**BOX ID: R04\_ACR22**

Aged-up and continuing young adult adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette, go to R04\_AC9904.  
Else, go to Box R04\_ACR42.

**PATH ID: R04\_AC9904**

How much did you experience pleasant sensations the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.

DISPLAY: UNDERLINE "pleasant" IN THE QUESTION TEXT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9905**

How much did you experience unpleasant sensations the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.

DISPLAY: UNDERLINE "unpleasant" IN THE QUESTION TEXT.

**PATH ID: R04\_AC9906**

How much did you feel sick to your stomach the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.

**BOX ID: R04\_ACR42**

Aged-up and continuing adult respondents who have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who have ever smoked cigarettes fairly regularly, go to R04\_AC9002.

Else, go to Box R04\_ACR23.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9002**

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

1 |\_\_|\_\_| Months

2 |\_\_|\_\_| Years

-8 DON'T KNOW

GO TO BOX R04\_ACR23

-7 REFUSED

GO TO BOX R04\_ACR23

ASK: Aged-up and continuing adult respondents who have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who have ever smoked cigarettes fairly regularly.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, DISPLAY "have you been smoking". ELSE, DISPLAY "did you smoke".

**PATH ID: R04\_AC9002\_LC1**

The computer recorded that you have smoked fairly regularly for [R04\_AC9002] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC9002

2 NEXT

GO TO R04\_AC9002\_LC2

ASK: IF R04\_AC9002\_NN > R04\_ACHIEVEDAGE AND R04\_AC9002\_UN = 2.

**PATH ID: R04\_AC9002\_LC2**

The computer recorded that you entered [R04\_AC9002] years. This question is about how long you have been smoking fairly regularly, not when you started.

Please double check the number of years you entered.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC9002

2 NEXT

GO TO BOX R04\_ACR23

ASK: IF (R04\_AC9002\_UN = 2 AND R04\_AC9002\_NN > (R04\_ACHIEVEDAGE - 10)) OR (R04\_AC9002\_NN > 60 AND R04\_AC9002\_UN = 2).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR23**

Aged-up and continuing adult respondents who are recent former cigarette smokers that have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who are former cigarette smokers who have ever smoked cigarettes fairly regularly, go to R04\_AC9003.

Else, go to Box R04\_ACR51.

**PATH ID: R04\_AC9003**

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly? A pack usually has 20 cigarettes in it.

1 |\_\_|\_\_| Cigarettes per day

2 |\_\_|\_\_| Packs per day

-8 DON'T KNOW

GO TO BOX R04\_ACR51

-7 REFUSED

GO TO BOX R04\_ACR51

ASK: Aged-up and continuing adult respondents who are recent former cigarette smokers that have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who are former cigarette smokers who have ever smoked cigarettes fairly regularly,

**PATH ID: R04\_AC9003\_LC1**

The computer recorded that on average you smoked [R04\_AC9003] [cigarettes/packs] a day while you were smoking regularly.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC9003

2 NEXT

GO TO BOX R04\_ACR51

ASK: IF (R04\_AC9003\_NN > 40 AND R04\_AC9003\_UN = 1) OR R04\_AC9003\_NN = 11, 22, 33 OR (R04\_AC9003\_NN > 2 AND R04\_AC9003\_UN = 2).

DISPLAY: IF R04\_AC9003\_UN = 1, DISPLAY "cigarettes". IF R04\_AC9003\_UN = 2, DISPLAY "packs".

**BOX ID: R04\_ACR51**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers, go to R04\_AC1025\_RS.

Else, go to Box R04\_ACR04.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1025\_RS**

Around this time 12 months ago, were you smoking cigarettes every day, some days, or not at all?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Every day  |                     |
| 2  | Some days  | GO TO BOX R04_ACR04 |
| 3  | Not at all | GO TO BOX R04_ACR04 |
| -8 | DON'T KNOW | GO TO BOX R04_ACR04 |
| -7 | REFUSED    | GO TO BOX R04_ACR04 |

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9006\_RS**

Around this time 12 months ago, on average, about how many cigarettes did you smoke each day? A pack usually has 20 cigarettes in it.

- 1 |\_\_|\_\_| Cigarettes per day
- 2 |\_\_|\_\_| Packs per day
- 8 DON'T KNOW GO TO R04\_AC9140
- 7 REFUSED GO TO R04\_AC9140

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers, that smoked every day this time 12 months ago.

**PATH ID: R04\_AC9006\_RS\_LC1**

The computer recorded that around this time 12 months ago, on average you smoked [R04\_AC9006\_RS] [cigarettes/packs] a day.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AC9006\_RS
- 2 NEXT GO TO BOX R04\_ACR04

ASK: IF (R04\_AC9006\_RS\_NN > 40 AND R04\_AC9006\_RS\_UN = 1) OR R04\_AC9006\_RS\_NN = 11, 22, 33 OR (R04\_AC9006\_RS\_NN > 2 AND R04\_AC9006\_RS\_UN = 2).

DISPLAY: IF R04\_AC9006\_RS\_UN = 1, DISPLAY "cigarettes". IF R04\_AC9006\_RS\_UN = 2, DISPLAY "packs".

**PATH ID: R04\_AC9140\_RS**

Would you say that, around this time 12 months ago, on average, you smoked more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day? A pack usually has 20 cigarettes in it.

- 1 More than 20 cigarettes each day
- 2 About 20 cigarettes each day
- 3 Less than 20 cigarettes each day
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers, who did not know or refused to report how many cigarettes they smoked every day this time 12 months ago.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR04**

Every day cigarette smokers, go to R04\_AC1021.  
Some day and experimental current cigarette smokers, and former or experimental former cigarette smokers who have smoked in the past 30 days, go to R04\_AC1022.  
Else, if recent former smoker, go to R04\_AC1047MC.  
Else, if experimental former or long-term former smoker, go to next section.

**PATH ID: R04\_AC1021**

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

1 |\_\_|\_\_| Cigarettes per day  
2 |\_\_|\_\_| Packs per day  
-8 DON'T KNOW GO TO R04\_AC1090  
-7 REFUSED GO TO R04\_AC1090

ASK: Every day cigarette smokers.

**PATH ID: R04\_AC1021\_LC1**

The computer recorded that you now smoke [R04\_AC1021] [cigarettes/packs] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AC1021  
2 NEXT GO TO BOX R04\_ACV03

ASK: IF (R04\_AC1021\_NN > 40 AND R04\_AC1021\_UN = 1) OR R04\_AC1021\_NN = 11, 22, 33 OR (R04\_AC1021\_NN > 2 AND R04\_AC1021\_UN = 2).  
DISPLAY: IF R04\_AC1021 REPORTED IN CIGARETTES, DISPLAY "cigarettes".  
ELSE, IF R04\_AC1021 REPORTED IN PACKS, DISPLAY "packs".

**PATH ID: R04\_AC1090**

Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day?

1 More than 20 cigarettes each day GO TO BOX R04\_ACV03  
2 About 20 cigarettes each day GO TO BOX R04\_ACV03  
3 Less than 20 cigarettes each day GO TO BOX R04\_ACV03  
-8 DON'T KNOW GO TO BOX R04\_ACV03  
-7 REFUSED GO TO BOX R04\_ACV03

ASK: Every day cigarette smokers who did not know or refused to report how many cigarettes they smoke each day.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1022**

On how many of the past 30 days did you smoke cigarettes?

- 1 |\_\_|\_\_| DAYS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Some day and experimental current cigarette smokers who have smoked in the past 30 days, and former 30 day cigarette smokers.

DISPLAY: DISPLAY 'DAYS' AS TITLE.

**BOX ID: R04\_ACR25**

If respondent enters "0" for R04\_AC1022 and is a some day or experimental current user of cigarettes, go to R04\_AC9029.

Else, if respondent enters "0" for R04\_AC1022 and is a former 30 day user of cigarettes, go to Box R04\_ACV03.

Else, go to R04\_AC1023.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9029**

About how long has it been since you last smoked a cigarette?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW GO TO BOX R04\_ACV03
- 7 REFUSED GO TO BOX R04\_ACV03

ASK: Some day and experimental current cigarette smokers who have not smoked in the past 30 days.

**PATH ID: R04\_AC9029\_LC1**

The computer recorded that you last smoked a cigarette [R04\_AC9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AC9029
- 2 NEXT GO TO BOX R04\_ACV03

ASK: IF (R04\_AC9029\_NN < 30 AND R04\_AC9029\_UN = 1) OR (R04\_AC9029\_NN < 1 AND R04\_AC9029\_UN = 2) OR (R04\_AC9029\_NN > 18 AND R04\_AC9029\_UN = 2) OR (R04\_AC9029\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AC9029 = 3).

DISPLAY: IF R04\_AC9029\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AC9029\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AC9029\_UN = 3, DISPLAY "years".

**PATH ID: R04\_AC1023**

On average, on those [FILL NUMBER OF DAYS FROM R04\_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

- 1 |\_\_|\_\_| Cigarettes per day
- 2 |\_\_|\_\_| Packs per day
- 8 DON'T KNOW GO TO BOX R04\_ACV03
- 7 REFUSED GO TO BOX R04\_ACV03

ASK: Some day, experimental current, and former thirty day cigarette smokers who have smoked at least one day in past 30 days.

DISPLAY: IF R04\_AC1022 = 1, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04\_AC1022 AND "days" (EX. "2 days").

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1023\_LC1**

The computer recorded that on the days you smoked in the past 30 days, you smoked [R04\_AC1023] [cigarettes/packs] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1023

2 NEXT

GO TO BOX R04\_ACV03

ASK: IF (R04\_AC1023\_NN > 40 AND R04\_AC1023\_UN = 1) OR R04\_AC1023\_NN = 0, 11, 22, 33 OR (R04\_AC1023\_NN > 2 AND R04\_AC1023\_UN = 2).

DISPLAY: IF R04\_AC1023\_UN = 1, DISPLAY "cigarettes".

IF R04\_AC1023\_UN = 2, DISPLAY "packs".

**BOX ID: R04\_ACV03**

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_CIGSPERDAY** = Number of cigarettes smoked per day.

**R04\_PCKSPERDAY** = Number of packs smoked per day.

**R04\_CIGSPERDAY2** = Estimate of cigarettes smoked per day when actual number is DK/RF.

**BOX ID: R04\_ACR05**

New baseline and initiating current cigarette smokers who have ever smoked fairly regularly and provided the number of cigarettes/packs smoked per day, go to R04\_AC9004.

Else, new baseline and initiating every day cigarette smokers who have ever smoked fairly regularly and provided the average number of cigarettes per day, go to R04\_AC9009.

Else, go to Box R04\_ACR41.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9004</b>	
You mentioned that you smoke [#] [[cigarette[s]/pack[s]] per day[ on the days that you smoke]. Have you smoked about this many [cigarettes/packs] per day since you started smoking fairly regularly?	
1 Yes	GO TO BOX R04_ACR41
2 No	GO TO R04_AC9005
-8 DON'T KNOW	GO TO R04_AC9005
-7 REFUSED	GO TO R04_AC9005
ASK: New baseline and initiating current cigarette smokers who have ever smoked fairly regularly and provided the number of cigarettes/packs smoked per day.	
DISPLAY: AUTOFILL [#] WITH R04_CIGSPERDAY OR R04_PCKSPERDAY.	
IF R04_CIGSPERDAY = 1, DISPLAY "cigarette".	
IF R04_CIGSPERDAY > 1, DISPLAY "cigarettes".	
IF R04_PCKSPERDAY = 1, DISPLAY "pack".	
IF R04_PCKSPERDAY > 1, DISPLAY "packs".	
IF R04_CURRENT_CIG_USE = 2, DISPLAY " on the days that you smoke".	
ELSE, DO NOT DISPLAY THIS TEXT	

<b>PATH ID: R04_AC9009</b>	
You mentioned that you smoke [R04_CIGSPERDAY2]. Have you smoked about this many cigarettes per day since you started smoking fairly regularly?	
1 Yes	GO TO BOX R04_ACR41
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline and initiating every day cigarette smokers who have ever smoked fairly regularly and reported an average number of cigarettes smoked per day.	
DISPLAY: IF R04_AC1090 = 1, FILL R04_CIGSPERDAY2 WITH "more than 20 cigarettes each day".	
IF R04_AC1090 = 2, FILL WITH "about 20 cigarettes each day". IF R04_AC1090 = 3, FILL WITH "less than 20 cigarettes each day".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9005</b>	
On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?	
1  __ __  Cigarettes per day	
2  __ __  Packs per day	
-8 DON'T KNOW	GO TO BOX R04_ACR41
-7 REFUSED	GO TO BOX R04_ACR41
ASK: New baseline and initiating every day cigarette smokers who report smoking a different amount now than in the past.	

<b>PATH ID: R04_AC9005_LC1</b>	
The computer recorded that, when you smoked regularly in the past, you smoked [R04_AC9005_NN] [cigarettes/packs] a day. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC9005
2 NEXT	GO TO BOX R04_ACR41
ASK: IF (R04_AC9005_NN > 40 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN = 11, 22, 33 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN > 2 AND R04_AC9005_UN = 2).	
DISPLAY: IF R04_AC9005_UN = 1, DISPLAY "cigarettes".	
ELSE, IF R04_AC9005_UN = 2, DISPLAY "packs".	

<b>BOX ID: R04_ACR41</b>
Current and experimental current cigarette smokers, go to R04_AC9022.
Else, former 30 day cigarette smokers, go to R04_AC1024_30D.
Else, go to the next section.

<b>PATH ID: R04_AC9022</b>
Do you consider yourself a smoker?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current cigarette smokers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9045**

Please rate your level of agreement using the following scale: 1 = Not at all to 7 = Extremely.

Do you enjoy the sensation in your throat and chest when you smoke a cigarette?

- 1 Not at all
- 2
- 3
- 4
- 5
- 6
- 7 Extremely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers.

**PATH ID: R04\_AC1024**

[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

- 1 |\_\_|\_\_| Minutes after waking
- 2 |\_\_|\_\_| Hours after waking
- 8 DON'T KNOW GO TO R04\_AC1092
- 7 REFUSED GO TO R04\_AC1092

ASK: Current and experimental current cigarette smokers.

DISPLAY: IF R04\_CURRENT\_CIG\_USE = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke, how".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AC1024_LC1</b>
The computer recorded that you typically smoke your first cigarette of the day [R04_AC1024_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1024
2 NEXT	GO TO R04_AC9052
ASK: IF [R04_CURRENT_CIG_USE = 1 AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 4 AND R04_AC1024_UN = 2))] OR [(R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 12 AND R04_AC1024_UN = 2))].	
DISPLAY: IF R04_AC1024_UN = 2, DISPLAY "hours".	
ELSE, IF R04_AC1024_UN = 1, DISPLAY "minutes".	

<b>PATH ID:</b>	<b>R04_AC1024_LC2</b>
The computer recorded "0" for how soon you typically smoke your first cigarette of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1024
2 NEXT	GO TO R04_AC9052
ASK: IF R04_AC1024_NN = 0.	

<b>PATH ID:</b>	<b>R04_AC1092</b>
[On the days that you smoke, would/Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO R04_AC9052
2 No	GO TO R04_AC9052
3 It varies	GO TO R04_AC9052
-8 DON'T KNOW	GO TO R04_AC9052
-7 REFUSED	GO TO R04_AC9052
ASK: Current and experimental current cigarette smokers who did not know or refused to report how soon they smoke a cigarette after waking up.	
DISPLAY: IF R04_CURRENT_CIG_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you smoke, would".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1024\_30D**

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

1 |\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AC1092\_30D

-7 REFUSED

GO TO R04\_AC1092\_30D

ASK: Former 30 day cigarette smokers.

**PATH ID: R04\_AC1024\_30D\_LC1**

The computer recorded that you typically smoked your first cigarette of the day [R04\_AC1024\_30D\_NN] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1024\_30D

2 NEXT

GO TO R04\_AC9048

ASK: IF (R04\_AC1024\_30D\_NN > 60 AND R04\_AC1024\_30D\_UN = 1) OR (R04\_AC1024\_30D\_NN > 12 AND R04\_AC1024\_30D\_UN = 2).

DISPLAY: IF R04\_AC1024\_30D\_UN = 2, DISPLAY "hours".

ELSE, IF R04\_AC1024\_30D\_UN = 1, DISPLAY "minutes".

**PATH ID: R04\_AC1024\_30D\_LC2**

The computer recorded "0" for how soon you typically smoked your first cigarette of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1024\_30D

2 NEXT

GO TO R04\_AC9048

ASK: IF R04\_AC1024\_30D\_NN = 0.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1092_30D</b>	
On the days that you smoked, would you say you smoked your first cigarette of the day within the first 30 minutes after you woke up?	
1 Yes	GO TO R04_AC9048
2 No	GO TO R04_AC9048
3 It varies	GO TO R04_AC9048
-8 DON'T KNOW	GO TO R04_AC9048
-7 REFUSED	GO TO R04_AC9048
ASK: Former 30 day cigarette smokers who did not know or refused to report how soon they smoked a cigarette after waking up.	

<b>PATH ID:</b> <b>R04_AC9052</b>	
Which cigarette would you hate most to give up?	
1 The first one in the morning	
2 All others	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

<b>PATH ID:</b> <b>R04_AC9053</b>	
Do you smoke more frequently during the first hours after waking than during the rest of the day?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

<b>PATH ID:</b> <b>R04_AC9054</b>	
Do you smoke if you are so ill that you are in bed most of the day?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9048</b>
When you [smoke/smoked] cigarettes, [do/did] you usually smoke manufactured cigarettes or [do/did] you smoke roll-your-own cigarettes?
1   Manufactured cigarettes
2   Roll-your-own cigarettes
3   Both manufactured and roll-your-own cigarettes
4   I don't know
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day cigarette smokers.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "smoke", "do", AND "do".
ELSE, IF R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "smoked", "did", AND "did".

<b>BOX ID:</b> <b>R04_ACR36</b>
If respondent usually smokes both manufactured and roll-your-own cigarettes, create and repeat R04_AC0100[MC/R Y] to R04_AC1051[MC/R Y] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second.
If R04_AC9048 = 1, 4, -8, -7, loop through R04_AC0100MC to R04_AC1051MC only once, following the display instructions for manufactured cigarettes.
If R04_AC9048 = 2, loop through R04_AC0100RY to R04_AC1051RY only once, following the display instructions for roll-your-own cigarettes.

<b>BOX ID:</b> <b>R04_ACR45</b>
Adult respondents who did not smoke cigarettes in the past 30 days, go to R04_AC1030[MC/R Y]. Else, go to R04_AC0100[MC/R Y].

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC0100</b>	
When did you last smoke a [cigarette/roll-your-own cigarette]?	
1 In the past hour	GO TO R04_AC0103[MC/R Y]
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R04_AC1130[MC/R Y]
-8 DON'T KNOW	GO TO R04_AC1130[MC/R Y]
-7 REFUSED	GO TO R04_AC1130[MC/R Y]
ASK: Adult respondents who have smoked a cigarette in the past 30 days.	
DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette".	
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME.	
ELSE, DISPLAY "cigarette".	

<b>PATH ID: R04_AC0102</b>	
When you last smoked a [cigarette/roll-your-own cigarette] [FILL BASED ON R04_AC0100[MC/R Y]], was it...	
1 Between midnight and 6AM	
2 After 6AM but before noon	
3 Between noon and 6PM	
4 After 6PM but before midnight	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have smoked a cigarette today, yesterday or the day before yesterday, but not in the past hour.	
DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME. ELSE, DISPLAY "cigarette".	
FOR [FILL BASED ON R04_AC0100]:	
IF R04_AC0100[MC/R Y] = 2, DISPLAY "today".	
IF R04_AC0100[MC/R Y] = 3, DISPLAY "yesterday".	
IF R04_AC0100[MC/R Y] = 4, DISPLAY "the day before yesterday".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC0103</b>	
How many [cigarettes/roll-your-own cigarettes] [have/did] you [smoked/smoke] [FILL BASED ON R04_AC0100]? [A pack usually has 20 cigarettes in it.]	
1  __ __ __  Number of cigarettes	
-8 DON'T KNOW	GO TO R04_AC1130[MC/RY]
-7 REFUSED	GO TO R04_AC1130[MC/RY]
ASK: Adult respondents who have smoked a cigarette in the past hour, today, yesterday or the day before yesterday.	
DISPLAY: DISPLAY "Number of cigarettes" AS A TITLE.	
IF R04_AC9048 = 1, 4, -8, -7, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it."	
ELSE, IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarettes".	
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it." THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarettes" THE SECOND TIME.	
IF R04_AC0100[MC/RY] = 1, 2, DISPLAY "have" AND "smoked".	
IF R04_AC0100[MC/RY] = 3, 4, DISPLAY, "did" AND "smoke".	
FOR [FILL BASED ON R04_AC0100]:	
IF R04_AC0100[MC/RY] = 1, 2, DISPLAY "today".	
IF R04_AC0100[MC/RY] = 3, DISPLAY "yesterday".	
IF R04_AC0100[MC/RY] = 4, DISPLAY "the day before yesterday".	

<b>PATH ID: R04_AC0103_LC1</b>	
The computer recorded that you smoked [R04_AC0103] cigarettes [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC0103[MC/RY]
2 NEXT	GO TO R04_AC1130[MC/RY]
ASK: IF R04_AC0103[MC/RY]_NN > 60 OR R04_AC0103[MC/RY]_NN = 11, 22, 33, 44, 55.	
DISPLAY: IF R04_AC0100[MC/RY] = 1, 2, DISPLAY "today".	
IF R04_AC0100[MC/RY] = 3, DISPLAY "yesterday".	
IF R04_AC0100[MC/RY] = 4, DISPLAY "the day before yesterday".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1130</b>
<p>In the past 30 days, [were any of the cigarettes/was any of the roll-your-own cigarette tobacco] you smoked flavored to taste like menthol or mint?</p> <p style="margin-left: 40px;">1 Yes  2 No  3 I don't know  -8 DON'T KNOW  -7 REFUSED</p> <p>ASK: Adult respondents who have smoked a cigarette in the past 30 days.  DISPLAY: IF R04_AC9048 = 2, DISPLAY "was any of the roll-your-own cigarette tobacco". ELSE, IF R04_AC9048 = 3, DISPLAY "were any of the cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "was any of the roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "were any of the cigarettes".</p>

<b>PATH ID: R04_AC1030</b>												
<p>The next questions ask about your experience buying cigarettes.</p> <p>How [do/did] you usually buy [cigarettes/a pouch of roll-your-own cigarette tobacco] for yourself?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; padding-left: 40px;">1 In person</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">2 From the internet</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td style="padding-left: 40px;">3 By telephone</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td style="padding-left: 40px;">4 I do not buy my own [cigarettes/cigarette tobacco]</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td style="padding-left: 40px;">-8 DON'T KNOW</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td style="padding-left: 40px;">-7 REFUSED</td> <td>GO TO BOX R04_ACR07</td> </tr> </table> <p>ASK: Current, experimental current, and former 30 day cigarette smokers.  DISPLAY: IF R04_AC9048 = 2, DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4.  ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4 THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4 THE SECOND TIME.  ELSE, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4.  IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did".</p>	1 In person		2 From the internet	GO TO BOX R04_ACR07	3 By telephone	GO TO BOX R04_ACR07	4 I do not buy my own [cigarettes/cigarette tobacco]	GO TO BOX R04_ACR07	-8 DON'T KNOW	GO TO BOX R04_ACR07	-7 REFUSED	GO TO BOX R04_ACR07
1 In person												
2 From the internet	GO TO BOX R04_ACR07											
3 By telephone	GO TO BOX R04_ACR07											
4 I do not buy my own [cigarettes/cigarette tobacco]	GO TO BOX R04_ACR07											
-8 DON'T KNOW	GO TO BOX R04_ACR07											
-7 REFUSED	GO TO BOX R04_ACR07											

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1032</b>
[Do/Did] you usually buy [cigarettes/roll-your-own cigarette tobacco]...?  1    In your own state 2    In another state 3    Outside the US -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, and former 30 day cigarette smokers who usually buy cigarettes in person. DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes". IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "Do". ELSE, DISPLAY "Did".

<b>PATH ID:</b> <b>R04_AC1033</b>
Where [do/did] you buy your [cigarettes/roll-your-own cigarette tobacco] most of the time?  1    A convenience store or gas station 2    A supermarket, grocery store, or drug store 3    A warehouse club, such as Sam's or Costco 4    A smoke shop, tobacco specialty store or tobacco outlet store 5    A duty free shop or military commissary 6    A bar, pub, restaurant or casino 7    A friend or relative 8    A swap meet or flea market 9    A store on an Indian reservation 10   A liquor store 11   Or from somewhere else (SPECIFY) -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, and former 30 day cigarette smokers who usually buy cigarettes in person. DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes". IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR07**

Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarette tobacco and usually buy in person, over the telephone or internet, go to R04\_AC9049.  
 Else, current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes and usually buy in person, over the telephone or internet, go to R04\_AC1039.  
 Else, go to R04\_AC1047[MC/RV].

**PATH ID: R04\_AC9049**

How much do you usually pay for a pouch of roll-your-own cigarette tobacco?

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents  
 -8 DON'T KNOW GO TO R04\_AC1047RY  
 -7 REFUSED GO TO R04\_AC1047RY

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarette tobacco and usually buy in person, over the telephone or internet.  
 DISPLAY: DISPLAY"\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH ID: R04\_AC9049\_LC1**

The computer recorded that you usually pay \$[R04\_AC9049\_D].[R04\_AC9049\_C] for a pouch of roll-your-own cigarette tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AC9049RY  
 2 NEXT GO TO R04\_AC1047RY

ASK: IF R04\_AC9049\_D > 30.

**PATH ID: R04\_AC1039**

Do you usually buy cigarettes by the carton, pack or as single cigarettes?

1 Carton  
 2 Pack GO TO R04\_AC1042MC  
 3 Single cigarettes GO TO R04\_AC1043MC  
 -8 DON'T KNOW GO TO R04\_AC1047MC  
 -7 REFUSED GO TO R04\_AC1047MC

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes and usually buy in person, over the telephone or internet.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1040</b>	
How many packs of cigarettes are in the carton you usually buy?	
1  __ __	
-8 DON'T KNOW	GO TO R04_AC1041MC
-7 REFUSED	GO TO R04_AC1041MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the carton.	

<b>PATH ID: R04_AC1040_LC1</b>	
A carton of cigarettes usually has 10 packs in it, but not always. The computer recorded that there [is R04_AC1040 pack/are R04_AC1040 packs] of cigarettes in the carton you usually buy.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1040
2 NEXT	GO TO R04_AC1041
ASK: IF R04_AC1040 != 10.	
DISPLAY: IF R04_AC1040 = 1, DISPLAY "is [R04_AC1040] pack".	
ELSE, DISPLAY "are [R04_AC1040] packs".	

<b>PATH ID: R04_AC1041</b>	
How much do you usually pay for a carton of cigarettes?	
1 \$  __ __ __  Dollars .  __ __  Cents	
-8 DON'T KNOW	GO TO R04_AC1047MC
-7 REFUSED	GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the carton.	
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.	

<b>PATH ID: R04_AC1041_LC1</b>	
The computer recorded that you usually pay \$[R04_AC1041_D].[R04_AC1041_C] for a carton of cigarettes. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1041
2 NEXT	GO TO R04_AC1047MC
ASK: IF R04_AC1041_D > 125 OR (R04_AC1041_D = 125 AND R04_AC1041_C > 00) OR R04_AC1041_D < 25.	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1042</b>
How much do you usually pay for a pack of cigarettes?
1 \$  __ __ __  Dollars .  __ __  Cents
-8 DON'T KNOW GO TO R04_AC1047MC
-7 REFUSED GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the pack.
DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles.

<b>PATH ID:</b> <b>R04_AC1042_LC1</b>
The computer recorded that you paid \$[R04_AC1042_D].[R04_AC1042_C] for a pack of cigarettes. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AC1042
2 NEXT GO TO R04_AC1047MC
ASK: IF R04_AC1042_D > 15 OR (R04_AC1042_D = 15 AND R04_AC1042_C > 00) OR R04_AC1042_D < 3 OR (R04_AC1042_D = 3 AND R04_AC1042_C < 99).

<b>PATH ID:</b> <b>R04_AC1043</b>
How much do you usually pay for a single cigarette?
1 \$  __ __ __  Dollars .  __ __  Cents
-8 DON'T KNOW GO TO R04_AC1047MC
-7 REFUSED GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes as single cigarettes.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID:</b> <b>R04_AC1043_LC1</b>
The computer recorded that you usually pay \$[R04_AC1043_D].[R04_AC1043_C] for a single cigarette. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AC1043
2 NEXT GO TO R04_AC1047MC
ASK: IF R04_AC1043_D > 3 OR (R04_AC1043_D = 3 AND R04_AC1043_C > 00) OR (R04_AC1043_D = 0 AND R04_AC1043_C < 50).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1047</b>
<p>[Do/Did] you have a regular brand of [cigarettes/roll-your-own cigarette tobacco] that you usually [smoke/ smoked]?</p> <p style="margin-left: 40px;">1    Yes</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers.</p> <p>DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY “Do” AND “smoke”.</p> <p>ELSE, IF R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY “Did” AND “smoked”.</p> <p>IF R04_AC9048 = 2, DISPLAY “roll-your-own cigarette tobacco”.</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY “cigarettes” THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY “roll-your-own cigarette tobacco” THE SECOND TIME.</p> <p>ELSE, DISPLAY “cigarettes”.</p>

<b>BOX ID:</b> <b>R04_ACR29</b>
<p>Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes; and recent former cigarette smokers, go to R04_AC1050.</p> <p>Else, respondents who smoke roll-your-own cigarettes, go to R04_AC9150.</p>

<b>PATH ID:</b> <b>R04_AC1050</b>										
<p>[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol or mint?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1    Yes</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">2    No</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">3    I don't know</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> </table> <p>ASK: Current, experimental current, and former 30 day cigarette smokers who smoke manufactured cigarettes; and recent former cigarette smokers.</p> <p>DISPLAY: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 1, DISPLAY “Is” AND “your regular brand” AND “smoke”.</p> <p>IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 2, -8, -7, DISPLAY “Was” AND “the last brand” AND “smoked”.</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1, DISPLAY “Was” AND “your regular brand” AND “smoked”.</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 2, -8, -7, DISPLAY “Was” and “the last brand” and “smoked”.</p>	1    Yes	GO TO R04_AC1945MC	2    No	GO TO R04_AC1945MC	3    I don't know	GO TO R04_AC1945MC	-8   DON'T KNOW	GO TO R04_AC1945MC	-7   REFUSED	GO TO R04_AC1945MC
1    Yes	GO TO R04_AC1945MC									
2    No	GO TO R04_AC1945MC									
3    I don't know	GO TO R04_AC1945MC									
-8   DON'T KNOW	GO TO R04_AC1945MC									
-7   REFUSED	GO TO R04_AC1945MC									

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9150</b>
[Is/Was] [your regular brand/the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol or mint?
1 Yes
2 No
3 I don't know
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarettes.
DISPLAY: IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 1, DISPLAY "Is" AND "your regular brand".
IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 2, -8, -7), DISPLAY, "Was", "the last brand" AND "you smoked".
ELSE, IF R04_AC1047RY = 1, DISPLAY "Was" AND "your regular brand".
ELSE, IF R04_AC1047RY = 2, -8, -7, DISPLAY "Was" and "the last brand" and "you smoked".

<b>PATH ID:</b> <b>R04_AC1945</b>
Do you know the <u>name of the brand</u> of [cigarettes/roll-your-own cigarette tobacco] you [usually smoke/usually smoked/last smoked]?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day cigarette smokers.
DISPLAY: IF R04_AC1047[MC/Ry] = 1 AND R04_CIG_USER_STATUS = 1, 2, DISPLAY "usually smoke".
ELSE, IF R04_AC1047[MC/Ry] = 1 AND R04_CIG_USER_STATUS != 1, 2, DISPLAY "usually smoked".
ELSE, IF R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "last smoked".
IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.
ELSE, DISPLAY "cigarettes".
UNDERLINE "name of the brand".

<b>BOX ID:</b> <b>R04_ACR44</b>
Respondents who know the name of their brand, go to R04_AC1048[MC/Ry]_BRAND.
Else, respondents who have a regular brand, go to R04_AC1051[MC/Ry].
Else, go to Box R04_ACR43.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1048</b>
<p>What brand of [cigarettes/roll-your-own cigarette tobacco] [do/did] you [usually/last] smoke?</p> <p>Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]</p> <p style="margin-left: 40px;">1    Something else</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who know the brand name.</p> <p>DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT"."</p> <p>IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."</p> <p>IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 1, DISPLAY "do" AND "usually".</p> <p>ELSE, IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "did" AND "last".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS =1) AND R04_AC1047[MC/R Y] = 1, DISPLAY "did" AND "usually".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS =1) AND R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "did" AND "last".</p> <p>IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.</p> <p>ELSE, DISPLAY "cigarettes".</p>

<b>BOX ID: R04_ACR30</b>
<p>If respondent selects an image for their brand, go to R04_AC1070[MC/R Y]_PRODUCT.</p> <p>Else, if respondent selects "Something else" for their brand, go to R04_AC1049[MC/R Y].</p> <p>Else, go to Box R04_ACR33.</p>

<b>PATH ID: R04_AC1049</b>						
<p>You said that your brand was not listed. What is it?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; padding-left: 40px;">1    _____</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> </table> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected "Something else" for their brand.</p>	1    _____	GO TO BOX R04_ACR33	-8   DON'T KNOW	GO TO BOX R04_ACR33	-7   REFUSED	GO TO BOX R04_ACR33
1    _____	GO TO BOX R04_ACR33					
-8   DON'T KNOW	GO TO BOX R04_ACR33					
-7   REFUSED	GO TO BOX R04_ACR33					

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1070**

You selected [CIGBRANDFILL/RYOBRANDFILL] as your brand. What kind of [CIGBRANDFILL/RYOBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else."]

- 1 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected a brand image.

DISPLAY: IF R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04\_AC1048MC\_BRAND.

ELSE, IF R04\_AC9048 = 2 OR (R04\_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04\_AC1048RY\_BRAND.

IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."

IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1047[MC/RV] = 1, DISPLAY "do" AND "usually".

ELSE, IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1047[MC/RV] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04\_CIG\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047[MC/RV] = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04\_CIG\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047[MC/RV] = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_ACR31**

If current, experimental current, recent former, or former 30 day cigarette smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AC1071[MC/RV].

Else, go to Box R04\_ACR33.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1071**

You said that the type of [CIGBRANDFILL/RYOBRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected a brand image, but selected "Something else" for their subbrand image.

DISPLAY: IF R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04\_AC1048MC\_BRAND.

IF R04\_AC9048 = 2 OR (R04\_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04\_AC1048RY\_BRAND.

IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1047[MC/R Y] = 1, DISPLAY "smoke".

ELSE, IF (R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1047[MC/R Y] != 1) OR R04\_CIG\_USER\_STATUS = 4, DISPLAY "smoked".

**BOX ID: R04\_ACR33**

Current, experimental current, recent former, and former 30 day cigarette smokers who have a regular brand, go to R04\_AC1051[MC/R Y].

Else, go to Box R04\_ACR43.

**PATH ID: R04\_AC1051**

About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW GO TO BOX R04\_ACR43
- 7 REFUSED GO TO BOX R04\_ACR43

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who have a regular brand.

DISPLAY: IF R04\_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R04\_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes".

IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1051\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand for [R04\_AC1051MC\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC1051MC  |
| 2 | NEXT | GO TO BOX R04_ACR43 |

ASK: IF (R04\_AC1051MC\_NN > R04\_ACHIEVEDAGE) AND R04\_AC1051MC\_UN = 3.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**PATH ID: R04\_AC1051\_LC2**

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC1051MC  |
| 2 | NEXT | GO TO BOX R04_ACR43 |

ASK: IF R04\_AC1051MC\_NN = 0.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**PATH ID: R04\_AC1051RY\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand for [R04\_AC1051RY\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC1051RY  |
| 2 | NEXT | GO TO BOX R04_ACR09 |

ASK: IF R04\_AC1051RY\_NN > R04\_ACHIEVEDAGE AND R04\_AC1051RY\_UN = 3.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1051RY\_LC2**

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1051RY

2 NEXT

GO TO BOX R04\_ACR09

ASK: IF R04\_AC1051RY\_NN = 0.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**BOX ID: R04\_ACR43**

Adult respondents who usually smoke both manufactured and roll-your-own cigarettes, go back to R04\_AC0100RY and loop through series for roll-your-own cigarettes.

Else, go to Box R04\_ACR09.

**BOX ID: R04\_ACR09**

Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand, go to Box R04\_ACD01.

Else, if current, experimental current, new former or former 30 day cigarette smoker, who does not have a regular brand and usually smokes manufactured cigarettes, go to R04\_AC9019.

Else, go to Box R04\_ACR35.

**BOX ID: R04\_ACD01**

Randomize order of R04\_AC9010 through R04\_AC9015.

Display question R04\_AC9010, R04\_AC9011, R04\_AC9014, R04\_AC9015, on one screen. Show the intro/transition text from R04\_AC9010 first, then show each item with a Y/N response. As each item is answered, show the next one.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9010**

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes. ]In choosing your regular brand of cigarettes[ when you smoked], was part of your decision based on any of the following?

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "when you smoked" AND "was".

IF R04\_CIG\_USER\_STATUS = 1 AND R04\_AC9048 = 3, DISPLAY TRANSITION TEXT: "The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AC9011**

The tar and nicotine levels.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH ID: R04\_AC9014**

The taste.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9015**

As a way to help you quit.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH ID: R04\_AC9019**

Do you think the brand of cigarettes you [usually smoke/usually smoked/last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who usually smoke manufactured cigarettes.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1047MC = 1, DISPLAY "usually smoke".

ELSE, IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

ELSE, IF R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 1, DISPLAY "usually smoked".

ELSE, IF R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

**BOX ID: R04\_ACR35**

Adult respondents who are a current smoker of BOTH manufactured and roll-your-own cigarettes, who know the name of their brands and selected a valid brand and product for both, and smoked today, yesterday, or the day before yesterday, go to R04\_AC0105.

Else, if NEQBRAND is missing in either loop for manufactured or RYO cigarettes or respondents who have smoked a cigarette today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand AND valid product AND are users of either manufactured OR roll-your-own cigarettes, but not both, go to R04\_AC0104.

Else, go to the next section.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AC0105</b>	
<p>You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand...</p>		
1	[NEQBRAND]	GO TO NEXT SECTION
2	[NEQBRAND]	GO TO NEXT SECTION
3	Some other brand	GO TO NEXT SECTION
-8	DON'T KNOW	GO TO NEXT SECTION
-7	REFUSED	GO TO NEXT SECTION
<p>ASK: Current, experimental current, and former 30 day cigarette smokers who have smoked a cigarette today, yesterday or the day before yesterday who know the name of their brands AND selected a valid brand and valid product AND are users of both RYO and manufactured cigarettes. (If NEQBRAND is missing in either loop for manufactured or RYO cigarettes, default to asking R04_AC0104 at the end of the cigarette section instead of R04_AC0105.)</p>		
<p>DISPLAY: IF R04_AC0100MC = 1, FILL [TIME OF LAST USE] WITH "in the past hour".</p>		
<p>ELSE, IF R04_AC0100RY = 1, FILL [TIME OF LAST USE] WITH "in the past hour".</p>		
<p>ELSE, IF R04_AC0100MC = 2, FILL [TIME OF LAST USE] WITH "sometime today".</p>		
<p>ELSE, IF R04_AC0100RY = 2, FILL [TIME OF LAST USE] WITH "sometime today".</p>		
<p>ELSE, IF R04_AC0100MC = 3, FILL [TIME OF LAST USE] WITH "yesterday".</p>		
<p>ELSE, IF R04_AC0100RY = 3, FILL [TIME OF LAST USE] WITH "yesterday".</p>		
<p>ELSE, IF R04_AC0100MC = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".</p>		
<p>ELSE, IF R04_AC0100RY = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".</p>		
<p>FILL [NEQBRAND] WITH R04_AC1070MC_PRODUCT RESPONSE CODE 1 FOR MANUFACTURED.</p>		
<p>FILL [NEQBRAND] WITH R04_AC1070RY_PRODUCT RESPONSE CODE 2 FOR ROLL-YOUR-OWN.</p>		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC0104**

We just have one more question about [your regular brand / the last brand] of cigarettes[ you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who have smoked a cigarette in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product AND are users of either manufactured OR roll-your-own cigarettes, but not both OR are users of both, but only provided a valid brand AND valid product for one type of cigarette.

DISPLAY: UNDERLINE "your regular brand" AND "the last brand" IN THE QUESTION TEXT.

IF R04\_AC1047[MC/R Y] = 1, DISPLAY "your regular brand".

ELSE, IF R04\_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "the last brand" AND "you smoked".

IF R04\_AC0100[MC/R Y] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04\_AC0100[MC/R Y] = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04\_AC0100[MC/R Y] = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE IF R04\_AC0100[MC/R Y] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R04\_AC1070[MC/R Y]\_PRODUCT RESPONSE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **ELECTRONIC NICOTINE PRODUCTS**

**BOX ID: R04\_AVT02**

The next questions are about **electronic nicotine products**.

Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with a cartridge or tank system. Some people refill their own electronic nicotine products with nicotine fluid, sometimes called "e-liquid" or "e-juice".

Disposable electronic nicotine products, electronic nicotine product cartridges and e-liquid come in many different flavors and nicotine concentrations. Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, eGo, and iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS].

**PATH ID: R04\_AV1090**

Do you own an electronic nicotine product?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AV9041 |
| -8 | DON'T KNOW | GO TO R04_AV9041 |
| -7 | REFUSED    | GO TO R04_AV9041 |

ASK: Adult respondents who have ever used an e-product.

**PATH ID: R04\_AV9945**

Do you know the name of the brand of electronic nicotine product that you own?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AV9004 |
| -8 | DON'T KNOW | GO TO R04_AV9004 |
| -7 | REFUSED    | GO TO R04_AV9004 |

ASK: Adult respondents who own an e-product.

DISPLAY: UNDERLINE "name of the brand".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9002**

What brand of electronic nicotine product do you own? (If you own more than one electronic nicotine product, answer about the one you use **most often**.)

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". / If you do not see it below, touch the box marked "Something else".]

- 1 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product and know the brand name.

DISPLAY: [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT".

[If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else".

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

**BOLD AND UNDERLINE "most often"**.

**BOX ID: R04\_AVR36**

Adult respondents who own an e-product and know the brand name and select "Something else" in R04\_AV9002, go to R04\_AV9003.

Else, go to R04\_AV9004.

**PATH ID: R04\_AV9003**

You said that the brand of electronic nicotine product you own was not listed. What brand is it?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product and know the brand name and did not select an image of the brand they own.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9004</b>
About how much did you pay for your electronic nicotine product? Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.
(If you own more than one electronic nicotine product, answer about the one you use <b><u>most often</u></b> .)
1    Less than \$10
2    \$10 to \$20
3    \$21 to \$100
4    More than \$100
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who own an e-product.
DISPLAY: BOLD AND UNDERLINE "most often".

<b>PATH ID:</b> <b>R04_AV9041</b>
Does anyone else living in your home own an electronic nicotine product?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have ever used an e-product.

<b>BOX ID:</b> <b>R04_AVR20</b>
New cohort adult respondents who have ever used an e-product, go to R04_AV1006_RS.
Else, aged-up and continuing adult respondents who have ever used an e-product and had not used e-products 100 or more times in the previous wave, go to R04_AV1005.
Else, aged-up and continuing adult respondents who have ever used an e-product and had never used e-products fairly regularly in the previous wave, go to R04_AV1100.
Else, go to Box R04_AVR22.

<b>PATH ID:</b> <b>R04_AV1006_RS</b>
How old were you when you first used an electronic nicotine product, even one or two times?
1     __ __  Years old
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AV1120_RS
GO TO R04_AV1120_RS
ASK: New cohort adult respondents who have ever used an e-product.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1006_RS_LC1</b>	
The computer recorded that you first used an electronic nicotine product at age [R04_AV1006_RS]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AV1006_RS
2   NEXT	GO TO R04_AV1005
ASK: IF R04_AV1006_RS <= 10.	

<b>PATH ID:</b> <b>R04_AV1006_RS_LC2</b>	
The computer recorded that you first used an electronic nitoiner product at age [R04_AV1006_RS]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AV1006_RS
2   NEXT	GO TO R04_AV1005
ASK: IF R04_AV1006_RS > R04_ACHIEVEDAGE.	

<b>PATH ID:</b> <b>R04_AV1120_RS</b>	
When you first used an electronic nicotine product, even one or two times, were you...	
1   Less than 18 years old,	
2   18 to 24 years old,	
3   25 to 34 years old,	
4   35 to 44 years old,	
5   45 to 54 years old, or	
6   55 years old or older?	
-8   DON'T KNOW	
-7   REFUSED	
ASK: New cohort adult respondents who did not know or refused to report the age they first used an e-product.	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1005**

How many times have you used an electronic nicotine product in your entire life?

- 1 1 time, even just a few puffs
- 2 2 to 10 times
- 3 11 to 20 times
- 4 21 to 50 times
- 5 51 to 99 times
- 6 100 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used an e-product and had not used 100 or more times in the previous wave, and new cohort adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR21**

Aged-up and continuing adult respondents who have ever used an e-product and had never used e-products fairly regularly in the previous wave, and new cohort adult respondents who have ever used e-products, go to R04\_AV1100.

Else, go to Box R04\_AVV01.

**PATH ID: R04\_AV1100**

Have you ever used electronic nicotine products fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used an e-product (and had never used fairly regularly in the previous wave), and new cohort adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR22**

New baseline respondents that have ever used e-products fairly regularly but had never used fairly regularly in the previous wave, go to R04\_AV1007\_NB.

Else, go to Box R04\_AVV01.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1007_NB</b>
How old were you when you first started using electronic nicotine products fairly regularly?
1  __ __  Years old
-8 DON'T KNOW <span style="float: right;">GO TO R04_AV1121_NB</span>
-7 REFUSED <span style="float: right;">GO TO R04_AV1121_NB</span>
ASK: New baseline adult respondents who have ever used e-products fairly regularly but had never used fairly regularly in the previous wave.
DISPLAY: DISPLAY “Years old” AS A TITLE.

<b>PATH ID: R04_AV1007_NB_LC1</b>
The computer recorded that you started using electronic nicotine products fairly regularly at age [R04_AV1007_NB].
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AV1007_NB</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AVV01</span>
ASK: IF R04_AV1007_NB <= 5.

<b>PATH ID: R04_AV1007_NB_LC2</b>
The computer recorded that you started using electronic nicotine products fairly regularly at age [R04_AV1007_NB]. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AV1007_NB</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AVV01</span>
ASK: IF R04_AV1007_NB > R04_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1121\_NB**

When you first started using electronic nicotine products fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started using e-products fairly regularly.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVV01**

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EPROD\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days.

**R04\_EPROD\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.

**R04\_EPROD\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.

**R04\_EPROD\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former e-product users at the previous wave and aged-up adult respondents who ever used e-products at the previous wave, who have ever used e-products fairly regularly, and did not use e-products in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated e-product use since the previous wave, who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all.

**R04\_EPROD\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former e-product users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used and e-product and have used fairly regularly, who have not used in the past 12 months.

**R04\_CURRENT\_EPROD\_USE = 1 (Every day user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day.

**R04\_CURRENT\_EPROD\_USE = 2 (Some day user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days.

**R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1** Adult respondents who are experimental former, recent former, or long-term former users who have used any electronic nicotine products in the past 30 days.

**BOX ID: R04\_AVR02**

New baseline respondents that are every day e-product users, go to R04\_AV1020\_NB.

Else, aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondent who have ever used an e-product, go to R04\_AV1011.

Else, aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months, go to R04\_AV9035.

Else, go to Box R04\_AVR52.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1020_NB</b>	
How old were you when you first started using electronic nicotine products every day?	
1  __ __  Years old	
-8 DON'T KNOW	GO TO R04_AV1122_NB
-7 REFUSED	GO TO R04_AV1122_NB
ASK: New baseline adult respondents who are every day e-product users.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

<b>PATH ID: R04_AV1020_NB_LC1</b>	
The computer recorded that you started using electronic nicotine products every day at age [R04_AV1020_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AV1020_NB
2 NEXT	GO TO BOX R04_AVR23
ASK: IF R04_AV1020_NB <= 10 OR R04_AV1020_NB < R04_AV1007_NB.	

<b>PATH ID: R04_AV1020_NB_LC2</b>	
The computer recorded that you started using electronic nicotine products every day at age [R04_AV1020_NB]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AV1020_NB
2 NEXT	GO TO BOX R04_AVR23
ASK: IF R04_AV1020_NB > R04_ACHIEVEDAGE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1122\_NB**

When you first started using electronic nicotine products every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they first started using e-products every day.

**BOX ID: R04\_AVR23**

Aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondents who have ever used an e-product, go to R04\_AV1011.

Else, go to R04\_AV9035.

**PATH ID: R04\_AV1011**

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

- 1 Tobacco-flavored
- 2 Menthol or mint
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
- 8 Candy, desserts or other sweets
- 9 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondents who have ever used an e-product.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9035**

Which of the following types of electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- 1 E-cigarette including a vape pen, personal vaporizer, or mod
- 2 E-cigar
- 3 E-pipe
- 4 E-hookah including a hookah pen
- 5 Something else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months and new cohort adult respondents who have ever used e-products.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AVR56**

If the only device type selected is "Something else" or the respondent did not know or refused to report which device types they have used, go to Box R04\_AVR59.

Else, repeat R04\_AV9060 for each device type selected, except "Something else".

When all loops complete, go to Box R04\_AVV04.

**PATH ID: R04\_AV9060**

[Do/Did] you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04\_AV9035]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months and new cohort adult respondents who have ever used e-products and selected a type of e-product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, IF R04\_EPROD\_USER\_STATUS = 3, 4, 5, DISPLAY "did".

FOR R04\_AV9060\_01, DISPLAY "e-cigarette".

FOR R04\_AV9060\_02, DISPLAY "e-cigar".

FOR R04\_AV9060\_03, DISPLAY "e-pipe".

FOR R04\_AV9060\_04, DISPLAY "e-hookah".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR60**

If there are remaining device types, go back to Box R04\_AVR56 and complete loop for all remaining device types.

Else, if all loops are complete, go to Box R04\_AVV04.

**BOX ID: R04\_AVV04**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

**R04\_EPRODCOUNT** = The number of electronic nicotine products used.

**BOX ID: R04\_AVR58**

If the respondent uses more than one type of electronic nicotine product go to R04\_AV9044.

Else, go to Box R04\_AVR59.

**PATH ID: R04\_AV9044**

You mentioned that you have used more than one type of electronic nicotine product.

Which type of electronic nicotine product [do/did] you use **most often**?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- 1 E-cigarette including a vape pen, personal vaporizer, or mod
- 2 E-cigar
- 3 E-pipe
- 4 E-hookah including a hookah pen
- 5 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used more than one e-product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

BOLD AND UNDERLINE "most often".

**BOX ID: R04\_AVR59**

Current, experimental current, recent former, or former 30 day e-product users, go to R04\_AV9040.

Else, go to Box R04\_AVR12.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9040**

Please look at this picture. Which group is most like the electronic nicotine product you [use/used] **most often**?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 5 Group 5
- 6 Group 6
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "use".

ELSE, DISPLAY "used".

BOLD AND UNDERLINE "most often".

**BOX ID: R04\_AVD05**

Display questions R04\_AV9005 through R04\_AV9009 using stem-leaf screen. The introduction text from R04\_AV9009 is the stem.

**PATH ID: R04\_AV9005**

For the following questions, please think about the electronic nicotine product you [use/used] **most often**.

[Is/Was] it rechargeable?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "use" AND "Is".

ELSE, DISPLAY "used" AND "Was".

BOLD AND UNDERLINE "most often".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9038</b>
[Does/Did] it use a tank system?  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Does". ELSE, DISPLAY "Did".

<b>PATH ID:</b> <b>R04_AV9008</b>
[Does/Did] it use cartridges?  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Does". ELSE, DISPLAY "Did".

<b>PATH ID:</b> <b>R04_AV9009</b>
[Can/Could] you refill it with "e-liquid"?  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Can". ELSE, DISPLAY "Could".

<b>BOX ID:</b> <b>R04_AVR57</b>
Adult respondents who use refillable e-products, go to R04_AV9046. Else, go to Box R04_AVV03.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9046**

How often [do/did] you refill your electronic nicotine product with e-liquid?

- 1 At least once a day
- 2 Once every couple of days
- 3 Once a week
- 4 A few times a month
- 5 Once a month
- 6 A few times a year
- 7 Once a year
- 8 Never
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AVR30

ASK: Current, experimental current, recent former, or former 30 day e-product users that use refillable e-products.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH ID: R04\_AV9036**

Who [refills/refilled] it with e-liquid?

- 1 I [refill/refilled] it myself
- 2 I [get/got] it refilled at a vape shop or vapor lounge
- 3 I [buy/bought] it already filled
- 4 I [get/got] it refilled some other way
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users who use refillable e-products and have refilled them before.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "refills" IN QUESTION TEXT AND "refill", "get", "buy", AND "got" IN RESPONSE OPTIONS.

ELSE, DISPLAY "refilled" IN QUESTION TEXT AND "refilled", "got", "bought", AND "got" IN RESPONSE OPTIONS.

**BOX ID: R04\_AVR30**

Current, experimental current, recent former, or former 30 day e-product users that use a refillable tank system, go to R04\_AV9045.

Else, go to Box R04\_AVV03.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9045</b>
How many milliliters of e-liquid [does/did] your tank system hold?
1    _ _
-2   I don't know
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users that use a refillable tank system.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "does".
ELSE, DISPLAY "did".

<b>BOX ID:</b> <b>R04_AW03</b>
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_EDEVICETYPE</b> = (E-Product device type):
<b>R04_EDEVICETYPE</b> = 1 (Disposable E-Product Users).
<b>R04_EDEVICETYPE</b> = 2 (Non-Refillable Cartridge E-Product Users).
<b>R04_EDEVICETYPE</b> = 3 (Refillable Cartridge E-Product Users).
<b>R04_EDEVICETYPE</b> = 4 (Refillable Tank System E-Product Users).
<b>R04_EDEVICETYPE</b> = 5 (Refillable Mod System E-Product Users).
<b>R04_EDEVICETYPE</b> = 6 (Unknown E-Product User Type).

<b>BOX ID:</b> <b>R04_AVT04</b>
PROGRAM - CREATE [EPRODFILL1-3]:
<b>EPRODFILL1:</b>
R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL1 = "electronic nicotine products".
R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "electronic nicotine cartridges".
R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL1 = "milliliters of e-liquid".
<b>EPRODFILL2:</b>
R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL2 = "electronic nicotine products".
R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "electronic nicotine cartridges".
R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL2 = "e-liquid".
<b>EPRODFILL3:</b>
R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL3 = "electronic nicotine product".
R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "electronic nicotine cartridge".
R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL3 = "e-liquid".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9010**

Please think about the [EPRODFILL3] you [use/used] **most often**.

[Does/Did] it contain nicotine?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AVR12 |
| -8 | DON'T KNOW | GO TO BOX R04_AVR12 |
| -7 | REFUSED    | GO TO BOX R04_AVR12 |

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "use" and "Does".

ELSE, DISPLAY "used" and "Did".

BOLD AND UNDERLINE "most often".

**PATH ID: R04\_AV9006**

What concentration of nicotine [do/did] you usually use?

- |    |                                |
|----|--------------------------------|
| 1  | I don't know the concentration |
| 2  | 0mg or 0%                      |
| 3  | 1-6mg or 0.1-0.6%              |
| 4  | 7-12mg or 0.7-1.2%             |
| 5  | 13-17mg or 1.3-1.7%            |
| 6  | 18-24mg or 1.8-2.4%            |
| 7  | 25-39mg or 2.5-3.9%            |
| 8  | 40+mg or 4.0+%                 |
| -8 | DON'T KNOW                     |
| -7 | REFUSED                        |

ASK: Current, experimental current, recent former, or former 30 day e-product users whose e-products contain nicotine.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**BOX ID: R04\_AVR12**

Every day e-product users, go to R04\_AV1021.

Else, some day, experimental current, or former 30 day e-product users, go to R04\_AV1022.

Else, new cohort adult respondents who are experimental former, recent former, or long-term former e-product users go to R04\_AV1025\_RS.

Else, recent former smokers who did not use an e-product in the past 30 days, go to R04\_AV1047.

Else, go to R04\_AV9042.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV1021</b>	
On average, about how many [EPRODFILL1] do you now use each day?		
-2	Less than 1 each day	GO TO R04_AV1026
1	__ __	
-8	DON'T KNOW	GO TO R04_AV1026
-7	REFUSED	GO TO R04_AV1026
ASK: Every day e-product users.		
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.		

<b>PATH ID:</b>	<b>R04_AV1021_LC1</b>	
The computer recorded that you now use [R04_AV1021] [EPRODFILL1] a day, on average.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AV1021
2	NEXT	GO TO R04_AV1026
ASK: IF R04_AV1021 > 1.		

<b>PATH ID:</b>	<b>R04_AV1022</b>	
On how many of the past 30 days did you use an electronic nicotine product?		
1	__ __  DAYS	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Some day, experimental current, and former 30 day e-product users.		
DISPLAY: DISPLAY 'DAYS' AS A TITLE.		

<b>BOX ID:</b>	<b>R04_AVR42</b>
If respondent enters "0" for R04_AV1022 and is a some day or experimental current e-product user, go to R04_AV9029.	
Else, if respondent enters "0" for R04_AV1022 and is a former 30 day user of e-products, go to Box R04_AVR32.	
Else, go to R04_AV1026.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV9029</b>
About how long has it been since you last took a puff from an electronic nicotine product?
1  __ __  DAYS
2  __ __  MONTHS
3  __ __  YEARS
-8 DON'T KNOW GO TO BOX R04_AVR32
-7 REFUSED GO TO BOX R04_AVR32
ASK: Some day and experimental current e-product users who have not used in the past 30 days.

<b>PATH ID: R04_AV9029_LC1</b>
The computer recorded that you last took a puff from an electronic nicotine product [R04_AV9029] [days/months/years] ago.
If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AV9029
2 NEXT GO TO BOX R04_AVR32
ASK: IF (R04_AV9029_NN < 30 AND R04_AV9029_UN = 1) OR ((R04_AV9029_NN < 1 OR R04_AV9029_NN > 18) AND R04_AV9029_UN = 2) OR ((R04_AV9029_NN > (R04_ACHIEVEDAGE - 10)) AND R04_AV9029_UN = 3).
DISPLAY: IF R04_AV9029_UN = 1, DISPLAY "days".
ELSE, IF R04_AV9029_UN = 2, DISPLAY "months".
ELSE, IF R04_AV9029_UN = 3, DISPLAY "years".

<b>PATH ID: R04_AV1026</b>
On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?
1  __ __ __
-8 DON'T KNOW GO TO R04_AV1027
-7 REFUSED GO TO R04_AV1027
ASK: Every day e-product users or some day, experimental current, and former 30 day e-product users who have used in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1026_LC1</b>	
The computer recorded that on the days you use, you pick up your electronic nicotine product to use it [R04_AV1026] [time / times] a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AV1026
2    NEXT	GO TO R04_AV1027
ASK: IF R04_AV1026 > 50 OR R04_AV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.	
DISPLAY: IF R04_AV1026 = 1, DISPLAY "time".	
ELSE, DISPLAY "times".	

<b>PATH ID:</b> <b>R04_AV1027</b>	
Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?	
1     __ __ __	
-8   DON'T KNOW	GO TO BOX R04_AVR32
-7   REFUSED	GO TO BOX R04_AVR32
ASK: Every day e-product users or some day, experimental current, and former 30 day e-product users who have used in the past 30 days.	

<b>PATH ID:</b> <b>R04_AV1027_LC1</b>	
The computer recorded that you take [R04_AV1027] [puff / puffs] from your electronic nicotine product each time you use it, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AV1027
2    NEXT	GO TO BOX R04_AVR32
ASK: IF R04_AV1027 > 50 OR R04_AV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.	
DISPLAY: IF R04_AV1027 = 1, DISPLAY "puff".	
ELSE, DISPLAY "puffs".	

<b>BOX ID:</b> <b>R04_AVR32</b>	
Current and experimental current e-product users, go to R04_AV1024.	
Else, former 30 day e-product users, go to R04_AV1024_30D.	
Else, new cohort adult respondents who are experimental former, recent former, or long-term former e-product users, go to R04_AV1025_RS.	
Else, recent former smokers who did not use an e-product in the past 30 days, go to R04_AV1047.	
Else, go to R04_AV9042.	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1024
[On the days that you use an electronic nicotine product, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.
1  __ __ __  Minutes after waking
2  __ __ __  Hours after waking
-8 DON'T KNOW GO TO R04_AV1092
-7 REFUSED GO TO R04_AV1092
ASK: Current and experimental current e-product users.
DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "How".
ELSE, DISPLAY "On the days that you use an electronic nicotine product, how".

<b>PATH ID:</b> R04_AV1024_LC1
The computer recorded that you typically take your first puff from an electronic nicotine product [R04_AV1024_NN] [hours/minutes] after waking. Is this correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AV1024
2 NEXT GO TO BOX R04_AVR52
ASK: IF [R04_CURRENT_EPROD_USE = 1 AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 4 AND R04_AV1024_UN = 2))] OR [(R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 12 AND R04_AV1024_UN = 2))].
DISPLAY: IF R04_AV1024_UN = 1, DISPLAY "minutes".
IF R04_AV1024_UN = 2, DISPLAY "hours".

<b>PATH ID:</b> R04_AV1024_LC2
The computer recorded "0" for how soon you typically take your first puff from an electronic nicotine product after waking.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AV1024
2 NEXT GO TO BOX R04_AVR52
ASK: IF R04_AV1024 = 0.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1092</b>	
(On the days that you use electronic nicotine products, would/Would) you say you take your first puff of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R04_AVR52
2 No	GO TO BOX R04_AVR52
3 It varies	GO TO BOX R04_AVR52
-8 DON'T KNOW	GO TO BOX R04_AVR52
-7 REFUSED	GO TO BOX R04_AVR52
ASK: Current and experimental current e-product users who did not know or refused to report how soon after waking up they took their first puff from an e-product.	
DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you use electronic nicotine products, would".	

<b>PATH ID: R04_AV1024_30D</b>	
On the days that you used an electronic nicotine product, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.	
1  __ __ __  Minutes after waking	
2  __ __ __  Hours after waking	
-8 DON'T KNOW	GO TO R04_AV1092_30D
-7 REFUSED	GO TO R04_AV1092_30D
ASK: Former 30 day e-product users.	

<b>PATH ID: R04_AV1024_30D_LC1</b>	
The computer recorded that you typically took your first puff from an electronic nicotine product [R04_AV1024_30D_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AV1024_30D
2 NEXT	GO TO BOX R04_AVR52
ASK: IF (R04_AV1024_30D_NN > 60 AND R04_AV1024_30D_UN = 1) OR (R04_AV1024_30D_NN > 12 AND R04_AV1024_30D_UN = 2).	
DISPLAY: IF R04_AV1024_30D_UN = 1, DISPLAY "minutes".	
IF R04_AV1024_30D_UN = 2, DISPLAY "hours".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1024\_30D\_LC2**

The computer recorded "0" for how soon you typically took your first puff from an electronic nicotine product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AV1024\_30D

2 NEXT

GO TO BOX R04\_AVR52

ASK: IF R04\_AV1024\_30D = 0.

**PATH ID: R04\_AV1092\_30D**

On the days that you used electronic nicotine products, would you say you took your first puff of the day within the first 30 minutes after you woke up?

1 Yes

2 No

3 It varies

-8 DON'T KNOW

-7 REFUSED

ASK: Former 30 day e-product users who did not know or refused to report how soon after waking up they took their first puff from an e-product.

**BOX ID: R04\_AVR52**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former e-product users, go to R04\_AV1025\_RS.

Else, go to Box R04\_AVR46.

**PATH ID: R04\_AV1025\_RS**

Around this time 12 months ago, were you using electronic nicotine products...?

1 Every day

2 Some days

3 Not at all

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former e-product users.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR46**

Adult respondents who used e-products in the past 30 days, go to R04\_AV0100.  
Else, current, experimental current, and former 30 day e-product users, go to R04\_AV1030.  
Else, recent former e-product users, go to R04\_AV1047.  
Else, go to R04\_AV9042.

**PATH ID: R04\_AV0100**

When did you last use an electronic nicotine product?

- |    |                        |                  |
|----|------------------------|------------------|
| 1  | In the past hour       | GO TO R04_AV0103 |
| 2  | Sometime today         |                  |
| 3  | Yesterday              |                  |
| 4  | Day before yesterday   |                  |
| 5  | Three or more days ago | GO TO R04_AV1131 |
| -8 | DON'T KNOW             | GO TO R04_AV1131 |
| -7 | REFUSED                | GO TO R04_AV1131 |

ASK: Adult respondents who used e-products in the past 30 days.

**PATH ID: R04\_AV0102**

When you last used an electronic nicotine product [FILL BASED ON R04\_AV0100], was it...

- |    |                               |
|----|-------------------------------|
| 1  | Between midnight and 6AM      |
| 2  | After 6AM but before noon     |
| 3  | Between noon and 6PM          |
| 4  | After 6PM but before midnight |
| -8 | DON'T KNOW                    |
| -7 | REFUSED                       |

ASK: Adult respondents who have used an e-product today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AV0100]:

IF R04\_AV0100 = 2, DISPLAY "today".

IF R04\_AV0100 = 3, DISPLAY "yesterday".

IF R04\_AV0100 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV0103</b>
How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R04_AV0100]?
1  _ _ _
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have used an e-product in the past hour, today, yesterday or the day before yesterday.
DISPLAY: IF R04_AV0100 = 1, 2, DISPLAY "have" AND "taken".
IF R04_AV0100 = 3, 4, DISPLAY "did" AND "take".
FOR [FILL BASED ON R04_AV0100]:
IF R04_AV0100 = 1, 2, DISPLAY "today".
IF R04_AV0100 = 3, DISPLAY "yesterday".
IF R04_AV0100 = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AV0103_LC1</b>
The computer recorded you took [R04_AV0103] puffs from an electronic nicotine product [today/yesterday/the day before yesterday]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AV0103
2 NEXT GO TO R04_AV1131
ASK: IF R04_AV0103 > 200 OR R04_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.
DISPLAY: IF R04_AV0100 = 1, 2, DISPLAY "today".
IF R04_AV0100 = 3, DISPLAY "yesterday".
IF R04_AV0100 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1131**

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

- 1 Tobacco-flavored
- 2 Menthol or mint
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
- 8 Candy, desserts or other sweets
- 9 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used e-products in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AVR53**

Adult respondents who used menthol or mint flavored e-products in the past 30 days, go to R04\_AV1147.

Else, adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days, go to R04\_AV1157.

Else, go to R04\_AV1030.

**PATH ID: R04\_AV1147**

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used menthol or mint flavored e-products in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR55**

Adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days, go to R04\_AV1157.  
Else, go to R04\_AV1030.

**PATH ID: R04\_AV1157**

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days.

**PATH ID: R04\_AV1030**

The next questions ask about your experience buying [EPRODFILL2].

How [do/did] you usually buy [EPRODFILL2] for yourself?

- 1 In person
- 2 From the internet GO TO BOX R04\_AVR05
- 3 By telephone GO TO BOX R04\_AVR05
- 4 I do not buy my own [EPRODFILL2] GO TO R04\_AV1047
- 8 DON'T KNOW GO TO R04\_AV1047
- 7 REFUSED GO TO R04\_AV1047

ASK: Current, experimental current, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1032</b>
[Do/Did] you usually buy [EPRODFILL2]...
1    In your own state
2    In another state
3    Outside the US
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day e-product users who usually buy e-products in person.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, display "Do".
ELSE, DISPLAY "Did".

<b>PATH ID:</b> <b>R04_AV1033</b>
Where [do/did] you buy your [EPRODFILL2] most of the time?
12    A vape shop or vapor lounge
1    A mall kiosk
2    A convenience store or gas station
3    A supermarket, grocery store, or drug store
4    A warehouse club, such as Sam's or Costco
5    A smoke shop, tobacco specialty store or tobacco outlet store
6    A duty free shop or military commissary
7    A bar, pub, restaurant or casino
8    A friend or relative
9    A swap meet or flea market
10    A liquor store
11    Or from somewhere else (SPECIFY)
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day e-product users who usually buy e-products in person.
DISPLAY: IF R04_EPROD_USERS_STATUS = 1, 2, display "do".
ELSE, DISPLAY "did".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR05**

Disposable e-product users and e-product users of undetermined type that buy their own e-products, go to R04\_AV1136.

Else, refillable cartridge, tank system, and mod system e-product users that buy their own e-products, go to R04\_AV1041.

Else, non-refillable cartridge e-product users that buy their own e-products, go to R04\_AV1039.

Else, go to R04\_AV1047.

**PATH ID: R04\_AV1136**

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single [EPRODFILL1]?

- |    |                     |                  |
|----|---------------------|------------------|
| 1  | Box or pack         |                  |
| 2  | Single [EPRODFILL1] | GO TO R04_AV1034 |
| -8 | DON'T KNOW          | GO TO R04_AV1047 |
| -7 | REFUSED             | GO TO R04_AV1047 |

ASK: Current, experimental current or former 30 day disposable e-product users who usually buy their own e-products in person, on the internet or by telephone.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH ID: R04\_AV1137**

How many [EPRODFILL1] [come/came] in the box or pack that you usually [buy/bought]?

- |    |            |  |
|----|------------|--|
| 1  | _ _        |  |
| -8 | DON'T KNOW |  |
| -7 | REFUSED    |  |

ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone in a box or pack.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "come" AND "buy".

ELSE, DISPLAY "came" AND "bought".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1138</b>
How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?
1    \$  __ __ __  Dollars .  __ __  Cents
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AV1047
GO TO R04_AV1047
GO TO R04_AV1047
ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone in a box or pack.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID:</b> <b>R04_AV1034</b>
How much [do/did] you usually pay for a single [EPRODFILL3]?
1    \$  __ __ __  Dollars .  __ __  Cents
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AV1047
GO TO R04_AV1047
ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone as single disposable e-products.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID:</b> <b>R04_AV1034_LC1</b>
The computer recorded that you paid \$[R04_AV1034_D].[R04_AV1034_C] for a single [EPRODFILL3]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1    BACK
2    NEXT
GO TO R04_AV1034
GO TO R04_AV1047
ASK: IF R04_AV1034_D > 50.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1041**

How much [do/did] you usually pay for a bottle or container of e-liquid?

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents

-8 DON'T KNOW

GO TO R04\_AV1047

-7 REFUSED

GO TO R04\_AV1047

ASK: Current, experimental current or former 30 day refillable cartridge, tank system, and mod system e-product users who usually buy e-liquid in person, on the internet or by telephone.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1041_LC1</b>	
The computer recorded that you paid \$[R04_AV1041_D].[R04_AV1041_C] for a bottle or container of e-liquid. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AV1041
2    NEXT	GO TO R04_AV1047
ASK: IF R04_AV1041_D >\$50.	

<b>PATH ID:</b> <b>R04_AV1039</b>	
[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single cartridges?	
1    Box or pack	
2    Single cartridges	GO TO R04_AV1043
-8    DON'T KNOW	GO TO R04_AV1047
-7    REFUSED	GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who usually buy their own e-product cartridges in person, on the internet or by telephone.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".	
ELSE, DISPLAY "Did".	

<b>PATH ID:</b> <b>R04_AV1040</b>	
How many [EPRODFILL1] [come/came] in the box or pack that you [buy/bought]?	
1     __ __	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone in a box or pack.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "come" AND "buy".	
ELSE, DISPLAY "came" AND "bought".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1042
How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?
1 \$  __ __ __  Dollars .  __ __  Cents
-8 DON'T KNOW GO TO R04_AV1047
-7 REFUSED GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone in a box or pack.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID:</b> R04_AV1042_LC1
The computer recorded that you paid \$[R04_AV1042_D].[R04_AV1042_C] for a box or pack of [EPRODFILL1]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AV1042
2 NEXT GO TO R04_AV1047
ASK: IF R04_AV1042_D > 50.

<b>PATH ID:</b> R04_AV1043
How much [do/did] you usually pay for a single [EPRODFILL3]?
1 \$  __ __ __  Dollars .  __ __  Cents
-8 DON'T KNOW GO TO R04_AV1047
-7 REFUSED GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone as single e-cartridges.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1043\_LC1**

The computer recorded that you paid \$[R04\_AV1043\_D].[R04\_AV1043\_C] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AV1043

2 NEXT

GO TO R04\_AV1047

ASK: IF R04\_AV1043\_D > 50.

**PATH ID: R04\_AV1047**

[Do/Did] you have a regular brand of [EPRODFILL2] that you usually [use/used]?

1 Yes

2 No

3 I don't know

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, display "Do" AND "use".

ELSE, DISPLAY "Did" AND "used".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1012</b>
What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.
1    Tobacco-flavored
2    Menthol or mint
3    Clove or spice
4    Fruit
5    Chocolate
6    An alcoholic drink (such as wine, cognac, margarita or other cocktails)
7    A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
8    Candy, desserts or other sweets
9    Some other flavor (SPECIFY)
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."
IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Is" AND "your regular brand".
ELSE, IF R04_AV1047 = 1, DISPLAY "Was" AND "your regular brand".
IF R04_AV1047 = 2, 3, -8, -7 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Is" AND "the brand you last used".
ELSE IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "Was" AND "the brand you last used".

<b>PATH ID:</b> <b>R04_AV1945</b>
Do you know the <u>name of the brand</u> of [EPRODFILL2] you [usually use/usually used/last used]?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, past 30 day or recent former e-product users.
DISPLAY: IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "usually use".
IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS != 1, 2, DISPLAY "usually used".
IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "last used".
UNDERLINE "name of the brand".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR45**

Current, experimental current, recent former, and former 30 day e-product users who know the brand name, go to R04\_AV1048\_BRAND.

Else, current, experimental current, recent former, and former 30 day e-product users who have a regular brand, go to R04\_AV1051.

Else, go to Box R04\_AVD02.

**PATH ID: R04\_AV1048**

What brand of [EPRODFILL2] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

- 1 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users who know the brand name.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."

IF R04\_AV1047 = 1 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do" AND "usually".

ELSE, IF R04\_AV1047 = 1, DISPLAY "did" AND "usually".

IF R04\_AV1047 = 2, 3, -8, -7 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "did" AND "last".

ELSE IF R04\_AV1047 = 2, 3, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_AVR33**

Current, experimental current, recent former or former 30 day e-product users who selected "Something else" for their brand, go to R04\_AV1049.

Else, current, experimental current, recent former or former 30 day e-product users that have a regular brand, go to R04\_AV1051.

Else, go to Box R04\_AVR44.

**PATH ID: R04\_AV1049**

You said that your brand was not listed. What is it?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former or former 30 day e-product users who selected "Something else" for their brand.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR43**

Current, experimental current, recent former, or former 30 day e-product users who have a regular brand, go to R04\_AV1051.  
Else, go to Box R04\_AVR44.

**PATH ID: R04\_AV1051**

About how long [did you use/have you been using] your regular brand of [EPRODFILL2]?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users who have a regular brand.

DISPLAY: R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

**PATH ID: R04\_AV1051\_LC1**

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R04\_AV1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AV1051
- 2 NEXT GO TO BOX R04\_AVR44

ASK: IF (R04\_AV1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AV1051\_UN = 3..

**PATH ID: R04\_AV1051\_LC2**

The computer recorded "0" for how long you have used your regular brand of [EPRODFILL3].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AV1051
- 2 NEXT GO TO BOX R04\_AVR44

ASK: IF R04\_AV1051 = 0.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1051\_LC3**

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R04\_AV1051\_NN] years.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AV1051

2 NEXT

GO TO BOX R04\_AVR44

ASK: IF R04\_AV1051\_NN > (Today's date - 2010) AND R04\_AV1051\_UN = 3.

**BOX ID: R04\_AVR44**

Current, experimental current, or former 30 day e-product users who have used an e-product today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand, go to R04\_AV0104.

Else, go to Box R04\_AVD02.

**PATH ID: R04\_AV0104**

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, or former 30 day e-product users who have used an e-product in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand.

DISPLAY: IF R04\_AV0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

IF R04\_AV0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

IF R04\_AV0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

IF R04\_AV0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH SELECTION MADE IN R04\_AV1048\_BRAND.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVD02**

Randomize order of R04\_AV1060 through R04\_AV1067.

Display question R04\_AV1060, R04\_AV1085, R04\_AV1062, R04\_AV1075, R04\_AV1063, R04\_AV1064, R04\_AV1065, R04\_AV1066, and R04\_AV1067 on one screen. Show the intro/transition text from R04\_AV1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH ID: R04\_AV1060**

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "are".

ELSE, DISPLAY "applied to you when you used to use electronic nicotine products", "used" AND "were".

**PATH ID: R04\_AV1085**

I [can/could] use electronic nicotine products at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1062**

They might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

**PATH ID: R04\_AV1075**

They might [be/have been] less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

**PATH ID: R04\_AV1063**

E-liquid [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "comes" and "like".

IF R04\_EPROD\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1, DISPLAY "came" AND "liked".

**BOX ID: R04\_AVR34**

Current, experimental current, recent former, and former 30 day e-product users who are also current, experimental current, or recent former cigarette smokers, go to R04\_AV1064.

Else, go to R04\_AV1065.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1064</b>
Using electronic nicotine products helps people quit smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users who are also current, experimental current, or recent former cigarette smokers.

<b>PATH ID:</b> <b>R04_AV1065</b>
Electronic nicotine products don't smell.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.

<b>PATH ID:</b> <b>R04_AV1066</b>
Using an electronic nicotine product [feels/felt] like smoking a regular cigarette.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "feels".
ELSE, DISPLAY "felt".

<b>PATH ID:</b> <b>R04_AV1067</b>
Electronic nicotine products [are/were] more acceptable to non-tobacco users.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "are".
ELSE, DISPLAY "were".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR35**

Current, experimental current, and former 30 day e-product users who are also current or experimental current cigarette smokers, go to R04\_AV1086.  
Else, go to Box R04\_AVR51.

**PATH ID: R04\_AV1086**

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

1	Yes	
2	No	GO TO BOX R04_AVR51
-8	DON'T KNOW	GO TO BOX R04_AVR51
-7	REFUSED	GO TO BOX R04_AVR51

ASK: Current, experimental current, and former 30 day e-product users who are also current or experimental current cigarette smokers.

**PATH ID: R04\_AV1087**

How often [do/did] you use an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

1	Every day	
2	Some days	
3	Rarely	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current and experimental current cigarette smokers who have used e-products at times when or in places where they could not smoke regular cigarettes.  
DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".  
ELSE, IF R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1, DISPLAY "did".

**BOX ID: R04\_AVR51**

Current and experimental current e-product users who are also current or experimental current cigarette smokers, go to R04\_AV9054.  
Else, go to Box R04\_AVR54.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9054**

On the days you use both cigarettes and electronic nicotine products, do you smoke...

- 1 Fewer cigarettes than usual
- 2 The same amount of cigarettes
- 3 More cigarettes than usual
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who are also current or experimental current cigarette users.

**BOX ID: R04\_AVR54**

Current, experimental current, recent former, and former 30 day e-product users who are also current or recent former cigarette users, go to R04\_AV1080.

Else, go to R04\_AV1139.

**PATH ID: R04\_AV1080**

[Do/Did] you use electronic nicotine products as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users who are also current or recent former cigarette users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, display "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using an electronic nicotine product.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04\_AV1139-1141 SERIES.

**PATH ID: R04\_AV1140**

While using an electronic nicotine product, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04\_AV1139-1141 SERIES.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1141**

I [use/used] electronic nicotine products much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R04\_AV1139-1141 SERIES.

**PATH ID: R04\_AV9042**

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No GO TO BOX R04\_AGR03
- 8 DON'T KNOW GO TO BOX R04\_AGR03
- 7 REFUSED GO TO BOX R04\_AGR03

ASK: Adult respondents who have ever used an e-product.

DISPLAY: UNDERLINE "electronic product".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9106**

When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

GO TO NEXT SECTION

ASK: Adult respondents who have ever used e-products to smoke marijuana.

**PATH ID: R04\_AM0100**

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

- 1 In the past hour
- 2 Sometime today
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AM0103

GO TO BOX R04\_AGR03

GO TO BOX R04\_AGR03

GO TO BOX R04\_AGR03

ASK: Adult respondents who have ever used e-products to smoke marijuana.

DISPLAY: UNDERLINE "electronic product".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0102</b>
When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an <u>electronic product</u> [FILL BASED ON R04_AM0100], was it...
1    Between midnight and 6AM
2    After 6AM but before noon
3    Between noon and 6PM
4    After 6PM but before midnight
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have used marijuana in an e-product today, yesterday or the day before yesterday, but not in the past hour.
DISPLAY: FOR [FILL BASED ON R04_AM0100]:
IF R04_AM0100 = 2, DISPLAY "today".
IF R04_AM0100 = 3, DISPLAY "yesterday".
IF R04_AM0100 = 4, DISPLAY "the day before yesterday".
UNDERLINE "electronic product".

<b>PATH ID:</b> <b>R04_AM0103</b>
How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an <u>electronic product</u> [have/did] you [taken/take] [FILL BASED ON R04_AM0100]?
1     _ _ _
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR03
GO TO BOX R04_AGR03
ASK: Adult respondents who have used marijuana in an e-product in the past hour, today, yesterday or the day before yesterday.
DISPLAY: IF R04_AM0100 = 1, 2, DISPLAY "have" AND "taken".
IF R04_AM0100 = 3, 4, DISPLAY "did" AND "take".
FOR [FILL BASED ON R04_AM0100]:
IF R04_AM0100 = 1, 2, DISPLAY "today".
IF R04_AM0100 = 3, DISPLAY "yesterday".
IF R04_AM0100 = 4, DISPLAY "the day before yesterday".
UNDERLINE "electronic product".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0103\_LC1**

The computer recorded you took [R04\_AM0103] puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oil from an electronic product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AM0103

2 NEXT

ASK: IF R04\_AM0103 > 200 OR R04\_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R04\_AM0100 = 1 OR 2, DISPLAY "today".

IF R04\_AM0100 = 3, DISPLAY "yesterday".

IF R04\_AM0100 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**CIGAR**

<b>BOX ID:</b> <b>R04_AGR03</b>
PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:
 Blunt/Cigar Loops If the respondent has smoked cigars as blunts-only, R04_AJ1008[TC/CG/FC] through R04_AJ1071[TC/CG/FC] are repeated in a loop for each cigar type as blunts. See Box R04_AJT03 for transition text shown at the start of each loop. After all blunt loops are complete, items from R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R04_AGT03 for transition text shown at the start of each loop.  If the respondent has smoked cigars (as non-blunt) types, R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated in a loop for each cigar type. See Box R04_AGT03 for transition text shown at the start of each loop.  If the respondent only smoked traditional cigars, cigarillos, or filtered cigars as blunts, go to Box R04_AJT03. Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R04_AGR10.  [CIGARFILL] If traditional cigar/blunt smoker, [CIGARFILL] = "traditional cigar". If cigarillo/blunt smoker, [CIGARFILL] = "cigarillo". If filtered cigar/blunt smoker, [CIGARFILL] = "filtered cigar".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJT03**

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=BTRAD (Traditional Cigars as blunts-only):

The next questions are about traditional cigars when smoked as blunts.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Sometimes people take tobacco out of a traditional cigar and replace it with marijuana. This is sometimes called a blunt. As you answer these questions, please think only about your use of traditional cigars when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=BRILLO (Cigarillos as blunts-only):

The next questions are about cigarillos when smoked as blunts.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips. [Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of cigarillos when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF CIGARILLO]

IF LOOP=BFILTR (Filtered Cigars as blunts-only):

The next questions are about filtered cigars when smoked as blunts.

Filtered cigars are usually brown and have a filter like a cigarette. [Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of filtered cigars when smoked as blunts like those shown below.

[SHOW GENERIC IMAGE OF FILTERED CIGAR]

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID: R04_AJR10</b>
If loop = BTRAD and respondent initiated traditional cigar blunt use since the previous wave, go to R04_AJ1008TC. Else, if loop = BTRAD, go to R04_AJ9030TC.
If loop = BRILLO and respondent initiated cigarillo blunt use since the previous wave, go to R04_AJ1008CG. Else, if loop = BRILLO, go to R04_AJ9030CG.
If loop = BFILTR and respondent initiated filtered cigar blunt use since the previous wave, go to R04_AJ1008FC. Else, if loop = BFILTR, go to R04_AJ9030FC.

<b>PATH ID: R04_AJ1008</b>
When you first started smoking [CIGARFILL]s as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?
1 Yes
2 No
3 I don't know
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AJ9030[TC/CG/FC]
GO TO R04_AJ9030[TC/CG/FC]
GO TO R04_AJ9030[TC/CG/FC]
GO TO R04_AJ9030[TC/CG/FC]
ASK: Aged-up and continuing adult respondents who initiated blunt smoking since the previous wave, and new cohort adult respondents who have ever smoked a blunt.

<b>PATH ID: R04_AJ1011</b>
Which flavor did you first start smoking? Choose all that apply.
1 Menthol or mint
2 Clove or spice
3 Fruit
4 Chocolate
5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
6 Candy or other sweets
7 Some other flavor (SPECIFY)
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who initiated blunt smoking with flavored cigars.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ9030**

In the past 30 days, have you smoked a [CIGARFILL] as a blunt, even one or two puffs?

- |    |            |                            |
|----|------------|----------------------------|
| 1  | Yes        |                            |
| 2  | No         | GO TO R04_AJ9029[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R04_AJ9029[TC/CG/FC] |
| -7 | REFUSED    | GO TO R04_AJ9029[TC/CG/FC] |

ASK: Adult respondents who have smoked cigars as blunts every time in the past 12 months.

**PATH ID: R04\_AJ1022**

On how many of the past 30 days did you smoke [CIGARFILL]s as blunts?

- |    |             |
|----|-------------|
| 1  | __ __  DAYS |
| -8 | DON'T KNOW  |
| -7 | REFUSED     |

ASK: Blunt smokers who have smoked a blunt in the past 30 days.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

**BOX ID: R04\_AJR11**

If respondent enters "0" to R04\_AJ1022[TC/CG/FC], go to R04\_AJ9029[TC/CG/FC].  
Else, if respondent smoked blunts in the past 30 days, go to R04\_AJ1023[TC/CG/FC].

**PATH ID: R04\_AJ9029**

About how long has it been since you last smoked a [CIGARFILL] as a blunt?

- |    |               |                            |
|----|---------------|----------------------------|
| 1  | __ __  DAYS   |                            |
| 2  | __ __  MONTHS |                            |
| 3  | __ __  YEARS  |                            |
| -8 | DON'T KNOW    | GO TO R04_AJ1030[TC/CG/FC] |
| -7 | REFUSED       | GO TO R04_AJ1030[TC/CG/FC] |

ASK: Blunt smokers who have not smoked a blunt in the past 30 days.





**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ9029FC\_LC1**

The computer recorded that you last smoked filtered cigars as blunts [R04\_AJ9029FC\_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK	GO TO R04_AJ9029FC
2 NEXT	GO TO R04_AJ1030FC

ASK: IF (R04\_AJ9029FC\_NN < 30 AND R04\_AJ9029FC\_UN = 1) OR (R04\_AJ9029FC\_NN < 1 AND R04\_AJ9029FC\_UN = 2) OR (R04\_AJ9029FC\_NN > 18 AND R04\_AJ9029FC\_UN = 2) OR (R04\_AJ9029FC\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AJ9029FC\_UN = 3).

DISPLAY: IF R04\_AJ9029FC\_UN = 1, DISPLAY "days".  
ELSE, IF R04\_AJ9029FC\_UN = 2, DISPLAY "months".  
ELSE, IF R04\_AJ9029FC\_UN = 3, DISPLAY "years".

**PATH ID: R04\_AJ1023**

On average, on those [FILL NUMBER OF DAYS FROM R04\_AJ1022[TC/CG/FC] days/days you smoked], how many [CIGARFILL]s did you usually smoke as a blunt each day?

1 Less than 1 each day	
2  __ __	
-8 DON'T KNOW	GO TO R04_AJ9012[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ9012[TC/CG/FC]

ASK: Blunt smokers who have smoked blunts on at least one day in the past 30 days.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

FOR R04\_AJ1023[TC/CG/FC]: IF R04\_AJ1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "days you smoked".  
ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04\_AJ1022[TC/CG/FC].

**PATH ID: R04\_AJ1023TC\_LC1**

The computer recorded that on the days you smoked traditional cigars as blunts in the past 30 days, you smoked [R04\_AJ1023TC\_NN] traditional cigars as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK	GO TO R04_AJ1023TC
2 NEXT	GO TO R04_AJ9012TC

ASK: IF R04\_AJ1023TC\_NN > 20.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ1023CG_LC1</b>	
The computer recorded that on the days you smoked cigarillos as blunts in the past 30 days, you smoked [R04_AJ1023CG_NN] cigarillos as blunts a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ1023CG
2 NEXT	GO TO R04_AJ9012CG
ASK: IF R04_AJ1023CG_NN > 20.	

<b>PATH ID: R04_AJ1023FC_LC1</b>	
The computer recorded that on the days you smoked filtered cigars as blunts in the past 30 days, you smoked [R04_AJ1023FC_NN] filtered cigars as blunts a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ1023FC
2 NEXT	GO TO R04_AJ9012FC
ASK: IF R04_AJ1023FC_NN > 20.	

<b>PATH ID: R04_AJ9012</b>	
Do you usually share blunts with others when you smoke them?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Blunt smokers who have smoked a blunt in the past 30 days.	

<b>PATH ID: R04_AJ0100</b>	
When did you last smoke a [CIGARFILL] as a blunt?	
1 In the past hour	GO TO R04_AJ0103[TC/CG/FC]
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R04_AJ1130[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AJ1130[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ1130[TC/CG/FC]
ASK: Blunt smokers who have smoked a blunt in the past 30 days.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ0102**

When you last smoked a [CIGARFILL] as a blunt [FILL BASED ON R04\_AJ0100[TC/CG/FC]], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AJ0100[TC/CG/FC]]:

IF R04\_AJ0100[TC/CG/FC] = 2, DISPLAY "today".

IF R04\_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

IF R04\_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AJ0103**

How many [CIGARFILL]s [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04\_AJ0100[TC/CG/FC]]? (If less than 1, enter 1.)

- 1 |\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked".

IF R04\_AJ0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R04\_AJ0100[TC/CG/FC]]:

IF R04\_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "today".

IF R04\_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

IF R04\_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ0103TC_LC1</b>	
The computer recorded that you smoked [R04_AJ0103TC_NN] traditional cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AJ0103TC
2    NEXT	GO TO R04_AJ1130TC
ASK: IF R04_AJ0103TC_NN > 15 OR R04_AJ0103TC_NN = 11.	
DISPLAY: IF R04_AJ0100TC = 1, 2, DISPLAY “today”.	
IF R04_AJ0100TC = 3, DISPLAY “yesterday”.	
IF R04_AJ0100TC = 4, DISPLAY “the day before yesterday”.	

<b>PATH ID:</b> <b>R04_AJ0103CG_LC1</b>	
The computer recorded that you smoked [R04_AJ0103CG_NN] cigarillos as blunts [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AJ0103CG
2    NEXT	GO TO R04_AJ1130CG
ASK: IF R04_AJ0103CG_NN > 15 OR R04_AJ0103CG_NN = 11.	
DISPLAY: IF R04_AJ0100CG = 1, 2, DISPLAY “today”.	
IF R04_AJ0100CG = 3, DISPLAY “yesterday”.	
IF R04_AJ0100CG = 4, DISPLAY “the day before yesterday”.	

<b>PATH ID:</b> <b>R04_AJ0103FC_LC1</b>	
The computer recorded that you smoked [R04_AJ0103FC_NN] filtered cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AJ0103FC
2    NEXT	GO TO R04_AJ1130FC
ASK: IF R04_AJ0103FC_NN > 15 OR R04_AJ0103FC_NN = 11.	
DISPLAY: IF R04_AJ0100FC = 1, 2, DISPLAY “today”.	
IF R04_AJ0100FC = 3, DISPLAY “yesterday”.	
IF R04_AJ0100FC = 4, DISPLAY “the day before yesterday”.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1130**

In the past 30 days, were any of the [CIGARFILL]s that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                            |
|----|--------------|----------------------------|
| 1  | Yes          |                            |
| 2  | No           | GO TO R04_AJ1030[TC/CG/FC] |
| 3  | I don't know | GO TO R04_AJ1030[TC/CG/FC] |
| -8 | DON'T KNOW   | GO TO R04_AJ1030[TC/CG/FC] |
| -7 | REFUSED      | GO TO R04_AJ1030[TC/CG/FC] |

ASK: Blunt smokers who have smoked a blunt in the past 30 days.

**PATH ID: R04\_AJ1131**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked flavored cigars as blunts in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AJ1147**

On the days you smoked [CIGARFILL]s as blunts in the past 30 days, how often did you smoke flavored [CIGARFILL]s?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked flavored cigars as blunts in the past 30 days.

DISPLAY: UNDERLINE "flavored".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1030**

How do you usually buy [CIGARFILL]s for yourself when you smoke blunts?

- |    |   |                            |
|----|---|----------------------------|
| 1  | In person (such as at a store or cigar bar) |                            |
| 2  | From the internet                           | GO TO R04_AJ1039[TC/CG/FC] |
| 3  | By telephone                                | GO TO R04_AJ1039[TC/CG/FC] |
| 4  | I do not buy my own [CIGARFILL]s for blunts | GO TO R04_AJ1047[TC/CG/FC] |
| -8 | DON'T KNOW                                  | GO TO R04_AJ1047[TC/CG/FC] |
| -7 | REFUSED                                     | GO TO R04_AJ1047[TC/CG/FC] |

ASK: Blunt smokers who have smoked a blunt in the past 12 months.

**PATH ID: R04\_AJ1032**

Do you usually buy [CIGARFILL]s for blunts...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who usually buy cigars for blunts in person.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1033**

Where do you buy your [CIGARFILL]s for blunts most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who usually buy cigars for blunts in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AJ1039**

Do you usually buy [CIGARFILL]s for blunts by the box or pack, or as single [CIGARFILL]s?

- 1 Box or pack
- 2 Single [CIGARFILL]s
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who buy cigars for blunts in person.

**BOX ID: R04\_AJR34**

Respondents who buy cigars for blunts by the box or pack, go to R04\_AJ1040[TC/CG/FC].  
Else, respondents who buy single cigars for blunts, go to R04\_AJ1043[TC/CG/FC].  
Else, go to R04\_AJ1047[TC/CG/FC].





**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1042**

How much do you usually pay for a box or pack of [CIGARFILL]s for blunts?

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents

-8 DON'T KNOW

GO TO R04\_AJ1047[TC/CG/FC]

-7 REFUSED

GO TO R04\_AJ1047[TC/CG/FC]

ASK: Blunt smokers who buy cigars for blunts by the box.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH ID: R04\_AJ1042TC\_LC1**

The computer recorded that you usually pay \$[R04\_AJ1042TC\_D].[R04\_AJ1042TC\_C] for a box of traditional cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AJ1042TC

2 NEXT

GO TO R04\_AJ1047TC

ASK: IF R04\_AJ1042TC\_D > 300 OR R04\_AJ1042TC\_D < 10.

**PATH ID: R04\_AJ1042CG\_LC1**

The computer recorded that you usually pay \$[R04\_AJ1042CG\_D].[R04\_AJ1042CG\_C] for a box of cigarillos for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AJ1042CG

2 NEXT

GO TO R04\_AJ1047CG

ASK: IF R04\_AJ1042CG\_D > 11 OR R04\_AJ1042CG\_D < 1.

**PATH ID: R04\_AJ1042FC\_LC1**

The computer recorded that you usually pay \$[R04\_AJ1042FC\_D].[R04\_AJ1042FC\_C] for a box of filtered cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AJ1042FC

2 NEXT

GO TO R04\_AJ1047FC

ASK: IF R04\_AJ1042FC\_D > 100 OR R04\_AJ1042FC\_D < 1.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1043**

How much do you usually pay for a single [CIGARFILL] for a blunt?

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents

-8 DON'T KNOW

-7 REFUSED

ASK: Blunt smokers who buy single cigars for blunts.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1043TC_LC1</b>	
The computer recorded that you usually pay \$[R04_AJ1043TC_D].[R04_AJ1043TC_C] for a single traditional cigar for a blunt. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AJ1043TC
2    NEXT	GO TO R04_AJ1047TC
ASK: IF R04_AJ1043TC_D > 15 OR R04_AJ1043TC_D < 1.	

<b>PATH ID:</b> <b>R04_AJ1043CG_LC1</b>	
The computer recorded that you usually pay \$[R04_AJ1043CG_D].[R04_AJ1043CG_C] for a single cigarillo for a blunt. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AJ1043CG
2    NEXT	GO TO R04_AJ1047CG
ASK: IF R04_AJ1043CG_D > 3 OR (R04_AJ1043CG_D = 0 AND R04_AJ1043CG_C < 50).	

<b>PATH ID:</b> <b>R04_AJ1043FC_LC1</b>	
The computer recorded that you usually pay \$[R04_AJ1043FC_D].[R04_AJ1043FC_C] for a single filtered cigar for a blunt. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AJ1043FC
2    NEXT	GO TO R04_AJ1047FC
ASK: IF R04_AJ1043FC_D > 3 OR (R04_AJ1043FC_D = 0 AND R04_AJ1043FC_C < 50).	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1047**

Do you have a regular brand of [CIGARFILL]s that you usually use for blunts?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked a blunt in the past 12 months.

**PATH ID: R04\_AJ1050**

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No GO TO R04\_AJ1945[TC/CG/FC]
- 3 I don't know GO TO R04\_AJ1945[TC/CG/FC]
- 8 DON'T KNOW GO TO R04\_AJ1945[TC/CG/FC]
- 7 REFUSED GO TO R04\_AJ1945[TC/CG/FC]

ASK: Blunt smokers who have smoked a blunt in the past 12 months.

DISPLAY: IF R04\_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".

ELSE, IF R04\_AJ1047[TC/CG/FC] = 1, DISPLAY "Is", "your regular brand" AND "smoke".

**PATH ID: R04\_AJ1012**

Which flavor [is/was] it? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers whose regular brand or last brand of cigar smoked was flavored.

DISPLAY: IF R04\_AJ1047[TC/CG/FC] = 1 DISPLAY "is". ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1945</b>
Do you know the <u>name of the brand</u> of [CIGARFILL]s that you [usually use/last used] for blunts?  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Blunt smokers who have smoked a blunt in the past 12 months. DISPLAY: IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY “usually use”. IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY “last used”. UNDERLINE “name of the brand”.

<b>BOX ID:</b> <b>R04_AJR33</b>
Respondents who know the name of their brand, go to R04_AJ1048[TC/CG/FC]_BRAND. Else, go to Box R04_AJR04.

<b>PATH ID:</b> <b>R04_AJ1048</b>
What brand of [CIGARFILL] for blunts [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked “NEXT”./If you do not see it below, touch the box marked “Something else”.]  1    Something else -8   DON'T KNOW -7   REFUSED  ASK: Blunt smokers who have smoked a blunt in the past 12 months and know the brand name. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: “If you do not see it below, touch the button marked “NEXT”.” IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: “If you do not see it below, touch the box marked “Something else”.” IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY “did” AND “last”. ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY “do” AND “usually”.

<b>BOX ID:</b> <b>R04_AJR01</b>
If respondent selects a brand, go to R04_AJ1070[TC/CG/FC]_PRODUCT. Else, if respondent selects “Something else”, go to R04_AJ1049[TC/CG/FC]. Else, go to Box R04_AJR04.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1049</b>	
You said that your brand was not listed. What is it?	
1      _____	GO TO BOX R04_AJR04
-8    DON'T KNOW	GO TO BOX R04_AJR04
-7    REFUSED	GO TO BOX R04_AJR04
ASK: Blunt smokers who selected "Something else" for their brand.	

<b>PATH ID:</b> <b>R04_AJ1070</b>	
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]	
1    Something else	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Blunt smokers who selected a brand image.	
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT"." IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"." FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	
IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R04_AJ1047[TC/CG/FC] = 1 , DISPLAY "do" AND "usually".	

<b>BOX ID:</b> <b>R04_AJR02</b>	
If respondent selects "Something else" for their subbrand image, go to R04_AJ1071[TC/CG/FC]. Else, go to Box R04_AJR04.	

<b>PATH ID:</b> <b>R04_AJ1071</b>	
You said that the type of [BRANDFILL]s that you smoke as blunts is not listed. What type is it?	
1      _____	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Blunt smokers who selected a brand image, but selected "Something else" for their subbrand image.	
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJR04**

END BLUNT LOOP:

If respondent has loops to complete for blunt-only cigar types, return to Box R04\_AJT03 and loop through subsections for any other blunt-only cigar types.

Else, if respondent has loops to complete for non-blunt cigar types, go to Box R04\_AGR10.

Else, if respondent has no more remaining loops to complete, go to next section.

**BOX ID: R04\_AGR10**

If respondent was a former user and had smoked 100 or more traditional cigars/cigarillos/filtered cigars and had smoked fairly regularly at the previous wave and has not smoked in the last 12 months or currently smokes not at all or is an ever user and switched to blunt-only use, go to Box R04\_AGV02.

Else, continue with Box R04\_AGT03.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGT03**

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD (Traditional Cigars):

The next questions are about traditional cigars.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf.

As you answer these questions, please think only about your use of traditional cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=GRILLO (Cigarillos):

The next questions are about cigarillos.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips.

As you answer these questions, please think only about your use of cigarillos like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARILLO].

IF LOOP=GFILTR (Filtered Cigars):

The next questions are about filtered cigars.

Filtered cigars are usually brown and have a filter like a cigarette. As you answer these questions, please think only about your use of filtered cigars like those shown below.

[SHOW GENERIC IMAGE OF FILTERED CIGAR].

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR01**

New cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04\_AG1006[TC/CG/FC]\_RS.

Else, aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars (and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in the previous wave), and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R04\_AG1005[TC/CG/FC].

Else, aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had never smoked fairly regularly in the previous wave, go to R04\_AG1100[TC/CG/FC].

Else, go to Box R04\_AGR12.

**PATH ID: R04\_AG1006\_RS**

How old were you the first time you smoked part or all of a [CIGARFILL], even one or two puffs?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AG1120[TC/CG/FC]\_RS

-7 REFUSED

GO TO R04\_AG1120[TC/CG/FC]\_RS

ASK: New cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

**PATH ID: R04\_AG1006TC\_RS\_LC1**

The computer recorded that you first smoked a traditional cigar at age [R04\_AG1006TC\_RS\_NN]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1006TC\_RS

2 NEXT

GO TO R04\_AG1005TC

ASK: IF R04\_AG1006TC\_RS <= 10.

**PATH ID: R04\_AG1006TC\_RS\_LC2**

The computer recorded that you first smoked a traditional cigar at age [R04\_AG1006TC\_RS\_NN]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1006TC\_RS

2 NEXT

GO TO R04\_AG1005TC

ASK: IF R04\_AG1006TC\_RS\_NN > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1006CG_RS_LC1</b>	
The computer recorded that you first smoked a cigarillo at age [R04_AG1006CG_RS_NN]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1006CG_RS
2 NEXT	GO TO R04_AG1005CG
ASK: IF R04_AG1006CG_RS <= 10.	

<b>PATH ID: R04_AG1006CG_RS_LC2</b>	
The computer recorded that you first smoked a cigarillo at age [R04_AG1006TC_RS_NN]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1006CG_RS
2 NEXT	GO TO R04_AG1005CG
ASK: IF R04_AG1006CG_RS_NN > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AG1006FC_RS_LC1</b>	
The computer recorded that you first smoked a filtered cigar at age [R04_AG1006FC_RS_NN]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1006FC_RS
2 NEXT	GO TO R04_AG1005FC
ASK: IF R04_AG1006FC_RS <= 10.	

<b>PATH ID: R04_AG1006FC_RS_LC2</b>	
The computer recorded that you first smoked a filtered cigar at age [R04_AG1006FC_RS_NN]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1006FC_RS
2 NEXT	GO TO R04_AG1005FC
ASK: IF R04_AG1006FC_RS_NN > R04_ACHIEVEDAGE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1120\_RS**

The first time you smoked part or all of a [CIGARFILL], even one or two puffs, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report the age they first smoked a traditional cigar/cigarillo/filtered cigar.

**PATH ID: R04\_AG1005**

How many [CIGARFILL]s have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in the previous wave, and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

**BOX ID: R04\_AGR26**

Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars (and had never smoked fairly regularly in the previous wave), and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R04\_AG1100[TC/CG/FC].  
Else, go to Box R04\_AGV02.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1100</b>
Have you ever smoked [CIGARFILL]s fairly regularly?  1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

<b>BOX ID: R04_AGR12</b>
New baseline adult respondents who smoke fairly regularly, go to R04_AG1007[TC/CG/FC]_NB. Else, go to Box R04_AGV02.

<b>PATH ID: R04_AG1007_NB</b>
How old were you when you first started smoking [CIGARFILL]s fairly regularly?  1  __ __  Years old -8 DON'T KNOW GO TO R04_AG1121_NB[TC/CG/FC] -7 REFUSED GO TO R04_AG1121_NB[TC/CG/FC]
ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, but had never smoked fairly regularly in the previous wave. DISPLAY: DISPLAY "Years old" AS A TITLE.

<b>PATH ID: R04_AG1007TC_NB_LC1</b>
The computer recorded that you started smoking traditional cigars fairly regularly at age [R04_AG1007TC_NB].  If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.  1 BACK GO TO R04_AG1007TC_NB 2 NEXT GO TO BOX R04_AGV02
ASK: IF R04_AG1007TC_NB <= 12.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1007TC_NB_LC2</b>	
The computer recorded that you started smoking traditional cigars fairly regularly at age [R04_AG1007TC_NB]. This is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1007TC_NB
2 NEXT	GO TO BOX R04_AGV02
ASK: IF R04_AG1007TC_NB > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AG1007CG_NB_LC1</b>	
The computer recorded that you started smoking cigarillos fairly regularly at age [R04_AG1007CG_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1007CG_NB
2 NEXT	GO TO BOX R04_AGV02
ASK: IF R04_AG1007CG_NB <= 10.	

<b>PATH ID: R04_AG1007CG_NB_LC2</b>	
The computer recorded that you started smoking cigarillos fairly regularly at age [R04_AG1007CG_NB]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1007CG_NB
2 NEXT	GO TO BOX R04_AGV02
ASK: IF R04_AG1007CG_NB > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AG1007FC_NB_LC1</b>	
The computer recorded that you started smoking filtered cigars fairly regularly at age [R04_AG1007FC_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1007FC_NB
2 NEXT	GO TO BOX R04_AGV02
ASK: IF R04_AG1007FC_NB <= 10.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1007FC\_NB\_LC2**

The computer recorded that you started smoking filtered cigars fairly regularly at age [R04\_AG1007FC\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1007FC\_NB

2 NEXT

GO TO BOX R04\_AGV02

ASK: IF R04\_AG1007FC\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AG1121\_NB**

When you first started smoking [CIGARFILL]s fairly regularly, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking traditional cigars/cigarillos/filtered cigars fairly regularly.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV02**

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**IF LOOP = GTRAD, THEN DEFINE:**

**R04\_GTRAD\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke every day or some days.

**R04\_GTRAD\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a traditional cigar and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GTRAD\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a traditional cigar and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GTRAD\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former traditional cigar smokers at the previous wave and aged-up adult respondents who ever smoked traditional cigars at the previous wave, who have ever smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since the previous wave, who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GTRAD\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GTRAD\_USE = 1 (Every day user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke every day.

**R04\_CURRENT\_GTRAD\_USE = 2 (Some day user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1** Adult respondents who are experimental former, recent former, or long-term former traditional cigar smokers who smoked in the past 30 days.

**IF LOOP = GRILLO, THEN DEFINE:**

**R04\_GRILLO\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke every day or some days.

**R04\_GRILLO\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a cigarillo and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GRILLO\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a cigarillo and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GRILLO\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former cigarillo smokers at the previous wave and aged-up adult respondents who ever smoked cigarillos at the previous wave, who have ever smoked cigarillos fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since the previous wave, who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GRILLO\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

respondents who were former cigarillo traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GRILLO\_USE = 1 (Every day user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke every day.

**R04\_CURRENT\_GRILLO\_USE = 2 (Some day user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1** Adult respondents who are experimental former, recent former, or long-term former cigarillo smokers who smoked in the past 30 days.

**IF LOOP = GFILTR, THEN DEFINE:**

**R04\_GFILTR\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke every day or some days.

**R04\_GFILTR\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a filtered cigar and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GFILTR\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a filtered cigar and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GFILTR\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former filtered cigar smokers at the previous wave and aged-up adult respondents who ever smoked filtered cigars at the previous wave, who have ever smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated filtered smoking since the previous wave, who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GFILTR\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former filtered cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GFILTR\_USE = 1 (Every day user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke every day.

**R04\_CURRENT\_GFILTR\_USE = 2 (Some day user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke some days

**R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1** Adult respondents who are experimental former, recent former, or long-term former filtered cigar smokers who smoked in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR02**

If new baseline adult respondent and every day traditional cigar/cigarillo/filtered cigar user, go to R04\_AG1020[TC/CG/FC]\_NB.

Else, if aged-up and continuing adult respondent who initiated traditional cigar/cigarillo/filtered cigar use since the previous wave, or new cohort adult respondent who has ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04\_AG1008[TC/CG/FC].

Else, if every day traditional cigar/cigarillo/filtered cigar user, go to R04\_AG1021[TC/CG/FC].

Else, if someday, experimental current, former or experimental former traditional cigar/cigarillo/filtered cigar user who has smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days, go to R04\_AG1022[TC/CG/FC].

Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04\_AG9040[TC/CG/FC].

Else, go to Box R04\_AGR04.

**PATH ID: R04\_AG1020\_NB**

How old were you when you first started smoking [CIGARFILL]s every day?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW GO TO R04\_AG1122[TC/CG/FC]\_NB

-7 REFUSED GO TO R04\_AG1122[TC/CG/FC]\_NB

ASK: New baseline adult respondents who are every day traditional cigars/cigarillos/filtered cigars every smokers.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AG1020TC\_NB\_LC1**

The computer recorded that you started smoking traditional cigars every day at age [R04\_AG1020TC\_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AG1020TC\_NB

2 NEXT GO TO BOX R04\_AGR27

ASK: IF R04\_AG1020TC\_NB <= 12 OR R04\_AG1020TC\_NB < R04\_AG1007TC\_NB.

**PATH ID: R04\_AG1020TC\_NB\_LC2**

The computer recorded that you started smoking traditional cigars every day at age [R04\_AG1020TC\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AG1020TC\_NB

2 NEXT GO TO BOX R04\_AGR27

ASK: IF R04\_AG1020TC\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1020CG\_NB\_LC1**

The computer recorded that you started smoking cigarillos every day at age [R04\_AG1020CG\_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020CG_NB |
| 2 | NEXT | GO TO BOX R04_AGR27   |

ASK: IF R04\_AG1020CG\_NB <= 10 OR R04\_AG1020CG\_NB < R04\_AG1007CG\_NB.

**PATH ID: R04\_AG1020CG\_NB\_LC2**

The computer recorded that you started smoking cigarillos every day at age [R04\_AG1020CG\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020CG_NB |
| 2 | NEXT | GO TO BOX R04_AGR27   |

ASK: IF R04\_AG1020CG\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AG1020FC\_NB\_LC1**

The computer recorded that you started smoking filtered cigars every day at age [R04\_AG1020FC\_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020FC_NB |
| 2 | NEXT | GO TO BOX R04_AGR27   |

ASK: IF R04\_AG1020FC\_NB <= 5 OR R04\_AG1020FC\_NB < R04\_AG1007FC\_NB.

**PATH ID: R04\_AG1020FC\_NB\_LC2**

The computer recorded that you started smoking filtered cigars every day at age [R04\_AG1020FC\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020FC_NB |
| 2 | NEXT | GO TO BOX R04_AGR27   |

ASK: IF R04\_AG1020FC\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1122_NB</b>
When you first started smoking [CIGARFILL]s every day, were you...
1    Less than 18 years old,
2    18 to 24 years old,
3    25 to 34 years old,
4    35 to 44 years old,
5    45 to 54 years old, or
6    55 years old or older?
-8    DON'T KNOW
-7    REFUSED
ASK: New baseline adult respondents who did not know or refused to report the age they started smoking traditional cigars/cigarillos/filtered cigars every day.

<b>BOX ID:</b> <b>R04_AGR27</b>
Aged-up and continuing adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars since the previous wave, and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04_AG1008[TC/CG/FC].
Else, go to Box R04_AGR11.

<b>PATH ID:</b> <b>R04_AG1008</b>
When you first started smoking [CIGARFILL]s, did you smoke [CIGARFILL]s flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?
1    Yes
2    No
3    I don't know
-8    DON'T KNOW
-7    REFUSED
GO TO BOX R04_AGR59
GO TO BOX R04_AGR59
GO TO BOX R04_AGR59
GO TO BOX R04_AGR59
ASK: Aged-up and continuing adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since the previous wave, and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1011**

Which flavor did you first start smoking? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AGR59**

If current, experimental current, former experimental, recent former, or long-term former new cohort adult respondent, go to R04\_AG1025[TC/CG/FC]\_RS.

Else, go to Box R04\_AGR11.

**PATH ID: R04\_AG1025\_RS**

Around this time 12 months ago, were you smoking [CIGARFILL]s...?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former traditional cigar/cigarillo/filtered cigar smokers.

**BOX ID: R04\_AGR11**

If every day traditional cigar/cigarillo/filtered cigar user, go to R04\_AG1021[TC/CG/FC].

Else, if some day, experimental current, former or experimental former traditional cigar/cigarillo/filtered cigar user who has smoked in the past 30 days, go to R04\_AG1022[TC/CG/FC].

Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04\_AG9040[TC/CG/FC].

Else, go to Box R04\_AGR04.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1021**

On average, about how many [CIGARFILL]s do you now smoke each day?

- |    |                      |                            |
|----|----------------------|----------------------------|
| -2 | Less than 1 each day | GO TO R04_AG1024[TC/CG/FC] |
| 1  | __ __                |                            |
| -8 | DON'T KNOW           | GO TO R04_AG1024[TC/CG/FC] |
| -7 | REFUSED              | GO TO R04_AG1024[TC/CG/FC] |

ASK: Every day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: DISPLAY AS A NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1021TC_LC1</b>	
The computer recorded that you now smoke [R04_AG1021TC] traditional cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1021TC
2    NEXT	GO TO R04_AG1024TC
ASK: IF R04_AG1021TC > 20.	

<b>PATH ID:</b> <b>R04_AG1021CG_LC1</b>	
The computer recorded that you now smoke [R04_AG1021CG] cigarillos a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1021CG
2    NEXT	GO TO R04_AG1024CG
ASK: IF R04_AG1021CG > 20.	

<b>PATH ID:</b> <b>R04_AG1021FC_LC1</b>	
The computer recorded that you now smoke [R04_AG1021FC] filtered cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1021FC
2    NEXT	GO TO R04_AG1024FC
ASK: IF R04_AG1021FC > 20.	

<b>PATH ID:</b> <b>R04_AG1022</b>	
On how many of the past 30 days did you smoke [CIGARFILL]s?	
1     __ __  DAYS	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Some day and experimental current traditional cigar/cigarillo/filtered cigar smokers who have smoked in the past 30 days, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.	
DISPLAY: DISPLAY 'DAYS' AS A TITLE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR13**

If respondent enters "0" for R04\_AG1022[TC/CG/FC] and is a some day or experimental current traditional cigar/cigarillo/filtered cigar smoker, go to R04\_AG9029[TC/CG/FC].

Else, if respondent enters "0" for R04\_AG1022[TC/CG/FC] and is a former 30 day user, go to Box R04\_AGR30.

Else, go to R04\_AG1023[TC/CG/FC].

**PATH ID: R04\_AG9029**

About how long has it been since you last smoked [CIGARFILL]s?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AGR30

-7 REFUSED

GO TO BOX R04\_AGR30

ASK: Some day and experimental current traditional cigar/cigarillo/filtered cigar smokers who have not smoked in the past 30 days.

**PATH ID: R04\_AG9029TC\_LC1**

The computer recorded that you last smoked traditional cigars [R04\_AG9029TC\_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG9029TC

2 NEXT

GO TO BOX R04\_AGR30

ASK: IF (R04\_AG9029TC\_UN < 30 AND R04\_AG9029TC\_UN = 1) OR (R04\_AG9029TC\_UN < 1 AND R04\_AG9029TC\_UN = 2) OR (R04\_AG9029TC\_UN > 18 AND R04\_AG9029TC\_UN = 2) OR (R04\_AG9029TC\_UN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029TC\_UN = 3).

DISPLAY: IF R04\_AG9029TC\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AG9029TC\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AG9029TC\_UN = 3, DISPLAY "years".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9029CG\_LC1**

The computer recorded that you last smoked cigarillos [R04\_AG9029CG\_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG9029CG  |
| 2 | NEXT | GO TO BOX R04_AGR30 |

ASK: IF (R04\_AG9029CG\_NN < 30 AND R04\_AG9029CG\_UN = 1) OR (R04\_AG9029CG\_NN < 1 AND R04\_AG9029CG\_UN = 2) OR (R04\_AG9029CG\_NN > 18 AND R04\_AG9029CG\_UN = 2) OR (R04\_AG9029CG\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029CG\_UN = 3).

DISPLAY: IF R04\_AG9029CG\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AG9029CG\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AG9029CG\_UN = 3, DISPLAY "years".

**PATH ID: R04\_AG9029FC\_LC1**

The computer recorded that you last smoked filtered cigars [R04\_AG9029FC\_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG9029FC  |
| 2 | NEXT | GO TO BOX R04_AGR30 |

ASK: IF (R04\_AG9029FC\_NN < 30 AND R04\_AG9029FC\_UN = 1) OR (R04\_AG9029FC\_NN < 1 AND R04\_AG9029FC\_UN = 2) OR (R04\_AG9029FC\_NN > 18 AND R04\_AG9029FC\_UN = 2) OR (R04\_AG9029FC\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029FC\_UN = 3).

DISPLAY: IF R04\_AG9029FC\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AG9029FC\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AG9029FC\_UN = 3, DISPLAY "years".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1023**

On average, on those [FILL NUMBER OF DAYS FROM R04\_AG1022 days/days you smoked], how many [CIGARFILL]s did you usually smoke each day?

-2 Less than 1 each day

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO BOX R04\_AGR30

-7 REFUSED

GO TO BOX R04\_AGR30

ASK: Some day, experimental current, and former thirty day traditional cigar/cigarillo/filtered cigar smokers who have smoked at least one day in past 30 days.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

IF R04\_AG1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "days you smoked". ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04\_AG1022[TC/CG/FC].

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1023TC_LC1</b>	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023TC] traditional cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AG1023TC
2   NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023TC > 20.	

<b>PATH ID:</b> <b>R04_AG1023CG_LC1</b>	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023CG] cigarillos a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AG1023CG
2   NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023CG > 20.	

<b>PATH ID:</b> <b>R04_AG1023FC_LC1</b>	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023FC] filtered cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AG1023FC
2   NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023FC > 20.	

<b>BOX ID:</b> <b>R04_AGR30</b>
Current and experimental current traditional cigar/cigarillo/filtered cigar users, go to R04_AG1024[TC/CG/FC].
Else, if former 30 day traditional cigar/cigarillo/filtered cigar user, go to R04_AG1024[TC/CG/FC]_30D.
Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04_AG9040[TC/CG/FC].
Else, go to next section.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1024**

[On the days that you smoke [CIGARFILL]s, how/How] soon after you wake up do you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.

1 |\_\_|\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AG1092[TC/CG/FC]

-7 REFUSED

GO TO R04\_AG1092[TC/CG/FC]

ASK: Current and experimental current traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_CURRENT\_GTRAD\_USE = 1) OR (LOOP = GRILLO AND R04\_CURRENT\_GRILLO\_USE = 1) OR (LOOP = GFILTR AND R04\_CURRENT\_GFILTR\_USE = 1), DISPLAY "How". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, how".

**PATH ID: R04\_AG1024TC\_LC1**

The computer recorded that you typically smoke your first traditional cigar of the day [R04\_AG1024TC\_NN] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1024TC

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF (R04\_CURRENT\_GTRAD\_USE = 1 AND (R04\_AG1024TC\_NN > 60 AND R04\_AG1024TC\_UN = 1) OR (R04\_AG1024TC\_NN > 4 AND R04\_AG1024TC\_UN = 2)) OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2) AND (R04\_AG1024TC\_NN > 60 AND R04\_AG1024TC\_UN = 1) OR (R04\_AG1024TC\_NN > 12 AND R04\_AG1024TC\_UN = 2)).

DISPLAY: IF R04\_AG1024TC\_UN = 2, DISPLAY "hours". IF R04\_AG1024TC\_UN = 1, DISPLAY "minutes".

**PATH ID: R04\_AG1024TC\_LC2**

The computer recorded "0" for how long you typically smoke your first traditional cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1024TC

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF R04\_AG1024TC\_NN = 0.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1024FC_LC2</b>	
The computer recorded "0" for how long you typically smoke your first filtered cigar of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024FC
2 NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024FC_NN = 0.	

<b>PATH ID: R04_AG1092</b>	
[On the days that you smoke [CIGARFILL]s, would/Would] you say you smoke your first [CIGARFILL] of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R04_AGR34
2 No	GO TO BOX R04_AGR34
3 It varies	GO TO BOX R04_AGR34
-8 DON'T KNOW	GO TO BOX R04_AGR34
-7 REFUSED	GO TO BOX R04_AGR34
ASK: Current and experimental current traditional cigar/cigarillo/filtered cigar smokers who did not know or refused to report how soon they smoke a traditional cigar/cigarillo/filtered cigar after waking up.	
DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, would".	

<b>PATH ID: R04_AG1024_30D</b>	
On the days that you smoked [CIGARFILL]s, how soon after you woke up did you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.	
1  __ __ __  Minutes after waking	
2  __ __ __  Hours after waking	
-8 DON'T KNOW	GO TO R04_AG1092[TC/CG/FC]_30D
-7 REFUSED	GO TO R04_AG1092[TC/CG/FC]_30D
ASK: Former 30 day traditional cigar/cigarillo/filtered cigar smokers.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1024TC_30D_LC1</b>	
The computer recorded that you typically smoked your first traditional cigar of the day [R04_AG1024TC_30D_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024TC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_AG1024TC_30D_NN AND > 60 AND R04_AG1024TC_30D_UN = 1) OR (R04_AG1024TC_30D > 12 AND R04_AG1024TC_30D_UN = 2).	
DISPLAY: IF R04_AG1024TC_30D_UN = 2, DISPLAY "hours". IF R04_AG1024TC_30D_UN = 1, DISPLAY "minutes".	

<b>PATH ID: R04_AG1024TC_30D_LC2</b>	
The computer recorded "0" for how long you typically smoked your first traditional cigar of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024TC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024TC_30D_NN = 0.	

<b>PATH ID: R04_AG1024CG_30D_LC1</b>	
The computer recorded that you typically smoked your first cigarillo of the day [R04_AG1024CG_30D_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024CG_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_AG1024CG_30D_NN AND > 60 AND R04_AG1024CG_30D_UN = 1) OR (R04_AG1024CG_30D > 12 AND R04_AG1024CG_30D_UN = 2).	
DISPLAY: IF R04_AG1024CG_30D_UN = 2, DISPLAY "hours". IF R04_AG1024CG_30D_UN = 1, DISPLAY "minutes".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1024CG\_30D\_LC2**

The computer recorded "0" for how long you typically smoked your first cigarillo of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1024FC\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF R04\_AG1024CG\_30D\_NN = 0.

**PATH ID: R04\_AG1024FC\_30D\_LC1**

The computer recorded that you typically smoked your first filtered cigar of the day [R04\_AG1024FC\_30D] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1024FC\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF (R04\_AG1024FC\_30D\_NN AND > 60 AND R04\_AG1024FC\_30D\_UN = 1) OR (R04\_AG1024FC\_30D > 12 AND R04\_AG1024FC\_30D\_UN = 2).

DISPLAY: IF R04\_AG1024FC\_30D\_UN = 2, DISPLAY "hours". IF R04\_AG1024FC\_30D\_UN = 1, DISPLAY "minutes".

**PATH ID: R04\_AG1024FC\_30D\_LC2**

The computer recorded "0" for how long you typically smoked your first filtered cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1024FC\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF R04\_AG1024FC\_30D\_NN = 0.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1092\_30D**

On the days that you smoked [CIGARFILL]s, would you say you smoked your first [CIGARFILL] of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day traditional cigar/cigarillo/filtered cigar smokers who did not know or refused to report how soon they smoked a traditional cigar/cigarillo/filtered cigar after waking up.

**BOX ID: R04\_AGR34**

If respondent did not smoke traditional cigars/cigarillos/filtered cigars in the past 30 days, go to R04\_AG1030[TC/CG/FC].

Else, go to R04\_AG0100[TC/CG/FC].

**PATH ID: R04\_AG0100**

When did you last smoke a [CIGARFILL]?

- 1 In the past hour GO TO R04\_AG0103[TC/CG/FC]
- 2 Sometime today
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago GO TO R04\_AG1130[TC/CG/FC]
- 8 DON'T KNOW GO TO R04\_AG1130[TC/CG/FC]
- 7 REFUSED GO TO R04\_AG1130[TC/CG/FC]

ASK: Adult respondents who have smoked traditional cigars/cigarillos/filtered cigars in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG0102</b>
When you last smoked a [CIGARFILL] [FILL BASED ON R04_AG0100[TC/CG/FC]], was it...
1 Between midnight and 6AM
2 After 6AM but before noon
3 Between noon and 6PM
4 After 6PM but before midnight
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar today, yesterday or the day before yesterday, but not in the past hour.
DISPLAY: FOR [FILL BASED ON R04_AG0100[TC/CG/FC]],
IF R04_AG0100[TC/CG/FC] = 2, DISPLAY "today";
IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday";
IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AG0103</b>
How many [CIGARFILL]s [have/did] you [smoked/smoke] [FILL BASED ON R04_AG0100[TC/CG/FC]]? (If less than 1, enter 1.)
1  _ _ _
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AG1130[TC/CG/FC]
GO TO R04_AG1130[TC/CG/FC]
ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday.
DISPLAY: IF (R04_AG0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked".
ELSE, IF R04_AG0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke".
FOR [FILL BASED ON R04_AG0100[TC/CG/FC]],
IF R04_AG0100[TC/CG/FC] = 1, 2, DISPLAY "today";
ELSE, IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday";
ELSE, IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1130**

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                            |
|----|--------------|----------------------------|
| 1  | Yes          |                            |
| 2  | No           | GO TO R04_AG1030[TC/CG/FC] |
| 3  | I don't know | GO TO R04_AG1030[TC/CG/FC] |
| -8 | DON'T KNOW   | GO TO R04_AG1030[TC/CG/FC] |
| -7 | REFUSED      | GO TO R04_AG1030[TC/CG/FC] |

ASK: Adult respondents who have smoked traditional cigars/cigarillos/filtered cigars in the past 30 days.

**PATH ID: R04\_AG1131**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1147**

On the days you smoked [CIGARFILL]s in the past 30 days, how often did you smoke flavored [CIGARFILL]s?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

DISPLAY: UNDERLINE "flavored".

**PATH ID: R04\_AG1030**

The next questions ask about your experience buying [CIGARFILL]s.

How [do/did] you usually buy [CIGARFILL]s for yourself?

- 1 In person (such as at a store or cigar bar)
- 2 From the internet GO TO R04\_AG1039[TC/CG/FC]
- 3 By telephone GO TO R04\_AG1039[TC/CG/FC]
- 4 I do not buy my own [CIGARFILL]s GO TO R04\_AG9040[TC/CG/FC]
- 8 DON'T KNOW GO TO R04\_AG9040[TC/CG/FC]
- 7 REFUSED GO TO R04\_AG9040[TC/CG/FC]

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2) DISPLAY "do". ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1032**

[Do/Did] you usually buy [CIGARFILL]s...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who usually buy traditional cigars/cigarillos/filtered cigars in person.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2) DISPLAY "Do". ELSE, DISPLAY "Did".

**PATH ID: R04\_AG1033**

Where [do/did] you buy your [CIGARFILL]s most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillos/filtered cigars smokers who usually buy traditional cigars/cigarillos/filtered cigars in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "do".

ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1039</b>
{Do you usually buy [CIGARFILL]s/Did you buy the last [CIGARFILL]s you smoked} by the box or pack, or as single [CIGARFILL]s?  1    Box or pack 2    Single [CIGARFILL]s -8   DONT KNOW -7   REFUSED  ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who buy their own traditional cigars/cigarillos/filtered cigars. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “Do you usually buy [CIGARFILL]s”. ELSE, DISPLAY “Did you buy the last [CIGARFILL]s you smoked”.

<b>BOX ID:</b> <b>R04_AGR58</b>
Respondents who buy traditional cigars/cigarillos/filtered cigars by the box or pack, go to R04_AG1040[TC/CG/FC]. Else, respondents who buy single traditional cigars/cigarillos/filtered cigars, go to R04_AG1043[TC/CG/FC]. Else, go to R04_AG9040[TC/CG/FC].

<b>PATH ID:</b> <b>R04_AG1040</b>
How many [CIGARFILL]s [come/came] in the box or pack that you [usually buy/bought]?  1     __ __ __  -8   DONT KNOW -7   REFUSED  ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who buy traditional cigars/cigarillos/filtered cigars by the box. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “come” AND “usually buy”. ELSE, DISPLAY “came” AND “bought”.





**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1042**

[How much do you usually pay for a box or pack of [CIGARFILL]s/How much did you pay for the last box or pack of [CIGARFILL]s that you smoked?]

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents

-8 DON'T KNOW GO TO R04\_AG9040[TC/CG/FC]

-7 REFUSED GO TO R04\_AG9040[TC/CG/FC]

ASK: Current, experimental current, and former 30 day cigar smokers who buy traditional cigars/cigarillos/filtered cigars by the box.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "How much do you usually pay for a box or pack of [CIGARFILL]s".

ELSE, DISPLAY "How much did you pay for the last box or pack of [CIGARFILL]s that you smoked".

**PATH ID: R04\_AG1042TC\_LC1**

The computer recorded that you [usually pay/paid] \$[R04\_AG1042TC\_D].[R04\_AG1042TC\_C] for a box of traditional cigars. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AG1042TC

2 NEXT GO TO R04\_AG9040TC

ASK: IF R04\_AG1042TC\_D > 300 OR R04\_AG1042TC\_D < 10.

DISPLAY: IF R04\_GTRAD\_USER\_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".

**PATH ID: R04\_AG1042CG\_LC1**

The computer recorded that you [usually pay/paid] \$[R04\_AG1042CG\_D].[R04\_AG1042CG\_C] for a box of cigarillos. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AG1042CG

2 NEXT GO TO R04\_AG9040CG

ASK: IF R04\_AG1042CG\_D > 11 OR R04\_AG1042CG\_D < 1.

DISPLAY: IF R04\_GRILLO\_USER\_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".





**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9040**

Please look at this picture. Which group is most like the [CIGARFILL] you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY “usually smoke”.

ELSE, DISPLAY “last smoked”.

**PATH ID: R04\_AG1047**

[Do/Did] you have a regular brand of [[CIGARFILL]s] that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY “Do”, “smoke” AND “[CIGARFILL]s”.

ELSE, DISPLAY “Did”, “smoked” AND “[CIGARFILL]s”.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1050**

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                            |
|----|--------------|----------------------------|
| 1  | Yes          |                            |
| 2  | No           | GO TO R04_AG1945[TC/CG/FC] |
| 3  | I don't know | GO TO R04_AG1945[TC/CG/FC] |
| -8 | DON'T KNOW   | GO TO R04_AG1945[TC/CG/FC] |
| -7 | REFUSED      | GO TO R04_AG1945[TC/CG/FC] |

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "Is", "your regular brand" AND "smoke".

ELSE, IF R04\_AG1047[TC/CG/FC] = 2, -8, -7 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "Was", "the last brand" AND "smoked".

ELSE, IF ((LOOP = GTRAD AND (R04\_GTRAD\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)) OR (LOOP = GRILLO AND (R04\_GRILLO\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)) OR (LOOP = GFILTR AND (R04\_GFILTR\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1))) AND R04\_AG1047[TC/CG/FC] = 1, DISPLAY "Was", "your regular brand" AND "smoked".

ELSE, IF ((LOOP = GTRAD AND (R04\_GTRAD\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)) OR (LOOP = GRILLO AND (R04\_GRILLO\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)) OR (LOOP = GFILTR AND (R04\_GFILTR\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1))) AND R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1012**

Which flavor [is/was] it? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

DISPLAY: IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "is".

ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AG1945**

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "usually smoke".

IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS != 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS != 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS != 1, 2)), DISPLAY "usually smoked".

IF R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR33**

Respondents who know the name of their brand, go to R04\_AG1048[TC/CG/FC]\_BRAND.  
 Else, respondents who have a regular brand, go to R04\_AG1051[TC/CG/FC].  
 Else, go to Box R04\_AGD03.

**PATH ID: R04\_AG1048**

What brand of [CIGARFILL]s [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

1 Something else  
 -8 DON'T KNOW  
 -7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who know the brand name.  
 DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".  
 IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."  
 IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "do" AND "usually".  
 ELSE, IF R04\_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually".  
 ELSE, IF R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_AGR16**

If respondent selects an image for their brand, go to R04\_AG1070[TC/CG/FC]\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AG1049[TC/CG/FC].  
 Else, go to Box R04\_AGR31.

**PATH ID: R04\_AG1049**

You said that your brand was not listed. What is it?

1 _____	GO TO BOX R04_AGR31[TC/CG/FC]
-8 DON'T KNOW	GO TO BOX R04_AGR31[TC/CG/FC]
-7 REFUSED	GO TO BOX R04_AGR31[TC/CG/FC]

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected "Something else" for their brand.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1070</b>
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]
1    Something else
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT"."
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AG1048[TC/CG/FC]_BRAND.
IF R04_AG1047[TC/CG/FC] = 1 AND (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "do" AND "usually".
ELSE, IF R04_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually".
ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last".

<b>BOX ID:</b> <b>R04_AGR17</b>
If the respondent selected a brand image, but selected "Something else" for their subbrand, go to R04_AG1071[TC/CG/FC].
Else, go to Box R04_AGR31.

<b>PATH ID:</b> <b>R04_AG1071</b>
You said that the type of [BRANDFILL]s that you [smoke/smoked][ as blunts] is not listed. What type is it?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AG1048[TC/CG/FC]_BRAND.
IF ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)) AND R04_AG1047[TC/CG/FC] = 1, DISPLAY "smoke".
ELSE, DISPLAY "smoked".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR31**

If the respondent has a regular brand, go to R04\_AG1051[TC/CG/FC].  
Else, go to Box R04\_AGR29.

**PATH ID: R04\_AG1051**

About how long [did you smoke/have you been smoking] your regular brand of [CIGARFILL]?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who have a regular brand.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

**PATH ID: R04\_AG1051TC\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand of traditional cigar for [R04\_AG1051TC\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1051TC  |
| 2 | NEXT | GO TO BOX R04_AGR29 |

ASK: IF (R04\_AG1051TC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1051TC\_UN = 3.

DISPLAY: IF R04\_GTRAD\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".





**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG0104**

You said earlier that you smoked a [CIGARFILL] [TIME OF LAST USE].

Think about the very last [CIGARFILL] you smoked.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH “in the past hour”.

IF R04\_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH “sometime today”.

IF R04\_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH “yesterday”.

IF R04\_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH “the day before yesterday”.

FILL [NEQBRAND] WITH RESPONSE TO R04\_AG1070[TC/CG/FC]\_PRODUCT.

**BOX ID: R04\_AGD03**

Randomize order of R04\_AG1060[TC/CG/FC] through R04\_AG1066[TC/CG/FC].

Display question R04\_AG1060[TC/CG/FC], R04\_AG1085[TC/CG/FC], R04\_AG1062[TC/CG/FC], R04\_AG1075[TC/CG/FC], R04\_AG1063[TC/CG/FC], R04\_AG1064[TC/CG/FC], R04\_AG1066[TC/CG/FC] on one screen. Show the intro/transition text from R04\_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1060**

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons [apply to you/applied to you when you used to smoke [CIGARFILL]s].

I [smoke/smoked] [CIGARFILL]s because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY “apply to you”, “smoke” AND “are”.

ELSE, DISPLAY “applied to you when you used to smoke [CIGARFILL]”, “smoked” AND “were”.

**PATH ID: R04\_AG1085**

I [can/could] smoke [CIGARFILL]s at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY “can” AND “isn't”.

ELSE, DISPLAY “could” AND “wasn't”.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1062</b>
They might [be/have been] less harmful to me than smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “be”.
ELSE, DISPLAY “have been”.

<b>PATH ID:</b> <b>R04_AG1075</b>
They might [be/have been] less harmful to people around me than smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “be”.
ELSE, DISPLAY “have been”.

<b>PATH ID:</b> <b>R04_AG1063</b>
[CIGARFILL]s [come/came] in flavors I [like/liked].
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “come” AND “like”.
ELSE, DISPLAY “came” AND “liked”.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR15**

Current, experimental current, and recent former cigarette smokers, go to R04\_AG1064[TC/CG/FC].  
Else, go to R04\_AG1066[TC/CG/FC].

**PATH ID: R04\_AG1064**

Smoking [CIGARFILL]s helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who are also current, experimental current or recent former cigarette users.

**PATH ID: R04\_AG1066**

Smoking a [CIGARFILL] [feels/felt] like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "feels".

ELSE, DISPLAY "felt".

**BOX ID: R04\_AGR28**

Current and recent former cigarette smokers, go to R04\_AG1080[TC/CG/FC].  
Else, go to R04\_AG1139[TC/CG/FC].

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1080**

[Do/Did] you smoke [CIGARFILL]s as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who are also current or recent former cigarette smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH ID: R04\_AG1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a [CIGARFILL].

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "is",

ELSE, DISPLAY "was".

Display scale for the R04\_AG1139[TC/CG/FC]-R04\_AG1141[TC/CG/FC] series.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1140</b>
While smoking a [CIGARFILL], I [feel/felt] more confident with other people.
1    Not true of me at all
2
3
4    Very true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "feel",
ELSE, DISPLAY "felt".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

<b>PATH ID:</b> <b>R04_AG1141</b>
I [smoke/smoked] [CIGARFILL]s much more when I [am/was] with other people.
1    Not true of me at all
2
3
4    Very true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "smoke" AND "am",
ELSE, DISPLAY "smoked" AND "was".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

<b>BOX ID:</b> <b>R04_AGR04</b>
END CIGAR LOOP:
If respondent has remaining loops to complete for multiple non-blunt cigar types, return to Box R04_AGR10 and repeat section.
Else, if respondent has no more remaining loops to complete, go to next section.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PIPE**

**BOX ID: R04\_APR04**

In the previous wave, if the respondent was a former user, had smoked 100 or more bowls of pipe tobacco and had smoked fairly regularly; and at the current wave has not smoked in the past 12 months or now smokes not at all, go to Box R04\_APV01.

Else, continue with Box R04\_APT02.

**BOX ID: R04\_APT02**

The next questions are about smoking tobacco in **pipes**.

Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

**BOX ID: R04\_APR03**

New cohort adult respondents who have ever smoked a pipe, go to R04\_AP1006\_RS

Else, adult respondents who had not smoked 100 or more bowls of pipe tobacco in the previous wave, go to R04\_AP1005.

Else, go to Box R04\_APR08.

**PATH ID: R04\_AP1006\_RS**

How old were you the first time you smoked a pipe filled with tobacco, even one or two puffs?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AP1120\_RS

-7 REFUSED

GO TO R04\_AP1120\_RS

ASK: New cohort adult respondents who have ever smoked a pipe.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1006\_RS\_LC1**

The computer recorded that you first smoked a pipe at age [R04\_AP1006\_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1006\_RS

2 NEXT

GO TO R04\_AP1005

ASK: IF R04\_AP1006\_RS <= 10.

**PATH ID: R04\_AP1006\_RS\_LC2**

The computer recorded that you first smoked a pipe at age [R04\_AP1006\_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1006\_RS

2 NEXT

GO TO R04\_AP1005

ASK: IF R04\_AP1006\_RS > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AP1120\_RS**

The first time you smoked a pipe filled with tobacco, even one or two puffs, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report the age they first smoked a pipe.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1005**

How many bowls filled with pipe tobacco have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco in the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**BOX ID: R04\_APR08**

Aged-up and continuing adult respondents who have ever smoked a pipe and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1100.

Else, go to Box R04\_APV01.

**PATH ID: R04\_AP1100**

Have you ever smoked a pipe filled with tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a pipe and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**BOX ID: R04\_APR09**

New baseline respondents that have ever smoked fairly regularly, but had never smoked fairly regularly in a previous wave, go to R04\_AP1007\_NB.

Else, go to Box R04\_APV01.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1007\_NB**

How old were you when you first started smoking a pipe filled with tobacco fairly regularly?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AP1121\_NB

-7 REFUSED

GO TO R04\_AP1121\_NB

ASK: New baseline adult respondents who have ever smoked a pipe fairly regularly, but had never smoked fairly regularly in the previous wave.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AP1007\_NB\_LC1**

The computer recorded that you started smoking pipes fairly regularly at age [R04\_AP1007\_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1007\_NB

2 NEXT

GO TO BOX R04\_APV01

ASK: IF R04\_AP1007\_NB <= 10.

**PATH ID: R04\_AP1007\_NB\_LC2**

The computer recorded that you started smoking pipes fairly regularly at age [R04\_AP1007\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1007\_NB

2 NEXT

GO TO BOX R04\_APV01

ASK: IF R04\_AP1007\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1121\_NB**

When you first started smoking a pipe filled with tobacco fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking a pipe filled with tobacco fairly regularly.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_PIPE\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke every day or some days.

**R04\_PIPE\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a pipe and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_PIPE\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a pipe and have never smoked fairly regularly and did not smoke in the past 12 months or now smokes not at all.

**R04\_PIPE\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former pipe smokers at the previous wave and aged-up adult respondents who ever smoked a pipe at the previous wave, who have ever smoked a pipe fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated pipe smoking since the previous wave, who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_PIPE\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former pipe smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked fairly regularly, who have not smoked in the past 12 months.

**R04\_CURRENT\_PIPE\_USE = 1 (Every day user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke every day.

**R04\_CURRENT\_PIPE\_USE = 2 (Some day user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1** Adult respondents who are experimental former, recent former, or long-term former pipe smokers who smoked in the past 30 days.

**BOX ID: R04\_APR01**

New baseline respondents that are every day pipe smokers, go to R04\_AP1020\_NB.

Else, aged-up and continuing adult respondents who have initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1008.

Else, if every day pipe smoker, go to R04\_AP1021.

Else, if some day, experimental current, or former 30 day pipe smoker, go to R04\_AP1022.

Else, if recent former pipe user, go to R04\_AP1047.

Else, if long-term former pipe user or experimental former pipe user, go to next section.

**PATH  
 Adult Questionnaire – New and Aged-Up Interview  
 Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AP1020_NB						
How old were you when you first started smoking a pipe filled with tobacco every day?						
<table style="width: 100%; border: none;"> <tr> <td style="width: 100px;">1  __   __  Years old</td> <td></td> </tr> <tr> <td>-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AP1122_NB</td> </tr> <tr> <td>-7 REFUSED</td> <td style="text-align: right;">GO TO R04_AP1122_NB</td> </tr> </table>	1  __   __  Years old		-8 DON'T KNOW	GO TO R04_AP1122_NB	-7 REFUSED	GO TO R04_AP1122_NB
1  __   __  Years old						
-8 DON'T KNOW	GO TO R04_AP1122_NB					
-7 REFUSED	GO TO R04_AP1122_NB					
ASK: New baseline adult respondents who are every day pipe smokers.						
DISPLAY: DISPLAY "Years old" AS A TITLE.						

<b>PATH ID:</b> R04_AP1020_NB_LC1				
The computer recorded that you started smoking a pipe every day at age [R04_AP1020_NB].				
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.				
<table style="width: 100%; border: none;"> <tr> <td style="width: 100px;">1 BACK</td> <td style="text-align: right;">GO TO R04_AP1020_NB</td> </tr> <tr> <td>2 NEXT</td> <td style="text-align: right;">GO TO BOX R04_APR12</td> </tr> </table>	1 BACK	GO TO R04_AP1020_NB	2 NEXT	GO TO BOX R04_APR12
1 BACK	GO TO R04_AP1020_NB			
2 NEXT	GO TO BOX R04_APR12			
ASK: IF R04_AP1020_NB <= 10 OR IF R04_AP1020_NB < R04_AP1007_NB.				

<b>PATH ID:</b> R04_AP1020_NB_LC2				
The computer recorded that you started smoking a pipe every day at age [R04_AP1020_NB]. That is older than you are now.				
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.				
<table style="width: 100%; border: none;"> <tr> <td style="width: 100px;">1 BACK</td> <td style="text-align: right;">GO TO R04_AP1020_NB</td> </tr> <tr> <td>2 NEXT</td> <td style="text-align: right;">GO TO BOX R04_APR12</td> </tr> </table>	1 BACK	GO TO R04_AP1020_NB	2 NEXT	GO TO BOX R04_APR12
1 BACK	GO TO R04_AP1020_NB			
2 NEXT	GO TO BOX R04_APR12			
ASK: IF R04_AP1020_NB > R04_ACHIEVEDAGE.				

<b>PATH ID:</b> R04_AP1122_NB								
When you first started smoking a pipe filled with tobacco every day, were you...								
<table style="width: 100%; border: none;"> <tr><td>1 Less than 18 years old,</td></tr> <tr><td>2 18 to 24 years old,</td></tr> <tr><td>3 25 to 34 years old,</td></tr> <tr><td>4 35 to 44 years old,</td></tr> <tr><td>5 45 to 54 years old, or</td></tr> <tr><td>6 55 years old or older?</td></tr> <tr><td>-8 DON'T KNOW</td></tr> <tr><td>-7 REFUSED</td></tr> </table>	1 Less than 18 years old,	2 18 to 24 years old,	3 25 to 34 years old,	4 35 to 44 years old,	5 45 to 54 years old, or	6 55 years old or older?	-8 DON'T KNOW	-7 REFUSED
1 Less than 18 years old,								
2 18 to 24 years old,								
3 25 to 34 years old,								
4 35 to 44 years old,								
5 45 to 54 years old, or								
6 55 years old or older?								
-8 DON'T KNOW								
-7 REFUSED								
ASK: New baseline adult respondents who did not know or refused to report the age they started smoking a pipe filled with tobacco every day.								



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR12**

Aged-up and continuing adult respondents who have initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1008.  
Else, go to Box R04\_APR13.

**PATH ID: R04\_AP1008**

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_APR34 |
| 3  | I don't know | GO TO BOX R04_APR34 |
| -8 | DON'T KNOW   | GO TO BOX R04_APR34 |
| -7 | REFUSED      | GO TO BOX R04_APR34 |

ASK: Aged-up and continuing adult respondents who initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**PATH ID: R04\_AP1011**

Which flavor did you first start smoking? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated pipe smoking with flavored tobacco.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_APR34**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former pipe smokers, go to R04\_AP1025\_RS.  
Else, go to Box R04\_APR13.





**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1023</b>	
On average, on those [FILL NUMBER OF DAYS FROM R04_AP1022 days/days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day?	
-2 Less than 1 each day	GO TO BOX R04_APR29
1  __ __	
-8 DON'T KNOW	GO TO BOX R04_APR29
-7 REFUSED	GO TO BOX R04_APR29
ASK: Some day, experimental current, and former thirty day pipe smokers who have smoked at least one day in past 30 days.	
DISPLAY: IF R04_AP1022 = 1, -8, -7, DISPLAY "days you smoked". ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04_AP1022. DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL: "Less than 1 each day" ON RIGHT.	

<b>PATH ID: R04_AP1023_LC1</b>	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AP1023] bowls filled with pipe tobacco a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AP1023
2 NEXT	GO TO BOX R04_APR29
ASK: IF R04_AP1023 > 10.	

<b>BOX ID: R04_APR29</b>
Current and experimental current pipe smokers, go to R04_AP1024. Else, former 30 day pipe smokers, go to R04_AP1024_30D. Else, recent former pipe smokers, go to R04_AP1047. Else, go to next section.

<b>PATH ID: R04_AP1024</b>	
[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.	
1  __ __ __  Minutes after waking	
2  __ __ __  Hours after waking	
-8 DON'T KNOW	GO TO R04_AP1092
-7 REFUSED	GO TO R04_AP1092
ASK: Current and experimental current pipe smokers.	
DISPLAY: IF R04_CURRENT_PIPE_USE = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, how".	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1024\_30D**

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

1 |\_\_|\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AP1092\_30D

-7 REFUSED

GO TO R04\_AP1092\_30D

ASK: Former 30 day pipe smokers.

**PATH ID: R04\_AP1024\_30D\_LC1**

The computer recorded that you typically smoked your first pipe bowl of the day [R04\_AP1024\_30D] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1024\_30D

2 NEXT

GO TO R04\_AP0100

ASK: IF (R04\_AP1024\_30D\_NN > 60 AND R04\_AP1024\_30D\_UN = 1) OR (R04\_AP1024\_30D\_NN > 12 AND R04\_AP1024\_30D\_UN = 2).

DISPLAY: IF R04\_AP1024\_30D REPORTED IN HOURS, DISPLAY "hours". IF R04\_AP1024\_30D REPORTED IN MINUTES DISPLAY "minutes".

**PATH ID: R04\_AP1024\_30D\_LC2**

The computer recorded "0" for how soon you typically took your first puff from a pipe after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1024\_30D

2 NEXT

GO TO R04\_AP0100

ASK: IF R04\_AP1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1092\_30D**

On the days that you smoked a pipe filled with tobacco, would you say you took your first puff from a pipe within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day pipe smokers who did not know or refused to report how soon they smoked a pipe after waking up.

**BOX ID: R04\_APR31**

Adult respondents who have smoked a pipe in the past 30 days, go to R04\_AP0100.  
Else, go to R04\_AP1030.

**PATH ID: R04\_AP0100**

When did you last smoke a pipe filled with tobacco?

- |                          |                  |
|--------------------------|------------------|
| 1 In the past hour       | GO TO R04_AP0103 |
| 2 Sometime today         |                  |
| 3 Yesterday              |                  |
| 4 Day before yesterday   |                  |
| 5 Three or more days ago | GO TO R04_AP1130 |
| -8 DON'T KNOW            | GO TO R04_AP1130 |
| -7 REFUSED               | GO TO R04_AP1130 |

ASK: Adult respondents who have smoked a pipe in the past 30 days.





**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP0103_LC1</b>	
The computer recorded that you smoked [R04_AP0103] bowls filled with pipe tobacco [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AP0103
2    NEXT	GO TO R04_AP1130
ASK: IF R04_AP0103 > 10.	
DISPLAY: IF R04_AP0100 = 1, 2, DISPLAY "today".	
IF R04_AP0100 = 3, DISPLAY "yesterday".	
IF R04_AP0100 = 4, DISPLAY "the day before yesterday".	

<b>PATH ID:</b> <b>R04_AP1130</b>	
In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1    Yes	
2    No	GO TO R04_AP1030
3    I don't know	GO TO R04_AP1030
-8    DON'T KNOW	GO TO R04_AP1030
-7    REFUSED	GO TO R04_AP1030
ASK: Adult respondents who have smoked a pipe in the past 30 days.	

<b>PATH ID:</b> <b>R04_AP1131</b>
Which flavors have you smoked in the past 30 days? Choose all that apply.
1    Menthol or mint
2    Clove or spice
3    Fruit
4    Chocolate
5    An alcoholic drink (such as wine, cognac, margarita or other cocktails)
6    Candy or other sweets
7    Some other flavor (SPECIFY)
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have smoked a pipe with flavored tobacco in the past 30 days.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1030**

The next questions ask about your experience buying pipe tobacco.

How [do/did] you usually buy pipe tobacco for yourself?

- |    |                                  |                  |
|----|----------------------------------|------------------|
| 1  | In person                        |                  |
| 2  | From the internet                | GO TO R04_AP1034 |
| 3  | By telephone                     | GO TO R04_AP1034 |
| 4  | I do not buy my own pipe tobacco | GO TO R04_AP1047 |
| -8 | DON'T KNOW                       | GO TO R04_AP1047 |
| -7 | REFUSED                          | GO TO R04_AP1047 |

ASK: Current, experimental current, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did".

**PATH ID: R04\_AP1032**

[Do/Did] you usually buy pipe tobacco...?

- |    |                   |
|----|-------------------|
| 1  | In your own state |
| 2  | In another state  |
| 3  | Outside the US    |
| -8 | DON'T KNOW        |
| -7 | REFUSED           |

ASK: Current, experimental current, and former 30 day pipe smokers who usually buy pipe tobacco in person.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2, DISPLAY "Do". ELSE, DISPLAY "Did".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1047</b>
<p>[Do/Did] you have a regular brand of pipe tobacco that you usually [smoke/smoked]?</p> <p style="margin-left: 40px;">1 Yes</p> <p style="margin-left: 40px;">2 No</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day pipe smokers.</p> <p>DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "Do" AND "smoke".</p> <p>ELSE, DISPLAY "Did" AND "smoked".</p>

<b>PATH ID: R04_AP1050</b>										
<p>[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 80%; padding-left: 40px;">1 Yes</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">2 No</td> <td style="text-align: right;">GO TO R04_AP1945</td> </tr> <tr> <td style="padding-left: 40px;">3 I don't know</td> <td style="text-align: right;">GO TO R04_AP1945</td> </tr> <tr> <td style="padding-left: 40px;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AP1945</td> </tr> <tr> <td style="padding-left: 40px;">-7 REFUSED</td> <td style="text-align: right;">GO TO R04_AP1945</td> </tr> </table> <p>ASK: Current, current experimental, recent former, and former 30 day pipe smokers.</p> <p>DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "Is" AND "your regular brand" AND "smoke".</p> <p>IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".</p> <p>ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, DISPLAY "Was" AND "your regular brand" AND "smoked".</p> <p>ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 2, -8, -7, DISPLAY "Was" and "the last brand" and "smoked".</p>	1 Yes		2 No	GO TO R04_AP1945	3 I don't know	GO TO R04_AP1945	-8 DON'T KNOW	GO TO R04_AP1945	-7 REFUSED	GO TO R04_AP1945
1 Yes										
2 No	GO TO R04_AP1945									
3 I don't know	GO TO R04_AP1945									
-8 DON'T KNOW	GO TO R04_AP1945									
-7 REFUSED	GO TO R04_AP1945									

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1012**

Which flavor [is/was] it? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 AND R04\_AP1047 = 1, DISPLAY "is".

IF R04\_PIPE\_USER\_STATUS = 4 OR R04\_AP1047 = 2, -8, -7 OR  
R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT  
AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AP1945**

Do you know the name of the brand of pipe tobacco you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_AP1047 = 1 AND R04\_PIPE\_USER\_STATUS = 1, 2, DISPLAY "usually smoke".

IF R04\_AP1047 = 1 AND R04\_PIPE\_USER\_STATUS != 1, 2, DISPLAY "usually smoked".

IF R04\_AP1047 = 2, -8, -7, DISPLAY "last smoked".

Underline "name of the brand".

**BOX ID: R04\_APR30**

Respondents who know the name of their brand, go to R04\_AP1048\_BRAND.

Else, respondents who have a regular brand, go to R04\_AP1051.

Else, go to Box R04\_APD01.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1070**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else". ]

- 1 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AP1048\_BRAND.

IF R04\_PIPE\_USER\_STATUS = 1, 2 AND R04\_AP1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R04\_PIPE\_USER\_STATUS = 1, 2 AND R04\_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04\_PIPE\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04\_PIPE\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_APR28**

If current, experimental current, recent former, or former 30 day pipe smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AP1071.

Else, go to Box R04\_APR23.

**PATH ID: R04\_AP1071**

You said that the type of [BRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected a brand image, but selected "Something else" for their subbrand image.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AP1048\_BRAND.

IF R04\_PIPE\_USER\_STATUS = 1, 2 AND R04\_AP1047 = 1, DISPLAY "smoke".

ELSE, DISPLAY "smoked".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR23**

If respondent has a regular brand, go to R04\_AP1051.  
Else, go to Box R04\_APR25.

**PATH ID: R04\_AP1051**

About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_APR25

-7 REFUSED

GO TO BOX R04\_APR25

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who have a regular brand.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

**PATH ID: R04\_AP1051\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand of pipe tobacco for [R04\_AP1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1051

2 NEXT

GO TO BOX R04\_APR25

ASK: IF (R04\_AP1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AP1051\_UN = 3.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1051\_LC2**

The computer recorded "0" for how long you [have been smoking /smoked] your regular brand of pipe tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1051

2 NEXT

GO TO BOX R04\_APR25

ASK: IF R04\_AP1051\_NN = 0.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**BOX ID: R04\_APR25**

Current, experimental current, and former 30 day users who smoked a pipe today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and a valid product, go to R04\_AP0104.

Else, go to Box R04\_APD01.

**PATH ID: R04\_AP0104**

You said earlier that you last smoked a pipe [TIME OF LAST USE].

Think about the very last bowl of pipe tobacco you smoked.

Was the brand [NEQBRAND]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and former 30 day pipe smokers who have smoked a pipe in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AP0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

IF R04\_AP0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

IF R04\_AP0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

IF R04\_AP0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AP1070\_PRODUCT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APD01**

Randomize order of R04\_AP1060 through R04\_AP1064.

Display question R04\_AP1060, R04\_AP1085, R04\_AP1062, R04\_AP1075, R04\_AP1063, R04\_AP1064 on one screen. Show the intro/transition text from R04\_AP1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH ID: R04\_AP1060**

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "apply to you", "smoke", AND "is".

ELSE, DISPLAY "applied to you when you used to smoke pipes", "smoked", AND "was".

**PATH ID: R04\_AP1085**

I [can/could] smoke pipes at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1062</b>
It might [be/have been] less harmful to me than smoking cigarettes.
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "be".
ELSE, DISPLAY "have been".

<b>PATH ID:</b> <b>R04_AP1075</b>
It might [be/have been] less harmful to people around me than smoking cigarettes.
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "be".
ELSE, DISPLAY "have been".

<b>PATH ID:</b> <b>R04_AP1063</b>
Pipe tobacco [comes/came] in flavors I [like/liked].
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

<b>BOX ID:</b> <b>R04_APR26</b>
Current, experimental current or recent former cigarette smokers, go to R04_AP1064.
Else, go to R04_AP1139.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1064**

Smoking a pipe helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who are also current, experimental current or recent former cigarette smokers.

**BOX ID: R04\_APR27**

Current, experimental current, recent former, and former 30 day pipe smokers who are also current or recent former cigarette smokers, go to R04\_AP1080.

Else, go to R04\_AP1139.

**PATH ID: R04\_AP1080**

[Do/Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a pipe.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "is",

ELSE, DISPLAY "was".

Display scale for the R04\_AP1139-1141 series.

**PATH ID: R04\_AP1140**

While smoking a pipe, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "feel".

ELSE, DISPLAY "felt".

Display scale for the R04\_AP1139-1141 series.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1141**

I [smoke/smoked] a pipe much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "smoke" AND "am".

ELSE, DISPLAY "smoked" AND "was".

Display scale for the R04\_AP1139-1141 series.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## HOOKAH

**BOX ID: R04\_AHT02**

The next questions are about smoking tobacco in a **hookah**, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe.

People smoke **shisha** or **hookah tobacco** in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

**PATH ID: R04\_AH1090**

Do you own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR13**

Young adult respondents who have ever smoked hookah, go to R04\_AH9041.  
Else, go to Box R04\_AHR04.

**PATH ID: R04\_AH9041**

Does anyone else living in your home own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR04**

New cohort adult respondents who have ever smoked hookah, go to R04\_AH1006\_RS.  
Else, adult respondents who had not smoked hookah 100 or more times in the previous wave, go to R04\_AH1005.  
Else, go to Box R04\_AHR09.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH1006_RS</b>
How old were you the first time you smoked tobacco in a hookah, even one or two puffs?
1  __ __  Years old
-8 DON'T KNOW GO TO R04_AH1120_RS
-7 REFUSED GO TO R04_AH1120_RS
ASK: New cohort adult respondents who have ever smoked hookah.

<b>PATH ID: R04_AH1006_RS_LC1</b>
The computer recorded that you first smoked tobacco in a hookah at age [R04_AH1006_RS]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AH1006_RS
2 NEXT GO TO R04_AH1005
ASK: IF R04_AH1006_RS <= 10.

<b>PATH ID: R04_AH1006_RS_LC2</b>
The computer recorded that you first smoked tobacco in a hookah at age [R04_AH1006_RS]. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AH1006_RS
2 NEXT GO TO R04_AH1005
ASK: IF R04_AH1006_RS > R04_ACHIEVEDAGE.

<b>PATH ID: R04_AH1120_RS</b>
The first time you smoked tobacco in a hookah, even one or two puffs, were you...
1 Less than 18 years old,
2 18 to 24 years old,
3 25 to 34 years old,
4 35 to 44 years old,
5 45 to 54 years old, or
6 55 years old or older?
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult respondents who did not know or refused to report the age they first smoked hookah.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1005**

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked hookah and had not smoked 100 or more times in the previous wave, and new cohort adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR09**

Aged-up and continuing adult respondents who have ever smoked hookah and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked hookah, go to R04\_AH1100.

Else, go to Box R04\_AHR10.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1100</b>
Have you ever smoked tobacco in a hookah fairly regularly?  1    Yes 2    No -8   DON'T KNOW -7   REFUSED
ASK: Aged-up and continuing adult respondents who have ever smoked hookah and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked hookah.

<b>BOX ID:</b> <b>R04_AHR10</b>
New baseline respondents that have ever smoked hookah fairly regularly, go to R04_AH1007_NB. Else, go to Box R04_AHR01.

<b>PATH ID:</b> <b>R04_AH1007_NB</b>
How old were you when you first started smoking tobacco in a hookah fairly regularly?  1     __ __  Years old -8   DON'T KNOW -7   REFUSED
GO TO R04_AH1121_NB GO TO R04_AH1121_NB
ASK: New baseline adult respondents who have ever smoked hookah fairly regularly, but had never smoked fairly regularly in the previous wave. DISPLAY: DISPLAY "Years old" AS A TITLE.

<b>PATH ID:</b> <b>R04_AH1007_NB_LC1</b>
The computer recorded that you started smoking tobacco in a hookah fairly regularly at age [R04_AH1007_NB]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1    BACK 2    NEXT
GO TO R04_AH1007_NB GO TO BOX R04_AHR01
ASK: IF R04_AH1007_NB <= 12.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1007\_NB\_LC2**

The computer recorded that you started smoking tobacco in a hookah fairly regularly at age [R04\_AH1007\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AH1007\_NB

2 NEXT

GO TO BOX R04\_AHR01

ASK: IF R04\_AH1007\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AH1121\_NB**

When you first started smoking tobacco in a hookah fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking hookah fairly regularly.

**BOX ID: R04\_AHR01**

New baseline respondents that are every day users, go to R04\_AH1020\_NB.  
Else, go to Box R04\_AHR11.

**PATH ID: R04\_AH1020\_NB**

How old were you when you first started smoking tobacco in a hookah every day?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AH1122\_NB

-7 REFUSED

GO TO R04\_AH1122\_NB

ASK: New baseline adult respondents who are every day hookah smokers.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH1020_NB_LC1
The computer recorded that you started smoking tobacco in a hookah every day at age [R04_AH1020_NB]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AH1020_NB
2 NEXT GO TO BOX R04_AHR11
ASK: IF R04_AH1020_NB <= 12 OR R04_AH1020_NB < R04_AH1007_NB.

<b>PATH ID:</b> R04_AH1020_NB_LC2
The computer recorded that you started smoking tobacco in a hookah every day at age [R04_AH1020_NB]. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AH1020_NB
2 NEXT GO TO BOX R04_AHR11
ASK: IF R04_AH1020_NB > R04_ACHIEVEDAGE.

<b>PATH ID:</b> R04_AH1122_NB
When you first started smoking tobacco in a hookah every day, were you...
1 Less than 18 years old,
2 18 to 24 years old,
3 25 to 34 years old,
4 35 to 44 years old,
5 45 to 54 years old, or
6 55 years old or older?
-8 DON'T KNOW
-7 REFUSED
ASK: New baseline adult respondents who did not know or refused to report the age they started smoking hookah every day.

<b>BOX ID:</b> R04_AHR11
Aged-up and continuing adult respondents who initiated hookah smoking since the previous wave, and new cohort adult respondents who have ever smoked hookah, go to R04_AH1008.
Else, go to Box R04_AHR27.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1008**

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_AHR27 |
| 3  | I don't know | GO TO BOX R04_AHR27 |
| -8 | DON'T KNOW   | GO TO BOX R04_AHR27 |
| -7 | REFUSED      | GO TO BOX R04_AHR27 |

ASK: Aged-up and continuing adult respondents who initiated hookah smoking since the previous wave, and new cohort adult respondents who have ever smoked hookah.

**PATH ID: R04\_AH1011**

Which flavor did you first start smoking? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated hookah smoking with flavored shisha.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AHR27**

If respondent does not smoke hookah every day but smoked hookah in the past 12 months, go to R04\_AH9003.

Else, go to Box R04\_AHV01.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9003**

Which of the following choices best describes your hookah smoking? Usually I smoke tobacco in a hookah...

- 1 Every day
- 2 Weekly
- 3 Monthly
- 4 Every couple of months
- 5 About once a year
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not smoke hookah every day but smoked hookah in the past 12 months.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_HOOK\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked a hookah fairly regularly and smokes monthly or more frequently.

**R04\_HOOK\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and now smoke hookah every day or some days or weekly or monthly or in the past 30 days.

**R04\_HOOK\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and did not smoke in the past 12 months or now smokes not at all.

**R04\_HOOK\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former hookah smokers at the previous wave and aged-up adult respondents who ever smoked hookah at the previous wave, who have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated hookah smoking since the previous wave, who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_HOOK\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former hookah smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a hookah and have smoked fairly regularly, who have not smoked in the past 12 months.

**R04\_THIRTY\_DAY\_USER\_HOOK = 1** Adult respondents who have smoked a hookah within the past 30 days.

**BOX ID: R04\_AHR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former hookah smokers, go to R04\_AH1025\_RS.

Else, go to Box R04\_AHR24.

**PATH ID: R04\_AH1025\_RS**

Around this time 12 months ago, were you smoking tobacco in a hookah every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former hookah smokers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR24**

Current, experimental current, past 30 day or recent former hookah smokers, go to R04\_AH9011.  
Else, go to Box R04\_AHV03.

**PATH ID: R04\_AH9011**

Where [do/did] you usually smoke hookah? Choose all that apply.

- 1 In your home
- 2 In someone else's home
- 3 In a hookah bar or hookah café
- 4 In a dance club or lounge
- 5 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "do". ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AH9012**

[Do/Did] you usually share a hookah with others when you [smoke/smoked]?

- 1 Yes
- 2 No GO TO R04\_AH9014
- 8 DON'T KNOW GO TO R04\_AH9014
- 7 REFUSED GO TO R04\_AH9014

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Do" AND "smoke". ELSE, DISPLAY "Did" AND "smoked".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9013**

How many people [do/did] you usually share a hookah with?

- 1 1 other person
- 2 2 other people
- 3 3 other people
- 4 4 or more other people
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers who share hookah with others.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "do". ELSE, DISPLAY "did".

**PATH ID: R04\_AH9014**

On average, how long [is/was] one hookah session for you[ and the people you share/d it with]?

- 1 Less than 30 minutes
- 2 More than 30 minutes up to 1 hour
- 3 1 to 2 hours
- 4 More than 2 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH9012 = 1, DISPLAY "is" AND " and the people you share it with". IF R04\_AH9012 != 1, DO NOT DISPLAY " and the people you share it with". IF R04\_HOOK\_USER\_STATUS = 4 AND R04\_AH9012 = 1, DISPLAY "was" AND " and the people you shared it with"; IF R04\_AH9012 != 1, DO NOT DISPLAY " and the people you shared it with".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9015**

On average, when you [smoke/smoked/share a/shared a] hookah, how many times [is/was] the hookah refilled with tobacco during a session?

- 1 0 times
- 2 1 time
- 3 2 to 3 times
- 4 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH9012 = 1, DISPLAY "share a" AND "is". IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH9012 = 2, DISPLAY "smoke" AND "is". IF R04\_HOOK\_USER\_STATUS = 4 AND R04\_AH9012 = 1, DISPLAY "shared a" AND "was". IF R04\_HOOK\_USER\_STATUS = 4 AND R04\_AH9012 = 2, DISPLAY "smoked" AND "was".

**PATH ID: R04\_AH9016**

How often [do/did] you personally set up the hookah?

- 1 Every time
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never, someone else always [set/sets] it up for me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2, OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "do" AND "sets". ELSE, DISPLAY "did" AND "set".

**PATH ID: R04\_AH9043**

When you [smoke/smoked] hookah, [did/does] your shisha usually contain tobacco?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day, and recent former hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2, OR R04\_THIRTY\_DAY\_USER\_HOOK = 1 DISPLAY "smoke" AND "does". IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "smoked" AND "did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH9042
Have you ever used another liquid besides water in the bowl of the hookah?  1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers.

<b>BOX ID:</b> R04_AHV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_CURRENT_HOOK_USE = 1 (Every day user)</b> Adult respondents who have ever smoked a hookah fairly regularly and now smoke every day. <b>R04_CURRENT_HOOK_USE = 2 (Some day user)</b> Adult respondents who have ever smoked a hookah fairly regularly and now smoke some days.

<b>BOX ID:</b> R04_AHR12
If respondent smoked hookah monthly, go to R04_AH9004. Else, if respondent smoked hookah weekly, go to R04_AH9005. Else, if respondent smokes hookah every day, go to R04_AH9006. Else, go to Box R04_AHR25.

<b>PATH ID:</b> R04_AH9004
On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.  1    _   _   _  -8 DON'T KNOW GO TO BOX R04_AHR25 -7 REFUSED GO TO BOX R04_AHR25
ASK: Adult respondents who smoke hookah monthly.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH9004_LC1</b>	
The computer recorded that, on average, you smoke tobacco in a hookah [R04_AH9004] times in a month. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AH9004
2 NEXT	GO TO BOX R04_AHR25
ASK: IF R04_AH9004 > 100.	

<b>PATH ID: R04_AH9005</b>	
On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.	
1  _ _ _	
-8 DON'T KNOW	GO TO BOX R04_AHR25
-7 REFUSED	GO TO BOX R04_AHR25
ASK: Adult respondents who smoke hookah weekly.	

<b>PATH ID: R04_AH9005_LC1</b>	
The computer recorded that, on average, you smoke tobacco in a hookah [R04_AH9005] times in a week. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AH9005
2 NEXT	GO TO BOX R04_AHR25
ASK: IF R04_AH9005 > 15.	

<b>PATH ID: R04_AH9006</b>	
On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.	
1  _ _ _	
-8 DON'T KNOW	GO TO BOX R04_AHR25
-7 REFUSED	GO TO BOX R04_AHR25
ASK: Adult respondents who smoke hookah every day.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9006\_LC1**

The computer recorded that, on average, you smoke tobacco in a hookah [R04\_AH9006] times each day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AH9006

2 NEXT

GO TO BOX R04\_AHR25

ASK: IF R04\_AH9006 > 2.

**BOX ID: R04\_AHR25**

Current, experimental current, and past 30 day hookah smokers, go to R04\_AH1024.

Else, go to Box R04\_AHR02.

**PATH ID: R04\_AH1024**

[On the days that you smoke hookah, what/What] time of day do you typically take your first puff of tobacco from a hookah?

1 After 6 AM but before noon

GO TO BOX R04\_AHR02

2 Between noon and 6 PM

GO TO BOX R04\_AHR02

3 After 6 PM but before midnight

GO TO BOX R04\_AHR02

4 Between midnight and 6 AM

GO TO BOX R04\_AHR02

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers.

DISPLAY: IF R04\_CURRENT\_HOOK\_USE = 1, DISPLAY "What". ELSE, DISPLAY "On the days that you smoke hookah, what".

**PATH ID: R04\_AH1092**

[On the days that you smoke hookah, would/Would] you say you typically take your first puff of tobacco from a hookah within the first 30 minutes after you wake up?

1 Yes

2 No

3 It varies

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who did not know or refused to report what time of day they smoke hookah.

DISPLAY: IF R04\_CURRENT\_HOOK\_USE = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke hookah, would".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR02**

If respondent smoked hookah in the past 30 days, go to R04\_AH0100.  
Else, go to Box R04\_AHR23.

**PATH ID: R04\_AH0100**

When did you last smoke tobacco in a hookah?

- |                          |                  |
|--------------------------|------------------|
| 1 In the past hour       | GO TO R04_AH0103 |
| 2 Sometime today         |                  |
| 3 Yesterday              |                  |
| 4 Day before yesterday   |                  |
| 5 Three or more days ago | GO TO R04_AH1130 |
| -8 DON'T KNOW            | GO TO R04_AH1130 |
| -7 REFUSED               | GO TO R04_AH1130 |

ASK: Adult respondents who have smoked hookah in the past 30 days.

**PATH ID: R04\_AH0102**

When you last smoked tobacco in a hookah [FILL BASED ON R04\_AH0100], was it...

- |                                 |  |
|---------------------------------|--|
| 1 Between midnight and 6AM      |  |
| 2 After 6AM but before noon     |  |
| 3 Between noon and 6PM          |  |
| 4 After 6PM but before midnight |  |
| -8 DON'T KNOW                   |  |
| -7 REFUSED                      |  |

ASK: Adult respondents who have smoked hookah today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AH0100]:

IF R04\_AH0100 = 2, DISPLAY "today".

IF R04\_AH0100 = 3, DISPLAY "yesterday".

IF R04\_AH0100 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH0103</b>	
How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R04_AH0100]?	
1    _ _ _	
-8   DON'T KNOW	GO TO R04_AH1130
-7   REFUSED	GO TO R04_AH1130
ASK: Adult respondents who have smoked hookah in the past hour, today, yesterday or the day before yesterday.	
DISPLAY: IF R04_AH0100 = 1, 2, DISPLAY “have” AND “taken”.	
IF R04_AH0100 = 3, 4, DISPLAY “did” AND “take”.	
FOR [FILL BASED ON R04_AH0100]:	
IF R04_AH0100 = 1, 2, DISPLAY “today”.	
IF R04_AH0100 = 3, DISPLAY “yesterday”.	
IF R04_AH0100 = 4, DISPLAY “the day before yesterday”.	

<b>PATH ID: R04_AH0103_LC1</b>	
The computer recorded that you took [R04_AH0103] puffs from a hookah [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AH0103
2   NEXT	GO TO R04_AH1130
ASK: IF R04_AH0103 > 50 OR R04_AH0103 = 11, 22, 33, 44.	
DISPLAY: IF R04_AH0100 = 1, 2, DISPLAY “today”.	
IF R04_AH0100 = 3, DISPLAY “yesterday”.	
IF R04_AH0100 = 4, DISPLAY “the day before yesterday”.	

<b>PATH ID: R04_AH1130</b>	
In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1   Yes	
2   No	GO TO BOX R04_AHR23
3   I don't know	GO TO BOX R04_AHR23
-8   DON'T KNOW	GO TO BOX R04_AHR23
-7   REFUSED	GO TO BOX R04_AHR23
ASK: Adult respondents who have smoked hookah in the past 30 days.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1131**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked flavored shisha in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AH1147**

On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoked flavored shisha in the past 30 days.

DISPLAY: UNDERLINE "flavored".

**BOX ID: R04\_AHR23**

Current, experimental current, and past 30 day hookah smokers go to R04\_AH1030.

Else, recent former hookah smokers, go to R04\_AH1047.

Else, go to Box R04\_AHR19.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1030**

The next questions ask about your experience buying shisha or hookah tobacco.

How do you usually buy shisha or hookah tobacco for yourself?

- |    |  |                  |
|----|--|------------------|
| 1  | In person (such as at a store or hookah bar) |                  |
| 2  | From the internet                            | GO TO R04_AH1047 |
| 3  | By telephone                                 | GO TO R04_AH1047 |
| 4  | I do not buy my own shisha or hookah tobacco | GO TO R04_AH1047 |
| -8 | DON'T KNOW                                   | GO TO R04_AH1047 |
| -7 | REFUSED                                      | GO TO R04_AH1047 |

ASK: Current, experimental current, and past 30 day hookah smokers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1032**

Do you usually buy shisha or hookah tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who usually buy shisha tobacco in person.

**PATH ID: R04\_AH1033**

Where do you buy your shisha or hookah tobacco most of the time?

- 1 A hookah bar or cafe
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who usually buy shisha tobacco in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1047</b>
[Do/Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke/smoked]?
<ul style="list-style-type: none"> <li>1 Yes</li> <li>2 No</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke". ELSE, DISPLAY "Did" AND "smoked".

<b>PATH ID:</b> <b>R04_AH1050</b>	
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
<ul style="list-style-type: none"> <li>1 Yes</li> <li>2 No</li> <li>3 I don't know</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>	<ul style="list-style-type: none"> <li>GO TO R04_AH1945</li> <li>GO TO R04_AH1945</li> <li>GO TO R04_AH1945</li> <li>GO TO R04_AH1945</li> </ul>
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.	
DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Is", "your regular brand" AND "smoke". IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".	
ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Was", "your regular brand" AND "smoked".	
ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1012**

Which flavor [is/was] it? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers whose regular brand or last brand of shisha smoked was flavored.

DISPLAY: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 1, DISPLAY "is". ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AH1945**

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_AH1047 = 1 AND R04\_HOOK\_USER\_STATUS = 1, 2, DISPLAY "usually smoke".

IF R04\_AH1047 = 1 AND R04\_HOOK\_USER\_STATUS != 1, 2, DISPLAY "usually smoked".

IF R04\_AH1047 = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

**BOX ID: R04\_AHR26**

Respondents who know the name of their brand, go to R04\_AH1048\_BRAND.

Else, respondents who have a regular brand, go to R04\_AH1051.

Else, go to Box R04\_AHD01.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH1048</b>
<p>What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?  Please select it from the choices below by touching the screen. [ If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else." ]</p> <p style="margin-left: 40px;">1    Something else  -8    DON'T KNOW  -7    REFUSED</p> <p>ASK: Current, experimental current, recent former, and past 30 day hookah smokers who know the brand name.  DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".  IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else".  IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "do" AND "usually".  IF ((R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".  ELSE, IF R04_AH1047 = 1, DISPLAY "did" AND "usually".  ELSE, IF R04_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".</p>

<b>BOX ID: R04_AHR17</b>
<p>If respondent selects an image for their brand, go to R04_AH1070_PRODUCT.  Else, if respondent selects "Something else" for their brand, go to R04_AH1049.  Else, go to Box R04_AHR22.</p>

<b>PATH ID: R04_AH1049</b>									
<p>You said that your brand was not listed. What is it?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 10%; padding-left: 40px;">1</td> <td style="width: 60%; border-bottom: 1px solid black; padding-left: 10px;">_____</td> <td style="width: 30%; text-align: right; padding-right: 10px;">GO TO BOX R04_AHR20</td> </tr> <tr> <td style="padding-left: 40px;">-8</td> <td style="padding-left: 10px;">DON'T KNOW</td> <td style="text-align: right; padding-right: 10px;">GO TO BOX R04_AHR20</td> </tr> <tr> <td style="padding-left: 40px;">-7</td> <td style="padding-left: 10px;">REFUSED</td> <td style="text-align: right; padding-right: 10px;">GO TO BOX R04_AHR20</td> </tr> </table> <p>ASK: Current, experimental current, recent former, past 30 day hookah smokers who selected "Something else" for their brand.</p>	1	_____	GO TO BOX R04_AHR20	-8	DON'T KNOW	GO TO BOX R04_AHR20	-7	REFUSED	GO TO BOX R04_AHR20
1	_____	GO TO BOX R04_AHR20							
-8	DON'T KNOW	GO TO BOX R04_AHR20							
-7	REFUSED	GO TO BOX R04_AHR20							

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1070**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?  
Please select it from the choices below by touching the screen. [ If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else". ]

- 1 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AH1048\_BRAND.

IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 1, DISPLAY "do" AND "usually".

IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R04\_AH1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF R04\_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_AHR18**

If current, experimental current, recent former, or past 30 day hookah smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AH1071.

Else, go to Box R04\_AHR20.

**PATH ID: R04\_AH1071**

You said that the type of [BRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who selected a brand image, but selected "Something else" for their subbrand image.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AH1048\_BRAND.

IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 1, DISPLAY "smoke".

ELSE, DISPLAY "smoked".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID: R04_AHR20</b>
If respondent selected a brand in R04_AH1048_BRAND or wrote in a brand in R04_AH1049, go to R04_AH9108. Else, go to Box R04_AHR22.

<b>PATH ID: R04_AH9108</b>
Does this brand of shisha contain tobacco?  1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED  ASK: Current, experimental current, past 30 day or recent former hookah smokers who selected a brand in R04_AH1048 or who wrote a brand in to R04_AH1049.

<b>BOX ID: R04_AHR22</b>
Current, experimental current, past 30 day or recent former hookah smokers who have a regular brand of shisha or hookah tobacco, go to R04_AH1051. Else, go to Box R04_AHR19.

<b>PATH ID: R04_AH1051</b>
About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?  1  __ __  DAYS 2  __ __  MONTHS 3  __ __  YEARS -8 DON'T KNOW GO TO BOX R04_AHR19 -7 REFUSED GO TO BOX R04_AHR19  ASK: Current, experimental current, recent former, and past 30 day hookah smokers who have a regular brand. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have you been smoking". ELSE, DISPLAY "did you smoke".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1051\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand of shisha or hookah tobacco for [R04\_AH1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AH1051    |
| 2 | NEXT | GO TO BOX R04_AHR19 |

ASK: IF R04\_AH1051\_NN > R04\_ACHIEVEDAGE AND R04\_AH1051\_UN = 3.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "have been smoking".

IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "smoked".

**PATH ID: R04\_AH1051\_LC2**

The computer recorded "0" for how long you [have been smoking/ smoked] your regular brand of shisha or hookah tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AH1051    |
| 2 | NEXT | GO TO BOX R04_AHR19 |

ASK: IF R04\_AH1051\_NN = 0.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "have been smoking".

IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "smoked".

**BOX ID: R04\_AHR19**

Current, experimental current, and past 30 day hookah smokers who smoked hookah today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand in R04\_AH1048 and valid product in R04\_AH1070, go to R04\_AH0104.

Else, if respondent is a current, experimental current, recent former, or past 30 day user, go to Box R04\_AHD01.

Else, go to next section.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH0104**

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who have smoked hookah in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AH0100 = 1, FILL [TIME OF LAST USE] WITH “in the past hour”.

IF R04\_AH0100 = 2, FILL [TIME OF LAST USE] WITH “sometime today”.

IF R04\_AH0100 = 3, FILL [TIME OF LAST USE] WITH “yesterday”.

IF R04\_AH0100 = 4, FILL [TIME OF LAST USE] WITH “the day before yesterday”.

FILL [NEQBRAND] WITH RESPONSE TO R04\_AH1070\_PRODUCT.

**BOX ID: R04\_AHD01**

Randomize order of R04\_AH1060 through R04\_AH1073.

Display question R04\_AH1060, R04\_AH1085, R04\_AH1062, R04\_AH1075, R04\_AH1063, R04\_AH1064, R04\_AH1073 on one screen. Show the intro/transition text from R04\_AH1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1060**

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "apply to you", "smoke" AND "is". ELSE, DISPLAY "applied to you when you used to smoke hookah", "smoked" AND "was".

**PATH ID: R04\_AH1085**

I [can/could] smoke hookah at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't".

**PATH ID: R04\_AH1062**

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "be". ELSE, DISPLAY "have been".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1075</b>
It might [be/have been] less harmful to people around me than smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY “be”. ELSE, DISPLAY “have been”.

<b>PATH ID:</b> <b>R04_AH1063</b>
Shisha or hookah tobacco [comes/came] in flavors I [like/liked].
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY “comes” AND “like”. ELSE, DISPLAY “came” and “liked”.

<b>BOX ID:</b> <b>R04_AHR15</b>
Current, experimental current, past 30 day, or recent former hookah smokers who are also current, experimental current or recent former cigarette smokers, go to R04_AH1064.
Else, go to R04_AH1073.

<b>PATH ID:</b> <b>R04_AH1064</b>
Smoking hookah helps people quit smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who are also current, experimental current or recent former cigarette smokers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1073**

Smoking hookah is part of my cultural tradition.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

**BOX ID: R04\_AHR16**

Current, experimental current, past 30 day, and recent former hookah smokers who also are current, experimental current, or recent former cigarette smokers, go to R04\_AH1080.

Else, go to R04\_AH1139.

**PATH ID: R04\_AH1080**

[Do/Did] you smoke hookah as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who are also current, experimental current or recent former cigarette smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking hookah.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "is",

ELSE, DISPLAY "was".

Display scale for the R04\_AH1139-1141 series.

**PATH ID: R04\_AH1140**

While smoking hookah, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "feel",

ELSE, DISPLAY "felt".

Display scale for the R04\_AH1139-1141 series.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1141**

I [smoke/smoked] hookah much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "smoke" AND "am",

ELSE, DISPLAY "smoked" AND "was".

Display scale for the R04\_AH1139-1141 series.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**SNUS**

**BOX ID: R04\_AUR08**

Aged-up and continuing adult respondents who were a former user, had used 100 or more snus pouches and had used fairly regularly as of the previous wave; and at the current wave has not used in the past 12 months or now uses not at all, go to Box R04\_AUV02.

Else, continue with Box R04\_AUT02.

**BOX ID: R04\_AUT02**

IF RESPONDENT ONLY USES SNUS (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 2), DISPLAY THE FOLLOWING TRANSITION TEXT:

The next questions ask about **snus**, a type of smokeless tobacco that comes loose or in a small pouch that you put under your lip. You do not have to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.

Please think about your use of **snus** as you answer these questions.

[SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

The next questions ask about **snus**, a type of smokeless tobacco that comes loose or in a small pouch that you put under your lip. You do not have to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.

Please think about your use of **snus** as you answer these questions. There will be a separate section later about other types of smokeless tobacco products.

[SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]

**BOX ID: R04\_AUR07**

New cohort adult respondents who have ever used snus, go to R04\_AU1006\_RS.

Else, aged-up and continuing adult respondents who have ever used snus (and had not used 100 or more in the previous wave), go to R04\_AU1005.

Else, aged-up and continuing adult respondents who have ever used snus and had never used fairly regularly in the previous wave, go to R04\_AU1100.

Else, go to Box R04\_AUV02.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1006_RS</b>
How old were you when you first used snus, even one or two times?
1  __ __  Years old
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AU1120_RS
GO TO R04_AU1120_RS
ASK: New cohort adult respondents who have ever used snus.

<b>PATH ID: R04_AU1006_RS_LC1</b>
The computer recorded that you first used snus at age [R04_AU1006_RS]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
GO TO R04_AU1006_RS
GO TO R04_AU1005
ASK: IF R04_AU1006_RS <= 10.

<b>PATH ID: R04_AU1006_RS_LC2</b>
The computer recorded that you first used snus at age [R04_AU1006_RS]. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
GO TO R04_AU1006_RS
GO TO R04_AU1005
ASK: IF R04_AU1006_RS > R04_ACHIEVEDAGE.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1120\_RS**

When you first used snus, even one or two times, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report the age they first tried snus.

**PATH ID: R04\_AU1005**

How many times have you used snus in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used snus and had not used 100 or more pouches in the previous wave, and new cohort adult respondents who have ever used snus.

**BOX ID: R04\_AUR10**

Aged-up and continuing adult respondents who have ever used snus and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever used snus, go to R04\_AU1100.  
Else, go to Box R04\_AUV02.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1100**

Have you ever used snus fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used snus and had never used fairly regularly in the previous wave and new cohort adult respondents who have ever used snus.

**BOX ID: R04\_AUR11**

New baseline adult respondents that have ever used fairly regularly, go to R04\_AU1007\_NB.  
Else, go to Box R04\_AUV02.

**PATH ID: R04\_AU1007\_NB**

How old were you when you first started using snus fairly regularly?

- 1 |\_\_|\_\_| Years old
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AU1121\_NB

GO TO R04\_AU1121\_NB

ASK: New baseline adult respondents who have ever used snus fairly regularly but had never used fairly regularly in the previous wave.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AU1007\_NB\_LC1**

The computer recorded that you started using snus fairly regularly at age [R04\_AU1007\_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK
- 2 NEXT

GO TO R04\_AU1007\_NB

GO TO BOX R04\_AUV02

ASK: IF R04\_AU1007\_NB <= 8.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1007\_NB\_LC2**

The computer recorded that you started using snus fairly regularly at age [R04\_AU1007\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1007\_NB

2 NEXT

GO TO BOX R04\_AUV02

ASK: IF R04\_AU1007\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AU1121\_NB**

When you first started using snus fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they first started using snus fairly regularly.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b>	<b>R04_AUV02</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
<b>R04_SNUS_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever used snus fairly regularly and now use every day or some days.	
<b>R04_SNUS_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever used snus and have never used fairly regularly, and now use every day or some days.	
<b>R04_SNUS_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever used snus and have never used fairly regularly and did not use in the past 12 months or now uses not at all.	
<b>R04_SNUS_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former snus users at the previous wave and aged-up adult respondents who ever used snus at the previous wave, who have ever used snus fairly regularly, and did not use snus in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated snus use since the previous wave, who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all.	
<b>R04_SNUS_USER_STATUS = 5 (Long-term former user)</b> Adult respondents who were former snus users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used snus and have ever used snus fairly regularly, who have not used snus in the past 12 months..	
<b>R04_CURRENT_SNUS_USE = 1 (Every day user)</b> Adult respondents who have ever used snus fairly regularly and now use every day.	
<b>R04_CURRENT_SNUS_USE = 2 (Some day user)</b> Adult respondents who have ever used snus fairly regularly and now use some days.	
<b>R04_FORMER_THIRTYDAY_USER_SNUS = 1</b> Adult respondents who are experimental former, recent former, or long-term former snus users who used in the past 30 days.	

<b>BOX ID:</b>	<b>R04_AUR02</b>
New baseline respondents that are every day snus users, go to R04_AU1020_NB. Else, go to Box R04_AUR12.	

<b>PATH ID:</b>	<b>R04_AU1020_NB</b>
How old were you when you first started using snus every day?	
1  __ __  Years old	
-8 DON'T KNOW	GO TO R04_AU1122_NB
-7 REFUSED	GO TO R04_AU1122_NB
ASK: New baseline adult respondents who are every day snus users.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1020\_NB\_LC1**

The computer recorded that you started using snus every day at age [R04\_AU1020\_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |        |                     |
|--------|---------------------|
| 1 BACK | GO TO R04_AU1020_NB |
| 2 NEXT | GO TO BOX R04_AUR12 |

ASK: IF R04\_AU1020\_NB <= 8 OR R04\_AU1020\_NB < R04\_AU1007\_NB.

**PATH ID: R04\_AU1020\_NB\_LC2**

The computer recorded that you started using snus every day at age [R04\_AU1020\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |        |                     |
|--------|---------------------|
| 1 BACK | GO TO R04_AU1020_NB |
| 2 NEXT | GO TO BOX R04_AUR12 |

ASK: IF R04\_AU1020\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AU1122\_NB**

When you first started using snus every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they first started using snus every day.

**BOX ID: R04\_AUR12**

Aged-up and continuing adult respondents who initiated snus use since the previous wave, and new cohort adult respondents who have ever used snus, go to R04\_AU1008.

Else, go to Box R04\_AUR50.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1008**

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_AUR50 |
| 3  | I don't know | GO TO BOX R04_AUR50 |
| -8 | DON'T KNOW   | GO TO BOX R04_AUR50 |
| -7 | REFUSED      | GO TO BOX R04_AUR50 |

ASK: Aged-up and continuing adult respondents who initiated snus use since the previous wave, and new cohort adult respondents who have ever used snus.

**PATH ID: R04\_AU1011**

Which flavor did you first start using? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated snus use with flavored snus.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AUR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former snus users, go to R04\_AU1025\_RS.

Else, go to Box R04\_AUR09.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1025\_RS**

Around this time 12 months ago, were you using snus every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former snus users.

**BOX ID: R04\_AUR09**

Every day snus users, go to R04\_AU1021.

Else, some day and experimental current snus users, and former or experimental former users who have used in the past 30 days, go to R04\_AU1022.

Else, recent former snus users, go to R04\_AU1047.

Else, experimental former and long-term former snus users, go to next section.

**PATH ID: R04\_AU1021**

On average, about how many times do you now use snus each day?

- 1 |\_\_|\_\_|
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AU1024

GO TO R04\_AU1024

ASK: Every day snus users.

**PATH ID: R04\_AU1021\_LC1**

The computer recorded that on average, you now use snus [R04\_AU1021] times a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK
- 2 NEXT

GO TO R04\_AU1021

GO TO R04\_AU1024

ASK: IF R04\_AU1021 > 20.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1022**

On how many of the past 30 days did you use snus?

- 1 |\_\_|\_\_| DAYS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Some day and experimental current snus users who have used in the past 30 days, and former 30 day snus users.

DISPLAY: DISPLAY 'DAYS' AS A TITLE.

**BOX ID: R04\_AUR13**

If respondent enters "0" for R04\_AU1022 and is a some day or experimental current snus user, go to R04\_AU9029.

Else, if respondent enters "0" for R04\_AU1022 and is a former 30 day user of snus, go to Box R04\_AUR26.

Else, go to R04\_AU1023.

**PATH ID: R04\_AU9029**

About how long has it been since you last used snus?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW GO TO BOX R04\_AUR26
- 7 REFUSED GO TO BOX R04\_AUR26

ASK: Some day and experimental current snus users who have not used in the past 30 days.

**PATH ID: R04\_AU9029\_LC1**

The computer recorded that you used snus [R04\_AU9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AU9029
- 2 NEXT GO TO BOX R04\_AUR26

ASK: IF (R04\_AU9029\_NN < 30 AND R04\_AU9029\_UN = 1) OR (R04\_AU9029\_NN < 1 AND R04\_AU9029\_UN = 2) OR (R04\_AU9029\_NN > 18 AND R04\_AU9029\_UN = 2) OR (R04\_AU9029\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AU9029\_UN = 3).

DISPLAY: IF R04\_AU9029\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AU9029\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AU9029\_UN = 3, DISPLAY "years".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1023**

On average, on those [FILL NUMBER OF DAYS FROM R04\_AU1022 days/days you used], how many times did you usually use snus each day?

- |    |            |                     |
|----|------------|---------------------|
| 1  | _ _ _      |                     |
| -8 | DON'T KNOW | GO TO BOX R04_AUR26 |
| -7 | REFUSED    | GO TO BOX R04_AUR26 |

ASK: Some day, experimental current, and former thirty day snus users who have used at least one day in past 30 days.

DISPLAY: IF R04\_AU1022 = 1, -8, -7, DISPLAY "days you used".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04\_AU1022 AND "days" (EX. "2 days").

**PATH ID: R04\_AU1023\_LC1**

The computer recorded that on the days you used in the past 30 days, you used snus [R04\_AU1023] times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AU1023    |
| 2 | NEXT | GO TO BOX R04_AUR26 |

ASK: IF R04\_AU1023 > 20.

**BOX ID: R04\_AUR26**

Current and experimental current snus users, go to R04\_AU1024.

Else, former 30 day snus users, go to R04\_AU1024\_30D.

Else, go to next section.

**PATH ID: R04\_AU1024**

[On the days that you use snus, how/How] soon after you wake up do you typically use your first snus product of the day? Please enter the number of minutes or hours.

- |    |            |                      |                  |
|----|------------|----------------------|------------------|
| 1  | _ _ _ _    | Minutes after waking |                  |
| 2  | _ _ _ _    | Hours after waking   |                  |
| -8 | DON'T KNOW |                      | GO TO R04_AU1092 |
| -7 | REFUSED    |                      | GO TO R04_AU1092 |

ASK: Current and experimental current snus users.

DISPLAY: IF R04\_CURRENT\_SNUS\_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you use snus, how".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1024\_LC1**

The computer recorded that you typically use your first snus product [R04\_AU1024\_NN] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AU1024    |
| 2 | NEXT | GO TO BOX R04_AUR28 |

ASK: IF [R04\_CURRENT\_SNUS\_USE = 1 AND ((R04\_AU1024\_NN > 60 AND R04\_AU1024\_UN = 1) OR (R04\_AU1024\_NN > 4 AND R04\_AU1024\_UN = 2))] OR [(R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2) AND ((R04\_AU1024\_NN > 60 AND R04\_AU1024\_UN = 1) OR (R04\_AU1024\_NN > 12 AND R04\_AU1024\_UN = 2))].

DISPLAY: IF R04\_AU1024\_UN = 1, DISPLAY "minutes".

ELSE, IF R04\_AU1024\_UN = 2 DISPLAY "hours".

**PATH ID: R04\_AU1024\_LC2**

The computer recorded "0" for how soon you typically use your first snus product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AU1024    |
| 2 | NEXT | GO TO BOX R04_AUR28 |

ASK: IF R04\_AU1024\_NN = 0.

**PATH ID: R04\_AU1092**

[On the days that you use snus, would/Would] you say you use your first snus product of the day within the first 30 minutes after you wake up?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        | GO TO BOX R04_AUR28 |
| 2  | No         | GO TO BOX R04_AUR28 |
| 3  | It varies  | GO TO BOX R04_AUR28 |
| -8 | DON'T KNOW | GO TO BOX R04_AUR28 |
| -7 | REFUSED    | GO TO BOX R04_AUR28 |

ASK: Current and experimental current snus users who did not know or refused to report how soon after waking up they first use snus.

DISPLAY: IF R04\_CURRENT\_SNUS\_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use snus, would".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1024\_30D**

On the days that you used snus, how soon after you woke up did you typically use your first snus product of the day? Please enter the number of minutes or hours.

1 |\_\_|\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AU1092\_30D

-7 REFUSED

GO TO R04\_AU1092\_30D

ASK: Former 30 day snus users.

**PATH ID: R04\_AU1024\_30D\_LC1**

The computer recorded that you typically used your first snus product [R04\_AU1024\_30D\_NN] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1024\_30D

2 NEXT

GO TO BOX R04\_AUR28

ASK: IF (R04\_AU1024\_30D\_NN > 60 AND R04\_AU1024\_30D\_UN = 1) OR (R04\_AU1024\_30D\_NN > 12 AND R04\_AU1024\_30D\_UN = 2).

DISPLAY: IF R04\_AU1024\_30D\_UN = 1, DISPLAY "minutes".

ELSE, IF R04\_AU1024\_30D\_UN = 2, DISPLAY "hours".

**PATH ID: R04\_AU1024\_30D\_LC2**

The computer recorded "0" for how soon after waking you typically used your first snus product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1024\_30D

2 NEXT

GO TO BOX R04\_AUR28

ASK: IF R04\_AU1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1092\_30D**

On the days that you used snus, would you say you used your first snus product of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day snus users who did not know or refused to report how soon after they woke up they first used snus.

**BOX ID: R04\_AUR28**

Adult respondents who have used snus in the past 30 days, go to R04\_AU0100.  
Else, go to R04\_AU9041.

**PATH ID: R04\_AU0100**

When did you last use snus?

- |                          |                  |
|--------------------------|------------------|
| 1 In the past hour       | GO TO R04_AU0103 |
| 2 Sometime today         |                  |
| 3 Yesterday              |                  |
| 4 Day before yesterday   |                  |
| 5 Three or more days ago | GO TO R04_AU1130 |
| -8 DON'T KNOW            | GO TO R04_AU1130 |
| -7 REFUSED               | GO TO R04_AU1130 |

ASK: Adult respondents who have used snus in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU0102**

When you last used snus [FILL BASED ON R04\_AU0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used snus today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AU0100]:

IF R04\_AU0100 = 2, DISPLAY "today".

IF R04\_AU0100 = 3, DISPLAY "yesterday".

IF R04\_AU0100 = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AU0103**

How many times [have/did] you [used/use] snus [FILL BASED ON R04\_AU0100]?

1 |\_\_|\_\_|\_\_|

-8 DON'T KNOW

-7 REFUSED

GO TO R04\_AU1130

GO TO R04\_AU1130

ASK: Adult respondents who have used snus in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AU0100 = 1, 2, DISPLAY "have" AND "used".

ELSE, IF R04\_AU0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R04\_AU0100]:

IF R04\_AU0100 = 1, 2, DISPLAY "today".

ELSE, IF R04\_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R04\_AU0100 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU0103\_LC1**

The computer recorded that you used snus [R04\_AU0103] times [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AU0103 |
| 2 | NEXT | GO TO R04_AU1130 |

ASK: IF R04\_AU0103 > 20 OR R04\_AU0103 = 11.

DISPLAY: IF R04\_AU0100 = 1, 2, DISPLAY "today".

ELSE, IF R04\_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R04\_AU0100 = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AU1130**

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                  |
|----|--------------|------------------|
| 1  | Yes          |                  |
| 2  | No           | GO TO R04_AU9041 |
| 3  | I don't know | GO TO R04_AU9041 |
| -8 | DON'T KNOW   | GO TO R04_AU9041 |
| -7 | REFUSED      | GO TO R04_AU9041 |

ASK: Adult respondents who have used snus in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1131**

Which flavors have you used in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored snus in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AU1147**

On the days you used snus in the past 30 days, how often did you use flavored snus?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored snus in the past 30 days.

DISPLAY: UNDERLINE "flavored".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU9041</b>	
What type of snus [do you use/have you used]?	
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]	
1 Snus pouches	GO TO R04_AU1030
2 Loose snus	GO TO R04_AU1030
3 Both snus pouches and loose snus	
-8 DON'T KNOW	GO TO R04_AU1030
-7 REFUSED	GO TO R04_AU1030
ASK: Current, experimental current, and former 30 day snus users.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do you use".	
ELSE, DISPLAY "have you used".	

<b>PATH ID: R04_AU9042</b>	
You mentioned you have used both snus pouches and loose snus. Which type of snus [do/did] you use most often?	
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]	
1 Snus pouches	
2 Loose snus	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current, experimental current, and former 30 day snus users who have used both snus pouches and loose snus.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do".	
ELSE, DISPLAY "did".	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1030**

The next questions ask about your experience buying snus. [Please think about the type of snus you use most often when answering these questions.]

]How [do/did] you usually buy snus for yourself?

- |    |                          |                  |
|----|--------------------------|------------------|
| 1  | In person                |                  |
| 2  | From the internet        | GO TO R04_AU1042 |
| 3  | By telephone             | GO TO R04_AU1042 |
| 4  | I do not buy my own snus | GO TO R04_AU1047 |
| -8 | DON'T KNOW               | GO TO R04_AU1047 |
| -7 | REFUSED                  | GO TO R04_AU1047 |

ASK: Current, experimental current, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF R04\_AU9041 = 3, DISPLAY "Please think about the type of snus you use most often when answering these questions."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AU1032**

[Do/Did] you usually buy snus...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who usually buy snus in person.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1033</b>
Where [do/did] you buy your snus most of the time?  1 A convenience store or gas station 2 A supermarket, grocery store, or drug store 3 A warehouse club, such as Sam’s or Costco 4 A smoke shop, tobacco specialty store or tobacco outlet store 5 A duty free shop or military commissary 6 A bar, pub, restaurant or casino 7 A friend or relative 8 A swap meet or flea market 9 A liquor store 10 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED
ASK: Current, experimental current, and former 30 day snus users who usually buy snus in person. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

<b>PATH ID: R04_AU1042</b>
How much [do you usually/did you] pay for a container of snus?  1 \$  __ __ __  Dollars .  __ __  Cents -8 DON'T KNOW GO TO BOX R04_AUR52 -7 REFUSED GO TO BOX R04_AUR52
ASK: Current, experimental current, and former 30 day snus users who usually buy their own snus. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do you usually". ELSE, DISPLAY "did you", DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID: R04_AU1042_LC1</b>
The computer recorded that you paid \$[R04_AU1042_D].[R04_AU1042_C] for a container of snus.  If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.  1 BACK GO TO R04_AU1042 2 NEXT GO TO BOX R04_AUR52
ASK: IF R04_AU1042_D > 6 OR R04_AU1042_D < 1.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR52**

Current, experimental current, and former 30 day users who buy their own snus and usually use pouched snus, go to R04\_AU9001.  
Else, go to R04\_AU1047.

**PATH ID: R04\_AU9001**

How many pouches [are/were] in the container of snus that you usually [buy/bought]?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AU1047

-7 REFUSED

GO TO R04\_AU1047

ASK: Current, experimental current, and former 30 day users who buy their own snus and usually use pouched snus.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "are" AND "buy".

ELSE, DISPLAY "were" AND "bought".

**PATH ID: R04\_AU9001\_LC1**

The computer recorded that there are [R04\_AU9001] pouches in the container you bought.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU9001

2 NEXT

GO TO R04\_AU9002

ASK: IF R04\_AU9001 > 50 OR R04\_AU9001 < 5.

**PATH ID: R04\_AU9002**

About how many days [does/did] it take you to use up a container this size?

1 |\_\_|\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AU1047

-7 REFUSED

GO TO R04\_AU1047

ASK: Current, experimental current, and former 30 day snus users who provided the number of pouches in the container of snus they usually buy.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "does".

ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU9002_LC1</b>	
The computer recorded that it took you [R04_AU9002] days to use up a container of snus.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AU9002
2 NEXT	GO TO R04_AU1047
ASK: IF R04_AU9002 > (R04_AU9001*7) OR R04_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.	

<b>PATH ID: R04_AU1047</b>	
[Do/Did] you have a regular brand of snus that you usually [use/used]?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current, experimental current, recent former, and former 30 day snus users.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY “Do” AND “use”.	
ELSE, DISPLAY “Did” AND “used”.	

<b>PATH ID: R04_AU1050</b>	
[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1 Yes	
2 No	GO TO R04_AU1945
3 I don't know	GO TO R04_AU1945
-8 DON'T KNOW	GO TO R04_AU1945
-7 REFUSED	GO TO R04_AU1945
ASK: Current, experimental current, recent former, and former 30 day snus users.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY “Is” AND “your regular brand” AND “use”.	
ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY “Was” AND “the last brand” AND “used”.	
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY “Was” AND “your regular brand” AND “used”.	
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY “Was” AND “the last brand” AND “used”.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1012**

Which flavor [is/was] it? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former and former 30 day snus users whose regular brand or last brand of snus used was flavored.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AU1047 = 1, DISPLAY "is".

ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AU1945**

Do you know the name of the brand of snus you [usually use/usually used/last used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former and former 30 day snus users.

DISPLAY: UNDERLINE "name of the brand".

IF R04\_AU1047 = 1 AND R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "usually use".

ELSE, IF R04\_AU1047 = 1 AND R04\_SNUS\_USER\_STATUS != 1, 2, DISPLAY "usually used".

ELSE, IF R04\_AU1047 = 2, -8, -7, DISPLAY "last used".

**BOX ID: R04\_AUR27**

Respondents who know the name of their brand, go to R04\_AU1048\_BRAND.

Else, respondents who have a regular brand, go to R04\_AU1051.

Else, go to Box R04\_AUD03.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1048</b>
What brand of snus [do/did] you [usually/last] use?
Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]
1   Something else
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."
IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "do" AND "usually".
ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "did" AND "usually".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

<b>BOX ID:</b> <b>R04_AUR16</b>
If respondent selects an image for their brand, go to R04_AU1070_PRODUCT.
Else, if respondent selects "Something else" for their brand, go to R04_AU1049.
Else, go to Box R04_AUR25.

<b>PATH ID:</b> <b>R04_AU1049</b>
You said that your brand was not listed. What is it?
1   _____
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AUR25
GO TO BOX R04_AUR25
GO TO BOX R04_AUR25
ASK: Current, experimental current, recent former, and former 30 day snus users who selected "Something else" for their brand.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1070**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

- 1 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AU1048\_BRAND.

IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AU1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04\_SNUS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04\_SNUS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_AUR17**

If current, experimental current, recent former, or former 30 day snus user who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AU1071.

Else, go to Box R04\_AUR25.

**PATH ID: R04\_AU1071**

You said that the type of [BRANDFILL]s that you [use/used] is not listed. What type is it?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users who selected a brand image, but selected "Something else" for their subbrand image.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AU1048\_BRAND.

IF R04\_CURRENT\_USER\_SNUS = 1, 2 AND R04\_AU1047 = 1, DISPLAY "use".

ELSE, DISPLAY "used".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR25**

Current, experimental current, recent former, and former 30 day snus users who have a regular brand of snus, go to R04\_AU1051.  
Else, go to Box R04\_AUR18.

**PATH ID: R04\_AU1051**

About how long [did you use/have you been using] your regular brand of snus?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AUR18

-7 REFUSED

GO TO BOX R04\_AUR18

ASK: Current, experimental current, recent former, and former 30 day snus users who have a regular brand.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

**PATH ID: R04\_AU1051\_LC1**

The computer recorded that you [have been using/used] your regular brand of snus for [R04\_AU1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1051

2 NEXT

GO TO BOX R04\_AUR18

ASK: IF R04\_AU1051\_NN > R04\_ACHIEVEDAGE AND R04\_AU1051\_UN = 3.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1051\_LC2**

The computer recorded "0" for how long you [have been using/used] your regular brand of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1051

2 NEXT

GO TO BOX R04\_AUR18

ASK: IF R04\_AU1051\_NN = 0.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

**BOX ID: R04\_AUR18**

Current, experimental current, and former 30 day snus users who used snus today, yesterday, or the day before yesterday and who know the name of their brand and selected a valid brand and a valid product, go to R04\_AU0104.

Else, go to Box R04\_AUD03.

**PATH ID: R04\_AU0104**

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who have used snus in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AU0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04\_AU0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04\_AU0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R04\_AU0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AU1070\_PRODUCT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUD03**

Randomize order of R04\_AU1060 through R04\_AU1076.

Display question R04\_AU1060, R04\_AU1085, R04\_AU1062, R04\_AU1075, R04\_AU1063, R04\_AU1064, R04\_AU1065, R04\_AU1067, R04\_AU1076 on one screen. Show the intro/transition text from R04\_AU1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

**PATH ID: R04\_AU1060**

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".

ELSE, DISPLAY "applied to you when you used to use snus", "used" AND "was".

**PATH ID: R04\_AU1085**

I [can/could] use snus at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1062**

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

**PATH ID: R04\_AU1075**

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

**PATH ID: R04\_AU1063**

Snus [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "comes" AND "like".

ELSE, DISPLAY "came" AND "liked".

**BOX ID: R04\_AUR19**

Current, experimental current, recent former, and former 30 day snus users who are also current, experimental current, or recent former cigarette smokers, go to R04\_AU1064.

Else, go to R04\_AU1065.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1064</b>
Using snus helps people quit smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who are also current, experimental current or recent former cigarette smokers.

<b>PATH ID:</b> <b>R04_AU1065</b>
Snus doesn't smell.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.

<b>PATH ID:</b> <b>R04_AU1067</b>
Snus [is/was] more acceptable to non-tobacco users.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

<b>PATH ID:</b> <b>R04_AU1076</b>
No one [can/could] tell when I [am/was] using snus.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "can" AND "am".
ELSE, DISPLAY "could" AND "was".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR20**

Current, experimental current, and former 30 day snus users who are also current or experimental current cigarette smokers, go to R04\_AU1086.

Else, recent former snus users who are current cigarette smokers, go to R04\_AU1080.

Else, current, experimental current, recent former, and former 30 day snus users who are recent former cigarette smokers, go to R04\_AU1080.

Else, go to R04\_AU1139.

**PATH ID: R04\_AU1086**

In the past 30 days have you used snus at times when or in places where you could not smoke cigarettes?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AU1080 |
| -8 | DON'T KNOW | GO TO R04_AU1080 |
| -7 | REFUSED    | GO TO R04_AU1080 |

ASK: Current, experimental current, and former 30 day snus users who are also current or experimental current cigarette smokers.

**PATH ID: R04\_AU1087**

How often [do/did] you use snus at times when or in places where you could not smoke regular cigarettes?

- |    |            |
|----|------------|
| 1  | Every day  |
| 2  | Some days  |
| 3  | Rarely     |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Current, experimental current, and former 30 day snus users who used snus at times when or in places where they could not smoke cigarettes.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do",

ELSE, IF R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1, DISPLAY "did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1080**

[Do/Did] you use snus as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH ID: R04\_AU1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using snus.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04\_AU1139-1141 SERIES.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1140**

While using snus, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04\_AU1139-1141 SERIES.

**PATH ID: R04\_AU1141**

I [use/used] snus much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R04\_AU1139-1141 SERIES.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **SMOKELESS TOBACCO**

**BOX ID: R04\_ASR08**

Aged-up and continuing adult respondents who were a former user, had used smokeless tobacco 100 or more times and had used fairly regularly as of the previous wave, and at the current wave has not used in the past 12 months or now uses not at all, go to Box R04\_ASV02.

Else, continue with Box R04\_AST02.

**BOX ID: R04\_AST02**

IF RESPONDENT USES ONLY SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 2 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

The next questions ask about **smokeless tobacco** which you put in your mouth and chew, suck or spit.

There are many types of smokeless tobacco products such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman and Levi Garrett, but there are many others.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

You just answered questions about snus. The next questions are about your use of other types of **smokeless tobacco** products which you put in your mouth and chew, suck or spit.

There are many types of smokeless tobacco such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman and Levi Garrett, but there are many others.

The questions will use the phrase “**smokeless tobacco**” to refer to these products. Please think about your use of smokeless tobacco products, not including snus, as you answer these questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR07**

New cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1006\_RS.

Else, aged-up and continuing adult respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times in the previous wave, go to R04\_AS1005.

Else, aged-up and continuing adult respondents who have ever used smokeless tobacco and had never used fairly regularly in the previous wave, go to R04\_AS1100.

Else, go to Box R04\_ASV02.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AS1006_RS
How old were you when you first used smokeless tobacco, even one or two times?
1  __ __  Years old
-8 DON'T KNOW GO TO R04_AS1120_RS
-7 REFUSED GO TO R04_AS1120_RS
ASK: New cohort adult respondents who have ever used smokeless tobacco.

<b>PATH ID:</b> R04_AS1006_RS_LC1
The computer recorded that you first used smokeless tobacco at age [R04_AS1006_RS]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AS1006_RS
2 NEXT GO TO R04_AS1005
ASK: IF R04_AS1006_RS <= 10.

<b>PATH ID:</b> R04_AS1006_RS_LC2
The computer recorded that you first used smokeless tobacco at age [R04_AS1006_RS]. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AS1006_RS
2 NEXT GO TO R04_AS1005
ASK: IF R04_AS1006_RS > R04_ACHIEVEDAGE.

<b>PATH ID:</b> R04_AS1120_RS
When you first used smokeless tobacco, even one or two times, were you...
1 Less than 18 years old,
2 18 to 24 years old,
3 25 to 34 years old,
4 35 to 44 years old,
5 45 to 54 years old, or
6 55 years old or older?
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult respondents who did not know or refused to report the age they first tried smokeless tobacco.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1005**

How many times have you used smokeless tobacco in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used smokeless tobacco and had not used 100 or more times in the previous wave, and new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR10**

Aged up and continuing adult respondents who have ever used smokeless tobacco and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1100.

Else, go to Box R04\_ASV02.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1100**

Have you ever used smokeless tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used smokeless tobacco and had never used fairly regularly in the previous wave and new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR11**

New baseline adult respondents that have ever used smokeless tobacco fairly regularly, go to R04\_AS1007\_NB.

Else, go to Box R04\_ASV02.

**PATH ID: R04\_AS1007\_NB**

How old were you when you first started using smokeless tobacco fairly regularly?

- 1 |\_\_|\_\_| Years old
- 8 DON'T KNOW GO TO R04\_AS1121\_NB
- 7 REFUSED GO TO R04\_AS1121\_NB

ASK: New baseline adult respondents who have ever used smokeless tobacco fairly regularly but had never used fairly regularly in the previous wave.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AS1007\_NB\_LC1**

The computer recorded that you started using smokeless tobacco fairly regularly at age [R04\_AS1007\_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AS1007\_NB
- 2 NEXT GO TO BOX R04\_ASV02

ASK: IF R04\_AS1007\_NB <= 8.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1007\_NB\_LC2**

The computer recorded that you started using smokeless tobacco fairly regularly at age [R04\_AS1007\_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1007\_NB

2 NEXT

GO TO BOX R04\_ASV02

ASK: IF R04\_AS1007\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AS1121\_NB**

When you first started using smokeless tobacco fairly regularly, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they first started using smokeless tobacco fairly regularly.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b>	<b>R04_ASV02</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
<b>R04_SMKLS_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use every day or some days.	
<b>R04_SMKLS_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever used smokeless tobacco and have never used fairly regularly, and now use every day or some days.	
<b>R04_SMKLS_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever used smokeless tobacco and have never used fairly regularly and did not use in the past 12 months or now uses not at all.	
<b>R04_SMKLS_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former smokeless tobacco users at the previous wave and aged-up adult respondents who ever used smokeless tobacco at the previous wave, who have ever used smokeless tobacco fairly regularly, and did not use smokeless tobacco in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since the previous wave, who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all.	
<b>R04_SMKLS_USER_STATUS = 5 (Long-term former user)</b> Adult respondents who were former smokeless tobacco users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, who have not used smokeless tobacco in the past 12 months.	
<b>R04_CURRENT_SMKLS_USE = 1 (Every day user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use every day.	
<b>R04_CURRENT_SMKLS_USE = 2 (Some day user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use some days.	
<b>R04_FORMER_THIRTYDAY_USER_SMKLS = 1</b> Adult respondents who are experimental former, recent former, or long-term former smokeless tobacco users who used in the past 30 days.	

<b>BOX ID:</b>	<b>R04_ASR02</b>
New baseline respondents that are every day smokeless tobacco users, go to R04_AS1020_NB. Else, go to Box R04_ASR12.	

<b>PATH ID:</b>	<b>R04_AS1020_NB</b>
How old were you when you first started using smokeless tobacco every day?	
1  __ __  Years old	
-8 DON'T KNOW	GO TO R04_AS1122_NB
-7 REFUSED	GO TO R04_AS1122_NB
ASK: New baseline adult respondents who are every day smokeless tobacco users.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1020_NB_LC1</b>	
The computer recorded that you started using smokeless tobacco every day at age [R04_AS1020_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AS1020_NB
2    NEXT	GO TO BOX R04_ASR12
ASK: IF R04_AS1020_NB <= 8 OR R04_AS1020_NB < R04_AS1007_NB.	

<b>PATH ID:</b> <b>R04_AS1020_NB_LC2</b>	
The computer recorded that you started using smokeless tobacco every day at age [R04_AS1020_NB]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AS1020_NB
2    NEXT	GO TO BOX R04_ASR12
ASK: IF R04_AS1020_NB > R04_ACHIEVEDAGE.	

<b>PATH ID:</b> <b>R04_AS1122_NB</b>	
When you first started using smokeless tobacco every day, were you...	
1    Less than 18 years old,	
2    18 to 24 years old,	
3    25 to 34 years old,	
4    35 to 44 years old,	
5    45 to 54 years old, or	
6    55 years old or older?	
-8    DON'T KNOW	
-7    REFUSED	
ASK: New baseline adult respondents who did not know or refused to report the age they first started using smokeless tobacco every day.	

<b>BOX ID:</b> <b>R04_ASR12</b>	
Aged-up and continuing adult respondents who initiated smokeless tobacco use since the previous wave, and new cohort adult respondents who have ever used smokeless tobacco, go to R04_AS1008. Else, go to Box R04_ASR50.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1008**

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_ASR50 |
| 3  | I don't know | GO TO BOX R04_ASR50 |
| -8 | DON'T KNOW   | GO TO BOX R04_ASR50 |
| -7 | REFUSED      | GO TO BOX R04_ASR50 |

ASK: Aged-up and continuing adult respondents who initiated smokeless tobacco use since the previous wave, and new cohort adult respondents who have ever used smokeless tobacco.

**PATH ID: R04\_AS1011**

Which flavor did you first start using? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated smokeless tobacco use with flavored smokeless tobacco.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_ASR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former smokeless tobacco users, go to R04\_AS1025\_RS.

Else, go to Box R04\_ASR09.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1025_RS</b>
Around this time 12 months ago, were you using smokeless tobacco every day, some days, or not at all?
1 Every day
2 Some days
3 Not at all
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former smokeless tobacco users.

<b>BOX ID: R04_ASR09</b>
Every day smokeless tobacco users, go to R04_AS1021.
Else, some day or experimental current smokeless tobacco users, and former or experimental former users who have used in the past 30 days, go to R04_AS1022.
Else, if recent former smokeless tobacco users, go to R04_AS1047.
Else, experimental former and long-term former smokeless tobacco users, go to next section.

<b>PATH ID: R04_AS1021</b>
On average, about how many times do you now use smokeless tobacco each day?
1  __ __
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AS1024
GO TO R04_AS1024
ASK: Every day smokeless tobacco users.

<b>PATH ID: R04_AS1021_LC1</b>
The computer recorded that on average, you now use smokeless tobacco [R04_AS1021] times a day. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
GO TO R04_AS1021
GO TO R04_AS1024
ASK: IF R04_AS1021 > 20.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1022</b>
<p>On how many of the past 30 days did you use smokeless tobacco?</p> <p>1     __ __  DAYS</p> <p>-8   DON'T KNOW</p> <p>-7   REFUSED</p> <p>ASK: Some day and experimental current smokeless users who have used in the past 30 days, and former 30 day smokeless tobacco users.          DISPLAY: DISPLAY 'DAYS' AS A TITLE.</p>

<b>BOX ID:</b> <b>R04_ASR13</b>
<p>If respondent enters "0" for R04_AS1022 and is a some day or experimental current smokeless tobacco user, go to R04_AS9029.          Else, if respondent enters "0" for R04_AS1022 and is a former 30 day user of smokeless tobacco, go to Box R04_ASR26.          Else, go to R04_AS1023.</p>

<b>PATH ID:</b> <b>R04_AS9029</b>
<p>About how long has it been since you last used smokeless tobacco?</p> <p>1     __ __  DAYS</p> <p>2     __ __  MONTHS</p> <p>3     __ __  YEARS</p> <p>-8   DON'T KNOW    GO TO BOX R04_ASR26</p> <p>-7   REFUSED    GO TO BOX R04_ASR26</p> <p>ASK: Some day and experimental current smokeless tobacco users who have not used in the past 30 days.</p>

<b>PATH ID:</b> <b>R04_AS9029_LC1</b>
<p>The computer recorded that you used smokeless tobacco [R04_AS9029] [days/months/years] ago.</p> <p>If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.</p> <p>1    BACK    GO TO R04_AS9029</p> <p>2    NEXT    GO TO BOX R04_ASR26</p> <p>ASK: IF (R04_AS9029_NN &lt;30 AND R04_AS9029_UN = 1) OR (R04_AS9029_NN &lt;1 AND R04_AS9029_UN = 2) OR (R04_AS9029_NN &gt; 18 AND R04_AS9029_UN = 2) OR (R04_AS9029_NN &gt; (R04_ACHIEVEDAGE - 10) AND R04_AS9029_UN = 3).</p> <p>DISPLAY: IF R04_AS9029 REPORTED IN DAYS, DISPLAY "days".          ELSE, IF R04_AS9029 REPORTED IN MONTHS DISPLAY "months".          ELSE, IF R04_AS9029 REPORTED IN YEARS, DISPLAY "years".</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AS1023
On average, on those [FILL NUMBER OF DAYS FROM R04_AS1022 days/days you used], how many times did you usually use smokeless tobacco each day?
1  __ __
-8 DON'T KNOW GO TO BOX R04_ASR26
-7 REFUSED GO TO BOX R04_ASR26
ASK: Some day, experimental current, and former thirty day smokeless tobacco users who have used at least one day in past 30 days.
DISPLAY: IF R04_AS1022 = 1, -8, -7, DISPLAY "days you used".
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AS1022 AND "days" (EX. "2 days").

<b>PATH ID:</b> R04_AS1023_LC1
The computer recorded that on the days you used in the past 30 days, you used smokeless tobacco [R04_AS1023] times a day, on average.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AS1023
2 NEXT GO TO BOX R04_ASR26
ASK: IF R04_AS1023 > 20.

<b>BOX ID:</b> R04_ASR26
Current and experimental current smokeless tobacco users, go to R04_AS1024.
Else, former 30 day smokeless tobacco users, go to R04_AS1024_30D.
Else, go to next section.

<b>PATH ID:</b> R04_AS1024
[On the days that you use smokeless tobacco, how/How] soon after you wake up do you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.
1  __ __ __  Minutes after waking
2  __ __ __  Hours after waking
-8 DON'T KNOW GO TO R04_AS1092
-7 REFUSED GO TO R04_AS1092
ASK: Current and experimental current smokeless tobacco users.
DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "How".
ELSE, DISPLAY "On the days that you use smokeless tobacco, how".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1024_LC1</b>	
The computer recorded that you typically use your first smokeless tobacco product [R04_AS1024_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1024
2 NEXT	GO TO BOX R04_ASR28
ASK: IF [R04_CURRENT_SMKLS_USE = 1 AND ((R04_AS1024_NN > 60 AND R04_AS1024_NN = 1) OR (R04_AS1024_NN > 4 AND R04_AS1024_NN = 2))] OR [(R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2) AND ((R04_AS1024_NN > 60 AND R04_AS1024_UN = 1) OR (R04_AS1024_NN > 12 AND R04_AS1024_UN = 2))].	
DISPLAY: IF R04_AS1024_UN = 1, DISPLAY "minutes".	
ELSE, IF R04_AS1024_UN = 2 DISPLAY "hours".	

<b>PATH ID: R04_AS1024_LC2</b>	
The computer recorded "0" for how soon you typically use your first smokeless tobacco product after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1024
2 NEXT	GO TO BOX R04_ASR28
ASK: IF R04_AS1024_NN = 0.	

<b>PATH ID: R04_AS1092</b>	
[On the days that you use smokeless tobacco, would/Would] you say you use your first smokeless tobacco product of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R04_ASR28
2 No	GO TO BOX R04_ASR28
3 It varies	GO TO BOX R04_ASR28
-8 DON'T KNOW	GO TO BOX R04_ASR28
-7 REFUSED	GO TO BOX R04_ASR28
ASK: Current and experimental current smokeless tobacco users who did not know or refused to report how soon after waking up they first use smokeless tobacco.	
DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you use smokeless tobacco, would".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1024\_30D**

On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

1 |\_\_|\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AS1092\_30D

-7 REFUSED

GO TO R04\_AS1092\_30D

ASK: Former 30 day smokeless tobacco users.

**PATH ID: R04\_AS1024\_30D\_LC1**

The computer recorded that you typically used your first smokeless tobacco product [R04\_AS1024\_30D\_NN] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1024\_30D

2 NEXT

GO TO BOX R04\_ASR28

ASK: IF (R04\_AS1024\_30D\_NN > 60 AND R04\_AS1024\_30D\_UN = 1) OR (R04\_AS1024\_30D\_NN > 12 AND R04\_AS1024\_30D\_UN = 2).

DISPLAY: IF R04\_AS1024\_30D\_UN = 1, DISPLAY "minutes".

ELSE, IF R04\_AS1024\_30D\_UN = 2, DISPLAY "hours".

**PATH ID: R04\_AS1024\_30D\_LC2**

The computer recorded "0" for how soon after waking you typically used your first smokeless tobacco product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1024\_30D

2 NEXT

GO TO BOX R04\_ASR28

ASK: IF R04\_AS1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1092\_30D**

On the days that you used smokeless tobacco, would you say you used your first smokeless tobacco product of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day smokeless tobacco users who did not know or refused to report how soon after they woke up they first used smokeless tobacco.

**BOX ID: R04\_ASR28**

Adult respondents who have used smokeless tobacco in the past 30 days, go to R04\_AS0100.  
Else, go to R04\_AS9041.

**PATH ID: R04\_AS0100**

When did you last use smokeless tobacco [not including snus]?

- |                          |                  |
|--------------------------|------------------|
| 1 In the past hour       | GO TO R04_AS0103 |
| 2 Sometime today         |                  |
| 3 Yesterday              |                  |
| 4 Day before yesterday   |                  |
| 5 Three or more days ago | GO TO R04_AS1130 |
| -8 DON'T KNOW            | GO TO R04_AS1130 |
| -7 REFUSED               | GO TO R04_AS1130 |

ASK: Adult respondents who used smokeless tobacco in the past 30 days.

DISPLAY: IF R04\_EVER\_NEVER\_SNUS = 1, DISPLAY "not including snus".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS0102</b>
<p>When you last used smokeless tobacco [not including snus] [FILL BASED ON R04_AS0100], was it...</p> <ul style="list-style-type: none"> <li>1 Between midnight and 6AM</li> <li>2 After 6AM but before noon</li> <li>3 Between noon and 6PM</li> <li>4 After 6PM but before midnight</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Adult respondents who have used smokeless tobacco today, yesterday, or the day before yesterday, but not in the past hour.          DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".          ELSE, DO NOT DISPLAY THIS TEXT.          FOR [FILL BASED ON R04_AS0100]:          IF R04_AS0100 = 2, DISPLAY "today".          ELSE, IF R04_AS0100 = 3, DISPLAY "yesterday".          ELSE, IF R04_AS0100 = 4, DISPLAY "the day before yesterday".</p>

<b>PATH ID:</b> <b>R04_AS0103</b>
<p>How many times [have/did] you [used/use] smokeless tobacco [not including snus] [FILL BASED ON R04_AS0100]?</p> <ul style="list-style-type: none"> <li>1  _ _ _ </li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p style="text-align: right; padding-right: 20px;">GO TO R04_AS1130 GO TO R04_AS1130</p> <p>ASK: Adult respondents who have used smokeless tobacco in the past hour, today, yesterday, or the day before yesterday.          DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".          ELSE, DO NOT DISPLAY THIS TEXT.          IF R04_AS0100 = 1, 2, DISPLAY "have" AND "used".          ELSE, IF R04_AS0100 = 3, 4, DISPLAY "did" AND "use".          FOR [FILL BASED ON R04_AS0100]:          IF R04_AS0100 = 1, 2, DISPLAY "today".          ELSE, IF R04_AS0100 = 3, DISPLAY "yesterday".          ELSE, IF R04_AS0100 = 4, DISPLAY "the day before yesterday".</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS0103_LC1</b>
The computer recorded that you used smokeless tobacco [R04_AS0103] times [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS0103
2 NEXT	GO TO R04_AS1130
ASK: IF R04_AS0103 > 20 OR R04_AS0103 = 11.	
DISPLAY: IF R04_AS0100 = 1, 2, DISPLAY "today".	
ELSE, IF R04_AS0100 = 3, DISPLAY "yesterday".	
ELSE, IF R04_AS0100 = 4, DISPLAY "the day before yesterday".	

<b>PATH ID:</b>	<b>R04_AS1130</b>
In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1 Yes	
2 No	GO TO R04_AS9041
3 I don't know	GO TO R04_AS9041
-8 DON'T KNOW	GO TO R04_AS9041
-7 REFUSED	GO TO R04_AS9041
ASK: Adult respondents who have used smokeless tobacco in the past 30 days.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1131**

Which flavors have you used in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored smokeless tobacco in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AS1147**

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored smokeless tobacco in the past 30 days.

DISPLAY: UNDERLINE "flavored".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS9041**

What type of smokeless tobacco [do you use/have you used]?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- |    |  |                  |
|----|--|------------------|
| 1  | Loose smokeless tobacco (such as dip, spit or chewing tobacco) | GO TO R04_AS1030 |
| 2  | Smokeless tobacco pouches (not including snus)                 | GO TO R04_AS1030 |
| 3  | Both loose and pouched smokeless tobacco                       |                  |
| -8 | DON'T KNOW   | GO TO R04_AS1030 |
| -7 | REFUSED  | GO TO R04_AS1030 |

ASK: Current, experimental current, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do you use".

ELSE, DISPLAY "have you used".

**PATH ID: R04\_AS9042**

You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco [do/did] you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- |    |  |  |
|----|--|--|
| 1  | Loose smokeless tobacco (such as dip, spit or chewing tobacco) |  |
| 2  | Smokeless tobacco pouches (not including snus)                 |  |
| -8 | DON'T KNOW   |  |
| -7 | REFUSED  |  |

ASK: Current, experimental current, and former 30 day smokeless tobacco users who have used both loose and pouched smokeless tobacco.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1030**

The next questions ask about your experience buying smokeless tobacco. [Please think of the type of smokeless tobacco you use most often when answering these questions.

]How [do/did] you usually buy smokeless tobacco for yourself?

- |    |                                       |                  |
|----|---------------------------------------|------------------|
| 1  | In person                             |                  |
| 2  | From the internet                     | GO TO R04_AS1042 |
| 3  | By telephone                          | GO TO R04_AS1042 |
| 4  | I do not buy my own smokeless tobacco | GO TO R04_AS1047 |
| -8 | DON'T KNOW                            | GO TO R04_AS1047 |
| -7 | REFUSED                               | GO TO R04_AS1047 |

ASK: Current, experimental current, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF R04\_AS9041 = 3, DISPLAY "Please think of the type of smokeless tobacco you use most often when answering these questions."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AS1032**

[Do/Did] you usually buy smokeless tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy smokeless tobacco in person.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1033**

Where [do/did] you buy your smokeless tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy smokeless tobacco in person.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1 OR 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AS1042**

How much [do you usually/did you] pay for a container of smokeless tobacco?

- 1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents
- 8 DON'T KNOW GO TO BOX R04\_ASR52
- 7 REFUSED GO TO BOX R04\_ASR52

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy their own smokeless tobacco.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "do you usually".

ELSE, DISPLAY "did you".

DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1042_LC1</b>	
The computer recorded that you paid \$[R04_AS1042_D].[R04_AS1042_C] for a container of smokeless tobacco.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AS1042
2    NEXT	GO TO BOX R04_ASR52
ASK: IF R04_AS1042_D > 6 OR R04_AS1042_D < 1.	

<b>BOX ID: R04_ASR52</b>
Current, experimental current, and former 30 day users who buy their own smokeless tobacco and usually use pouched smokeless tobacco, go to R04_AS9001.
Else, go to R04_AS1047.

<b>PATH ID: R04_AS9001</b>	
How many pouches [are/were] in the container of smokeless tobacco that you usually [buy/bought]?	
1     __ __	
-8    DON'T KNOW	GO TO R04_AS1047
-7    REFUSED	GO TO R04_AS1047
ASK: Current, experimental current, and former 30 day users who buy their own smokeless tobacco and usually use pouched smokeless tobacco.	
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "are" AND "buy".	
ELSE, DISPLAY "were" and "bought".	

<b>PATH ID: R04_AS9001_LC1</b>	
The computer recorded that there are [R04_AS9001] pouches in the container you bought.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AS9001
2    NEXT	GO TO R04_AS9002
ASK: IF R04_AS9001 > 50 OR R04_AS9001 < 5.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AS9002
About how many days [does/did] it take you to use up a container this size? 1           -8 DON'T KNOW GO TO R04_AS1047 -7 REFUSED GO TO R04_AS1047 ASK: Current, experimental current, and former 30 day pouched smokeless tobacco users who provided the number of pouches in the container they usually buy. DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "does". ELSE, DISPLAY "did".

<b>PATH ID:</b> R04_AS9002_LC1
The computer recorded that it took you [R04_AU9002] days to use up a container of smokeless tobacco.  If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. 1 BACK GO TO R04_AS9002 2 NEXT GO TO R04_AS1047 ASK: IF R04_AS9002 > (R04_AS9001*7) OR R04_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

<b>PATH ID:</b> R04_AS1047
[Do/Did] you have a regular brand of smokeless tobacco that you usually [use/used]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users. DISPLAY: R04_SMKLS_USER_STATUS = 1 OR 2, DISPLAY "Do" AND "use". ELSE, DISPLAY "Did" AND "used".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1050</b>	
<p>[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?</p>		
	1 Yes	
	2 No	GO TO R04_AS1945
	3 I don't know	GO TO R04_AS1945
	-8 DON'T KNOW	GO TO R04_AS1945
	-7 REFUSED	GO TO R04_AS1945
<p>ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.</p> <p>DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use".</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".</p> <p>ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used".</p> <p>ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".</p>		

<b>PATH ID:</b>	<b>R04_AS1012</b>	
<p>Which flavor [is/was] it? Choose all that apply.</p>		
	1 Menthol or mint	
	2 Wintergreen, spearmint or frost	
	3 Clove or spice	
	4 Fruit	
	5 Chocolate	
	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)	
	7 Candy or other sweets	
	8 Some other flavor (SPECIFY)	
	-8 DON'T KNOW	
	-7 REFUSED	
<p>ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.</p> <p>DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "is".</p> <p>ELSE, DISPLAY "was".</p> <p>IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."</p>		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1945</b>
Do you know the <u>name of the brand</u> of smokeless tobacco you [usually use/usually used/last used]?
1    Yes
2    No
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former or past 30 day smokeless tobacco users.
DISPLAY: UNDERLINE "name of the brand".
IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "usually use".
ELSE, IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS != 1, 2, DISPLAY "usually used".
ELSE, IF R04_AS1047 = 2, -8, -7, DISPLAY "last used".

<b>BOX ID:</b> <b>R04_ASR27</b>
Respondents who know the name of their brand, go to R04_AS1048_BRAND.
Else, respondents who have a regular brand, go to R04_AS1051.
Else, go to Box R04_ASD03.

<b>PATH ID:</b> <b>R04_AS1048</b>
What brand of smokeless tobacco [do/did] you [usually/last] use?
Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]
1    Something else
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."
IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "do" AND "usually".
ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "did" AND "usually".
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR16**

If respondent selects an image for their brand, go to R04\_AS1070\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AS1049.  
 Else, go to Box R04\_ASR25.

**PATH ID: R04\_AS1049**

You said that your brand was not listed. What is it?

1	_____	GO TO BOX R04_ASR25
-8	DON'T KNOW	GO TO BOX R04_ASR25
-7	REFUSED	GO TO BOX R04_ASR25

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected "Something else" for their brand.

**PATH ID: R04\_AS1070**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

1	Something else	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AS1048\_BRAND.

IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04\_SMKLS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04\_SMKLS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_ASR17**

If current, experimental current, recent former, or former 30 day smokeless tobacco user who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AS1071.  
 Else, go to Box R04\_ASR25.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1071</b>
You said that the type of [BRANDFILL]s that you [use/used] is not listed. What type is it?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AS1048_BRAND.
IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "use".
ELSE, DISPLAY "used".

<b>BOX ID:</b> <b>R04_ASR25</b>
Current, experimental current, recent former, and former 30 day smokeless tobacco users who have a regular brand of smokeless tobacco, go to R04_AS1051.
Else, go to Box R04_ASR18.

<b>PATH ID:</b> <b>R04_AS1051</b>
About how long [did you use/have you been using] your regular brand of smokeless tobacco?
1     __ __  DAYS
2     __ __  MONTHS
3     __ __  YEARS
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ASR18
GO TO BOX R04_ASR18
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who have a regular brand.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "have you been using".
ELSE, DISPLAY "did you use".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1051\_LC1**

The computer recorded that you [have been using/used] your regular brand of smokeless tobacco for [R04\_AS1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1051    |
| 2 | NEXT | GO TO BOX R04_ASR18 |

ASK: IF (R04\_AS1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AS1051\_UN = 3.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

**PATH ID: R04\_AS1051\_LC2**

The computer recorded "0" for how long you [have been using/used] your regular brand of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1051    |
| 2 | NEXT | GO TO BOX R04_ASR18 |

ASK: IF R04\_AS1051\_NN = 0.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

**BOX ID: R04\_ASR18**

Current, experimental current, and former 30 day smokeless tobacco users who used smokeless tobacco today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and a valid product, go to R04\_AS0104.

Else, go to Box R04\_ASD03.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS0104**

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who have used smokeless tobacco in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AS0100 = 1, FILL [TIME OF LAST USE] WITH “in the past hour”.

ELSE, IF R04\_AS0100 = 2, FILL [TIME OF LAST USE] WITH “sometime today”.

ELSE, IF R04\_AS0100 = 3, FILL [TIME OF LAST USE] WITH “yesterday”.

ELSE, IF R04\_AS0100 = 4, FILL [TIME OF LAST USE] WITH “the day before yesterday”.

FILL [NEQBRAND] WITH RESPONSE TO R04\_AS1070\_PRODUCT.

**BOX ID: R04\_ASD03**

Randomize order of R04\_AS1060 through R04\_AS1067.

Display question R04\_AS1060, R04\_AS1085, R04\_AS1062, R04\_AS1075, R04\_AS1063, R04\_AS1064, R04\_AS1065, R04\_AS1067 on one screen. Show the intro/transition text from R04\_AS1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1060**

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".

ELSE, DISPLAY "applied to you when you used to use smokeless tobacco", "used" AND "was".

**PATH ID: R04\_AS1085**

I [can/could] use smokeless tobacco at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

**PATH ID: R04\_AS1062**

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1075</b>
It might [be/have been] less harmful to people around me than smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

<b>PATH ID:</b> <b>R04_AS1063</b>
Smokeless tobacco [comes/came] in flavors I [like/liked].
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

<b>BOX ID:</b> <b>R04_ASR19</b>
Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current, experimental current or recent former cigarette smokers, go to R04_AS1064.
Else, go to R04_AS1065.

<b>PATH ID:</b> <b>R04_AS1064</b>
Using smokeless tobacco helps people quit smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current, experimental current or recent former cigarette smokers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1065</b>
Smokeless tobacco doesn't smell.
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

<b>PATH ID:</b> <b>R04_AS1067</b>
Smokeless tobacco [is/was] more acceptable to non-tobacco users.
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

<b>BOX ID:</b> <b>R04_ASR20</b>
Current, experimental current, and former 30 day smokeless tobacco users who are also current or experimental current cigarette smokers, go to R04_AS1086.
Else, recent former smokeless tobacco users who are current cigarette smokers, go to R04_AS1080.
Else, current, experimental current, recent former, and former 30 day smokeless tobacco users who are recent former cigarette smokers, go to R04_AS1080.
Else, go to R04_AS1139.

<b>PATH ID:</b> <b>R04_AS1086</b>
In the past 30 days have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AS1080
GO TO R04_AS1080
GO TO R04_AS1080
ASK: Current, experimental current, and former 30 day smokeless tobacco users, who are also current or experimental current cigarette smokers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1087**

How often [do/did] you use smokeless tobacco at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who used smokeless tobacco at times when or in places where they could not smoke cigarettes.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH ID: R04\_AS1080**

[Do/Did] you use smokeless tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using smokeless tobacco.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2 DISPLAY "is",

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH ID: R04\_AS1140**

While using smokeless tobacco, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1141**

I [use/used] smokeless tobacco much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**NEW PRODUCT - PLACEHOLDER**

**BOX ID: R04\_AZV01**

CREATE THE FOLLOWING VARIABLE AND SET = 2: R04\_NEW\_PRODUCT\_SECTION.

**BOX ID: R04\_AZR01**

If R04\_NEW\_PRODUCT\_SECTION = 1, continue with R04\_AZ1005.  
Else, go to Box R04\_ANV01.

**PATH ID: R04\_AZ1005**

How many [*units of tobacco product*] have you [smoked/used] in your entire life?

- 1 1 or more [units] but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents (if the new product section is active).

**PATH ID: R04\_AZ1008**

When you first started [smoking/using] [*tobacco product*], were they flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No GO TO R04\_AZ9029
- 3 I don't know GO TO R04\_AZ9029
- 8 DON'T KNOW GO TO R04\_AZ9029
- 7 REFUSED GO TO R04\_AZ9029

ASK: Adult respondents who have ever used [*tobacco product*].

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AZ1011**

Which flavor did you first start using? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used flavored [tobacco product].

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AZ9029**

About how long has it been since you last took a [insert usage term] from a [tobacco product]?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used [tobacco product].

**PATH ID: R04\_AZ1100**

Have you ever [smoked/used] a [tobacco product] fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used [tobacco product].

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**POLYUSE**

<b>BOX ID:</b> R04_ANV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):
<b>R04_CURRENT_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses every day or some days.
<b>R04_SOME_DAY_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses some days.
<b>R04_EVERY_DAY_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses every day.
<b>R04_TOBACCO_PRODUCT_LIST</b> = A list of all the tobacco products the respondent currently uses.
<b>R04_EVER_NEVER_TOBACCO = 1 (Ever)</b> Adult respondents who have ever used any tobacco product.
<b>R04_EVER_NEVER_TOBACCO = 2 (Never)</b> Adult respondents who have never used any tobacco product.
<b>R04_TOBACCO_USER_STATUS = 1 (Current)</b> Adult respondents that currently use at least one tobacco product.
<b>R04_TOBACCO_USER_STATUS = 2 (Experimental current)</b> Adult respondents who are an experimental current user of at least one tobacco product, and not a current established user of any other product.
<b>R04_TOBACCO_USER_STATUS = 3 (Experimental former)</b> Adult respondents who are an experimental former user of at least one tobacco product, and not a current established user of any other product.
<b>R04_TOBACCO_USER_STATUS = 4 (Recent former)</b> Adult respondents who are a recent former users of any tobacco product (including e-products), and are not current users of any other tobacco products (including e-products).
<b>R04_TOBACCO_USER_STATUS = 5 (Long-term former)</b> Adult respondents who are long-term former established users of a tobacco product (including e-products), and are not current, experimental current, or recent former users of any other tobacco products (including e-products).

<b>BOX ID:</b> R04_ANR11
If NOT a current user of tobacco, go to the next section.
Else, respondents who are some day users of more than one tobacco product and are not every day users of any products, go to R04_AY0005.
Else, go to Box R04_ANV02.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AY0005**

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Which of the following best describes how often you use these?

- 1 I use at least one of these every day
- 2 There are some days I don't use [either/any] of these
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are some day users of more than one tobacco product and are not every day users of any products.

DISPLAY: IF R04\_SOME\_DAY\_PRODUCT\_COUNT = 2, DISPLAY "either".  
ELSE, DISPLAY "any".

**BOX ID: R04\_ANV02**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_CURRENT\_TOBACCO\_USE = 1 (Every day user)** Adult respondents who are an every day user of any one tobacco product or use more than one product and use at least one of them each day.

**R04\_CURRENT\_TOBACCO\_USE = 2 (Some day user)** Adult respondents who are some day users of at least one tobacco product and do not use tobacco every day.

**BOX ID: R04\_ANR12**

If every day user of tobacco who uses more than one tobacco product, go to R04\_AY0010.  
Else, go to R04\_ANV03.

**PATH ID: R04\_AY0010**

You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?

- 1 Minutes \_\_\_\_\_
- 2 Hours \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AY0015

GO TO R04\_AY0015

ASK: Every day users of tobacco who use more than one tobacco product.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AY0010\_LC1**

The computer recorded that you first use a tobacco product [R04\_AY0010] [hours/minutes] after waking. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AY0010    |
| 2 | NEXT | GO TO BOX R04_ANV03 |

ASK: IF (R04\_AY0010\_NN > 60 AND R04\_AY0010\_UN = 1) OR (R04\_AY0010\_NN > 4 AND R04\_AY0010\_UN = 2).

DISPLAY: IF R04\_AY0010\_UN = 2, DISPLAY "hours".

IF R04\_AY0010\_UN = 1, DISPLAY "minutes".

**PATH ID: R04\_AY0015**

Would you say you have your first tobacco product within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Every day users of tobacco who did not know or refused to report how soon after waking up they use tobacco.

**BOX ID: R04\_ANV03**

CREATE AN ARRAY **USEPROD** WITH 9 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT USER OF THE SPECIFIC TOBACCO TYPE.

**USEPROD(1-9):** Current users of: (1) cigarettes; (2) electronic nicotine products; (3) traditional cigars; (4) cigarillos; (5) filtered cigars; (6) pipes; (7) hookahs; (8) snus; (9) smokeless tobacco.

DISPLAY: Display all products bold with lowercase letters.

If [USEPROD(1-9)] is a list and R04\_CURRENT\_PRODUCT\_COUNT = 2, separate with "and".

If [USEPROD(1-9)] is a list and R04\_CURRENT\_PRODUCT\_COUNT > 2, separate with commas with ", and" preceding last product.

**BOX ID: R04\_ANR38**

If the respondent is a current established user of every tobacco product, go to the next section.

Else, go to R04\_AX0306.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0306**

Have you considered using any of the following products in addition to **[USEPROD(1-9)]**? Choose all that apply.

- 1 I have not considered using additional products
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipes
- 8 Hookahs
- 9 Snus
- 10 [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product. This question asks the respondent if they have considered using any products they are not current established users of, in addition to the products they are current established users of. If the respondent is a current established user of every tobacco type, resulting in no options presented, do not ask this question.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04\_SNUS\_USER\_STATUS = 1 AND R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0307**

Have you considered switching from **[USEPROD(1-9)]** to any of the following products? Choose all that apply.

- 1 I have not considered switching to another product
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipes
- 8 Hookahs
- 9 Snus
- 10 [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product. This question asks about switching from each product the respondent is a current established user of to any of the products they are not current established users of. If the respondent is a current established user of every tobacco product, resulting in no options presented, do not ask this question.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04\_SNUS\_USER\_STATUS = 1 AND R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## NICOTINE DEPENDENCE

<b>BOX ID:</b>	<b>R04_ANV04</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
<b>R04_EXPERIMENTAL_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses experimentally.	
<b>R04_RECENT_FORMER_PRODUCT_COUNT</b> = Number of tobacco products used in the past 12 months, but not currently used.	
<b>R04_TOBXEPROD_USER_STATUS = 1</b> (Current tobacco user excluding e-products) Adult respondents who are current users of at least one tobacco product other than electronic nicotine products. The respondent may have any e-product user status.	
<b>R04_TOBXEPROD_USER_STATUS = 2</b> (Experimental current tobacco user excluding e-products) Adult respondents who are experimental current users of any tobacco product other than electronic nicotine products, and are not current or recent former users of any tobacco products. The respondent may have any e-product user status.	
<b>R04_TOBXEPROD_USER_STATUS = 3</b> (Experimental former tobacco user excluding e-products) Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products. The respondent may have any e-product user status.	
<b>R04_TOBXEPROD_USER_STATUS = 4</b> (Recent former tobacco user excluding e-products) Adult respondents who are recent former users of any tobacco product other than electronic nicotine products, and are not current users of any tobacco products other than electronic nicotine products. The respondent may have any e-product user status.	
<b>R04_NDSKIP</b> = Type of product use -- polyusers or multiple product users:	
<u>R04_NDSKIP = 0</u> (Respondents who are current or new former users of only one product. Or respondents who are experimental current users of only one product and who are not current or new former users of any products. If R04_NDSKIP = 0, only the e-product ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.)	
<u>R04_NDSKIP = 1</u> (Respondents who are current or new former users of two or more products, where none of those products is/was e-products. Or respondents who are experimental current users of two or more products, where none of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.)	
<u>R04_NDSKIP = 2</u> (Respondents who are current or new former users of three or more products, where one of those products is/was e-products. Or respondents who are experimental current users of three or more products, where one of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 2, both ND modules will be asked, first the e-product ND module and second the tobacco ND module with fills tailored to their tobacco use overall.	
<u>R04_NDSKIP = 3</u> (Respondents who are current or new former users of two products, where one of those products is/was e-products. Or respondents who are experimental current users of two products, where one of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 3, both ND modules will be asked, first the e-product ND module and second the tobacco ND module with fills tailored to their other specific product.)	
<b>R04_GROUP</b> = IF R04_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: NC, NG, NL, NF, NP, NH, NU, NS, ND.	
<b>R04_VALID_TIME_LASTUSED = 1</b> Respondent is a new former user of a product answered	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

R04\_A\*1009 with a valid response (excluding e-products).

**R04\_VALID\_TIME\_LASTUSED = 2** Respondent is a new former user of a product did not answer  
R04\_A\*1009 with a valid response (excluding e-products).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR02**

If **current user or recent former user of tobacco** go through the Nicotine Dependence e-product and tobacco modules according to the following conditions:

**Condition a:** Respondents who currently use or formerly used in the past 12 months only one product. Condition **a** will be asked the questions in either the e-product module or the tobacco module (not both), with fills tailored to their specific product.

**Condition b:** Respondents who currently use or formerly used in the past 12 months more than one product, where one of those products is/was an electronic nicotine product. Condition **b** will respond to the questions in both modules; the e-product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their other specific product.

**Condition c:** Respondents who currently use or formerly used in the past 12 months two or more products, where none of those products is an e-product. Condition **c** will respond to the questions in the tobacco module only, with fills tailored to their tobacco use overall.

**Condition d:** Respondents who currently use or formerly used in the past 12 months three or more products, where one of those products is/was an e-product. Condition **d** will respond to the questions in both modules; the e-product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their tobacco use overall.

Else, if **experimental current user of only electronic nicotine products and not a current or former user of any product**, go to R04\_AN0330\_12ME and go through the e-product module once according to condition a.

Else, if **experimental current user of only one product and not a current or former user of any product**, go to R04\_AN0330\_12M and go through the tobacco module once according to condition a.

Else, if **experimental current user of more than one product and not a current or former user of any product**, go through the section according to conditions a, b, c, or d.

Else, if **experimental former user of electronic nicotine products and not a current, former, or experimental current user of any product**, go to R04\_AX0006E.

Else, if **experimental former user of any other tobacco product and not a current, former, or experimental current user of any product**, go to R04\_AX0006.

Else, go to Box R04\_ART01.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AND01**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R04\_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "smoke cigarettes"

IF NG=YES, FILL WITH "smoke traditional cigars"

IF NL=YES, FILL WITH "smoke cigarillos"

IF NF=YES, FILL WITH "smoke filtered cigars"

IF NP=YES, FILL WITH "smoke a pipe"

IF NH=YES, FILL WITH "smoke hookah"

IF NU=YES, FILL WITH "use snus"

IF NS=YES, FILL WITH "use smokeless tobacco"

IF R04\_NDSKIP = 1, 2 FILL WITH "use tobacco"

**BOX ID: R04\_AND05**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarettes"

IF NG=YES FILL WITH "traditional cigars"

IF NL=YES FILL WITH "cigarillos"

IF NF=YES FILL WITH "filtered cigars"

IF NP=YES FILL WITH "pipe tobacco"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus"

IF NS=YES FILL WITH "smokeless tobacco"

IF R04\_NDSKIP = 1, 2 FILL WITH "tobacco"

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AND06**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH “smoking cigarettes”

IF NG=YES FILL WITH “smoking traditional cigars”

IF NL=YES FILL WITH “smoking cigarillos”

IF NF=YES FILL WITH “smoking filtered cigars”

IF NP=YES FILL WITH “smoking a pipe”

IF NH=YES FILL WITH “smoking hookah”

IF NU=YES FILL WITH “using snus”

IF NS=YES FILL WITH “using smokeless tobacco”

IF R04\_NDSKIP = 1, 2 FILL WITH “using tobacco”

**BOX ID: R04\_AND07**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH “cigarette smoking”

IF NG=YES FILL WITH “traditional cigar smoking”

IF NL=YES FILL WITH “cigarillo smoking ”

IF NF=YES FILL WITH “filtered cigar smoking”

IF NP=YES FILL WITH “pipe smoking”

IF NH=YES FILL WITH “hookah smoking”

IF NU=YES FILL WITH “snus use”

IF NS=YES FILL WITH “smokeless tobacco use”

IF R04\_NDSKIP = 1, 2 FILL WITH “tobacco use”

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR17**

Respondents who are current or recent former users of e-products, go to Box R04\_ANT01E.  
Else, respondents who are current or recent former users of tobacco (excluding e-products), go to Box R04\_ANR37.  
Else, respondents who are experimental current users of e-products who use more than one e-product, go to Box R04\_ANT01E.  
Else, respondents who are experimental current users of e-products, go to Box R04\_ANR22.  
Else, respondents who are experimental current users of tobacco who use more than one product (excluding e-products), go to Box R04\_ANR37.  
Else, respondents who are experimental current users of tobacco (excluding e-products), go to Box R04\_ANR26.  
Else, respondents who are experimental former users of e-products, go to R04\_AX0006E.  
Else, respondents who are experimental former users of tobacco (excluding e-products), go to R04\_AX0006.  
Else, go to Box R04\_ART01.

**BOX ID: R04\_ANT01E**

**IF R04\_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with electronic nicotine products.

**IF R04\_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with electronic nicotine products. Please think only about electronic nicotine products as you answer these questions. We will ask you questions about [ND FILL2] later.

**IF R04\_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with electronic nicotine products.

**BOX ID: R04\_ANR22**

Respondents who are current e-product users, recent former e-product users, or experimental current e-product users who use more than one e-product, go to R04\_AN0010E.  
Else, go to R04\_AN0330\_12ME.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0010E**

Do you consider yourself addicted to electronic nicotine products?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0015E**

Do you ever have strong cravings to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0020E**

Have you ever felt like you really needed to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0055E**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**BOX ID: R04\_AND02E**

Randomize order of items R04\_AN0025E - R04\_AN0100E.

**PATH ID: R04\_AN0025E**

I frequently crave electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0030E**

[My urges keep getting stronger if I don't/I still have urges to] use electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".  
ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "I still have urges to".

**PATH ID: R04\_AN0035E**

Electronic nicotine products control me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0045E</b>
[My electronic nicotine product use is out of control./My urge to use electronic nicotine products is out of control.]
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "My electronic nicotine product use is out of control."
IF R04_EPROD_USER_STATUS = 4, DISPLAY "My urge to use electronic nicotine products is out of control."

<b>PATH ID:</b> <b>R04_AN0060E</b>
I usually want to use electronic nicotine products right after I wake up.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0065E**

I can only go a couple of hours without [using/wanting to use] electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY “using”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY “wanting to use”.

**PATH ID: R04\_AN0050E**

[I frequently use/I find myself almost using] electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY “I frequently use”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY “I find myself almost using”.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0070E</b>
Using electronic nicotine products [really helps/would really help] me feel better if I've been feeling down.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "really helps".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "would really help".

<b>PATH ID:</b> <b>R04_AN0075E</b>
Using electronic nicotine products helps me think better.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

<b>BOX ID:</b> <b>R04_ANR23</b>
If respondent is only completing the e-product module of Nicotine Dependence, go to R04_AN0255E.
Else, if the respondent is completing both the e-product and the tobacco modules, go to R04_AN0080E.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0255E**

Most of the people I spend time with use tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0080E**

I [would ]feel alone without my electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "would".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, NO DISPLAY.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0085E</b>
[I would find it really hard to stop using/I find it really hard to not use] electronic nicotine products.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it really hard to stop using".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I find it really hard to not use".

<b>PATH ID:</b> <b>R04_AN0090E</b>
[I would find it hard to stop using electronic nicotine products for a week./I would find it hard to not use electronic nicotine products for another week.]
1    Not true of me at all
2
3
4
5    Extremely true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop using electronic nicotine products for a week."
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not use electronic nicotine products for another week."

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0095E**

[After not using electronic nicotine products for a while, I need/I would like] to use electronic nicotine products in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "After not using electronic nicotine products for a while, I need".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "I would like".

**PATH ID: R04\_AN0100E**

[After not using electronic nicotine products for a while, I need/I feel like I need] to use electronic nicotine products in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "After not using electronic nicotine products for a while, I need".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "I feel like I need".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0110E**

Do you believe that using electronic nicotine products [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY “is causing” AND “making”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY “caused” AND “made”.

**PATH ID: R04\_AN0813E**

In the past 12 months, did you find it difficult to keep from using electronic nicotine products in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0812E**

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because electronic nicotine product use was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**BOX ID: R04\_ANR30**

Current e-product users, go to R04\_AN0105E.

Recent former e-product users, go to Box R04\_ANV06E.

Experimental current e-product users, to to R04\_AN0330\_12ME.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0105E</b>
In the past 12 months, have you tried to quit using electronic nicotine products completely?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current e-product users.

<b>PATH ID:</b> <b>R04_AN0334E</b>
In the past 12 months, have you tried to quit by gradually cutting back on using electronic nicotine products?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current e-product users.

<b>BOX ID:</b> <b>R04_ANV06E</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_TWELVEMONTHQUIT_STATUS_EPROD = 1</b> (12 month quit attempter) Adult respondents who have quit or attempted to quit e-products in the past 12 months
<b>R04_TWELVEMONTHQUIT_STATUS_EPROD = 2</b> (12 month reducers) Adult respondents who have cut down their e-product use in the past 12 months, but have not tried to quit.

<b>BOX ID:</b> <b>R04_ANR31</b>
Twelve month quit attempters, go to R04_AN0115E. Else, go to Box R04_ANR25.

<b>PATH ID:</b> <b>R04_AN0115E</b>
In total, how many times in the past 12 months have you tried to quit electronic nicotine products completely?
0    I did not try to quit in the past 12 months
1     __ __ __
-8    DON'T KNOW
-7    REFUSED
GO TO BOX R04_ANR24
GO TO BOX R04_ANR24
ASK: Current and recent former e-product users who are twelve month quit attempters.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0115E_LC1	
The computer recorded that you have tried to completely quit electronic nicotine products [R04_AN0115E] times in the past 12 months.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AN0115E
2 NEXT	GO TO BOX R04_ANR24
ASK: IF R04_AN0115E > 50.	

<b>PATH ID:</b> R04_AN0115E_LC2	
The computer recorded that you have not tried to completely quit in the past 12 months.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AN0115E
2 NEXT	
ASK: IF R04_AN0115E = 0.	

<b>BOX ID:</b> R04_ANR24	
Respondents who did not try to quit in the past 12 months, go to R04_AN0330_12ME.	
Else, current users, go to R04_AN0120E.	
Else, recent former users who provided a valid response in R04_AV1009, go to R04_AN0257E.	
Else, recent former users who did not provide a valid response in R04_AV1009, go to R04_AN0145E.	

<b>PATH ID:</b> R04_AN0120E	
In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit?	
1 Yes	
2 No	GO TO R04_AN0130E
-8 DON'T KNOW	GO TO R04_AN0130E
-7 REFUSED	GO TO R04_AN0130E
ASK: Current e-product users who have tried to quit completely in the past 12 months.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0125E**

In the past 12 months, how many times have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

- 1 1 time
- 2 2-3 times
- 3 4 or more times
- 8 DON'T KNOW GO TO R04\_AN0256E
- 7 REFUSED GO TO R04\_AN0256E

ASK: Current e-product users who have tried to stop for one day or longer.

**PATH ID: R04\_AN0125E\_LC1**

The computer recorded that you have stopped using electronic nicotine products for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AN0125E
- 2 NEXT GO TO R04\_AN0130E

ASK: IF R04\_AN0125E > R04\_AN0115E.

**PATH ID: R04\_AN0256E**

Would you say that in the past 12 months it was more than 3 times that you have stopped using electronic nicotine products for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users who did not know or refused to report the number of quit attempt times.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0130E</b>	
The last time you stopped using electronic nicotine products in the past 12 months because you were trying to quit, how long did you stop for?		
1	_ _ _ _  Minutes	
2	_ _ _ _  Hours	
3	_ _ _ _  Days	
4	_ _ _ _  Weeks	
5	_ _ _ _  Months	
-8	DON'T KNOW	GO TO R04_AN0300E
-7	REFUSED	GO TO R04_AN0300E
ASK: Current e-product users who have tried to quit completely in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AN0130E_LC1</b>	
The computer recorded the last time you tried to quit electronic nicotine products in the past 12 months that you stopped for [R04_AN0130E_NN] [days/weeks/months].		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AN0130E
2	NEXT	GO TO R04_AN0135E
ASK: IF (R04_AN0130E_NN > 366 AND R04_AN0130E_UN = 3) OR (R04_AN0130E_NN > 52 AND R04_AN0130E_UN = 4) OR (R04_AN0130E_NN > 12 AND R04_AN0130E_UN = 5).		
DISPLAY: IF R04_AN0130E_UN = 3, DISPLAY "days".		
ELSE, IF R04_AN0130E_UN = 4, DISPLAY "weeks".		
ELSE, IF R04_AN0130E_UN = 5, DISPLAY "months".		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0300E</b>		
Was it more than a week, a week, or less than a week?		
1	More than one week	GO TO BOX R04_ANR25
2	One week	GO TO BOX R04_ANR25
3	Less than one week	GO TO BOX R04_ANR25
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Current e-product users who did not know or refused to report the duration for the last quit attempt.		

<b>PATH ID: R04_AN0135E</b>		
When was the approximate end date of this last quit attempt that lasted [enter duration from R04_AN0130E]?		
1	_ _  MONTH  _ _  DAY  _ _ _ _  YEAR	
-8	DON'T KNOW	GO TO R04_AN0140E
-7	REFUSED	GO TO R04_AN0140E
ASK: Current e-product users who provided a duration for the last quit attempt.		

<b>PATH ID: R04_AN0135E_LC1</b>		
The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135E]. That date is in the future. Is that end date still correct?		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AN0135E
2	NEXT	GO TO R04_AN0140E
ASK: IF R04_AN0135E > TODAY'S DATE.		

<b>PATH ID: R04_AN0135E_LC2</b>		
The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135E]. That was longer than 12 months ago. Is that end date still correct?		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AN0135E
2	NEXT	GO TO R04_AN0140E
ASK: IF R04_AN0135E < (TODAY'S DATE - 12 MONTHS).		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0135E_LC3</b>
Please enter four numbers for the year.
1    BACK <span style="float: right;">GO TO R04_AN0135E</span>
ASK: IF R04_AN0135E (YEARS) IS < 4 DIGITS.

<b>PATH ID:</b> <b>R04_AN0140E</b>
In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without using electronic nicotine products because you were trying to quit?
1    Yes <span style="float: right;">GO TO BOX R04_ANR25</span>
2    No <span style="float: right;">GO TO R04_AN0145E</span>
-8    DON'T KNOW <span style="float: right;">GO TO BOX R04_ANR25</span>
-7    REFUSED <span style="float: right;">GO TO BOX R04_ANR25</span>
ASK: Current e-product users who provided a duration for the last quit attempt.
DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R04_AN0130E (ex. "45 days")

<b>PATH ID:</b> <b>R04_AN0257E</b>
You previously mentioned that you stopped using electronic nicotine products [ENTER LENGTH OF TIME SINCE LAST USE IN R04_AV1009] ago. Is this the longest you have gone without using electronic nicotine products in the past 12 months?
1    Yes <span style="float: right;">GO TO BOX R04_ANR25</span>
2    No <span style="float: right;">GO TO R04_AN0145E</span>
-8    DON'T KNOW <span style="float: right;">GO TO BOX R04_ANR25</span>
-7    REFUSED <span style="float: right;">GO TO BOX R04_ANR25</span>
ASK: Recent former e-product users who provided a valid response in R04_AV1009.
DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R04_AV1009_NN/UN] with time entered (ex. "45 days") in corresponding R04_AV1009 item.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0145E**

In the past 12 months, what was the longest time you stopped using electronic nicotine products because you were trying to quit?

- 1 |\_\_|\_\_|\_\_| Minutes
- 2 |\_\_|\_\_|\_\_| Hours
- 3 |\_\_|\_\_|\_\_| Days
- 4 |\_\_|\_\_|\_\_| Weeks
- 5 |\_\_|\_\_|\_\_| Months
- 8 DONT' KNOW
- 7 REFUSED

GO TO R04\_AN0305E

GO TO R04\_AN0305E

ASK: Current and recent former e-product users who said their last quit attempt was not their longest in the past 12 months and recent former e-product users who did not provide a valid response in R04\_AV1009.

**PATH ID: R04\_AN0145E\_LC1**

The computer recorded that you stopped using electronic nicotine products for [R04\_AN0145E] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AN0145E
- 2 NEXT GO TO BOX R04\_ANR25

ASK: IF (R04\_AN0145E\_NN > 366 AND R04\_AN0145E\_UN = 3) OR (R04\_AN0145E\_NN > 52 AND R04\_AN0145E\_UN = 4) OR (R04\_AN0145E\_NN > 12 AND R04\_AN0145E\_UN = 5).

DISPLAY: IF R04\_AN0145E\_UN = 3, DISPLAY "days".

ELSE, IF R04\_AN0145E\_UN = 4, DISPLAY "weeks"

ELSE, IF R04\_AN0145E\_UN = 5, DISPLAY "months".

**PATH ID: R04\_AN0305E**

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DONT' KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who did not know or refused to report the duration for their longest quit in the past 12 months.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR25**

Twelve month quit attempters, go to R04\_AN0210E.

Else, current, experimental current, and recent former e-product users, go to R04\_AN0330\_12ME.

Else, go to Box R04\_ANR32.

**PATH ID: R04\_AN0210E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY “the time you tried to quit”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY “the last time you tried to quit”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY “when you quit”.

ELSE, DISPLAY “the last time you tried to quit”.

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0215E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY “the time you tried to quit”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY “the last time you tried to quit”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY “when you quit”.

ELSE, DISPLAY “the last time you tried to quit”.

UNDERLINE "past 12 months".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0225E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

- 1 I did not use a different tobacco product to help me quit
- 2 Cigarettes
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipe tobacco
- 8 Hookah
- 9 Snus
- 10 Smokeless tobacco, like dip, chew, or snuff
- 11 Dissolvable tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1),  
DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0330\_12ME**

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current e-product users.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR32**

Current and recent former e-product users who are past 12 month quit attempters and used NRTs in the past 12 months, go to R04\_AN0150E.

Else, current e-product users who cut down instead of quitting and experimental current e-product users who used NRTs in the past 12 months, go to R04\_AN0811E.

Else, respondents who used NRTs in the past 12 months, go to R04\_AN0307E.

Else, go to R04\_AN0331\_12ME.

**PATH ID: R04\_AN0150E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

1 Yes

2 No

GO TO BOX R04\_ANR39

-8 DON'T KNOW

GO TO BOX R04\_ANR39

-7 REFUSED

GO TO BOX R04\_ANR39

ASK: Current and recent former e-product users who attempted to quit in the past 12 months and have used NRTs in the past 12 months.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0155E**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit using electronic nicotine products completely?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months.

DISPLAY: UNDERLINE "completely".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0811E**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your electronic nicotine product use?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months, and current e-product users who are twelve month reducers, and experimental current e-product users, who have used NRT.

**BOX ID: R04\_ANR39**

If respondent is only completing Nicotine Dependence for electronic nicotine products and used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill, go to R04\_AN0336E.  
Else, go to Box R04\_ANR33.

**PATH ID: R04\_AN0336E**

What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 To stop using completely
- 2 To reduce the amount you use
- 3 To cope with times when you could not or were not allowed to use
- 4 Some other reason (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current and recent former e-product users who have used NRT in the past 12 months and are only completing Nicotine Dependence for electronic nicotine products.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_ANR33**

Current e-product users who are twelve month reducers and experimental current e-product users, go to R04\_AN0307E.

Else, twelve month quit attempters who used NRTs when they tried to quit, go to R04\_AN0160E.

Else, twelve month quit attempters, go to R04\_AN0170E.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0160E**

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

- 1 Nicotine patch
- 2 Nicotine gum
- 3 Nicotine inhaler
- 4 Nicotine nasal spray
- 5 Nicotine lozenge or pill
- 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AN0170E

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit using electronic nicotine products".

ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "the last time you tried to quit using electronic nicotine products".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit using electronic nicotine products".

ELSE, DISPLAY "the last time you tried to quit using electronic nicotine products".

**PATH ID: R04\_AN0165E**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| WEEKS
- 3 |\_\_|\_\_| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who used a listed NRT to help them quit.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND "completely".

ELSE, DISPLAY "during the last time you tried to quit".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0170E	
Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1 Yes	
2 No	GO TO R04_AN0307E
-8 DON'T KNOW	GO TO R04_AN0307E
-7 REFUSED	GO TO R04_AN0307E
ASK: Current and recent former e-product users who attempted to quit in the past 12 months and have used NRTs in the past 12 months.	

<b>PATH ID:</b> R04_AN0251E	
About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1  __ __  DAYS	
2  __ __  MONTHS	
3  __ __  YEARS	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and recent former e-product users who attempted to quit in the past 12 months who are currently using NRTs.	

<b>PATH ID:</b> R04_AN0251E_LC1	
The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill to help you quit for [R04_AN0251E_NN] [days/months/years].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AN0251E
2 NEXT	GO TO R04_AN0307E
ASK: IF (R04_AN0251E_NN > 99 AND R04_AN0251E_UN = 1) OR (R04_AN0251E_NN > 60 AND R04_AN0251E_UN = 2) OR (R04_AN0251E_NN > 5 AND R04_AN0251E_UN = 3).	
DISPLAY: IF R04_AN0251E_UN = 1, DISPLAY "days".	
IF R04_AN0251E_UN = 2, DISPLAY "months".	
IF R04_AN0251E_UN = 3, DISPLAY "years".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0251E_LC2
The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to help you quit.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AN0251E</span>
2 NEXT
ASK: IF R04_AN0251E = 0.

<b>PATH ID:</b> R04_AN0307E
When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?
1 In the past hour <span style="float: right;">GO TO R04_AN0309E</span>
2 Sometime today
3 Yesterday
4 Day before yesterday
5 Three or more days ago <span style="float: right;">GO TO R04_AN0175E</span>
-8 DON'T KNOW <span style="float: right;">GO TO R04_AN0331_12ME</span>
-7 REFUSED <span style="float: right;">GO TO R04_AN0331_12ME</span>
ASK: Current, recent former, and experimental current e-product users who have used NRTs in the past 12 months.

<b>PATH ID:</b> R04_AN0308E
When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307E], was it...
1 Between midnight and 6AM
2 After 6AM but before noon
3 Between noon and 6PM
4 After 6PM but before midnight
-8 DON'T KNOW
-7 REFUSED
ASK: Current, recent former, and experimental current e-product users who have used NRT today, yesterday or the day before yesterday.
DISPLAY: [FILL BASED ON R04_AN0307E]:
IF R04_AN0307E = 2, DISPLAY "sometime today".
IF R04_AN0307E = 3, DISPLAY "yesterday".
IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0309E</b>
When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307E], how many did you use?
1  __ __
-8 DON'T KNOW GO TO R04_AN0331_12ME
-7 REFUSED GO TO R04_AN0331_12ME
ASK: Current, recent former, and experimental current e-product users who have used NRT in the past hour, today, yesterday or the day before yesterday.
DISPLAY: [FILL BASED ON R04_AN0307E]:
IF R04_AN0307E = 1, 2, DISPLAY "today".
IF R04_AN0307E = 3, DISPLAY "yesterday".
IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309E_LC1</b>
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04_AN0309E] times. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0309E
2 NEXT GO TO R04_AN0331_12ME
ASK: IF R04_AN0309E > 5.
DISPLAY: IF R04_AN0307E = 1, 2, DISPLAY "today".
IF R04_AN0307E = 3, DISPLAY "yesterday".
IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309E_LC2</b>
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK Go to R04_AN0309E
2 NEXT GO TO R04_AN0331_12ME
ASK: IF R04_AN0309E = 0.
DISPLAY: IF R04_AN0307E = 1, 2, DISPLAY "today".
IF R04_AN0307E = 3, DISPLAY "yesterday".
IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0175E**

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW GO TO R04\_AN0331\_12ME
- 7 REFUSED GO TO R04\_AN0331\_12ME

ASK: Current, recent former, and experimental current e-product users who have used NRT three or more days ago.

**PATH ID: R04\_AN0175E\_LC1**

The computer recorded that you stopped using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill [R04\_AN0175E\_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AN0175E
- 2 NEXT

ASK: IF ((R04\_AN0175E\_NN > 31 OR R04\_AN0175E\_NN < 3) AND R04\_AN0175E\_UN = 1) OR (R04\_AN0175E\_NN > 12 AND R04\_AN0175E\_UN = 2) OR (R04\_AN0175E\_NN > 1 AND R04\_AN0175E\_UN = 3).

DISPLAY: IF R04\_AN0175E\_UN = 1, DISPLAY "days".

IF R04\_AN0175E\_UN = 2, DISPLAY "months".

IF R04\_AN0175E\_UN = 3, DISPLAY "years".

**PATH ID: R04\_AN0331\_12ME**

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current e-product users.

**BOX ID: R04\_ANR34**

Current and recent former e-product users who are past 12 month quit attempters and used prescription drugs in the past 12 months, go to R04\_AN0180E.

Else, if respondent used prescription drugs in the past 12 months, go to R04\_AN0327E.

Else, go to Box R04\_ANR35.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0180E</b>	
Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the <u>past 12 months</u> , did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?		
1	Yes	
2	No	GO TO R04_AN0327E
-8	DON'T KNOW	GO TO R04_AN0327E
-7	REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year and have used a prescription drug to help them.		
DISPLAY: IF R04_AN0125E = 1, DISPLAY "the time you tried to quit".		
ELSE, IF (R04_AN0125E > 1 OR R04_AN0256E = 1), DISPLAY "the last time you tried to quit".		
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "when you quit".		
ELSE, DISPLAY "the last time you tried to quit".		
UNDERLINE "past 12 months".		

<b>PATH ID:</b>	<b>R04_AN0185E</b>	
Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit using electronic nicotine products completely?		
1	Yes	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0190E**

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

- 1 Chantix or varenicline
- 2 Wellbutrin, Zyban, or bupropion
- 3 None of the above
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AN0200E

ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit using electronic nicotine products".

ELSE, IF (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "the last time you tried to quit using electronic nicotine products".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit using electronic nicotine products".

ELSE, DISPLAY "the last time you tried to quit using electronic nicotine products".

**PATH ID: R04\_AN0195E**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| WEEKS
- 3 |\_\_|\_\_| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year who used a listed prescription drug to help them.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "during the time you tried to quit".

ELSE, IF (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "during the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4 DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0200E</b>	
Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
1    Yes	
2    No	GO TO R04_AN0327E
-8   DONT KNOW	GO TO R04_AN0327E
-7   REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.	

<b>PATH ID:</b> <b>R04_AN0252E</b>	
About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
1     __ __  DAYS	
2     __ __  MONTHS	
3     __ __  YEARS	
-8   DONT KNOW	GO TO R04_AN0327E
-7   REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them and are currently using a prescription drug.	

<b>PATH ID:</b> <b>R04_AN0252E_LC1</b>	
The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R04_AN0252E_NN] [months/years].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AN0252E
2    NEXT	GO TO R04_AN0327E
ASK: IF (R04_AN0252E_NN > 60 AND R04_AN0252E_UN = 2) OR (R04_AN0252E_NN > 5 AND R04_AN0252E_UN = 3).	
DISPLAY: IF R04_AN0252E_UN = 2, DISPLAY "months".	
IF R04_AN0252E_UN = 3, DISPLAY "years".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0252E_LC2
The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AN0252E</span>
2 NEXT
ASK: IF R04_AN0252E = 0.

<b>PATH ID:</b> R04_AN0327E
When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?
1 In the past hour <span style="float: right;">GO TO R04_AN0329E</span>
2 Sometime today
3 Yesterday
4 Day before yesterday
5 Three or more days ago <span style="float: right;">GO TO R04_AN0205E</span>
-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ANR35</span>
-7 REFUSED <span style="float: right;">GO TO BOX R04_ANR35</span>
ASK: Current, recent former, and experimental current e-product users who have used a prescription drug in the past 12 months.

<b>PATH ID:</b> R04_AN0328E
When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327E], was it...
1 Between midnight and 6AM
2 After 6AM but before noon
3 Between noon and 6PM
4 After 6PM but before midnight
-8 DON'T KNOW
-7 REFUSED
ASK: Current, recent former, and experimental current e-product users who have used a prescription drug today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0327E]:
IF R04_AN0327E = 4, DISPLAY "the day before yesterday".
ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327E, MAKING FIRST LETTER LOWERCASE.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0205E\_LC1**

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04\_AN0205E\_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AN0205E

2 NEXT

ASK: IF (R04\_AN0205E\_NN > 31 AND R04\_AN0205E\_UN = 1) OR (R04\_AN0205E\_NN > 12 AND R04\_AN0205E\_UN = 2) OR (R04\_AN0205E\_NN > 1 AND R04\_AN0250E\_UN = 3).

DISPLAY: IF R04\_AN0205E\_UN = 1, DISPLAY "days".

IF R04\_AN0205E\_UN = 2, DISPLAY "months".

IF R04\_AN0205E\_UN = 3, DISPLAY "years".

**BOX ID: R04\_ANR35**

If recent former e-product user, or current e-product user who attempted to quit or cut down in the past 12 months, go to Box R04\_AND03E.

Else, if current e-product user, go to R04\_AN0230E.

Else, if experimental current e-product user, go to R04\_AX0006E.

Else, go to Box R04\_ANR37.

**BOX ID: R04\_AND03E**

Display question R04\_AN0804E, R04\_AN0805E, R04\_AN0806E, R04\_AN0807E, R04\_AN0808E, R04\_AN0809E, R04\_AN0810E, on one screen. Show the transition text and question stem from R04\_AN0804E first, then show each item with the yes/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0804E**

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel depressed?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "you quit".

ELSE, IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 2, DISPLAY "cutting down on".

**BOX ID: R04\_AND04E**

Randomize order of R04\_AN0805E - R04\_AN0809E.

**PATH ID: R04\_AN0805E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0806E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0807E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0808E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0809E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0810E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel more restless than usual?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**BOX ID: R04\_ANR36**

If current e-product user, go to R04\_AN0230E.

Else, go to R04\_AX0006E.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0230E**

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting electronic nicotine product use? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users.

**PATH ID: R04\_AN0235E**

Do you plan to ever quit using electronic nicotine products for good?

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AX0006E  
GO TO R04\_AX0006E  
GO TO R04\_AX0006E

ASK: Current e-product users.

**PATH ID: R04\_AN0240E**

When do you plan to quit electronic nicotine products for good?

- 1 In the next 7 days
  - 2 In the next 30 days
  - 3 In the next 6 months
  - 4 In the next year
  - 5 More than one year from now
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AX0006E  
GO TO R04\_AX0006E  
GO TO R04\_AX0006E  
GO TO R04\_AX0006E

ASK: Current e-product users who say they plan to quit for good.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0245E**

If you did try to quit using electronic nicotine products altogether in the next 6 months, how likely do you think you would be to succeed?

- 1 Not at all likely
- 2 A little likely
- 3 Somewhat likely
- 4 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users who have some interest in quitting in the next 6 months.

**PATH ID: R04\_AX0006E**

If you had to do it over again, would you have ever started using electronic nicotine products?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former e-product users.

**BOX ID: R04\_ANR37**

If respondent is only completing Nicotine Dependence for electronic nicotine products, go to Box R04\_ART01.

Else, if respondent is an experimental former tobacco user (excluding e-products) and is not a current, experimental current, or recent former user of any products, go to R04\_AX0006.

Else, if respondent is an experimental current tobacco user who only uses one product (excluding e-products), go to Box R04\_ANR26.

Else, go to Box R04\_ANT01.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANT01**

**IF R04\_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with [ND FILL2].

**IF R04\_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:**

Now we would like to ask about your experience with [NDFILL2]. Please think only about [NDFILL2] as you answer these questions.

**IF R04\_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with tobacco products. You said that you have used the following tobacco products: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT. IF R04\_TOBACCO\_USER\_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 1, 4. IF R04\_TOBACCO\_USER\_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 2. IF PRODUCT COUNT = 2, SEPARATE WITH 'and'. IF PRODUCT COUNT > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT].

Please think about [both/all] of these products together as you answer the next series of questions. [IF PRODUCT COUNT = 2, DISPLAY "both"; IF PRODUCT COUNT > 2, DISPLAY "all".]

**IF R04\_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:**

Now we would like to ask about your experience with tobacco products. You said that you have used the following tobacco products, in addition to electronic nicotine products: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT EXCLUDING EPRODUCTS. IF R04\_TOBACCO\_USER\_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 1, 4, EXCLUDING EPRODUCTS. IF R04\_TOBACCO\_USER\_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 2, EXCLUDING EPRODUCTS. IF PRODUCT COUNT EXCLUDING EPRODUCTS = 2, SEPARATE WITH 'and'. IF PRODUCT COUNT EXCLUDING EPRODUCTS > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT].

Please think about [both | all] of these products together as you answer the next series of questions. [IF PRODUCT COUNT = 2, DISPLAY "both"; IF PRODUCT COUNT > 2, DISPLAY "all".]

**BOX ID: R04\_ANR26**

Respondents who are current or recent former users of tobacco (excluding e-products), or experimental current tobacco users who use more than one product (excluding e-products), go to R04\_AN0010.

Else, go to Box R04\_ANR04.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0010**

Do you consider yourself addicted to [ND FILL2]?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH ID: R04\_AN0015**

Do you ever have strong cravings to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH ID: R04\_AN0020**

Have you ever felt like you really needed to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0055**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**BOX ID: R04\_AND02**

Randomize order of items R04\_AN0025 - R04\_AN0100.

**PATH ID: R04\_AN0025**

I frequently crave [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0030**

[My urges keep getting stronger if I don't/I still have urges to] [ND FILL1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "I still have urges to".

**PATH ID: R04\_AN0035**

[FILL AS SHOWN BELOW] me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "Cigarettes control"

IF NG=YES FILL WITH "Traditional cigars control"

IF NL=YES FILL WITH "Cigarillos control"

IF NF=YES FILL WITH "Filtered cigars control"

IF NP=YES FILL WITH "Pipe smoking controls"

IF NH=YES FILL WITH "Hookah smoking controls"

IF NU=YES FILL WITH "Snus controls"

IF NS=YES FILL WITH "Smokeless tobacco controls"

IF R04\_NDSKIP = 1, 2 fill with "Tobacco controls"

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0045</b>
[[My [ND FILL4] is out of control./My urge to [ND FILL1] is out of control.]]
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DONT KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY “My [ND FILL4] is out of control.”.
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY “My urge to [ND FILL1] is out of control.”.

<b>PATH ID:</b> <b>R04_AN0060</b>
I usually want to [ND FILL1] right after I wake up.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DONT KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0065**

I can only go a couple of hours without [[ND FILL3]/wanting to [ND FILL1]].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY “[ND FILL3]”.

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY “wanting to [ND FILL1]”.

**PATH ID: R04\_AN0050**

[I frequently [ND FILL1]/I find myself almost [ND FILL3]] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY “I frequently [ND FILL1]”.

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY “I find myself almost [ND FILL3]”.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0070</b>
[ND FILL3] [really helps/would really help] me feel better if I've been feeling down.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "really helps".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "would really help".

<b>PATH ID:</b> <b>R04_AN0075</b>
[ND FILL3] helps me think better.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

<b>PATH ID:</b> <b>R04_AN0255</b>
Most of the people I spend time with use tobacco.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0080**

I [would ]feel alone without my [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "would".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, NO DISPLAY.

**PATH ID: R04\_AN0085**

[I would find it really hard to stop [ND FILL3]./I find it really hard to not [ND FILL 1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "I would find it really hard to stop [ND FILL3].".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "I find it really hard to not [ND FILL 1].".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0090**

[I would find it hard to stop [ND FILL3] for a week./I would find it hard to not [ND FILL1] for another week.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "I would find it hard to stop [ND FILL3] for a week."

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "I would find it hard to not [ND FILL1] for another week."

**PATH ID: R04\_AN0095**

[After not [ND FILL3] for a while, I need/I would like] to [ND FILL1] in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "I would like".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0100**

[After not [ND FILL3] for a while, I need/I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "I feel like I need".

**PATH ID: R04\_AN0110**

Do you believe that [ND FILL3] [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "causing" AND "making".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "caused" AND "made".

**PATH ID: R04\_AN0813**

In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0812**

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**BOX ID: R04\_ANR19**

Current tobacco users (excluding e-products), go to R04\_AN0105.

Else, recent former tobacco users (excluding e-products), go to Box R04\_ANV06.

Else, experimental current tobacco users (excluding e-products), go to Box R04\_ANR04.

**PATH ID: R04\_AN0105**

In the past 12 months, have you tried to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0334**

In the past 12 months, have you tried to quit by gradually cutting back on [ND FILL3]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR27**

If respondent did not try to quit in the past 12 months, go to Box R04\_ANR04.  
Else, current users, go to R04\_AN0120.  
Else, recent former users who provided a valid response in R04\_A\*1009, go to R04\_AN0257.  
Else, recent former users who did not provide a valid response in R04\_A\*1009, go to R04\_AN0145.

**PATH ID: R04\_AN0120**

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AN0130 |
| -8 | DON'T KNOW | GO TO R04_AN0130 |
| -7 | REFUSED    | GO TO R04_AN0130 |

ASK: Current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months.

**PATH ID: R04\_AN0125**

In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- |    |                 |                  |
|----|-----------------|------------------|
| 1  | 1 time          |                  |
| 2  | 2-3 times       |                  |
| 3  | 4 or more times |                  |
| -8 | DON'T KNOW      | GO TO R04_AN0256 |
| -7 | REFUSED         | GO TO R04_AN0256 |

ASK: Current tobacco users (excluding e-products) who have tried to stop for one day or longer.

**PATH ID: R04\_AN0125\_LC1**

The computer recorded that you have stopped [ND FILL3] for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0125 |
| 2 | NEXT | GO TO R04_AN0130 |

ASK: IF R04\_AN0125 > R04\_AN0115.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0256**

Would you say that in the past 12 months it was more than 3 times that you have stopped [NDFILL3] for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products) who did not know or refused to report the number of quit attempt times.

**PATH ID: R04\_AN0130**

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

- 1 |\_\_|\_\_|\_\_| Minutes
- 2 |\_\_|\_\_|\_\_| Hours
- 3 |\_\_|\_\_|\_\_| Days
- 4 |\_\_|\_\_|\_\_| Weeks
- 5 |\_\_|\_\_|\_\_| Months
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AN0300

GO TO R04\_AN0300

ASK: Current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months.

**PATH ID: R04\_AN0130\_LC1**

The computer recorded the last time you tried to quit [ND FILL3] in the past 12 months that you stopped for [R04\_AN0130\_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AN0130
- 2 NEXT GO TO R04\_AN0135

ASK: IF (R04\_AN0130\_NN > 366 AND R04\_AN0130\_UN = 3) OR (R04\_AN0130\_NN > 52 AND R04\_AN0130\_UN = 4) OR (R04\_AN0130\_NN > 12 AND R04\_AN0130\_UN = 5).

DISPLAY: IF R04\_AN0130 REPORTED IN DAYS, DISPLAY "days".

ELSE, IF R04\_AN0130 REPORTED IN MONTHS DISPLAY "weeks".

ELSE, IF R04\_AN0130 REPORTED IN WEEKS, DISPLAY "months".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0300
Was it more than a week, a week, or less than a week?
1 More than one week GO TO R04_AN0210
2 One week GO TO R04_AN0210
3 Less than one week GO TO R04_AN0210
-8 DON'T KNOW GO TO R04_AN0210
-7 REFUSED GO TO R04_AN0210
ASK: Current tobacco users (excluding e-products) who did not provide a duration for the last quit attempt.

<b>PATH ID:</b> R04_AN0135
When was the approximate end date of this last quit attempt that lasted [enter duration from R04_AN0130]?
1  __ __  MONTH  __ __  DAY  __ __ __ __  YEAR
-8 DON'T KNOW GO TO R04_AN0140
-7 REFUSED GO TO R04_AN0140
ASK: Current tobacco users (excluding e-products) who provided a duration for the last quit attempt.

<b>PATH ID:</b> R04_AN0135_LC1
The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135]. That date is in the future. Is that end date still correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0135
2 NEXT GO TO R04_AN0140
ASK: IF R04_AN0135 > TODAY'S DATE.

<b>PATH ID:</b> R04_AN0135_LC2
The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135]. That was longer than 12 months ago. Is that end date still correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0135
2 NEXT GO TO R04_AN0140
ASK: IF R04_AN0135 < (TODAY'S DATE - 12 MONTHS).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0135_LC3</b>
Please enter four numbers for the year.
1 BACK <span style="float: right;">GO TO R04_AN0135</span>
ASK: IF R04_AN0135 (YEARS) IS < 4 DIGITS.

<b>PATH ID: R04_AN0140</b>
In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?
1 Yes <span style="float: right;">GO TO BOX R04_ANR28</span>
2 No <span style="float: right;">GO TO R04_AN0145</span>
-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ANR28</span>
-7 REFUSED <span style="float: right;">GO TO BOX R04_ANR28</span>
ASK: Current tobacco users (excluding e-products) who provided a duration for the last quit attempt. DISPLAY: Fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R04_AN0130 (ex. "45 days")

<b>PATH ID: R04_AN0257</b>
You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R04_A*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months?
1 Yes <span style="float: right;">GO TO BOX R04_ANR28</span>
2 No <span style="float: right;">GO TO R04_AN0145</span>
-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ANR28</span>
-7 REFUSED <span style="float: right;">GO TO BOX R04_ANR28</span>
ASK: Recent former tobacco users (excluding e-products) who provided a valid response in R04_A*1009. DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R04_A*1009] with time entered (ex. "45 days") in corresponding R04_A*1009 item by product: IF R04_NDSKIP=0, 3: NC=R04_AC1009 NP=R04_AP1009 NG=R04_AG1009 NH=R04_AH1009 NL=R04_AG1009 NU=R04_AU1009 NF=R04_AG1009 NS=R04_AS1009 IF R04_NDSKIP = 1, 2: Use longest time period among R04_AC1009, R04_AG1009, R04_AP1009, R04_AH1009, R04_AU1009, R04_AS1009.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0145
In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?
1  __ __ __  Minutes
2  __ __ __  Hours
3  __ __ __  Days
4  __ __ __  Weeks
5  __ __ __  Months
-8 DON'T KNOW GO TO R04_AN0305
-7 REFUSED GO TO R04_AN0305
ASK: Current and recent former tobacco users (excluding e-products) who said their last quit attempt was not their longest in the past 12 months and recent former tobacco users (excluding e-products) who did not provide a valid response in R04_A*1009.

<b>PATH ID:</b> R04_AN0145_LC1
The computer recorded that you stopped [ND FILL3] for [R04_AN0145_NN] [days/weeks/months].
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0145
2 NEXT GO TO BOX R04_ANR28
ASK: IF (R04_AN0145_NN > 366 AND R04_AN0145_UN = 3) OR (R04_AN0145_NN > 52 AND R04_AN0145_UN = 4) OR (R04_AN0145_NN > 12 AND R04_AN0145_UN = 5).
DISPLAY: IF R04_AN0145_UN = 3, DISPLAY "days".
ELSE, IF R04_AN0145_UN = 4, DISPLAY "weeks".
ELSE, IF R04_AN0145_UN = 5, DISPLAY "months".

<b>PATH ID:</b> R04_AN0305
Was it more than a week, a week, or less than a week?
1 More than one week
2 One week
3 Less than one week
-8 DON'T KNOW
-7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who did not know or refused to report the duration for their longest quit in the past 12 months.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR28**

Twelve month quit attempters, go to R04\_AN0210.  
Else, go to Box R04\_ANR04.

**PATH ID: R04\_AN0210**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0215**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0225**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

- 1 I did not use a different tobacco product to help me quit
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipe tobacco
- 8 Hookah
- 9 Snus
- 10 Smokeless tobacco, like dip, chew, or snuff
- 11 Dissolvable tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**BOX ID: R04\_ANR04**

**If R04\_NDSKIP = 0, 1:**

Go to R04\_AN0330\_12M.

**If R04\_NDSKIP = 2, 3:**

Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year and already reported using NRT in the past 12 months, go to R04\_AN0150.

Else, current tobacco users (excluding e-products) who are twelve month reducers and already reported using NRT in the past 12 months, go to R04\_AN0811.

Else, experimental current tobacco users (excluding e-products) who already reported using NRT in the past 12 months, go to R04\_AN0811.

Else, respondents who already reported using NRT in the past 12 months, go to R04\_AN0336.

Else, go to Box R04\_ANR29.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0330_12M</b>
<p>In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?</p> <p style="margin-left: 40px;">1    Yes</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">-8   DONT KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, and recent former tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users.</p>

<b>BOX ID:</b> <b>R04_ANR15</b>
<p>Twelve month quit attempters who used NRT in the past 12 months, go to R04_AN0150.  Else, twelve month reducers who used NRT in the past 12 months, go to R04_AN0811.  Else, experimental current tobacco users (excluding e-products) who used NRT in the past 12 months, go to R04_AN0811.  Else, respondents who have used NRT in the past 12 months, go to R04_AN0336.  Else, go to Box R04_ANR29.</p>

<b>PATH ID:</b> <b>R04_AN0150</b>
<p>Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the <u>past 12 months</u>, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?</p> <p style="margin-left: 40px;">1    Yes</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">-8   DONT KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p style="text-align: right; margin-right: 40px;">GO TO R04_AN0336</p> <p style="text-align: right; margin-right: 40px;">GO TO R04_AN0336</p> <p style="text-align: right; margin-right: 40px;">GO TO R04_AN0336</p> <p>ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used NRT in the past 12 months.  DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit".  ELSE, IF R04_AN0125 &gt; 1 OR R04_AN0256 = 1, DISPLAY "the last time you tried to quit".  ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".  ELSE, DISPLAY "the last time you tried to quit".  <u>UNDERLINE "past 12 months"</u>.</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0155**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users who used NRT to help them quit in the past 12 months.

DISPLAY: UNDERLINE "completely".

**PATH ID: R04\_AN0811**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users who used NRT to help them quit in the past 12 months and twelve month reducers and experimental current tobacco users, who have ever used NRT.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0336**

What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 To stop [smoking/using] completely
- 2 To reduce the amount you [smoke/use]
- 3 To cope with times when you could not or were not allowed to [smoke/use]
- 4 Some other reason (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current and recent former tobacco users (including ENDS and tobacco dual use) who have used NRT in the past 12 months.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 4 OR R04\_GTRAD\_USER\_STATUS = 1, 4 OR R04\_GRILLO\_USER\_STATUS = 1, 4 OR R04\_GFILTR\_USER\_STATUS = 1, 4 OR R04\_PIPE\_USER\_STATUS = 1, 4 OR R04\_HOOK\_USER\_STATUS = 1, 4, DISPLAY "smoking", "smoke" AND "smoke", IN RESPONSE OPTIONS.

ELSE, IF R04\_SNUS\_USER\_STATUS = 1, 4, OR R04\_SMKLS\_USER\_STATUS = 1, 4, DISPLAY "using", "use" AND "use" IN RESPONSE OPTIONS.

ELSE, IF R04\_CIG\_USER\_STATUS = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_HOOK\_USER\_STATUS = 2, DISPLAY "smoking", "smoke" AND "smoke", IN RESPONSE OPTIONS.

ELSE, DISPLAY "using", "use" AND "use" IN RESPONSE OPTIONS.

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_ANR05**

Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used NRT in the past 12 months who did not use NRT to help them quit, go to Box R04\_ANR06.

Else, current tobacco users who are twelve month reducers and experimental current tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users, go to R04\_AN0307.

Else, current tobacco users who are twelve month reducers and experimental current tobacco users (excluding e-products), go to Box R04\_ANR29.

Else, go to R04\_AN0160.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0160</b>
Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.
1   Nicotine patch
2   Nicotine gum
3   Nicotine inhaler
4   Nicotine nasal spray
5   Nicotine lozenge or pill
6   None of the above
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ANR06
ASK: Current and recent former tobacco users (excluding e-products) who used NRT to help them quit in the past 12 months.
DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit".
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "the last time you tried to quit".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".
ELSE, DISPLAY "the last time you tried to quit".

<b>PATH ID:</b> <b>R04_AN0165</b>
In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?
1    _ _ _  DAYS
2    _ _ _  WEEKS
3    _ _ _  MONTHS
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who used a listed NRT to help them quit.
DISPLAY: IF R04_AN0125 = 1, DISPLAY "during the time you tried to quit".
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "during the last time you tried to quit".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".
ELSE, DISPLAY "during the last time you tried to quit".

<b>BOX ID:</b> <b>R04_ANR06</b>
If R04_NDSKIP = 0 OR 1, go to R04_AN0170
Else, if R04_NDSKIP = 2, 3, go to Box R04_ANR29.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0170	
Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1 Yes	
2 No	GO TO R04_AN0307
-8 DON'T KNOW	GO TO R04_AN0307
-7 REFUSED	GO TO R04_AN0307
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months, and are not recent former or current ENDS users, and have used NRT in the past 12 months.	

<b>PATH ID:</b> R04_AN0251	
About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1  __ __  DAYS	
2  __ __  MONTHS	
3  __ __  YEARS	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months, who are not recent former or current ENDS users, who are currently using NRT.	

<b>PATH ID:</b> R04_AN0251_LC1	
The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill to help you quit for [R04_AN0251_NN] [days/months/years].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AN0251
2 NEXT	GO TO R04_AN0307
ASK: IF (R04_AN0251_NN > 99 AND R04_AN0251_UN = 1) OR (R04_AN0251_NN > 60 AND R04_AN0251_UN = 2) AND (R04_AN0251_NN > 5 AND R04_AN0251_UN = 3).	
DISPLAY: IF R04_AN0251_UN = 1, DISPLAY "days".	
ELSE, IF R04_AN0251_UN = 2, DISPLAY "months".	
ELSE, IF R04_AN0251_UN = 3, DISPLAY "years".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0251_LC2</b>	
The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to help you quit.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AN0251
2    NEXT	
ASK: IF R04_AN0251 = 0.	

<b>PATH ID:</b> <b>R04_AN0307</b>	
When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1    In the past hour	GO TO R04_AN0309
2    Sometime today	
3    Yesterday	
4    Day before yesterday	
5    Three or more days ago	GO TO R04_AN0175
-8   DON'T KNOW	GO TO R04_AN0331_12M
-7   REFUSED	GO TO R04_AN0331_12M
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT in the past 12 months.	

<b>PATH ID:</b> <b>R04_AN0308</b>	
When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307], was it...	
1    Between midnight and 6AM	
2    After 6AM but before noon	
3    Between noon and 6PM	
4    After 6PM but before midnight	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT today, yesterday or the day before yesterday.	
DISPLAY: FOR [FILL BASED ON R04_AN0307]:	
IF R04_AN0307 = 2, DISPLAY "sometime today".	
IF R04_AN0307 = 3, DISPLAY "yesterday".	
IF R04_AN0307 = 4, DISPLAY "the day before yesterday".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0309</b>
When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307], how many did you use?
1  __ __
-8 DON'T KNOW GO TO R04_AN0331_12M
-7 REFUSED GO TO R04_AN0331_12M
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT in the past hour, today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0307]:
IF R04_AN0307 = 1, 2, DISPLAY "today".
IF R04_AN0307 = 3, DISPLAY "yesterday".
IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309_LC1</b>
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04_AN0309] times. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0309
2 NEXT GO TO R04_AN0331_12M
ASK: IF R04_AN0309 > 5.
DISPLAY: IF R04_AN0307 = 1, 2, DISPLAY "today".
IF R04_AN0307 = 3, DISPLAY "yesterday".
IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309_LC2</b>
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0309
2 NEXT GO TO R04_AN0331_12M
ASK: IF R04_AN0309 = 0.
DISPLAY: IF R04_AN0307 = 1, 2, DISPLAY "today".
IF R04_AN0307 = 3, DISPLAY "yesterday".
IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0175
How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?
1  __ __  DAYS
2  __ __  MONTHS
3  __ __  YEARS
-8 DON'T KNOW GO TO R04_AN0331_12M
-7 REFUSED GO TO R04_AN0331_12M
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT three or more days ago.

<b>PATH ID:</b> R04_AN0175_LC1
The computer recorded that you stopped using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill [R04_AN0175_NN] [days/months/years] ago. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0175
2 NEXT
ASK: IF ((R04_AN0175_NN > 31 OR R04_AN0175_NN < 3) AND R04_AN0175_UN = 1) OR (R04_AN0175_NN > 12 AND R04_AN0175_UN = 2) OR (R04_AN0175_NN > 1 AND R04_AN0175_UN = 3).
DISPLAY: IF R04_AN0175_UN = 1, DISPLAY "days".
ELSE, IF R04_AN0175_UN = 2, DISPLAY "months".
ELSE, IF R04_AN0175_UN = 3, DISPLAY "years".

<b>BOX ID:</b> R04_ANR29
<b>If R04_NDSKIP = 0 or 1:</b> Go to R04_AN0331_12M.
<b>If R04_NDSKIP = 2 or 3:</b> Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year and already reported using prescription drugs in the past 12 months, go to R04_AN0180. Else, go to Box R04_ANR18.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0331_12M</b>
In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and recent former tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users.

<b>BOX ID:</b> <b>R04_ANR07</b>
Twelve month quit attempters who used a prescription drug in the past twelve months, go to R04_AN0180.
Else, current, recent former, and experimental current tobacco users (excluding e-products) who used a prescription drug in the past twelve months, go to R04_AN0327.
Else, go to Box R04_ANR18.

<b>PATH ID:</b> <b>R04_AN0180</b>
Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the <u>past 12 months</u> , did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ANR08
GO TO BOX R04_ANR08
GO TO BOX R04_ANR08
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used a prescription drug to stop smoking.
DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit".
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "the last time you tried to quit".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".
ELSE, DISPLAY "the last time you tried to quit".
UNDERLINE "past 12 months".

<b>PATH ID:</b> <b>R04_AN0185</b>
Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] completely?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0190**

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

- 1 Chantix or varenicline
- 2 Wellbutrin, Zyban, or bupropion
- 3 None of the above
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_ANR08

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

**PATH ID: R04\_AN0195**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| WEEKS
- 3 |\_\_|\_\_| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a listed prescription drug to help them.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ANR08</b>
<b>If R04_NDSKIP = 0 OR 1:</b> If the respondents attempted to quit in the past year and used a prescription drug to help them, go to R04_AN0200. Else, if the respondent used a prescription drug in the past 12 months, go to R04_AN0327.
<b>If R04_NDSKIP = 2 OR 3:</b> Go to Box R04_ANR18.

<b>PATH ID:</b> <b>R04_AN0200</b>	
Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
1 Yes	
2 No	GO TO R04_AN0327
-8 DON'T KNOW	GO TO R04_AN0327
-7 REFUSED	GO TO R04_AN0327
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them, who are not recent former or current ENDS users.	

<b>PATH ID:</b> <b>R04_AN0252</b>	
About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
1  __ __  DAYS	
2  __ __  MONTHS	
3  __ __  YEARS	
-8 DON'T KNOW	GO TO R04_AN0327
-7 REFUSED	GO TO R04_AN0327
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them and are currently using a prescription drug, who are not recent former or current ENDS users.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0252\_LC1**

The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R04\_AN0252\_NN] [months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0252 |
| 2 | NEXT | GO TO R04_AN0327 |

ASK: IF (R04\_AN0252\_NN > 60 AND R04\_AN0252\_UN = 2) OR (R04\_AN0252\_NN > 5 AND R04\_AN0252\_UN = 3).

DISPLAY: IF R04\_AN0252\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AN0252\_UN = 3, DISPLAY "years".

**PATH ID: R04\_AN0252\_LC2**

The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0252 |
| 2 | NEXT |                  |

ASK: IF R04\_AN0252 = 0.

**PATH ID: R04\_AN0327**

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- |    |                        |                     |
|----|------------------------|---------------------|
| 1  | In the past hour       | GO TO R04_AN0329    |
| 2  | Sometime today         |                     |
| 3  | Yesterday              |                     |
| 4  | Day before yesterday   |                     |
| 5  | Three or more days ago | GO TO R04_AN0205    |
| -8 | DON'T KNOW             | GO TO BOX R04_ANR18 |
| -7 | REFUSED                | GO TO BOX R04_ANR18 |

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used a prescription drug in the past 12 months.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0328</b>
<p>When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327], was it...</p> <ul style="list-style-type: none"> <li>1 Between midnight and 6AM</li> <li>2 After 6AM but before noon</li> <li>3 Between noon and 6PM</li> <li>4 After 6PM but before midnight</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used a prescription drug today, yesterday or the day before yesterday.</p> <p>DISPLAY: FOR [FILL BASED ON R04_AN0327]:</p> <p>IF R04_AN0327 = 4, DISPLAY “the day before yesterday”.</p> <p>ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327, MAKING FIRST LETTER LOWERCASE.</p>

<b>PATH ID:</b> <b>R04_AN0329</b>
<p>When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327], how many did you take?</p> <ul style="list-style-type: none"> <li>1  __ __ </li> <li>-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ANR18</span></li> <li>-7 REFUSED <span style="float: right;">GO TO BOX R04_ANR18</span></li> </ul> <p>ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used a prescription drug in the past hour, today, yesterday or the day before yesterday.</p> <p>DISPLAY: FOR [FILL BASED ON R04_AN0327]:</p> <p>IF R04_AN0327 = 1, 2, DISPLAY “today”.</p> <p>ELSE, IF R04_AN0327 = 3, DISPLAY “yesterday”.</p> <p>ELSE, IF R04_AN0327 = 4, DISPLAY “the day before yesterday”.</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0329\_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04\_AN0329] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0329    |
| 2 | NEXT | GO TO BOX R04_ANR18 |

ASK: IF R04\_AN0329 = 0 OR IF R04\_AN0329 > 5.

DISPLAY: IF R04\_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R04\_AN0327 = 3, DISPLAY "yesterday".

ELSE, IF R04\_AN0327 = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AN0205**

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, who used prescription drugs three or more days ago.

**PATH ID: R04\_AN0205\_LC1**

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04\_AN0205] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0205 |
| 2 | NEXT |                  |

ASK: IF (R04\_AN0205\_NN > 31 AND R04\_AN0205\_UN = 1) OR (R04\_AN0205\_NN > 12 AND R04\_AN0205\_UN = 2) OR (R04\_AN0205\_NN > 1 AND R04\_AN0205\_UN = 3).

DISPLAY: IF R04\_AN0205\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AN0205\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AN0205\_UN = 3, DISPLAY "years".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR18**

Current and recent former tobacco users (excluding e-products) who attempted to quit or cut down in the past 12 months, go to Box R04\_AND03.

Else, current tobacco users (excluding e-products), go to R04\_AN0230.

Else, experimental current tobacco users (excluding e-products), go to R04\_AX0006.

Else, go to Box R04\_ART01.

**BOX ID: R04\_AND03**

Display question R04\_AN0804, R04\_AN0805, R04\_AN0806, R04\_AN0807, R04\_AN0808, R04\_AN0809, R04\_AN0810, on one screen. Show the transition text and question stem from R04\_AN0804 first, then show each item with the yes/no responses. As each item is answered, show the next one.

**PATH ID: R04\_AN0804**

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Feel depressed?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "you quit".

ELSE, IF R04\_TWELVEMONTHQUIT\_STATUS = 2, DISPLAY "cutting down on".

**BOX ID: R04\_AND04**

Randomize order of R04\_AN0805 - R04\_AN0809.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0805**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH ID: R04\_AN0806**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH ID: R04\_AN0807**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH ID: R04\_AN0808**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0809**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH ID: R04\_AN0810**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Feel more restless than usual?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**BOX ID: R04\_ANR21**

Current tobacco users (excluding e-products), go to R04\_AN0230.  
Else, go to R04\_AX0006.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0230**

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0235**

Do you plan to ever quit [ND FILL3] for good?

- 1 Yes
- 2 No GO TO R04\_AX0006
- 8 DON'T KNOW GO TO R04\_AX0006
- 7 REFUSED GO TO R04\_AX0006

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0240**

When do you plan to quit [ND FILL3] for good?

- 1 In the next 7 days
- 2 In the next 30 days
- 3 In the next 6 months
- 4 In the next year GO TO R04\_AX0006
- 5 More than one year from now GO TO R04\_AX0006
- 8 DON'T KNOW GO TO R04\_AX0006
- 7 REFUSED GO TO R04\_AX0006

ASK: Current tobacco users (excluding e-products) who say they plan to quit for good.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0245**

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

- 1 Not at all likely
- 2 A little likely
- 3 Somewhat likely
- 4 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products) who have some interest in quitting in the next 6 months.

**PATH ID: R04\_AX0006**

If you had to do it over again, would you have ever started using tobacco[ (not including e-cigarettes or electronic nicotine products)]?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former tobacco users (excluding e-products).

DISPLAY: IF R04\_NDSKIP = 2, 3, DISPLAY " (not including e-cigarettes or electronic nicotine products)".

ELSE, DO NOT DISPLAY.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## PACKAGING AND HEALTH WARNINGS

**BOX ID: R04\_ART01**

The next questions ask about things you may have seen or read about tobacco products.

**PATH ID: R04\_AR0141**

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AR0142**

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR01**

If current user of roll-your-own cigarettes, go to R04\_AR0095.  
Else, go to R04\_AR0005.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0095**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current cigarette smokers who buy roll-your-own tobacco.

**PATH ID: R04\_AR0005**

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR03**

Current and experimental current cigarette smokers who have noticed health warnings on cigarette packs, go to R04\_AR0202.

Else, experimental former, recent former, and long-term former cigarette smokers who have noticed health warnings on cigarette packs, go to R04\_AR0040.

Else, respondents who have never smoked cigarettes and have noticed the health warnings on cigarette packs, go to R04\_AR0055.

Else, go to R04\_AR0110.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0202**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed the health warnings in the past 30 days.

**PATH ID: R04\_AR0010**

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0015**

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AR0025</b>
How believable do you consider the health warnings on cigarette packs to be?
<ul style="list-style-type: none"> <li>1 Not at all believable</li> <li>2 A little believable</li> <li>3 Somewhat believable</li> <li>4 Very believable</li> <li>5 Extremely believable</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

<b>PATH ID:</b> <b>R04_AR0035</b>
To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?
<ul style="list-style-type: none"> <li>1 Not at all</li> <li>2 A little</li> <li>3 Somewhat</li> <li>4 A lot</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

<b>PATH ID:</b> <b>R04_AR0040</b>												
To what extent, if at all, do the health warnings on cigarette packs make you [more likely to quit smoking/more likely to not start smoking again]?												
<table style="width: 100%; border: none;"> <tr> <td style="padding-left: 20px;">1 Not at all</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">2 A little</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">3 Somewhat</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">4 A lot</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">-7 REFUSED</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> </table>	1 Not at all	GO TO R04_AR0110	2 A little	GO TO R04_AR0110	3 Somewhat	GO TO R04_AR0110	4 A lot	GO TO R04_AR0110	-8 DON'T KNOW	GO TO R04_AR0110	-7 REFUSED	GO TO R04_AR0110
1 Not at all	GO TO R04_AR0110											
2 A little	GO TO R04_AR0110											
3 Somewhat	GO TO R04_AR0110											
4 A lot	GO TO R04_AR0110											
-8 DON'T KNOW	GO TO R04_AR0110											
-7 REFUSED	GO TO R04_AR0110											
ASK: Current, experimental current, experimental former, recent former and long-term former cigarette smokers, who have noticed health warnings in the past 30 days.												
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".												
ELSE, DISPLAY "more likely to not start smoking again".												

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0055**

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0110**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR06**

Current and experimental current e-product users who have noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products in the past 30 days, go to R04\_AR0222.  
Else, go to R04\_AR0115.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0222**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0226**

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0115**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ARR07**

Current and experimental current traditional cigar smokers who have noticed health warnings on packages of traditional cigars in the past 30 days, go to R04\_AR0229.  
Else, go to R04\_AR0120.

**PATH ID: R04\_AR0229**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current traditional cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0233**

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current traditional cigar smokers who have noticed health warnings in the past 30 days.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0120**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR08**

Current and experimental current cigarillo smokers who have noticed health warnings on packages of cigarillos in the past 30 days, go to R04\_AR0236.

Else, go to R04\_AR0125.

**PATH ID: R04\_AR0236**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarillo smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0240**

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarillo smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0125**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR09**

Current and experimental current filtered cigar smokers who have noticed health warnings on packages of filtered cigars in the past 30 days, go to R04\_AR0243.

Else, go to R04\_AR0130.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0243**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current filtered cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0247**

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current filtered cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0130**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPES AND PIPE TOBACCO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0135**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_APR35**

Current and experimental current hookah users who have noticed health warnings on packages of shisha or hookah tobacco in the past 30 days, go to R04\_AR0250.

Else, go to R04\_AR0206.

**PATH ID: R04\_AR0250**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current hookah smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0254**

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current hookah smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0206**

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR04**

Current and experimental current snus users who have noticed health warnings on snus containers, go to R04\_AR0207.

Else, experimental former, recent former, and long-term former snus users who have noticed health warnings, go to R04\_AR0212.

Else, go to R04\_AR0060.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0207**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0208**

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0209**

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0210**

How believable do you consider the health warnings on snus containers to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0211**

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0212**

To what extent, if at all, do the health warnings on snus containers make you [more likely to quit using snus/ more likely to not start using snus again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, recent former and long-term former snus users, who have noticed health warnings in the past 30 days.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "more likely to quit using snus".

ELSE, DISPLAY "more likely to not start using snus again".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0060**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, chew and moist snuff?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR05**

Current and experimental current smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco, go to R04\_AR0205.

Else, experimental former, recent former, and long-term former smokeless tobacco users who have noticed health warnings, go to R04\_AR0090.

Else, go to Box R04\_AXT03.

**PATH ID: R04\_AR0205**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0065**

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0070**

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0075**

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0085**

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0090**

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you [more likely to quit using smokeless tobacco products/ more likely to not start using smokeless tobacco products again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, recent former and long-term former smokeless tobacco users, who have noticed health warnings in the past 30 days.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "more likely to quit using smokeless tobacco products".

ELSE, DISPLAY "more likely to not start using smokeless tobacco products again".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **RISK PERCEPTIONS AND ATTITUDES**

**BOX ID: R04\_AXT03**

The next questions ask about your opinions on using tobacco, including e-cigarettes and other electronic nicotine products.

**PATH ID: R04\_AX0722**

How harmful do you think nicotine is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AN0250**

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0723**

Do you think a tobacco product described as **additive-free** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "additive-free".

**PATH ID: R04\_AX0724**

Do you think a tobacco product described as **organic** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "organic".

**BOX ID: R04\_AXR10**

If current or experimental current user of tobacco, go to R04\_AX0004.  
Else, go to R04\_AC9050.

**PATH ID: R04\_AX0004**

In the past 30 days, how often did you think about the harm your tobacco use might be doing to you?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current users of tobacco.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9050</b>
How harmful do you think cigarettes are to health?
1    Not at all harmful
2    Slightly harmful
3    Somewhat harmful
4    Very harmful
5    Extremely harmful
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC1149</b>
How harmful do you think the <u>nicotine</u> in cigarettes is to health?
1    Not at all harmful
2    Slightly harmful
3    Somewhat harmful
4    Very harmful
5    Extremely harmful
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "nicotine".

<b>PATH ID:</b> <b>R04_AC9046</b>
In your opinion, do you think that some types of cigarettes are less harmful to a person's health than other types?
1    Yes
2    No
3    I don't know
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXR78</b>
New baseline respondents, go to R04_AC9040_NB.
Else, go to R04_AC9047.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9040\_NB**

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AC9047**

In your opinion, do you think that cigarettes with lower amounts of nicotine are less harmful, about the same, or more harmful to a person's health than regular cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9051**

In your opinion, do you think that cigarettes with lower amounts of nicotine are less addictive, about the same, or more addictive than regular cigarettes?

- 1 Less addictive
- 2 About the same
- 3 More addictive
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR11**

If current or experimental current user of cigarettes, go to R04\_AC9055.  
Else, go to R04\_AC1170.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9055**

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current users of cigarettes.

**PATH ID: R04\_AC1170**

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC1110**

How harmful do you think today's cigarettes are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9120**

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AE9050**

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AV1149**

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1170**

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AV1669**

In the past 12 months, have you seen any e-cigarettes or other electronic nicotine products that claim to be less harmful?

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AE1099  
GO TO R04\_AE1099  
GO TO R04\_AE1099

ASK: All adult respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".

**PATH ID: R04\_AV1670**

How likely is it that you will use one of these e-cigarettes or other electronic nicotine products that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen an e-product that claims to be less harmful.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AE1099**

Is using e-cigarettes or other electronic nicotine products less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products" AND "cigarettes".

**PATH ID: R04\_AV1148**

Some e-cigarettes and other electronic nicotine products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts or other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "menthol", "mint", "tobacco-flavored" AND "unflavored".

**PATH ID: R04\_AV1152**

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "flavored", "other than menthol or mint", "tobacco-flavored" AND "unflavored".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9050**

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG9060**

How much do you think people harm themselves when they smoke traditional cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1099**

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "traditional cigars" AND "cigarettes".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9054**

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG9061**

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1106**

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "cigarillos" AND "cigarettes".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9055**

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG9062**

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1107**

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "filtered cigars" AND "cigarettes".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1110**

How harmful do you think today's traditional cigars, cigarillos or filtered cigars are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AP1170**

How much do you think people harm themselves when they smoke pipe tobacco some days but not every day?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AP1099**

Is smoking pipes filled with tobacco less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "pipes filled with tobacco" AND "cigarettes".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9050**

How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AH9044**

How harmful is it to be around people who are smoking shisha or hookah tobacco?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AH1170**

How much do you think people harm themselves when they smoke hookah on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1099**

Is smoking tobacco in a hookah less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "tobacco in a hookah" AND "cigarettes".

**PATH ID: R04\_AU9050**

How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AU1105**

Is using snus less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "cigarettes".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1170**

How much do you think people harm themselves when they use snus on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AU1669**

In the past 12 months, have you seen any snus products that claim to be less harmful?

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AU9040  
GO TO R04\_AU9040  
GO TO R04\_AU9040

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus products".

**PATH ID: R04\_AU1670**

How likely is it that you will use one of these snus products that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen snus products that claim to be less harmful.

DISPLAY: UNDERLINE "snus products".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU9040**

Is using snus less harmful, about the same, or more harmful than other types of smokeless tobacco products (such as dip, spit or chew)?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "other types of smokeless tobacco products".

**PATH ID: R04\_AU1110**

How harmful do you think today's snus products are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AS9050**

How harmful do you think other smokeless tobacco products (such as dip, spit or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1170**

How much do you think people harm themselves when they use other smokeless tobacco products (such as dip, spit or chew) on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AS1669**

In the past 12 months, have you seen any smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful?

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AS1105  
GO TO R04\_AS1105  
GO TO R04\_AS1105

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco products".

**PATH ID: R04\_AS1670**

How likely is it that you will use one of these smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful.

DISPLAY: UNDERLINE "smokeless tobacco products".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1105**

Is using smokeless tobacco (such as dip, spit or chew) less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco" AND "cigarettes".

**PATH ID: R04\_AS1110**

How harmful do you think today's smokeless tobacco products (such as dip, spit or chew) are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0759**

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill.

How harmful do you think the nicotine in these products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9055**

Do you think using e-cigarettes and other electronic nicotine products is less harmful, about the same, or more harmful than using a nicotine patch, gum, or lozenge?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ACD02**

Display question R04\_AC9060, R04\_AC9065, R04\_AC9070, R04\_AC9075, R04\_AC9043, R04\_AC9080, R04\_AC9085, R04\_AC9090, R04\_AC9044, R04\_AC9100, R04\_AC9105, R04\_AC9110, R04\_AC9115 on one screen (if size allows) using the expanded WVB stem-leaf screen. Show the intro/transition text from R04\_AC9060 first, then show each item with responses. As each item is answered, show the next one.

**PATH ID: R04\_AC9060**

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

stroke in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents. (Note - The list of health effects should include the diseases that are featured on the new health warnings if/when they come on cigarette packs, thus these current questions are subject to change based on this future information.)

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9065**

lung cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9070**

heart disease in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9075**

blindness in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9043</b>
diabetes in smokers.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9080</b>
poor circulation (also called peripheral vascular disease) in smokers.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9085</b>
bladder cancer in smokers.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9090**

mouth cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9044**

liver cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9100**

lung disease (such as emphysema) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9105</b>
lung disease in non-smokers from second-hand smoke.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9110</b>
heart attack in non-smokers from second-hand smoke.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9115</b>
harm to fetuses (or unborn children) during pregnancy from second-hand smoke.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **MEDIA USE**

**BOX ID: R04\_AXT04**

The next questions ask about your TV, radio, internet and cell phone use.

**PATH ID: R04\_AX0494**

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekday".

**PATH ID: R04\_AX0495**

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekend".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0060**

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekday".

**PATH ID: R04\_AX0061**

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekend".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0062**

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AXR12

GO TO BOX R04\_AXR12

GO TO BOX R04\_AXR12

ASK: All adult respondents.

**PATH ID: R04\_AX0317**

About how often do you visit your social media accounts?

1 More than once a day

2 About once a day

3 3-5 days a week

4 1-2 days a week

5 Every few weeks

6 Less often

7 Never

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AXR12

ASK: Adult respondents who have a social media account.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0686**

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

- 0 I have not liked or followed any brands on social media sites
- 1 Camel
- 2 Marlboro
- 3 Newport
- 4 American Spirit
- 5 Vuse
- 6 Blu
- 7 Logic
- 8 MarkTen
- 9 NJOY
- 10 eGo
- 11 iTaste
- 12 Black & Mild
- 13 Swisher Sweets
- 14 Dutch Masters
- 15 Phillies Blunts
- 16 Zig Zag
- 17 Skoal
- 18 Redman
- 19 Grizzly
- 20 Copenhagen
- 21 Some other brand (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a social media account (excluding those who never visit their social media account).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AXR12**

Adult respondents who have ever used tobacco or e-products and have spent time on the internet, go to R04\_AX0505.

Else, go to Box R04\_AXT05.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0505**

Have you ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes or other electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco or e-product who report spending time on the internet.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **SECONDHAND SMOKE EXPOSURE**

**BOX ID: R04\_AXT05**

The next questions ask about tobacco use at your workplace and your home.

**PATH ID: R04\_AM0014**

Which best describes your current job or paid employment status?

- 1 Work full-time at least 35 hours per week
- 2 Work part-time 15 to 34 hours per week
- 3 Work part-time less than 15 hours per week
- 4 I don't currently work for pay GO TO BOX R04\_AXR117
- 8 DON'T KNOW GO TO BOX R04\_AXR117
- 7 REFUSED GO TO BOX R04\_AXR117

ASK: All adult respondents.

**PATH ID: R04\_AX0064**

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

- 1 Indoors
- 2 Outdoors
- 3 In a vehicle
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0747**

How recently did someone use e-cigarettes or other electronic nicotine products around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**PATH ID: R04\_AX0065**

How recently did someone smoke around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**BOX ID: R04\_AXR117**

New baseline adult respondents, go to R04\_AR0144\_NB.  
Else, go to R04\_AX0690.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0144\_NB**

In your childhood, did you live with a regular smoker who smoked inside your home? Please think about anyone who smoked cigarettes, cigars, a pipe or hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

DISPLAY: UNDERLINE "anyone".

**PATH ID: R04\_AX0690**

Do you currently live alone?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR15**

Respondents aged 25 or older who did not already complete a parent interview, go to R04\_AX0691.  
Else, go to Box R04\_AXR16.

**PATH ID: R04\_AX0691**

In what type of living space do you currently live?

- 1 Single Family Home
- 2 Duplex
- 3 Double or Multi-Family Home
- 4 Condominium
- 5 Townhouse
- 6 Apartment Building
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents aged 25 or older who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR16**

Adult respondents who do not live alone, or did not know or refused to report whether they live alone, go to R04\_AX0066.

Else, go to Box R04\_AXR105.

**PATH ID: R04\_AX0066**

Not including yourself, does anyone who lives with you now do any of the following? Choose all that apply.

- 1 Smoke cigarettes
- 2 Use e-cigarettes or other electronic nicotine products
- 3 Use snus
- 4 Use other types of smokeless tobacco such as dip, spit or chew
- 5 Smoke traditional cigars, cigarillos, or filtered cigars
- 6 Smoke hookah
- 7 Smoke pipe tobacco
- 8 Use any other form of tobacco
- 9 No one who lives with me now uses any form of tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not live alone.

DISPLAY: UNDERLINE "now".

**BOX ID: R04\_AXR105**

Adult respondents who already completed a parent interview, go to R04\_AX0068.

Else, go to R04\_AR1045.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR1045**

These next few questions ask about rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "inside" IN BOTH PARAGRAPHS.

UNDERLINE "burned".

**PATH ID: R04\_AR1051**

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "inside".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AR1050
Now think about other tobacco products that are <u>not</u> burned, like snus and other types of smokeless tobacco.
Which statement best describes the rules about using these products <u>inside</u> your home?
1 It is not allowed anywhere or at any time inside my home
2 It is allowed in some places or at some times inside my home
3 It is allowed anywhere and at any time inside my home
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview.
DISPLAY: UNDERLINE "not" AND "inside".

<b>PATH ID:</b> R04_AX0068
During the past seven days, about how many hours were you around <u>others</u> who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.
1  _ _ _ _  Number of hours
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AX0008
GO TO R04_AX0008
ASK: All adult respondents.
DISPLAY: UNDERLINE "others".
IF R04_CIG_USER_STATUS = 1, 2, 3 OR R04_GTRAD_USER_STATUS = 1, 2, 3 OR R04_GRILLO_USER_STATUS = 1, 2, 3 OR R04_GFILTR_USER_STATUS = 1, 2, 3 OR R04_PIPE_USER_STATUS = 1, 2, 3 OR R04_HOOK_USER_STATUS = 1, 2, 3, DISPLAY ", whether or not you were smoking yourself".
DISPLAY "Number of hours" AS A TITLE.

<b>PATH ID:</b> R04_AX0068_LC1
[There are 168 hours in a week. ]You said that, during the last seven days, you were in close contact with others while they were smoking for [R04_AX0068_NN] hours.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
GO TO R04_AX0068
GO TO R04_AX0008
ASK: IF R04_AX0068 > 120 OR R04_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999.
DISPLAY: IF R04_AX0068 > 168, DISPLAY "There are 168 hours in a week".
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**SOCIAL NORMS, PEER AND FAMILY INFLUENCES**

<b>PATH ID:</b> <b>R04_AX0008</b>
In general, do you think most people disapprove of smoking <b>cigarettes</b> ?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.
DISPLAY: BOLD "cigarettes".

<b>PATH ID:</b> <b>R04_AX0012</b>
In general, do you think most people disapprove of using <b>e-cigarettes or other electronic nicotine products</b> ?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.
DISPLAY: BOLD "e-cigarettes or other electronic nicotine products".

<b>BOX ID:</b> <b>R04_AXR80</b>
Young adult respondents and current, experimental current, experimental former, and recent former tobacco users, go to R04_AX0071.
Else, go to R04_AX0741.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0071**

Thinking about the people who are important to you, how would you describe their views on using **tobacco in general**?

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents and all current, experimental current, experimental former, and recent former tobacco users.

DISPLAY: UNDERLINE "people who are important to you"; BOLD "tobacco in general".

**BOX ID: R04\_AXR05**

Young adult respondents, go to Box R04\_AXD89.  
Else, go to R04\_AX0741.

**BOX ID: R04\_AXD89**

Display questions R04\_AC1143 through R04\_AS1143 using the expanded WVB stem-leaf screen. The introduction text from R04\_AC1143 is the stem. Show all leaves on the screen at once.

**PATH ID: R04\_AC1143**

Thinking about the people who are important to you, how would you describe **their** views on....

Smoking cigarettes

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

DISPLAY: UNDERLINE "people who are important to you"; BOLD "their".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1143</b>
Using e-cigarettes or other electronic nicotine products
1 Very positive
2 Positive
3 Neither positive nor negative
4 Negative
5 Very negative
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AG1143</b>
Smoking traditional cigars, cigarillos, or filtered cigars
1 Very positive
2 Positive
3 Neither positive nor negative
4 Negative
5 Very negative
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AP1143</b>
Smoking pipe tobacco
1 Very positive
2 Positive
3 Neither positive nor negative
4 Negative
5 Very negative
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1143</b>
Smoking shisha or hookah tobacco
1   Very positive
2   Positive
3   Neither positive nor negative
4   Negative
5   Very negative
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AU1143</b>
Using snus
1   Very positive
2   Positive
3   Neither positive nor negative
4   Negative
5   Very negative
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AS1143</b>
Using other types of smokeless tobacco (such as dip, spit, or chew)
1   Very positive
2   Positive
3   Neither positive nor negative
4   Negative
5   Very negative
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0741**

Thinking about the people who are important to you, do any of them use any of the following products?  
Choose all that apply.

- 1 Cigarettes
- 2 E-cigarettes or other electronic nicotine products
- 3 Traditional cigars
- 4 Cigarillos
- 5 Filtered cigars
- 6 Pipe tobacco
- 7 Shisha or hookah tobacco
- 8 Snus
- 9 Other types of smokeless tobacco (such as dip, spit or chew)
- 10 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "people who are important to you"

**BOX ID: R04\_AXR02**

If current or recent former tobacco user, go to R04\_AX0742.

Else, if current experimental or former experimental tobacco user, go to R04\_AX0743.

Else, go to Box R04\_AXT01.

**PATH ID: R04\_AX0742**

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about quitting?

- |               |                     |
|---------------|---------------------|
| 1 Not at all  | GO TO BOX R04_AXT01 |
| 2 Somewhat    | GO TO BOX R04_AXT01 |
| 3 Very much   | GO TO BOX R04_AXT01 |
| -8 DON'T KNOW | GO TO BOX R04_AXT01 |
| -7 REFUSED    | GO TO BOX R04_AXT01 |

ASK: Current and recent former tobacco users.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, DISPLAY "has" AND "led".

ELSE, IF R04\_TOBACCO\_USER\_STATUS = 4, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0743**

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about not using?

- 1 Not at all
- 2 Somewhat
- 3 Very much
- 8 DON'T KNOW
- 7 REFUSED

ASK: Experimental current and experimental former tobacco users.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 2, DISPLAY "has" AND "led".

ELSE, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**HEALTH**

**BOX ID: R04\_AXT01**

The next questions ask about some basic medical information that is important for the study.

**BOX ID: R04\_AMD05**

Display questions R04\_AX0090 through R04\_AX0088 using the expanded WVB stem-leaf screen. The introduction text from R04\_AX0090 is the stem. Show all leaves on the screen at once.

**PATH ID: R04\_AX0090**

In general, how would you rate your...

physical health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0091**

mental health, which includes stress, depression, and problems with emotions?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0088</b>
overall health?
1   Excellent
2   Very good
3   Good
4   Fair
5   Poor
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AMD06</b>
Display questions R04_AX0090_12M through R04_AX0088_12M using the expanded WVB stem-leaf screen. The introduction text from R04_AX0090_12M is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AX0090_12M</b>
Compared with 12 months ago, would you say...
your physical health is now...
1   Better
2   Worse
3   About the same
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0091_12M</b>
your mental health is now...
1   Better
2   Worse
3   About the same
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0088\_12M**

your overall health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0185**

In general, would you say your quality of life is...

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0185\_12M**

Compared with 12 months ago, would you say your quality of life is now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0092</b>
In general, how satisfied are you with your social activities and relationships?
1   Extremely satisfied
2   Very satisfied
3   Moderately satisfied
4   A little satisfied
5   Not at all satisfied
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0092_12M</b>
Compared with 12 months ago, would you say your social activities and relationships are now...
1   Better,
2   Worse, or
3   About the same?
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0313</b>
The next questions ask about your height and weight. Do you want to answer these questions in...
1   Feet and pounds, or
2   Meters and kilograms
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.
GO TO R04_AX0316

<b>PATH ID:</b> <b>R04_AX0679</b>
About how tall are you without shoes?
1    _ _  Feet
2    _ _  Inches
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who prefer to answer in feet or did not choose a system of measurement.
DISPLAY: DISPLAY "Feet" AND "Inches" AS TITLES.
GO TO R04_AX0109
GO TO R04_AX0109

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0679_LC1</b>	
The computer recorded that you are [R04_AX0679_FT] feet [and R04_AX0679_IN inches] tall.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0679
2 NEXT	GO TO R04_AX0109
ASK: IF R04_AX0679_FT < 5 OR (R04_AX0679_FT = 6 AND R04_AX0679_IN > 0) OR R04_AX0679_FT > 6.	
DISPLAY: IF R04_AX0679_FT > 0 AND R04_AX0679_IN = 0, DISPLAY "[R04_AX0679_FT] feet". ELSE, IF R04_AX0679_FT > 0 AND R04_AX0679_IN > 0, DISPLAY "[R04_AX0679_FT] feet and R04_AX0679_IN inches".	

<b>PATH ID: R04_AX0316</b>	
About how tall are you without shoes?	
1  _ _ . _ _  Meters	
-8 DON'T KNOW	GO TO R04_AX0312
-7 REFUSED	GO TO R04_AX0312
ASK: Adult respondents who prefer to answer in meters.	
DISPLAY: DISPLAY "Meters" AS A TITLE.	

<b>PATH ID: R04_AX0316_LC1</b>	
The computer recorded that you are [R04_AX0316] meters tall.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0316
2 NEXT	GO TO R04_AX0312
ASK: IF R04_AX0316 < 1.5 OR R04_AX0316 > 1.8.	

<b>PATH ID: R04_AX0109</b>	
About how much do you weigh without clothes or shoes?	
1  _ _ _ _  Pounds	
-8 DON'T KNOW	GO TO R04_AX0241
-7 REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to answer in pounds or did not choose a system of measurement.	
DISPLAY: DISPLAY "Pounds" AS A TITLE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0109_LC1</b>	
The computer recorded that you weigh [R04_AX0109] pounds.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AX0109
2    NEXT	GO TO R04_AX0241
ASK: IF R04_AX0109 < 125 OR R04_AX0109 > 240.	

<b>PATH ID:</b> <b>R04_AX0312</b>	
About how much do you weigh without clothes or shoes?	
1     _ _ _  Kilograms	
-8   DON'T KNOW	GO TO R04_AX0241
-7   REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to answer in kilograms.	
DISPLAY: DISPLAY "Kilograms" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AX0312_LC1</b>	
The computer recorded that you weigh [R04_AX0312] kilograms.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AX0312
2    NEXT	GO TO R04_AX0241
ASK: IF R04_AX0312 < 56.7 OR R04_AX0312 > 108.9.	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0241</b>	
<u>In a typical week</u> , how many days do you do any physical activity or exercise of at least moderate intensity, such as brisk walking, bicycling or swimming at a regular pace?		
0	None	GO TO R04_AX0243
1	1 day per week	
2	2 days per week	
3	3 days per week	
4	4 days per week	
5	5 days per week	
6	6 days per week	
7	7 days per week	
-8	DON'T KNOW	GO TO R04_AX0243
-7	REFUSED	GO TO R04_AX0243
ASK: All adult respondents.		
DISPLAY: UNDERLINE "In a typical week".		

<b>PATH ID:</b>	<b>R04_AX0242</b>	
On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?		
1	__ __  Hours	
2	__ __  Minutes	
-8	DON'T KNOW	GO TO R04_AX0243
-7	REFUSED	GO TO R04_AX0243
ASK: Adult respondents who indicate they do any physical activity of moderate intensity.		

<b>PATH ID:</b>	<b>R04_AX0242_LC1</b>	
The computer recorded [R04_AX0242_NN] [hours/minutes] for how long you typically do any physical activity or exercise of at least moderate intensity on the days you do these activities. Is that correct?		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AX0242
2	NEXT	GO TO R04_AX0243
ASK: IF (R04_AX0242_NN > 8 AND R04_AX0242_UN = 1) OR (R04_AX0242_NN > 200 AND R04_AX0242_UN = 2) .		
DISPLAY: IF R04_AX0242_UN = 1, DISPLAY "hours".		
ELSE, IF R04_AX0242_UN = 2, DISPLAY "minutes".		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0243**

In a typical week, outside of your job or work around the house, how many days do you do physical activities specifically designed to strengthen your muscles such as lifting weights or circuit training? Do not include cardio exercise such as walking, biking, or swimming.

- 0 None
- 1 1 day per week
- 2 2 days per week
- 3 3 days per week
- 4 4 days per week
- 5 5 days per week
- 6 6 days per week
- 7 7 days per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

**PATH ID: R04\_AX0100**

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

- 0 No pain
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Worst pain imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0101**

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Very severe
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

**PATH ID: R04\_AX0103**

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

**PATH ID: R04\_AX0102**

In general, please rate how well you carry out your usual social activities and roles. This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0001**

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse or other health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "past 12 months".

**PATH ID: R04\_AX0002**

In the past 12 months, have you seen a dentist?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0302**

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR18**

If respondent has been to an emergency room or urgent health center for a health problem of their own, go to R04\_AX0155.

Else, if respondent is a current, experimental current, experimental former, or recent former tobacco user that saw a doctor or dentist in the past 12 months, go to R04\_AX0003.

Else, if ever user of tobacco, go to R04\_AX0104.

Else, if new baseline go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0003**

In the past 12 months, did any medical doctor, dentist or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former tobacco users that saw a medical doctor or dentist in the past 12 months.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, 3, 4, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AX0104**

To what extent, if at all, has [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] damaged your health?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R04\_EVER\_NEVER\_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products", ELSE DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0105**

To what extent, if at all, are you worried that [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] will damage your health in the future?

- 1 Not at all worried
- 2 A little worried
- 3 Moderately worried
- 4 Very worried
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R04\_EVER\_NEVER\_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products", ELSE DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AXR20**

New baseline respondents, go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.

**PATH ID: R04\_AX0186\_NB**

The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or ]broken limbs[, or pregnancy].

Do you have serious difficulty walking or climbing stairs?

- 1 Yes
- 2 No GO TO R04\_AX0094
- 8 DON'T KNOW GO TO R04\_AX0094
- 7 REFUSED GO TO R04\_AX0094

ASK: New baseline adult respondents.

DISPLAY: IF R03\_GENDER != 1 OR R04\_AM0004\_RS != 1 (FEMALE), DISPLAY ", or pregnancy".

IF R03\_GENDER = 1 OR R04\_AM0004\_RS = 1 (MALE), DISPLAY "or " AND DO NOT DISPLAY ", or pregnancy".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0093**

[The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or ]broken limbs[, or pregnancy].

]To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents and new baseline adult respondents who said they had serious difficulty walking or climbing stairs.

DISPLAY: IF R04\_ADULTTYPE = 1, DISPLAY INTRODUCTORY TEXT "The next set of questions asks about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or ]broken limbs[, or pregnancy]."

IF FEMALE (R03\_GENDER != 1 AND R04\_AM0004\_RS != 1), DISPLAY ", or pregnancy".

IF MALE (R03\_GENDER = 1 OR R04\_AM0004\_RS = 1), DISPLAY "or " (AND DO NOT DISPLAY ", or pregnancy").

IF R04\_ADULTTYPE = 2, 3, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

**PATH ID: R04\_AX0094**

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR21**

New baseline respondents, go to R04\_AX0188\_NB.

Else, go to R04\_AX0095.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0188_NB</b>	
Do you have difficulty dressing or bathing?	
1    Yes	
2    No	GO TO R04_AX0097
-8   DON'T KNOW	GO TO R04_AX0097
-7   REFUSED	GO TO R04_AX0097
ASK: New baseline adult respondents.	

<b>PATH ID:</b> <b>R04_AX0095</b>	
To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?	
1    Completely	
2    Mostly	
3    Moderately	
4    A little	
5    Not at all	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Continuing adult respondents, and new baseline adult respondents who say they have difficulty dressing or bathing.	

<b>PATH ID:</b> <b>R04_AX0097</b>	
Does your health limit you in any of the following activities? Choose all that apply.	
1    Lifting 10 pounds	
2    Walking up 10 steps	
3    Walking 3 blocks	
4    Walking 1 mile	
5    Standing 20 minutes	
6    Bending or stooping	
7    Reaching overhead	
8    Using fingers to grasp	
9    None of the above	
-8   DON'T KNOW	
-7   REFUSED	
ASK: All adult respondents.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR22**

New baseline respondents, go to R04\_AX0187\_NB.

Else, continuing respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04\_AX0111\_12M.

Else, go to Box R04\_AXR82.

**PATH ID: R04\_AX0187\_NB**

Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0189\_NB**

Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0190\_NB**

Are you deaf or do you have serious difficulty hearing?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0191\_NB**

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0111\_NB**

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

- 1 High blood pressure
- 2 High cholesterol
- 3 Congestive heart failure
- 4 A stroke
- 5 A heart attack (also called myocardial infarction) or needed bypass surgery
- 6 Some other heart condition
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**BOX ID: R04\_AXR23**

If new baseline adult has had high blood pressure, go to R04\_AX0114\_NB.  
Else, if aged-up adult reported having high blood pressure in a previous wave, go to R04\_AX0744.  
Else, if new baseline adult has had high cholesterol, go to R04\_AX0115\_NB.  
Else, if aged-up adult reported having high cholesterol in a previous wave, go to R04\_AX0746.  
Else, if new baseline adult has had congestive heart failure, go to R04\_AX0116\_NB.  
Else, if new baseline adult has had a stroke, go to R04\_AX0117\_NB.  
Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.  
Else, if new baseline adult has had some other heart condition, go to R04\_AX0219.  
Else, if new baseline adult has not had any heart condition, go to Box R04\_AXR115.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID: R04_AXR82</b>
If respondent has ever had high blood pressure, go to R04_AX0744. Else, if respondent has ever had high cholesterol, go to R04_AX0160_12M. Else, if respondent has ever had a stroke, go to R04_AX0745. Else, if respondent has ever had any heart condition, go to R04_AX0219. Else, if respondent has not had any heart condition, go to Box R04_AXR115.

<b>PATH ID: R04_AX0114_NB</b>
How old were you when you were first told you had high blood pressure?
1  __ __ __  Years old
-8 DON'T KNOW GO TO R04_AX0253_NB
-7 REFUSED GO TO R04_AX0253_NB
ASK: New baseline adult respondents who have had high blood pressure. DISPLAY: DISPLAY "Years old" AS A TITLE.

<b>PATH ID: R04_AX0114_NB_LC1</b>
The computer recorded that you were [R04_AX0114_NB] years old when you were first told that you had high blood pressure. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AX0114_NB
2 NEXT GO TO R04_AX0744
ASK: IF R04_AX0114_NB > R04_ACHIEVEDAGE.

<b>PATH ID: R04_AX0253_NB</b>
When you were first told you had high blood pressure, were you...
1 Less than 18 years old,
2 18 to 24 years old,
3 25 to 34 years old,
4 35 to 44 years old,
5 45 to 54 years old, or
6 55 years old or older?
-8 DON'T KNOW
-7 REFUSED
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had high blood pressure.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0744</b>
<p>[In the past, you told us you had high blood pressure.</p> <p>]In the past 12 months, has your high blood pressure been under control?</p> <ul style="list-style-type: none"> <li>1 Yes</li> <li>2 No</li> <li>3 I have never had high blood pressure</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Adult respondents who have ever been told they have high blood pressure.          DISPLAY: IF RESPONDENT REPORTED HAVING HIGH BLOOD PRESSURE IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03_HIGH_BLOOD_PRESSURE = 1 AND R04_AX0111_NB_01 != 1 AND R04_AX0111_12M_01 != 1], DISPLAY "In the past, you told us you had high blood pressure." AND DISPLAY OPTION 3.          ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.</p>

<b>BOX ID: R04_AXR24</b>
<p>If new baseline adult has had high cholesterol, go to R04_AX0115_NB.          Else, if aged-up adult reported having high cholesterol in a previous wave, go to R04_AX0746.          Else, if continuing adult has ever had high cholesterol, go to R04_AX0160_12M.          Else, if new baseline adult has had congestive heart failure, go to R04_AX0116_NB.          Else, if new baseline adult has had a stroke, go to R04_AX0117_NB.          Else, if continuing adult respondent has ever had a stroke, go to R04_AX0745.          Else, if new baseline adult has had a heart attack, go to R04_AX0112_NB.          Else, if respondent has ever had any heart condition, go to R04_AX0219.</p>

<b>PATH ID: R04_AX0115_NB</b>
<p>How old were you when you were first told you had high cholesterol?</p> <ul style="list-style-type: none"> <li>1  __ __ __  Years old</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p style="text-align: right;">GO TO R04_AX0254_NB GO TO R04_AX0254_NB</p> <p>ASK: New baseline adult respondents who have had high cholesterol.          DISPLAY: DISPLAY "Years old" AS A TITLE.</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0115\_NB\_LC1**

The computer recorded that you were [R04\_AX0115\_NB] years old when you were first told that you had high cholesterol. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0115\_NB

2 NEXT

GO TO R04\_AX0160\_NB

ASK: IF R04\_AX0115\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0254\_NB**

When you were first told you had high cholesterol, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had high cholesterol.

**PATH ID: R04\_AX0160\_NB**

Have you ever taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

1 Yes

GO TO R04\_AX0746

2 No

GO TO R04\_AX0746

-8 DON'T KNOW

GO TO R04\_AX0746

-7 REFUSED

GO TO R04\_AX0746

ASK: New baseline adult respondents who have had high cholesterol.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0746</b>
[In the past, you told us you had high cholesterol.
]In the past 12 months, has your high cholesterol been under control?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have ever been told they have high cholesterol.
DISPLAY: IF AGED UP ADULT RESPONDENT REPORTED HAVING HIGH CHOLESTEROL IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R04_ADULTTYPE = 2 AND R03_HIGH_CHOLESTEROL = 1 AND R04_AX0111_NB_02 != 1], DISPLAY "In the past, you told us you had high cholesterol."
ELSE, DO NOT DISPLAY THIS TEXT.

<b>BOX ID:</b> <b>R04_AXR26</b>
If new baseline adult has had congestive heart failure, go to R04_AX0116_NB.
Else, if new baseline adult has had a stroke, go to R04_AX0117_NB.
Else, if continuing adult respondent has ever had a stroke, go to R04_AX0745.
Else, if new baseline adult has had a heart attack, go to R04_AX0112_NB.
Else, if respondent has ever had any heart condition, go to R04_AX0219.

<b>PATH ID:</b> <b>R04_AX0116_NB</b>
How old were you when you were first told you had congestive heart failure?
1     __ __ __  Years old
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AX0255_NB
GO TO R04_AX0255_NB
ASK: New baseline adult respondents who have had congestive heart failure.
DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0116\_NB\_LC1**

The computer recorded that you were [R04\_AX0116\_NB] years old when you were first told that you had congestive heart failure. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0116\_NB

2 NEXT

GO TO BOX R04\_AXR28

ASK: IF R04\_AX0116\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0255\_NB**

When you were first told you had congestive heart failure, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had congestive heart failure.

**BOX ID: R04\_AXR28**

If new baseline adult has had a stroke, go to R04\_AX0117\_NB.

Else, if continuing adult respondent has ever had a stroke, go to R04\_AX0745.

Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.

Else, if respondent has had some other heart condition, go to R04\_AX0219.

**PATH ID: R04\_AX0117\_NB**

How old were you when you were first told you had a stroke?

1 |\_\_|\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AX0256\_NB

-7 REFUSED

GO TO R04\_AX0256\_NB

ASK: New baseline adult respondents who have had a stroke.

DISPLAY: DISPLAY "Years old" AS A TITLE.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0117\_NB\_LC1**

The computer recorded that you were [R04\_AX0117\_NB] years old when you were first told that you had a stroke. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0117\_NB

2 NEXT

GO TO R04\_AX0745

ASK: IF R04\_AX0117\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0256\_NB**

When you were first told you had a stroke, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had a stroke.

**PATH ID: R04\_AX0745**

[In the past, you told us you had a stroke.

]Do you have any permanent disability as a result of the stroke?

- 1 Yes
- 2 No
- 3 I have never had a stroke
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have had a stroke.

DISPLAY: IF RESPONDENT REPORTED HAVING A STROKE IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE, [R03\_STROKE = 1 AND R04\_AX0111\_NB\_04 != 1 AND R04\_AX0111\_12M\_04 != 1], DISPLAY "In the past, you told us you had a stroke." AND DISPLAY OPTION 3. ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 3.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR30**

If new baseline adult has had a heart attack, go to R04\_AX0112\_NB.  
Else, if respondent has ever had any other heart condition, go to R04\_AX0219.

**PATH ID: R04\_AX0112\_NB**

How old were you when you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery?

1 |\_\_|\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AX0252\_NB

-7 REFUSED

GO TO R04\_AX0252\_NB

ASK: New baseline adult respondents who have had a heart attack.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AX0112\_NB\_LC1**

The computer recorded that you were [R04\_AX0112\_NB] years old when you were first told that you had a heart attack. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0112\_NB

2 NEXT

GO TO R04\_AX0219

ASK: IF R04\_AX0112\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0252\_NB**

When you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had a heart attack or needed bypass surgery.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0219**

In the past 12 months, did you take any [other] heart or blood pressure medications regularly? (Taken regularly means according to a health care provider's instructions.)

- |    |            |                      |
|----|------------|----------------------|
| 1  | Yes        |                      |
| 2  | No         | GO TO BOX R04_AXR115 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR115 |
| -7 | REFUSED    | GO TO BOX R04_AXR115 |

ASK: Adult respondents who have been told they had any type of heart condition.

DISPLAY: IF R04\_AX0160\_NB = 1 OR R04\_AX0160\_12M = 1, DISPLAY "other ". ELSE, DO NOT DISPLAY.

**BOX ID: R04\_AXD04**

DISPLAY INSTRUCTION:

For R04\_AX0159, display a column on the right with a "Yes" and "No" option for each response category.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0159
What type of heart or blood pressure medications do you regularly take?  1 Calcium Channel Blocker – for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular) 2 Beta Blocker – for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal) 3 Angiotensin Receptor Blocker – for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar) 4 Ace Inhibitor – for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril) 5 Diuretic – for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide) 6 Digoxin (Lanoxin) 7 Methyldopa (Aldomet) or Hydralazine (Apresoline) 8 Other antiarrhythmics 9 Some other heart or blood pressure medication -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who took heart or blood pressure medications in the past 12 months.

<b>BOX ID:</b> R04_AXR115
New baseline adult respondents, go to R04_AX0046_NB. Else, continuing adult respondents, go to R04_AX0047_12M.

<b>PATH ID:</b> R04_AX0046_NB
Have you <u>ever</u> had wheezing or whistling in the chest at any time in the past?  1 Yes 2 No -8 DON'T KNOW -7 REFUSED
GO TO R04_AX0052 GO TO R04_AX0052 GO TO R04_AX0052
ASK: New baseline adult respondents. DISPLAY: UNDERLINE "ever".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0047_12M</b>
Have you had wheezing or whistling in the chest in the <u>past 12 months</u> ?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AX0052
GO TO R04_AX0052
GO TO R04_AX0052
ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, and continuing adult respondents.
DISPLAY: UNDERLINE "past 12 months".

<b>PATH ID:</b> <b>R04_AX0048</b>
How many attacks of wheezing have you had in the past 12 months?
1    None
2    1 to 3
3    4 to 12
4    More than 12
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

<b>PATH ID:</b> <b>R04_AX0049</b>
In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?
1    Never woken with wheezing
2    Less than one night per week
3    One or more nights per week
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

<b>PATH ID:</b> <b>R04_AX0050</b>
In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0052**

In the past 12 months, has your chest sounded wheezy during or after exercise?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0053**

A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR31**

New baseline adult respondents, go to R04\_AX0119\_NB.

Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04\_AX0119\_12M.

Else, go to Box R04\_AXR63.

**PATH ID: R04\_AX0119\_NB**

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

- 1 COPD
- 2 Chronic bronchitis
- 3 Emphysema
- 4 Asthma
- 5 Some other lung or respiratory condition
- 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR32**

If new baseline adult has had COPD, go to R04\_AX0120\_NB.  
Else, if new baseline adult has had chronic bronchitis, go to R04\_AX0121\_NB.  
Else, if new baseline adult has had emphysema, go to R04\_AX0123\_NB.  
Else, if new baseline adult has had asthma, go to R04\_AX0124\_NB.  
Else, new baseline adults go to Box R04\_AXV09.

**BOX ID: R04\_AXR63**

Continuing adults who have ever had COPD, go to R04\_AX0733.  
Else, go to Box R04\_AXV09.

**PATH ID: R04\_AX0120\_NB**

How old were you when you were first told you had COPD?

1 |\_\_|\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AX0257\_NB

-7 REFUSED

GO TO R04\_AX0257\_NB

ASK: New baseline adult respondents who have had COPD.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AX0120\_NB\_LC1**

The computer recorded that you were [R04\_AX0120\_NB] years old when you were first told that you had COPD. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0120\_NB

2 NEXT

GO TO R04\_AX0733

ASK: IF R04\_AX0120\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0257_NB</b>
When you were first told you had COPD, were you...
1    Less than 18 years old,
2    18 to 24 years old,
3    25 to 34 years old,
4    35 to 44 years old,
5    45 to 54 years old, or
6    55 years old or older?
-8    DON'T KNOW
-7    REFUSED
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had COPD.

<b>PATH ID:</b> <b>R04_AX0733</b>
[In the past, you told us you had COPD.
] ]Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?
1    Yes
2    No
3    I have never had COPD
-8    DON'T KNOW
-7    REFUSED
GO TO BOX R04_AXV09
GO TO BOX R04_AXV09
GO TO BOX R04_AXV09
GO TO BOX R04_AXV09
ASK: Adult respondents who have COPD.
DISPLAY: IF RESPONDENT REPORTED HAVING COPD IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03_COPD = 1 AND R04_AX0119_NB_01 != 1 AND R04_AX0119_12M_01 != 1], DISPLAY "In the past, you told us you had COPD." AND DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY TRANSITION TEXT AND SUPPRESS OPTION 3.

<b>BOX ID:</b> <b>R04_AXD15</b>
BOX – DISPLAY INSTRUCTIONS
For R04_AX0734, display a “Yes” and “No” column with options for each response category.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0734**

Do you ever...

- 1 have to walk slower than people your age on level ground because of breathlessness?
- 2 have to stop for breath when walking at your own pace on level ground?
- 3 have to stop for breath after walking about 100 yards (or after a few minutes) on level ground?
- 4 get too breathless to leave the house or breathless on dressing or undressing?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have COPD and report shortness of breath.

**BOX ID: R04\_AXV09**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

**R04\_ADULT\_COPD** = Adult respondents who have ever had COPD.

**BOX ID: R04\_AXR09**

If respondent has ever had COPD, go to R04\_AX0735.

Else, go to Box R04\_AXR33.

**PATH ID: R04\_AX0735**

In the past 2 weeks, on how many days or nights have you been troubled by shortness of breath?

- 1 None
- 2 1 to 2 days or nights
- 3 3 to 6 days or nights
- 4 7 to 13 days or nights
- 5 Every day or night
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have COPD.

DISPLAY: UNDERLINE "past 2 weeks".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0736</b>
In the <u>past 5 years</u> , have you been admitted to a hospital, emergency room or urgent care center due to COPD?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have COPD.
DISPLAY: UNDERLINE "past 5 years".

<b>PATH ID:</b> <b>R04_AX0737</b>
In the <u>past 5 years</u> , have you been intubated (had a tube inserted to assist with breathing) because of your COPD?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have COPD.
DISPLAY: UNDERLINE "past 5 years".

<b>BOX ID:</b> <b>R04_AXR33</b>
If new baseline adult has had chronic bronchitis, go to R04_AX0121_NB. Else, if new baseline adult has had emphysema, go to R04_AX0123_NB. Else, if new baseline adult reported asthma as of the previous wave, go to R04_AX0124_NB. Else, if new baseline adult has had asthma, go to R04_AX0227. Else, if continuing adult has had asthma, go to R04_AX0227. Else, go to Box R04_AXV03.

<b>PATH ID:</b> <b>R04_AX0121_NB</b>
How old were you when you were first told you had chronic bronchitis?
1     __ __ __  Years old
-8   DON'T KNOW
-7   REFUSED
ASK: New baseline adult respondents who have had chronic bronchitis.
DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0121_NB_LC1</b>	
The computer recorded that you were [R04_AX0121_NB] years old when you were first told that you had chronic bronchitis. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AX0121_NB
2   NEXT	GO TO BOX R04_AXR35
ASK: IF R04_AX0121_NB > R04_ACHIEVEDAGE.	

<b>PATH ID:</b> <b>R04_AX0258_NB</b>	
When you were first told you had chronic bronchitis, were you...	
1   Less than 18 years old,	
2   18 to 24 years old,	
3   25 to 34 years old,	
4   35 to 44 years old,	
5   45 to 54 years old, or	
6   55 years old or older?	
-8   DON'T KNOW	
-7   REFUSED	
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had bronchitis.	

<b>BOX ID:</b> <b>R04_AXR35</b>
If new baseline adult has had emphysema, go to R04_AX0123_NB.
Else, if new baseline adult reported asthma as of the previous wave, go to R04_AX0124_NB.
Else, if new baseline adult has had asthma, go to R04_AX0227.
Else, if continuing adult has had asthma, go to R04_AX0227.
Else, go to Box R04_AXV03.

<b>PATH ID:</b> <b>R04_AX0123_NB</b>	
How old were you when you were first told you had emphysema?	
1    _ _ _ _  Years old	
-8   DON'T KNOW	GO TO R04_AX0259_NB
-7   REFUSED	GO TO R04_AX0259_NB
ASK: New baseline adult respondents who have had emphysema.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0123\_NB\_LC1**

The computer recorded that you were [R04\_AX0123\_NB] years old when you were first told that you had emphysema. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0123\_NB

2 NEXT

GO TO BOX R04\_AXR37

ASK: IF R04\_AX0123\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0259\_NB**

When you were first told you had emphysema, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had emphysema.

**BOX ID: R04\_AXR37**

If new baseline adult reported asthma as of the previous wave, go to R04\_AX0124\_NB.

Else, if new baseline adult has had asthma, go to R04\_AX0227.

Else, if continuing adult has had asthma, go to R04\_AX0227.

Else, go to Box R04\_AXV03.

**PATH ID: R04\_AX0124\_NB**

How old were you when you were first told you had asthma?

1 |\_\_|\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AX0260\_NB

-7 REFUSED

GO TO R04\_AX0260\_NB

ASK: New baseline adult respondents who have had asthma.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0124\_NB\_LC1**

The computer recorded that you were [R04\_AX0124\_NB] years old when you were first told that you had asthma. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0124\_NB

2 NEXT

GO TO R04\_AX0227

ASK: IF R04\_AX0124 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0260\_NB**

When you were first told you had asthma, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had asthma.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0227**

[In the past, you told us you had asthma.

]In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school or at home?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 6 I have never had asthma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: IF RESPONDENT REPORTED HAVING ASTHMA IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_ASTHMA = 1 AND R04\_AX0119\_NB\_04 != 1 AND R04\_AX0119\_12M\_04 != 1], DISPLAY "In the past, you told us you had asthma." AND DISPLAY OPTION 6.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 6.

**BOX ID: R04\_AXV03**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_ADULT\_ASTHMA** = Adult respondents who have ever had asthma

**BOX ID: R04\_AXR08**

If respondent has ever had asthma, go to R04\_AX0228.

Else, if respondent has ever had COPD, go to R04\_AX0283.

Else, go to R04\_AX0726.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0228**

In the past 30 days, how often have you had shortness of breath?

- 1 More than once a day
- 2 Once a day
- 3 3-6 times a week
- 4 Once or twice a week
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: UNDERLINE "past 30 days".

**PATH ID: R04\_AX0229**

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

- 1 4 or more nights a week
- 2 2 or 3 nights
- 3 Once a week
- 4 Once or twice
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

**PATH ID: R04\_AX0283**

In the past 12 months, did you take any medications regularly for COPD or asthma? (Taken regularly means according to a health care provider's instructions.)

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_AXR07  
GO TO BOX R04\_AXR07  
GO TO BOX R04\_AXR07

ASK: Adult respondents who have had asthma or COPD.

DISPLAY: UNDERLINE "past 12 months".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXD05**

DISPLAY INSTRUCTION: For R04\_AX0128, display as a stem and leaf question. For each leaf, display a yes/no response.

**PATH ID: R04\_AX0128**

In the past 12 months, which of the following medications did you regularly take for COPD or asthma?

- 1 Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)
- 2 Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)
- 3 Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)
- 5 Oxygen therapy
- 6 Some other COPD or asthma medication
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who took medication regularly for COPD or asthma in the past 12 months.

**BOX ID: R04\_AXR07**

If respondent has COPD and took medications regularly, go to R04\_AX0749.

Else if respondent has COPD and did not say they took medications regularly, go to R04\_AX0751.

Else, if respondent has asthma, go to R04\_AX0125.

Else, go to R04\_AX0726.

**PATH ID: R04\_AX0749**

In the past 2 weeks, which of the following medications did you regularly take for COPD? Choose all that apply.

- 1 Quick relief inhaler - for example: albuterol ((ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)
- 2 Long-acting inhaler – for example: salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)
- 3 Inhaled corticosteroid, such as – for example: beclomethasone (Qvar), fluticasone (Flovent), budesonide (Pulmicort) or mometasone (Asmanex)
- 4 Some other COPD medication
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who took medication regularly for COPD in the past 12 months.

DISPLAY: UNDERLINE "past 2 weeks".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0751</b>
Are you currently using home oxygen therapy (day or night) for your COPD?
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have COPD.

<b>PATH ID:</b> <b>R04_AX0750</b>
In the <u>past 12 months</u> , how many times have you been on antibiotics for a lung-related infection such as bronchitis or pneumonia?
1    _ _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have COPD.
DISPLAY: UNDERLINE "past 12 months".
GO TO BOX R04_AXR97
GO TO BOX R04_AXR97

<b>PATH ID:</b> <b>R04_AX0750_LC1</b>
The computer recorded that you have been on antibiotics for a lung-related infection [R04_AX0750] times in the past 12 months. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1   BACK
2   NEXT
ASK: IF R04_AX0750 > 50.
GO TO R04_AX0750
GO TO BOX R04_AXR97

<b>BOX ID:</b> <b>R04_AXR97</b>
If respondent has asthma, go to R04_AX0125.
Else, go to R04_AX0726.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0125	
In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?	
Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).	
1 Yes	
2 No	GO TO R04_AX0127
-8 DON'T KNOW	GO TO R04_AX0127
-7 REFUSED	GO TO R04_AX0127
ASK: Adult respondents who have asthma.	

<b>PATH ID:</b> R04_AX0126	
In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?	
1  __ __ __	
-8 DON'T KNOW	GO TO R04_AX0127
-7 REFUSED	GO TO R04_AX0127
ASK: Adult respondents who had an asthma attack in the past 12 months that needed an oral or injected steroid medication.	

<b>PATH ID:</b> R04_AX0126_LC1	
The computer recorded that you had [R04_AX0126] asthma attacks in the past 12 months. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0126
2 NEXT	GO TO R04_AX0127
ASK: IF R04_AX0126 > 100.	

<b>PATH ID:</b> R04_AX0126_LC2	
The computer recorded "0" for the number of asthma attacks you had in the past 12 months. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0126
2 NEXT	GO TO R04_AX0127
ASK: IF R04_AX0126 = 0.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0127</b>	
In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?		
1	Yes	
2	No	GO TO R04_AX0230
-8	DON'T KNOW	GO TO R04_AX0230
-7	REFUSED	GO TO R04_AX0230
ASK: Adult respondents who have asthma.		

<b>PATH ID:</b>	<b>R04_AX0282</b>	
In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?		
1	_ _ _ _	
-8	DON'T KNOW	GO TO R04_AX0230
-7	REFUSED	GO TO R04_AX0230
ASK: Adult respondents who have gone to emergency room for asthma in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AX0282_LC1</b>	
The computer recorded that you have visited an emergency room or urgent care center [R04_AX0282] times in the past 12 months because of asthma. Is that correct?		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AX0282
2	NEXT	GO TO R04_AX0230
ASK: IF R04_AX0282 > 20.		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0230**

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

- 1 3 or more times per day
- 2 1 or 2 times per day
- 3 2 or 3 times per week
- 4 Once a week or less
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: UNDERLINE "In the past 30 days".

**PATH ID: R04\_AX0231**

How would you rate your asthma control during the past 30 days?

- 1 Not controlled at all
- 2 Poorly controlled
- 3 Somewhat controlled
- 4 Well controlled
- 5 Completely controlled
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

**PATH ID: R04\_AX0726**

Overall, how would you rate the health of your teeth and gums?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR98**

New baseline respondents, go to R04\_AX0693\_NB.  
Else, continuing respondents, go to R04\_AX0693\_12M.

**PATH ID: R04\_AX0693\_NB**

Have you ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0694\_NB**

Have you ever had any teeth become loose on their own, without an injury?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0695_NB
How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.
1  __ __
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AX0725
GO TO R04_AX0725
GO TO R04_AX0725
ASK: New baseline adult respondents.

<b>PATH ID:</b> R04_AX0725
How many times do you brush your teeth in one day?
-2 I do not brush my teeth every day
1  __ __  Times
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: DISPLAY "Times" AS A TITLE.

<b>PATH ID:</b> R04_AX0696
Aside from brushing your teeth with a toothbrush, in the last seven days, how many times did you use dental floss or any other device to clean between your teeth?
1  __ __
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> R04_AXR99
New baseline respondents, go to R04_AX0760_NB.
Else, continuing respondents who have seen a dentist in the past 12 months, go to R04_AX0760_12M.
Else, go to Box R04_AXR100.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0760_NB</b>	
Have you ever had your teeth cleaned by a dentist, hygienist, or other health professional?	
1   Yes	GO TO R04_AX0729
2   No	GO TO BOX R04_AXR100
-8   DON'T KNOW	GO TO BOX R04_AXR100
-7   REFUSED	GO TO BOX R04_AXR100
ASK: New baseline adult respondents.	

<b>PATH ID:</b> <b>R04_AX0729</b>	
How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional? (If it was earlier today, enter 1 day)	
1    _ _  DAYS	
2    _ _  MONTHS	
3    _ _  YEARS	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who have had their teeth cleaned.	

<b>BOX ID:</b> <b>R04_AXR100</b>	
New baseline respondents, go to R04_AX0727_NB.	
Else, continuing respondents who have seen a dentist in the past 12 months, go to R04_AX0727_12M.	
Else, go to Box R04_AXR25.	

<b>PATH ID:</b> <b>R04_AX0727_NB</b>	
Have you ever been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?	
1   Yes	
2   No	
-8   DON'T KNOW	
-7   REFUSED	
ASK: New baseline adult respondents.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0129_NB</b>	
Have you ever been told by a dentist, hygienist, or other health professional that you have gum disease?	
1 Yes	
2 No	GO TO R04_AX0132_NB
-8 DON'T KNOW	GO TO R04_AX0132_NB
-7 REFUSED	GO TO R04_AX0132_NB
ASK: New baseline adult respondents.	

<b>PATH ID: R04_AX0131_NB</b>	
How old were you when you were first told you had gum disease?	
1  __ __ __  Years old	
-8 DON'T KNOW	GO TO R04_AX0261_NB
-7 REFUSED	GO TO R04_AX0261_NB
ASK: New baseline adult respondents who have had gum disease.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

<b>PATH ID: R04_AX0131_NB_LC1</b>	
The computer recorded that you were [R04_AX0131_NB] years old when you were first told that you had gum disease. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0131_NB
2 NEXT	GO TO R04_AX0132_NB
ASK: IF R04_AX0131_NB > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0261_NB</b>	
When you were first told you had gum disease, were you...	
1 Less than 18 years old,	
2 18 to 24 years old,	
3 25 to 34 years old,	
4 35 to 44 years old,	
5 45 to 54 years old, or	
6 55 years old or older?	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had gum disease.	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0132\_NB**

Have you ever been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AXR25 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR25 |
| -7 | REFUSED    | GO TO BOX R04_AXR25 |

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0133\_NB**

How old were you when you were first told you had pre-cancerous oral lesions?

- |    |                    |                     |
|----|--------------------|---------------------|
| 1  | _ _ _ _  Years old |                     |
| -8 | DON'T KNOW         | GO TO R04_AX0262_NB |
| -7 | REFUSED            | GO TO R04_AX0262_NB |

ASK: New baseline adult respondents who have had pre-cancerous oral lesions.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AX0133\_NB\_LC1**

The computer recorded that you were [R04\_AX0133\_NB] years old when you were first told that you had pre-cancerous oral lesions. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AX0133_NB |
| 2 | NEXT | GO TO R04_AX0719    |

ASK: IF R04\_AX0133\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0262_NB</b>	
When you were first told you had pre-cancerous oral lesions, were you...		
1	Less than 18 years old,	GO TO R04_AX0719
2	18 to 24 years old,	GO TO R04_AX0719
3	25 to 34 years old,	GO TO R04_AX0719
4	35 to 44 years old,	GO TO R04_AX0719
5	45 to 54 years old, or	GO TO R04_AX0719
6	55 years old or older?	GO TO R04_AX0719
-8	DON'T KNOW	GO TO R04_AX0719
-7	REFUSED	GO TO R04_AX0719
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had precancerous oral lesions.		

<b>PATH ID:</b>	<b>R04_AX0719</b>	
Does your oral lesion require treatment?		
1	Yes	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have reported having pre-cancerous oral lesions.		

<b>BOX ID:</b>	<b>R04_AXR25</b>
New baseline respondents go to R04_AX0281_NB.	
Else, continuing respondents go to R04_AX0281_12M.	

<b>PATH ID:</b>	<b>R04_AX0281_NB</b>	
Have you ever been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?		
1	Yes	
2	No	GO TO BOX R04_AXR83
-8	DON'T KNOW	GO TO BOX R04_AXR83
-7	REFUSED	GO TO BOX R04_AXR83
ASK: New baseline adult respondents.		

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0280_NB</b>	
How old were you when you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes?	
1  __ __ __  Years old	
-8 DON'T KNOW	GO TO R04_AX0263_NB
-7 REFUSED	GO TO R04_AX0263_NB
ASK: New baseline adult respondents who have diabetes or raised glucose levels.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

<b>PATH ID: R04_AX0280_NB_LC1</b>	
The computer recorded that you were [R04_AX0280_NB] years old when you were first told that you had diabetes. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0280_NB
2 NEXT	GO TO BOX R04_AXR83
ASK: IF R04_AX0280_NB > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0263_NB</b>	
When you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, were you...	
1 Less than 18 years old,	GO TO BOX R04_AXR83
2 18 to 24 years old,	GO TO BOX R04_AXR83
3 25 to 34 years old,	GO TO BOX R04_AXR83
4 35 to 44 years old,	GO TO BOX R04_AXR83
5 45 to 54 years old, or	GO TO BOX R04_AXR83
6 55 years old or older?	GO TO BOX R04_AXR83
-8 DON'T KNOW	GO TO BOX R04_AXR83
-7 REFUSED	GO TO BOX R04_AXR83
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.	

<b>BOX ID: R04_AXR83</b>
If respondent has ever had diabetes, go to R04_AX0721. Else, go to Box R04_AXR27.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0721**

[In the past, you told us you had diabetes.

]What type of diabetes do you have?

- 1 Type 1
- 2 Type 2
- 3 I don't know
- 4 I have never had diabetes
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR27

ASK: Adult respondents who have ever been told they have diabetes.

DISPLAY: IF RESPONDENT REPORTED HAVING DIABETES IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_DIABETES = 1 AND R04\_AX0281\_NB != 1 AND R04\_AX0281\_12M != 1], DISPLAY "In the past, you told us you had diabetes." AND DISPLAY OPTION 4.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 4.

**PATH ID: R04\_AX0697**

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

- 1 Insulin
- 2 Diabetic pills
- 3 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have diabetes and did not recant their diabetes diagnosis.

**BOX ID: R04\_AXR27**

New baseline respondents, go to Box R04\_AXD19.

Else, continuing respondents who have seen a doctor in the past 12 months, go to Box R04\_AXD20.

Else, go to Box R04\_AXR42.

**BOX ID: R04\_AXD19**

Display questions R04\_AX0141\_NB, R04\_AX0147\_NB, R04\_AX0151\_NB, and R04\_AX0144\_NB on one screen. Show the transition text and question stem from R04\_AX0141\_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0141\_NB**

Have you ever been told by a doctor, nurse or other health professional that you had...

An ulcer? Include stomach, duodenal or peptic ulcers.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0147\_NB**

Stomach or other gastro-intestinal bleeding?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0151\_NB**

A cataract or glaucoma?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0144\_NB**

Cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR29**

New baseline respondents who have had an ulcer, go to R04\_AX0143\_NB.  
Else, new baseline respondents who have had stomach or gastrointestinal bleeding, go to R04\_AX0148\_NB.  
Else, new baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.  
Else, new baseline respondents who have had cancer, go to R04\_AX0145.  
Else, new baseline respondents go to Box R04\_AXR40.

**BOX ID: R04\_AXD20**

Display questions R04\_AX0141\_12M, R04\_AX0147\_12M, R04\_AX0151\_12M, and R04\_AX0144\_12M on one screen. Show the transition text and question stem from R04\_AX0141\_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

**BOX ID: R04\_AXR42**

Continuing adults who have ever had an ulcer, go to R04\_AX0698.  
Else, continuing adults who have had cancer in the past 12 months, go to R04\_AX0145.  
Else, continuing adults who have ever had cancer, go to R04\_AX0705.  
Else, continuing adults go to Box R04\_AXR40.

**PATH ID: R04\_AX0143\_NB**

How old were you when you were first told you had an ulcer?

1 |\_\_|\_\_| Years old  
-8 DON'T KNOW GO TO R04\_AX0264\_NB  
-7 REFUSED GO TO R04\_AX0264\_NB

ASK: New baseline adult respondents who were told they had an ulcer.  
DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AX0143\_NB\_LC1**

The computer recorded that you were [R04\_AX0143\_NB] years old when you were first told that you had an ulcer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AX0143\_NB  
2 NEXT GO TO R04\_AX0698

ASK: IF R04\_AX0143\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0264\_NB**

When you were first told you had an ulcer, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they were first told they had an ulcer.

**PATH ID: R04\_AX0698**

[In the past, you told us you had an ulcer.

]Have you taken any medication for an ulcer in the past 30 days?

- 1 Yes
- 2 No GO TO R04\_AX0699
- 3 I have never had an ulcer GO TO BOX R04\_AXR34
- 8 DON'T KNOW GO TO R04\_AX0699
- 7 REFUSED GO TO R04\_AX0699

ASK: Adult respondents who have ever been told they have ulcers.

DISPLAY: IF RESPONDENT REPORTED HAVING ULCERS IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_ULCER = 1 AND R04\_AX0141\_NB != 1 AND R04\_AX0141\_12M != 1], DISPLAY "In the past, you told us you had an ulcer." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 3.

**PATH ID: R04\_AX0738**

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

- 1 Over the counter antacids
- 2 Prescription medications
- 3 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken medications for ulcers in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0699	
Have you been tested for a bacterial infection, called H. Pylori, in your stomach?	
1 Yes	
2 No	GO TO BOX R04_AXR34
3 I don't know	GO TO BOX R04_AXR34
-8 DON'T KNOW	GO TO BOX R04_AXR34
-7 REFUSED	GO TO BOX R04_AXR34
ASK: Adult respondents who have ever been told they have ulcers.	

<b>PATH ID:</b> R04_AX0739	
Did you test positive for H. Pylori?	
1 Yes	
2 No	
3 I don't know	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have been tested for H. Pylori.	

<b>BOX ID:</b> R04_AXR34	
New baseline respondents who have had stomach or gastrointestinal bleeding, go to R04_AX0148_NB. Else, new baseline respondents who have had a cataract or glaucoma, go to R04_AX0152_NB. Else, new baseline respondents who have had cancer, go to R04_AX0145. Else, new baseline respondents go to Box R04_AXR40. Else, continuing adults who have had cancer in the past 12 months, go to R04_AX0145. Else, continuing adults who have ever had cancer, go to R04_AX0705. Else, continuing adults go to Box R04_AXR40.	

<b>PATH ID:</b> R04_AX0148_NB	
How old were you when you were first told you had stomach or other gastro-intestinal bleeding?	
1  __ __  Years old	
-8 DON'T KNOW	GO TO R04_AX0266_NB
-7 REFUSED	GO TO R04_AX0266_NB
ASK: New baseline adult respondents who were told they had stomach or other GI bleeding. DISPLAY: DISPLAY "Years old" AS A TITLE.	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0148\_NB\_LC1**

The computer recorded that you were [R04\_AX0148\_NB] years old when you were first told that you had stomach or other gastro-intestinal bleeding. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0148\_NB

2 NEXT

GO TO BOX R04\_AXR36

ASK: IF R04\_AX0148\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0266\_NB**

When you were first told you had stomach or other gastro-intestinal bleeding, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had GI bleeding.

**BOX ID: R04\_AXR36**

New baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.

Else, new baseline respondents who have had cancer in the past 12 months, go to R04\_AX0145.

Else, continuing adults who have ever had cancer, go to R04\_AX0705.

Else, go to Box R04\_AXR40.

**PATH ID: R04\_AX0152\_NB**

How old were you when you were first told you had a cataract or glaucoma?

1 |\_\_|\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AX0269\_NB

-7 REFUSED

GO TO R04\_AX0269\_NB

ASK: New baseline adult respondents who were told they had a cataract or glaucoma.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0152\_NB\_LC1**

The computer recorded that you were [R04\_AX0152\_NB] years old when you were first told that you had a cataract or glaucoma. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0152\_NB

2 NEXT

GO TO BOX R04\_AXR39

ASK: IF R04\_AX0152\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0269\_NB**

When you were first told you had a cataract or glaucoma, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report age when they were first told they had a cataract/glaucoma.

**BOX ID: R04\_AXR39**

New baseline respondents who have had cancer, go to R04\_AX0145.

Else, new baseline respondents go to Box R04\_AXR40.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0145**

What kind of cancer were you told that you had? Choose all that apply.

[If you do not see the kind below, touch the button marked "NEXT". If you do not see the kind below, touch the box marked "OTHER".]

- 1 BLADDER
- 2 BLOOD
- 3 BONE
- 4 BRAIN
- 5 BREAST
- 6 CERVIX (CERVICAL)
- 7 COLON
- 8 ESOPHAGUS (ESOPHAGEAL)
- 9 GALLBLADDER
- 10 KIDNEY
- 11 LARYNX/WINDPIPE
- 12 LEUKEMIA
- 13 LIVER
- 14 LUNG
- 15 LYMPHOMA/HODGKIN'S DISEASE
- 17 MOUTH/TONGUE/LIP
- 18 NERVOUS SYSTEM
- 19 OVARY (OVARIAN)
- 20 PANCREAS (PANCREATIC)
- 21 PROSTATE
- 22 RECTUM (RECTAL)
- 16 SKIN (MELANOMA)
- 23 SKIN (NON-MELANOMA)
- 24 SKIN (DON'T KNOW WHAT KIND)
- 25 SOFT TISSUE (MUSCLE OR FAT)
- 26 STOMACH
- 27 TESTIS (TESTICULAR)
- 28 THROAT
- 29 THYROID
- 30 UTERUS (UTERINE)
- 31 OTHER
- 8 DON'T KNOW
- 7 REFUSED

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

ASK: Adult respondents who have had cancer.

DISPLAY: IF SCREENS 1-3 DISPLAY: If you do not see the kind below, touch the button marked "NEXT".

IF LAST SCREEN DISPLAY: If you do not see the kind below, touch the box marked "OTHER".

**BOX ID: R04\_AXR41**

If new baseline respondent, go to Box R04\_AXR46.

Else, go to Box R04\_AXR40.

**BOX ID: R04\_AXR46**

PROGRAM: CREATE LOOP:

Repeat R04\_AX0146\_NB[01/.../31] through R04\_AX0265\_NB[01/.../31] for each type of cancer the respondent reports they had in R04\_AX0145. (This loop is only asked of new baseline adults who reported ever having cancer.)

**PATH ID: R04\_AX0146\_NB**

At what age were you first diagnosed with [TYPE OF CANCER/cancer]?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AX0265\_NB[01/.../31]

-7 REFUSED

GO TO R04\_AX0265\_NB[01/.../31]

ASK: New baseline adult respondents who have cancer.

DISPLAY: DISPLAY "Years old" AS A TITLE.

FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R04\_AX0145[01/.../31] AS FOLLOWS:

IF R04\_AX0145\_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer".

ELSE, IF R04\_AX0145[12/\_15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer".

ELSE, IF R04\_AX0145[16/\_23] = 1, DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES BEFORE "skin" AND DISPLAY "cancer" (EX. "melanoma skin cancer").

ELSE, IF R04\_AX0145\_24 = 1, DISPLAY AS "skin cancer (don't know what kind)".

ELSE, IF R04\_AX0145[06/\_08/\_19/\_20/\_22/\_27/\_30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (EX. "cervical cancer" INSTEAD OF "cervix (cervical) cancer").

ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0146_NB_01_LC1</b>	
The computer recorded that you were [R04_AX0146_NB_01] years old when you were first diagnosed with bladder cancer. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0146_NB_01
2 NEXT	GO TO BOX R04_AXR47
ASK: IF R04_AX0146_NB_01 > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0146_NB_02_LC1</b>	
The computer recorded that you were [R04_AX0146_NB_02] years old when you were first diagnosed with blood cancer. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0146_NB_02
2 NEXT	GO TO BOX R04_AXR47
ASK: IF R04_AX0146_NB_02 > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0146_NB_03_LC1</b>	
The computer recorded that you were [R04_AX0146_NB_03] years old when you were first diagnosed with bone cancer. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0146_NB_03
2 NEXT	GO TO BOX R04_AXR47
ASK: IF R04_AX0146_NB_03 > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0146_NB_04_LC1</b>	
The computer recorded that you were [R04_AX0146_NB_04] years old when you were first diagnosed with brain cancer. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0146_NB_04
2 NEXT	GO TO BOX R04_AXR47
ASK: IF R04_AX0146_NB_04 > R04_ACHIEVEDAGE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_05\_LC1**

The computer recorded that you were [R04\_AX0146\_NB\_05] years old when you were first diagnosed with breast cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_05 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_05 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_06\_LC1**

The computer recorded that you were [R04\_AX0146\_NB\_06] years old when you were first diagnosed with cervical cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_06 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_06 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_07\_LC1**

The computer recorded that you were [R04\_AX0146\_NB\_07] years old when you were first diagnosed with colon cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_07 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_07 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_08\_LC1**

The computer recorded that you were [R04\_AX0146\_NB\_08] years old when you were first diagnosed with esophageal cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_08 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_08 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_09\_LC1**

The computer recorded that you were [R04\_AX0146\_NB\_09] years old when you were first diagnosed with gallbladder cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_09 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_09 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_10\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_10] years old when you were first diagnosed with kidney cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_10 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_10 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_11\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_11] years old when you were first diagnosed with larynx or windpipe cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_11 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_11 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_12\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_12] years old when you were first diagnosed with leukemia. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_12 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_12 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_13\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_13] years old when you were first diagnosed with liver cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_13

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_13 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_14\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_14] years old when you were first diagnosed with lung cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_14

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_14 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_15\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_15] years old when you were first diagnosed with lymphoma or Hodgkin's disease. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_15

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_15 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_16\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_16] years old when you were first diagnosed with melanoma skin cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_16

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_16 > R04\_ACHIEVEDAGE.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_17\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_17] years old when you were first diagnosed with mouth, tongue or lip cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_17 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_17 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_18\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_18] years old when you were first diagnosed with nervous system cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_18 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_18 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_19\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_19] years old when you were first diagnosed with ovarian cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_19 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_19 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_20\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_20] years old when you were first diagnosed with pancreatic cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_20 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_20 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_21\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_21] years old when you were first diagnosed with prostate cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_21

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_21 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_22\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_22] years old when you were first diagnosed with rectal cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_22

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_22 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_23\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_23] years old when you were first diagnosed with non-melanoma skin cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_23

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_23 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_24\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_24] years old when you were first diagnosed with skin cancer (don't know what kind). That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_24

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_24 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_25\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_25] years old when you were first diagnosed with soft tissue (muscle or fat) cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_25

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_25 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_26\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_26] years old when you were first diagnosed with stomach cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_26

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_26 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_27\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_27] years old when you were first diagnosed with testicular cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_27

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_27 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_28\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_28] years old when you were first diagnosed with throat cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_28

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_28 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_29\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_29] years old when you were first diagnosed with thyroid cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_29

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_29 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_30\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_30] years old when you were first diagnosed with uterine cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_30

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_30 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_31\_LC**

The computer recorded that you were [R04\_AX0146\_NB\_31] years old when you were first diagnosed with cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0146\_NB\_31

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_31 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0265\_NB**

When you were first diagnosed with [TYPE OF CANCER/cancer], were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first diagnosed with cancer.

DISPLAY: FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R04\_AX0145[\_01/.../\_31] AS FOLLOWS:

IF R04\_AX0145\_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer".

ELSE, IF R04\_AX0145[\_12/\_15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer".

ELSE, IF R04\_AX0145[\_16/\_23] = 1, DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES BEFORE "skin" AND DISPLAY "cancer" (EX. "melanoma skin cancer").

ELSE, IF R04\_AX0145\_24 = 1, DISPLAY AS "skin cancer (don't know what kind)".

ELSE, IF R04\_AX0145[\_06/\_08/\_19/\_20/\_22/\_27/\_30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (EX. "cervical cancer" INSTEAD OF "cervix (cervical) cancer").

ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

**BOX ID: R04\_AXR47**

END NEW BASELINE CANCER LOOP:

If the respondent has loops to complete for other types of cancer, return to Box R04\_AXR46 and loop through the subsection for any other types of cancer the respondent has had.

Else, if the respondent has no more remaining loops to complete, go to Box R04\_AXR40.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0705**

In the past, you told us you had cancer.

Are you in remission for cancer?

- 1 Yes
- 2 No
- 3 I have never had cancer
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR40

ASK: Continuing adult respondents who have ever been diagnosed with cancer, but were not told they had cancer in the past 12 months.

**PATH ID: R04\_AX0748**

In the past, you told us you had cancer.

Have you had a recurrence of cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have ever been diagnosed with cancer, but were not told they had cancer in the past 12 months and did not recant their cancer diagnosis.

**BOX ID: R04\_AXR40**

New baseline adult respondents, go to Box R04\_AXD25.

Else, continuing adults who are aged 40 or older and who have seen a doctor in the past 12 months, go to Box R04\_AXD21.

Else, go to R04\_AX0756.

**BOX ID: R04\_AXD25**

Display questions R04\_AX0149\_NB, R04\_AX0196\_NB, and R04\_AX0400\_NB on one screen. Show the transition text and question stem from R04\_AX0149\_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0149\_NB**

Have you ever been told by a doctor, nurse or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0196\_NB**

Had a bone fracture because you have fragile bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0400\_NB**

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**BOX ID: R04\_AXR86**

If new baseline respondent has been diagnosed with osteoporosis, go to R04\_AX0150\_NB.  
Else, if new baseline respondent has been diagnosed with fragile bones, go to R04\_AX0198\_NB.  
Else, go to Box R04\_AXR88.

**BOX ID: R04\_AXD21**

Display questions R04\_AX0149\_12M, R04\_AX0196\_12M, and R04\_AX0400\_12M on one screen.  
Show the transition text and question stem from R04\_AX0149\_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR17**

If respondent aged 40 or older has been diagnosed with fragile bones, go to R04\_AX0701.  
Else, if respondent aged 40 or older has been diagnosed with osteoporosis, go to R04\_AX0700.  
Else, go to R04\_AX0702.

**PATH ID: R04\_AX0150\_NB**

How old were you when you were first told you had osteoporosis, sometimes called thin or brittle bones?

1 |\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AX0267\_NB

-7 REFUSED

GO TO R04\_AX0267\_NB

ASK: New baseline adult respondents who were told they had osteoporosis or had a history of unexplained bone fractures.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AX0150\_NB\_LC1**

The computer recorded that you were [R04\_AX0150\_NB] years old when you were first told that you had osteoporosis. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0150\_NB

2 NEXT

GO TO BOX R04\_AXR87

ASK: IF R04\_AX0150\_NB > R04\_ACHIEVEDAGE.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0267_NB</b>
<p>When you were first told you had osteoporosis, were you...</p> <ul style="list-style-type: none"> <li>1 Less than 18 years old,</li> <li>2 18 to 24 years old,</li> <li>3 25 to 34 years old,</li> <li>4 35 to 44 years old,</li> <li>5 45 to 54 years old, or</li> <li>6 55 years old or older?</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had osteoporosis.</p>

<b>BOX ID: R04_AXR87</b>
<p>If new baseline respondent has been diagnosed with fragile bones, go to R04_AX0198_NB.  Else, go to R04_AX0700.</p>

<b>PATH ID: R04_AX0198_NB</b>
<p>How old were you when you were first told you had a bone fracture because you have fragile bones?</p> <ul style="list-style-type: none"> <li>1  __ __  Years old</li> <li>-8 DON'T KNOW <span style="float: right;">GO TO R04_AX0268_NB</span></li> <li>-7 REFUSED <span style="float: right;">GO TO R04_AX0268_NB</span></li> </ul> <p>ASK: New baseline adult respondents who were told they had a bone fracture.  DISPLAY: DISPLAY "Years old" AS A TITLE.</p>

<b>PATH ID: R04_AX0198_NB_LC1</b>
<p>The computer recorded that you were [R04_AX0198_NB] years old when you were first told that you had a bone fracture because of fragile bones. That is older than you are now.</p> <p>If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.</p> <ul style="list-style-type: none"> <li>1 BACK <span style="float: right;">GO TO R04_AX0198_NB</span></li> <li>2 NEXT <span style="float: right;">GO TO R04_AX0701</span></li> </ul> <p>ASK: IF R04_AX0198_NB &gt; R04_ACHIEVEDAGE.</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0268\_NB**

When you were first told you had a bone fracture because of fragile bones, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had a bone fracture because of fragile bones.

**PATH ID: R04\_AX0701**

In the past 12 months, have you been told by a doctor, nurse or other health professional that the healing time for a fracture was longer than expected?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have been diagnosed with fragile bones.

**PATH ID: R04\_AX0700**

Have you ever taken any prednisone or cortisone pills nearly every day for a month or longer?  
Prednisone and cortisone are types of steroids.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have been diagnosed with osteoporosis or fragile bones.

**BOX ID: R04\_AXR88**

Adult respondents who are aged 40 or older, go to R04\_AX0702.  
Else, go to R04\_AX0756.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0702</b>	
Have you ever been told by a doctor, nurse or other health professional that you have macular degeneration?	
1    Yes	
2    No	GO TO R04_AX0756
-8   DON'T KNOW	GO TO R04_AX0756
-7   REFUSED	GO TO R04_AX0756
ASK: Adult respondents aged 40 and older.	

<b>PATH ID:</b> <b>R04_AX0703</b>	
How old were you when you were first told you had macular degeneration?	
1     __ __ __  Years old	
-8   DON'T KNOW	GO TO R04_AX0704
-7   REFUSED	GO TO R04_AX0704
ASK: Adult respondents aged 40 and older who were told they had macular degeneration.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AX0703_LC1</b>	
The computer recorded that you were [R04_AX0703] years old when you were first told that you had macular degeneration That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AX0703
2    NEXT	GO TO R04_AX0756
ASK: IF R04_AX0703 > R04_ACHIEVEDAGE.	

<b>PATH ID:</b> <b>R04_AX0704</b>	
When you were first told you had macular degeneration, were you...	
1    Less than 18 years old,	
2    18 to 24 years old,	
3    25 to 34 years old,	
4    35 to 44 years old,	
5    45 to 54 years old, or	
6    55 years old or older?	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents aged 40 and older who did not know or refused to report the age when they were first told they had macular degeneration.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0756</b>	
Has a doctor, therapist, or other mental health professional ever told you that you have schizophrenia, schizoaffective disorder or psychosis?	
1 Yes	GO TO R04_AX0761
2 No	GO TO R04_AX0761
-8 DON'T KNOW	GO TO R04_AX0761
-7 REFUSED	GO TO R04_AX0761
ASK: All adult respondents.	

<b>PATH ID: R04_AX0757</b>	
How old were you when a doctor, therapist, or other mental health professional first told you that you had schizophrenia, schizoaffective disorder or psychosis?	
1  __ _ __ _ __  Years old	GO TO BOX R04_AXR14
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have ever been told they have schizophrenia/psychosis.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

<b>PATH ID: R04_AX0758</b>	
When you were first told you had schizophrenia, schizoaffective disorder or psychosis, were you...	
1 Less than 18 years old,	GO TO BOX R04_AXR14
2 18 to 24 years old,	GO TO BOX R04_AXR14
3 25 to 34 years old,	GO TO BOX R04_AXR14
4 35 to 44 years old,	GO TO BOX R04_AXR14
5 45 to 54 years old, or	GO TO BOX R04_AXR14
6 55 years old or older?	GO TO BOX R04_AXR14
-8 DON'T KNOW	GO TO BOX R04_AXR14
-7 REFUSED	GO TO BOX R04_AXR14
ASK: Adult respondents who did not know or refused to report the age they were told they have schizophrenia/psychosis.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0761	
Has a doctor, therapist, or other mental health professional ever told you that you had a psychotic illness or episode?	
1 Yes	
2 No	GO TO BOX R04_AXR14
-8 DON'T KNOW	GO TO BOX R04_AXR14
-7 REFUSED	GO TO BOX R04_AXR14
ASK: Adult respondents who have not been diagnosed with schizophrenia, schizoaffective disorder or psychosis.	

<b>PATH ID:</b> R04_AX0762	
How old were you when a doctor, therapist, or other mental health professional first told you that you had a psychotic illness or episode?	
1  __ __ __  Years old	GO TO BOX R04_AXR14
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have ever been told they had a psychotic illness or episode.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

<b>PATH ID:</b> R04_AX0772	
When you were first told you had a psychotic illness or episode were you...	
1 Less than 18 years old,	
2 18 to 24 years old,	
3 25 to 34 years old,	
4 35 to 44 years old,	
5 45 to 54 years old, or	
6 55 years old or older?	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who did not know or refused to report the age they were told they had a psychotic illness or episode.	

<b>BOX ID:</b> R04_AXR14
Adult male respondents aged 20 years old or older, go to R04_AX0730. Else, go to Box R04_AXD06.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0730**

Many men experience problems with sexual intercourse. How would you describe your ability to get and keep an erection adequate for satisfactory intercourse? Would you say that you are...

- 1 Always able or almost always able to get and keep an erection
- 2 Usually able to get and keep an erection
- 3 Sometimes able to get and keep an erection
- 4 Never able to get and keep an erection
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult male respondents aged 20 years old or older.

**BOX ID: R04\_AXD06**

DISPLAY INSTRUCTION:

For R04\_AX0158, display a 'Yes' and 'No' column with options for each response category.

**PATH ID: R04\_AX0158**

In the past 12 months, did you take any of the following medications, even once?

- 1 Aspirin
- 2 Tylenol (acetaminophen)
- 3 Cox-2 inhibitors, for example: Celebrex
- 4 Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR43**

If respondent uses aspirin, go to R04\_AX0156.

Else, if respondent is not a current, experimental current, or recent former tobacco user, go to R04\_AN0330\_12MH.

Else, go to Box R04\_AXR102.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0156</b>
On average, in the past 12 months, how frequently did you take <u>aspirin</u> ? Please <u>do not</u> count other pain relievers such as ibuprofen and Tylenol.
1   Never
2   Less than once a month
3   1-3 days per month
4   Weekly
5   Daily
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who report taking aspirin.
DISPLAY: UNDERLINE "aspirin" AND "do not".

<b>BOX ID:</b> <b>R04_AXR44</b>
If respondent has taken aspirin in the past 12 months, go to R04_AX0157.
Else, if respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH.
Else, go to Box R04_AXR102.

<b>PATH ID:</b> <b>R04_AX0157</b>
What type of aspirin do you usually take?
1   Baby aspirin (162 mg or less)
2   Regular or extra strength aspirin
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have taken aspirin in the past 12 months.

<b>BOX ID:</b> <b>R04_AXR45</b>
If respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH.
Else, go to Box R04_AXR102.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0330_12MH	
In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1 Yes	
2 No	GO TO R04_AN0331_12MH
-8 DON'T KNOW	GO TO R04_AN0331_12MH
-7 REFUSED	GO TO R04_AN0331_12MH
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users.	

<b>PATH ID:</b> R04_AN0307H	
When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1 In the past hour	GO TO R04_AN0309H
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R04_AN0331_12MH
-8 DON'T KNOW	GO TO R04_AN0331_12MH
-7 REFUSED	GO TO R04_AN0331_12MH
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT in the past 12 months.	

<b>PATH ID:</b> R04_AN0308H	
When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307H], was it...	
1 Between midnight and 6AM	
2 After 6AM but before noon	
3 Between noon and 6PM	
4 After 6PM but before midnight	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT today, yesterday or the day before yesterday.	
DISPLAY: FOR [FILL BASED ON R04_AN0307H]:	
IF R04_AN0307H = 2, DISPLAY "sometime today".	
ELSE, IF R04_AN0307H = 3, DISPLAY "yesterday".	
ELSE, IF R04_AN0307H = 4, DISPLAY "the day before yesterday".	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0309H</b>
When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307H], how many did you use?
1  __ __
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT in the past hour, today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0307H]:
IF R04_AN0307H = 1, 2, DISPLAY "today".
ELSE, IF R04_AN0307H = 3, DISPLAY "yesterday".
ELSE, IF R04_AN0307H = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309H_LC1</b>	
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04_AN0309H] times.	
IF this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AN0309H
2 NEXT	GO TO R04_AN0331_12MH
ASK: IF R04_AN0309H > 5.	
DISPLAY: IF R04_AN0307H = 1, 2, DISPLAY "today".	
ELSE, IF R04_AN0307H = 3, DISPLAY "yesterday".	
ELSE, IF R04_AN0307H = 4, DISPLAY "the day before yesterday".	

<b>PATH ID: R04_AN0309H_LC2</b>	
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times.	
IF this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AN0309H
2 NEXT	GO TO R04_AN0331_12MH
ASK: IF R04_AN0309H = 0.	
DISPLAY: IF R04_AN0307H = 1, 2, DISPLAY "today".	
ELSE, IF R04_AN0307H = 3, DISPLAY "yesterday".	
ELSE, IF R04_AN0307H = 4, DISPLAY "the day before yesterday".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0331_12MH	
In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
1 Yes	
2 No	GO TO BOX R04_AXR102
-8 DON'T KNOW	GO TO BOX R04_AXR102
-7 REFUSED	GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users.	

<b>PATH ID:</b> R04_AN0327H	
When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
1 In the past hour	GO TO R04_AN0329H
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO BOX R04_AXR102
-8 DON'T KNOW	GO TO BOX R04_AXR102
-7 REFUSED	GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug in the past 12 months.	

<b>PATH ID:</b> R04_AN0328H	
When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327H], was it...	
1 Between midnight and 6AM	
2 After 6AM but before noon	
3 Between noon and 6PM	
4 After 6PM but before midnight	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug today, yesterday or the day before yesterday.	
DISPLAY: FOR [FILL BASED ON R04_AN0327H]:	
IF R04_AN0327H = 4, DISPLAY "the day before yesterday".	
ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327H, MAKING FIRST LETTER LOWERCASE.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0329H</b>
When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327H], how many did you take?
1  __ __
-8 DON'T KNOW GO TO BOX R04_AXR102
-7 REFUSED GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug in the past hour, today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0327H]:
IF R04_AN0327H = 1, 2, DISPLAY "today".
ELSE, IF R04_AN0327H = 3, DISPLAY "yesterday".
ELSE, IF R04_AN0327H = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0329H_LC1</b>
The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04_AN0329H] times.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0329H
2 NEXT GO TO BOX R04_AXR102
ASK: IF R04_AN0329H = 0 OR IF R04_AN0329H > 5.
DISPLAY: IF R04_AN0327H = 1, 2, DISPLAY "today".
ELSE, IF R04_AN0327H = 3, DISPLAY "yesterday".
ELSE, IF R04_AN0327H = 4, DISPLAY "the day before yesterday".

<b>BOX ID: R04_AXR102</b>
New cohort adult female respondents, go to R04_AX0134_RS.
Else, aged-up and continuing adult female respondents who are less than 50 years old, go to R04_AX0134_12M.
Else, go to R04_AX0488.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0134\_RS**

The next questions are about your pregnancy history.

Have you ever been pregnant? Please include current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AX0488 |
| -8 | DON'T KNOW | GO TO R04_AX0488 |
| -7 | REFUSED    | GO TO R04_AX0488 |

ASK: New cohort adult respondents who are female.

**PATH ID: R04\_AX0135\_RS**

Have any of your pregnancies ended in the following? Choose all that apply.

- 1 Miscarriage
- 2 Abortion
- 3 Ectopic or tubal pregnancy
- 4 Stillbirth
- 5 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have been pregnant.

**PATH ID: R04\_AX0308\_RS**

How many of your pregnancies have resulted in a live birth?

- 1
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have been pregnant.

**BOX ID: R04\_AXR121**

New cohort adult respondents who have been pregnant, but have not had a live birth or did not know or refused to report how many of their pregnancies resulted in a live birth, go to Box R04\_AXR52.  
Else, new cohort adult respondents who have had a live birth, go to R04\_AX0300\_RS.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0300_RS</b>
For [that birth \ those #R04_AX0308_RS births], did any of the following occur? Choose all that apply.  1    Preterm birth (birth of baby less than 37 weeks gestational age) 2    Baby with low birth weight (less than 5 pounds 8 ounces) 3    Baby with birth defects 4    Placenta previa 5    Placenta abruption 6    Pre-eclampsia 7    None of the above -8   DON'T KNOW -7   REFUSED
ASK: New cohort adult respondents who have ever been pregnant and had a live birth. DISPLAY: IF R04_AX0308_RS = 1, DISPLAY "that birth". ELSE, IF R04_AX0308_RS > 1, DISPLAY "those #R04_AX0308_RS births".

<b>BOX ID:</b> <b>R04_AXR52</b>
New cohort adult female respondents who have been pregnant, go to R04_AX0136. Else, go to R04_AX0488.

<b>PATH ID:</b> <b>R04_AX0134_12M</b>
The next questions are about your pregnancy history.  In the past 12 months, have you been pregnant? Please include a current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.  1    Yes 2    No -8   DON'T KNOW -7   REFUSED
ASK: Aged-up and continuing adult female respondents who are less than 50 years old.

<b>BOX ID:</b> <b>R04_AXR53</b>
If aged-up or continuing adult female respondent has been pregnant in the past 12 months, go to R04_AX0136. Else, if respondent was pregnant at the previous wave, and reports not being pregnant in the past 12 months, go to R04_AX0135_12M. Else, if respondent was not pregnant at the previous wave, and reports not being pregnant in the past 12 months, go to R04_AX0488.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0136
Are you pregnant now?  1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: New cohort adult female respondents who have ever been pregnant, and aged-up and continuing adult female respondents who have been pregnant sometime in the past 12 months.

<b>BOX ID:</b> R04_AXR54
If respondent is currently pregnant, go to R04_AX0137. Else, if new cohort adult female respondent who is not currently pregnant, go to Box R04_AXR118. Else, if aged-up and continuing adult female respondent who has been pregnant sometime in the past 12 months and is not currently pregnant, go to R04_AX0135_12M. Else, go to R04_AX0488.

<b>PATH ID:</b> R04_AX0137
How many months or weeks pregnant are you? Please enter the number of months or weeks.  1  __ __  Months 2  __ __  Weeks -8 DON'T KNOW GO TO BOX R04_AXR118 -7 REFUSED GO TO BOX R04_AXR118
ASK: Adult female respondents who are currently pregnant. DISPLAY: Display as Quantity/Units

<b>PATH ID:</b> R04_AX0137_LC1
The computer recorded that you have been pregnant for [R04_AX0137] [months/weeks]. Is that correct?  If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.  1 BACK GO TO R04_AX0137 2 NEXT GO TO BOX R04_AXR118
ASK: IF (R04_AX0137_NN > 10 AND R04_AX0137_UN = 1) OR (R04_AX0137_NN > 42 AND R04_AX0137_UN = 2). DISPLAY: IF R04_AX0137_UN = 1, DISPLAY "months". ELSE, IF R04_AX0137_UN = 2, DISPLAY "weeks".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR118**

New cohort adult female respondents whose pregnancy resulted in preterm birth, low birth weight or birth defects, go to R04\_AX0299.

Else, new cohort adult female respondents who have ever been pregnant and respondents who are currently pregnant, go to R04\_AX0340.

Else, go to R04\_AX0488.

**PATH ID: R04\_AX0135\_12M**

What was the outcome of your last pregnancy?

- 1 Live birth
- 2 Miscarriage
- 3 Abortion
- 4 Ectopic or tubal pregnancy
- 5 Stillbirth
- 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult female respondents who were pregnant during the previous wave, or who became pregnant in the past 12 months but are not currently pregnant during the current wave.

**BOX ID: R04\_AXR55**

If pregnancy resulted in live birth, go to R04\_AX0300\_12M.

Else, go to R04\_AX0340.

**PATH ID: R04\_AX0300\_12M**

For your last pregnancy, did any of the following occur? Choose all that apply.

- 1 Preterm birth (birth of baby less than 37 weeks gestational age)
- 2 Baby with low birth weight (less than 5 pounds 8 ounces)
- 3 Baby with birth defects
- 4 Placenta Previa
- 5 Placenta Abruption
- 6 Pre-eclampsia
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents whose last pregnancy resulted in a live birth.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR56**

If pregnancy resulted in preterm birth, low birth weight or birth defects, go to R04\_AX0299.  
Else, go to R04\_AX0340.

**PATH ID: R04\_AX0299**

Does your child have any developmental delays?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who previously reported having a preterm birth or having babies with low birth weight or birth defects.

**BOX ID: R04\_AXR57**

If pregnancy resulted in birth defects, go to R04\_AX0706.  
Else, go to R04\_AX0340.

**PATH ID: R04\_AX0706**

Was your child born with a cleft lip or a cleft palate?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who previously reported having a baby with birth defects.

**BOX ID: R04\_AXR119**

New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, go to R04\_AX0340.  
Else, go to R04\_AX0488.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0340**

During the 3 months before your [most recent / current] pregnancy, how many alcoholic drinks did you have in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0341**

During the last 3 months of your [most recent / current] pregnancy, how many alcoholic drinks [did you have/have you had] in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "did you have". ELSE, DISPLAY "most recent" AND "have you had".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXV05**

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_PASTUSE\_CIGS** - Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarette smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarettes.

**R04\_PASTUSE\_EPRODS** - Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 and new baseline adult respondents who have ever used electronic nicotine products.

**R04\_PASTUSE\_GTRAD** - Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former traditional cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked traditional cigars.

**R04\_PASTUSE\_GRILLO** - Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarillo smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarillos.

**R04\_PASTUSE\_GFILTR** - Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former filtered cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked filtered cigars.

**R04\_PASTUSE\_PIPE** - Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former pipe smokers in Wave 3 and new baseline adult respondents who have ever smoked pipe tobacco.

**R04\_PASTUSE\_HOOK** - Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former hookah smokers in Wave 3 and new baseline adult respondents who have ever smoked hookah.

**R04\_PASTUSE\_SNUS** - Continuing adult respondents who used snus in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former snus users in Wave 3 and new baseline adult respondents who have ever used snus.

**R04\_PASTUSE\_SMKLS** - Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former smokeless tobacco users in Wave 3 and new baseline adult respondents who have ever used smokeless tobacco.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR60**

If respondent has smoked cigarettes, go to R04\_AX0342.  
Else, If respondent has used e-products, go to R04\_AX0344.  
Else, if respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0342**

During the 3 months before your [most recent / current] pregnancy, how many cigarettes did you smoke on an average day? A pack usually has 20 cigarettes in it.

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarettes.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0343**

During the last 3 months of your [most recent / current] pregnancy, how many cigarettes [did you smoke/have you smoked] on an average day?

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarettes.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**BOX ID: R04\_AXR89**

If respondent has used e-products, go to R04\_AX0344.  
Else, if respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0344**

During the 3 months before your [most recent / current] pregnancy, how often did you use e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used e-products.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH ID: R04\_AX0345**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used e-products.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you used". ELSE, DISPLAY "most recent" AND "did you use".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR90**

If respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0346**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked traditional cigars.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0347**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked traditional cigars.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**BOX ID: R04\_AXR91**

If respondent has smoked cigarillos, go to R04\_AX0348.

Else, if respondent has smoked filtered cigars, go to R04\_AX0350.

Else, if respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0348**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarillos.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH ID: R04\_AX0349**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarillos.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR92**

If respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0350**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked filtered cigars.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0351**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked filtered cigars.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**BOX ID: R04\_AXR93**

If respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0352**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked a pipe.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH ID: R04\_AX0353**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked a pipe.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR94**

If respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0354**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked hookah.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0355**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked hookah.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**BOX ID: R04\_AXR95**

If respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH ID: R04\_AX0356**

During the 3 months before your [most recent / current] pregnancy, how often did you use snus?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used snus.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0357**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] snus?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used snus.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you used". ELSE, DISPLAY "most recent" AND "did you use".

**BOX ID: R04\_AXR96**

If respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0358**

During the 3 months before your [most recent / current] pregnancy, how often did you use [other types of ]smokeless tobacco (such as dip, spit, or chew)?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used smokeless tobacco.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

IF R04\_PASTUSE\_SNUS = 1, DISPLAY "other types of ". ELSE, DO NOT DISPLAY.

**PATH ID: R04\_AX0359**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] smokeless tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used smokeless tobacco.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you used". ELSE, DISPLAY "most recent" AND "did you use".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0488**

The next questions are about common psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.

1 NEXT

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant".

**BOX ID: R04\_AXD91**

Display questions R04\_AX0161 through R04\_AX0164 using the expanded WVB stem-leaf screen. The introduction text from R04\_AX0161 is the stem. As each question is answered, show the next one.

**PATH ID: R04\_AX0161**

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant problems".

**PATH ID: R04\_AX0162**

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0163</b>
feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?
1   Past month
2   2 to 12 months ago
3   Over a year ago
4   Never
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0164</b>
becoming very distressed and upset when something reminded you of the past?
1   Past month
2   2 to 12 months ago
3   Over a year ago
4   Never
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXD92</b>
Display questions R04_AX0165 through R04_AX0251 using the expanded WVB stem-leaf screen. The introduction text from R04_AX0165 is the stem. As each question is answered, show the next one.

<b>PATH ID:</b> <b>R04_AX0165</b>
When was the last time that you did any of the following things <u>two or more times</u> ...
lied or conned to get things you wanted or to avoid having to do something?
1   Past month
2   2 to 12 months ago
3   Over a year ago
4   Never
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "two or more times".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0166**

had a hard time paying attention at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0167**

had a hard time listening to instructions at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0168**

were a bully or threatened other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0169**

started physical fights with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0250**

felt restless or the need to run around or climb on things?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0251**

gave answers before the other person finished asking the question?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR103**

New cohort adult respondents, go to R04\_AX0084\_RS.  
Else, go to R04\_AX0084\_12M.

**PATH ID: R04\_AX0084\_RS**

The next questions ask about your use of alcohol and other drugs. Remember all the information you give to the PATH Study will be kept private.

Have you ever used alcohol at all, including sips of someone's drink or your own drink?

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_AXR120  
GO TO BOX R04\_AXR120  
GO TO BOX R04\_AXR120

ASK: New cohort adult respondents.

DISPLAY: UNDERLINE "at all".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0086_RS</b>	
About how old were you when you first drank alcohol <u>at all</u> , counting small tastes or sips?	
1 <input type="text"/> <input type="text"/> Years old	
-8    DON'T KNOW	GO TO R04_AX0087_RS
-7    REFUSED	GO TO R04_AX0087_RS
ASK: New cohort adult respondents who have ever used alcohol.	
DISPLAY: UNDERLINE "at all".    DISPLAY "Years old" AS A TITLE.	

<b>PATH ID: R04_AX0086_RS_LC1</b>	
The computer recorded that you were [R04_AX0086_RS] years old when you were first drank alcohol at all. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AX0086_RS
2    NEXT	GO TO R04_AX0074_RS
ASK: IF R04_AX0086_RS > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0087_RS</b>	
When you first drank alcohol <u>at all</u> , counting small tastes or sips, were you...	
1    Less than 18 years old,	
2    18 to 24 years old,	
3    25 to 34 years old,	
4    35 to 44 years old,	
5    45 to 54 years old, or	
6    55 years old or older?	
-8    DON'T KNOW	
-7    REFUSED	
ASK: New cohort adult respondents who did not know or refused to report the age they first drank alcohol.	
DISPLAY: UNDERLINE "at all".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0074_RS
About how old were you when you had your <u>first alcoholic drink</u> , other than small tastes or sips?
A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.
-2 I have never had an alcoholic drink other than small tastes or sips
1 I ___I___I Years old
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AX0270_RS
GO TO R04_AX0270_RS
ASK: New cohort adult respondents who have ever used alcohol.
DISPLAY: UNDERLINE "first alcoholic drink".
DISPLAY "Years old" AS A TITLE.

<b>PATH ID:</b> R04_AX0074_RS_LC1
The computer recorded that you first started drinking alcohol at age [R04_AX0074_RS]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
GO TO R04_AX0074_RS
GO TO R04_AX0084_12M
ASK: IF R04_AX0074_RS = 0.

<b>PATH ID:</b> R04_AX0074_RS_LC2
The computer recorded that you were [R04_AX0074_RS] years old when you first drank alcohol. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
GO TO R04_AX0074_RS
GO TO R04_AX0084_12M
ASK: IF R04_AX0074_RS > R04_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0270_RS
When you had your <u>first alcoholic drink</u> , were you...
1 Less than 18 years old,
2 18 to 24 years old,
3 25 to 34 years old,
4 35 to 44 years old,
5 45 to 54 years old, or
6 55 years old or older?
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult respondents who did not know or refused to report the age they first had an alcoholic drink.
DISPLAY: UNDERLINE "first alcoholic drink".

<b>PATH ID:</b> R04_AX0084_12M
[The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.]
In the past 12 months, have you used any alcohol, including small tastes or sips?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120
ASK: Aged-up and continuing respondents and new cohort adult respondents who report ever having used alcohol.
DISPLAY: IF R04_ADULTTYPE = 1, 2 DISPLAY "The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private." ELSE, DO NOT DISPLAY.

<b>PATH ID:</b> R04_AX0673
Have you used alcohol within the <u>past 30 days</u> ?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120
ASK: Adult respondents who have used alcohol in the past 12 months.
DISPLAY: UNDERLINE "past 30 days".



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0075**

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 |\_\_|\_\_| DAYS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used alcohol in the past 30 days.

**BOX ID: R04\_AXR48**

If respondent drank on at least one of the past 30 days or did not know or refused to report on how many of the past 30 days they drank, go to R04\_AX0076.

Else, go to Box R04\_AXR120.

**PATH ID: R04\_AX0076**

On average, on those [days that you drank in the past 30 days / NUMBER OF DAYS FROM R04\_AX0075 days], how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 |\_\_|\_\_|
- 8 DON'T KNOW GO TO BOX R04\_AXR120
- 7 REFUSED GO TO BOX R04\_AXR120

ASK: Adult respondents who drank alcohol on one or more days in the past 30 days.

DISPLAY: IF R04\_AX0075 = 1, -8, -7, DISPLAY "days that you drank in the past 30 days".

IF R04\_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R04\_AX0075 AND "days".

**PATH ID: R04\_AX0076\_LC1**

The computer recorded that you usually drank [R04\_AX0076] alcoholic beverages on the days that you drank during the last 30 days. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AX0076
- 2 NEXT GO TO BOX R04\_AXR120

ASK: IF R04\_AX0076 > 30.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR120**

New cohort adult respondents who did not previously report smoking a blunt, smoking marijuana from a hookah, or using marijuana in an e-product, go to R04\_AX0085\_RS.

Else, new cohort adult respondents who have previously reported ever using marijuana, go to R04\_AX0079\_RS.

Else, go to Box R04\_AXR49.

**PATH ID: R04\_AX0085\_RS**

Have you ever used marijuana, hash, THC, grass, pot or weed?

1 Yes

2 No GO TO BOX R04\_AXR106

-8 DON'T KNOW GO TO BOX R04\_AXR106

-7 REFUSED GO TO BOX R04\_AXR106

ASK: New cohort adult respondents who did not previously report smoking a blunt, smoking marijuana from a hookah, or smoking marijuana from an e-product.

**PATH ID: R04\_AX0079\_RS**

How old were you when you first used marijuana, hash, THC, grass, pot, or weed?

1 |\_\_|\_\_|\_\_| Years old

-8 DON'T KNOW GO TO R04\_AX0271\_RS

-7 REFUSED GO TO R04\_AX0271\_RS

ASK: New cohort adult respondents who have ever used marijuana.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AX0079\_RS\_LC1**

The computer recorded that you first started using marijuana, hash, THC, grass, pot, or weed at age [R04\_AX0079\_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AX0079\_RS

2 NEXT GO TO BOX R04\_AXR49

ASK: IF R04\_AX0079\_RS <= 10.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0079_RS_LC2	
The computer recorded that you were [R04_AX0079_RS] years old when you first used marijuana, hash, THC, grass, pot, or weed. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0079_RS
2 NEXT	GO TO BOX R04_AXR49
ASK: IF R04_AX0079_RS > R04_ACHIEVEDAGE.	

<b>PATH ID:</b> R04_AX0271_RS	
When you first used marijuana, hash, THC, grass, pot, or weed, were you...	
1 Less than 18 years old,	
2 18 to 24 years old,	
3 25 to 34 years old,	
4 35 to 44 years old,	
5 45 to 54 years old, or	
6 55 years old or older?	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New cohort adult respondents who did not know or refused to report age they first used marijuana, hash, THC, grass, pot, or weed.	

<b>BOX ID:</b> R04_AXR49	
If respondent has smoked a blunt in the past 12 months, go to R04_AX0675.	
Else, go to R04_AX0085_12M.	

<b>PATH ID:</b> R04_AX0085_12M	
In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?	
1 Yes	
2 No	GO TO BOX R04_AXR106
-8 DON'T KNOW	GO TO BOX R04_AXR106
-7 REFUSED	GO TO BOX R04_AXR106
ASK: Aged-up and continuing adult respondents who did not previously report smoking a blunt in the past 12 months, and new cohort adults who have ever used marijuana and did not previously report smoking a blunt in the past 12 months.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0675</b>
Have you used marijuana, hash, THC, grass, pot or weed within the <u>past 30 days</u> ?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have used marijuana in the past 12 months.
DISPLAY: UNDERLINE "past 30 days".

<b>BOX ID:</b> <b>R04_AXR106</b>
New cohort adult respondents, go to Box R04_AXD90.
Else, go to Box R04_AXD07.

<b>BOX ID:</b> <b>R04_AXD90</b>
DISPLAY INSTRUCTION:
For R04_AX0089_RS and R04_AX0220_RS, display each question with a "Yes" and "No" column with options for each response category.

<b>PATH ID:</b> <b>R04_AX0089_RS</b>
Have you ever used any of the following prescription drugs that were <u>not</u> prescribed for you or that you took <u>only</u> for the experience or feeling they caused?
1    Ritalin® or Adderall®
2    Painkillers, sedatives, or tranquilizers
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult respondents.
DISPLAY: UNDERLINE "not" AND "only".

<b>PATH ID:</b> <b>R04_AX0220_RS</b>
Have you ever used any of the following substances?
1    Cocaine or crack
2    Stimulants like methamphetamine or speed
3    Any other drugs like heroin, inhalants, solvents, or hallucinogens
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR104**

Items R04\_AX0082\_RS[\_01/.../\_05] and R04\_AX0272\_RS[\_01/.../\_05] are asked for each substance reported in R04\_AX0089\_RS[\_01/\_02] and R04\_AX0220\_RS[\_01/\_02/\_03]. If respondent uses more than one substance, repeat items in a loop.

Else, if no substances reported, go to Box R04\_AXV04.

**PATH ID: R04\_AX0082\_RS**

How old were you when you first used [SUBSTANCEFILL]?

1 |\_\_|\_\_|\_\_| Years old

-8 DON'T KNOW

GO TO R04\_AX0272\_RS[\_01/.../\_05]

-7 REFUSED

GO TO R04\_AX0272\_RS[\_01/.../\_05]

ASK: New cohort adult respondents who have ever used a substance.

DISPLAY: Display "Years old" as a title.

FOR [SUBSTANCEFILL]:

FOR R04\_AX0082\_RS\_01: IF R04\_AX0089\_RS\_01 = 1, DISPLAY "Ritalin® or Adderall®".

FOR R04\_AX0082\_RS\_02: IF R04\_AX0089\_RS\_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".

FOR R04\_AX0082\_RS\_03: IF R04\_AX0220\_RS\_01 = 1, DISPLAY "cocaine or crack".

FOR R04\_AX0082\_RS\_04: IF R04\_AX0220\_RS\_02 = 1, DISPLAY "stimulants like methamphetamine or speed".

FOR R04\_AX0082\_RS\_05: IF R04\_AX0220\_RS\_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

**PATH ID: R04\_AX0082\_RS\_01\_LC1**

The computer recorded that you first started using Ritalin® or Adderall® at age [R04\_AX0082\_RS\_01]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0082\_RS\_01

2 NEXT

GO TO BOX R04\_AXD07

ASK: IF R04\_AX0082\_RS\_01 <= 10.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0082_RS_01_LC2</b>
The computer recorded that you were [R04_AX0082_RS_01] years old when you first used Ritalin® or Adderall®. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AX0082_RS_01</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AXR06</span>
ASK: IF R04_AX0082_RS_01 > R04_ACHIEVEDAGE.

<b>PATH ID: R04_AX0082_RS_02_LC1</b>
The computer recorded that you first started using painkillers, sedatives, or tranquilizers at age [R04_AX0082_RS_02]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AX0082_RS_02</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AXD07</span>
ASK: IF R04_AX0082_RS_02 <= 10.

<b>PATH ID: R04_AX0082_RS_02_LC2</b>
The computer recorded that you were [R04_AX0082_RS_02] years old when you first used painkillers, sedatives, or tranquilizers. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AX0082_RS_02</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AXD07</span>
ASK: IF R04_AX0082_RS_02 > R04_ACHIEVEDAGE.

<b>PATH ID: R04_AX0082_RS_03_LC1</b>
The computer recorded that you first started using cocaine or crack at age [R04_AX0082_RS_03]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AX0082_RS_03</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AXD07</span>
ASK: IF R04_AX0082_RS_03 <= 10.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0082_RS_03_LC2</b>	
The computer recorded that you were [R04_AX0082_RS_03] years old when you first used cocaine or crack. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0082_RS_03
2 NEXT	GO TO BOX R04_AXD07
ASK: IF R04_AX0082_RS_03 > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0082_RS_04_LC1</b>	
The computer recorded that you first started using stimulants like methamphetamine, or speed at age [R04_AX0082_RS_04]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0082_RS_04
2 NEXT	GO TO BOX R04_AXD07
ASK: IF R04_AX0082_RS_04 <= 10.	

<b>PATH ID: R04_AX0082_RS_04_LC2</b>	
The computer recorded that you were [R04_AX0082_RS_04] years old when you first used stimulants like methamphetamine or speed. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0082_RS_04
2 NEXT	GO TO BOX R04_AXD07
ASK: IF R04_AX0082_RS_04 > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0082_RS_05_LC1</b>	
The computer recorded that you first started using any other drugs like heroin, inhalants, solvents, or hallucinogens at age [R04_AX0082_RS_05]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0082_RS_05
2 NEXT	GO TO BOX R04_AXD07
ASK: IF R04_AX0082_RS_05 <= 10.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0082\_RS\_05\_LC2**

The computer recorded that you were [R04\_AX0082\_RS\_05] years old when you first used other drugs like heroin, inhalants, solvents, or hallucinogens. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0082\_RS\_05

2 NEXT

GO TO BOX R04\_AXD07

ASK: IF R04\_AX0082\_RS\_05 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0272\_RS**

When you first used [SUBSTANCEFILL], were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report the age when they first used a substance.

DISPLAY: FOR [SUBSTANCEFILL]:

FOR R04\_AX0272\_RS\_01: IF R04\_AX0089\_RS\_01 = 1, DISPLAY "Ritalin® or Adderall®".

FOR R04\_AX0272\_RS\_02: IF R04\_AX0089\_RS\_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".

FOR R04\_AX0272\_RS\_03: IF R04\_AX0220\_RS\_01 = 1, DISPLAY "cocaine or crack".

FOR R04\_AX0272\_RS\_04: IF R04\_AX0220\_RS\_02 = 1, DISPLAY "stimulants like methamphetamine or speed".

FOR R04\_AX0272\_RS\_05: IF R04\_AX0220\_RS\_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

**BOX ID: R04\_AXD07**

DISPLAY INSTRUCTION:

For R04\_AX0089\_12M and R04\_AX0220\_12M, display a "Yes" and "No" column with options for each response category.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR122**

New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers and aged-up and continuing adult respondents, go to R04\_AX0089\_12M.

Else, new cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, go to R04\_AX0220\_12M.

**PATH ID: R04\_AX0089\_12M**

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

- 1 Ritalin® or Adderall®
- 2 Painkillers, sedatives, or tranquilizers
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers and aged-up and continuing adult respondents.

DISPLAY: UNDERLINE "not" AND "only".

**BOX ID: R04\_AXR123**

New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs and aged-up and continuing adult respondents, go to R04\_AX0220\_12M.

Else, go to Box R04\_AXR06.

**PATH ID: R04\_AX0220\_12M**

In the past 12 months, have you used any of the following substances?

- 1 Cocaine or crack
- 2 Stimulants like methamphetamine or speed
- 3 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs and aged-up and continuing adult respondents.

**BOX ID: R04\_AXR06**

Repeat R04\_AX0676[\_01/.../\_05] up to five times for each substance reported in R04\_AX0089\_12M and R04\_AX0220\_12M.

Else, if no substances reported, go to Box R04\_AXV04.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0676</b>
Have you used [SUBSTANCEFILL] within the <u>past 30 days</u> ?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have used a substance in the past 12 months.
DISPLAY: UNDERLINE "past 30 days".
FOR [SUBSTANCEFILL]:
IF R04_AX0089_12M_01 = 1, DISPLAY "Ritalin® or Adderall®".
IF R04_AX0089_12M_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".
IF R04_AX0220_12M_01 = 1, DISPLAY "cocaine or crack".
IF R04_AX0220_12M_02 = 1, DISPLAY "stimulants like methamphetamine or speed".
IF R04_AX0220_12M_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

<b>BOX ID:</b> <b>R04_AXR50</b>
If more than one substance is selected in R04_AX0089_12M or R04_AX0220_12M, go back to box R04_AXR06, until R04_AX0676 has been asked about for all selected substances.
Else, go to Box R04_AXV04.

<b>BOX ID:</b> <b>R04_AXV04</b>
PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_EVER_USER_ALC</b> = Has ever used alcohol
<b>R04_EVER_USER_MJ</b> = Has ever used marijuana
<b>R04_EVER_USER_RIT</b> = Has ever used Ritalin® or Adderall®
<b>R04_EVER_USER_PK</b> = Has ever used painkillers, sedatives, or tranquilizers
<b>R04_EVER_USER_COC</b> = Has ever used cocaine or crack
<b>R04_EVER_USER_STIM</b> = Has ever used stimulants
<b>R04_EVER_USER_OTH</b> = Has ever used other drugs like heroin, inhalants, solvents, or hallucinogens
<b>R04_SUBSTANCE_COUNT</b> = Count of the number of substances ever used

<b>BOX ID:</b> <b>R04_AXR03</b>
If respondent has ever used at least one substance, go to R04_AX0170.
Else, go to Box R04_AXT06.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0170**

When was the last time that...

You used alcohol or other drugs weekly or more often?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**BOX ID: R04\_AXR04**

If respondent used alcohol or other drugs weekly or more often and reports ever using two or more substances, go to R04\_AX0175.

Else, go to R04\_AX0171.

**PATH ID: R04\_AX0175**

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

- 1 Alcohol
- 2 Marijuana, hash, THC, or grass, pot, or weed
- 3 Ritalin® or Adderall®
- 4 Painkillers, sedatives, or tranquilizers
- 5 Cocaine or crack
- 6 Stimulants like methamphetamine or speed
- 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used alcohol or other drugs weekly or more often and report ever using two or more substances.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0171</b>
When was the last time that...
You spent a lot of time getting alcohol or other drugs?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who report ever using alcohol or ever using drugs.

<b>PATH ID: R04_AX0172</b>
When was the last time that...
You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who report ever using alcohol or ever using drugs.

<b>PATH ID: R04_AX0173</b>
When was the last time that...
Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0193**

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0174**

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0194**

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR51**

If respondent ever used two or more substances and reported any problems due to drug or alcohol use, go to R04\_AX0176.  
Else, go to Box R04\_AXT06.

**PATH ID: R04\_AX0176**

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

- 1 Alcohol
- 2 Marijuana, hash, THC, grass, pot, or weed
- 3 Ritalin® or Adderall®
- 4 Painkillers, sedatives, or tranquilizers
- 5 Cocaine or crack
- 6 Stimulants like methamphetamine or speed
- 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used 2 or more substances and who indicated alcohol or drugs caused problems for them.

**BOX ID: R04\_AXT06**

The next questions ask about your relatives, including your father, mother, brothers or sisters, sons or daughters, both living and deceased.

**BOX ID: R04\_AXR79**

New baseline adult respondents, go to Box R04\_AXD13.  
Else, continuing adult respondents, go to Box R04\_AXD14.

**BOX ID: R04\_AXD13**

DISPLAY INSTRUCTION:

For R04\_AX0689\_NB, display a 'Yes' and 'No' column with options for each response category.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0689\_NB**

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

- 1 Asthma
- 2 High blood pressure
- 3 High cholesterol
- 4 A heart attack or needed bypass surgery
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**BOX ID: R04\_AXR84**

If a relative of the respondent has had a heart attack or needed bypass surgery, go to R04\_AX0195.  
Else, go to R04\_AX0707.

**BOX ID: R04\_AXD14**

DISPLAY INSTRUCTION:

For R04\_AX0689\_12M, display a 'Yes' and 'No' column with options for each response category.

**BOX ID: R04\_AXR85**

If a relative of the respondent has had a heart attack or needed bypass surgery, go to R04\_AX0195.  
Else, go to R04\_AX0707.

**PATH ID: R04\_AX0195**

Were they told they had a heart attack or needed bypass surgery before the age of 50?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose close relative has had a heart attack or needed bypass surgery.

DISPLAY: UNDERLINE "before the age of 50".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0707**

Have any of your close biological or blood relatives used any tobacco products? By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus or other types of smokeless tobacco (such as dip, spit or chew), and dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0731**

Have any of your close biological or blood relatives ever been an alcoholic or problem drinker? By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0732**

Have any of your close biological or blood relatives ever had problems with drugs? By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR101**

New baseline respondents, go to R04\_AX0401\_NB.  
Else, go to Box R04\_AXT02.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0401\_NB**

Did your mother use tobacco while she was pregnant with you?

- 1 I don't know
- 2 Yes
- 3 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## MARKETING, ADVERTISING AND PROMOTION

**BOX ID: R04\_AXT02**

The next questions ask about tobacco advertising that you may have seen or received.

**PATH ID: R04\_AX0708**

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

- 1 Cigarettes
- 2 E-cigarettes or other electronic nicotine products (including e-liquid)
- 3 Cigars
- 4 Shisha or hookah tobacco
- 5 Snus
- 6 Other types of smokeless tobacco (such as dip, spit or chew)
- 7 Some other type of tobacco product
- 8 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0178**

In the past 30 days, have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXV10**

CREATE DERIVED VARIABLE:

R04\_REGULAR\_BRAND  
R04\_NO\_REGULAR\_BRAND

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR64**

Adult respondents who are current tobacco users who have a regular brand, go to R04\_AX0715.  
Else, go to Box R04\_AXR67.

**PATH ID: R04\_AX0715**

In the past 30 days, have you bought a brand of tobacco product other than your usual brand?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AXR67 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR67 |
| -7 | REFUSED    | GO TO BOX R04_AXR67 |

ASK: Current tobacco users who have a regular brand.

**PATH ID: R04\_AX0716**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- |    |                 |
|----|-----------------|
| 1  | Once or twice   |
| 2  | A few times     |
| 3  | Quite regularly |
| -8 | DON'T KNOW      |
| -7 | REFUSED         |

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH ID: R04\_AX0210**

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AX0717 |
| -8 | DON'T KNOW | GO TO R04_AX0717 |
| -7 | REFUSED    | GO TO R04_AX0717 |

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0211**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users who have a regular brand and bought a different brand because it was on display.

**PATH ID: R04\_AX0717**

In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed it was on sale or there was a deal like 2-for-1?

- 1 Yes
- 2 No GO TO BOX R04\_AXR67
- 8 DON'T KNOW GO TO BOX R04\_AXR67
- 7 REFUSED GO TO BOX R04\_AXR67

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH ID: R04\_AX0718**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users who have a regular brand and bought a different brand because of a sale or promotion.

**BOX ID: R04\_AXR67**

Young adult respondents who are current or experimental current tobacco users and do not have a regular brand (this includes polyusers who reported not having a regular brand for any product, even if they reported a regular brand for another product), go to R04\_AX0209.

Else, experimental former, recent former, and long-term former tobacco users, go to R04\_AX0212.

Else, go to R04\_AX0678.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0209**

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        | GO TO R04_AX0678 |
| 2  | No         | GO TO R04_AX0678 |
| -8 | DON'T KNOW | GO TO R04_AX0678 |
| -7 | REFUSED    | GO TO R04_AX0678 |

ASK: Young adult respondents who are current or experimental current tobacco users who do not have a regular brand. This includes polyusers who reported not having a regular brand for any product, even if they reported a regular brand for another product.

**PATH ID: R04\_AX0212**

Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AX0678 |
| -8 | DON'T KNOW | GO TO R04_AX0678 |
| -7 | REFUSED    | GO TO R04_AX0678 |

ASK: Adult respondents who are experimental former, recent former, or long-term former tobacco users of tobacco.

**PATH ID: R04\_AX0213**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- |    |                 |
|----|-----------------|
| 1  | Once or twice   |
| 2  | A few times     |
| 3  | Quite regularly |
| -8 | DON'T KNOW      |
| -7 | REFUSED         |

ASK: Adult respondents who are experimental former, recent former, or long-term former tobacco users of tobacco who had the urge to buy tobacco when seeing a display.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0678**

In the past 30 days, have you gotten a free sample of an **e-cigarette or other electronic nicotine product** (including e-liquid)?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarette or other electronic nicotine product".

**PATH ID: R04\_AX0203**

In the past 30 days, have you noticed **e-cigarettes or other electronic nicotine products** being advertised in any of the following places? Choose all that apply.

- 1 I have not seen any advertisements in the past 30 days
- 2 At gas stations, convenience stores, or other retail stores
- 3 On billboards
- 4 In newspapers or magazines
- 5 On radio
- 6 On television
- 7 At events like fairs, festivals, or sporting events
- 8 At nightclubs, bars, or music concerts
- 9 On websites or social media sites
- 10 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarettes or other electronic nicotine products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AX0709**

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0677**

In the past 30 days, have you noticed **cigarettes or other tobacco products** (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

- 1 I haven't seen any advertisements in the past 30 days
- 2 At gas stations, convenience stores, or other retail stores
- 3 On billboards
- 4 In newspapers or magazines
- 5 On radio
- 6 On television
- 7 At events like fairs, festivals, or sporting events
- 8 At nightclubs, bars, or music concerts
- 9 On websites or social media sites
- 10 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "cigarettes or other tobacco products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AXR66**

Young adult respondents, go to R04\_AX0710.

Else, go to R04\_AX0777.

**PATH ID: R04\_AX0710**

Do you have a favorite tobacco advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0777**

In the past 12 months, how often did you see an anti-tobacco advertising campaign?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **ADDITIONAL DEMOGRAPHICS**

**BOX ID: R04\_AMT01**

Finally, we have a few additional questions about you, your work, education and health insurance.

**BOX ID: R04\_AMR01**

If respondent currently does not work for pay, go to R04\_AM0017.  
Else, go to Box R04\_AMR17.

**PATH ID: R04\_AM0017**

Are you currently...

- 1 Looking for paid work
- 2 A student not looking for paid work
- 3 A homemaker or caregiver not looking for paid work
- 4 Retired
- 5 Unable to work for physical or mental health reasons
- 6 Unable to work due to other reasons
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently work for pay.

**BOX ID: R04\_AMR17**

Adult respondents who already completed a parent interview, go to R04\_AM0019.  
Else, go to R04\_AM0018.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AM0018</b>	
What is the highest grade or level of school you have completed?	
1 Less than high school	
2 Some high school, no diploma	
3 GED	GO TO R04_AM0019
4 High school graduate—diploma	GO TO R04_AM0019
5 Some college but no degree	GO TO R04_AM0019
6 Associate degree—occupational/vocational	GO TO R04_AM0019
7 Associate degree—academic program	GO TO R04_AM0019
8 Bachelor’s degree (ex: BA, AB, BS)	GO TO R04_AM0019
9 Master’s degree (ex: MA, MS, MEng, MEd, MSW)	GO TO R04_AM0019
10 Professional school degree (ex: MD, DDS, DVM, JD)	GO TO R04_AM0019
11 Doctorate degree (ex: PhD, EdD)	GO TO R04_AM0019
-8 DON'T KNOW	GO TO R04_AM0019
-7 REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview.	

<b>PATH ID: R04_AM0067</b>	
Are you currently enrolled in high school?	
1 Yes	
2 No	GO TO R04_AM0019
-8 DON'T KNOW	GO TO R04_AM0019
-7 REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than or some high school.	

<b>PATH ID: R04_AM0068</b>	
What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.	
6 9th	
7 10th	
8 11th	
9 12th	
12 I am home-schooled	
13 My school does not separate students into grades	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who did not already complete a parent interview who are currently enrolled in high school.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0019**

Are you [also ]currently enrolled in a degree program?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AM0015 |
| -8 | DON'T KNOW | GO TO R04_AM0015 |
| -7 | REFUSED    | GO TO R04_AM0015 |

ASK: All adult respondents.

DISPLAY: IF R04\_AM0067 = 1, DISPLAY "also".

ELSE, DO NOT DISPLAY THIS FILL.

**PATH ID: R04\_AM0020**

Which type of degree program are you currently enrolled in?

- 1 Technical/vocational program
- 2 2-year degree program
- 3 4-year degree program
- 4 Graduate/professional program
- 5 Other type of degree program (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are currently enrolled in a degree program.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AM0015**

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity or telephone bills?

- 1 Yes
- 2 No
- 7 Not applicable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0039**

In the past 12 months, have you received assistance or income from any federal, state or local programs, such as food stamps, welfare, cash aid, unemployment benefits, housing assistance, child care, or Medicaid?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR16**

Adult respondents who already completed a parent interview, go to Box R04\_ALR05.  
Else, go to R04\_AM0030.

**PATH ID: R04\_AM0030**

Which of the following categories best describes your total **household** income in the past 12 months?

This is the total income before taxes of all persons in your household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- |    |                        |                  |
|----|------------------------|------------------|
| 1  | Less than \$10,000     | GO TO R04_AL0040 |
| 2  | \$10,000 to \$14,999   | GO TO R04_AL0040 |
| 3  | \$15,000 to \$24,999   | GO TO R04_AL0040 |
| 4  | \$25,000 to \$34,999   | GO TO R04_AL0040 |
| 5  | \$35,000 to \$49,999   | GO TO R04_AL0040 |
| 6  | \$50,000 to \$74,999   | GO TO R04_AL0040 |
| 7  | \$75,000 to \$99,999   | GO TO R04_AL0040 |
| 8  | \$100,000 to \$149,999 | GO TO R04_AL0040 |
| 9  | \$150,000 to \$199,999 | GO TO R04_AL0040 |
| 10 | \$200,000 or more      | GO TO R04_AL0040 |
| -8 | DON'T KNOW             |                  |
| -7 | REFUSED                |                  |

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: BOLD AND UNDERLINE "household". UNDERLINE "all persons in your household combined".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0031</b>
Is your total household income during the past 12 months above or below \$50,000?
1 Above \$50,000
2 Below \$50,000
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income.

<b>PATH ID:</b> <b>R04_AL0040</b>
Do you own or rent your home?
(Ownership includes having a mortgage or loan.)
1 Own
2 Rent
3 Something else
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>BOX ID:</b> <b>R04_ALR05</b>
Young adult respondents, go to R04_AM0042.
Else, go to Box R04_AMR02.

<b>PATH ID:</b> <b>R04_AM0042</b>	
Where do you currently live? If you live in more than one place throughout the year, please answer for where you are <u>currently</u> staying.	
1 Apartment, condo or house	
2 In a dorm or other campus housing	GO TO R04_AM0040
3 In a fraternity or sorority house	GO TO R04_AM0040
4 Someplace else	GO TO R04_AM0040
-8 DON'T KNOW	
-7 REFUSED	
ASK: Young adult respondents.	
DISPLAY: UNDERLINE SECOND INSTANCE OF "currently".	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0041**

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

- 1 Parents or guardians
- 2 Friends or other roommates
- 3 A spouse or romantic partner
- 4 My children
- 5 Another relative or family friend
- 6 On my own
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

DISPLAY: UNDERLINE SECOND INSTANCE OF "currently".

**PATH ID: R04\_AM0040**

Think of this ladder as representing where people stand in the United States.

At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs.

At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job.

Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.

[SHOW IMAGE OF LADDER]

- 1 10
- 2 9
- 3 8
- 4 7
- 5 6
- 6 5
- 7 4
- 8 3
- 9 2
- 10 1
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0033**

The next questions ask about your parents. Please think about your parents or parental figures (step-parents, foster parents, guardians, etc.) who you lived with most of the time when you were 17 years old and younger.

What is the highest grade or level of school that your **mother**, **step-mother** or **mother-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, MEd, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

DISPLAY: UNDERLINE THE FIRST OCCURRENCE OF "parents". BOLD "mother", "step-mother", AND "mother-figure".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0034**

What is the highest grade or level of school that your **father**, **step-father** or **father-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, MEd, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

DISPLAY: BOLD "father", "step-father", AND "father-figure".

**BOX ID: R04\_AMR04**

Young adult respondents who do not live with their parents, go to R04\_AM0036.

Else, go to Box R04\_AMR02.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0036**

Which of the following categories best describes your parents' total household income in the past 12 months?

This is the total income before taxes of all persons in your parents' household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- |    |                        |                     |
|----|------------------------|---------------------|
| 1  | Less than \$10,000     | GO TO BOX R04_AMR02 |
| 2  | \$10,000 to \$14,999   | GO TO BOX R04_AMR02 |
| 3  | \$15,000 to \$24,999   | GO TO BOX R04_AMR02 |
| 4  | \$25,000 to \$34,999   | GO TO BOX R04_AMR02 |
| 5  | \$35,000 to \$49,999   | GO TO BOX R04_AMR02 |
| 6  | \$50,000 to \$74,999   | GO TO BOX R04_AMR02 |
| 7  | \$75,000 to \$99,999   | GO TO BOX R04_AMR02 |
| 8  | \$100,000 to \$149,999 | GO TO BOX R04_AMR02 |
| 9  | \$150,000 to \$199,999 | GO TO BOX R04_AMR02 |
| 10 | \$200,000 or more      | GO TO BOX R04_AMR02 |
| -8 | DON'T KNOW             |                     |
| -7 | REFUSED                |                     |

ASK: Young adult respondents who do not live with their parents.

DISPLAY: UNDERLINE "parents' total household income" AND "all persons in your parents' household combined".

**PATH ID: R04\_AM0037**

Is your parents' total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who did not know or refused to report their parents' household income.

DISPLAY: UNDERLINE "parents".

**BOX ID: R04\_AMR02**

New baseline adult respondents who have been on active military duty, go to R04\_AM0012\_NB.

Continuing adult respondents who have been on active duty but were not enrolled in VA health care at any previous wave, go to R04\_AM00012\_12M.

Else, go to Box R04\_AMD02.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AM0012_NB</b>
Have you ever been enrolled in VA health care?	
1 Yes	GO TO BOX R04_AMD02
2 No	GO TO BOX R04_AMD02
-8 DON'T KNOW	GO TO BOX R04_AMD02
-7 REFUSED	GO TO BOX R04_AMD02
ASK: New baseline adult respondents who have been on active duty.	

<b>BOX ID:</b>	<b>R04_AMD02</b>
BOX – DISPLAY INSTRUCTIONS	
For R04_AM0026, DISPLAY A “Yes” AND “No” COLUMN WITH OPTION FOR EACH RESPONSE CATEGORY.	

<b>PATH ID:</b>	<b>R04_AM0026</b>
Are you currently covered by any of the following types of health insurance or health coverage plans?	
1 Insurance through a current or former employer or union (of yourself, a spouse or other family member)	
2 Insurance purchased directly from an insurance company (by yourself, a spouse or other family member)	
3 Medicare, for people 65 and older, or people with certain disabilities	
4 Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability	
5 VA Health Care	
6 TRICARE or other military health care	
7 Indian Health Service	
8 Any other type of health insurance or health coverage plan	
-8 DON'T KNOW	
-7 REFUSED	
ASK: All adult respondents.	

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0021**

The next question asks about your level of sexual attraction to BOTH males and females.

Please consider the response choices carefully, as it is important that you understand them and are as honest as you can be in your answer.

To whom have you felt sexually attracted, even if you did not take any action based on feeling attracted?

- 1 Only to females, never to males
- 2 Mostly to females, and at least once to a male
- 3 About equally often to females and to males
- 4 Mostly to males, and at least once to a female
- 5 Only to males, never to females
- 6 I have never felt sexually attracted to anyone at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: FOR MALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN THE SPECIFIED ORDER. FOR FEMALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN REVERSE ORDER, WHERE RESPONSE OPTION 5 IS PRESENTED FIRST, OPTION 4 SECOND, ETC. IF SEX IS UNKNOWN, DEFAULT TO ORDER SHOWN FOR MALE RESPONDENTS.

**PATH ID: R04\_AM0063**

Do you consider yourself to be...

- 1 Straight
- 2 Lesbian or gay
- 3 Bisexual
- 4 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0061**

Some people describe themselves as transgender when they experience a different gender identity from their sex at birth. For example, a person born into a male body, but who feels female or lives as a woman would be transgender.

Do you consider yourself to be transgender?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR06**

If respondent is transgender, go to R04\_AM0062.  
Else, go to R04\_AX0769.

**PATH ID: R04\_AM0062**

Do you consider yourself to be male-to-female, female-to-male, or non-conforming?

- 1 Yes, Transgender, male to female
- 2 Yes, Transgender, female to male
- 3 Yes, Transgender, gender nonconforming
- 4 No
- 5 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are transgender.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0769**

In the future, the PATH questionnaire may be available to take online on your personal desktop, laptop, or tablet. Due to its length, the questionnaire will not be available on smart phones.

You would be able to complete the questionnaire at your convenience, without an interviewer present. The incentive would arrive in the mail a few days after the questionnaire is completed.

How interested would you be in taking the PATH questionnaire online on your personal desktop, laptop, or tablet?

- |    |                       |                     |
|----|-----------------------|---------------------|
| 1  | Very interested       | GO TO BOX R04_AMR07 |
| 2  | Somewhat interested   | GO TO BOX R04_AMR07 |
| 3  | Not at all interested |                     |
| 4  | Unsure                | GO TO BOX R04_AMR07 |
| -8 | DON'T KNOW            | GO TO BOX R04_AMR07 |
| -7 | REFUSED               | GO TO BOX R04_AMR07 |

ASK: All adult respondents.

**PATH ID: R04\_AX0770**

Why not? Choose all that apply.

- 1 I do not have a personal desktop, laptop, or tablet with internet access
- 2 I am concerned about technical difficulties
- 3 I prefer to have an interviewer present
- 4 I am concerned about the confidentiality of my information
- 5 I am concerned that I might not receive my incentive
- 6 Other (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who would not be interested in doing PATH questionnaires online in the future.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AMR07**

Current and experimental current tobacco users, go to R04\_AX0214.

Else, go to R04\_AL3000.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0214</b>
Finally, we would like to scan the barcode on any tobacco products that you have right now for your own use[, including your [EPRODFILL2]]. Researchers will use this information to learn about the different types of products that people are using.
We are only interested in the products that you have used or intend to use soon.
Our interviewer will do the scanning for you. The interviewer will also ask you a couple of questions about the products we are scanning. Other people in your home might see the products as you hand them to the interviewer or hear the questions we ask you about the products.
Is it OK to scan your tobacco products now?
1    Yes
2    No
-7   REFUSED
GO TO R04_AL3000
GO TO R04_AL3000
ASK: Current and experimental current tobacco users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY “, including your [EPRODFILL2]”.
ELSE, DO NOT DISPLAY THIS TEXT.

<b>PATH ID:</b> <b>R04_AX0215</b>
Thank you. Please hand the computer to the interviewer. Then get any tobacco products you have right now for your own use[, including your [EPRODFILL2],] and give them to the interviewer. The interviewer will give them right back to you.
-7   REFUSED
ASK: Current and experimental current tobacco users who agree to scanning.
DISPLAY: IF R04_EPROD_USER_STATUS = 1 , 2, DISPLAY “, including your [EPRODFILL2]”.
ELSE, DO NOT DISPLAY THIS TEXT.

<b>PATH ID:</b> <b>R04_AL3004</b>
The interviewer must now enter the Monitor Password into the computer.
Monitor Password: _____
ASK: Current and experimental current tobacco users who agree to scanning.

<b>BOX ID:</b> <b>R04_ALR13</b>
When the interviewer enters the monitor password, go to R04_AX0218.
Else, if the interviewer enters the password incorrectly, go to R04_ERR_AL3004.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_ERR\_AL3004**

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R04\_AL3004

ASK: If interviewer entered monitor password incorrectly.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## PRODUCT BARCODE SCANNING MODULE

<b>PATH ID:</b> <b>R04_AX0218</b>
HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN?
ENTER A NUMBER BETWEEN 0 AND 10.
1     __ __
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR81</b>
If respondent gave no products to scan, go to R04_AL3009.
Else, go to R04_AX0217_1.

<b>PATH ID:</b> <b>R04_AL3009</b>	
THE RESPONDENT GAVE YOU ZERO PRODUCTS TO SCAN.	
IF THIS IS CORRECT, PRESS THE NEXT BUTTON TO CONTINUE. IF THIS IS INCORRECT, GO BACK AND MAKE A CORRECTION.	
1    BACK	GO TO R04_AX0218
2    NEXT	GO TO R04_AX0217_1
ASK: If respondent gave no products to scan.	
DISPLAY: Display Interviewer instruction in blue font.	



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_1**

THIS IS PRODUCT BARCODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR68**

If R04\_AX0217\_1 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_1.

**PATH ID: R04\_AX0233\_1**

Think about the very last time you used this type of product. Was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_2**

THIS IS PRODUCT BARCODE SCAN #2.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR69**

If R04\_AX0217\_2 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_2.

**PATH ID: R04\_AX0233\_2**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_3**

THIS IS PRODUCT BARCODE SCAN #3.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR70**

If R04\_AX0217\_3 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_3.

**PATH ID: R04\_AX0233\_3**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_4**

THIS IS PRODUCT BARCODE SCAN #4.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR71**

If R04\_AX0217\_4 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_4.

**PATH ID: R04\_AX0233\_4**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_5
THIS IS PRODUCT BARCODE SCAN #5.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR72
If R04_AX0217_5 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_5.

<b>PATH ID:</b> R04_AX0233_5
The last time you used this type of product, was it from this specific package or container?
1 YES
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_6**

THIS IS PRODUCT BARCODE SCAN #6.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR73**

If R04\_AX0217\_6 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_6.

**PATH ID: R04\_AX0233\_6**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_7**

THIS IS PRODUCT BARCODE SCAN #7.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR74**

If R04\_AX0217\_7 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_7.

**PATH ID: R04\_AX0233\_7**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_8
THIS IS PRODUCT BARCODE SCAN #8.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER “X” IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER “Y” IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning. DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR75
If R04_AX0217_8 is left blank, go to R04_AL3006. Else, go to R04_AX0233_8.

<b>PATH ID:</b> R04_AX0233_8
The last time you used this type of product, was it from this specific package or container?
1 YES
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_9**

THIS IS PRODUCT BARCODE SCAN #9.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR76**

If R04\_AX0217\_9 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_9.

**PATH ID: R04\_AX0233\_9**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_10
THIS IS PRODUCT BARCODE SCAN #10.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR77
If R04_AX0217_10 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_10.

<b>PATH ID:</b> R04_AX0233_10
The last time you used this type of product, was it from this specific package or container?
1 YES GO TO R04_AL3006
2 NO GO TO R04_AL3006
-8 DON'T KNOW GO TO R04_AL3006
-7 REFUSED GO TO R04_AL3006
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

<b>PATH ID:</b> R04_AL3000
You have finished this part of the questionnaire. Please hand the computer to the interviewer.
ASK: Adult respondents who are not current or experimental current tobacco users or who did not consent to barcode scanning.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL3003**

Monitor Password: \_\_\_\_\_

The interviewer must now enter the Monitor Password into the computer.

ASK: Adult respondents who are not current or experimental current tobacco users or who did not consent to barcode scanning.

**BOX ID: R04\_ALR12**

When the interviewer enters the monitor password, go to R04\_AL3007.

Else, if the interviewer enters the password incorrectly, go to R04\_ERR\_AL3003.

**PATH ID: R04\_ERR\_AL3003**

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R04\_AL3003

ASK: If interviewer entered monitor password incorrectly.

**PATH ID: R04\_AL3007**

[DO NOT SCAN BARCODES FOR THIS RESPONDENT.]

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

1 PRESS 1 TO CONTINUE

GO TO BOX R04\_ALV03

ASK: Adult respondents who are not current or experimental current tobacco users and respondents who DID NOT agree to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**PATH ID: R04\_AL3006**

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Current and experimental current tobacco users for whom scanning is complete.

DISPLAY: Display Interviewer instruction in blue font.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## CONTACT INFORMATION

<b>BOX ID:</b> <b>R04_ALV03</b>
PROGRAM: Adult respondent has completed the adult questionnaire.

<b>BOX ID:</b> <b>R04_ALR01</b>
Obtain contact information 1 time for adult respondent. If adult respondent is same respondent on parent interview and contact information was obtained on parent interview, go to R04_AL3005 to end interview. Else, proceed with contact information section.

<b>PATH ID:</b> <b>R04_AL0041</b>
Since your continued participation in the PATH Study is important to the study's success, I'd like to take a brief moment to confirm your contact information for my records. We'll only use this information to contact you about your participation in the study.  <b>PRESS 1 TO CONTINUE.</b>  1    CONTINUE  ASK: Adult respondents who have not already provided contact information in another completed interview. DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>BOX ID:</b> <b>R04_ALR02</b>
Adult respondents who have a valid Wave 4 physical address, go to R04_AL0001. Else, go to R04_AL0037.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AL0001</b>
I have your address as...
<b>READ ADDRESS ALOUD.</b>
ADDRESS APT # CITY, STATE ZIP CODE
Is that correct?
1 YES <span style="float: right;">GO TO R04_AL0002</span>
2 NO
ASK: Adult respondents who have not already provided contact information in another completed interview and have a valid physical address on file.
DISPLAY: DISPLAY ADDRESS IN EASY TO READ FORMAT. DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>PATH ID: R04_AL0037</b>
What is your address?
<b>VERIFY ALL SPELLING.</b>
1 ADDRESS LINE 1
2 ADDRESS LINE 2
3 CITY
4 STATE
5 ZIP CODE
-8 DON'T KNOW <span style="float: right;">GO TO R04_AL0035</span>
-7 REFUSED <span style="float: right;">GO TO R04_AL0035</span>
ASK: Adult respondents who need to correct their physical address or who do not have a valid physical address on file.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>PATH ID: R04_AL0002</b>
Do you receive mail at this address?
1 YES <span style="float: right;">GO TO R04_AL0035</span>
2 NO
-8 DON'T KNOW <span style="float: right;">GO TO R04_AL0035</span>
-7 REFUSED <span style="float: right;">GO TO R04_AL0035</span>
ASK: Adult respondents who confirmed or provided their physical address.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0003**

Can I please have your mailing address?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not receive mail at their physical address.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0035**

Do you have a second home where you live during the year?

- 1 YES
- 2 NO GO TO BOX R04\_ALR03
- 8 DON'T KNOW GO TO BOX R04\_ALR03
- 7 REFUSED GO TO BOX R04\_ALR03

ASK: Adult respondents who have not already provided contact information in another completed interview.

**PATH ID: R04\_AL0036**

What is the address of the second home?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a second home.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ALR03**

Adult respondents who have a valid telephone number on file, go to R04\_AL0004\_12M.  
Else, go to R04\_AL0004.

**PATH ID: R04\_AL0004\_12M**

I have your telephone number as [(XXX) XXX-XXXX].

Is that correct?

- |    |            |                  |
|----|------------|------------------|
| 1  | YES        | GO TO R04_AL0038 |
| 2  | NO         |                  |
| -8 | DON'T KNOW |                  |
| -7 | REFUSED    | GO TO R04_AL0012 |

ASK: Adult respondents who have a valid telephone number on file.

**PATH ID: R04\_AL0004**

What is the best telephone number to reach you?

**ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.**

- |    |                            |
|----|----------------------------|
| 1  | AREA CODE AND PHONE NUMBER |
| -8 | DON'T KNOW                 |
| -7 | REFUSED                    |

ASK: Adult respondents who need to correct their telephone number, who don't know if the telephone number provided is correct, or who do not have a valid telephone number on file.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**BOX ID: R04\_ALR14**

Adult respondents who provided their telephone number, go to R04\_AL0038.  
Else, adult respondents who did not provide, did not know, or refused to report a valid telephone number, go to R04\_AL0012.

**PATH ID: R04\_AL0038**

Is this a cell phone number?

- |    |            |                 |
|----|------------|-----------------|
| 1  | YES        |                 |
| 2  | NO         | GO TO R04_ALR04 |
| -8 | DON'T KNOW |                 |
| -7 | REFUSED    |                 |

ASK: Adult respondents who confirmed or provided their telephone number.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AL0032</b>
May we contact you by text message at this number?
1 YES
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who said their telephone number is a cell phone or did not know or refused to report whether it is a cell phone.

<b>BOX ID: R04_ALR04</b>
Adult respondents who have a valid second telephone number on file, go to R04_AL0005. Else, go to R04_AL0006.

<b>PATH ID: R04_AL0005</b>
I have your second telephone number as [(XXX) XXX-XXXX].
Is that correct?
1 YES <span style="float: right;">GO TO R04_AL0039</span>
2 NO
-8 DON'T KNOW <span style="float: right;">GO TO R04_AL0012</span>
-7 REFUSED <span style="float: right;">GO TO R04_AL0012</span>
ASK: Adult respondents who have a valid second telephone number on file.

<b>PATH ID: R04_AL0006</b>
What is a second telephone number where you can be reached?
<b>ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.</b>
1 AREA CODE AND PHONE NUMBER
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who need to correct their second telephone number or who do not have a valid second telephone number on file.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ALR15**

Adult respondents who provided their second phone number, go to R04\_AL0039.  
Else, adult respondents who did not provide, did not know, or refused to report a valid second phone number, go to R04\_AL0012.

**PATH ID: R04\_AL0039**

Is this a cell phone number?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AL0012

ASK: Adult respondents who confirmed or provided their second phone number.

**PATH ID: R04\_AL0033**

May we contact you by text message at this number?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who said their second number is a cell phone or did not know or refused to report whether it is a cell phone.

**PATH ID: R04\_AL0012**

Can you please give me your e-mail address?

VERIFY ALL SPELLING AND PUNCTUATION. RECORD TEXT BEFORE @ SYMBOL IN THE EMAIL NAME FIELD. TEXT AFTER THE @ SYMBOL IS ENTERED IN THE EMAIL PROVIDER FIELD.

- 1 EMAIL NAME
- 2 EMAIL PROVIDER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ALR09**

If more than one mode of contact information is provided, go to R04\_AL0017.  
Else, go to R04\_AL0018.

**PATH ID: R04\_AL0017**

What is the best way to reach you?

- 1 PHONE
- 2 TEXT MESSAGE
- 3 E-MAIL
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided more than one mode of contact information.

**PATH ID: R04\_AL0018**

Do you anticipate moving or relocating either permanently or temporarily in the next 12 months?

- 1 YES
- 2 NO GO TO R04\_AL0020
- 3 MAYBE
- 8 DON'T KNOW GO TO R04\_AL0020
- 7 REFUSED GO TO R04\_AL0020

ASK: Adult respondents who have not already provided contact information in another completed interview.

**PATH ID: R04\_AL0019**

Can you tell me more about your plans to move?

**IF NEEDED:** [For example, your new street address or the city or state to which you plan to move?]

**PROBE FOR AND RECORD ANY KNOWN INFORMATION.**

- 1 [TEXT FIELD]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who plan to move in the next 12 months.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0020**

Since we would like to interview you again, it is important that we are able to contact you in about a year. In case we cannot reach you, is there a relative or friend who does not live in this household, who will know how to reach you?

**IF NEEDED:** [Rest assured, we will only use this information if we have lost contact with you.]

What is the person's name?

**VERIFY ALL SPELLING.**

**IF SP IS UNABLE TO PROVIDE A FIRST NAME MARK AS DON'T KNOW / REFUSED.**

- 1 FIRST NAME
- 2 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE AND BOLD "FIRST NAME".

**BOX ID: R04\_ALR10**

If FIRST NAME is don't know or refused, go to R04\_AL3005.  
Else, go to R04\_AL0022.

**PATH ID: R04\_AL0022**

What is their address?

**VERIFY ALL SPELLING.**

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0023**

What is their telephone number?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0021**

How are they related to you?

- 1 HUSBAND/WIFE
- 2 FATHER/MOTHER (INCLUDING IN-LAWS)
- 4 GRANDPARENT
- 5 SON/DAUGHTER (INCLUDING IN-LAWS)
- 7 GRANDCHILD
- 8 BROTHER/SISTER (INCLUDING IN-LAWS)
- 13 FRIEND/NEIGHBOR
- 91 OTHER RELATIVE (SPECIFY)
- 92 OTHER NON-RELATIVE (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

**PATH ID: R04\_AL0025**

Could you provide me with the name of a second relative or friend who will know how to reach you?

VERIFY ALL SPELLING.

IF SP IS UNABLE TO PROVIDE A **FIRST NAME** MARK AS DON'T KNOW / REFUSED.

- 1 FIRST NAME
- 2 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE AND BOLD "FIRST NAME".

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ALR11**

If FIRST NAME is don't know or refused, go to R04\_AL3005.  
Else, go to R04\_AL0027

**PATH ID: R04\_AL0027**

What is their address?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0028**

What is their telephone number?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AL0026</b>
How are they related to you?
1    HUSBAND/WIFE
2    FATHER/MOTHER (INCLUDING IN-LAWS)
4    GRANDPARENT
5    SON/DAUGHTER (INCLUDING IN-LAWS)
7    GRANDCHILD
8    BROTHER/SISTER (INCLUDING IN-LAWS)
13    FRIEND/NEIGHBOR
91    OTHER RELATIVE (SPECIFY)
92    OTHER NON-RELATIVE (SPECIFY)
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who provided a first name for a proxy contact in R04_AL0025.

<b>PATH ID:</b> <b>R04_AL3005</b>
<a href="#">[THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION.]</a>
If you do move or change your phone numbers please update your contact information on the PATH Study website or by calling our toll free number. Each year you may receive a \$5 thank you on your debit card for updating your contact information.
Thank you for taking the time to answer these questions.
<a href="#">ENTER 1 TO CONTINUE.</a>
1    CONTINUE
ASK: All adult respondents.
DISPLAY: IF THE RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION IN ANOTHER COMPLETED INTERVIEW (R04_CONTACTFLAG_LD=1), DISPLAY: "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".
ELSE, DO NOT DISPLAY THIS TEXT.
DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>BOX ID:</b> <b>R04_ALV02</b>
Contact information was provided by Adult respondent, set R04_CONTACTFLAG.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_LCAD01**

INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?

1 ENGLISH

END INTERVIEW AND RETURN TO IMS

2 SPANISH

END INTERVIEW AND RETURN TO IMS

ASK: All adult respondents (asked of Interviewer).

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**APPENDIX: USER GROUPS**

Variable Name	Variable Description	User Group Definition
<b>CIGARETTES</b>		
Ever or Never users - Cigarettes R04_EVER_NEVER_CIGS	(1) Ever user = Adult respondents who have ever smoked a cigarette and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a cigarette.	IF (R03_EVER_NEVER_CIGS = 1 OR R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R04_AC1002_RS = 1 OR R04_AC1003 = 1 OR R04_AC1003 = 2) AND R04_AC1010 != 3, THEN R04_EVER_NEVER_CIGS = 1. ELSE, IF R04_EVER_NEVER_CIGS != 1, THEN R04_EVER_NEVER_CIGS = 2.
Initiators - Cigarettes R04_INIT_CIGS_ADULT	(1) Initiator = Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette. (2) Non-initiator = Adult respondents who did not initiate cigarette use between Waves or new cohort adult respondent who have not ever smoked a cigarette.	IF R03_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_CIGS = 1, THEN R04_INIT_CIGS_ADULT = 1. ELSE, R04_INIT_CIGS_ADULT = 2.
Cigarette user status R04_CIG_USER_STATUS	(1) Current user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smokes not at all.	IF (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND (R04_AC1003 = 1 OR R04_AC1003 = 2), THEN R04_CIG_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6 AND (R04_AC1003 = 1 OR R04_AC1003 = 2), THEN R04_CIG_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3) AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6, THEN R04_CIG_USER_STATUS = 3. ELSE, IF (R03_CIG_USER_STATUS = 1 OR R03_CIG_USER_STATUS = 2 OR R03_CIG_USER_STATUS = 3 OR



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former cigarette smokers at the previous wave and aged-up adult respondents who ever smoked cigarettes at the previous wave, who have ever smoked cigarettes fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since the previous wave, who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged up and continuing adult respondents who were former cigarette smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a cigarette and have smoked at least 100 cigarettes in their entire life, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre>(R04_INIT_CIGS_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AC1009_NN &lt;= 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN &lt;=12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN &lt;= 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 4. ELSE, IF (R03_CIG_USER_STATUS = 4 OR R03_CIG_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND ((R04_AC1009_NN &gt; 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN &gt; 12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN &gt; 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 5. ELSE, R04_CIG_USER_STATUS = 8.</pre>
<p>Every day or Some day use - Cigarettes  R04_CURRENT_CIG_USE</p>	<p>(1) Every day user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day.</p> <p>(2) Some day user = Adult respondents who have smoked at least 100</p>	<pre>IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 1, THEN R04_CURRENT_CIG_USE = 1. ELSE, IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 2, THEN R04_CURRENT_CIG_USE = 2.</pre>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	cigarettes in their entire life, and currently smokes some days. (8) Unknown / missing = Unknown or missing	ELSE, R04_CURRENT_CIG_USE = 8.
Former but Past 30 Day Users - Cigarettes R04_FORMER_THIRTYDAY_USER_CIGS	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former smokers who have smoked any cigarettes in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former smokers who have NOT smoked any cigarettes in the past 30 days.	IF (R04_CIG_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AC1009_NN <= 30 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN = 1 AND R04_AC1009_UN = 2) OR R04_AC1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_CIGS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_CIGS = 2.
<b>ELECTRONIC NICOTINE PRODUCTS</b>		
Ever or Never users - Electronic nicotine products R04_EVER_NEVER_EPRODS	(1) Ever user = Adult respondents who have ever used any electronic nicotine product and did not recant prior use. (2) Never user = Adult respondents who have not ever used any electronic nicotine product.	IF (R03_EVER_NEVER_EPRODS = 1 OR R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR (R04_AV1001_RS = 1 AND R04_AV1002_RS = 1) OR R04_AV1003 = 1 OR R04_AV1003 = 2) AND R04_AV1010 != 3, THEN R04_EVER_NEVER_EPRODS = 1. ELSE, IF R04_EVER_NEVER_EPRODS != 1, THEN R04_EVER_NEVER_EPRODS = 2.
Initiator - E-Products R04_INIT_EPRODS_ADULT	(1) Initiator = Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product. (2) Non-initiator = Adult respondents who did not initiate e-product use between Waves or new cohort adult respondents who have not ever used an e-product.	IF R03_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_EPRODS = 1, THEN R04_INIT_EPRODS_ADULT = 1. ELSE, R04_INIT_EPRODS_ADULT = 2.
E-product user status R04_EPROD_USER_STATUS	(1) Current user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently	IF (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND (R04_AV1003 = 1 OR R04_AV1003 = 2), THEN

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>use them every day or some days.            (2) Experimental current user = Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.            (3) Experimental former user = Adult respondents who have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.            (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former e-product users at the previous wave and aged-up adult respondents who ever used e-products at the previous wave, who have ever used e-products fairly regularly, and did not use e-products in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated e-product use since the previous wave, who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all.            (5) Long-term former user = Aged up and continuing adult respondents who were former e-product users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who</p>	<pre>R04_EPROD_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1 AND (R04_AV1003 = 1 OR R04_AV1003 = 2), THEN R04_EPROD_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3) AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1, THEN R04_EPROD_USER_STATUS = 3. ELSE, IF (R03_EPROD_USER_STATUS = 1 OR R03_EPROD_USER_STATUS = 2 OR R03_EPROD_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_EPRODS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AV1009_NN &lt;= 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN &lt;= 12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN &lt;= 1 AND R04_AV1009_UN = 3)))) AND (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 4. ELSE, IF (R03_EPROD_USER_STATUS = 4 OR R03_EPROD_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AV1100 = 1 AND ((R04_AV1009_NN &gt; 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN &gt; 12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN &gt; 1 AND R04_AV1009_UN = 3)))) AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 5.</pre>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	have ever used and e-product and have used fairly regularly, who have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	ELSE, R04_EPROD_USER_STATUS = 8.
Every day or Some day use - Electronic nicotine products R04_CURRENT_EPROD_USE	(1) Every day user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day. (2) Some day user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days. (8) Unknown / missing = Unknown or missing	IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 1, THEN CURRENT_EPROD_USE = 1. ELSE, IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 2, THEN CURRENT_EPROD_USE = 2. ELSE, R04_CURRENT_EPROD_USE = 8.
Former but Past 30 Day Users – Electronic nicotine products R04_FORMER_THIRTYDAY_USER_EPROD	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former users who have used any electronic nicotine products in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former users who have NOT used any electronic nicotine products in the past 30 days.	IF R04_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AV1009_NN <= 30 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN = 1 AND R04_AV1009_UN = 2) OR R04_AV1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_EPROD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_EPROD = 2.
<b>CIGARS</b>		
Ever or Never users - Traditional cigars R04_EVER_NEVER_GTRAD	(1) Ever user = Adult respondents who have ever smoked a traditional cigar and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a traditional cigar.	IF (R03_EVER_NEVER_GTRAD = 1 OR R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1 AND R04_AG9003_RS = 1) OR R04_AG1003TC = 1 OR R04_AG1003TC = 2) AND R04_AG1010TC != 3, THEN R04_EVER_NEVER_GTRAD = 1. ELSE, IF R04_EVER_NEVER_GTRAD != 1,

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		THEN R04_EVER_NEVER_GTRAD = 2.
Ever or Never users - Cigarillos R04_EVER_NEVER_GRILLO	(1) Ever user = Adult respondents who have ever smoked a cigarillo and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a cigarillo.	IF (R03_EVER_NEVER_GRILLO = 1 OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1 AND R04_AG9004_RS = 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1)) OR R04_AG1003CG = 1 OR R04_AG1003CG = 2) AND R04_AG1010CG != 3, THEN R04_EVER_NEVER_GRILLO = 1. ELSE, IF R04_EVER_NEVER_GRILLO != 1, THEN R04_EVER_NEVER_GRILLO = 2.
Ever or Never users - Filtered cigars R04_EVER_NEVER_GFILTR	(1) Ever user = Adult respondents who have ever smoked a filtered cigar and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a filtered cigar.	IF (R03_EVER_NEVER_GFILTR = 1 OR R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1 AND R04_AG9004_RS = 1 AND R04_AG9009_RS_02 = 1) OR R04_AG1003FC = 1 OR R04_AG1003FC = 2) AND R04_AG1010FC != 3, THEN R04_EVER_NEVER_GFILTR = 1. ELSE, IF R04_EVER_NEVER_GFILTR != 1, THEN R04_EVER_NEVER_GFILTR = 2.
Initiators – Traditional Cigars R04_INIT_GTRAD_ADULT	(1) Initiator = Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar. (2) Non-initiator = Adult respondents who did not initiate traditional cigar use between Waves or new cohort adult	IF R03_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_INIT_GTRAD_ADULT = 1. ELSE, R04_INIT_GTRAD_ADULT = 2.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	respondents who have not ever smoked a traditional cigar.	
Initiators – Cigarillos R04_INIT_GRILLO_ADULT	(1) Initiator = Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo. (2) Non-initiator = Adult respondents who did not initiate cigarillo use between Waves or new cohort adult respondents who have not ever smoked a cigarillo.	IF R03_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_INIT_GRILLO_ADULT = 1. ELSE, R04_INIT_GRILLO_ADULT = 2.
Initiators – Filtered Cigars R04_INIT_GFILTR_ADULT	(1) Initiator = Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who ever smoked a filtered cigar. (2) Non-initiator = Adult respondents who did not initiate filtered cigar use between Waves or new cohort adult respondents who have not ever smoked a filtered cigar.	IF R03_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_INIT_GFILTR_ADULT = 1. ELSE, R04_INIT_GFILTR_ADULT = 2.
Past 12 Month Blunt-Only Users – Traditional Cigars R04_12MBLUNT_ONLY_BTRAD	(1) Past 12 month blunt-only smoker = Adult respondents who smoke traditional cigars as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke traditional cigars as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_01 = 1 AND R04_AG9106_01 = 1, THEN R04_12MBLUNT_ONLY_BTRAD = 1. ELSE, R04_12MBLUNT_ONLY_BTRAD = 2.
Past 12 Month Blunt-Only Users – Cigarillos R04_12MBLUNT_ONLY_BRILLO	(1) Past 12 month blunt-only smoker = Adult respondents who smoke cigarillos as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke cigarillos as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_12MBLUNT_ONLY_BRILLO = 1. ELSE, R04_12MBLUNT_ONLY_BRILLO = 2.
Past 12 Month Blunt-Only Users – Filtered	(1) Past 12 month blunt-only smoker =	IF R04_AG1095_03 = 1 AND R04_AG9106_03

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Cigars R04_12MBLUNT_ONLY_BFILTR	Adult respondents who smoke filtered cigars as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke filtered cigars as blunts everytime when smoked in the past 12 months.	= 1, THEN R04_12MBLUNT_ONLY_BFILTR = 1. ELSE, R04_12MBLUNT_ONLY_BFILTR = 2.
Initiators – Blunt-only Traditional Cigars R04_INIT_BLUNT_BTRAD_ADULT	(1) Initiator = Adult respondents who initiated smoking traditional cigars as blunts between Waves or or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking traditional cigars as blunts between Waves or or new cohort adult respondents who have not ever used traditional cigars as blunts.	IF R03_EVER_NEVER_BTRAD != 1 AND (R04_AG1095_01 = 1 AND R04_AG9106_01 = 1), THEN R04_INIT_BLUNT_BTRAD_ADULT = 1. ELSE, R04_INIT_BLUNT_BTRAD_ADULT = 2.
Initiators – Blunt-only Cigarillos R04_INIT_BLUNT_BRILLO_ADULT	(1) Initiator = Adult respondents who initiated smoking cigarillos as blunts between Waves or or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking cigarillos as blunts between Waves or or new cohort adult respondents who have not ever used cigarillos as blunts.	IF R03_EVER_NEVER_BRILLO != 1 AND R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_INIT_BLUNT_BRILLO_ADULT = 1. ELSE, R04_INIT_BLUNT_BRILLO_ADULT = 2.
Initiators – Blunt-only Filtered Cigars R04_INIT_BLUNT_BFILTR_ADULT	(1) Initiator = Adult respondents who initiated smoking filtered cigars as blunts between Waves or or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months.	IF R03_EVER_NEVER_BFILTR != 1 AND R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_INIT_BLUNT_BFILTR_ADULT = 1. ELSE, R04_INIT_BLUNT_BFILTR_ADULT = 2.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	(2) Non-initiator = Adult respondents who did not initiate smoking filtered cigars as blunts between Waves or or new cohort adult respondents who have not ever used filtered cigars as blunts.	
Traditional cigar user status R04_GTRAD_USER_STATUS	(1) Current user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked traditional cigars fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former traditional cigar smokers at the previous wave and aged-up adult respondents who ever smoked traditional cigars at the previous wave, who have ever smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since the previous wave, who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked traditional cigars	IF (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG1003TC = 1 OR R04_AG1003TC = 2), THEN R04_GTRAD_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG1003TC = 1 OR R04_AG1003TC = 2), THEN R04_GTRAD_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3), THEN R04_GTRAD_USER_STATUS = 3. ELSE, IF (R03_GTRAD_USER_STATUS = 1 OR R03_GTRAD_USER_STATUS = 2 OR R03_GTRAD_USER_STATUS = 3 OR (R04_INIT_GTRAD_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AG1009TC_NN <= 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN <= 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN <= 1 AND R04_AG1009TC_UN = 3)))) AND (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1, THEN R04_GTRAD_USER_STATUS = 4.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>ELSE, IF (R03_GTRAD_USER_STATUS = 4 OR R03_GTRAD_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100TC = 1 AND ((R04_AG1009TC_NN &gt; 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN &gt; 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN &gt; 1 AND R04_AG1009TC_UN = 3)))) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1, THEN R04_GTRAD_USER_STATUS = 5. ELSE, R04_GTRAD_USER_STATUS = 8.</p>
<p>Cigarillo user status R04_GRILLO_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never smoked cigarillos fairly regularly, and currently smokes every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never smoked cigarillos fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former cigarillo smokers at the previous wave and aged-up adult respondents who ever smoked cigarillos at the previous wave, who have ever smoked cigarillos fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and</p>	<p>IF (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND (R04_AG1003CG = 1 OR R04_AG1003CG = 2), THEN R04_GRILLO_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND (R04_AG1003CG = 1 OR R04_AG1003CG = 2), THEN R04_GRILLO_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3), THEN R04_GRILLO_USER_STATUS = 3. ELSE, IF (R03_GRILLO_USER_STATUS = 1 OR R03_GRILLO_USER_STATUS = 2 OR R03_GRILLO_USER_STATUS = 3 OR (R04_INIT_GRILLO_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>aged-up adult respondents who initiated cigarillo smoking since the previous wave, who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former cigarillo traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>= 2 AND R03_EVER_NEVER_GRILLO = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009CG_NN &lt;= 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN &lt;= 12 AND R04_AG1009CG_UN = 2) OR R04_AG1009CG_NN &lt;= 1 AND R04_AG1009CG_UN = 3)))) AND (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1, THEN R04_GRILLO_USER_STATUS = 4. ELSE, IF (R03_GRILLO_USER_STATUS = 4 OR R03_GRILLO_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100CG = 1 AND ((R04_AG1009CG_NN &gt; 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN &gt; 12 AND R04_AG1009CG_UN = 2) OR (R04_AG1009CG_NN &gt; 1 AND R04_AG1009CG_UN = 3)))) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1, THEN R04_GRILLO_USER_STATUS = 5. ELSE, R04_GRILLO_USER_STATUS = 8.</p>
<p>Filtered cigar user status R04_GFILTR_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes</p>	<p>IF (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND (R04_AG1003FC = 1 OR R04_AG1003FC = 2), THEN</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never smoked filtered cigars fairly regularly, and currently smokes every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former filtered cigar smokers at the previous wave and aged-up adult respondents who ever smoked filtered cigars at the previous wave, who have ever smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated filtered smoking since the previous wave, who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former filtered cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who</p>	<pre>R04_GFILTR_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND (R04_AG1003FC = 1 OR R04_AG1003FC = 2), THEN R04_GFILTR_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3), THEN R04_GFILTR_USER_STATUS = 3. ELSE, IF (R03_GFILTR_USER_STATUS = 1 OR R03_GFILTR_USER_STATUS = 2 OR R03_GFILTR_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_GFILTR_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009FC_NN &lt;= 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN &lt;= 12 AND R04_AG1009FC_UN = 2) OR R04_AG1009FC_NN &lt;= 1 AND R04_AG1009FC_UN = 3)))) AND (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1, THEN R04_GFILTR_USER_STATUS = 4. ELSE, IF (R03_GFILTR_USER_STATUS = 4 OR R03_GFILTR_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100FC =</pre>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>have ever smoked filtered cigars fairly regularly, who did not smoke in the past 12 months.            (8) Unknown / missing = Unknown or missing</p>	<p>1 AND ((R04_AG1009FC_NN &gt; 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN &gt; 12 AND R04_AG1009FC_UN = 2) OR (R04_AG1009FC_NN &gt; 1 AND R04_AG1009FC_UN = 3)))) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1, THEN R04_GFILTR_USER_STATUS = 5. ELSE, R04_GFILTR_USER_STATUS = 8.</p>
<p>Every day or Some day use - Traditional cigars            R04_CURRENT_GTRAD_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day.            (2) Some day user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes some days.            (8) Unknown / missing = Unknown or missing</p>	<p>IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 1, THEN R04_CURRENT_GTRAD_USE = 1. ELSE, IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 2, THEN R04_CURRENT_GTRAD_USE = 2. ELSE, R04_CURRENT_GTRAD_USE = 8.</p>
<p>Every day or Some day use - Cigarillos            R04_CURRENT_GRILLO_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day.            (2) Some day user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes some days.            (8) Unknown / missing = Unknown or missing</p>	<p>IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 1, THEN R04_CURRENT_GRILLO_USE = 1. ELSE, IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 2, THEN R04_CURRENT_GRILLO_USE = 2. ELSE, R04_CURRENT_GRILLO_USE = 8.</p>
<p>Every day or Some day use - Filtered cigars            R04_CURRENT_GFILTR_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day.</p>	<p>IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 1, THEN R04_CURRENT_GFILTR_USE = 1. ELSE, IF R04_GFILTR_USER_STATUS = 1</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	(2) Some day user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	AND R04_AG1003FC = 2, THEN R04_CURRENT_GFILTR_USE = 2. ELSE, R04_CURRENT_GFILTR_USE = 8.
Former but Past 30 Day Users – Traditional Cigars R04_FORMER_THIRTYDAY_USER_GTRAD	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former traditional cigar smokers in Wave 4 who have smoked any traditional cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former traditional cigar smokers in Wave 4 who have smoked any traditional cigars in the past 30 days.	IF ((R04_GTRAD_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AG1009TC_NN <= 30 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN = 1 AND R04_AG1009TC_UN = 2) OR R04_AG9030 = 1)) AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_FORMER_THIRTYDAY_USER_GTRAD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GTRAD = 2.
Former but Past 30 Day Users – Cigarillos R04_FORMER_THIRTYDAY_USER_GRILLO	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former cigarillo smokers in Wave 4 who have smoked any cigarillos in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former cigarillo smokers in Wave 4 who have smoked any cigarillos in the past 30 days.	IF ((R04_GRILLO_USER_STATUS = 3, 4, 5) AND (((1 <= R04_AG1009CG_NN <= 30 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN = 1 AND R04_AG1009CG_UN = 2)) OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1)) AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_FORMER_THIRTYDAY_USER_GRILLO = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GRILLO = 2.
Former but Past 30 Day Users – Filtered Cigars R04_FORMER_THIRTYDAY_USER_GFILTR	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former filtered cigar smokers in Wave 4 who have smoked any filtered cigars in	IF ((R04_GFILTR_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AG1009FC_NN <= 30 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN = 1 AND R04_AG1009FC_UN = 2) OR R04_AG9049_02

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former filtered cigar smokers in Wave 4 who have smoked any filtered cigars in the past 30 days.	= 1)) AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_FORMER_THIRTYDAY_USER_GFILTR = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GFILTR= 2.
<b>PIPES</b>		
Ever or Never users - Pipes R04_EVER_NEVER_PIPE	(1) Ever user = Adult respondents who have ever smoked a pipe and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a pipe.	IF (R03_EVER_NEVER_PIPE = 1 OR R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR (R04_AP1001_RS = 1 AND R04_AP1002_RS = 1) OR R04_AP1003 = 1 OR R04_AP1003 = 2) AND R04_AP1010 != 3, THEN R04_EVER_NEVER_PIPE = 1. ELSE, IF R04_EVER_NEVER_PIPE != 1, THEN R04_EVER_NEVER_PIPE = 2.
Initiators - Pipes R04_INIT_PIPE_ADULT	(1) Initiator = Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have ever smoked a pipe. (2) Non-initiator = Adult respondents who did not initiate pipe use between Waves or new cohort adult respondents who have not ever smoked a pipe.	IF R03_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_PIPE = 1, THEN R04_INIT_PIPE_ADULT = 1. ELSE, R04_INIT_PIPE_ADULT = 2.
Pipe user status R04_PIPE_USER_STATUS	(1) Current user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked a pipe fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked a pipe fairly regularly, and did not smoke	IF (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND (R04_AP1003 = 1 OR R04_AP1003 = 2), THEN R04_PIPE_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1 AND (R04_AP1003 = 1 OR R04_AP1003 = 2), THEN R04_PIPE_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3) AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1, THEN

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>in the past 12 months or currently smokes not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former pipe smokers at the previous wave and aged-up adult respondents who ever smoked a pipe at the previous wave, who have ever smoked a pipe fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated pipe smoking since the previous wave, who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged up and continuing adult respondents who were former pipe smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked fairly regularly, who have not smoked in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre>R04_PIPE_USER_STATUS = 3. ELSE, IF (R03_PIPE_USER_STATUS = 1 OR R03_PIPE_USER_STATUS = 2 OR R03_PIPE_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AP1009_NN &lt;= 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN &lt;= 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN &lt;= 1 AND R04_AP1009_UN = 3)))) AND (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN R04_PIPE_USER_STATUS = 4. ELSE, IF (R03_PIPE_USER_STATUS = 4 OR R03_PIPE_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AP1100 = 1 AND ((R04_AP1009_NN &gt; 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN &gt; 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN &gt; 1 AND R04_AP1009_UN = 3)))) AND R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN R04_PIPE_USER_STATUS = 5. ELSE, R04_PIPE_USER_STATUS = 8.</pre>
<p>Every day or Some day use - Pipes  R04_CURRENT_PIPE_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day.</p> <p>(2) Some day user = Adult respondents</p>	<pre>IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 1, THEN R04_CURRENT_PIPE_USE = 1. ELSE, IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 2, THEN</pre>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	who have ever smoked a pipe fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	R04_CURRENT_PIPE_USE = 2. ELSE, R04_CURRENT_PIPE_USE = 8.
Former but Past 30 Day Users – Pipes R04_FORMER_THIRTYDAY_USER_PIPE	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former pipe smokers in Wave 4 who have smoked any pipe tobacco in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former pipe smokers in Wave 4 who have smoked any pipe tobacco in the past 30 days.	IF (R04_PIPE_USER_STATUS = 3, 4, 5 AND (1 <= R04_AP1009_NN <= 30 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN = 1 AND R04_AP1009_UN = 2) OR R04_AP1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_PIPE = 1. ELSE, R04_FORMER_THIRTYDAY_USER_PIPE = 2.
<b>HOOKAH</b>		
Ever or Never users - Hookah R04_EVER_NEVER_HOOK	(1) Ever user = Adult respondents who have ever smoked hookah and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked hookah.	IF (R03_EVER_NEVER_HOOK = 1 OR R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR (R04_AH1001_RS = 1 AND R04_AH1002_RS = 1) OR R04_AH1003 = 1 OR R04_AH1003 = 2) AND R04_AH1010 != 3, THEN R04_EVER_NEVER_HOOK = 1. ELSE, IF R04_EVER_NEVER_HOOK != 1, THEN R04_EVER_NEVER_HOOK = 2.
Initiators - Hookah R04_INIT_HOOK_ADULT	(1) Initiator = Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah. (2) Non-initiator = Adult respondents who did not initiate hookah use between Waves or new cohort adult respondents who have not ever smoked a hookah.	IF R03_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_HOOK = 1, THEN R04_INIT_HOOK_ADULT = 1. ELSE, R04_INIT_HOOK_ADULT = 2.
Hookah user status	(1) Current user = Adult respondents	IF (R03_REGUSE_HOOK = 1 OR R04_AH1100



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
R04_HOOK_USER_STATUS	<p>who have ever smoked hookah fairly regularly, and currently smokes monthly or more frequently.</p> <p>(2) Experimental current user = Adult respondents who have never smoked hookah fairly regularly, and currently smokes hookah every day, some days, weekly, monthly or in the past 30 days.</p> <p>(3) Experimental former user = Adult respondents who have never smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former hookah smokers at the previous wave and aged-up adult respondents who ever smoked hookah at the previous wave, who have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated hookah smoking since the previous wave, who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former hookah smokers at the previous wave and did not smoke in the past 12 months or now smokes not at</p>	<p>= 1) AND (R04_AH1003 = 1 OR R04_AH1003 = 2 OR R04_AH9003 = 1 OR R04_AH9003 = 2 OR R04_AH9003 = 3), THEN  R04_HOOK_USER_STATUS = 1.  ELSE, IF R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 != 1 AND (R04_AH1003 = 1 OR R04_AH1003 = 2 OR R04_AH9003 = 1 OR R04_AH9003 = 2 OR R04_AH9003 = 3 OR (R04_AH1009_NN &lt;= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2) OR R04_AH1004 = 1), THEN  R04_HOOK_USER_STATUS = 2.  ELSE, IF R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3) AND R04_AH1100 != 1 AND R03_REGUSE_HOOK != 1, THEN  R04_HOOK_USER_STATUS = 3.  ELSE, IF (R03_HOOK_USER_STATUS = 1 OR R03_HOOK_USER_STATUS = 2 OR R03_HOOK_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_HOOK_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AH1009_NN &lt;= 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN &lt;= 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN &lt;= 1 AND R04_AH1009_UN = 3)))) AND (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 4.  ELSE, IF (R03_HOOK_USER_STATUS = 4 OR R03_HOOK_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AH1100 = 1</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	all, and new cohort adult respondents who have ever smoked a hookah and have smoked fairly regularly, who have not smoked in the past 12 months. (8) Unknown / missing = Unknown or missing	AND ((R04_AH1009_NN > 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN > 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN > 1 AND R04_AH1009_UN = 3)))) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 5. ELSE, R04_HOOK_USER_STATUS = 8.
Every day or Some day use - Hookah R04_CURRENT_HOOK_USE	(1) Every day user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes every day. (2) Some day user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 1 OR R04_AH9003 = 1), THEN R04_CURRENT_HOOK_USE = 1. ELSE, IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 2 OR R04_AH9003 = 2 OR 3) THEN R04_CURRENT_HOOK_USE = 2. ELSE, R04_CURRENT_HOOK_USE = 8.
Past 30 Day Users - Hookah R04_THIRTY_DAY_USER_HOOK	(1) Past 30 day user = Adult respondents who have smoked hookah in the past 30 days. (2) Not a past 30 day user = Adult respondents who have not smoked hookah in the past 30 days.	IF ((1 <= R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2)) OR R04_AH1004 = 1, THEN R04_THIRTY_DAY_USER_HOOK = 1. ELSE, R04_THIRTY_DAY_USER_HOOK = 2.
<b>SNUS</b>		
Ever or Never users - Snus R04_EVER_NEVER_SNUS	(1) Ever user = Adult respondents who have ever used snus and did not recant prior use. (2) Never user = Adult respondents who have not ever used snus.	IF (R03_EVER_NEVER_SNUS = 1 OR R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR (R04_AU1001_RS = 1 AND R04_AU1002_RS = 1) OR R04_AU1003 = 1 OR R04_AU1003 = 2) AND R04_AU1010 != 3, THEN R04_EVER_NEVER_SNUS = 1. ELSE, IF R04_EVER_NEVER_SNUS != 1, THEN R04_EVER_NEVER_SNUS = 2.
Initiators – Snus	(1) Initiator = Adult respondents who initiated snus use between Waves or	IF R03_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SNUS = 1, THEN

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
R04_INIT_SNUS_ADULT	<p>new cohort adult respondents who have ever used snus.</p> <p>(2) Non-initiator = Adult respondents who did not initiate snus use between Waves or new cohort adult respondents who have not ever used snus.</p>	<p>R04_INIT_SNUS_ADULT = 1.  ELSE, R04_INIT_SNUS_ADULT = 2.</p>
<p>Snus user status</p> <p>R04_SNUS_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever used snus fairly regularly, and currently uses it every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never used snus fairly regularly, and currently uses it every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never used snus fairly regularly, and did not use it in the past 12 months or currently uses it not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former snus users at the previous wave and aged-up adult respondents who ever used snus at the previous wave, who have ever used snus fairly regularly, and did not use snus in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated snus use since the previous wave, who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all.</p>	<p>IF (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND (R04_AU1003 = 1 OR R04_AU1003 = 2), THEN R04_SNUS_USER_STATUS = 1.  ELSE, IF R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1 AND (R04_AU1003 = 1 OR R04_AU1003 = 2), THEN R04_SNUS_USER_STATUS = 2.  ELSE, IF R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3) AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1, THEN  R04_SNUS_USER_STATUS = 3.  ELSE, IF (R03_SNUS_USER_STATUS = 1 OR R03_SNUS_USER_STATUS = 2 OR R03_SNUS_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SNUS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AU1009_NN &lt;= 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN &lt;= 12 AND R04_AU1009_UN = 2) OR (R04_AU1009_NN &lt;= 1 AND R04_AU1009_UN = 3)))) AND (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN R04_SNUS_USER_STATUS = 4.  ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_SNUS_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AU1100 = 1</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	(5) Long-term former user = Adult respondents who were former snus users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used snus and have ever used snus fairly regularly, who have not used snus in the past 12 months.. (8) Unknown / missing = Unknown or missing	AND ((R04_AU1009_NN > 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN > 12 AND R04_AU1009_UN = 2) OR (R04_AU1009_NN > 1 AND R04_AU1009_UN = 3))) AND R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN R04_SNUS_USER_STATUS = 5. ELSE, R04_SNUS_USER_STATUS = 8.
Every day or Some day use - Snus R04_CURRENT_SNUS_USE	(1) Every day user = Adult respondents who have ever used snus fairly regularly, and currently uses it every day. (2) Some day user = Adult respondents who have ever used snus fairly regularly, and currently uses it some days. (8) Unknown / missing = Unknown or missing	IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 1, THEN R04_CURRENT_SNUS_USE = 1. ELSE, IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 2, THEN R04_CURRENT_SNUS_USE = 2. ELSE, R04_CURRENT_SNUS_USE = 8.
Former but Past 30 Day Users – Snus R04_FORMER_THIRTYDAY_USER_SNUS	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former snus users in Wave 4 who have used any snus in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former snus users in Wave 4 who have used any snus in the past 30 days.	IF (R04_SNUS_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AU1009_NN <= 30 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN = 1 AND R03_AU1009_UN = 2) OR R04_AU1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_SNUS = 2.
<b>SMOKELESS TOBACCO</b>		
Ever or Never users - Smokeless tobacco R04_EVER_NEVER_SMKLS	(1) Ever user = Adult respondents who have ever used smokeless tobacco and did not recant prior use. (2) Never user = Adult respondents who	IF (R03_EVER_NEVER_SMKLS = 1 OR R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR (R04_AS1001_RS = 1 AND R04_AS1002_RS = 1) OR R04_AS1003 = 1 OR R04_AS1003 = 2)

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	have not ever used smokeless tobacco.	AND R04_AS1010 != 3, THEN R04_EVER_NEVER_SMKLS = 1. ELSE, IF R04_EVER_NEVER_SMKLS != 1, THEN R04_EVER_NEVER_SMKLS = 2.
Initiators – Smokeless Tobacco R04_INIT_SMKLS_ADULT	(1) Initiator = Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco. (2) Non-initiator = Adult respondents who did not initiate smokeless tobacco use between Waves or new cohort adult respondents who have not ever used smokeless tobacco.	IF R03_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_SMKLS = 1, THEN R04_INIT_SMKLS_ADULT = 1. ELSE, R04_INIT_SMKLS_ADULT = 2.
Smokeless tobacco user status R04_SMKLS_USER_STATUS	(1) Current user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day or some days. (2) Experimental current user = Adult respondents who have never used smokeless tobacco fairly regularly, and currently uses it every day or some days. (3) Experimental former user = Adult respondents who have never used smokeless tobacco fairly regularly, and did not use it in the past 12 months or currently uses it not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former smokeless tobacco users at the previous wave and aged-up adult respondents who ever used smokeless tobacco at the previous wave, who have ever used smokeless tobacco fairly	IF (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND (R04_AS1003 = 1 OR R04_AS1003 = 2), THEN R04_SMKLS_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1 AND (R04_AS1003 = 1 OR R04_AS1003 = 2), THEN R04_SMKLS_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3) AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1, THEN R04_SMKLS_USER_STATUS = 3. ELSE, IF (R03_SMKLS_USER_STATUS = 1 OR R03_SMKLS_USER_STATUS = 2 OR R03_SMKLS_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SMKLS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AS1009_NN <= 365 AND R04_AS1009_UN = 1) OR

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>regularly, and did not use smokeless tobacco in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since the previous wave, who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all.</p> <p>(5) Long-term former user = Adult respondents who were former smokeless tobacco users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, who have not used smokeless tobacco in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>(R04_AS1009_NN &lt;= 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN &lt;= 1 AND R04_AS1009_UN = 3)))) AND (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 4. ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_SMKLS_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AS1100 = 1 AND ((R04_AS1009_NN &gt; 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN &gt; 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN &gt; 1 AND R04_AS1009_UN = 3)))) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 5. ELSE, R04_SMKLS_USER_STATUS = 8.</p>
<p>Every day or Some day use - Smokeless tobacco  R04_CURRENT_SMKLS_USE</p>	<p>(1) Every day user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day.</p> <p>(2) Some day user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it some days.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 1, THEN R04_CURRENT_SMKLS_USE = 1. ELSE, IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 2, THEN R04_CURRENT_SMKLS_USE = 2. ELSE, R04_CURRENT_SMKLS_USE = 8.</p>
<p>Former but Past 30 Day Users – Smokeless Tobacco</p>	<p>(1) Former 30 day user = Adult respondents who are experimental</p>	<p>IF (R04_SMKLS_USER_STATUS = 3, 4, 5) AND ((1 &lt;= R04_AS1009_NN &lt;= 30 AND</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
R04_FORMER_THIRTYDAY_USER_SMKLS	former, recent former, or long-term former smokeless tobacco users in Wave 4 who have used any smokeless tobacco in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former smokeless tobacco users in Wave 4 who have used any smokeless tobacco in the past 30 days.	R04_AS1009_UN = 1) OR (R04_AS1009_NN = 1 AND R04_AS1009_UN = 2) OR R04_AS1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SMKLS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_SMKLS = 2.
<b>DISSOLVABLE TOBACCO</b>		
Ever or Never users - Dissolvable tobacco R04_EVER_NEVER_DISSBL	(1) Ever user = Adult respondents who have ever used dissolvable tobacco. (2) Never user = Adult respondents who have not ever used dissolvable tobacco.	IF (R04_AD1001_RS = 1 AND R04_AD1002_RS = 1) OR R03_EVER_NEVER_DISSBL = 1 OR R04_AD1002_12M = 1, THEN R04_EVER_NEVER_DISSBL = 1. ELSE, IF R04_EVER_NEVER_DISSBL != 1, THEN R04_EVER_NEVER_DISSBL = 2.
<b>TOBACCO (GENERAL)</b>		
Ever Users - Tobacco R04_EVER_NEVER_TOBACCO	(1) Ever user = Adult respondents who have ever used any tobacco product(s). (2) Never user = Adult respondents who have never used any tobacco product(s).	IF R04_EVER_NEVER_CIGS = 1 OR R04_EVER_NEVER_EPRODS = 1 OR R04_EVER_NEVER_GTRAD = 1 OR R04_EVER_NEVER_GRILLO = 1 OR R04_EVER_NEVER_GFILTR = 1 OR R04_EVER_NEVER_PIPE = 1 OR R04_EVER_NEVER_HOOK = 1 OR R04_EVER_NEVER_SMKLS = 1 OR R04_EVER_NEVER_SNUS = 1 OR R04_EVER_NEVER_DISSBL = 1, THEN R04_EVER_NEVER_TOBACCO = 1. ELSE, R04_EVER_NEVER_TOBACCO = 2.
Tobacco user status R04_TOBACCO_USER_STATUS	(1) Current user = Adult respondents who are current users of at least one tobacco product (including electronic	IF (R04_CIG_USER_STATUS = 1 OR R04_EPROD_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>nicotine products).</p> <p>(2) Experimental current user = Adult respondents who are experimental current users of any tobacco product (including e-products), and are not current or recent former users of any other tobacco products (including e-products).</p> <p>(3) Experimental former user = Adult respondents who are experimental former users of any tobacco product (including e-products), and are not current, experimental current, recent former, or long-term former users of any other tobacco products (including e-products).</p> <p>(4) Recent former user = Adult respondents who are recent former users of any tobacco product (including e-products), and are not current users of any other tobacco products (including e-products).</p> <p>(5) Long-term former user = Adult respondents who are long-term former established users of a tobacco product (including e-products), and are not current user, experimental current, or recent former users of any other tobacco products (including e-products).</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>R04_GRILLO_USER_STATUS = 1 OR  R04_GFILTR_USER_STATUS = 1 OR  R04_PIPE_USER_STATUS = 1 OR  R04_HOOK_USER_STATUS = 1 OR  R04_SMKLS_USER_STATUS = 1 OR  R04_SNUS_USER_STATUS = 1), THEN  R04_TOBACCO_USER_STATUS = 1.  ELSE, IF (R04_CIG_USER_STATUS = 4 OR  R04_EPROD_USER_STATUS = 4 OR  R04_GTRAD_USER_STATUS = 4 OR  R04_GRILLO_USER_STATUS = 4 OR  R04_GFILTR_USER_STATUS = 4 OR  R04_PIPE_USER_STATUS = 4 OR  R04_HOOK_USER_STATUS = 4 OR  R04_SMKLS_USER_STATUS = 4 OR  R04_SNUS_USER_STATUS = 4), THEN  R04_TOBACCO_USER_STATUS = 4.  ELSE, IF (R04_CIG_USER_STATUS = 2 OR  R04_EPROD_USER_STATUS = 2 OR  R04_GTRAD_USER_STATUS = 2 OR  R04_GRILLO_USER_STATUS = 2 OR  R04_GFILTR_USER_STATUS = 2 OR  R04_PIPE_USER_STATUS = 2 OR  R04_HOOK_USER_STATUS = 2 OR  R04_SMKLS_USER_STATUS = 2 OR  R04_SNUS_USER_STATUS = 2), THEN  R04_TOBACCO_USER_STATUS = 2.  ELSE, IF (R03_CIG_USER_STATUS = 5 OR  R03_EPROD_USER_STATUS = 5 OR  R03_GTRAD_USER_STATUS = 5 OR  R03_GRILLO_USER_STATUS = 5 OR  R03_GFILTR_USER_STATUS = 5 OR  R03_PIPE_USER_STATUS = 5 OR  R03_HOOK_USER_STATUS = 5 OR  R03_SMKLS_USER_STATUS = 5 OR  R03_SNUS_USER_STATUS = 5), THEN  R04_TOBACCO_USER_STATUS = 5.</p>



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		ELSE, IF (R04_CIG_USER_STATUS = 3 OR R04_EPROD_USER_STATUS = 3 OR R04_GTRAD_USER_STATUS = 3 OR R04_GRILLO_USER_STATUS = 3 OR R04_GFILTR_USER_STATUS = 3 OR R04_PIPE_USER_STATUS = 3 OR R04_HOOK_USER_STATUS = 3 OR R04_SMKLS_USER_STATUS = 3 OR R04_SNUS_USER_STATUS = 3), THEN R04_TOBACCO_USER_STATUS = 3. ELSE, R04_TOBACCO_USER_STATUS = 8.
Tobacco user status (excluding e-products) R04_TOBXEPROD_USER_STATUS	<p>(1) Current user = Adult respondents who are current users of at least one tobacco product other than electronic nicotine products.</p> <p>(2) Experimental current user = Adult respondents who are experimental current users of any tobacco product other than electronic nicotine products, and are not current or recent former users of any tobacco products.</p> <p>(3) Experimental former user = Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products.</p> <p>(4) Recent former user = Adult respondents who are recent former users of any tobacco product other than electronic nicotine products, and are not current users of any tobacco products other than electronic nicotine products.</p> <p>(5) Long-term former user = Adult respondents who are long-term former users of any tobacco product other than</p>	<p>IF (R04_CIG_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR R04_GRILLO_USER_STATUS = 1 OR R04_GFILTR_USER_STATUS = 1 OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1 OR R04_SNUS_USER_STATUS = 1), THEN R04_TOBXEPROD_USER_STATUS = 1. ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_GTRAD_USER_STATUS = 4 OR R04_GRILLO_USER_STATUS = 4 OR R04_GFILTR_USER_STATUS = 4 OR R04_PIPE_USER_STATUS = 4 OR R04_HOOK_USER_STATUS = 4 OR R04_SMKLS_USER_STATUS = 4 OR R04_SNUS_USER_STATUS = 4), THEN R04_TOBXEPROD_USER_STATUS = 4. ELSE, IF (R04_CIG_USER_STATUS = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_SNUS_USER_STATUS = 2), THEN</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products other than electronic nicotine products.            (8) Unknown / missing = Unknown or missing</p>	<p>R04_TOBXEPROD_USER_STATUS = 2.            ELSE, IF (R04_CIG_USER_STATUS = 5 OR            R04_GTRAD_USER_STATUS = 5 OR            R04_GRILLO_USER_STATUS = 5 OR            R04_GFILTR_USER_STATUS = 5 OR            R04_PIPE_USER_STATUS = 5 OR            R04_HOOK_USER_STATUS = 5 OR            R04_SMKLS_USER_STATUS = 5 OR            R04_SNUS_USER_STATUS = 5), THEN            R04_TOBXEPROD_USER_STATUS = 5.            ELSE, IF (R04_CIG_USER_STATUS = 3 OR            R04_GTRAD_USER_STATUS = 3 OR            R04_GRILLO_USER_STATUS = 3 OR            R04_GFILTR_USER_STATUS = 3 OR            R04_PIPE_USER_STATUS = 3 OR            R04_HOOK_USER_STATUS = 3 OR            R04_SMKLS_USER_STATUS = 3 OR            R04_SNUS_USER_STATUS = 3), THEN            R04_TOBXEPROD_USER_STATUS = 3.            ELSE, R04_TOBXEPROD_USER_STATUS = 8.</p>
<p>Every day or Some day use - tobacco            R04_CURRENT_TOBACCO_USE</p>	<p>(1) Every day user = Adult respondents who are every day users of at least one tobacco product, or who are someday users of multiple products and use at least one each day.            (2) Some day user = Adult respondents who are some day users of at least one tobacco product.            (8) Unknown / missing = Unknown or missing</p>	<p>IF (R04_CURRENT_CIG_USE = 1 OR            R04_CURRENT_EPROD_USE = 1 OR            R04_CURRENT_GTRAD_USE = 1 OR            R04_CURRENT_GRILLO_USE = 1 OR            R04_CURRENT_GFILTR_USE = 1 OR            R04_CURRENT_PIPE_USE = 1 OR            R04_CURRENT_HOOK_USE = 1 OR            R04_CURRENT_SMKLS_USE = 1 OR            R04_CURRENT_SNUS_USE = 1) OR            R04_AY0005 = 1, THEN            R04_CURRENT_TOBACCO_USE = 1.            ELSE, IF R04_CURRENT_CIG_USE = 2 OR            R04_CURRENT_EPROD_USE = 2 OR            R04_CURRENT_GTRAD_USE = 2 OR            R04_CURRENT_GRILLO_USE = 2 OR            R04_CURRENT_GFILTR_USE = 2 OR            R04_CURRENT_PIPE_USE = 2 OR</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		R04_CURRENT_HOOK_USE = 2 OR R04_CURRENT_SMKLS_USE = 2 OR R04_CURRENT_SNUS_USE = 2, THEN R04_CURRENT_TOBACCO_USE = 2. ELSE, R04_CURRENT_TOBACCO_USE = 8.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**APPENDIX: DERIVED VARIABLES**

Variable Name	Variable Description	Variable Definition
R04_CIGSPERDAY	Estimate of cigarettes smoked per day when actual number is DK/RF.	IF R04_AC1090 = 1, THEN R04_CIGSPERDAY2 = “more than 20 cigarettes each day”. IF R04_AC1090 = 2, THEN R04_CIGSPERDAY2 = “about 20 cigarettes each day”. IF R04_AC1090 = 3, THEN R04_CIGSPERDAY2 = “less than 20 cigarettes each day”.
R04_PCKSPERDAY	Number of packs smoked per day.	IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 2, THEN R04_PCKSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 2, THEN R04_PCKSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND R04_AC9003_UN = 2, THEN R04_PCKSPERDAY = R04_AC9003_NN.
R04_EPRODCOUNT	Number of electronic nicotine products used.	R04_EPRODCOUNT = 0 IF R04_AV9035_01 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_02 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_03 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_04 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_05 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1.
R04_EDEVICETYPE	E-product device type.	IF R04_AV9005 = 2, -8 OR -7 AND R04_AV9008 = 2, -8 OR -7 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 2, -8 OR -7, THEN R04_EDEVICETYPE = 1 (Disposable).

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 2, -8 OR -7, THEN R04_EDEVICETYPE = 2 (Non-Refillable Cartridge).</p> <p>ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 != 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 3 (Refillable Cartridge).</p> <p>ELSE, IF R04_AV9005 = 1 AND R04_AV9038 = 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 4 (Refillable Tank System).</p> <p>ELSE, IF R04_AV9005 = 1, 2, -8 OR -7 AND R04_AV9008 = 2, -8 OR -7 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 5 (Refillable Mod System).</p> <p>ELSE, R04_EDEVICETYPE = 6 (Unknown).</p>
CIGARLOOP1	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06.</p> <p>GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts everytime when smoked in the past 12 months.</p> <p>GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts everytime when smoked in the past 12 months.</p> <p>GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered</p>	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06.</p> <p>GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD.</p> <p>GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO.</p> <p>GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO NOT ASK ITEM R04_AG1010.</p> <p>BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1,</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>cigars as blunts every time when smoked in the past 12 months.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO NOT ASK ITEM R04_AG1010.</p> <p>BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.</p> <p>BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.</p>	<p>THEN LOOP = BTRAD.</p> <p>BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.</p> <p>BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.</p>
CIGARLOOP2	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080.</p> <p>GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>GRILLO = Adult respondents who</p>	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080.</p> <p>GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD.</p> <p>GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO.</p> <p>GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months.</p> <p>GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1071, R04_AG1050, R04_AG1012, and R04_AGR04</p> <p>BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.</p> <p>BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.</p>	<p>R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1071, R04_AG1050, R04_AG1012, and R04_AGR04</p> <p>BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.</p> <p>BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.</p> <p>BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
R04_TOBACCO_PRODUCT_LIST	<p>A list of all the tobacco products the respondent currently uses.</p> <p>DISPLAY: For [TOBACCO PRODUCT LIST] embedded in the question text, display the product names in lowercase letters. If [TOBACCO PRODUCT LIST] has two products, connect the products with "and". If [TOBACCO PRODUCT LIST] has three or more products, connect the products with commas and include "and" before the final product in the list.</p>	<p>If R04_CIG_USER_STATUS = 1, include "cigarettes".</p> <p>If R04_EPROD_USER_STATUS = 1, include "electronic nicotine products".</p> <p>If R04_GTRAD_USER_STATUS= 1, include "traditional cigars" in the list.</p> <p>If R04_GRILLO_USER_STATUS = 1, include "cigarillos" in the list.</p> <p>If R04_GFILTR_USER_STATUS= 1, include "filtered cigars" in the list.</p> <p>If R04_PIPE_USER_STATUS = 1, include "a pipe" in the list.</p> <p>If R04_HOOK_USER_STATUS = 1, include "hookah" in the list.</p> <p>If R04_SNUS_USER_STATUS = 1, include "snus" in the list.</p> <p>If R04_SMKLS_USER_STATUS = 1, include "smokeless tobacco" in the list.</p>
R04_CURRENT_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day or some days.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_EVERY_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [CIGARETTES, CIGARS,



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	somedays.	CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_EXPERIMENTAL_PRODUCT_COUNT	Number of tobacco products the respondent currently uses experimentally.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_RECENT_FORMER_PRODUCT_COUNT	Number of tobacco products the respondent is a recent former user of.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A RECENT FORMER USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_NDSKIP	Type of product use -- polyusers or multiple product users	R04_NDSKIP: IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R04_EPROD_USER_STATUS != 1, 4, THEN R04_NDSKIP = 1. ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 2. ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 2) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 3. ELSE, IF R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 1,

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>THEN R04_NDSKIP = 0.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT &gt;= 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 2, THEN R04_NDSKIP = 1.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT &gt;= 3 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 2.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 3.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R04_TOBACCO_USER_STATUS = 2, THEN R04_NDSKIP = 0.</p>
R04_GROUP	Type of product use -- single product users	<p>IF R04_NDSKIP = 0:</p> <p>IF (R04_CIG_USER_STATUS = 1 OR 4) AND (R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 1 OR 4 AND  (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 1 OR 4 AND  (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 1 OR 4 AND  (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4), THEN  R04_GROUP = NS.</p> <p>ELSE, IF R04_CIG_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4) THEN</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NS.</p> <p>IF R04_NDSKIP = 3:</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>IF (R04_CIG_USER_STATUS = 1 OR 4 AND  R04_EPROD_USER_STATUS = 1 OR 4) AND  (R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF (R04_GTRAD_USER_STATUS = 1 OR 4  AND R04_EPROD_USER_STATUS = 1 OR 4) AND  (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NG.</p>



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF (R04_GRILLO_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NL.</p> <p>ELSE, IF (R04_GFILTR_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NF.</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF (R04_PIPE_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NP.</p> <p>ELSE, IF (R04_HOOK_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NH.</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF (R04_SNUS_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NU.</p> <p>ELSE, IF (R04_SMKLS_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4), THEN R04_GROUP = NS.</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF R04_CIG_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_TOBACCO_USER_STATUS !=4), THEN  R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 2 AND  R04_EPROD_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS !=1 AND  R04_TOBACCO_USER_STATUS !=4) THEN  R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 2 AND  R04_EPROD_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS !=1 AND  R04_TOBACCO_USER_STATUS !=4) THEN  R04_GROUP = NS.</p>
R04_VALID_TIME_LASTUSED	Respondent is a recent former user of a product answered R04_A*1009 with a valid response (excluding e-products).	<p>IF (R04_CIG_USER_STATUS = 4 AND  R04_AC1009_NN &gt; 0) OR (R04_AG1009TC_NN &gt; 0  AND R04_GTRAD_USER_STATUS = 4) OR  (R04_GRILLO_USER_STATUS = 4 AND  R04_AG1009CG_NN &gt; 0) OR  (R04_GFILTR_USER_STATUS = 4 AND  R04_AG1009FC_NN &gt; 0) OR  (R03_HOOK_USER_STATUS = 4 AND  R04_AH1009_NN &gt; 0) OR  (R04_PIPE_USER_STATUS = 4 AND  R04_AP1009_NN &gt; 0) OR  (R04_SNUS_USER_STATUS = 4 AND  R04_AU1009_NN &gt; 0) OR  (R04_SMKLS_USER_STATUS = 4 AND  R04_AS1009_NN &gt; 0), THEN  R04_VALID_TIME_LASTUSED = 1.  ELSE, R04_VALID_TIME_LASTUSED = 2.</p>
Twelve month quit status (e-products) R04_TWELVEMONTHQUIT_STATUS_EPROD	(1) 12 month quit attempter = Adult respondents who have quit or attempted to quit e-products in the past 12 months.	<p>IF R04_AN0105E = 1 OR  R04_EPROD_USER_STATUS = 4, THEN  R04_TWELVEMONTHQUIT_STATUS_EPROD = 1.  ELSE, IF R04_AN0334E = 1, THEN</p>

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	(2) 12 month reducer = Adult respondents who have cut down their e-product use in the past 12 months. (8) Unknown / missing = Unknown or missing	R04_TWELVEMONTHQUIT_STATUS_EPROD = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS_EPROD = 8.
Twelve month quit status (excluding e-products) R04_TWELVEMONTHQUIT_STATUS	(1) 12 month quit attempter = Adult respondents who have quit or attempted to quit tobacco (excluding e-products) in the past 12 months. (2) 12 month reducer = Adult respondents who have cut down their tobacco use (excluding e-products) in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R04_AN0105 = 1 OR R04_TOBXEPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS = 1. ELSE, IF R04_AN0334 = 1, THEN R04_TWELVEMONTHQUIT_STATUS = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS = 8.
R04_ADULT_COPD	Adult respondents who have ever had COPD.	IF (R04_AX0119_NB_01 = 1 OR R04_AX0119_12M_01 = 1 OR R03_COPD = 1) AND R04_AX0733 != 3, THEN R04_ADULT_COPD = 1. ELSE, R04_ADULT_COPD = 2.
R04_ADULT_ASTHMA	(1) Asthma = Adult respondent who ever had asthma. (2) No asthma = Adult respondent who never had asthma.	IF (R03_ASTHMA = 1 OR R04_AX0119_NB_04 = 1 OR R04_AX0119_12M_04 = 1) AND R04_AX0227 != 6, THEN R04_ADULT_ASTHMA = 1 ELSE, R04_ADULT_ASTHMA = 2.
R04_EVER_USER_ALC	Adult respondent has ever used alcohol.	IF R04_AX0084_RS = 1 OR R04_AX0084_12M = 1 OR R03_EVER_USER_ALCOHOL = 1, THEN R04_EVER_USER_ALC = 1. ELSE, R04_EVER_USER_ALC = 2.
R04_EVER_USER_MJ	Adult respondent has ever used	IF R04_AG9107 = 1 OR R04_AG9105_RS = 1 OR R04_AX0085_12M = 1 OR R04_AX0085_RS = 1 OR

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	marijuana.	R04_AH9031 = 1 OR R04_AV9042 = 1 OR R03_EVER_USER_MARIJUANA = 1, THEN R04_EVER_USER_MJ = 1. ELSE, R04_EVER_USER_MJ = 2.
R04_EVER_USER_RIT	Adult respondent has ever used Ritalin® or Adderall®.	IF R04_AX0089_12M_01 = 1 OR R04_AX0089_RS_01 = 1 OR R03_EVER_USER_RITALIN = 1, THEN R04_EVER_USER_RIT = 1. ELSE, R04_EVER_USER_RIT = 2.
R04_EVER_USER_PK	Adult respondent has ever used painkillers, sedatives, or tranquilizers.	IF R04_AX0089_12M_02 = 1 OR R04_AX0089_RS_02 = 1 OR R03_EVER_USER_PAINKILLERS = 1, THEN R04_EVER_USER_PK = 1. ELSE, R04_EVER_USER_PK = 2.
R04_EVER_USER_COC	Adult respondent has ever used cocaine or crack.	IF R04_AX0220_12M_01 = 1 OR R04_AX0220_RS_01 = 1 OR R03_EVER_USER_COCAINE = 1, THEN R04_EVER_USER_COC = 1. ELSE, R04_EVER_USER_COC = 2.
R04_EVER_USER_STIM	Adult respondent has ever used stimulants like methamphetamine or speed.	IF R04_AX0220_12M_02 = 1 OR R04_AX0220_RS_02 = 1 OR R03_EVER_USER_STIMULANTS = 1, THEN R04_EVER_USER_STIM = 1. ELSE, R04_EVER_USER_STIM = 2.
R04_EVER_USER_OTH	Adult respondent has ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R04_AX0220_12M_03 = 1 OR R04_AX0220_RS_03 = 1 OR R03_EVER_USER_OTHERDRUG = 1, THEN R04_EVER_USER_OTH = 1. ELSE R04_EVER_USER_OTH = 2.
R04_SUBSTANCE_COUNT	Number of substances the respondent has ever used.	R04_SUBSTANCE_COUNT = 0;  IF R04_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		+ 1; IF R04_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;
R04_PASTUSE_CIGS	Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarette smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarettes.	IF (R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R03_CIG_USER_STATUS = 1,2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_CIGS = 1)) AND R04_AC1010 != 3, THEN R04_PASTUSE_CIGS = 1. ELSE, R04_PASTUSE_CIGS = 2.
R04_PASTUSE_EPRODS	Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 and new baseline adult respondents who	IF (R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR R03_ECIG_USER_STATUS = 1, 2, 3, 4) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_ADULTTYPE = 2, 3)) AND R04_AV1010 != 3, THEN R04_PASTUSE_EPRODS = 1. ELSE, R04_PASTUSE_EPRODS = 2.



**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	have ever used electronic nicotine products.	
R04_PASTUSE_GTRAD	Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former traditional cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked traditional cigars.	IF (R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR R03_GTRAD_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD = 1)) AND R04_AG1010TC != 3, THEN R04_PASTUSE_GTRAD = 1. ELSE, R04_PASTUSE_GTRAD = 2.
R04_PASTUSE_GRILLO	Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarillo smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarillos.	IF (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR R03_GRILLO_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GRILLO = 1)) AND R04_AG1010CG != 3, THEN R04_PASTUSE_GRILLO = 1. ELSE, R04_PASTUSE_GRILLO = 2.
R04_PASTUSE_GFILTR	Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former filtered cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked filtered cigars.	IF (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR R03_GFILTR_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR = 1)) AND R04_AG1010FC != 3, THEN R04_PASTUSE_GFILTR = 1. ELSE, R04_PASTUSE_GFILTR = 2.
R04_PASTUSE_PIPE	Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former pipe smokers in Wave 3 and new	IF (R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR R03_PIPE_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_PIPE = 1)) AND R04_AP1010!= 3, THEN R04_PASTUSE_PIPE = 1.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	baseline adult respondents who have ever smoked pipe tobacco.	ELSE, R04_PASTUSE_PIPE = 2.
R04_PASTUSE_HOOK	Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former hookah smokers in Wave 3 and new baseline adult respondents who have ever smoked hookah.	IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR R03_HOOK_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_HOOK = 1)) AND R04_AH1010 != 3, THEN R04_PASTUSE_HOOK = 1. ELSE, R04_PASTUSE_HOOK = 2.
R04_PASTUSE_SNUS	Continuing adult respondents who used snus in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former snus users in Wave 3 and new baseline adult respondents who have ever used snus.	IF (R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR R03_SNUS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SNUS = 1)) AND R04_AU1010 != 3, THEN R04_PASTUSE_SNUS = 1. ELSE, R04_PASTUSE_SNUS = 2.
R04_PASTUSE_SMKLS	Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former smokeless tobacco users in Wave 3 and new baseline adult respondents who have ever used smokeless tobacco.	IF (R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR R03_SMKLS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS = 1)) AND R04_AS1010 != 3, THEN R04_PASTUSE_SMKLS = 1. ELSE, R04_PASTUSE_SMKLS = 2.
R04_REGULAR_BRAND	Adult respondent has a regular brand of any tobacco product.	IF R04_AC1047MC = 1 OR R04_AC1047RY = 1 OR R04_AV1047 = 1 OR R04_AG1047TC = 1 OR R04_AG1047CG = 1 OR R04_AG1047FC = 1 OR R04_AP1047 = 1 OR R04_AH1047 = 1 OR R04_AU1047 = 1 OR R04_AS1047 = 1, THEN R04_REGULAR_BRAND = 1. ELSE, R04_REGULAR_BRAND = 2.

**PATH**  
**Adult Questionnaire – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
R04_NO_REGULAR_BRAND	Adult respondent uses a tobacco product and does not have a regular brand of that tobacco product.	IF (R04_AC1047MC = 2, -8, -7 OR R04_AC1047RY = 2 -8, -7 OR R04_AV1047 = 2, -8, -7 OR R04_AG1047TC = 2, -8, -7 OR R04_AG1047CG = 2, -8, -7 OR R04_AG1047FC = 2, -8, -7 OR R04_AP1047 = 2, -8, -7 OR R04_AH1047 = 2, -8, -7 OR R04_AS1047 = 2, -8, -7 OR R04_AU1047 = 2, -8, -7), THEN R04_NO_REGULAR_BRAND = 1. ELSE, R04_NO_REGULAR_BRAND = 2.

**Adult Questionnaire (Spanish) – New and Aged-Up Interview**

---

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**Table of Contents**

---

INTRODUCTORY DEMOGRAPHICS .....	1
TOBACCO USE .....	13
CIGARETTE .....	66
ELECTRONIC NICOTINE PRODUCTS .....	106
CIGAR .....	154
PIPE .....	219
HOOKAH .....	247
SNUS .....	277
SMOKELESS TOBACCO .....	309
NEW PRODUCT - PLACEHOLDER .....	343
POLYUSE .....	345
NICOTINE DEPENDENCE .....	350
PACKAGING AND HEALTH WARNINGS .....	431
RISK PERCEPTIONS AND ATTITUDES .....	448
MEDIA USE .....	471
SECONDHAND SMOKE EXPOSURE .....	476
SOCIAL NORMS, PEER AND FAMILY INFLUENCES .....	482
HEALTH .....	488
MARKETING, ADVERTISING AND PROMOTION .....	614
ADDITIONAL DEMOGRAPHICS .....	621
PRODUCT BARCODE SCANNING MODULE .....	636
CONTACT INFORMATION .....	648
APPENDIX: USER GROUPS .....	660
APPENDIX: DERIVED VARIABLES .....	689

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>SECTION</b>	<b># OF QUESTIONS</b>
Introductory Demographics	18
Tobacco Use	89
Cigarette	64
Electronic Nicotine Products	84
Cigar	82
Pipe	48
Hookah	58
Snus	58
Smokeless Tobacco	57
New Product - Placeholder	5
Polyuse	5
Nicotine Dependence	148
Packaging and Health Warnings	41
Risk Perceptions and Attitudes	67
Media Use	8
Secondhand Smoke Exposure	12
Social Norms, Peer and Family Influences	13
Health	268
Marketing, Advertising and Promotion	17
Additional Demographics	27
Product Barcode Scanning	26
Contact Information	28

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Número de control de la OMB: 0925-0664

Fecha de vencimiento: XX/XX/XXXX

Se calcula que el tiempo para esta recolección de información es de 68 minutos por cuestionario, incluyendo el tiempo necesario para revisar las instrucciones, buscar fuentes de datos existentes, reunir y mantener los datos necesarios y completar y revisar la recolección de información. Ninguna agencia puede realizar ni patrocinar una recolección de información, y ninguna persona está obligada a responder a dicha recolección de información, a menos que esta muestre un número de control vigente de la OMB. Envíe sus comentarios respecto a este cálculo de tiempo o a otro aspecto de esta recolección de información, incluyendo sugerencias de cómo reducir este cálculo de tiempo a: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0664). No devuelva el cuestionario contestado a esta dirección.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## INTRODUCTORY DEMOGRAPHICS

<b>BOX ID:</b> R04_AMV02
PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.
<b>R03_CIG_USER_STATUS</b> - Wave 3 cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_ECIG_USER_STATUS</b> - Wave 3 e-cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_GTRAD_USER_STATUS</b> - Wave 3 traditional cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_GRILLO_USER_STATUS</b> - Wave 3 cigarillo user status (current, experimental current, experimental former, new former, still former)
<b>R03_GFILTR_USER_STATUS</b> - Wave 3 filtered cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_PIPE_USER_STATUS</b> - Wave 3 pipe user status (current, experimental current, experimental former, new former, still former)
<b>R03_HOOK_USER_STATUS</b> - Wave 3 hookah user status (current, experimental current, experimental former, new former, still former)
<b>R03_SNUS_USER_STATUS</b> - Wave 3 snus user status (current, experimental current, experimental former, new former, still former)
<b>R03_SMKLS_USER_STATUS</b> - Wave 3 smokeless tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_TOBACCO_USER_STATUS</b> - Wave 3 tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_EVER_NEVER_CIGS</b> - Wave 3 ever or never user of cigarettes
<b>R03_EVER_NEVER_EPRODS</b> - Wave 3 ever or never user of e-products
<b>R03_EVER_NEVER_GTRAD</b> - Wave 3 ever or never user of traditional cigars
<b>R03_EVER_NEVER_GRILLO</b> - Wave 3 ever or never user of cigarillos
<b>R03_EVER_NEVER_GFILTR</b> - Wave 3 ever or never user of filtered cigars
<b>R03_EVER_NEVER_BTRAD</b> - Wave 3 ever or never user of traditional cigars as blunts
<b>R03_EVER_NEVER_BRILLO</b> - Wave 3 ever or never user of cigarillos as blunts
<b>R03_EVER_NEVER_BFILTR</b> - Wave 3 ever or never user of filtered cigars as blunts
<b>R03_EVER_NEVER_PIPE</b> - Wave 3 ever or never user of pipes
<b>R03_EVER_NEVER_HOOK</b> - Wave 3 ever or never user of hookah
<b>R03_EVER_NEVER_SNUS</b> - Wave 3 ever or never user of snus
<b>R03_EVER_NEVER_SMKLS</b> - Wave 3 ever or never user of smokeless tobacco
<b>R03_EVER_NEVER_DISSBL</b> - Wave 3 ever or never user of dissolvable tobacco
<b>R03_NUMLIFE_CIGS</b> - The respondent reported smoking 100+ cigarettes in their lifetime at any previous wave.
<b>R03_NUMLIFE_EPROD</b> - The respondent reported using e-cigarettes 100+ times in their lifetime at any previous wave.
<b>R03_NUMLIFE_GTRAD</b> - The respondent reported smoking 100+ traditional cigars in their lifetime at any previous wave.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**R03\_NUMLIFE\_GRILLO** - The respondent reported smoking 100+ cigarillos in their lifetime at any previous wave.

**R03\_NUMLIFE\_GFILTR** - The respondent reported smoking 100+ filtered cigars in their lifetime at any previous wave.

**R03\_NUMLIFE\_PIPE** - The respondent reported smoking a pipe 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_HOOK** - The respondent reported smoking hookah 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_SNUS** - The respondent reported using 100+ snus pouches in their lifetime at any previous wave.

**R03\_NUMLIFE\_SMKLS** - The respondent reported using smokeless tobacco 100+ times in their lifetime at any previous wave.

**R03\_REGUSE\_CIGS** - The respondent reported smoking cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_EPROD** - The respondent reported using e-cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_GTRAD** - The respondent reported smoking traditional cigars fairly regularly at any previous wave.

**R03\_REGUSE\_GRILLO** - The respondent reported smoking cigarillos fairly regularly at any previous wave.

**R03\_REGUSE\_GFILTR** - The respondent reported smoking filtered cigars fairly regularly at any previous wave.

**R03\_REGUSE\_PIPE** - The respondent reported smoking a pipe fairly regularly at any previous wave.

**R03\_REGUSE\_HOOK** - The respondent reported smoking hookah fairly regularly at any previous wave.

**R03\_REGUSE\_SNUS** - The respondent reported using snus fairly regularly at any previous wave.

**R03\_REGUSE\_SMKLS** - The respondent reported using smokeless tobacco fairly regularly at any previous wave.

**R03\_GENDER** - Respondent's reported gender

**R03\_PREGNANT** - Respondent reported being pregnant at Wave 3.

**R03\_VA\_HEALTHCARE** - Respondent reported being enrolled in VA health care in any previous wave.

**R03\_ASTHMA** - Respondent reported being diagnosed with asthma in any previous wave.

**R03\_HIGH\_CHOLESTEROL** - Respondent reported being diagnosed with high cholesterol in any previous wave.

**R03\_HIGH\_BLOOD\_PRESSURE** - Respondent reported being diagnosed with high blood pressure in any previous wave.

**R03\_STROKE** - Respondent reported having had a stroke in any previous wave.

**R03\_ANY\_HEART\_CONDITION** - Respondent reported being diagnosed with any heart condition in any previous wave.

**R03\_CANCER** - Respondent reported being diagnosed with cancer in any previous wave.

**R03\_ULCER** - Respondent reported being diagnosed with an ulcer in any previous wave.

**R03\_COPD** - Respondent reported being diagnosed with COPD in any previous wave.

**R03\_DIABETES** - Respondent reported being diagnosed with diabetes in any previous wave.

**R03\_EVER\_USER\_ALCOHOL** - Respondent reported ever using alcohol in any previous wave.

**R03\_EVER\_USER\_MARIJUANA** - Respondent reported ever using marijuana in any previous wave.

**R03\_EVER\_USER\_RITALIN** - Respondent reported ever using ritalin in any previous wave.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**R03\_EVER\_USER\_PAINKILLERS** - Respondent reported ever using painkillers in any previous wave.  
**R03\_EVER\_USER\_COCAINE** - Respondent reported ever using cocaine in any previous wave.  
**R03\_EVER\_USER\_STIMULANTS** - Respondent reported ever using stimulants in any previous wave.  
**R03\_EVER\_USER\_OTHERDRUG** - Respondent reported ever using other drugs in any previous wave.  
**R03\_USCITIZEN** – Respondent reported US citizenship in any previous wave.

**R04\_CONTACTFLAG\_LD** - Adult respondent or parent/guardian of youth respondent has provided contact information.  
**R04\_LINKED\_ADDRESS** - Respondents' best address from IMS.  
**R04\_VTBESTSPPHONE** - Respondents' best phone number from IMS.  
**R04\_PHONE2** - Respondents' second phone number from IMS.  
**R04\_PARENT\_COMPLETE\_LD** - Adult respondent has completed a parent survey about a youth or shadow youth respondent.

**BOX ID: R04\_AMD04**

**Note** - In the following specifications, "!=" represents "not equal to".

**Note** - References to the various respondent types are as follows:

**"New cohort adult respondents"** = Adult respondents who are new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.

**"Aged-up adult respondents"** = Adult respondents whose last completed interview in a previous wave was in the Youth cohort, and have now aged-up into the Adult cohort. This is their first interview in the Adult cohort, but not their first interview in the PATH Study.

**"New baseline adult respondents"** = Adult respondents where this is their first interview in the Adult cohort. Includes both the "New cohort adult" AND "Aged-up adult" respondents.

**"Continuing adult respondents"** = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study.

**"All adult respondents"** = All adult respondents in the Adult cohort.

**BOX ID: R04\_AMR03**

New cohort adult respondents, go to R04\_AM0004\_RS.

Else, adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.

Else, go to R04\_AM0007.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0001_RS</b>
¿Cuál es su fecha de nacimiento?
1    _ _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents.
GO TO R04_AM0002_RS GO TO R04_AM0002_RS

<b>PATH ID:</b> <b>R04_AM0001_RS_LC1</b>
Anoté que su fecha de nacimiento es {DOB2}. ¿Es correcto?
1   Sí
2   No
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AM0002_RS</b>
¿Qué edad tiene usted?
1    _ _
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents.
GO TO R04_AM0004_RS

<b>PATH ID:</b> <b>R04_AM0003_RS</b>
¿Tiene usted...
1   menos de 18 años de edad,
2   entre 18 y 24 años de edad,
3   entre 25 y 29 años de edad o
4   30 años de edad o más?
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who did not know or refused to report their age.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0004\_RS**

¿Cuál es su sexo?

- 1 Masculino
- 2 Femenino
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

**PATH ID: R04\_AM0005\_RS**

¿Es usted de origen hispano, latino o español? Escoja todas las opciones que correspondan.

- 1 No. De ningún origen hispano, latino ni español
- 2 Sí. Mexicano, mexicano americano o chicano
- 3 Sí. Puertorriqueño
- 4 Sí. Cubano
- 5 Sí. De otro origen hispano, latino o español
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

DISPLAY: IF R04\_AM0004 = 1, DISPLAY "" and "";

ELSE, IF R04\_AM0004 = 2, DISPLAY "" and "";

ELSE, IF R04\_AM0004 = -8 or -7, DISPLAY "" and "".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0006_RS</b>
¿Cuál es su raza? Escoja todas las opciones que correspondan.
1 Blanca
2 Negra o africana americana
3 India americana o nativa de Alaska
4 Hindú
5 China
6 Filipina
7 Japonesa
8 Coreana
9 Vietnamita
10 Otra raza asiática
11 Nativa de Hawái
12 Guameña o chamorra
13 Samoana
14 De otra isla del Pacífico
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult respondents.

<b>BOX ID:</b> <b>R04_AMR12</b>
Adult respondents who are not also a Wave 4 parent respondent, go to R04_AT0047. Else, go to R04_AM0007.

<b>PATH ID:</b> <b>R04_AT0047</b>
¿Cuál es su estado civil?
1 Actualmente casado
2 Viudo
3 Divorciado
4 Separado
5 Nunca se ha casado
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0007**

¿Ha prestado alguna vez servicio militar en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos?

Nota: El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares, como por ejemplo la Guerra de Iraq.

- 1 Sí. Actualmente está en servicio activo
- 2 Sí. Estuvo en servicio activo en el pasado pero no actualmente
- 3 No. Únicamente en entrenamiento para la Reserva o la Guardia Nacional
- 4 No. Nunca ha prestado el servicio militar
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR11**

New cohort adult respondents who are currently on active duty, go to R04\_AM0008\_RS.

Else, aged-up adult respondents who are currently on active duty or new baseline adult respondents who have been on active duty in the past, go to R04\_AM0011\_NB.

Else, go to Box R04\_AMR08.

**PATH ID: R04\_AM0008\_RS**

Usted dijo que actualmente está en servicio activo en las Fuerzas Armadas de Estados Unidos. ¿Es correcto?

- 1 Sí GO TO R04\_AM0011\_NB
- 2 No
- 8 DON'T KNOW GO TO R04\_AM0011\_NB
- 7 REFUSED GO TO R04\_AM0011\_NB

ASK: New cohort adult respondents who are currently on active duty.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AM0050_RS</b>	
¿Ha prestado alguna vez servicio militar en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos?	
Nota: El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares, como por ejemplo la Guerra de Iraq.	
1 Sí. Actualmente está en servicio activo	
2 Sí. Estuvo en servicio activo en el pasado pero no actualmente	
3 No. Únicamente en entrenamiento para la Reserva o la Guardia Nacional	GO TO BOX R04_AMR08
4 No. Nunca ha prestado el servicio militar	GO TO BOX R04_AMR08
-8 DON'T KNOW	GO TO BOX R04_AMR08
-7 REFUSED	GO TO BOX R04_AMR08
ASK: New cohort adult respondents who recanted their current active duty status.	

<b>PATH ID: R04_AM0011_NB</b>	
¿En qué rama o ramas militares [presta/prestó] el servicio militar? Escoja todas las opciones que correspondan.	
1 Ejército	
2 Marina	
3 Fuerza Aérea	
4 Cuerpo de Marines	
5 Guardia Costera	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline adult respondents who are currently on active duty or have been on active duty in the past.	
DISPLAY: IF R04_AM0007 = 2 OR R04_AM0050_RS = 2, DISPLAY "prestó".	
ELSE, DISPLAY "presta".	

<b>BOX ID: R04_AMR08</b>
New cohort adult respondents who are currently on active duty, go to R04_AM0009_RS. Else, go to Box R04_AMR09.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0009\_RS**

Las personas que actualmente están en servicio activo en las Fuerzas Armadas de Estados Unidos no reúnen los requisitos para ser entrevistadas en este estudio. Le agradecemos el tiempo que dedicó a hablar con nosotros. Por favor, entréguele la computadora al entrevistador.

1 CONTINUE

GO TO R04\_AL3002\_RS

ASK: New cohort adult respondents who are currently on active duty. (New PATH Study respondents who are a part of the replenishment cohort are not eligible if currently on active duty at the time of their PATH Study baseline interview.)

**BOX ID: R04\_AMR09**

New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty or don't know or refused to report if they are currently on active duty, go to R04\_AM0074\_RS.

Else, go to Box R04\_AMR13.

**PATH ID: R04\_AM0074\_RS**

En el 2014, ¿estuvo en servicio militar activo de tiempo completo en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos durante todo el año?

Nota: El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares, como por ejemplo la Guerra de Iraq.

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty.

DISPLAY: UNDERLINE "durante todo el año".

**BOX ID: R04\_AMR13**

Adult respondents who already completed a parent interview, go to Box R04\_AMR10.

Else, new baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, go to R04\_AM0069.

Else, go to R04\_AM0065.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0069</b>
¿Es usted ciudadano estadounidense?  1    Sí. Nació en Estados Unidos 2    Sí. Nació en Puerto Rico, Guam, las Islas Vírgenes de los Estados Unidos o las Islas Marianas del Norte 3    Sí. Nació en el extranjero de padres ciudadanos estadounidenses 4    Sí. Es ciudadano estadounidense por naturalización 5    No. No es ciudadano estadounidense -8   DON'T KNOW -7   REFUSED
ASK: New baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0065</b>
Aproximadamente, ¿cuántos años lleva viviendo en Estados Unidos? (Si lleva menos de un año viviendo en Estados Unidos, anote 1.)  1    He vivido en Estados Unidos toda mi vida      GO TO BOX R04_AMR10 2     __ __ __  AÑOS -8   DON'T KNOW      GO TO BOX R04_AMR10 -7   REFUSED      GO TO BOX R04_AMR10
ASK: Adult respondents who did not already complete a parent interview. DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "He vivido en Estados Unidos toda mi vida" ON RIGHT.    DISPLAY "AÑOS" AS A TITLE.

<b>PATH ID:</b> <b>R04_AM0065_LC1</b>
La computadora registró que usted lleva viviendo en Estados Unidos [R04_AM0065] años. Son más años de los que usted tiene actualmente.  Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.  1    BACK      GO TO R04_AM0065 2    NEXT      GO TO BOX R04_AMR10
ASK: IF R04_AM0065 > R04_ACHIEVEDAGE.

<b>BOX ID:</b> <b>R04_AMR10</b>
New cohort adult respondents not currently on active duty, go to R04_AM0075_RS. Else, go to Box R04_AMR15.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0075_RS</b>
En algún momento durante el 2014, ¿vivió usted en Estados Unidos, es decir en alguno de los 50 estados o en el distrito de Columbia?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents not currently on active duty.

<b>BOX ID:</b> <b>R04_AMR15</b>
Adult respondents who already completed a parent interview, go to Box R04_ACT02. Else, go to Box R04_AMD03.

<b>BOX ID:</b> <b>R04_AMD03</b>
Display questions R04_AM0066 through R04_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R04_AM0066 is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AM0066</b>
¿Qué tan bien... habla usted inglés?
1    Muy bien
2    Bien
3    No muy bien
4    Nada en absoluto
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0070</b>
lee usted en inglés?
1    Muy bien
2    Bien
3    No muy bien
4    Nada en absoluto
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0073</b>
escribe usted en inglés?
1   Muy bien
2   Bien
3   No muy bien
4   Nada en absoluto
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0071</b>	
¿Habla en su casa un idioma diferente al inglés?	
1   Sí	
2   No	GO TO BOX R04_ACT02
-8   DON'T KNOW	GO TO BOX R04_ACT02
-7   REFUSED	GO TO BOX R04_ACT02
ASK: Adult respondents who did not already complete a parent interview.	

<b>PATH ID:</b> <b>R04_AM0072</b>
¿Qué otros idiomas habla en casa? Escoja todas las opciones que correspondan.
1   Español
2   Chino
3   Tagalo
4   Vietnamita
5   Francés
6   Coreano
7   Alemán
8   Árabe
9   Ruso
10   Otro idioma (ESPECIFIQUE)
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview and speak another language at home.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **TOBACCO USE**

<b>BOX ID:</b> <b>R04_ACT02</b>
Las siguientes preguntas son acerca de su experiencia con <b>cigarrillos</b> .

<b>BOX ID:</b> <b>R04_ACR50</b>
If new cohort adult respondent, go to R04_AC1002_RS. Else, go to R04_AC1004.

<b>PATH ID:</b> <b>R04_AC1002_RS</b>
¿Alguna vez ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents.
GO TO BOX R04_ACV04
GO TO BOX R04_ACV04
GO TO BOX R04_ACV04

<b>PATH ID:</b> <b>R04_AC1004</b>
En los últimos 30 días, ¿ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarette.
GO TO BOX R04_ACR14

<b>PATH ID:</b> <b>R04_AC1002_12M</b>
En los últimos 12 meses, ¿ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not smoked a cigarette in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarette).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR14**

Adult respondents who have never smoked cigarettes in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were experimental former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AC1010.

Else, adult respondents who did not smoke in the past 12 months, go to R04\_AC1009.

Else, go to R04\_AC1003.

**PATH ID: R04\_AC1003**

¿Actualmente fuma cigarrillos...?

1	Todos los días	GO TO BOX R04_ACV04
2	Algunos días	GO TO BOX R04_ACV04
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_ACV04
-7	REFUSED	GO TO BOX R04_ACV04

ASK: Adult respondents who have smoked a cigarette in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a cigarette.

**PATH ID: R04\_AC1009**

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un cigarrillo? (Si fue más temprano hoy, anote un día.)

1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AC1010
-7	REFUSED	GO TO R04_AC1010

ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current cigarette smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1009_LC1</b>	
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó un cigarrillo.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1009
2 NEXT	GO TO R04_AC1010
ASK: IF R04_AC1009_NN = 0.	
DISPLAY: IF R04_AC1009_UN = 1, DISPLAY "días",	
IF R04_AC1009_UN = 2, DISPLAY "meses",	
IF R04_AC1009_UN = 3, DISPLAY "años".	

<b>PATH ID: R04_AC1009_LC2</b>	
La computadora registró que han pasado [R04_AC1009_NN] años desde la última vez que fumó un cigarrillo. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1009
2 NEXT	GO TO R04_AC1010
ASK: IF (R04_AC1009_NN > R04_ACHIEVEDAGE) AND R04_AC1009_UN = 3.	

<b>PATH ID: R04_AC1010</b>	
¿Ha dejado de fumar cigarrillos por completo?	
1 Sí	
2 No	
3 En toda mi vida nunca he fumado un cigarrillo, ni siquiera una o dos probaditas	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who smoked in the past 12 months, but currently smoke cigarettes not at all; and adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_CIG_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ACV04</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_CIGS = 1 (Ever user)</b> Adult respondents who have ever smoked a cigarette and did not recant prior use.
<b>R04_EVER_NEVER_CIGS = 2 (Never user)</b> Adult respondents who have not ever smoked a cigarette.
<b>R04_INIT_CIGS_ADULT = 1 (Initiator)</b> Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette.

<b>BOX ID:</b> <b>R04_ACR10</b>
Young adult respondents who have never smoked a cigarette, go to R04_AC1103.
Else, young adult respondents who have not smoked a cigarette in the past 12 months, go to R04_AC1206.
Else, go to Box R04_ACR17.

<b>PATH ID:</b> <b>R04_AC1103</b>
Alguna vez, ¿ha sentido curiosidad por fumar un cigarrillo?
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have never smoked a cigarette.

<b>PATH ID:</b> <b>R04_AC1206</b>
¿Cree que fumará un cigarrillo el próximo año?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have never smoked a cigarette or have not reported smoking a cigarette in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR17**

Adult respondents who have never smoked a cigarette, go to R04\_AC1104.  
Else, go to Box R04\_ACR48.

**PATH ID: R04\_AC1104**

¿Cree que probará un cigarrillo pronto?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette.

**BOX ID: R04\_ACR48**

Young adult respondents who have never smoked a cigarette, go to R04\_AC1205.  
Else, go to Box R04\_AVT01.

**PATH ID: R04\_AC1205**

¿Si uno de sus mejores amigos le ofreciera un cigarrillo, lo fumaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVT01**

Las siguientes preguntas son acerca de **productos electrónicos con nicotina**, tales como cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.

Estos productos funcionan con batería y producen vapor o aerosol en vez de humo. Algunos productos electrónicos con nicotina se pueden comprar como productos desechables que se usan una sola vez, mientras que otros se compran como productos reusables que vienen con cartuchos o un sistema de tanque. Normalmente usan un líquido con nicotina llamado "líquido electrónico", aunque la cantidad de nicotina puede variar y es posible que algunos no contengan nada de nicotina.

Algunas marcas conocidas son Vuse, Blu, Logic, MarkTen, NJOY, eGo y iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

**BOX ID: R04\_AVR49**

New cohort adult respondents, go to R04\_AV1001\_RS.

Else, go to R04\_AV1004.

**PATH ID: R04\_AV1001\_RS**

¿Alguna vez había visto u oído hablar de un cigarrillo electrónico o producto electrónico con nicotina antes de este estudio?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

ASK: New cohort adult respondents.

**PATH ID: R04\_AV1002\_RS**

¿Alguna vez ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

GO TO BOX R04\_AVV02

ASK: New cohort adult respondents who have heard of e-products.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1004**

En los últimos 30 días, ¿ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Sí

GO TO BOX R04\_AVR04

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used an e-product.

**PATH ID: R04\_AV1002\_12M**

En los últimos 12 meses, ¿ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not used an e-product in the past 30 days (excluding new cohort adult respondents who have not ever used an e-product).

**BOX ID: R04\_AVR04**

Adult respondents who have never used e-products in all previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04\_AVV02.

Else, adult respondents who were experimental former e-product users in the previous wave and did not use e-products in the past 12 months, go to Box R04\_AVV02.

Else, adult respondents who were former e-product users in the previous wave and did not use e-products in the past 12 months, go to R04\_AV1010.

Else, adult respondents who did not use e-products in the past 12 months, go to R04\_AV1009.

Else, go to R04\_AV1003.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1003</b>		
¿Actualmente fuma productos electrónicos con nicotina...?		
1	Todos los días	GO TO BOX R04_AVV02
2	Algunos días	GO TO BOX R04_AVV02
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AVV02
-7	REFUSED	GO TO BOX R04_AVV02
ASK: Adult respondents who have used an e-product in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used an e-product.		

<b>PATH ID: R04_AV1009</b>		
¿Aproximadamente cuánto tiempo hace desde que tomó su última probadita de un producto electrónico con nicotina? (Si fue más temprano hoy, anote un día).		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AV1010
-7	REFUSED	GO TO R04_AV1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current e-product users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used an e-product, but did not use in the past 12 months.		

<b>PATH ID: R04_AV1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que le dio una probadita a un producto electrónico con nicotina.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AV1009
2	NEXT	GO TO R04_AV1010
ASK: IF R04_AV1009_NN = 0.		
DISPLAY: IF R04_AV1009_UN = 1, DISPLAY "días",		
IF R04_AV1009_UN = 2, DISPLAY "meses",		
IF R04_AV1009_UN = 3, DISPLAY "años".		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1009_LC2</b>	
La computadora registró que han pasado [R04_AV1009_NN] años desde la última vez que le dio una probadita a un producto electrónico con nicotina. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AV1009
2 NEXT	GO TO R04_AV1010
ASK: IF (R04_AV1009_NN > R04_ACHIEVEDAGE) AND R04_AV1009_UN = 3.	

<b>PATH ID: R04_AV1010</b>	
¿Ha dejado de fumar productos electrónicos con nicotina por completo?	
1 Sí	
2 No	
3 En toda mi vida nunca he fumado un producto electrónico con nicotina, ni siquiera una o dos veces	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who used in the past 12 months, but currently use e-products not at all; and adult respondents who have ever used an e-product, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_EPROD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

<b>BOX ID: R04_AW02</b>	
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
<b>R04_EVER_NEVER_EPRODS = 1 (Ever user)</b> Adult respondents who have ever used any electronic nicotine products and did not recant prior use.	
<b>R04_EVER_NEVER_EPRODS = 2 (Never user)</b> Adult respondents who have not ever used any electronic nicotine products.	
<b>R04_INIT_EPRODS_ADULT = 1 (Initiator)</b> Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product.	

<b>BOX ID: R04_AVR18</b>	
New cohort adult respondents who did not say they have heard of an e-product, go to Box R04_AGR52.	
Else, young adult respondents who have heard of but never used an e-product, go to R04_AV1103.	
Else, young adult respondents who have heard of but not used e-products in the past 12 months, go to R04_AV1206.	
Else, go to Box R04_AVR16.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1103</b>
¿Ha sentido curiosidad alguna vez por fumar un producto electrónico con nicotina? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used an e-product.

<b>PATH ID:</b> <b>R04_AV1206</b>
¿Cree que fumará un producto electrónico con nicotina en el próximo año?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used an e-product or have not reported using an e-product in the past 12 months.

<b>BOX ID:</b> <b>R04_AVR16</b>
Adult respondents who have heard of but never used e-products, go to R04_AV1104. Else, go to Box R04_AVR48.

<b>PATH ID:</b> <b>R04_AV1104</b>
¿Cree que probará un producto electrónico con nicotina pronto?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have heard of but never used an e-product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR48**

Young adult respondents who have heard of but never used e-products, go to R04\_AV1105.  
Else, go to Box R04\_AGR52.

**PATH ID: R04\_AV1105**

¿Si uno de sus mejores amigos le ofreciera un producto electrónico con nicotina, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**BOX ID: R04\_AGR52**

New cohort adult respondents, go to Box R04\_AGT06.  
Else, go to R04\_AGT01.

**BOX ID: R04\_AGT06**

Las siguientes preguntas son acerca de **puros tradicionales** o "grandes", **puritos** y **puros con filtro**. Ya que a estos productos se les conocen por distintos nombres, use las siguientes descripciones y fotos para identificarlos.

Los **puros tradicionales** o "grandes" contienen tabaco envuelto en una hoja de tabaco. Algunas marcas conocidas de puros son Macanudo, Romeo y Julieta, Arturo Fuente y Cohiba, pero hay muchas más.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**BOX ID: R04\_AGT05**

Los **puritos** y los **puros con filtro** son más pequeños que los puros tradicionales. Normalmente son de color café. Algunos son del mismo tamaño que los cigarrillos y otros vienen con boquillas o filtros. Algunas marcas conocidas son Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts y Winchester.

[SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS]

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1001_RS</b>
¿Alguna vez había visto u oído hablar de un puro, un purito o un puro con filtro antes de este estudio?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR53
GO TO BOX R04_AGR53
GO TO BOX R04_AGR53
ASK: New cohort adult respondents.

<b>BOX ID:</b> <b>R04_AGD04</b>
For R04_AG9002_RS, display as a stem and leaf question. For each leaf, display a sí/no response.

<b>PATH ID:</b> <b>R04_AG9002_RS</b>
Antes de este estudio, ¿de qué tipo de puro había oído hablar?
1    Puros tradicionales o "grandes" como Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba u otros
2    Puritos o puros con filtro como Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne u otros
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have heard of cigars.

<b>BOX ID:</b> <b>R04_AGR57</b>
New cohort adult respondents who have heard of traditional cigars, go to R04_AG9003_RS.
Else, new cohort adult respondents who have heard of cigarillos or filtered cigars, go to R04_AG9004_RS.
Else, new cohort adult respondents who have heard of cigars, but did not know or refused to report which types of cigar they have heard of, go to R04_AG9003_RS.
Else, go to Box R04_AGR56.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9003_RS</b>
¿Alguna vez ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have heard of a traditional cigar, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of.

<b>BOX ID:</b> <b>R04_AGR56</b>
New cohort adult respondents who have heard of cigarillos or filtered cigars, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of, go to R04_AG9004_RS. Else, go to Box R04_AGR54.

<b>PATH ID:</b> <b>R04_AG9004_RS</b>
¿Alguna vez ha fumado un purito o puro con filtro, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR54
GO TO BOX R04_AGR54
GO TO BOX R04_AGR54
ASK: New cohort adult respondents who have heard of a cigarillo or filtered cigar, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of.

<b>PATH ID:</b> <b>R04_AG9009_RS</b>
¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado alguna vez? Escoja todas las opciones que correspondan.
Los que ...
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]
1    tienen una boquilla de plástico o madera
2    tienen un filtro (como un filtro de cigarrillo)
3    no tienen una boquilla ni un filtro
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who have ever smoked a cigarillo or filtered cigar.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR54**

New cohort adult respondents who have ever smoked a traditional cigar, go to R04\_AG9030.  
Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04\_AG9031.  
Else, go to Box R04\_AGR53.

**BOX ID: R04\_AGT01**

Las siguientes preguntas son acerca de **puros tradicionales** o "grandes", **puritos** y **puros con filtro**. Ya que a estos productos se les conocen por distintos nombres, use las siguientes descripciones y fotos para identificarlos.

Los **puros tradicionales** o "grandes" contienen tabaco envuelto en una hoja de tabaco. Algunas marcas conocidas de puros son Macanudo, Romeo y Julieta, Arturo Fuente y Cohiba, pero hay muchas más.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**PATH ID: R04\_AG9030**

En los últimos 30 días, ¿ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         | GO TO BOX R04_AGR55 |
| 2  | No         |                     |
| -8 | DON'T KNOW |                     |
| -7 | REFUSED    |                     |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a traditional cigar.

**PATH ID: R04\_AG9003\_12M**

En los últimos 12 meses, ¿ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- |    |            |
|----|------------|
| 1  | Sí         |
| 2  | No         |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Adult respondents who have not smoked a traditional cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a traditional cigar).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR55**

Continuing and aged-up adult respondents, go to Box R04\_AGT02.  
Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04\_AG9031.  
Else, go to Box R04\_AGR53.

**BOX ID: R04\_AGT02**

Los **puritos** y los **puros con filtro** son más pequeños que los puros tradicionales. Normalmente son de color café. Algunos son del mismo tamaño que los cigarrillos y otros vienen con filtros o con boquillas de plástico o madera. Algunas marcas conocidas son Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag y Cheyenne.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

**PATH ID: R04\_AG9031**

En los últimos 30 días, ¿ha fumado un purito o un puro con filtro, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- |    |            |                      |
|----|------------|----------------------|
| 1  | Sí         |                      |
| 2  | No         | GO TO R04_AG9004_12M |
| -8 | DON'T KNOW | GO TO R04_AG9004_12M |
| -7 | REFUSED    | GO TO R04_AG9004_12M |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

**PATH ID: R04\_AG9049**

¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

Los que ...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- 1 tienen una boquilla de plástico o madera
- 2 tienen un filtro (como un filtro de cigarrillo)
- 3 no tienen una boquilla ni un filtro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR18**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip, go to R04\_AG9051.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04\_AG9052.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9051**

En los últimos 12 meses, ¿ha fumado de los que tienen una boquilla de plástico o de madera, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip.

**BOX ID: R04\_AGR19**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04\_AG9052.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter., go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9052**

En los últimos 12 meses, ¿ha fumado de los que tienen filtro (como el filtro de un cigarillo), incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR20**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04\_AG9053.  
Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9053**

En los últimos 12 meses, ¿ha fumado de los que no tienen filtro, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         | GO TO BOX R04_AGR53 |
| 2  | No         | GO TO BOX R04_AGR53 |
| -8 | DON'T KNOW | GO TO BOX R04_AGR53 |
| -7 | REFUSED    | GO TO BOX R04_AGR53 |

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter.

**PATH ID: R04\_AG9004\_12M**

En los últimos 12 meses, ¿ha fumado un purito o un puro con filtro, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AGR53 |
| -8 | DON'T KNOW | GO TO BOX R04_AGR53 |
| -7 | REFUSED    | GO TO BOX R04_AGR53 |

ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarillo or filtered cigar).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9009_12M</b>
¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado en los últimos 12 meses? Escoja todas las opciones que correspondan.
Los que ...
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]
1    tienen una boquilla de plástico o madera
2    tienen un filtro (como un filtro de cigarrillo)
3    no tienen una boquilla ni un filtro
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have smoked a cigarrillo or filtered cigar in the past 12 months, but not in the past 30 days.

<b>BOX ID:</b> <b>R04_AGR53</b>
New cohort adult respondents who did not say they had heard of cigars, go to Box R04_APT01.
Else, new cohort adult respondents who have heard of cigars, go to R04_AG9105_RS.
Else, go to R04_AG9107.

<b>PATH ID:</b> <b>R04_AG9105_RS</b>
A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt".
<u>Alguna vez</u> , ¿ha fumado parte o todo un puro tradicional, purito o puro con filtro de marihuana? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGV01
GO TO BOX R04_AGV01
GO TO BOX R04_AGV01
ASK: New cohort adult respondents who have heard of cigars.
DISPLAY: Underline "Alguna vez".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9107**

[A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt".

]En los últimos 12 meses, ¿ha fumado parte o todo un puro tradicional, purito o puro con filtro con marihuana? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AGV01 |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a blunt.

DISPLAY: IF R04\_ADULTTYPE = 1, 2, DISPLAY "A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt"." ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1095**

¿Cuál de los siguientes se parecen al tipo de puro que normalmente fuma como si fuera un "toque o blunt"? Escoja todas las opciones que correspondan.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Grupo 1    |                     |
| 2  | Grupo 2    |                     |
| 3  | Grupo 3    |                     |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: Adult respondents who have smoked a blunt in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9106**

Ahora piense en los últimos 12 meses cuando fumó el tipo de puro que se muestra a continuación.

En los últimos 12 meses, ¿con qué frecuencia reemplazó el tabaco por marihuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Siempre
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past 12 months. (This question is repeated for each cigar type identified in R04\_AG1095.)

**BOX ID: R04\_AGV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_12MBLUNT\_ONLY\_BTRAD** = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BRILLO** = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BFILTR** = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

**R04\_INIT\_BLUNT\_BTRAD\_ADULT** = Adult respondents who initiated smoking traditional cigars as blunts between Waves or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BRILLO\_ADULT** = Adult respondents who initiated smoking cigarillos as blunts between Waves or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BFILTR\_ADULT** = Adult respondents who initiated smoking filtered cigars as blunts between Waves or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGD02**

PROGRAM: CREATE [CIGARFILL]

If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "puro tradicional".

If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "purito".

If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "puro con filtro".

**BOX ID: R04\_AGR09**

PROGRAM: CREATE CIGARLOOP1 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:

**For Cigars (non-blunt):**

Repeat Box R04\_AGR05 through Box R04\_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. (This excludes any type of cigar the respondent has smoked as a blunt every time in the past 12 months.)

**For Cigars as Blunt-Only:**

Blunt-only cigar smokers will be asked Box R04\_AGR05 through Box R04\_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.

**BOX ID: R04\_AGT04**

DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.

Las siguientes preguntas son acerca de [CIGARFILL]s, como los que se muestran a continuación.

Cuando conteste estas preguntas, por favor piense ÚNICAMENTE en su consumo de [CIGARFILL]s[ cuando los fumó como si fueran "toques o blunts".

[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:]  
Más adelante habrá otra sección acerca de otras clases de puros.

[SHOW GENERIC IMAGE OF CIGARFILL].



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR05**

Adult respondents who never smoked any cigar type and has not smoked blunts in the past 12 months, go to Box R04\_APT01.

Else, adult respondents who were experimental former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to Box R04\_AGR06.

Else, adult respondents who were former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04\_AG1010[TC/CG/FC].

Else, adult respondents who did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04\_AG1009[TC/CG/FC].

Else, adult respondents who smoked a (non-blunt) traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R04\_AG1003[TC/CG/FC]

Else, adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months, go to R04\_AG1003[TJ/GJ/FJ].

Else, go to Box R04\_APT01.

**PATH ID: R04\_AG1003**

¿Actualmente fuma [[CIGARFILL]s/ como si fueran "toques o blunts"]...

1	Todos los días	GO TO BOX R04_AGR06
2	Algunos días	GO TO BOX R04_AGR06
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AGR06
-7	REFUSED	GO TO BOX R04_AGR06

ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a traditional cigar/cigarillo/filtered cigar; and adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fueran "toques o blunts"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009**

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un [[CIGARFILL]]/ como si fuera un "toque" o "blunt"? (Si fue más temprano hoy, anote un día.)

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_AGR32

-7 REFUSED

GO TO BOX R04\_AGR32

ASK: Adult respondents who smoked traditional cigars/cigarillos/filtered cigars or blunts in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current traditional cigar/cigarillo/filtered cigar smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009TC\_LC1**

La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puros tradicionales [como si fuera un "toque o blunt"].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1009TC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009TC\_NN = 0.

DISPLAY: IF R04\_AG1009TC\_UN = 1, DISPLAY "días".

IF R04\_AG1009TC\_UN = 2, DISPLAY "meses".

IF R04\_AG1009TC\_UN = 3, DISPLAY "años".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1009TC_LC2</b>				
<p>La computadora registró que han pasado [R04_AG1009TC_NN] años desde la última vez que fumó puros tradicionales [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1   BACK</td> <td style="text-align: right;">GO TO R04_AG1009TC</td> </tr> <tr> <td>2   NEXT</td> <td style="text-align: right;">GO TO BOX R04_AGR32</td> </tr> </table> <p>ASK: IF (R04_AG1009TC_NN &gt; R04_ACHIEVEDAGE) AND R04_AG1009TC_UN = 3.          DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.</p>	1   BACK	GO TO R04_AG1009TC	2   NEXT	GO TO BOX R04_AGR32
1   BACK	GO TO R04_AG1009TC			
2   NEXT	GO TO BOX R04_AGR32			

<b>PATH ID:</b> <b>R04_AG1009CG_LC1</b>				
<p>La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puritos [como si fuera un "toque o blunt"].</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1   BACK</td> <td style="text-align: right;">GO TO R04_AG1009CG</td> </tr> <tr> <td>2   NEXT</td> <td style="text-align: right;">GO TO BOX R04_AGR32</td> </tr> </table> <p>ASK: IF R04_AG1009CG_NN = 0.          DISPLAY: IF R04_AG1009CG_UN = 1, DISPLAY "días".          IF R04_AG1009CG_UN = 2, DISPLAY "meses".          IF R04_AG1009CG_UN = 3, DISPLAY "años".          IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.</p>	1   BACK	GO TO R04_AG1009CG	2   NEXT	GO TO BOX R04_AGR32
1   BACK	GO TO R04_AG1009CG			
2   NEXT	GO TO BOX R04_AGR32			

<b>PATH ID:</b> <b>R04_AG1009CG_LC2</b>				
<p>La computadora registró que han pasado [R04_AG1009CG_NN] años desde la última vez que fumó puritos [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1   BACK</td> <td style="text-align: right;">GO TO R04_AG1009CG</td> </tr> <tr> <td>2   NEXT</td> <td style="text-align: right;">GO TO BOX R04_AGR32</td> </tr> </table> <p>ASK: IF (R04_AG1009CG_NN &gt; R04_ACHIEVEDAGE) AND R04_AG1009CG_UN = 3.          DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.</p>	1   BACK	GO TO R04_AG1009CG	2   NEXT	GO TO BOX R04_AGR32
1   BACK	GO TO R04_AG1009CG			
2   NEXT	GO TO BOX R04_AGR32			

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009FC\_LC1**

La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puros con filtro [como si fuera un "toque o blunt"].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1009FC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009FC\_NN = 0.

DISPLAY: IF R04\_AG1009FC\_UN = 1, DISPLAY "días".

IF R04\_AG1009FC\_UN = 2, DISPLAY "meses".

IF R04\_AG1009FC\_UN = 3, DISPLAY "años".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009FC\_LC2**

La computadora registró que han pasado [R04\_AG1009FC\_NN] años desde la última vez que fumó puros con filtro [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1009FC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF (R04\_AG1009FC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009FC\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AGR32**

If adult respondent is answering loop series about blunt use, go to Box R04\_AGR06.

Else, go to R04\_AG1010[TC/CG/FC].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1010</b>
¿Ha dejado de fumar [CIGARFILL]s por completo?
1    Sí
2    No
3    En toda mi vida nunca he fumado un [CIGARFILL], ni siquiera una o dos probaditas
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who smoked traditional cigar/cigarillos/filtered cigars in the past 12 months, but currently smoke not at all; and adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: FOR R04_AG1010TC: DISPLAY OPTION 3 IF R03_GTRAD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.
FOR R04_AG1010CG: DISPLAY OPTION 3 IF R03_GRILLO_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.
FOR R04_AG1010FC: DISPLAY OPTION 3 IF R03_GFILTR_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AGR06</b>
If LOOP = GTRAD and respondent has ever smoked cigarillos or filtered cigars, or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if LOOP = GRILLO and respondent has ever smoked filtered cigars or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if LOOP = GFILTR and respondent smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if LOOP = BTRAD and respondent smoked cigarillos as blunts or filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if LOOP = BRILLO and respondent smoked filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if all loops complete, go to Box R04_AGV04.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV04**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_GTRAD = 1 (Ever user)** Adult respondents who have ever smoked a traditional cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GTRAD = 2 (Never user)** Adult respondents who have not ever smoked a traditional cigar.

**R04\_EVER\_NEVER\_GRILLO = 1 (Ever user)** Adult respondents who have ever smoked a cigarillo and did not recant prior use.

**R04\_EVER\_NEVER\_GRILLO = 2 (Never user)** Adult respondents who have not ever smoked a cigarillo.

**R04\_EVER\_NEVER\_GFILTR = 1 (Ever user)** Adult respondents who have ever smoked a filtered cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GFILTR = 2 (Never user)** Adult respondents who have not ever smoked a filtered cigar.

**R04\_INIT\_GTRAD\_ADULT = 1 (Initiator)** Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar.

**R04\_INIT\_GRILLO\_ADULT = 1 (Initiator)** Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo.

**R04\_INIT\_GFILTR\_ADULT = 1 (Initiator)** Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who have ever smoked a filtered cigar.

**BOX ID: R04\_APT01**

Las siguientes preguntas son acerca de fumar tabaco en **pipa**.

Hay muchas clases diferentes de pipas. Todas tienen una cánula y una cazoleta donde se pone el tabaco. La foto a continuación es de una pipa tradicional.

[SHOW GENERIC IMAGE OF PIPE]

**BOX ID: R04\_APR33**

New cohort adult respondents, go to R04\_AP1001\_RS.

Else, go to R04\_AP1004.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1001_RS</b>
¿Alguna vez había visto u oído hablar de una pipa antes de este estudio?
[SHOW GENERIC IMAGE OF PIPES]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_APV02
GO TO BOX R04_APV02
GO TO BOX R04_APV02
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AP1002_RS</b>
¿Alguna vez ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF PIPES]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_APV02
GO TO BOX R04_APV02
GO TO BOX R04_APV02
ASK: New cohort adult respondents who have heard of pipes.

<b>PATH ID:</b> <b>R04_AP1004</b>
En los últimos 30 días, ¿ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF PIPE]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_APR05
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a pipe.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1002_12M</b>
En los últimos 12 meses, ¿ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF PIPE]
<ul style="list-style-type: none"> <li>1    Sí</li> <li>2    No</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul>
ASK: Adult respondents who have not smoked a pipe in the past 30 days (excluding new cohort adult respondents who have not ever smoked a pipe).

<b>BOX ID:</b> <b>R04_APR05</b>
Adult respondents who have never smoked a pipe in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04_APV02.
Else, adult respondents who were experimental former pipe smokers in the previous wave and did not smoke in the past 12 months, go to Box R04_APV02.
Else, adult respondents who were former pipe smokers in the previous wave and did not smoke in the past 12 months, go to R04_AP1010.
Else, adult respondents who have not smoked in the past 12 months, go to R04_AP1009.
Else, go to R04_AP1003.

<b>PATH ID:</b> <b>R04_AP1003</b>															
¿Actualmente fuma una pipa con tabaco...?															
<table style="width: 100%; border: none;"> <tr> <td style="padding: 5px; width: 20px;">1</td> <td style="padding: 5px;">Todos los días</td> <td style="padding: 5px; text-align: right;">GO TO BOX R04_APV02</td> </tr> <tr> <td style="padding: 5px;">2</td> <td style="padding: 5px;">Algunos días</td> <td style="padding: 5px; text-align: right;">GO TO BOX R04_APV02</td> </tr> <tr> <td style="padding: 5px;">3</td> <td style="padding: 5px;">Nunca</td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;">-8</td> <td style="padding: 5px;">DON'T KNOW</td> <td style="padding: 5px; text-align: right;">GO TO BOX R04_APV02</td> </tr> <tr> <td style="padding: 5px;">-7</td> <td style="padding: 5px;">REFUSED</td> <td style="padding: 5px; text-align: right;">GO TO BOX R04_APV02</td> </tr> </table>	1	Todos los días	GO TO BOX R04_APV02	2	Algunos días	GO TO BOX R04_APV02	3	Nunca		-8	DON'T KNOW	GO TO BOX R04_APV02	-7	REFUSED	GO TO BOX R04_APV02
1	Todos los días	GO TO BOX R04_APV02													
2	Algunos días	GO TO BOX R04_APV02													
3	Nunca														
-8	DON'T KNOW	GO TO BOX R04_APV02													
-7	REFUSED	GO TO BOX R04_APV02													
ASK: Adult respondents who have smoked a pipe in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a pipe.															



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1009</b>	
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó una pipa con tabaco? (Si fue más temprano hoy, anote un día).	
1	_ _  DÍAS
2	_ _  MESES
3	_ _  AÑOS
-8	DON'T KNOW <span style="float: right;">GO TO R04_AP1010</span>
-7	REFUSED <span style="float: right;">GO TO R04_AP1010</span>
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current pipe smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months.	

<b>PATH ID: R04_AP1009_LC1</b>	
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó una pipa.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1	BACK <span style="float: right;">GO TO R04_AP1009</span>
2	NEXT <span style="float: right;">GO TO R04_AP1010</span>
ASK: IF R04_AP1009_NN = 0.	
DISPLAY: IF R04_AP1009_UN = 1, DISPLAY "días",	
IF R04_AP1009_UN = 2, DISPLAY "meses",	
IF R04_AP1009_UN = 3, DISPLAY "años".	

<b>PATH ID: R04_AP1009_LC2</b>	
La computadora registró que han pasado [R04_AP1009_NN] años desde la última vez que fumó una pipa. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1	BACK <span style="float: right;">GO TO R04_AP1009</span>
2	NEXT <span style="float: right;">GO TO R04_AP1010</span>
ASK: IF (R04_AP1009_NN > R04_ACHIEVEDAGE) AND R04_AP1009_UN = 3.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1010</b>
¿Ha dejado de fumar pipas con tabaco por completo?
1    Sí
2    No
3    En toda mi vida nunca he fumado una pipa con tabaco, ni siquiera una o dos probaditas
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke pipes not at all; and adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_PIPE_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_APV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_PIPE = 1 (Ever user)</b> Adult respondents who have ever smoked a pipe and did not recant prior use.
<b>R04_EVER_NEVER_PIPE = 2 (Never user)</b> Adult respondents who have not ever smoked a pipe.
<b>R04_INIT_PIPE_ADULT = 1 (Initiator)</b> Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have ever smoked a pipe.

<b>BOX ID:</b> <b>R04_AHT01</b>
Las siguientes preguntas son acerca de fumar tabaco en una <b>hookah</b> , que es un tipo de pipa de agua. También se conoce como narguile. De ahora en adelante usaremos la palabra "hookah" para referirnos a la pipa de agua o narguile.
Hay muchos tipos de hookahs. La gente normalmente fuma hookahs en grupo en bares o cafés de hookahs. La foto a continuación es de una hookah tradicional.
[SHOW GENERIC IMAGE OF HOOKAH]

<b>BOX ID:</b> <b>R04_AHR49</b>
If new cohort adult respondent, go to R04_AH1001_RS.
Else, go to R04_AH1004.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1001_RS</b>	
¿Alguna vez había visto u oído hablar de una hookah antes de este estudio?	
[SHOW GENERIC IMAGE OF HOOKAH]	
1   Sí	
2   No	GO TO BOX R04_AHV02
-8   DON'T KNOW	GO TO BOX R04_AHV02
-7   REFUSED	GO TO BOX R04_AHV02
ASK: New cohort adult respondents.	

<b>PATH ID:</b> <b>R04_AH1002_RS</b>	
¿Alguna vez ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?	
[SHOW GENERIC IMAGE OF HOOKAH]	
1   Sí	
2   No	GO TO BOX R04_AHV02
-8   DON'T KNOW	GO TO BOX R04_AHV02
-7   REFUSED	GO TO BOX R04_AHV02
ASK: New cohort adult respondents who have heard of a hookah.	

<b>PATH ID:</b> <b>R04_AH1004</b>	
En los últimos 30 días, ¿ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?	
[SHOW GENERIC IMAGE OF HOOKAH]	
1   Sí	GO TO BOX R04_AHR06
2   No	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked hookah.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1002_12M</b>
<p>En los últimos 12 meses, ¿ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?</p> <p>[SHOW GENERIC IMAGE OF HOOKAH]</p> <p style="margin-left: 40px;">1    Sí</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Adult respondents who have not smoked hookah in the past 30 days (excluding new cohort adult respondents who have not ever smoked hookah).</p>

<b>BOX ID:</b> <b>R04_AHR06</b>
<p>Adult respondents who have never smoked hookah in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04_AHV02.</p> <p>Else, adult respondents who were experimental former hookah smokers in the previous wave and did not smoke in the past 12 months, go to Box R04_AHV02.</p> <p>Else, adult respondents who were former hookah smokers in the previous wave and did not smoke in the past 12 months, go to R04_AH1010.</p> <p>Else, adult respondents who have not smoked in the past 12 months, go to R04_AH1009.</p> <p>Else, go to R04_AH1003.</p>

<b>PATH ID:</b> <b>R04_AH1003</b>										
<p>¿Actualmente fuma tabaco en una hookah...?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; padding-left: 40px;">1    Todos los días</td> <td style="padding-left: 20px;">GO TO BOX R04_AHV02</td> </tr> <tr> <td style="padding-left: 40px;">2    Algunos días</td> <td style="padding-left: 20px;">GO TO BOX R04_AHV02</td> </tr> <tr> <td style="padding-left: 40px;">3    Nunca</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="padding-left: 20px;">GO TO BOX R04_AHV02</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="padding-left: 20px;">GO TO BOX R04_AHV02</td> </tr> </table> <p>ASK: Adult respondents who have smoked hookah in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked hookah.</p>	1    Todos los días	GO TO BOX R04_AHV02	2    Algunos días	GO TO BOX R04_AHV02	3    Nunca		-8   DON'T KNOW	GO TO BOX R04_AHV02	-7   REFUSED	GO TO BOX R04_AHV02
1    Todos los días	GO TO BOX R04_AHV02									
2    Algunos días	GO TO BOX R04_AHV02									
3    Nunca										
-8   DON'T KNOW	GO TO BOX R04_AHV02									
-7   REFUSED	GO TO BOX R04_AHV02									

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó tabaco en una hookah? (Si fue más temprano hoy, anote un día)		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AH1010
-7	REFUSED	GO TO R04_AH1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current hookah smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked hookah, but did not smoke in the past 12 months.		

<b>PATH ID: R04_AH1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó tabaco en una hookah.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AH1009
2	NEXT	GO TO R04_AH1010
ASK: IF R04_AH1009_NN = 0.		
DISPLAY: IF R04_AH1009_UN = 1, DISPLAY "días",		
IF R04_AH1009_UN = 2, DISPLAY "meses",		
IF R04_AH1009_UN = 3, DISPLAY "años".		

<b>PATH ID: R04_AH1009_LC2</b>		
La computadora registró que han pasado [R04_AH1009_NN] años desde la última vez que fumó tabaco en una hookah. Son más años de los que usted tiene actualmente.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AH1009
2	NEXT	GO TO R04_AH1010
ASK: IF (R04_AH1009_NN > R04_ACHIEVEDAGE) AND R04_AH1009_UN = 3.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1010</b>
¿Ha dejado de fumar tabaco en una hookah por completo?
1    Sí
2    No
3    En toda mi vida nunca he fumado una hookah, ni siquiera una o dos probaditas
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke hookah not at all; and adult respondents who have ever smoked hookah, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_HOOK_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AHV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_HOOK = 1 (Ever user)</b> Adult respondents who have ever smoked a hookah and did not recant prior use.
<b>R04_EVER_NEVER_HOOK = 2 (Never user)</b> Adult respondents who have not ever smoked hookah.
<b>R04_INIT_HOOK_ADULT = 1 (Initiator)</b> Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah.

<b>BOX ID:</b> <b>R04_AHR03</b>
New cohort adult respondents who did not say they had heard of a hookah, go to Box R04_AST01.
Else, young adult respondents who have heard of but never smoked hookah, go to R04_AH1103.
Else, young adults who have heard of but not smoked hookah in the past 12 months, go to R04_AH1206.
Else, go to Box R04_AHR08.

<b>PATH ID:</b> <b>R04_AH1103</b>
Alguna vez, ¿ha sentido curiosidad por fumar tabaco en una hookah?
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1206</b>
¿Cree que fumará tabaco en una hookah el próximo año?
1   Definitivamente sí
2   Probablemente sí
3   Probablemente no
4   Definitivamente no
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah or have not reported smoking hookah in the past 12 months.

<b>BOX ID:</b> <b>R04_AHR08</b>
Adult respondents who have heard of but never smoked hookah, go to R04_AH1104. Else, go to Box R04_AHR48.

<b>PATH ID:</b> <b>R04_AH1104</b>
¿Cree que probará fumar tabaco en una hookah pronto?
1   Definitivamente sí
2   Probablemente sí
3   Probablemente no
4   Definitivamente no
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have heard of but never smoked hookah.

<b>BOX ID:</b> <b>R04_AHR48</b>
Young adult respondents who have heard of but never smoked hookah, go to R04_AH1205. Else, go to R04_AH9031.

<b>PATH ID:</b> <b>R04_AH1205</b>
¿Si uno de sus mejores amigos le ofreciera fumar en hookah, la probaría?
1   Definitivamente sí
2   Probablemente sí
3   Probablemente no
4   Definitivamente no
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9031**

¿Alguna vez ha fumado marihuana de una hookah? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**PATH ID: R04\_AH9040**

¿Alguna vez ha fumado shisha aromática o sin tabaco en una hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**BOX ID: R04\_AST01**

El tabaco que no se fuma es tabaco que se pone en la boca. El tabaco que no se fuma puede venir suelto o empacado en bolsitas que se ponen bajo el labio. Cuando se consume tabaco que no se fuma, la persona con frecuencia lo mastica, lo chupa o lo escupe, aunque con algunas clases de tabaco que no se fuma no es necesario hacer eso.

Hay muchas clases diferentes de tabaco que no se fuma que se conocen por distintos nombres, así que por favor use las descripciones y las fotos para entender qué tipo de producto es.

[SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO]



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AUT03</b>
El <b>snus</b> es una clase de tabaco que no se fuma. Por lo general, el snus viene en bolsitas pero también hay snus que se vende suelto. Normalmente, al consumir la mayoría de clases de tabaco que no se fuma, la persona lo escupe, pero con el snus no es necesario hacerlo. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus.
Piense en el <b>snus</b> cuando conteste estas preguntas. Más adelante habrá otra sección acerca de las otras clases de productos de tabaco que no se fuma (como el dip, el tabaco de mascar y las bolsitas de tabaco que no se fuma.)
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

<b>BOX ID:</b> <b>R04_AUR49</b>
New cohort adult respondents, go to R04_AU1001_RS. Else, go to R04_AU1004.

<b>PATH ID:</b> <b>R04_AU1001_RS</b>
¿Alguna vez había visto u oído hablar del snus antes de este estudio?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
ASK: New cohort adult respondents.

<b>PATH ID:</b> <b>R04_AU1002_RS</b>
¿Alguna vez ha consumido snus, incluso si solo fue una o dos veces?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
GO TO BOX R04_AUV03
ASK: New cohort adult respondents who have heard of snus.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1004**

En los últimos 30 días, ¿ha consumido snus, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- 1 Sí GO TO BOX R04\_AUR22
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used snus.

**PATH ID: R04\_AU1002\_12M**

En los últimos 12 meses, ¿ha consumido snus, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not used snus in the past 30 days (excluding new cohort adult respondents who have not ever used snus).

**BOX ID: R04\_AUR22**

Adult respondents who have never used snus in all previous waves and did not use snus in the past 12 months or did not know or refused to report whether they used snus in the past 12 months, go to Box R04\_AUV03.

Else, adult respondents who were experimental former snus users in the previous wave and did not use snus in the past 12 months, go to Box R04\_AUV03.

Else, adult respondents were former snus users in the previous wave and did not use snus in the past 12 months, go to R04\_AU1010.

Else, adult respondents who have not used snus in the past 12 months, go to R04\_AU1009.

Else, go to R04\_AU1003.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1003</b>		
¿Actualmente consume snus ...?		
1	Todos los días	GO TO BOX R04_AUV03
2	Algunos días	GO TO BOX R04_AUV03
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AUV03
-7	REFUSED	GO TO BOX R04_AUV03
ASK: Adult respondents who have used snus in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used snus.		

<b>PATH ID: R04_AU1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que consumió snus? (Si fue más temprano hoy, anote un día.)		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AU1010
-7	REFUSED	GO TO R04_AU1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current snus users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used snus, but did not use in the past 12 months.		

<b>PATH ID: R04_AU1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que consumió snus.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AU1009
2	NEXT	GO TO R04_AU1010
ASK: IF R04_AU1009_NN = 0. DISPLAY: IF R04_AU1009_UN = 1, DISPLAY "días", IF R04_AU1009_UN = 2, DISPLAY "meses", IF R04_AU1009_UN = 3, DISPLAY "años".		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1009_LC2</b>	
La computadora registró que han pasado [R04_AU1009_NN] años desde la última vez que consumió snus. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AU1009
2 NEXT	GO TO R04_AU1010
ASK: IF (R04_AU1009_NN > R04_ACHIEVEDAGE) AND R04_AU1009_UN = 3.	

<b>PATH ID: R04_AU1010</b>	
¿Ha dejado de consumir snus por completo?	
1 Sí	
2 No	
3 En toda mi vida nunca he consumido snus, ni siquiera una o dos veces	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who used in the past 12 months, but currently use snus not at all; and adult respondents who have ever used snus, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_SNUS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

<b>BOX ID: R04_AUV03</b>	
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
<b>R04_EVER_NEVER_SNUS = 1 (Ever user)</b> Adult respondents who have ever used snus and did not recant prior use.	
<b>R04_EVER_NEVER_SNUS = 2 (Never user)</b> Adult respondents who have not ever used snus.	
<b>R04_INIT_SNUS_ADULT = 1 (Initiator)</b> Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus.	

<b>BOX ID: R04_AUR06</b>	
New cohort adult respondents who did not say they have heard of snus, go to Box R04_AST03.	
Else, young adult respondents who have heard of but never used snus, go to R04_AU1103.	
Else, young adult respondents who heard of but never used snus or have not used snus in the past 12 months, go to R04_AU1206.	
Else, go to Box R04_AUR24.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1103</b>
Alguna vez, ¿ha sentido curiosidad por consumir snus?
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used snus.

<b>PATH ID:</b> <b>R04_AU1206</b>
¿Cree que consumirá snus el próximo año?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used snus or have not reported using snus in the past 12 months.

<b>BOX ID:</b> <b>R04_AUR24</b>
Adult respondents who have heard of but never used snus, go to R04_AU1104. Else, go to Box R04_AUR48.

<b>PATH ID:</b> <b>R04_AU1104</b>
¿Cree que probará snus pronto?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have heard of but never used snus.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AUR48</b>
Young adult respondents who have heard of but never used snus, go to R04_AU1205. Else, go to Box R04_AST03.

<b>PATH ID:</b> <b>R04_AU1205</b>
¿Si uno de sus mejores amigos le ofreciera snus, lo probaría?  1    Definitivamente sí 2    Probablemente sí 3    Probablemente no 4    Definitivamente no -8   DON'T KNOW -7   REFUSED  ASK: Young adult respondents who have heard of but never used snus.

<b>BOX ID:</b> <b>R04_AST03</b>
Las siguientes preguntas son acerca del <b>tabaco que no se fuma</b> , <u>sin incluir el snus</u> .  El tabaco que no se fuma es una clase de tabaco que se pone en la boca y se mastica, se chupa o se escupe. Puede venir suelto o en bolsitas que se ponen en la boca. Hay muchas clases de tabaco que no se fuma, como por ejemplo el dip, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly, Redman y Levi Garrett.  Por favor <b>no</b> incluya el snus cuando conteste las siguientes preguntas.  [SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

<b>BOX ID:</b> <b>R04_ASR49</b>
New cohort adult respondents, go to R04_AS1001_RS. Else, go to R04_AS1004.

<b>PATH ID:</b> <b>R04_AS1001_RS</b>
¿Alguna vez había visto u oído hablar del tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar antes de este estudio?  [SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]  1    Sí 2    No -8   DON'T KNOW -7   REFUSED  ASK: New cohort adult respondents.
GO TO BOX R04_ASV03 GO TO BOX R04_ASV03 GO TO BOX R04_ASV03

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1002_RS</b>
Alguna vez, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar, incluso si solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ASV03
GO TO BOX R04_ASV03
GO TO BOX R04_ASV03
ASK: New cohort adult respondents who have heard of smokeless tobacco.

<b>PATH ID:</b> <b>R04_AS1004</b>
En los últimos 30 días, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar, incluso solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ASR29
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used smokeless tobacco.

<b>PATH ID:</b> <b>R04_AS1002_12M</b>
En los últimos 12 meses, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar, incluso solo fueron una o dos veces?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not used smokeless tobacco in the past 30 days (excluding new cohort adult respondents who have not ever used smokeless tobacco).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR29**

Adult respondents who have never used smokeless tobacco in previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04\_ASV03.

Else, adult respondents who were experimental former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to Box R04\_ASV03.

Else, adult respondents who were former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to R04\_AS1010.

Else, adult respondents who have not used smokeless tobacco in the past 12 months, go to R04\_AS1009.

Else, go to R04\_AS1003.

**PATH ID: R04\_AS1003**

¿Actualmente consume tabaco que no se fuma...?

1	Todos los días	GO TO BOX R04_ASV03
2	Algunos días	GO TO BOX R04_ASV03
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_ASV03
-7	REFUSED	GO TO BOX R04_ASV03

ASK: Adult respondents who have used smokeless tobacco in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used smokeless tobacco.

**PATH ID: R04\_AS1009**

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió tabaco que no se fuma? (Si fue más temprano hoy, anote un día.)

1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AS1010
-7	REFUSED	GO TO R04_AS1010

ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current smokeless tobacco users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1009_LC1</b>
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que consumió tabaco que no se fuma.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AS1009
2 NEXT	GO TO R04_AS1010
ASK: IF R04_AS1009_NN = 0.	
DISPLAY: IF R04_AS1009_UN = 1, DISPLAY "días",	
IF R04_AS1009_UN = 2, DISPLAY "meses",	
IF R04_AS1009_UN = 3, DISPLAY "años".	

<b>PATH ID:</b>	<b>R04_AS1009_LC2</b>
La computadora registró que han pasado [R04_AS1009_NN] años desde la última vez que consumió tabaco que no se fuma. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AS1009
2 NEXT	GO TO R04_AS1010
ASK: IF (R04_AS1009_NN > R04_ACHIEVEDAGE) AND R04_AS1009_UN = 3.	

<b>PATH ID:</b>	<b>R04_AS1010</b>
¿Ha dejado de consumir tabaco que no se fuma por completo?	
1 Sí	
2 No	
3 En toda mi vida nunca he consumido tabaco que no se fuma, ni siquiera una o dos veces	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who used in the past 12 months, but currently use smokeless tobacco not at all; and adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_SMKLS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASV03**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_SMKLS = 1 (Ever user)** Adult respondents who have ever used smokeless tobacco and did not recant prior use.

**R04\_EVER\_NEVER\_SMKLS = 2 (Never user)** Adult respondents who have not ever used smokeless tobacco.

**R04\_INIT\_USER\_SMKLS = 1 (Initiator)** Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR06**

New cohort adult respondents who did not say they have heard of smokeless tobacco, go to Box R04\_ADT01.

Else, young adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1103.

Else, young adult respondents who have heard of but not used smokeless tobacco in the past 12 months, go to R04\_AS1206.

Else, go to Box R04\_ASR24.

**PATH ID: R04\_AS1103**

Alguna vez, ¿ha sentido curiosidad por consumir tabaco que no se fuma?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco.

**PATH ID: R04\_AS1206**

¿Cree que consumirá tabaco que no se fuma el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco or have not reported using smokeless tobacco in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR24**

Adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1104.  
Else, go to Box R04\_ASR48.

**PATH ID: R04\_AS1104**

¿Cree que probará consumir tabaco que no se fuma pronto?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used smokeless tobacco.

**BOX ID: R04\_ASR48**

Young adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1205.  
Else, go to Box R04\_ADT01.

**PATH ID: R04\_AS1205**

¿Si uno de sus mejores amigos le ofreciera tabaco que no se fuma, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco.

**BOX ID: R04\_ADT01**

La siguiente pregunta es acerca de otro producto de tabaco llamado **tabaco que se disuelve**. Los productos de tabaco que se disuelve no se fuman - están hechos de tabaco finamente molido y con sabor añadido que se disuelve en la boca.

Los productos de tabaco que se disuelve vienen en gran variedad de formas incluyendo pastillitas, palillos y tiritas. Algunas marcas conocidas son Ariva, Stonewall o Orbs, Sticks o Strips de Camel.

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ADR01</b>
New cohort adult respondents, go to R04_AD1001_RS. Else, go to R04_AD1002_12M.

<b>PATH ID:</b> <b>R04_AD1001_RS</b>												
¿Alguna vez había visto u oído hablar de tabaco que se disuelve antes de este estudio?												
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]												
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;">Sí</td> <td style="width: 20%;"></td> </tr> <tr> <td>2</td> <td>No</td> <td style="text-align: right;">GO TO BOX R04_ADV01</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R04_ADV01</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO BOX R04_ADV01</td> </tr> </table>	1	Sí		2	No	GO TO BOX R04_ADV01	-8	DON'T KNOW	GO TO BOX R04_ADV01	-7	REFUSED	GO TO BOX R04_ADV01
1	Sí											
2	No	GO TO BOX R04_ADV01										
-8	DON'T KNOW	GO TO BOX R04_ADV01										
-7	REFUSED	GO TO BOX R04_ADV01										
ASK: New cohort adult respondents.												

<b>PATH ID:</b> <b>R04_AD1002_RS</b>												
¿Ha consumido alguna vez productos de tabaco que se disuelve, como por ejemplo Ariva, Stonewall, u Orbs, Sticks o Strips de Camel, incluso si solo fueron una o dos veces?												
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]												
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;">Sí</td> <td style="width: 20%;"></td> </tr> <tr> <td>2</td> <td>No</td> <td style="text-align: right;">GO TO BOX R04_ADV01</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R04_ADV01</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO BOX R04_ADV01</td> </tr> </table>	1	Sí		2	No	GO TO BOX R04_ADV01	-8	DON'T KNOW	GO TO BOX R04_ADV01	-7	REFUSED	GO TO BOX R04_ADV01
1	Sí											
2	No	GO TO BOX R04_ADV01										
-8	DON'T KNOW	GO TO BOX R04_ADV01										
-7	REFUSED	GO TO BOX R04_ADV01										
ASK: New cohort adult respondents who have heard of dissolvable tobacco.												

<b>PATH ID:</b> <b>R04_AD1002_12M</b>												
En los últimos 12 meses, ¿ha consumido tabaco que se disuelve, incluso si solo fueron una o dos veces?												
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]												
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;">Sí</td> <td style="width: 20%;"></td> </tr> <tr> <td>2</td> <td>No</td> <td></td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table>	1	Sí		2	No		-8	DON'T KNOW		-7	REFUSED	
1	Sí											
2	No											
-8	DON'T KNOW											
-7	REFUSED											
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used dissolvable tobacco.												

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ADV01</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_EVER_NEVER_DISSBL = 1 (Ever user)</b> Adult respondents who have ever used dissolvable tobacco. <b>R04_EVER_NEVER_DISSBL = 2 (Never user)</b> Adult respondents who have not ever used dissolvable tobacco.

<b>BOX ID:</b> <b>R04_AXR124</b>
New cohort adult respondents, go to R04_TOBCONF. Else, aged-up and continuing adult respondents, go to R04_AZ1002.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_TOBCONF**

[La computadora ha registrado que usted nunca ha consumido ningún producto de tabaco. ¿Es correcto?/La computadora ha registrado que usted ha consumido los siguientes productos de tabaco, incluso si solo fueron una o dos veces. ¿Es correcta esta lista?]

Usted ha consumido:

[LIST ALL PRODUCTS EVER USED]]

Usted no ha consumido:

[LIST ALL PRODUCTS NEVER USED]]

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS para cambiar sus respuestas.

1 BACK

GO TO PREVIOUS QUESTION

2 NEXT

GO TO R04\_AZ1002

ASK: IF R04\_ADULTTYPE = 3.

DISPLAY: DISPLAY: IF R04\_AC1002\_RS = 2, -8, -7 AND (R04\_AV1001\_RS = 2, -8, -7 OR R04\_AV1002\_RS = 2, -8, -7) AND (R04\_AG1001\_RS = 2, -8, -7 OR (R04\_AG1001\_RS = 1 AND R04\_AG9003\_RS != 1 AND R04\_AG9004\_RS != 1 AND R04\_AG9105\_RS != 1)) AND (R04\_AP1001\_RS = 2, -8, -7 OR R04\_AP1002\_RS = 2, -8, -7) AND (R04\_AH1001\_RS = 2, -8, -7 OR R04\_AH1002\_RS = 2, -8, -7) AND (R04\_AU1001\_RS = 2, -8, -7 OR R04\_AU1002\_RS = 2, -8, -7) AND (R04\_AS1001\_RS = 2, -8, -7 OR R04\_AS1002\_RS = 2, -8, -7) AND (R04\_AD1001\_RS = 2, -8, -7 OR R04\_AD1002\_RS = 2, -8, -7), DISPLAY "La computadora ha registrado que usted nunca ha consumido ningún producto de tabaco. ¿Es correcto?"

ELSE, IF R04\_EVER\_NEVER\_CIGS = 1 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1) AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_AG1095\_02 = 1) AND (R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1) AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_EVER\_NEVER\_DISSBL = 1, DISPLAY "La computadora ha registrado que usted ha consumido los siguientes productos de tabaco, incluso si solo fueron una o dos veces. ¿Es correcta esta lista?" AND "Usted ha consumido: [LIST ALL PRODUCTS EVER USED]"

ELSE, IF R04\_EVER\_NEVER\_CIGS = 1 OR R04\_EVER\_NEVER\_EPRODS = 1 OR R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1 OR R04\_EVER\_NEVER\_GRILLO = 1 OR R04\_AG1095\_02 = 1 OR R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1 OR R04\_EVER\_NEVER\_PIPE = 1 OR R04\_EVER\_NEVER\_HOOK = 1 OR R04\_EVER\_NEVER\_SNUS = 1 OR R04\_EVER\_NEVER\_SMKLS = 1 OR R04\_EVER\_NEVER\_DISSBL = 1, DISPLAY "La computadora ha registrado que usted ha consumido los siguientes productos de tabaco, incluso si solo fueron una o dos veces. ¿Es correcta esta lista?" AND "Usted ha consumido: [LIST ALL PRODUCTS EVER USED]" AND "Usted no ha consumido: [LIST ALL PRODUCTS NEVER USED]"

FOR "[LIST ALL PRODUCTS EVER USED]" AND "[LIST ALL PRODUCTS NEVER USED]", DISPLAY THE PRODUCT NAMES IN LOWERCASE LETTERS AS A BULLETPPOINT LIST

FOR "[LIST ALL PRODUCTS EVER USED]", IF R04\_EVER\_NEVER\_CIGS = 1, INCLUDE "cigarrillos"; IF R04\_EVER\_NEVER\_EPRODS = 1, INCLUDE "productos electrónicos con nicotina"; (IF R04\_EVER\_NEVER\_GTRAD = 1 OR R04\_AG1095\_01 = 1, INCLUDE "puros tradicionales"; (IF R04\_EVER\_NEVER\_GRILLO = 1 OR R04\_AG1095\_02 = 1, INCLUDE "puritos"; (IF R04\_EVER\_NEVER\_GFILTR = 1 OR R04\_AG1095\_03 = 1, INCLUDE "puros con filtro"; IF R04\_EVER\_NEVER\_PIPE = 1, INCLUDE "pipas"; IF R04\_EVER\_NEVER\_HOOK = 1, INCLUDE

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

"hookah"; IF R04\_EVER\_NEVER\_SNUS = 1, INCLUDE "snus"; IF R04\_EVER\_NEVER\_SMKLS = 1, INCLUDE "tabaco que no se fuma"; IF R04\_EVER\_NEVER\_DISSBL = 1, INCLUDE "tabaco que se disuelve".

FOR "[LIST ALL PRODUCTS NEVER USED]", IF R04\_EVER\_NEVER\_CIGS != 1, INCLUDE "cigarrillos"; IF R04\_EVER\_NEVER\_EPRODS != 1, INCLUDE "productos electrónicos con nicotina"; (IF R04\_EVER\_NEVER\_GTRAD != 1 AND R04\_AG1095\_01 != 1, INCLUDE "puros tradicionales"; (IF R04\_EVER\_NEVER\_GRILLO != 1 AND R04\_AG1095\_02 != 1, INCLUDE "puritos"; (IF R04\_EVER\_NEVER\_GFILTR != 1 AND R04\_AG1095\_03 != 1, INCLUDE "puros con filtro"; IF R04\_EVER\_NEVER\_PIPE != 1, INCLUDE "pipas"; IF R04\_EVER\_NEVER\_HOOK != 1, INCLUDE "hookah"; IF R04\_EVER\_NEVER\_SNUS != 1, INCLUDE "snus"; IF R04\_EVER\_NEVER\_SMKLS != 1, INCLUDE "tabaco que no se fuma"; IF R04\_EVER\_NEVER\_DISSBL != 1, INCLUDE "tabaco que se disuelve".

**PATH ID: R04\_AZ1002**

Usted acaba de contestar preguntas acerca de cigarrillos, productos electrónicos con nicotina, puros tradicionales, puritos, puros con filtro, pipas, hookahs, snus, tabaco que no se fuma y tabaco que se disuelve.

Aparte de estos productos, ¿ha consumido alguna vez algún otro producto de tabaco? No incluya productos con nicotina tales como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras.

- 1 Sí (ESPECIFIQUE)
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AXR125**

New cohort adult respondents, go to R04\_GATE.

Else, aged-up and continuing adult respondents, go to next section.

**PATH ID: R04\_GATE**

Por favor confirme que sus respuestas a las preguntas anteriores son correctas. Una vez que oprima el botón confirmar a continuación, no podrá regresar para cambiar sus respuestas a las preguntas anteriores.

- 1 Confirme que las respuestas son correctas

ASK: New cohort adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AXR01
PROGRAM: Run second stage sampling algorithm for new cohort adult respondents only.
New cohort adult respondents that are not sampled and thus screened out of the PATH Study, go to R04_AL3002_RS.
Else, sampled new cohort adult respondents and all other adult respondents will then be routed through the remainder of the questionnaire as follows:
For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.
For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

<b>BOX ID:</b> R04_AXV11
PROGRAM: SET DISPOSITION CODES
New cohort adult respondents that are screened out after the Phase 2 Screener, set disposition code to CPX.
New cohort adult respondents that report active military duty, set disposition code to CAM.

<b>PATH ID:</b> R04_AL3002_RS
<b>[FOR RESPONDENTS WHO ARE UNDER AGE 18, DISPLAY:]</b> Interviewer: This respondent is under age 18 and is not eligible to be interviewed in this study.
<b>[FOR RESPONDENTS WHO ARE ACTIVE DUTY MILITARY, DISPLAY:]</b> Interviewer: This respondent is on active duty in the U.S. Armed Services and is not eligible to be interviewed in this study.
<b>[FOR RESPONDENTS WHO ARE PART OF THE REPLENISHMENT SAMPLE WHO ARE NOT SAMPLED AT THE END OF THE PHASE 2 SCREENER, DISPLAY:]</b> Interviewer: This respondent has completed a brief adult interview.
1 Monitor Password
ASK: New cohort adult respondents that are currently on active military duty or have screened out of the Phase 2 screener (disposition codes CAM and CPX).



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **CIGARETTE**

**BOX ID: R04\_ACR13**

Aged-up and continuing adult respondents who were a former user, had smoked 100 or more cigarettes and had smoked fairly regularly as of the previous wave; and at the current wave has not smoked in the past 12 months or now smokes not at all, go to Box R04\_ACV01.

Else, go to Box R04\_ACT01.

**BOX ID: R04\_ACT01**

Las siguientes preguntas son acerca de su experiencia con **cigarrillos**.

**BOX ID: R04\_ACR11**

New cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1006\_RS.

Else, aged-up and continuing adult respondents who had not smoked 100 or more cigarettes as of the previous wave, go to R04\_AC1005.

Else, aged-up and continuing adult respondents who had never smoked fairly regularly as of the previous wave, go to R04\_AC1100.

Else, go to Box R04\_ACV01.

**PATH ID: R04\_AC1006\_RS**

¿Qué edad tenía usted la primera vez que fumó parte de un cigarrillo o un cigarrillo completo?

1 |\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AC1120\_RS

-7 REFUSED

GO TO R04\_AC1120\_RS

ASK: New cohort adult respondents who have ever smoked a cigarette.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AC1006\_RS\_LC1**

La computadora registró que la primera vez que usted fumó un cigarrillo completo o parte de un cigarrillo fue a la edad de [R04\_AC1006\_RS] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1006\_RS

2 NEXT

GO TO R04\_AC1005

ASK: IF R04\_AC1006\_RS <= 10.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1006\_RS\_LC2**

La computadora registró que la primera vez que usted fumó un cigarrillo completo o parte de un cigarrillo fue a la edad de [R04\_AC1006\_RS] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1006\_RS

2 NEXT

GO TO R04\_AC1005

ASK: IF R04\_AC1006\_RS > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AC1120\_RS**

La primera vez que fumó parte de un cigarrillo o un cigarrillo completo, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report the age they first smoked a cigarette.

**PATH ID: R04\_AC1005**

¿Cuántos cigarrillos ha fumado en toda su vida? Una cajetilla normalmente contiene 20 cigarrillos.

- 1 Una o más probaditas, pero nunca un cigarrillo completo
- 2 1 a 10 cigarrillos (aproximadamente media cajetilla en total)
- 3 11 a 20 cigarrillos (aproximadamente de media a una cajetilla)
- 4 21 a 50 cigarrillos (más de una pero menos de 3 cajetillas)
- 5 51 a 99 cigarrillos (más de 2 cajetillas y media pero menos de 5 cajetillas)
- 6 100 o más cigarrillos (5 cajetillas o más)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes in the previous wave, and new cohort adult respondents who have ever smoked a cigarette.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR53**

Aged-up and continuing adult respondents who have smoked 100 or more cigarettes in their lifetime and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked 100 or more cigarettes, go to R04\_AC1100.

Else, go to Box R04\_ACV01.

**PATH ID: R04\_AC1100**

¿Alguna vez ha fumado cigarrillos de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have smoked 100 or more cigarettes in their lifetime and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked 100 or more cigarettes.

**BOX ID: R04\_ACR19**

New baseline respondents that have ever smoked fairly regularly, but had never smoked fairly regularly in the previous wave, go to R04\_AC1007\_NB.

Else, go to Box R04\_ACV01.

**PATH ID: R04\_AC1007\_NB**

¿Qué edad tenía la primera vez que comenzó a fumar cigarrillos habitualmente?

- 1 |\_\_|\_\_| Años
- 8 DON'T KNOW GO TO R04\_AC1121\_NB
- 7 REFUSED GO TO R04\_AC1121\_NB

ASK: New baseline adult respondents who have ever smoked cigarettes fairly regularly, but had never smoked fairly regularly in the previous wave.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AC1007\_NB\_LC1**

La computadora registró que usted comenzó a fumar cigarrillos de manera habitual a la edad de [R04\_AC1007\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AC1007\_NB
- 2 NEXT GO TO BOX R04\_ACV01

ASK: IF R04\_AC1007\_NB <= 5.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1007\_NB\_LC2**

La computadora registró que usted comenzó a fumar cigarrillos de manera habitual a la edad de [R04\_AC1007\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1007\_NB

2 NEXT

GO TO BOX R04\_ACV01

ASK: IF R04\_AC1007\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AC1121\_NB**

La primera vez que comenzó a fumar cigarrillos habitualmente, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking cigarettes fairly regularly.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_CIG\_USER\_STATUS = 1 (Current user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke every day or some days.

**R04\_CIG\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a cigarette and have not smoked more than 100 cigarettes in lifetime, and now smoke every day or some days.

**R04\_CIG\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a cigarette and have not smoked more than 100 cigarettes in lifetime, and did not smoke in the past 12 months or now smokes not at all.

**R04\_CIG\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former cigarette smokers at the previous wave and aged-up adult respondents who ever smoked cigarettes at the previous wave, who have ever smoked cigarettes fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since the previous wave, who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_CIG\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former cigarette smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a cigarette and have smoked at least 100 cigarettes in their entire life, who did not smoke in the past 12 months.

**R04\_CURRENT\_CIG\_USE = 1 (Every day user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke every day.

**R04\_CURRENT\_CIG\_USE = 2 (Some day user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1** Adult respondents who are experimental former, recent former, or long-term former cigarette smokers who smoked in the past 30 days.

**BOX ID: R04\_ACR01**

New baseline respondents that are every day cigarette smokers, go to R04\_AC1020\_NB.

Else, aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1008.

Else, go to Box R04\_ACR42.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1020\_NB**

¿Qué edad tenía la primera vez que comenzó a fumar cigarrillos todos los días?

1 |\_\_|\_\_| Años

-8 DON'T KNOW

GO TO BOX R04\_AC1122\_NB

-7 REFUSED

GO TO BOX R04\_AC1122\_NB

ASK: New baseline adult respondents who are every day cigarette smokers.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AC1020\_NB\_LC1**

La computadora registró que usted comenzó a fumar cigarrillos todos los días a la edad de [R04\_AC1020\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1020\_NB

2 NEXT

GO TO BOX R04\_ACR21

ASK: IF R04\_AC1020\_NB <= 5 OR R04\_AC1020\_NB < R04\_AC1007\_NB.

**PATH ID: R04\_AC1020\_NB\_LC2**

La computadora registró que usted comenzó a fumar cigarrillos todos los días a la edad de [R04\_AC1020\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1020\_NB

2 NEXT

GO TO BOX R04\_ACR21

ASK: IF R04\_AC1020\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AC1122\_NB**

La primera vez que comenzó a fumar cigarrillos todos los días, ¿tenía...?

1 menos de 18 años de edad,

2 entre 18 y 24 años de edad,

3 entre 25 y 34 años de edad,

4 entre 35 y 44 años de edad,

5 entre 45 y 54 años de edad o

6 55 años de edad o más?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking cigarettes every day.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR21**

Aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1008.  
Else, go to Box R04\_ACR22.

**PATH ID: R04\_AC1008**

La primera vez que comenzó a fumar cigarrillos, ¿comenzó con cigarrillos mentolados o con sabor a menta?

- 1 Sí
- 2 No
- 3 No sé
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette.

**BOX ID: R04\_ACR22**

Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette, go to R04\_AC9904.  
Else, go to Box R04\_ACR42.

**PATH ID: R04\_AC9904**

¿Qué tantas sensaciones agradables sintió la primera vez que fumó un cigarrillo?

- 1 Nada
- 2 Muy pocas
- 3 Algo
- 4 Muchas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.

DISPLAY: UNDERLINE "agradables" IN THE QUESTION TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9905</b>
¿Qué tantas sensaciones <u>desagradables</u> sintió la primera vez que fumó un cigarrillo?
1    Nada
2    Muy pocas
3    Algo
4    Muchas
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette. DISPLAY: UNDERLINE "desagradables" IN THE QUESTION TEXT.

<b>PATH ID:</b> <b>R04_AC9906</b>
¿Qué tantas náuseas tuvo la primera vez que fumó un cigarrillo?
1    Nada
2    Muy pocas
3    Algo
4    Muchas
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.

<b>BOX ID:</b> <b>R04_ACR42</b>
Aged-up and continuing adult respondents who have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who have ever smoked cigarettes fairly regularly, go to R04_AC9002. Else, go to Box R04_ACR23.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9002</b>	
Aproximadamente, ¿cuánto tiempo hace [que fuma/que fumaba] habitualmente? No incluya periodos en los que haya dejado de fumar temporalmente.	
1  __ __  Meses	
2  __ __  Años	
-8 DON'T KNOW	GO TO BOX R04_ACR23
-7 REFUSED	GO TO BOX R04_ACR23
ASK: Aged-up and continuing adult respondents who have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who have ever smoked cigarettes fairly regularly.	
DISPLAY: IF R04_CIG_USER_STATUS = 1, DISPLAY "que fuma". ELSE DISPLAY "que fumaba".	

<b>PATH ID: R04_AC9002_LC1</b>	
La computadora registró que usted ha fumado de manera habitual por [R04_AC9002] años. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC9002
2 NEXT	GO TO R04_AC9002_LC2
ASK: IF R04_AC9002_NN > R04_ACHIEVEDAGE AND R04_AC9002_UN = 2.	

<b>PATH ID: R04_AC9002_LC2</b>	
La computadora registró que usted anotó [R04_AC9002] años. Esta pregunta es acerca de cuánto tiempo lleva usted fumando de manera habitual, no acerca de cuándo comenzó a fumar.	
Por favor verifique la cantidad de años que anotó.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC9002
2 NEXT	GO TO BOX R04_ACR23
ASK: IF (R04_AC9002_UN = 2 AND R04_AC9002_NN > (R04_ACHIEVEDAGE - 10)) OR (R04_AC9002_NN > 60 AND R04_AC9002_UN = 2).	

<b>BOX ID: R04_ACR23</b>	
Aged-up and continuing adult respondents who are recent former cigarette smokers that have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who are former cigarette smokers who have ever smoked cigarettes fairly regularly, go to R04_AC9003.	
Else, go to Box R04_ACR51.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC9003
En promedio, aproximadamente, ¿cuántos cigarrillos fumaba usted al día cuando fumaba habitualmente? Una cajetilla normalmente contiene 20 cigarrillos.
1  __ __  Cigarrillos al día
2  __ __  Cajetillas al día
-8 DON'T KNOW GO TO BOX R04_ACR51
-7 REFUSED GO TO BOX R04_ACR51
ASK: Aged-up and continuing adult respondents who are recent former cigarette smokers that have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who are former cigarette smokers who have ever smoked cigarettes fairly regularly,

<b>PATH ID:</b> R04_AC9003_LC1
La computadora registró que en promedio usted fumaba [R04_AC9003] [cigarrillos/cajetillas] cada día cuando fumaba de manera habitual.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC9003
2 NEXT GO TO BOX R04_ACR51
ASK: IF (R04_AC9003_NN > 40 AND R04_AC9003_UN = 1) OR R04_AC9003_NN = 11, 22, 33 OR (R04_AC9003_NN > 2 AND R04_AC9003_UN = 2).
DISPLAY: IF R04_AC9003_UN = 1, DISPLAY "cigarrillos". IF R04_AC9003_UN = 2, DISPLAY "cajetillas".

<b>BOX ID:</b> R04_ACR51
New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers, go to R04_AC1025_RS.
Else, go to Box R04_ACR04.

<b>PATH ID:</b> R04_AC1025_RS
Alrededor de esta época, hace 12 meses, ¿fumaba usted cigarrillos todos los días, algunos días o nunca?
1 Todos los días
2 Algunos días GO TO BOX R04_ACR04
3 Nunca GO TO BOX R04_ACR04
-8 DON'T KNOW GO TO BOX R04_ACR04
-7 REFUSED GO TO BOX R04_ACR04
ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC9006_RS
Alrededor de esta época, hace 12 meses, en promedio, ¿aproximadamente cuántos cigarrillos al día fumaba cada día? Una cajetilla normalmente contiene 20 cigarrillos.
1  __ __  Cigarrillos al día
2  __ __  Cajetillas al día
-8 DON'T KNOW GO TO R04_AC9140
-7 REFUSED GO TO R04_AC9140
ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers, that smoked every day this time 12 months ago.

<b>PATH ID:</b> R04_AC9006_RS_LC1
La computadora registró que alrededor de esta época hace 12 meses, usted fumaba en promedio [R04_AC9006_RS] [cigarrillos/cajetillas] al día.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC9006_RS
2 NEXT GO TO BOX R04_ACR04
ASK: IF (R04_AC9006_RS_NN > 40 AND R04_AC9006_RS_UN = 1) OR R04_AC9006_RS_NN = 11, 22, 33 OR (R04_AC9006_RS_NN > 2 AND R04_AC9006_RS_UN = 2).
DISPLAY: IF R04_AC9006_RS_UN = 1, DISPLAY "cigarrillos". IF R04_AC9006_RS_UN = 2, DISPLAY "cajetillas".

<b>PATH ID:</b> R04_AC9140_RS
¿Diría que alrededor de esta época hace 12 meses, en promedio, fumaba más de 20 cigarrillos, unos 20 cigarrillos o menos de 20 cigarrillos al día? Una cajetilla normalmente contiene 20 cigarrillos.
1 Más de 20 cigarrillos cada día
2 Unos 20 cigarrillos cada día
3 Menos de 20 cigarrillos cada día
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers, who did not know or refused to report how many cigarettes they smoked every day this time 12 months ago.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_ACR04
<p>Every day cigarette smokers, go to R04_AC1021.</p> <p>Some day and experimental current cigarette smokers, and former or experimental former cigarette smokers who have smoked in the past 30 days, go to R04_AC1022.</p> <p>Else, if recent former smoker, go to R04_AC1047MC.</p> <p>Else, if experimental former or long-term former smoker, go to next section.</p>

<b>PATH ID:</b> R04_AC1021
<p>En promedio, ¿aproximadamente, cuántos cigarrillos fuma usted cada día actualmente? Una cajetilla normalmente contiene 20 cigarrillos.</p> <p>1  __ __  Cigarrillos al día</p> <p>2  __ __  Cajetillas al día</p> <p>-8 DON'T KNOW GO TO R04_AC1090</p> <p>-7 REFUSED GO TO R04_AC1090</p> <p>ASK: Every day cigarette smokers.</p>

<b>PATH ID:</b> R04_AC1021_LC1
<p>La computadora registró que actualmente usted fuma [R04_AC1021] [cigarrillos/cajetillas] cada día, en promedio.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <p>1 BACK GO TO R04_AC1021</p> <p>2 NEXT GO TO BOX R04_ACV03</p> <p>ASK: IF (R04_AC1021_NN &gt; 40 AND R04_AC1021_UN = 1) OR R04_AC1021_NN = 11, 22, 33 OR (R04_AC1021_NN &gt; 2 AND R04_AC1021_UN = 2).</p> <p>DISPLAY: IF R04_AC1021 REPORTED IN CIGARETTES, DISPLAY "cigarrillos".</p> <p>ELSE, IF R04_AC1021 REPORTED IN PACKS, DISPLAY "cajetillas".</p>

<b>PATH ID:</b> R04_AC1090
<p>¿Diría que en promedio, actualmente fuma más de 20 cigarrillos, unos 20 cigarrillos o menos de 20 cigarrillos cada día?</p> <p>1 Más de 20 cigarrillos cada día GO TO BOX R04_ACV03</p> <p>2 Unos 20 cigarrillos cada día GO TO BOX R04_ACV03</p> <p>3 Menos de 20 cigarrillos cada día GO TO BOX R04_ACV03</p> <p>-8 DON'T KNOW GO TO BOX R04_ACV03</p> <p>-7 REFUSED GO TO BOX R04_ACV03</p> <p>ASK: Every day cigarette smokers who did not know or refused to report how many cigarettes they smoke each day.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1022</b>
¿Durante cuántos de los últimos 30 días fumó usted cigarrillos?
1     __ __  DÍAS
-8   DON'T KNOW
-7   REFUSED
ASK: Some day and experimental current cigarette smokers who have smoked in the past 30 days, and former 30 day cigarette smokers.
DISPLAY: DISPLAY "DÍAS" AS TITLE.

<b>BOX ID:</b> <b>R04_ACR25</b>
If respondent enters "0" for R04_AC1022 and is a some day or experimental current user of cigarettes, go to R04_AC9029.
Else, if respondent enters "0" for R04_AC1022 and is a former 30 day user of cigarettes, go to Box R04_ACV03.
Else, go to R04_AC1023.

<b>PATH ID:</b> <b>R04_AC9029</b>
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un cigarrillo?
1     __ __  DÍAS
2     __ __  MESES
3     __ __  AÑOS
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACV03
GO TO BOX R04_ACV03
ASK: Some day and experimental current cigarette smokers who have not smoked in the past 30 days.

<b>PATH ID:</b> <b>R04_AC9029_LC1</b>
La computadora registró que la última vez que fumó un cigarrillo fue hace [R04_AC9029] [días/meses/años].
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK
2    NEXT
GO TO R04_AC9029
GO TO BOX R04_ACV03
ASK: IF (R04_AC9029_NN < 30 AND R04_AC9029_UN = 1) OR (R04_AC9029_NN < 1 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN > 18 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN > (R04_ACHIEVEDAGE - 10) AND R04_AC9029 = 3).
DISPLAY: IF R04_AC9029_UN = 1, DISPLAY "días",
ELSE, IF R04_AC9029_UN = 2, DISPLAY "meses".
ELSE, IF R04_AC9029_UN = 3, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1023</b>
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AC1022 días/días en que fumó], ¿cuántos cigarrillos fumó usualmente cada día? Una cajetilla normalmente contiene 20 cigarrillos.
1    __ __  Cigarrillos al día
2    __ __  Cajetillas al día
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACV03
GO TO BOX R04_ACV03
ASK: Some day, experimental current, and former thirty day cigarette smokers who have smoked at least one day in past 30 days.
DISPLAY: IF R04_AC1022 = 1, -8, -7, DISPLAY "días en que fumó".
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AC1022 AND "días" (EX. "2 días").

<b>PATH ID:</b> <b>R04_AC1023_LC1</b>
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AC1023] [cigarrillos/cajetillas] cada día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AC1023
GO TO BOX R04_ACV03
ASK: IF (R04_AC1023_NN > 40 AND R04_AC1023_UN = 1) OR R04_AC1023_NN = 0, 11, 22, 33 OR (R04_AC1023_NN > 2 AND R04_AC1023_UN = 2).
DISPLAY: IF R04_AC1023_UN = 1, DISPLAY "cigarrillos".
IF R04_AC1023_UN = 2, DISPLAY "cajetillas".

<b>BOX ID:</b> <b>R04_ACV03</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_CIGSPERDAY</b> = Number of cigarettes smoked per day.
<b>R04_PCKSPERDAY</b> = Number of packs smoked per day.
<b>R04_CIGSPERDAY2</b> = Estimate of cigarettes smoked per day when actual number is DK/RF.

<b>BOX ID:</b> <b>R04_ACR05</b>
New baseline and initiating current cigarette smokers who have ever smoked fairly regularly and provided the number of cigarettes/packs smoked per day, go to R04_AC9004.
Else, new baseline and initiating every day cigarette smokers who have ever smoked fairly regularly and provided the average number of cigarettes per day, go to R04_AC9009.
Else, go to Box R04_ACR41.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9004</b>	
Usted mencionó que fuma [#] [cigarrillo[s]/cajetilla[s]] al día[ en los días en que fuma]. ¿Ha fumado aproximadamente esta cantidad de [cigarrillos/cajetillas] al día desde que comenzó a fumar habitualmente?	
1 Sí	GO TO BOX R04_ACR41
2 No	GO TO R04_AC9005
-8 DON'T KNOW	GO TO R04_AC9005
-7 REFUSED	GO TO R04_AC9005
ASK: New baseline and initiating current cigarette smokers who have ever smoked fairly regularly and provided the number of cigarettes/packs smoked per day.	
DISPLAY: AUTOFILL [#] WITH R04_CIGSPERDAY OR R04_PCKSPERDAY.	
IF R04_CIGSPERDAY = 1, DISPLAY "cigarrillo".	
IF R04_CIGSPERDAY > 1, DISPLAY "cigarrillos".	
IF R04_PCKSPERDAY = 1, DISPLAY "cajetilla".	
IF R04_PCKSPERDAY>1, DISPLAY "cajetillas".	
IF R04_CURRENT_CIG_USE = 2, DISPLAY " en los días en que fuma".	
ELSE, DO NOT DISPLAY THIS TEXT	

<b>PATH ID: R04_AC9009</b>	
Usted mencionó que fuma [R04_CIGSPERDAY2]. Aproximadamente, ¿ha fumado esta cantidad de cigarrillos al día desde que comenzó a fumar habitualmente?	
1 Sí	GO TO BOX R04_ACR41
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline and initiating every day cigarette smokers who have ever smoked fairly regularly and reported an average number of cigarettes smoked per day.	
DISPLAY: IF R04_AC1090 = 1, FILL R04_CIGSPERDAY2 WITH "más de 20 cigarrillos cada día". IF R04_AC1090 = 2, FILL WITH "unos 20 cigarrillos cada día". IF R04_AC1090 = 3, FILL WITH "menos de 20 cigarrillos cada día".	

<b>PATH ID: R04_AC9005</b>	
En promedio, aproximadamente, ¿cuántos cigarrillos fumaba al día cuando fumó habitualmente en el pasado?	
1  __ __  Cigarrillos al día	
2  __ __  Cajetillas al día	
-8 DON'T KNOW	GO TO BOX R04_ACR41
-7 REFUSED	GO TO BOX R04_ACR41
ASK: New baseline and initiating every day cigarette smokers who report smoking a different amount now than in the past.	





**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9045**

Por favor, califique su nivel de acuerdo usando la siguiente escala: 1 = Para nada a 7 = Muchísimo.

¿Disfruta la sensación en la garganta y el pecho cuando fuma un cigarrillo?

- 1 Para nada
- 2
- 3
- 4
- 5
- 6
- 7 Muchísimo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers.

**PATH ID: R04\_AC1024**

[En los días en que fuma, ¿qué/¿Qué] tan pronto después de despertarse se fuma típicamente su primer cigarrillo del día? Anote los minutos o las horas.

- 1 |\_\_|\_\_| Minutos después de despertarse
- 2 |\_\_|\_\_| Horas después de despertarse
- 8 DON'T KNOW GO TO R04\_AC1092
- 7 REFUSED GO TO R04\_AC1092

ASK: Current and experimental current cigarette smokers.

DISPLAY: IF R04\_CURRENT\_CIG\_USE = 1, DISPLAY "¿Qué". ELSE, DISPLAY "En los días en que fuma, ¿qué".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1024_LC1</b>	
La computadora registró que usted normalmente fuma su primer cigarrillo del día [R04_AC1024_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1024
2 NEXT	GO TO R04_AC9052
ASK: IF [R04_CURRENT_CIG_USE = 1 AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 4 AND R04_AC1024_UN = 2))] OR [(R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 12 AND R04_AC1024_UN = 2))].	
DISPLAY: IF R04_AC1024_UN = 2, DISPLAY "horas".	
ELSE, IF R04_AC1024_UN = 1, DISPLAY "minutos".	

<b>PATH ID: R04_AC1024_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer cigarrillo del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1024
2 NEXT	GO TO R04_AC9052
ASK: IF R04_AC1024_NN = 0.	

<b>PATH ID: R04_AC1092</b>	
[En los días en que fuma, ¿diría/¿Diría] usted que fuma su primer cigarrillo del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO R04_AC9052
2 No	GO TO R04_AC9052
3 Depende	GO TO R04_AC9052
-8 DON'T KNOW	GO TO R04_AC9052
-7 REFUSED	GO TO R04_AC9052
ASK: Current and experimental current cigarette smokers who did not know or refused to report how soon they smoke a cigarette after waking up.	
DISPLAY: IF R04_CURRENT_CIG_USE = 1, DISPLAY "¿Diría".	
ELSE, DISPLAY "En los días en que fuma, ¿diría".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1024\_30D**

En los días en que fumaba, ¿qué tan pronto después de que se despertaba se fumaba típicamente su primer cigarrillo del día? Anote los minutos o las horas.

1 |\_\_|\_\_| Minutos después de despertarse

2 |\_\_|\_\_| Horas después de despertarse

-8 DON'T KNOW

GO TO R04\_AC1092\_30D

-7 REFUSED

GO TO R04\_AC1092\_30D

ASK: Former 30 day cigarette smokers.

**PATH ID: R04\_AC1024\_30D\_LC1**

La computadora registró que usted normalmente fumaba su primer cigarrillo del día [R04\_AC1024\_30D\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1024\_30D

2 NEXT

GO TO R04\_AC9048

ASK: IF (R04\_AC1024\_30D\_NN > 60 AND R04\_AC1024\_30D\_UN = 1) OR (R04\_AC1024\_30D\_NN > 12 AND R04\_AC1024\_30D\_UN = 2).

DISPLAY: IF R04\_AC1024\_30D\_UN = 2, DISPLAY "horas".

ELSE, IF R04\_AC1024\_30D\_UN = 1, DISPLAY "minutos".

**PATH ID: R04\_AC1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasaba hasta que usted fumaba su primer cigarrillo del día.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1024\_30D

2 NEXT

GO TO R04\_AC9048

ASK: IF R04\_AC1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC1092_30D	
En los días en que fumaba, ¿diría usted que fumaba su primer cigarrillo del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO R04_AC9048
2 No	GO TO R04_AC9048
3 Depende	GO TO R04_AC9048
-8 DON'T KNOW	GO TO R04_AC9048
-7 REFUSED	GO TO R04_AC9048
ASK: Former 30 day cigarette smokers who did not know or refused to report how soon they smoked a cigarette after waking up.	

<b>PATH ID:</b> R04_AC9052	
¿Qué cigarrillo detestaría más tener que dejar de fumar?	
1 El primero del día	
2 Todos los demás	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

<b>PATH ID:</b> R04_AC9053	
¿Fuma con más frecuencia durante las primeras horas después de despertarse que durante el resto del día?	
1 Sí	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

<b>PATH ID:</b> R04_AC9054	
¿Fuma incluso cuando está tan enfermo que debe pasar la mayor parte del día en cama?	
1 Sí	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9048</b>
Cuando [fuma/fumaba] cigarrillos, ¿[fuma/fumaba] normalmente cigarrillos que ya vienen listos para fumar o [fuma/fumaba] cigarrillos que uno mismo arma?
1   Cigarrillos que ya vienen listos para fumar
2   Cigarrillos que uno mismo arma
3   Tanto cigarrillos que ya vienen listos para fumar como cigarrillos que uno mismo arma
4   No sé
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day cigarette smokers.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "fuma", "fuma", AND "fuma".
ELSE, IF R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "fumaba", "fumaba", AND "fumaba".

<b>BOX ID:</b> <b>R04_ACR36</b>
If respondent usually smokes both manufactured and roll-your-own cigarettes, create and repeat R04_AC0100[MC/R Y] to R04_AC1051[MC/R Y] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second.
If R04_AC9048 = 1, 4, -8, -7, loop through R04_AC0100MC to R04_AC1051MC only once, following the display instructions for manufactured cigarettes.
If R04_AC9048 = 2, loop through R04_AC0100RY to R04_AC1051RY only once, following the display instructions for roll-your-own cigarettes.

<b>BOX ID:</b> <b>R04_ACR45</b>
Adult respondents who did not smoke cigarettes in the past 30 days, go to R04_AC1030[MC/R Y]. Else, go to R04_AC0100[MC/R Y].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC0100</b>		
¿Cuándo fue la última vez que fumó un [cigarrillo/cigarrillo que uno mismo arma]?		
1	Hace menos de una hora	GO TO R04_AC0103[MC/R Y]
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R04_AC1130[MC/R Y]
-8	DON'T KNOW	GO TO R04_AC1130[MC/R Y]
-7	REFUSED	GO TO R04_AC1130[MC/R Y]
ASK: Adult respondents who have smoked a cigarette in the past 30 days.		
DISPLAY: IF R04_AC9048 = 2, DISPLAY "cigarrillo que uno mismo arma".		
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillo" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "cigarrillo que uno mismo arma" THE SECOND TIME.		
ELSE, DISPLAY "cigarrillo".		

<b>PATH ID: R04_AC0102</b>		
La última vez que fumó un [cigarrillo/cigarrillo que uno mismo arma] [FILL BASED ON R04_AC0100[MC/R Y]], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have smoked a cigarette today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: IF R04_AC9048 = 2, DISPLAY "cigarrillo que uno mismo arma". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillo" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "cigarrillo que uno mismo arma" THE SECOND TIME. ELSE, DISPLAY "cigarrillo".		
FOR [FILL BASED ON R04_AC0100]:		
IF R04_AC0100[MC/R Y] = 2, DISPLAY "hoy".		
IF R04_AC0100[MC/R Y] = 3, DISPLAY "ayer".		
IF R04_AC0100[MC/R Y] = 4, DISPLAY "hace dos días".		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC0103</b>	
¿Cuántos [cigarrillos/cigarrillos que uno mismo arma] [ha fumado/fumó] [FILL BASED ON R04_AC0100]? [Una cajetilla normalmente contiene 20 cigarrillos.]	
1  __ __  Cantidad de cigarrillos	
-8 DON'T KNOW	GO TO R04_AC1130[MC/R Y]
-7 REFUSED	GO TO R04_AC1130[MC/R Y]
ASK: Adult respondents who have smoked a cigarette in the past hour, today, yesterday or the day before yesterday.	
DISPLAY: DISPLAY "Cantidad de cigarrillos" AS A TITLE.	
IF R04_AC9048 = 1, 4, -8, -7, DISPLAY "cigarrillos" AND "Una cajetilla normalmente contiene 20 cigarrillos."	
ELSE, IF R04_AC9048 = 2, DISPLAY "cigarrillos que uno mismo arma".	
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" AND "Una cajetilla normalmente contiene 20 cigarrillos." THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "cigarrillos que uno mismo arma" THE SECOND TIME.	
IF R04_AC0100[MC/R Y] = 1, 2, DISPLAY "ha fumado".	
IF R04_AC0100[MC/R Y] = 3, 4, DISPLAY, "fumó".	
FOR [FILL BASED ON R04_AC0100]:	
IF R04_AC0100[MC/R Y] = 1, 2, DISPLAY "hoy".	
IF R04_AC0100[MC/R Y] = 3, DISPLAY "ayer".	
IF R04_AC0100[MC/R Y] = 4, DISPLAY "hace dos días".	

<b>PATH ID: R04_AC0103_LC1</b>	
La computadora registró que usted fumó [R04_AC0103] cigarrillos [hoy/ayer/hace dos días]. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC0103[MC/R Y]
2 NEXT	GO TO R04_AC1130[MC/R Y]
ASK: IF R04_AC0103[MC/R Y]_NN > 60 OR R04_AC0103[MC/R Y]_NN = 11, 22, 33, 44, 55.	
DISPLAY: IF R04_AC0100[MC/R Y] = 1, 2, DISPLAY "hoy".	
IF R04_AC0100[MC/R Y] = 3, DISPLAY "ayer".	
IF R04_AC0100[MC/R Y] = 4, DISPLAY "hace dos días".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1130</b>
<p>En los últimos 30 días, ¿tenía [alguno de los cigarrillos/el tabaco para armar sus propios cigarrillos] que fumó sabor a mentol o menta?</p> <p style="margin-left: 40px;">1    Sí</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">3    No sé</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Adult respondents who have smoked a cigarette in the past 30 days.</p> <p>DISPLAY: IF R04_AC9048 = 2, DISPLAY "el tabaco para armar sus propios cigarrillos". ELSE, IF R04_AC9048 = 3, DISPLAY "alguno de los cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "el tabaco para armar sus propios cigarrillos" THE SECOND TIME. ELSE, DISPLAY "alguno de los cigarrillos".</p>

<b>PATH ID:</b> <b>R04_AC1030</b>																		
<p>Las siguientes preguntas son acerca de su experiencia al comprar cigarrillos.</p> <p>Normalmente, ¿cómo [compra/compraba] [cigarrillos/un paquete de tabaco para armar sus propios cigarrillos] para usted mismo?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 40px;">1</td> <td style="width: 60%;">En persona</td> <td style="width: 40%;"></td> </tr> <tr> <td>2</td> <td>En Internet</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td>3</td> <td>Por teléfono</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td>4</td> <td>No compro [mis cigarrillos/mi tabaco para cigarrillos]</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R04_ACR07</td> </tr> </table> <p>ASK: Current, experimental current, and former 30 day cigarette smokers.</p> <p>DISPLAY: IF R04_AC9048 = 2, DISPLAY "un paquete de tabaco para armar sus propios cigarrillos" IN QUESTION TEXT, AND "mi tabaco para cigarrillos" IN RESPONSE OPTION 4.</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" IN QUESTION TEXT AND "mis cigarrillos" IN RESPONSE OPTION 4 THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "un paquete de tabaco para armar sus propios cigarrillos" IN QUESTION TEXT, AND "mi tabaco para cigarrillos" IN RESPONSE OPTION 4 THE SECOND TIME.</p> <p>ELSE, DISPLAY "cigarrillos" IN QUESTION TEXT AND "mis cigarrillos" IN RESPONSE OPTION 4.</p> <p>IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".</p>	1	En persona		2	En Internet	GO TO BOX R04_ACR07	3	Por teléfono	GO TO BOX R04_ACR07	4	No compro [mis cigarrillos/mi tabaco para cigarrillos]	GO TO BOX R04_ACR07	-8	DON'T KNOW	GO TO BOX R04_ACR07	-7	REFUSED	GO TO BOX R04_ACR07
1	En persona																	
2	En Internet	GO TO BOX R04_ACR07																
3	Por teléfono	GO TO BOX R04_ACR07																
4	No compro [mis cigarrillos/mi tabaco para cigarrillos]	GO TO BOX R04_ACR07																
-8	DON'T KNOW	GO TO BOX R04_ACR07																
-7	REFUSED	GO TO BOX R04_ACR07																



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1032**

Normalmente, [compra/compraba] [cigarrillos/tabaco para armar sus propios cigarrillos]...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually buy cigarettes in person.

DISPLAY: IF R04\_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos". ELSE, IF R04\_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME. ELSE, DISPLAY "cigarrillos".

IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1033**

¿Dónde [compra/compraba] [sus cigarrillos/su tabaco para armar sus propios cigarrillos] la mayoría del tiempo?

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda en una reserva indígena
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually buy cigarettes in person.

DISPLAY: IF R04\_AC9048 = 2, DISPLAY "su tabaco para armar sus propios cigarrillos".

ELSE, IF R04\_AC9048 = 3, DISPLAY "sus cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "su tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "sus cigarrillos".

IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "compra".

ELSE, DISPLAY "compraba".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_ACR07**

Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarette tobacco and usually buy in person, over the telephone or internet, go to R04\_AC9049.

Else, current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes and usually buy in person, over the telephone or internet, go to R04\_AC1039.

Else, go to R04\_AC1047[MC/RV].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9049</b>	
¿Cuánto paga normalmente por un paquete de tabaco para armar sus propios cigarrillos?	
1 \$  __ __ __  Dólares .  __ __  Centavos	
-8 DON'T KNOW	GO TO R04_AC1047RY
-7 REFUSED	GO TO R04_AC1047RY
ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarette tobacco and usually buy in person, over the telephone or internet.	
DISPLAY: DISPLAY"\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.	

<b>PATH ID: R04_AC9049_LC1</b>	
La computadora registró que usted normalmente paga \$[R04_AC9049_D].[R04_AC9049_C] por un paquete de tabaco para armar sus propios cigarrillos. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC9049RY
2 NEXT	GO TO R04_AC1047RY
ASK: IF R04_AC9049_D > 30.	

<b>PATH ID: R04_AC1039</b>	
¿Usualmente compra sus cigarrillos en cartón, en cajetilla o sueltos?	
1 Cartón	
2 Cajetilla	GO TO R04_AC1042MC
3 Suetos	GO TO R04_AC1043MC
-8 DON'T KNOW	GO TO R04_AC1047MC
-7 REFUSED	GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes and usually buy in person, over the telephone or internet.	

<b>PATH ID: R04_AC1040</b>	
¿Cuántas cajetillas de cigarrillos vienen en el cartón que normalmente compra?	
1  __ __	
-8 DON'T KNOW	GO TO R04_AC1041MC
-7 REFUSED	GO TO R04_AC1041MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the carton.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1040_LC1</b>	
Un cartón de cigarrillos normalmente contiene 10 cajetillas, pero no siempre. La computadora registró que hay [R04_AC1040 cajetilla/R04_AC1040 cajetillas] de cigarrillos en el cartón que usted normalmente compra.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1040
2 NEXT	GO TO R04_AC1041
ASK: IF R04_AC1040 != 10.	
DISPLAY: IF R04_AC1040 = 1, DISPLAY "[R04_AC1040] cajetilla".	
ELSE, DISPLAY "[R04_AC1040] cajetillas".	

<b>PATH ID: R04_AC1041</b>	
¿Cuánto paga normalmente por un cartón de cigarrillos?	
1 \$  __ __ __  Dólares .  __ __  Centavos	
-8 DON'T KNOW	GO TO R04_AC1047MC
-7 REFUSED	GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the carton.	
DISPLAY: DISPLAY"\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.	

<b>PATH ID: R04_AC1041_LC1</b>	
La computadora registró que usted normalmente paga \$[R04_AC1041] por un cartón de cigarrillos. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1041
2 NEXT	GO TO R04_AC1047MC
ASK: IF R04_AC1041_D > 125 OR (R04_AC1041_D = 125 AND R04_AC1041_C > 00) OR R04_AC1041_D < 25.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1042</b>	
¿Cuánto paga normalmente por una cajetilla de cigarrillos?	
1 \$  __ __ __  Dólares .  __ __  Centavos	
-8 DON'T KNOW	GO TO R04_AC1047MC
-7 REFUSED	GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the pack.	
DISPLAY: Display "\$" as left label; "Dólares" and "Centavos" as titles.	

<b>PATH ID: R04_AC1042_LC1</b>	
La computadora registró que usted normalmente paga \$[R04_AC1042_D].[R04_AC1042_C] por una cajetilla de cigarrillos. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1042
2 NEXT	GO TO R04_AC1047MC
ASK: IF R04_AC1042_D > 15 OR (R04_AC1042_D = 15 AND R04_AC1042_C > 00) OR R04_AC1042_D < 3 OR (R04_AC1042_D = 3 AND R04_AC1042_C < 99).	

<b>PATH ID: R04_AC1043</b>	
¿Cuánto paga normalmente por un cigarrillo suelto?	
1 \$  __ __ __  Dólares .  __ __  Centavos	
-8 DON'T KNOW	GO TO R04_AC1047MC
-7 REFUSED	GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes as single cigarettes.	
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.	

<b>PATH ID: R04_AC1043_LC1</b>	
La computadora registró que usted normalmente paga \$[R04_AC1043_D].[R04_AC1043_C] por un cigarrillo suelto. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1043
2 NEXT	GO TO R04_AC1047MC
ASK: IF R04_AC1043_D > 3 OR (R04_AC1043_D = 3 AND R04_AC1043_C > 00) OR (R04_AC1043_D = 0 AND R04_AC1043_C < 50).	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1047</b>
<p>¿[Tiene/Tenía] una marca habitual de [cigarrillos/tabaco para armar sus propios cigarrillos] que normalmente [fuma/fumaba]?</p> <p style="margin-left: 40px;">1    Sí</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers.          DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "Tiene" AND "fuma".          ELSE, IF R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "Tenía" AND "fumaba".          IF R04_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".          ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.          ELSE, DISPLAY "cigarrillos".</p>

<b>BOX ID:</b> <b>R04_ACR29</b>
<p>Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes; and recent former cigarette smokers, go to R04_AC1050.          Else, respondents who smoke roll-your-own cigarettes, go to R04_AC9150.</p>

<b>PATH ID:</b> <b>R04_AC1050</b>										
<p>¿[Su marca habitual/La última marca] que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol o menta?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; padding-left: 40px;">1    Sí</td> <td style="padding-left: 20px;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">2    No</td> <td style="padding-left: 20px;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">3    No sé</td> <td style="padding-left: 20px;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="padding-left: 20px;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="padding-left: 20px;">GO TO R04_AC1945MC</td> </tr> </table> <p>ASK: Current, experimental current, and former 30 day cigarette smokers who smoke manufactured cigarettes; and recent former cigarette smokers.          DISPLAY: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 1, DISPLAY "Su marca habitual" AND "fuma" AND "tiene".          IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".          ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1, DISPLAY "Su marca habitual" AND "fumaba" AND "tenía".          ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".</p>	1    Sí	GO TO R04_AC1945MC	2    No	GO TO R04_AC1945MC	3    No sé	GO TO R04_AC1945MC	-8   DON'T KNOW	GO TO R04_AC1945MC	-7   REFUSED	GO TO R04_AC1945MC
1    Sí	GO TO R04_AC1945MC									
2    No	GO TO R04_AC1945MC									
3    No sé	GO TO R04_AC1945MC									
-8   DON'T KNOW	GO TO R04_AC1945MC									
-7   REFUSED	GO TO R04_AC1945MC									

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9150</b>
<p>¿[Su marca habitual/La última marca] de tabaco para armar sus propios cigarrillos [que fumaba], ¿[tiene/tenía] sabor a mentol o menta?</p> <p style="margin-left: 40px;">1    Sí</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">3    No sé</p> <p style="margin-left: 40px;">-8   DONT' KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarettes.</p> <p>DISPLAY: IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 1, DISPLAY "Su marca habitual" AND "tiene".</p> <p>IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 2, -8, -7), DISPLAY, "La última marca" AND "tenía" AND "que fumaba".</p> <p>ELSE, IF R04_AC1047RY = 1, DISPLAY "Su marca habitual" AND "tenía".</p> <p>ELSE, IF R04_AC1047RY = 2, -8, -7, DISPLAY "La última marca" AND "tenía" and "que fumaba".</p>

<b>PATH ID:</b> <b>R04_AC1945</b>
<p>¿Sabe el <u>nombre de la marca</u> de [cigarrillos/tabaco para armar sus propios cigarrillos] que [fuma normalmente/fumó normalmente/fumó la última vez]?</p> <p style="margin-left: 40px;">1    Sí</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">-8   DONT' KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers.</p> <p>DISPLAY: IF R04_AC1047[MC/R Y] = 1 AND R04_CIG_USER_STATUS = 1, 2, DISPLAY "fuma normalmente".</p> <p>ELSE, IF R04_AC1047[MC/R Y] = 1 AND R04_CIG_USER_STATUS != 1, 2, DISPLAY "fumó normalmente".</p> <p>ELSE, IF R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "fumó la última vez".</p> <p>IF R04_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.</p> <p>ELSE, DISPLAY "cigarrillos".</p> <p>UNDERLINE "nombre de la marca".</p>

<b>BOX ID:</b> <b>R04_ACR44</b>
<p>Respondents who know the name of their brand, go to R04_AC1048[MC/R Y]_BRAND.</p> <p>Else, respondents who have a regular brand, go to R04_AC1051[MC/R Y].</p> <p>Else, go to Box R04_ACR43.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1048</b>
<p>¿Qué marca [son los cigarrillos/es el tabaco para armar sus propios cigarrillos] que usted [fuma/fumó] [usualmente/la última vez]?</p> <p>Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]</p> <p style="margin-left: 40px;">1    Otra</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who know the brand name.</p> <p>DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"."</p> <p>IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."</p> <p>IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 1, DISPLAY "fuma" AND "usualmente".</p> <p>ELSE, IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS =1) AND R04_AC1047[MC/R Y] = 1, DISPLAY "fumó" AND "usualmente".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS =1) AND R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".</p> <p>IF R04_AC9048 = 2, DISPLAY "es el tabaco para armar sus propios cigarrillos".</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY "son los cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "es el tabaco para armar sus propios cigarrillos" THE SECOND TIME.</p> <p>ELSE, DISPLAY "son los cigarrillos".</p>

<b>BOX ID:</b> <b>R04_ACR30</b>
<p>If respondent selects an image for their brand, go to R04_AC1070[MC/R Y]_PRODUCT.</p> <p>Else, if respondent selects "Something else" for their brand, go to R04_AC1049[MC/R Y].</p> <p>Else, go to Box R04_ACR33.</p>

<b>PATH ID:</b> <b>R04_AC1049</b>						
<p>Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 40%; padding-left: 40px;">1    _____</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> </table> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected "Something else" for their brand.</p>	1    _____	GO TO BOX R04_ACR33	-8   DON'T KNOW	GO TO BOX R04_ACR33	-7   REFUSED	GO TO BOX R04_ACR33
1    _____	GO TO BOX R04_ACR33					
-8   DON'T KNOW	GO TO BOX R04_ACR33					
-7   REFUSED	GO TO BOX R04_ACR33					



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC1070
Usted seleccionó [CIGBRANDFILL/RYOBRANDFILL] como su marca. ¿Qué clase de [CIGBRANDFILL/RYOBRANDFILL] [fuma/fumó] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]
1 Otra
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected a brand image.
DISPLAY: IF R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04_AC1048MC_BRAND.
ELSE, IF R04_AC9048 = 2 OR (R04_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04_AC1048RY_BRAND.
IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/Ry] = 1, DISPLAY "fuma" AND "normalmente".
ELSE, IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".
ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047[MC/Ry] = 1, DISPLAY "fumó" AND "normalmente".
ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

<b>BOX ID:</b> R04_ACR31
If current, experimental current, recent former, or former 30 day cigarette smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04_AC1071[MC/Ry].
Else, go to Box R04_ACR33.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC1071
Usted dijo que el tipo de [CIGBRANDFILL/RYOBRANDFILL] que usted [fuma/fumaba] no está en las opciones. ¿Qué tipo es?
1 _____
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: IF R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04_AC1048MC_BRAND.
IF R04_AC9048 = 2 OR (R04_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04_AC1048RY_BRAND.
IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/RV] = 1, DISPLAY "fuma".
ELSE, IF (R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/RV] != 1) OR R04_CIG_USER_STATUS = 4, DISPLAY "fumaba".

<b>BOX ID:</b> R04_ACR33
Current, experimental current, recent former, and former 30 day cigarette smokers who have a regular brand, go to R04_AC1051[MC/RV].
Else, go to Box R04_ACR43.

<b>PATH ID:</b> R04_AC1051
Aproximadamente, ¿cuánto tiempo [lleva fumando/fumó] su marca habitual de [cigarrillos/ tabaco para armar sus propios cigarrillos]?
1  __ __  DÍAS
2  __ __  MESES
3  __ __  AÑOS
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_ACR43
GO TO BOX R04_ACR43
ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who have a regular brand.
DISPLAY: IF R04_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME. ELSE, DISPLAY "cigarrillos".
IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1051_LC1</b>
La computadora registró que usted [lleva fumando/fumó] su marca habitual por [R04_AC1051MC_NN] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AC1051MC</span>
2 NEXT <span style="float: right;">GO TO BOX R04_ACR43</span>
ASK: IF (R04_AC1051MC_NN > R04_ACHIEVEDAGE) AND R04_AC1051MC_UN = 3.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

<b>PATH ID: R04_AC1051_LC2</b>
La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de cigarrillos.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AC1051MC</span>
2 NEXT <span style="float: right;">GO TO BOX R04_ACR43</span>
ASK: IF R04_AC1051MC_NN = 0.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

<b>PATH ID: R04_AC1051RY_LC1</b>
La computadora registró que usted [lleva fumando/fumó] su marca habitual por [R04_AC1051RY_NN] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AC1051RY</span>
2 NEXT <span style="float: right;">GO TO BOX R04_ACR09</span>
ASK: IF R04_AC1051RY_NN > R04_ACHIEVEDAGE AND R04_AC1051RY_UN = 3.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1051RY\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de cigarrillos.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1051RY

2 NEXT

GO TO BOX R04\_ACR09

ASK: IF R04\_AC1051RY\_NN = 0.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

**BOX ID: R04\_ACR43**

Adult respondents who usually smoke both manufactured and roll-your-own cigarettes, go back to R04\_AC0100RY and loop through series for roll-your-own cigarettes.

Else, go to Box R04\_ACR09.

**BOX ID: R04\_ACR09**

Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand, go to Box R04\_ACD01.

Else, if current, experimental current, new former or former 30 day cigarette smoker, who does not have a regular brand and usually smokes manufactured cigarettes, go to R04\_AC9019.

Else, go to Box R04\_ACR35.

**BOX ID: R04\_ACD01**

Randomize order of R04\_AC9010 through R04\_AC9015.

Display question R04\_AC9010, R04\_AC9011, R04\_AC9014, R04\_AC9015, on one screen. Show the intro/transition text from R04\_AC9010 first, then show each item with a S/N response. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9010**

[Las siguientes preguntas son acerca de su marca habitual de cigarrillos. Al contestar estas preguntas, piense por favor en la marca de sus cigarrillos que ya vienen listos para fumar. ]Al seleccionar su marca habitual de cigarrillos [cuando fumaba], ¿basó su decisión en parte en alguno de los siguientes criterios?

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "Es".

ELSE, DISPLAY "cuando fumaba" AND "Era".

IF R04\_CIG\_USER\_STATUS = 1 AND R04\_AC9048 = 3, DISPLAY TRANSITION TEXT: "Las siguientes preguntas son acerca de su marca habitual de cigarrillos. Al contestar estas preguntas, piense por favor en la marca de sus cigarrillos que ya vienen listos para fumar."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AC9011**

Los niveles de alquitrán y nicotina.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH ID: R04\_AC9014**

El sabor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9015**

Como manera para ayudarle a dejar el hábito de fumar.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH ID: R04\_AC9019**

¿Cree que la marca de cigarrillos que [normalmente fuma/normalmente fumaba/fumó por última vez] podría ser menos dañina, igual de dañina o más dañina en comparación con otras marcas de cigarrillos?

- 1 Menos dañina
- 2 Igual de dañina
- 3 Más dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who usually smoke manufactured cigarettes.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1047MC = 1, DISPLAY "normalmente fuma".

ELSE, IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1047MC = 2, -8, -7, DISPLAY "fumó por última vez".

ELSE, IF R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 1, DISPLAY "normalmente fumaba".

ELSE, IF R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 2, -8, -7, DISPLAY "fumó por última vez".

**BOX ID: R04\_ACR35**

Adult respondents who are a current smoker of BOTH manufactured and roll-your-own cigarettes, who know the name of their brands and selected a valid brand and product for both, and smoked today, yesterday, or the day before yesterday, go to R04\_AC0105.

Else, if NEQBRAND is missing in either loop for manufactured or RYO cigarettes or respondents who have smoked a cigarette today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand AND valid product AND are users of either manufactured OR roll-your-own cigarettes, but not both, go to R04\_AC0104.

Else, go to the next section.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AC0105</b>	
Anteriormente dijo que fumó un cigarrillo [TIME OF LAST USE]. Piense en el último cigarrillo que fumó. ¿Era (un)...		
1	[NEQBRAND]	GO TO NEXT SECTION
2	[NEQBRAND]	GO TO NEXT SECTION
3	Alguna otra marca	GO TO NEXT SECTION
-8	DON'T KNOW	GO TO NEXT SECTION
-7	REFUSED	GO TO NEXT SECTION
ASK: Current, experimental current, and former 30 day cigarette smokers who have smoked a cigarette today, yesterday or the day before yesterday who know the name of their brands AND selected a valid brand and valid product AND are users of both RYO and manufactured cigarettes. (If NEQBRAND is missing in either loop for manufactured or RYO cigarettes, default to asking R04_AC0104 at the end of the cigarette section instead of R04_AC0105.)		
DISPLAY: IF R04_AC0100MC = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".		
ELSE, IF R04_AC0100RY = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".		
ELSE, IF R04_AC0100MC = 2, FILL [TIME OF LAST USE] WITH "hoy".		
ELSE, IF R04_AC0100RY = 2, FILL [TIME OF LAST USE] WITH "hoy".		
ELSE, IF R04_AC0100MC = 3, FILL [TIME OF LAST USE] WITH "ayer".		
ELSE, IF R04_AC0100RY = 3, FILL [TIME OF LAST USE] WITH "ayer".		
ELSE, IF R04_AC0100MC = 4, FILL [TIME OF LAST USE] WITH "hace dos días".		
ELSE, IF R04_AC0100RY = 4, FILL [TIME OF LAST USE] WITH "hace dos días".		
FILL [NEQBRAND] WITH R04_AC1070MC_PRODUCT RESPONSE CODE 1 FOR MANUFACTURED.		
FILL [NEQBRAND] WITH R04_AC1070RY_PRODUCT RESPONSE CODE 2 FOR ROLL-YOUR-OWN.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC0104**

Tengo una pregunta más acerca de [su marca habitual / la última marca] de cigarrillos [ que fumó].

Anteriormente dijo que fumó un cigarrillo [TIME OF LAST USE].

Piense en el último cigarrillo que fumó. ¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who have smoked a cigarette in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product AND are users of either manufactured OR roll-your-own cigarettes, but not both OR are users of both, but only provided a valid brand AND valid product for one type of cigarette.

DISPLAY: UNDERLINE "su marca habitual" AND "la última marca" IN THE QUESTION TEXT.

IF R04\_AC1047[MC/R Y] = 1, DISPLAY "su marca habitual".

ELSE, IF R04\_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "la última marca" AND "que fumó".

IF R04\_AC0100[MC/R Y] = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R04\_AC0100[MC/R Y] = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R04\_AC0100[MC/R Y] = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE IF R04\_AC0100[MC/R Y] = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH R04\_AC1070[MC/R Y]\_PRODUCT RESPONSE.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **ELECTRONIC NICOTINE PRODUCTS**

**BOX ID: R04\_AVT02**

Las siguientes preguntas son acerca de **productos electrónicos con nicotina**.

Algunos productos electrónicos con nicotina se pueden comprar como productos desechables que se usan una sola vez, mientras que otros se compran como productos reusables que vienen con cartucho o sistema de tanque. Algunas personas vuelven a llenar sus productos electrónicos con nicotina con un líquido de nicotina que a veces se conoce como "líquido electrónico" o "jugo electrónico".

Los productos electrónicos desechables con nicotina, los cartuchos para productos electrónicos con nicotina y el líquido electrónico en distintos sabores y concentraciones de nicotina. Algunas marcas conocidas son Vuse, Blu, Logic, MarkTen, NJOY, eGo y iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS].

**PATH ID: R04\_AV1090**

¿Tiene usted un producto electrónico con nicotina?

- |    |            |                  |
|----|------------|------------------|
| 1  | Sí         |                  |
| 2  | No         | GO TO R04_AV9041 |
| -8 | DON'T KNOW | GO TO R04_AV9041 |
| -7 | REFUSED    | GO TO R04_AV9041 |

ASK: Adult respondents who have ever used an e-product.

**PATH ID: R04\_AV9945**

¿Sabe el nombre de la marca de producto electrónico con nicotina que usted tiene?

- |    |            |                  |
|----|------------|------------------|
| 1  | Sí         |                  |
| 2  | No         | GO TO R04_AV9004 |
| -8 | DON'T KNOW | GO TO R04_AV9004 |
| -7 | REFUSED    | GO TO R04_AV9004 |

ASK: Adult respondents who own an e-product.

DISPLAY: UNDERLINE "nombre de la marca".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9002</b>
<p>¿Cuál es la marca del producto electrónico con nicotina que usted tiene? (Si usted tiene más de un producto electrónico con nicotina, conteste la pregunta pensando en el producto que usa con <b><u>más frecuencia</u></b>.)</p> <p>Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". / Si no ve la opción a continuación, toque la casilla que dice "Otra".]</p> <p>1 Otra -8 DON'T KNOW -7 REFUSED</p> <p>ASK: Adult respondents who own an e-product and know the brand name. DISPLAY: [If multiple screens] Display: Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". [If single screen OR last screen of multiple screens] Display: Si no ve la opción a continuación, toque la casilla que dice "Otra". [SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.] BOLD AND UNDERLINE "más frecuencia".</p>

<b>BOX ID:</b> <b>R04_AVR36</b>
<p>Adult respondents who own an e-product and know the brand name and select "Something else" in R04_AV9002, go to R04_AV9003. Else, go to R04_AV9004.</p>

<b>PATH ID:</b> <b>R04_AV9003</b>
<p>Usted dijo que la marca del producto electrónico con nicotina que usted tiene no aparece en las opciones. ¿Qué marca es?</p> <p>1 _____ -8 DON'T KNOW -7 REFUSED</p> <p>ASK: Adult respondents who own an e-product and know the brand name and did not select an image of the brand they own.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9004**

¿Aproximadamente cuánto pagó por su producto electrónico con nicotina? No incluya el costo de accesorios o cartuchos adicionales, a menos que hayan estado incluidos con el producto.

(Si usted tiene más de un producto electrónico con nicotina, conteste la pregunta pensando en el producto que usa con **más frecuencia**.)

- 1 Menos de \$10
- 2 \$10 a \$20
- 3 \$21 a \$100
- 4 Más de \$100
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product.

DISPLAY: BOLD AND UNDERLINE "más frecuencia".

**PATH ID: R04\_AV9041**

¿Alguna otra persona que viva en su casa tiene un producto electrónico con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR20**

New cohort adult respondents who have ever used an e-product, go to R04\_AV1006\_RS.

Else, aged-up and continuing adult respondents who have ever used an e-product and had not used e-products 100 or more times in the previous wave, go to R04\_AV1005.

Else, aged-up and continuing adult respondents who have ever used an e-product and had never used e-products fairly regularly in the previous wave, go to R04\_AV1100.

Else, go to Box R04\_AVR22.

**PATH ID: R04\_AV1006\_RS**

¿Qué edad tenía la primera vez que fumó un producto electrónico con nicotina, incluso si solo fueron una o dos veces?

- 1 |\_\_|\_\_| Años
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AV1120\_RS

GO TO R04\_AV1120\_RS

ASK: New cohort adult respondents who have ever used an e-product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1006_RS_LC1</b>
La computadora registró que la primera vez que usted fumó un producto electrónico con nicotina fue a la edad de [R04_AV1006_RS] años. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK <span style="float: right;">GO TO R04_AV1006_RS</span>
2    NEXT <span style="float: right;">GO TO R04_AV1005</span>
ASK: IF R04_AV1006_RS <= 10.

<b>PATH ID:</b> <b>R04_AV1006_RS_LC2</b>
La computadora registró que la primera vez que usted fumó un producto electrónico con nicotina fue a la edad de [R04_AV1006_RS] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK <span style="float: right;">GO TO R04_AV1006_RS</span>
2    NEXT <span style="float: right;">GO TO R04_AV1005</span>
ASK: IF R04_AV1006_RS > R04_ACHIEVEDAGE.

<b>PATH ID:</b> <b>R04_AV1120_RS</b>
La primera vez que fumó un producto electrónico con nicotina, incluso si solo fueron una o dos veces, ¿tenía...?
1    menos de 18 años de edad,
2    entre 18 y 24 años de edad,
3    entre 25 y 34 años de edad,
4    entre 35 y 44 años de edad,
5    entre 45 y 54 años de edad o
6    55 años de edad o más?
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult respondents who did not know or refused to report the age they first used an e-product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1005**

¿Cuántas veces ha fumado un producto electrónico con nicotina en toda su vida?

- 1 Una vez, incluso si solo fueron unas probaditas
- 2 2 a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used an e-product and had not used 100 or more times in the previous wave, and new cohort adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR21**

Aged-up and continuing adult respondents who have ever used an e-product and had never used e-products fairly regularly in the previous wave, and new cohort adult respondents who have ever used e-products, go to R04\_AV1100.

Else, go to Box R04\_AVV01.

**PATH ID: R04\_AV1100**

¿Alguna vez ha fumado productos electrónicos con nicotina habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used an e-product (and had never used fairly regularly in the previous wave), and new cohort adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR22**

New baseline respondents that have ever used e-products fairly regularly but had never used fairly regularly in the previous wave, go to R04\_AV1007\_NB.

Else, go to Box R04\_AVV01.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1007_NB</b>	
¿Qué edad tenía la primera vez que comenzó a fumar productos electrónicos con nicotina habitualmente?	
1  __ __  Años	
-8 DON'T KNOW	GO TO R04_AV1121_NB
-7 REFUSED	GO TO R04_AV1121_NB
ASK: New baseline adult respondents who have ever used e-products fairly regularly but had never used fairly regularly in the previous wave.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID: R04_AV1007_NB_LC1</b>	
La computadora registró que usted comenzó a fumar productos electrónicos con nicotina de manera habitual a la edad de [R04_AV1007_NB] años.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AV1007_NB
2 NEXT	GO TO BOX R04_AVV01
ASK: IF R04_AV1007_NB <= 5.	

<b>PATH ID: R04_AV1007_NB_LC2</b>	
La computadora registró que usted comenzó a fumar productos electrónicos con nicotina de manera habitual a la edad de [R04_AV1007_NB] años. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AV1007_NB
2 NEXT	GO TO BOX R04_AVV01
ASK: IF R04_AV1007_NB > R04_ACHIEVEDAGE.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1121\_NB**

La primera vez que comenzó a fumar productos electrónicos con nicotina habitualmente, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started using e-products fairly regularly.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVV01**

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EPROD\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days.

**R04\_EPROD\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.

**R04\_EPROD\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.

**R04\_EPROD\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former e-product users at the previous wave and aged-up adult respondents who ever used e-products at the previous wave, who have ever used e-products fairly regularly, and did not use e-products in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated e-product use since the previous wave, who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all.

**R04\_EPROD\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former e-product users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used and e-product and have used fairly regularly, who have not used in the past 12 months.

**R04\_CURRENT\_EPROD\_USE = 1 (Every day user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day.

**R04\_CURRENT\_EPROD\_USE = 2 (Some day user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days.

**R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1** Adult respondents who are experimental former, recent former, or long-term former users who have used any electronic nicotine products in the past 30 days.

**BOX ID: R04\_AVR02**

New baseline respondents that are every day e-product users, go to R04\_AV1020\_NB.

Else, aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondent who have ever used an e-product, go to R04\_AV1011.

Else, aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months, go to R04\_AV9035.

Else, go to Box R04\_AVR52.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1020_NB</b>	
¿Qué edad tenía la primera vez que comenzó a fumar productos electrónicos con nicotina todos los días?	
1     __ __  Años	
-8   DON'T KNOW	GO TO R04_AV1122_NB
-7   REFUSED	GO TO R04_AV1122_NB
ASK: New baseline adult respondents who are every day e-product users.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AV1020_NB_LC1</b>	
La computadora registró que usted comenzó a fumar productos electrónicos con nicotina todos los días a la edad de [R04_AV1020_NB] años.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AV1020_NB
2    NEXT	GO TO BOX R04_AVR23
ASK: IF R04_AV1020_NB <= 10 OR R04_AV1020_NB < R04_AV1007_NB.	

<b>PATH ID:</b> <b>R04_AV1020_NB_LC2</b>	
La computadora registró que usted comenzó a fumar productos electrónicos con nicotina todos los días a la edad de [R04_AV1020_NB] años. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AV1020_NB
2    NEXT	GO TO BOX R04_AVR23
ASK: IF R04_AV1020_NB > R04_ACHIEVEDAGE.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1122\_NB**

La primera vez que comenzó a fumar productos electrónicos con nicotina todos los días, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they first started using e-products every day.

**BOX ID: R04\_AVR23**

Aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondents who have ever used an e-product, go to R04\_AV1011.

Else, go to R04\_AV9035.

**PATH ID: R04\_AV1011**

La primera vez que comenzó a fumar productos electrónicos con nicotina, ¿qué sabor fumaba? Escoja todas las opciones que correspondan.

- 1 Sabor a tabaco
- 2 Mentol o menta
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 8 Caramelos u otros sabores dulces
- 9 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondents who have ever used an e-product.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9035**

¿Cuál de los siguientes tipos de productos electrónicos con nicotina ha fumado? Escoja todas las opciones que correspondan.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- 1 Cigarrillo electrónico, incluyendo un vaporizador personal de fumar
- 2 Puro electrónico
- 3 Pipa electrónica
- 4 Hookah electrónica, incluyendo una pluma hookah
- 5 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months and new cohort adult respondents who have ever used e-products.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AVR56**

If the only device type selected is "Something else" or the respondent did not know or refused to report which device types they have used, go to Box R04\_AVR59.

Else, repeat R04\_AV9060 for each device type selected, except "Something else".

When all loops complete, go to Box R04\_AVV04.

**PATH ID: R04\_AV9060**

¿[Fuma/Fumaba] más de una clase de [FILL WITH DEVICE TYPE SELECTED IN R04\_AV9035]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months and new cohort adult respondents who have ever used e-products and selected a type of e-product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Fuma".

ELSE, IF R04\_EPROD\_USER\_STATUS = 3, 4, 5, DISPLAY "Fumaba".

FOR R04\_AV9060\_01, DISPLAY "cigarrillo electrónico".

FOR R04\_AV9060\_02, DISPLAY "puro electrónico".

FOR R04\_AV9060\_03, DISPLAY "pipa electrónica".

FOR R04\_AV9060\_04, DISPLAY "hookah electrónica".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR60**

If there are remaining device types, go back to Box R04\_AVR56 and complete loop for all remaining device types.

Else, if all loops are complete, go to Box R04\_AVV04.

**BOX ID: R04\_AVV04**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

**R04\_EPRODCOUNT** = The number of electronic nicotine products used.

**BOX ID: R04\_AVR58**

If the respondent uses more than one type of electronic nicotine product go to R04\_AV9044.

Else, go to Box R04\_AVR59.

**PATH ID: R04\_AV9044**

Usted mencionó que ha fumado más de un tipo de producto electrónico con nicotina.

¿Qué tipo de producto electrónico con nicotina [fuma/fumaba] con **más frecuencia**?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- 1 Cigarrillo electrónico, incluyendo un vaporizador personal de fumar
- 2 Puro electrónico
- 3 Pipa electrónica
- 4 Hookah electrónica, incluyendo una pluma hookah
- 5 Otro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used more than one e-product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

BOLD AND UNDERLINE "más frecuencia".

**BOX ID: R04\_AVR59**

Current, experimental current, recent former, or former 30 day e-product users, go to R04\_AV9040.

Else, go to Box R04\_AVR12.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9040**

Por favor mire esta imagen. ¿Cuál grupo se parece más al producto electrónico con nicotina que usted [fuma/fumaba] con **más frecuencia**?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

- 1 Grupo 1
- 2 Grupo 2
- 3 Grupo 3
- 4 Grupo 4
- 5 Grupo 5
- 6 Grupo 6
- 7 Ninguno de los anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

BOLD AND UNDERLINE "más frecuencia".

**BOX ID: R04\_AVD05**

Display questions R04\_AV9005 through R04\_AV9009 using stem-leaf screen. The introduction text from R04\_AV9009 is the stem.

**PATH ID: R04\_AV9005**

Para las siguientes preguntas, piense en el producto electrónico con nicotina que usted [fuma/fumaba] con **más frecuencia**.

¿[Es/Era] recargable?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fuma" AND "Es".

ELSE, DISPLAY "fumaba" AND "Era".

BOLD AND UNDERLINE "más frecuencia".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9038</b>
¿[Funciona/Funcionaba] con un sistema de tanque?  1   Sí 2   No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Funciona". ELSE, DISPLAY "Funcionaba".

<b>PATH ID:</b> <b>R04_AV9008</b>
¿[Funciona/Funcionaba] con cartuchos?  1   Sí 2   No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Funciona". ELSE, DISPLAY "Funcionaba".

<b>PATH ID:</b> <b>R04_AV9009</b>
¿Se [puede/podía] volver a llenar con líquido electrónico?  1   Sí 2   No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "puede". ELSE, DISPLAY "podía".

<b>BOX ID:</b> <b>R04_AVR57</b>
Adult respondents who use refillable e-products, go to R04_AV9046. Else, go to Box R04_AVV03.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9046</b>
¿Con qué frecuencia [llena/volvía a llenar] su producto electrónico con nicotina con líquido electrónico?
1   Por lo menos una vez al día
2   Una vez cada dos días
3   Una vez a la semana
4   Algunas veces al mes
5   Una vez al mes
6   Algunas veces al año
7   Una vez al año
8   Nunca
-8  DON'T KNOW
-7  REFUSED
GO TO BOX R04_AVR30
ASK: Current, experimental current, recent former, or former 30 day e-product users that use refillable e-products.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "llena".
ELSE, DISPLAY "volvía a llenar".

<b>PATH ID:</b> <b>R04_AV9036</b>
¿Quién lo [llena/llenaba] con líquido electrónico?
1   Yo mismo lo [lleno/llenaba]
2   Lo [lleno/llenaba] en un bar de fumadores
3   Lo [compro/compraba] lleno
4   Lo [lleno/llenaba] de otra manera
-8  DON'T KNOW
-7  REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users who use refillable e-products and have refilled them before.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "llena" IN QUESTION TEXT AND "lleno", "lleno", "compro", AND "lleno" IN RESPONSE OPTIONS.
ELSE, DISPLAY "llenaba" IN QUESTION TEXT AND "llenaba", "llenaba", "compraba", AND "llenaba" IN RESPONSE OPTIONS.

<b>BOX ID:</b> <b>R04_AVR30</b>
Current, experimental current, recent former, or former 30 day e-product users that use a refillable tank system, go to R04_AV9045.
Else, go to Box R04_AVV03.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9045</b>
¿Cuántos mililitros de líquido electrónico [caben/cabían] en su tanque?  1     _ _  -2   No sé -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users that use a refillable tank system. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "caben". ELSE, DISPLAY "cabían".

<b>BOX ID:</b> <b>R04_AW03</b>
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):  <b>R04_EDEVICETYPE</b> = (E-Product device type): <b>R04_EDEVICETYPE</b> = 1 (Disposable E-Product Users). <b>R04_EDEVICETYPE</b> = 2 (Non-Refillable Cartridge E-Product Users). <b>R04_EDEVICETYPE</b> = 3 (Refillable Cartridge E-Product Users). <b>R04_EDEVICETYPE</b> = 4 (Refillable Tank System E-Product Users). <b>R04_EDEVICETYPE</b> = 5 (Refillable Mod System E-Product Users). <b>R04_EDEVICETYPE</b> = 6 (Unknown E-Product User Type).



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AVT04</b>
PROGRAM - CREATE [EPRODFILL1-3]:
<b>EPRODFILL1:</b> R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL1 = "productos electrónicos con nicotina". R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "cartuchos electrónicos con nicotina". R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL1 = "mililitros de líquido electrónico".
<b>EPRODFILL2:</b> R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL2 = "productos electrónicos con nicotina". R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "cartuchos electrónicos con nicotina". R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL2 = "líquido electrónico".
<b>EPRODFILL3:</b> R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL3 = "producto electrónico con nicotina". R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "cartucho electrónico con nicotina". R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL3 = "líquido electrónico".

<b>PATH ID:</b> <b>R04_AV9010</b>								
Piense en el [EPRODFILL3] que [fuma/fumaba] con <b><u>más frecuencia</u></b> .								
¿[Contiene/Contenía] nicotina?								
<table style="width: 100%; border: none;"> <tr> <td style="padding: 5px;">1    Sí</td> <td style="padding: 5px;"></td> </tr> <tr> <td style="padding: 5px;">2    No</td> <td style="padding: 5px; text-align: right;">GO TO BOX R04_AVR12</td> </tr> <tr> <td style="padding: 5px;">-8   DON'T KNOW</td> <td style="padding: 5px; text-align: right;">GO TO BOX R04_AVR12</td> </tr> <tr> <td style="padding: 5px;">-7   REFUSED</td> <td style="padding: 5px; text-align: right;">GO TO BOX R04_AVR12</td> </tr> </table>	1    Sí		2    No	GO TO BOX R04_AVR12	-8   DON'T KNOW	GO TO BOX R04_AVR12	-7   REFUSED	GO TO BOX R04_AVR12
1    Sí								
2    No	GO TO BOX R04_AVR12							
-8   DON'T KNOW	GO TO BOX R04_AVR12							
-7   REFUSED	GO TO BOX R04_AVR12							
ASK: Current, experimental current, recent former, or former 30 day e-product users.								
DISPLAY: IF R04_EPROD_USER_STATUS =1, 2, DISPLAY "fuma"and "Contiene".								
ELSE, DISPLAY "fumaba" AND "Contenía".								
BOLD AND UNDERLINE "más frecuencia".								

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9006</b>
<p>¿Qué concentración de nicotina [fuma/fumaba] normalmente?</p> <p style="margin-left: 40px;">1    No sé la concentración</p> <p style="margin-left: 40px;">2    0mg o 0%</p> <p style="margin-left: 40px;">3    1-6mg o 0.1-0.6%</p> <p style="margin-left: 40px;">4    7-12mg o 0.7-1.2%</p> <p style="margin-left: 40px;">5    13-17mg o 1.3-1.7%</p> <p style="margin-left: 40px;">6    18-24mg o 1.8-2.4%</p> <p style="margin-left: 40px;">7    25-39mg o 2.5-3.9%</p> <p style="margin-left: 40px;">8    40+mg o 4.0+%</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, or former 30 day e-product users whose e-products contain nicotine.</p> <p>DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fuma".</p> <p>ELSE, DISPLAY "fumaba".</p>

<b>BOX ID:</b> <b>R04_AVR12</b>
<p>Every day e-product users, go to R04_AV1021.</p> <p>Else, some day, experimental current, or former 30 day e-product users, go to R04_AV1022.</p> <p>Else, new cohort adult respondents who are experimental former, recent former, or long-term former e-product users go to R04_AV1025_RS.</p> <p>Else, recent former smokers who did not use an e-product in the past 30 days, go to R04_AV1047.</p> <p>Else, go to R04_AV9042.</p>

<b>PATH ID:</b> <b>R04_AV1021</b>												
<p>En promedio, ¿aproximadamente cuántos [EPRODFILL1] fuma cada día actualmente?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 40px;">-2</td> <td style="width: 60%;">Menos de 1 cada día</td> <td style="text-align: right;">GO TO R04_AV1026</td> </tr> <tr> <td>1</td> <td> _ _ _ </td> <td></td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AV1026</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R04_AV1026</td> </tr> </table> <p>ASK: Every day e-product users.</p> <p>DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de 1 cada día" ON RIGHT.</p>	-2	Menos de 1 cada día	GO TO R04_AV1026	1	_ _ _		-8	DON'T KNOW	GO TO R04_AV1026	-7	REFUSED	GO TO R04_AV1026
-2	Menos de 1 cada día	GO TO R04_AV1026										
1	_ _ _											
-8	DON'T KNOW	GO TO R04_AV1026										
-7	REFUSED	GO TO R04_AV1026										

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1021_LC1
La computadora registró que actualmente usted fuma [R04_AV1021] [EPRODFILL1] cada día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AV1021</span>
2 NEXT <span style="float: right;">GO TO R04_AV1026</span>
ASK: IF R04_AV1021 > 1.

<b>PATH ID:</b> R04_AV1022
¿Durante cuántos de los últimos 30 días fumó usted un producto electrónico con nicotina?
1  __ __  DÍAS
-8 DON'T KNOW
-7 REFUSED
ASK: Some day, experimental current, and former 30 day e-product users.
DISPLAY: DISPLAY "DÍAS" AS A TITLE.

<b>BOX ID:</b> R04_AVR42
If respondent enters "0" for R04_AV1022 and is a some day or experimental current e-product user, go to R04_AV9029.
Else, if respondent enters "0" for R04_AV1022 and is a former 30 day user of e-products, go to Box R04_AVR32.
Else, go to R04_AV1026.

<b>PATH ID:</b> R04_AV9029
¿Aproximadamente cuánto tiempo hace desde que tomó su última probadita de un producto electrónico con nicotina?
1  __ __  DÍAS
2  __ __  MESES
3  __ __  AÑOS
-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_AVR32</span>
-7 REFUSED <span style="float: right;">GO TO BOX R04_AVR32</span>
ASK: Some day and experimental current e-product users who have not used in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9029\_LC1**

La computadora registró que la última probadita que usted le dio a un producto electrónico con nicotina fue hace [R04\_AV9029] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV9029    |
| 2 | NEXT | GO TO BOX R04_AVR32 |

ASK: IF (R04\_AV9029\_NN < 30 AND R04\_AV9029\_UN = 1) OR ((R04\_AV9029\_NN < 1 OR R04\_AV9029\_NN > 18) AND R04\_AV9029\_UN = 2) OR ((R04\_AV9029\_NN > (R04\_ACHIEVEDAGE - 10)) AND R04\_AV9029\_UN = 3).

DISPLAY: IF R04\_AV9029\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AV9029\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AV9029\_UN = 3, DISPLAY "años".

**PATH ID: R04\_AV1026**

En promedio, en los días en que fuma, ¿cuántas veces fuma su producto electrónico con nicotina cada día, ya sea que le dé una probadita o varias?

- |    |            |                  |
|----|------------|------------------|
| 1  | _ _ _ _    |                  |
| -8 | DON'T KNOW | GO TO R04_AV1027 |
| -7 | REFUSED    | GO TO R04_AV1027 |

ASK: Every day e-product users or some day, experimental current, and former 30 day e-product users who have used in the past 30 days.

**PATH ID: R04\_AV1026\_LC1**

La computadora registró que en los días en que ha fumado, usted fumó su producto electrónico con nicotina [R04\_AV1026] [vez / veces] cada día, en promedio.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AV1026 |
| 2 | NEXT | GO TO R04_AV1027 |

ASK: IF R04\_AV1026 > 50 OR R04\_AV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R04\_AV1026 = 1, DISPLAY "vez".

ELSE, DISPLAY "veces".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1027</b>	
Cada vez que fumó su producto electrónico con nicotina, ¿aproximadamente cuántas probaditas le dio?	
1  __ __ __	
-8 DON'T KNOW	GO TO BOX R04_AVR32
-7 REFUSED	GO TO BOX R04_AVR32
ASK: Every day e-product users or some day, experimental current, and former 30 day e-product users who have used in the past 30 days.	

<b>PATH ID: R04_AV1027_LC1</b>	
La computadora registró que usted le dio [R04_AV1027] [probadita/probaditas] a su producto electrónico con nicotina cada vez que lo fumó, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AV1027
2 NEXT	GO TO BOX R04_AVR32
ASK: IF R04_AV1027 > 50 OR R04_AV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.	
DISPLAY: IF R04_AV1027 = 1, DISPLAY "probadita".	
ELSE, DISPLAY "probaditas".	

<b>BOX ID: R04_AVR32</b>	
Current and experimental current e-product users, go to R04_AV1024.	
Else, former 30 day e-product users, go to R04_AV1024_30D.	
Else, new cohort adult respondents who are experimental former, recent former, or long-term former e-product users, go to R04_AV1025_RS.	
Else, recent former smokers who did not use an e-product in the past 30 days, go to R04_AV1047.	
Else, go to R04_AV9042.	

<b>PATH ID: R04_AV1024</b>	
[En los días en que fuma un producto electrónico con nicotina, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primera probadita del día? Anote los minutos o las horas.	
1  __ __  Minutos después de despertarse	
2  __ __  Horas después de despertarse	
-8 DON'T KNOW	GO TO R04_AV1092
-7 REFUSED	GO TO R04_AV1092
ASK: Current and experimental current e-product users.	
DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "¿Qué".	
ELSE, DISPLAY "En los días en que fuma un producto electrónico con nicotina, ¿qué".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1024_LC1</b>	
La computadora registró que usted normalmente le da su primera probadita a un producto electrónico con nicotina [R04_AV1024_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AV1024
2 NEXT	GO TO BOX R04_AVR52
ASK: IF [R04_CURRENT_EPROD_USE = 1 AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 4 AND R04_AV1024_UN = 2))] OR [(R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 12 AND R04_AV1024_UN = 2))].	
DISPLAY: IF R04_AV1024_UN = 1, DISPLAY "minutos".	
IF R04_AV1024_UN = 2, DISPLAY "horas".	

<b>PATH ID: R04_AV1024_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted toma su primera probadita de un producto electrónico con nicotina del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AV1024
2 NEXT	GO TO BOX R04_AVR52
ASK: IF R04_AV1024 = 0.	

<b>PATH ID: R04_AV1092</b>	
(En los días en que fuma productos electrónicos con nicotina, ¿diría/¿Diría) que fuma su primera probadita del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO BOX R04_AVR52
2 No	GO TO BOX R04_AVR52
3 Depende	GO TO BOX R04_AVR52
-8 DON'T KNOW	GO TO BOX R04_AVR52
-7 REFUSED	GO TO BOX R04_AVR52
ASK: Current and experimental current e-product users who did not know or refused to report how soon after waking up they took their first puff from an e-product.	
DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "¿Diría".	
ELSE, DISPLAY "En los días en que fuma productos electrónicos con nicotina, ¿diría".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1024\_30D**

En los días en que fumó productos electrónicos con nicotina, ¿qué tan pronto después de que se despertó fumó normalmente su primera probadita del día? Anote los minutos o las horas.

1 |\_\_|\_\_| Minutos después de despertarse

2 |\_\_|\_\_| Horas después de despertarse

-8 DON'T KNOW

GO TO R04\_AV1092\_30D

-7 REFUSED

GO TO R04\_AV1092\_30D

ASK: Former 30 day e-product users.

**PATH ID: R04\_AV1024\_30D\_LC1**

La computadora registró que usted normalmente le da su primera probadita a un producto electrónico con nicotina [R04\_AV1024\_30D\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AV1024\_30D

2 NEXT

GO TO BOX R04\_AVR52

ASK: IF (R04\_AV1024\_30D\_NN > 60 AND R04\_AV1024\_30D\_UN = 1) OR (R04\_AV1024\_30D\_NN > 12 AND R04\_AV1024\_30D\_UN = 2).

DISPLAY: IF R04\_AV1024\_30D\_UN = 1, DISPLAY "minutos".

IF R04\_AV1024\_30D\_UN = 2, DISPLAY "horas".

**PATH ID: R04\_AV1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasó hasta que usted toma su primera probadita de un producto electrónico con nicotina del día.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AV1024\_30D

2 NEXT

GO TO BOX R04\_AVR52

ASK: IF R04\_AV1024\_30D = 0.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1092\_30D**

En los días en que fumó productos electrónicos con nicotina, ¿diría que fumó su primera probadita del día durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day e-product users who did not know or refused to report how soon after waking up they took their first puff from an e-product.

**BOX ID: R04\_AVR52**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former e-product users, go to R04\_AV1025\_RS.

Else, go to Box R04\_AVR46.

**PATH ID: R04\_AV1025\_RS**

Alrededor de esta época hace 12 meses, ¿fumaba productos electrónicos con nicotina...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former e-product users.

**BOX ID: R04\_AVR46**

Adult respondents who used e-products in the past 30 days, go to R04\_AV0100.

Else, current, experimental current, and former 30 day e-product users, go to R04\_AV1030.

Else, recent former e-product users, go to R04\_AV1047.

Else, go to R04\_AV9042.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV0100</b>	
¿Cuándo fue la última vez que fumó un producto electrónico con nicotina?		
1	Hace menos de una hora	GO TO R04_AV0103
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R04_AV1131
-8	DON'T KNOW	GO TO R04_AV1131
-7	REFUSED	GO TO R04_AV1131
ASK: Adult respondents who used e-products in the past 30 days.		

<b>PATH ID:</b>	<b>R04_AV0102</b>	
La última vez que fumó un producto electrónico con nicotina [FILL BASED ON R04_AV0100], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have used an e-product today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: FOR [FILL BASED ON R04_AV0100]:		
IF R04_AV0100 = 2, DISPLAY "hoy".		
IF R04_AV0100 = 3, DISPLAY "ayer".		
IF R04_AV0100 = 4, DISPLAY "hace dos días".		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV0103</b>
<p>¿Cuántas probaditas le [ha dado/dio] a un producto electrónico con nicotina [FILL BASED ON R04_AV0100]?</p> <p style="margin-left: 40px;">1     _ _ _ _ </p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Adult respondents who have used an e-product in the past hour, today, yesterday or the day before yesterday.</p> <p>DISPLAY: IF R04_AV0100 = 1, 2, DISPLAY "ha dado".</p> <p>IF R04_AV0100 = 3, 4, DISPLAY "dio".</p> <p>FOR [FILL BASED ON R04_AV0100]:</p> <p>IF R04_AV0100 = 1, 2, DISPLAY "hoy".</p> <p>IF R04_AV0100 = 3, DISPLAY "ayer".</p> <p>IF R04_AV0100 = 4, DISPLAY "hace dos días".</p>

<b>PATH ID:</b> <b>R04_AV0103_LC1</b>
<p>La computadora registró que usted le dio [R04_AV0103] probaditas a un producto electrónico con nicotina [hoy/ayer/hace dos días]. ¿Es correcto?</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <p style="margin-left: 40px;">1    BACK    GO TO R04_AV0103</p> <p style="margin-left: 40px;">2    NEXT    GO TO R04_AV1131</p> <p>ASK: IF R04_AV0103 &gt; 200 OR R04_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.</p> <p>DISPLAY: IF R04_AV0100 = 1, 2, DISPLAY "hoy".</p> <p>IF R04_AV0100 = 3, DISPLAY "ayer".</p> <p>IF R04_AV0100 = 4, DISPLAY "hace dos días".</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1131**

¿Qué sabores de [EPRODFILL2] ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Sabor a tabaco
- 2 Mentol o menta
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 8 Caramelos u otros sabores dulces
- 9 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used e-products in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AVR53**

Adult respondents who used menthol or mint flavored e-products in the past 30 days, go to R04\_AV1147.

Else, adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days, go to R04\_AV1157.

Else, go to R04\_AV1030.

**PATH ID: R04\_AV1147**

En los últimos 30 días, en los días en que fumó un producto electrónico con nicotina, ¿con qué frecuencia tenía sabor a mentol o menta?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used menthol or mint flavored e-products in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR55**

Adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days, go to R04\_AV1157.  
Else, go to R04\_AV1030.

**PATH ID: R04\_AV1157**

En los últimos 30 días, en los días en que fumó un producto electrónico con nicotina, ¿con qué frecuencia tenía sabor a clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days.

**PATH ID: R04\_AV1030**

Las siguientes preguntas son acerca de su experiencia al comprar [EPRODFILL2].

¿Cómo [compra/compraba] normalmente [EPRODFILL2] para usted?

- 1 En persona
- 2 En Internet GO TO BOX R04\_AVR05
- 3 Por teléfono GO TO BOX R04\_AVR05
- 4 No compro mis [EPRODFILL2] GO TO R04\_AV1047
- 8 DON'T KNOW GO TO R04\_AV1047
- 7 REFUSED GO TO R04\_AV1047

ASK: Current, experimental current, and former 30 day e-product users.  
DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "compra".  
ELSE, DISPLAY "compraba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1032</b>
Normalmente, ¿[compra/compraba] [EPRODFILL2]...
1    En su propio estado
2    En otro estado
3    Fuera de Estados Unidos
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day e-product users who usually buy e-products in person.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, display "compra".
ELSE, DISPLAY "compraba".

<b>PATH ID:</b> <b>R04_AV1033</b>
¿Dónde [compra/compraba] sus [EPRODFILL2] la mayoría del tiempo?
12    Un bar de fumadores
1    Un kiosco en un centro comercial
2    Una tienda de conveniencia o estación de gasolina
3    Un supermercado, tienda de comestibles o farmacia
4    Una tienda mayorista como Sam's o Costco
5    Una tienda especializada o un almacén de tabaco o una tabaquería
6    Una tienda libre de impuestos o un economato militar
7    Un bar, restaurante, casino o una taberna
8    Un amigo o familiar
9    Un mercadillo o mercado de pulgas
10    Una tienda de licores
11    En otra parte (ESPECIFIQUE)
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day e-product users who usually buy e-products in person.
DISPLAY: IF R04_EPROD_USERS_STATUS = 1, 2, display "compra".
ELSE, DISPLAY "compraba".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b>	<b>R04_AVR05</b>
<p>Disposable e-product users and e-product users of undetermined type that buy their own e-products, go to R04_AV1136.</p> <p>Else, refillable cartridge, tank system, and mod system e-product users that buy their own e-products, go to R04_AV1041.</p> <p>Else, non-refillable cartridge e-product users that buy their own e-products, go to R04_AV1039.</p> <p>Else, go to R04_AV1047.</p>	

<b>PATH ID:</b>	<b>R04_AV1136</b>												
<p>¿[Compra/Compraba] normalmente [EPRODFILL1] por caja o paquete o como [EPRODFILL1] sueltos?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;">Caja o paquete</td> <td style="width: 20%;"></td> </tr> <tr> <td>2</td> <td>[EPRODFILL1] sueltos</td> <td>GO TO R04_AV1034</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R04_AV1047</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R04_AV1047</td> </tr> </table> <p>ASK: Current, experimental current or former 30 day disposable e-product users who usually buy their own e-products in person, on the internet or by telephone.</p> <p>DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Compra".</p> <p>ELSE, DISPLAY "Compraba".</p>		1	Caja o paquete		2	[EPRODFILL1] sueltos	GO TO R04_AV1034	-8	DON'T KNOW	GO TO R04_AV1047	-7	REFUSED	GO TO R04_AV1047
1	Caja o paquete												
2	[EPRODFILL1] sueltos	GO TO R04_AV1034											
-8	DON'T KNOW	GO TO R04_AV1047											
-7	REFUSED	GO TO R04_AV1047											

<b>PATH ID:</b>	<b>R04_AV1137</b>									
<p>¿Cuántos [EPRODFILL1] [vienen/venían] en la caja o paquete que normalmente [compra/compraba]?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;"> _ _ _ </td> <td style="width: 20%;"></td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table> <p>ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone in a box or pack.</p> <p>DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "vienen" and "compra".</p> <p>ELSE, DISPLAY "venían" and "compraba".</p>		1	_ _ _		-8	DON'T KNOW		-7	REFUSED	
1	_ _ _									
-8	DON'T KNOW									
-7	REFUSED									

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1138</b>									
¿Cuánto [paga/pagaba] normalmente por una caja o paquete de [EPRODFILL1]?									
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 60%;">\$  __ __ __  Dólares .  __ __  Centavos</td> <td style="width: 30%; text-align: right;">GO TO R04_AV1047</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AV1047</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R04_AV1047</td> </tr> </table>	1	\$  __ __ __  Dólares .  __ __  Centavos	GO TO R04_AV1047	-8	DON'T KNOW	GO TO R04_AV1047	-7	REFUSED	GO TO R04_AV1047
1	\$  __ __ __  Dólares .  __ __  Centavos	GO TO R04_AV1047							
-8	DON'T KNOW	GO TO R04_AV1047							
-7	REFUSED	GO TO R04_AV1047							
ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone in a box or pack.									
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "paga".									
ELSE, DISPLAY "pagaba".									
DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.									

<b>PATH ID:</b> <b>R04_AV1034</b>									
¿Cuánto [paga/pagaba] normalmente por un [EPRODFILL3] suelto?									
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 60%;">\$  __ __ __  Dólares .  __ __  Centavos</td> <td style="width: 30%;"></td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AV1047</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R04_AV1047</td> </tr> </table>	1	\$  __ __ __  Dólares .  __ __  Centavos		-8	DON'T KNOW	GO TO R04_AV1047	-7	REFUSED	GO TO R04_AV1047
1	\$  __ __ __  Dólares .  __ __  Centavos								
-8	DON'T KNOW	GO TO R04_AV1047							
-7	REFUSED	GO TO R04_AV1047							
ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone as single disposable e-products.									
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "paga".									
ELSE, DISPLAY "pagaba".									
DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.									

<b>PATH ID:</b> <b>R04_AV1034_LC1</b>						
La computadora registró que usted pagó \$[R04_AV1034_D].[R04_AV1034_C] por un [EPRODFILL3] suelto. ¿Es correcto?						
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.						
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 60%;">BACK</td> <td style="width: 30%; text-align: right;">GO TO R04_AV1034</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td style="text-align: right;">GO TO R04_AV1047</td> </tr> </table>	1	BACK	GO TO R04_AV1034	2	NEXT	GO TO R04_AV1047
1	BACK	GO TO R04_AV1034				
2	NEXT	GO TO R04_AV1047				
ASK: IF R04_AV1034_D > 50.						

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV1041</b>
¿Cuánto [paga/pagaba] por un frasco o envase de líquido electrónico?	
1	\$  __ __ __  Dólares .  __ __  Centavos
-8	DON'T KNOW GO TO R04_AV1047
-7	REFUSED GO TO R04_AV1047
ASK: Current, experimental current or former 30 day refillable cartridge, tank system, and mod system e-product users who usually buy e-liquid in person, on the internet or by telephone.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "paga".	
ELSE, DISPLAY "pagaba".	
DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.	

<b>PATH ID:</b>	<b>R04_AV1041_LC1</b>
La computadora registró que usted pagó \$[R04_AV1041_D].[R04_AV1041_C] por un frasco o envase de líquido electrónico. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1	BACK GO TO R04_AV1041
2	NEXT GO TO R04_AV1047
ASK: IF R04_AV1041_D > \$50.	

<b>PATH ID:</b>	<b>R04_AV1039</b>
¿[Compra/Compraba] normalmente [EPRODFILL1] en cajas o paquetes o en cartuchos sueltos?	
1	Caja o paquete
2	Cartuchos sueltos GO TO R04_AV1043
-8	DON'T KNOW GO TO R04_AV1047
-7	REFUSED GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who usually buy their own e-product cartridges in person, on the internet or by telephone.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, display "Compra".	
ELSE, DISPLAY "Compraba".	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1040</b>
¿Cuántos [EPRODFILL1] [vienen/venían] en la caja o paquete que [compra/compraba]?
1  ___ ___
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone in a box or pack. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "vienen" AND "compra". ELSE, DISPLAY "venían" and "compraba".

<b>PATH ID: R04_AV1042</b>
¿Cuánto [paga/pagaba] normalmente por una caja o paquete de [EPRODFILL1]?
1 \$  ___ ___ ___  Dólares .  ___ ___  Centavos
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AV1047
GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone in a box or pack. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "paga". ELSE, DISPLAY "pagaba". DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID: R04_AV1042_LC1</b>
La computadora registró que usted pagaba \$[R04_AV1042_D].[R04_AV1042_C] por una caja o paquete de [EPRODFILL1]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK
2 NEXT
GO TO R04_AV1042
GO TO R04_AV1047
ASK: IF R04_AV1042_D > 50.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1043</b>
¿Cuánto [paga/pagaba] normalmente por un [EPRODFILL3] suelto?
1   \$  ___ ___ ___  Dólares .  ___ ___  Centavos
-8   DON'T KNOW                                   GO TO R04_AV1047
-7   REFUSED                                        GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone as single e-cartridges. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "paga". ELSE, DISPLAY "pagaba". DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID:</b> <b>R04_AV1043_LC1</b>
La computadora registró que usted pagaba \$[R04_AV1043_D].[R04_AV1043_C] por un [EPRODFILL3] suelto. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK   GO TO R04_AV1043
2   NEXT    GO TO R04_AV1047
ASK: IF R04_AV1043_D > 50.

<b>PATH ID:</b> <b>R04_AV1047</b>
¿[Tiene /Tenía] una marca habitual de [EPRODFILL2] que normalmente [fuma/fumaba]?
1   Sí
2   No
3   No sé
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Tiene" AND "fuma". ELSE, DISPLAY "Tenía" AND "fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1012**

¿Qué sabor [es/era] [su marca habitual/la última marca que fumó]? Escoja todas las opciones que correspondan.

- 1 Sabor a tabaco
- 2 Mentol o menta
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 8 Caramelos u otros sabores dulces
- 9 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

IF R04\_AV1047 = 1 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "es" AND "su marca habitual".

ELSE, IF R04\_AV1047 = 1, DISPLAY "era" AND "su marca habitual".

IF R04\_AV1047 = 2, 3, -8, -7 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "era" AND "la última marca que fumó".

ELSE IF R04\_AV1047 = 2, 3, -8, -7, DISPLAY "era" AND "la última marca que fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1945</b>
¿Sabe el <u>nombre de la marca</u> de [EPRODFILL2] que usted [fuma normalmente/fumó normalmente/fumó la última vez]?
1    Sí
2    No
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, past 30 day or recent former e-product users.
DISPLAY: IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fuma normalmente".
IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS != 1, 2, DISPLAY "fumó normalmente".
IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "fumó la última vez".
UNDERLINE "nombre de la marca".

<b>BOX ID:</b> <b>R04_AVR45</b>
Current, experimental current, recent former, and former 30 day e-product users who know the brand name, go to R04_AV1048_BRAND.
Else, current, experimental current, recent former, and former 30 day e-product users who have a regular brand, go to R04_AV1051.
Else, go to Box R04_AVD02.

<b>PATH ID:</b> <b>R04_AV1048</b>
¿Qué marca de [EPRODFILL2] [fuma/fumó] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". I Si no ve la opción a continuación, toque la casilla que dice "Otra".]
1    Otra
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fuma" AND "normalmente".
ELSE, IF R04_AV1047 = 1, DISPLAY "fumó" AND "normalmente".
IF R04_AV1047 = 2, 3, -8, -7 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fumó" AND "la última vez".
ELSE IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "fumó" AND "la última vez".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR33**

Current, experimental current, recent former or former 30 day e-product users who selected "Something else" for their brand, go to R04\_AV1049.

Else, current, experimental current, recent former or former 30 day e-product users that have a regular brand, go to R04\_AV1051.

Else, go to Box R04\_AVR44.

**PATH ID: R04\_AV1049**

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

1 \_\_\_\_\_

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, recent former or former 30 day e-product users who selected "Something else" for their brand.

**BOX ID: R04\_AVR43**

Current, experimental current, recent former, or former 30 day e-product users who have a regular brand, go to R04\_AV1051.

Else, go to Box R04\_AVR44.

**PATH ID: R04\_AV1051**

Aproximadamente, ¿cuánto tiempo [fumó/lleva fumando] su marca habitual de [EPRODFILL2]?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users who have a regular brand.

DISPLAY: R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1051\_LC1**

La computadora registró que usted lleva fumando su marca habitual de [EPRODFILL2] por [R04\_AV1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV1051    |
| 2 | NEXT | GO TO BOX R04_AVR44 |

ASK: IF (R04\_AV1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AV1051\_UN = 3..

**PATH ID: R04\_AV1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted lleva fumando su marca habitual de [EPRODFILL3].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV1051    |
| 2 | NEXT | GO TO BOX R04_AVR44 |

ASK: IF R04\_AV1051 = 0.

**PATH ID: R04\_AV1051\_LC3**

La computadora registró que usted lleva fumando su marca habitual de [EPRODFILL2] por [R04\_AV1051\_NN] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV1051    |
| 2 | NEXT | GO TO BOX R04_AVR44 |

ASK: IF R04\_AV1051\_NN > (Today's date - 2010) AND R04\_AV1051\_UN = 3.

**BOX ID: R04\_AVR44**

Current, experimental current, or former 30 day e-product users who have used an e-product today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand, go to R04\_AV0104.

Else, go to Box R04\_AVD02.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV0104</b>
Usted dijo anteriormente que la última vez que fumó un producto electrónico con nicotina fue [TIME OF LAST USE].
Piense en la última probadita que tomó.
¿Era la marca [NEQBRAND]?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, or former 30 day e-product users who have used an e-product in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand.
DISPLAY: IF R04_AV0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".
IF R04_AV0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".
IF R04_AV0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".
IF R04_AV0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".
FILL [NEQBRAND] WITH SELECTION MADE IN R04_AV1048_BRAND.

<b>BOX ID:</b> <b>R04_AV02</b>
Randomize order of R04_AV1060 through R04_AV1067.
Display question R04_AV1060, R04_AV1085, R04_AV1062, R04_AV1075, R04_AV1063, R04_AV1064, R04_AV1065, R04_AV1066, and R04_AV1067 on one screen. Show the intro/transition text from R04_AV1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1060**

Las siguientes preguntas son acerca de las razones por las que la gente fuma productos electrónicos con nicotina. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba productos electrónicos con nicotina].

[Fumo/Fumaba] productos electrónicos con nicotina porque...

[Son/Eran] económicos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "aplican a usted", "Fumo" AND "Son".

ELSE, DISPLAY "aplicaban a usted cuando fumaba productos electrónicos con nicotina", "Fumaba" AND "Eran".

**PATH ID: R04\_AV1085**

[Puedo/Podía] fumar productos electrónicos con nicotina en ocasiones o en lugares donde no se [permite/ permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

**PATH ID: R04\_AV1062**

Podrían [ser/haber sido] menos dañinos para mí que los cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "ser".

ELSE, DISPLAY "haber sido".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1075</b>
Podrían [ser/haber sido] menos dañinos que los cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AV1063</b>
El líquido electrónico [viene/venía] en sabores que me [gustan/gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "viene" and "gustan".
IF R04_EPROD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "venía" AND "gustaban".

<b>BOX ID:</b> <b>R04_AVR34</b>
Current, experimental current, recent former, and former 30 day e-product users who are also current, experimental current, or recent former cigarette smokers, go to R04_AV1064.
Else, go to R04_AV1065.

<b>PATH ID:</b> <b>R04_AV1064</b>
Fumar productos electrónicos con nicotina le ayuda a la gente a dejar de fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users who are also current, experimental current, or recent former cigarette smokers.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1065</b>
Los productos electrónicos con nicotina no tienen olor.
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.

<b>PATH ID:</b> <b>R04_AV1066</b>
Fumar un producto electrónico con nicotina [se siente/se sentía] como fumar un cigarrillo tradicional.
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "se siente".
ELSE, DISPLAY "se sentía".

<b>PATH ID:</b> <b>R04_AV1067</b>
Los productos electrónicos con nicotina [son/eran] más aceptables por las personas que no consumen tabaco.
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "son".
ELSE, DISPLAY "eran".

<b>BOX ID:</b> <b>R04_AVR35</b>
Current, experimental current, and former 30 day e-product users who are also current or experimental current cigarette smokers, go to R04_AV1086.
Else, go to Box R04_AVR51.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1086</b>	
En los últimos 30 días, ¿ha fumado un producto electrónico con nicotina en ocasiones o en lugares en donde no se podía fumar cigarrillos tradicionales?	
1    Sí	
2    No	GO TO BOX R04_AVR51
-8   DON'T KNOW	GO TO BOX R04_AVR51
-7   REFUSED	GO TO BOX R04_AVR51
ASK: Current, experimental current, and former 30 day e-product users who are also current or experimental current cigarette smokers.	

<b>PATH ID:</b> <b>R04_AV1087</b>	
¿Con qué frecuencia [fuma/fumaba] productos electrónicos con nicotina en ocasiones o en lugares donde no se puede fumar cigarrillos tradicionales?	
1    Todos los días	
2    Algunos días	
3    Rara vez	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Current and experimental current cigarette smokers who have used e-products at times when or in places where they could not smoke regular cigarettes.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fuma".	
ELSE, IF R04_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "fumaba".	

<b>BOX ID:</b> <b>R04_AVR51</b>	
Current and experimental current e-product users who are also current or experimental current cigarette smokers, go to R04_AV9054.	
Else, go to Box R04_AVR54.	

<b>PATH ID:</b> <b>R04_AV9054</b>	
En los días en que fuma cigarrillos y productos electrónicos con nicotina, ¿fuma usted...?	
1    Menos cigarrillos que lo habitual	
2    La misma cantidad de cigarrillos	
3    Más cigarrillos que lo habitual	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Current and experimental current e-product users who are also current or experimental current cigarette users.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR54**

Current, experimental current, recent former, and former 30 day e-product users who are also current or recent former cigarette users, go to R04\_AV1080.  
Else, go to R04\_AV1139.

**PATH ID: R04\_AV1080**

¿[Fuma/Fumaba] productos electrónicos con nicotina como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users who are also current or recent former cigarette users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, display "Fuma".

ELSE, DISPLAY "Fumaba".

**PATH ID: R04\_AV1139**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando fumo un producto electrónico con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Es".

ELSE, DISPLAY "Era".

DISPLAY SCALE FOR THE R04\_AV1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1140</b>
Al fumar un producto electrónico con nicotina, me [siento/sentía] más seguro con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "siento".
ELSE, DISPLAY "sentía".
DISPLAY SCALE FOR THE R04_AV1139-1141 SERIES.

<b>PATH ID:</b> <b>R04_AV1141</b>
[Fumo/Fumaba] productos electrónicos con nicotina mucho más cuando [estoy/estaba] con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Fumo" AND "estoy".
ELSE, DISPLAY "Fumaba" AND "estaba".
DISPLAY SCALE FOR THE R04_AV1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9042</b>	
¿Alguna vez ha consumido marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís en un <u>producto electrónico</u> como un cigarrillo electrónico, una hookah electrónica, un vaporizador personales de fumar o una pluma hookah?	
(Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)	
1   Sí	
2   No	GO TO BOX R04_AGR03
-8   DON'T KNOW	GO TO BOX R04_AGR03
-7   REFUSED	GO TO BOX R04_AGR03
ASK: Adult respondents who have ever used an e-product.	
DISPLAY: UNDERLINE "producto electrónico".	

<b>PATH ID:</b> <b>R04_AV9106</b>	
Cuando fumó un producto electrónico, ¿con qué frecuencia lo usó para fumar marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís?	
1   Siempre	
2   Casi siempre	
3   A veces	
4   Rara vez	
5   Nunca	GO TO NEXT SECTION
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who have ever used e-products to smoke marijuana.	

<b>PATH ID:</b> <b>R04_AM0100</b>	
¿Cuándo fue la última vez que consumió marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís en un <u>producto electrónico</u> como un cigarrillo electrónico, una hookah electrónica, un vaporizador personales de fumar o una pluma hookah?	
1   Hace menos de una hora	GO TO R04_AM0103
2   Hoy	
3   Ayer	
4   Hace dos días	
5   Hace tres o más días	GO TO BOX R04_AGR03
-8   DON'T KNOW	GO TO BOX R04_AGR03
-7   REFUSED	GO TO BOX R04_AGR03
ASK: Adult respondents who have ever used e-products to smoke marijuana.	
DISPLAY: UNDERLINE "producto electrónico".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0102**

La última vez que consumió marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís en un producto electrónico [FILL BASED ON R04\_AM0100], ¿fue...

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used marijuana in an e-product today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AM0100]:

IF R04\_AM0100 = 2, DISPLAY "hoy".

IF R04\_AM0100 = 3, DISPLAY "ayer".

IF R04\_AM0100 = 4, DISPLAY "hace dos días".

UNDERLINE "producto electrónico".

**PATH ID: R04\_AM0103**

¿Cuántas probaditas de marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís le [ha dado/dio] a un producto electrónico [FILL BASED ON R04\_AM0100]?

1 |\_|\_|\_|

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_AGR03

GO TO BOX R04\_AGR03

ASK: Adult respondents who have used marijuana in an e-product in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AM0100 = 1, 2, DISPLAY "ha dado".

IF R04\_AM0100 = 3, 4, DISPLAY "dio".

FOR [FILL BASED ON R04\_AM0100]:

IF R04\_AM0100 = 1, 2, DISPLAY "hoy".

IF R04\_AM0100 = 3, DISPLAY "ayer".

IF R04\_AM0100 = 4, DISPLAY "hace dos días".

UNDERLINE "producto electrónico".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0103\_LC1**

La computadora registró que usted le dio [R04\_AM0103] probaditas de marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís de un producto electrónico [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AM0103

2 NEXT

ASK: IF R04\_AM0103 > 200 OR R04\_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R04\_AM0100 = 1 OR 2, DISPLAY "hoy".

IF R04\_AM0100 = 3, DISPLAY "ayer".

IF R04\_AM0100 = 4, DISPLAY "hace dos días".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**CIGAR**

<b>BOX ID:</b> R04_AGR03
<p>PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:</p> <p>Blunt/Cigar Loops</p> <p>If the respondent has smoked cigars as blunts-only, R04_AJ1008[TC/CG/FC] through R04_AJ1071[TC/CG/FC] are repeated in a loop for each cigar type as blunts. See Box R04_AJT03 for transition text shown at the start of each loop.</p> <p>After all blunt loops are complete, items from R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R04_AGT03 for transition text shown at the start of each loop.</p> <p>If the respondent has smoked cigars (as non-blunt) types, R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated in a loop for each cigar type. See Box R04_AGT03 for transition text shown at the start of each loop.</p> <p>If the respondent only smoked traditional cigars, cigarillos, or filtered cigars as blunts, go to Box R04_AJT03.</p> <p>Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R04_AGR10.</p> <p>[CIGARFILL]</p> <p>If traditional cigar/blunt smoker, [CIGARFILL] = "puro".</p> <p>If cigarillo/blunt smoker, [CIGARFILL] = "purito".</p> <p>If filtered cigar/blunt smoker, [CIGARFILL] = "puro con filtro".</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJT03**

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=BTRAD (Traditional Cigars as blunts-only):

Las siguientes preguntas son acerca de los puros tradicionales o "grandes" que se fumaron como si fueran "toques o blunts".

Los puros tradicionales o "grandes" contienen tabaco envuelto en una hoja de tabaco. A veces las personas sacan el tabaco de un puro tradicional y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt". Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puros tradicionales cuando los fumó como si fueran toques o blunts, como los que se muestran a continuación. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] Más adelante habrá otra sección acerca de otras clases de toques o blunts.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=BRILLO (Cigarillos as blunts-only):

Las siguientes preguntas son acerca de los puritos que se fumaron como si fueran toques o blunts.

Los puritos son puros de tamaño mediano y a veces vienen con boquillas de plástico o madera. [A veces las personas sacan el tabaco de un purito y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt".] Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puritos cuando los fumó como si fueran toques o blunts, como los que se muestran a continuación. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] Más adelante habrá otra sección acerca de otras clases de toques o blunts.

[SHOW GENERIC IMAGE OF CIGARILLO]

IF LOOP=BFILTR (Filtered Cigars as blunts-only):

Las siguientes preguntas son acerca de los puros con filtro que se fumaron como si fueran "toques o blunts".

Los puros con filtro normalmente son de color café y tienen un filtro como el de un cigarrillo. [A veces las personas sacan el tabaco de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt".] Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puros con filtro cuando los fumó como si fueran toques o blunts, como los que se muestran a continuación.

[SHOW GENERIC IMAGE OF FILTERED CIGAR]

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID: R04_AJR10</b>
If loop = BTRAD and respondent initiated traditional cigar blunt use since the previous wave, go to R04_AJ1008TC. Else, if loop = BTRAD, go to R04_AJ9030TC.
If loop = BRILLO and respondent initiated cigarillo blunt use since the previous wave, go to R04_AJ1008CG. Else, if loop = BRILLO, go to R04_AJ9030CG.
If loop = BFILTR and respondent initiated filtered cigar blunt use since the previous wave, go to R04_AJ1008FC. Else, if loop = BFILTR, go to R04_AJ9030FC.

<b>PATH ID: R04_AJ1008</b>	
La primera vez que comenzó a fumar [CIGARFILL]s como si fueran toques o blunts, ¿fumó toques o blunts con sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?	
1 Sí	
2 No	GO TO R04_AJ9030[TC/CG/FC]
3 No sé	GO TO R04_AJ9030[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AJ9030[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ9030[TC/CG/FC]
ASK: Aged-up and continuing adult respondents who initiated blunt smoking since the previous wave, and new cohort adult respondents who have ever smoked a blunt.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1011**

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated blunt smoking with flavored cigars.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AJ9030**

En los últimos 30 días, ¿ha fumado un [CIGARFILL] como si fuera un toque o blunt, incluso si solo fueron una o dos probaditas?

- 1 Sí
- 2 No GO TO R04\_AJ9029[TC/CG/FC]
- 8 DON'T KNOW GO TO R04\_AJ9029[TC/CG/FC]
- 7 REFUSED GO TO R04\_AJ9029[TC/CG/FC]

ASK: Adult respondents who have smoked cigars as blunts every time in the past 12 months.

**PATH ID: R04\_AJ1022**

¿Durante cuántos de los últimos 30 días fumó [CIGARFILL]s como si fueran toques o blunts?

- 1 |\_\_|\_\_| DÍAS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked a blunt in the past 30 days.

DISPLAY: DISPLAY "DÍAS" AS A TITLE.

**BOX ID: R04\_AJR11**

If respondent enters "0" to R04\_AJ1022[TC/CG/FC], go to R04\_AJ9029[TC/CG/FC].  
Else, if respondent smoked blunts in the past 30 days, go to R04\_AJ1023[TC/CG/FC].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ9029**

Aproximadamente, ¿cuánto tiempo hace desde la última vez que fumó un [CIGARFILL] como si fuera un toque o blunt?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO R04\_AJ1030[TC/CG/FC]

-7 REFUSED

GO TO R04\_AJ1030[TC/CG/FC]

ASK: Blunt smokers who have not smoked a blunt in the past 30 days.

**PATH ID: R04\_AJ9029TC\_LC1**

La computadora registró que la última vez que usted fumó puros tradicionales como si fueran toques o blunts fue hace [R04\_AJ9029TC\_NN] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AJ9029TC

2 NEXT

GO TO R04\_AJ1030TC

ASK: IF (R04\_AJ9029TC\_NN < 30 AND R04\_AJ9029TC\_UN = 1) OR (R04\_AJ9029TC\_NN < 1 AND R04\_AJ9029TC\_UN = 2) OR (R04\_AJ9029TC\_NN > 18 AND R04\_AJ9029TC\_UN = 2) OR (R04\_AJ9029TC\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AJ9029TC\_UN = 3).

DISPLAY: IF R04\_AJ9029TC\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AJ9029TC\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AJ9029TC\_UN = 3, DISPLAY "años".

**PATH ID: R04\_AJ9029CG\_LC1**

La computadora registró que la última vez que usted fumó puritos como si fueran toques o blunts fue hace [R04\_AJ9029CG\_NN] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AJ9029CG

2 NEXT

GO TO R04\_AJ1030CG

ASK: IF (R04\_AJ9029CG\_NN < 30 AND R04\_AJ9029CG\_UN = 1) OR (R04\_AJ9029CG\_NN < 1 AND R04\_AJ9029CG\_UN = 2) OR (R04\_AJ9029CG\_NN > 18 AND R04\_AJ9029CG\_UN = 2) OR (R04\_AJ9029CG\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AJ9029CG\_UN = 3).

DISPLAY: IF R04\_AJ9029CG\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AJ9029CG\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AJ9029CG\_UN = 3, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ9029FC_LC1</b>	
La computadora registró que la última vez que usted fumó puros con filtro como si fueran toques o blunts fue hace [R04_AJ9029FC_NN] [días/meses/años].	
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ9029FC
2 NEXT	GO TO R04_AJ1030FC
ASK: IF (R04_AJ9029FC_NN < 30 AND R04_AJ9029FC_UN = 1) OR (R04_AJ9029FC_NN < 1 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > 18 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > (R04_ACHIEVEDAGE - 10) AND R04_AJ9029FC_UN = 3).	
DISPLAY: IF R04_AJ9029FC_UN = 1, DISPLAY "días".	
ELSE, IF R04_AJ9029FC_UN = 2, DISPLAY "meses".	
ELSE, IF R04_AJ9029FC_UN = 3, DISPLAY "años".	

<b>PATH ID: R04_AJ1023</b>	
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AJ1022[TC/CG/FC] días/días en que fumó], ¿cuántos [CIGARFILL]s normalmente fumó cada día como si fueran toques o blunts?	
1 Menos de 1 cada día	
2  __ __	
-8 DON'T KNOW	GO TO R04_AJ9012[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ9012[TC/CG/FC]
ASK: Blunt smokers who have smoked blunts on at least one day in the past 30 days.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de 1 cada día" ON RIGHT.	
FOR R04_AJ1023[TC/CG/FC]: IF R04_AJ1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "días en que fumó".	
ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R04_AJ1022[TC/CG/FC].	

<b>PATH ID: R04_AJ1023TC_LC1</b>	
La computadora registró que en los días en que fumó puros tradicionales como si fueran toques o blunts en los últimos 30 días, usted fumó [R04_AJ1023TC_NN] puros tradicionales como si fueran toques o blunts, cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ1023TC
2 NEXT	GO TO R04_AJ9012TC
ASK: IF R04_AJ1023TC_NN > 20.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ1023CG_LC1</b>	
La computadora registró que en los días en que fumó puritos como si fueran toques o blunts en los últimos 30 días, usted fumó [R04_AJ1023CG_NN] puritos como si fueran toques o blunts, cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ1023CG
2 NEXT	GO TO R04_AJ9012CG
ASK: IF R04_AJ1023CG_NN > 20.	

<b>PATH ID: R04_AJ1023FC_LC1</b>	
La computadora registró que en los días en que fumó puros con filtro como si fueran toques o blunts en los últimos 30 días, usted fumó [R04_AJ1023FC_NN] puros con filtro como si fueran toques o blunts, cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ1023FC
2 NEXT	GO TO R04_AJ9012FC
ASK: IF R04_AJ1023FC_NN > 20.	

<b>PATH ID: R04_AJ9012</b>	
Cuando fuma toques o blunts , ¿los comparte normalmente con otras personas?	
1 Sí	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Blunt smokers who have smoked a blunt in the past 30 days.	

<b>PATH ID: R04_AJ0100</b>	
¿Cuándo fue la última vez que fumó un [CIGARFILL] como si fuera un toque o blunt?	
1 Hace menos de una hora	GO TO R04_AJ0103[TC/CG/FC]
2 Hoy	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO R04_AJ1130[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AJ1130[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ1130[TC/CG/FC]
ASK: Blunt smokers who have smoked a blunt in the past 30 days.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ0102**

La última vez que fumó un [CIGARFILL] como si fuera un toque o blunt [FILL BASED ON R04\_AJ0100[TC/CG/FC]], ¿fue...

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AJ0100[TC/CG/FC]]:

IF R04\_AJ0100[TC/CG/FC] = 2, DISPLAY "hoy".

IF R04\_AJ0100[TC/CG/FC] = 3, DISPLAY "ayer".

IF R04\_AJ0100[TC/CG/FC] = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AJ0103**

¿Cuántos [CIGARFILL]s [ha fumado/fumó] como si fuera un "toque" o "blunt" [FILL BASED ON R04\_AJ0100[TC/CG/FC]]? (Si fumó menos de 1, anote 1).

- 1 |\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "ha fumado".

IF R04\_AJ0100[TC/CG/FC] = 3, 4, DISPLAY "fumó".

FOR [FILL BASED ON R04\_AJ0100[TC/CG/FC]]:

IF R04\_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "hoy".

IF R04\_AJ0100[TC/CG/FC] = 3, DISPLAY "ayer".

IF R04\_AJ0100[TC/CG/FC] = 4, DISPLAY "hace dos días".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ0103TC_LC1</b>	
La computadora registró que usted fumó [R04_AJ0103TC_NN] puros tradicionales como si fueran toques o blunts [hoy/ayer/hace dos días]. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ0103TC
2 NEXT	GO TO R04_AJ1130TC
ASK: IF R04_AJ0103TC_NN > 15 OR R04_AJ0103TC_NN = 11.	
DISPLAY: IF R04_AJ0100TC = 1, 2, DISPLAY "hoy".	
IF R04_AJ0100TC = 3, DISPLAY "ayer".	
IF R04_AJ0100TC = 4, DISPLAY "hace dos días".	

<b>PATH ID: R04_AJ0103CG_LC1</b>	
La computadora registró que usted fumó [R04_AJ0103CG_NN] puritos como si fueran toques o blunts [hoy/ayer/hace dos días]. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ0103CG
2 NEXT	GO TO R04_AJ1130CG
ASK: IF R04_AJ0103CG_NN > 15 OR R04_AJ0103CG_NN = 11.	
DISPLAY: IF R04_AJ0100CG = 1, 2, DISPLAY "hoy".	
IF R04_AJ0100CG = 3, DISPLAY "ayer".	
IF R04_AJ0100CG = 4, DISPLAY "hace dos días".	

<b>PATH ID: R04_AJ0103FC_LC1</b>	
La computadora registró que usted fumó [R04_AJ0103FC_NN] puros con filtro como si fueran toques o blunts [hoy/ayer/hace dos días]. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ0103FC
2 NEXT	GO TO R04_AJ1130FC
ASK: IF R04_AJ0103FC_NN > 15 OR R04_AJ0103FC_NN = 11.	
DISPLAY: IF R04_AJ0100FC = 1, 2, DISPLAY "hoy".	
IF R04_AJ0100FC = 3, DISPLAY "ayer".	
IF R04_AJ0100FC = 4, DISPLAY "hace dos días".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1130**

En los últimos 30 días, ¿tenía alguno de los [CIGARFILL]s que fumó como si fueran toques o blunts sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?

- |    |            |                            |
|----|------------|----------------------------|
| 1  | Sí         |                            |
| 2  | No         | GO TO R04_AJ1030[TC/CG/FC] |
| 3  | No sé      | GO TO R04_AJ1030[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R04_AJ1030[TC/CG/FC] |
| -7 | REFUSED    | GO TO R04_AJ1030[TC/CG/FC] |

ASK: Blunt smokers who have smoked a blunt in the past 30 days.

**PATH ID: R04\_AJ1131**

¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked flavored cigars as blunts in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AJ1147
En los días en que fumó [CIGARFILL]s como si fueran toques o blunts en los últimos 30 días, ¿con qué frecuencia fumó [CIGARFILL]s <u>con sabor</u> ?
1 Todo el tiempo
2 Casi siempre
3 A veces
4 Rara vez
5 Nunca
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who have smoked flavored cigars as blunts in the past 30 days.
DISPLAY: UNDERLINE "con sabor".

<b>PATH ID:</b> R04_AJ1030	
Normalmente, ¿cómo compra [CIGARFILL]s para usted mismo cuando los fuma como si fueran toques o blunts?	
1 En persona (en una tienda o bar de fumadores)	
2 En Internet	GO TO R04_AJ1039[TC/CG/FC]
3 Por teléfono	GO TO R04_AJ1039[TC/CG/FC]
4 No compro mis propios [CIGARFILL]s para fumar toques o blunts	GO TO R04_AJ1047[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AJ1047[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ1047[TC/CG/FC]
ASK: Blunt smokers who have smoked a blunt in the past 12 months.	

<b>PATH ID:</b> R04_AJ1032
Normalmente, ¿compra [CIGARFILL]s para fumar toques o blunts...?
1 En su propio estado
2 En otro estado
3 Fuera de Estados Unidos
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who usually buy cigars for blunts in person.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1033**

¿Dónde compra sus [CIGARFILL]s para fumar toques o blunts la mayoría del tiempo?

- 1 Un bar de fumadores
- 2 Una tienda de conveniencia o estación de gasolina
- 3 Un supermercado, tienda de comestibles o farmacia
- 4 Una tienda mayorista como Sam's o Costco
- 5 Una tienda especializada o un almacén de tabaco o una tabaquería
- 6 Una tienda libre de impuestos o un economato militar
- 7 Un bar, restaurante, casino o una taberna
- 8 Un amigo o familiar
- 9 Un mercadillo o mercado de pulgas
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who usually buy cigars for blunts in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AJ1039**

¿Compra normalmente [CIGARFILL]s para fumar toques o blunts por caja o paquete o como [CIGARFILL]s sueltos?

- 1 Caja o paquete
- 2 [CIGARFILL]s sueltos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who buy cigars for blunts in person.

**BOX ID: R04\_AJR34**

Respondents who buy cigars for blunts by the box or pack, go to R04\_AJ1040[TC/CG/FC].

Else, respondents who buy single cigars for blunts, go to R04\_AJ1043[TC/CG/FC].

Else, go to R04\_AJ1047[TC/CG/FC].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID:**      **R04\_AJ1040**

¿Cuántos [CIGARFILL]s vienen en la caja o paquete que usted normalmente compra para fumar toques o blunts?

       1    |\_\_|\_\_|\_\_|

      -8    DON'T KNOW

      -7    REFUSED

ASK: Blunt smokers who buy cigars for blunts by the box.

**PATH ID:**      **R04\_AJ1040TC\_LC1**

La computadora registró que vienen [R04\_AJ1040TC\_NN] puros tradicionales en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

       1    BACK                                      GO TO R04\_AJ1040TC

       2    NEXT                                      GO TO R04\_AJ1042TC

ASK: IF R04\_AJ1040TC\_NN > 50.

**PATH ID:**      **R04\_AJ1040CG\_LC1**

La computadora registró que vienen [R04\_AJ1040CG\_NN] puritos en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

       1    BACK                                      GO TO R04\_AJ1040CG

       2    NEXT                                      GO TO R04\_AJ1042CG

ASK: IF R04\_AJ1040CG\_NN > 20.

**PATH ID:**      **R04\_AJ1040FC\_LC1**

La computadora registró que vienen [R04\_AJ1040FC\_NN] puros con filtro en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

       1    BACK                                      GO TO R04\_AJ1040FC

       2    NEXT                                      GO TO R04\_AJ1042FC

ASK: IF R04\_AJ1040FC\_NN > 100.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1042**

¿Cuánto paga normalmente por una caja o paquete de [CIGARFILL]s para fumar toques o blunts?

1 \$ |\_\_|\_\_|\_\_| Dólares . |\_\_|\_\_| Centavos

-8 DON'T KNOW

GO TO R04\_AJ1047[TC/CG/FC]

-7 REFUSED

GO TO R04\_AJ1047[TC/CG/FC]

ASK: Blunt smokers who buy cigars for blunts by the box.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

**PATH ID: R04\_AJ1042TC\_LC1**

La computadora registró que usted paga normalmente \$[R04\_AJ1042TC\_D].[R04\_AJ1042TC\_C] por una caja de puros tradicionales para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AJ1042TC

2 NEXT

GO TO R04\_AJ1047TC

ASK: IF R04\_AJ1042TC\_D > 300 OR R04\_AJ1042TC\_D < 10.

**PATH ID: R04\_AJ1042CG\_LC1**

La computadora registró que usted paga normalmente \$[R04\_AJ1042CG\_D].[R04\_AJ1042CG\_C] por una caja de puritos para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AJ1042CG

2 NEXT

GO TO R04\_AJ1047CG

ASK: IF R04\_AJ1042CG\_D > 11 OR R04\_AJ1042CG\_D < 1.

**PATH ID: R04\_AJ1042FC\_LC1**

La computadora registró que usted paga normalmente \$[R04\_AJ1042FC\_D].[R04\_AJ1042FC\_C] por una caja de puros con filtro para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AJ1042FC

2 NEXT

GO TO R04\_AJ1047FC

ASK: IF R04\_AJ1042FC\_D > 100 OR R04\_AJ1042FC\_D < 1.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ1043</b>
¿Cuánto paga normalmente por un [CIGARFILL] suelto para fumar un toque o blunt?
1 \$  __ __ __  Dólares .  __ __  Centavos
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who buy single cigars for blunts.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID: R04_AJ1043TC_LC1</b>
La computadora registró que usted paga normalmente \$[R04_AJ1043TC_D].[R04_AJ1043TC_C] por un puro tradicional suelto para fumar como si fuera un toque o blunt. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AJ1043TC
2 NEXT GO TO R04_AJ1047TC
ASK: IF R04_AJ1043TC_D > 15 OR R04_AJ1043TC_D < 1.

<b>PATH ID: R04_AJ1043CG_LC1</b>
La computadora registró que usted paga normalmente \$[R04_AJ1043CG_D].[R04_AJ1043CG_C] por un purito suelto para fumar como si fuera un toque o blunt. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AJ1043CG
2 NEXT GO TO R04_AJ1047CG
ASK: IF R04_AJ1043CG_D > 3 OR (R04_AJ1043CG_D = 0 AND R04_AJ1043CG_C < 50).

<b>PATH ID: R04_AJ1043FC_LC1</b>
La computadora registró que usted paga normalmente \$[R04_AJ1043FC_D].[R04_AJ1043FC_C] por un puro con filtro suelto para fumar como si fuera un toque o blunt. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AJ1043FC
2 NEXT GO TO R04_AJ1047FC
ASK: IF R04_AJ1043FC_D > 3 OR (R04_AJ1043FC_D = 0 AND R04_AJ1043FC_C < 50).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1047</b>
¿Tiene una marca habitual de [CIGARFILL]s que normalmente fuma como si fueran toques o blunts?
<ul style="list-style-type: none"> <li>1    Sí</li> <li>2    No</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul>
ASK: Blunt smokers who have smoked a blunt in the past 12 months.

<b>PATH ID:</b> <b>R04_AJ1050</b>	
[Su marca habitual/La última marca] que [fuma/fumaba] como si fueran toques o blunts, ¿[tiene/tenía] sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?	
<ul style="list-style-type: none"> <li>1    Sí</li> <li>2    No</li> <li>3    No sé</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul>	<ul style="list-style-type: none"> <li>GO TO R04_AJ1945[TC/CG/FC]</li> <li>GO TO R04_AJ1945[TC/CG/FC]</li> <li>GO TO R04_AJ1945[TC/CG/FC]</li> <li>GO TO R04_AJ1945[TC/CG/FC]</li> </ul>
ASK: Blunt smokers who have smoked a blunt in the past 12 months.	
DISPLAY: IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "tenía", "La última marca" AND "fumaba".	
ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "tiene", "Su marca habitual" AND "fuma".	

<b>PATH ID:</b> <b>R04_AJ1012</b>	
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.	
<ul style="list-style-type: none"> <li>1    Mentol o menta</li> <li>2    Clavo de olor o especias</li> <li>3    Fruta</li> <li>4    Chocolate</li> <li>5    Una bebida alcohólica (como vino, brandy, margarita u otro coctel)</li> <li>6    Caramelos u otros sabores dulces</li> <li>7    Otro sabor (ESPECIFIQUE)</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul>	
ASK: Blunt smokers whose regular brand or last brand of cigar smoked was flavored.	
DISPLAY: IF R04_AJ1047[TC/CG/FC] = 1 DISPLAY "es". ELSE, DISPLAY "era".	
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1945</b>
¿Sabe el <u>nombre de la marca</u> de [CIGARFILL]s que usted [fuma normalmente/fumó la última vez] como si fueran toques o blunts?  1    Sí 2    No -8   DON'T KNOW -7   REFUSED  ASK: Blunt smokers who have smoked a blunt in the past 12 months. DISPLAY: IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma normalmente". IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó la última vez". UNDERLINE "nombre de la marca".

<b>BOX ID:</b> <b>R04_AJR33</b>
Respondents who know the name of their brand, go to R04_AJ1048[TC/CG/FC]_BRAND. Else, go to Box R04_AJR04.

<b>PATH ID:</b> <b>R04_AJ1048</b>
¿Qué marca de [CIGARFILL] que [fuma/fumó] [normalmente/la última vez] como si fueran toques o blunts? Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra".]  1    Otra -8   DON'T KNOW -7   REFUSED  ASK: Blunt smokers who have smoked a blunt in the past 12 months and know the brand name. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: Si no ve la opción a continuación, toque la casilla que dice "Otra". IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez". ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma" AND "normalmente".

<b>BOX ID:</b> <b>R04_AJR01</b>
If respondent selects a brand, go to R04_AJ1070[TC/CG/FC]_PRODUCT. Else, if respondent selects "Something else", go to R04_AJ1049[TC/CG/FC]. Else, go to Box R04_AJR04.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1049</b>	
Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?	
1      _____	GO TO BOX R04_AJR04
-8    DON'T KNOW	GO TO BOX R04_AJR04
-7    REFUSED	GO TO BOX R04_AJR04
ASK: Blunt smokers who selected "Something else" for their brand.	

<b>PATH ID:</b> <b>R04_AJ1070</b>	
Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez] como si fuera un toque o blunt? Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"/Si no ve la opción a continuación, toque la casilla que dice "Otra".]	
1    Otra	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Blunt smokers who selected a brand image.	
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"." IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"." FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	
IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez". ELSE, IF R04_AJ1047[TC/CG/FC] = 1 , DISPLAY "fuma" AND "normalmente".	

<b>BOX ID:</b> <b>R04_AJR02</b>	
If respondent selects "Something else" for their subbrand image, go to R04_AJ1071[TC/CG/FC]. Else, go to Box R04_AJR04.	

<b>PATH ID:</b> <b>R04_AJ1071</b>	
Usted dijo que el tipo de [BRANDFILL] que usted fuma como si fueran toques o blunts no está en las opciones. ¿Qué tipo es?	
1      _____	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Blunt smokers who selected a brand image, but selected "Something else" for their subbrand image.	
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJR04**

END BLUNT LOOP:

If respondent has loops to complete for blunt-only cigar types, return to Box R04\_AJT03 and loop through subsections for any other blunt-only cigar types.

Else, if respondent has loops to complete for non-blunt cigar types, go to Box R04\_AGR10.

Else, if respondent has no more remaining loops to complete, go to next section.

**BOX ID: R04\_AGR10**

If respondent was a former user and had smoked 100 or more traditional cigars/cigarillos/filtered cigars and had smoked fairly regularly at the previous wave and has not smoked in the last 12 months or currently smokes not at all or is an ever user and switched to blunt-only use, go to Box R04\_AGV02.

Else, continue with Box R04\_AGT03.

**BOX ID: R04\_AGT03**

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD (Traditional Cigars):

Las siguientes preguntas son acerca de los puros tradicionales o "grandes".

Los puros tradicionales o "grandes" contienen tabaco envuelto en una hoja de tabaco.

Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puros tradicionales como los que se muestran a continuación. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] Más adelante habrá otra sección acerca de otras clases de puros.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=GRILLO (Cigarillos):

Las siguientes preguntas son acerca de los puritos.

Los puritos son puros de tamaño mediano y a veces vienen con boquillas de plástico o madera.

Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puritos como los que se muestran a continuación. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] Más adelante habrá otra sección acerca de otras clases de puros.

[SHOW GENERIC IMAGE OF CIGARILLO].

IF LOOP=GFILTR (Filtered Cigars):

Las siguientes preguntas son acerca de los puros con filtro.

Los puros con filtro normalmente son de color café y tienen un filtro como el de un cigarrillo. Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puros con filtro como los que se muestran a continuación.

[SHOW GENERIC IMAGE OF FILTERED CIGAR].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR01**

New cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04\_AG1006[TC/CG/FC]\_RS.

Else, aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars (and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in the previous wave), and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R04\_AG1005[TC/CG/FC].

Else, aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had never smoked fairly regularly in the previous wave, go to R04\_AG1100[TC/CG/FC].

Else, go to Box R04\_AGR12.

**PATH ID: R04\_AG1006\_RS**

¿Qué edad tenía la primera vez que fumó parte o todo un [CIGARFILL], incluso si solo fueron una o dos probaditas?

1 |\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AG1120[TC/CG/FC]\_RS

-7 REFUSED

GO TO R04\_AG1120[TC/CG/FC]\_RS

ASK: New cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

**PATH ID: R04\_AG1006TC\_RS\_LC1**

La computadora registró que la primera vez que usted fumó un puro tradicional fue a la edad de [R04\_AG1006TC\_RS\_NN] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1006TC\_RS

2 NEXT

GO TO R04\_AG1005TC

ASK: IF R04\_AG1006TC\_RS <= 10.

**PATH ID: R04\_AG1006TC\_RS\_LC2**

La computadora registró que la primera vez que usted fumó un puro tradicional fue a la edad de [R04\_AG1006TC\_RS\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1006TC\_RS

2 NEXT

GO TO R04\_AG1005TC

ASK: IF R04\_AG1006TC\_RS\_NN > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1006CG\_RS\_LC1**

La computadora registró que la primera vez que usted fumó un purito fue a la edad de [R04\_AG1006CG\_RS\_NN] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1006CG\_RS

2 NEXT

GO TO R04\_AG1005CG

ASK: IF R04\_AG1006CG\_RS <= 10.

**PATH ID: R04\_AG1006CG\_RS\_LC2**

La computadora registró que la primera vez que usted fumó un purito fue a la edad de [R04\_AG1006TC\_RS\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1006CG\_RS

2 NEXT

GO TO R04\_AG1005CG

ASK: IF R04\_AG1006CG\_RS\_NN > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AG1006FC\_RS\_LC1**

La computadora registró que la primera vez que usted fumó un puro con filtro fue a la edad de [R04\_AG1006FC\_RS\_NN] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1006FC\_RS

2 NEXT

GO TO R04\_AG1005FC

ASK: IF R04\_AG1006FC\_RS <= 10.

**PATH ID: R04\_AG1006FC\_RS\_LC2**

La computadora registró que la primera vez que usted fumó un puro con filtro fue a la edad de [R04\_AG1006FC\_RS\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1006FC\_RS

2 NEXT

GO TO R04\_AG1005FC

ASK: IF R04\_AG1006FC\_RS\_NN > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1120\_RS**

La primera vez que fumó parte o todo un [CIGARFILL], incluso si fueron una o dos probaditas, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report the age they first smoked a traditional cigar/cigarillo/filtered cigar.

**PATH ID: R04\_AG1005**

¿Cuántos [CIGARFILL]s ha fumado en toda su vida?

- 1 Una o más probaditas pero nunca uno entero
- 2 1 a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in the previous wave, and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

**BOX ID: R04\_AGR26**

Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars (and had never smoked fairly regularly in the previous wave), and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R04\_AG1100[TC/CG/FC].  
Else, go to Box R04\_AGV02.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1100**

¿Alguna vez ha fumado [CIGARFILL]s de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

**BOX ID: R04\_AGR12**

New baseline adult respondents who smoke fairly regularly, go to R04\_AG1007[TC/CG/FC]\_NB.  
Else, go to Box R04\_AGV02.

**PATH ID: R04\_AG1007\_NB**

¿Qué edad tenía la primera vez que comenzó a fumar [CIGARFILL]s habitualmente?

- 1 |\_\_|\_\_| Años
- 8 DON'T KNOW GO TO R04\_AG1121\_NB[TC/CG/FC]
- 7 REFUSED GO TO R04\_AG1121\_NB[TC/CG/FC]

ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, but had never smoked fairly regularly in the previous wave.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AG1007TC\_NB\_LC1**

La computadora registró que usted comenzó a fumar puros tradicionales de manera habitual a la edad de [R04\_AG1007TC\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AG1007TC\_NB
- 2 NEXT GO TO BOX R04\_AGV02

ASK: IF R04\_AG1007TC\_NB <= 12.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1007TC\_NB\_LC2**

La computadora registró que usted comenzó a fumar puros tradicionales de manera habitual a la edad de [R04\_AG1007TC\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1007TC_NB |
| 2 | NEXT | GO TO BOX R04_AGV02   |

ASK: IF R04\_AG1007TC\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AG1007CG\_NB\_LC1**

La computadora registró que usted comenzó a fumar puritos de manera habitual a la edad de [R04\_AG1007CG\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1007CG_NB |
| 2 | NEXT | GO TO BOX R04_AGV02   |

ASK: IF R04\_AG1007CG\_NB <= 10.

**PATH ID: R04\_AG1007CG\_NB\_LC2**

La computadora registró que usted comenzó a fumar puritos de manera habitual a la edad de [R04\_AG1007CG\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1007CG_NB |
| 2 | NEXT | GO TO BOX R04_AGV02   |

ASK: IF R04\_AG1007CG\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AG1007FC\_NB\_LC1**

La computadora registró que usted comenzó a fumar puros con filtro de manera habitual a la edad de [R04\_AG1007FC\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1007FC_NB |
| 2 | NEXT | GO TO BOX R04_AGV02   |

ASK: IF R04\_AG1007FC\_NB <= 10.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1007FC\_NB\_LC2**

La computadora registró que usted comenzó a fumar puros con filtro de manera habitual a la edad de [R04\_AG1007FC\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1007FC\_NB

2 NEXT

GO TO BOX R04\_AGV02

ASK: IF R04\_AG1007FC\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AG1121\_NB**

La primera vez que comenzó a fumar [CIGARFILL]s habitualmente, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking traditional cigars/cigarillos/filtered cigars fairly regularly.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV02**

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**IF LOOP = GTRAD, THEN DEFINE:**

**R04\_GTRAD\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke every day or some days.

**R04\_GTRAD\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a traditional cigar and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GTRAD\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a traditional cigar and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GTRAD\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former traditional cigar smokers at the previous wave and aged-up adult respondents who ever smoked traditional cigars at the previous wave, who have ever smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since the previous wave, who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GTRAD\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GTRAD\_USE = 1 (Every day user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke every day.

**R04\_CURRENT\_GTRAD\_USE = 2 (Some day user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1** Adult respondents who are experimental former, recent former, or long-term former traditional cigar smokers who smoked in the past 30 days.

**IF LOOP = GRILLO, THEN DEFINE:**

**R04\_GRILLO\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke every day or some days.

**R04\_GRILLO\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a cigarillo and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GRILLO\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a cigarillo and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GRILLO\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former cigarillo smokers at the previous wave and aged-up adult respondents who ever smoked cigarillos at the previous wave, who have ever smoked cigarillos fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since the previous wave, who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GRILLO\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

respondents who were former cigarillo traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GRILLO\_USE = 1 (Every day user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke every day.

**R04\_CURRENT\_GRILLO\_USE = 2 (Some day user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1** Adult respondents who are experimental former, recent former, or long-term former cigarillo smokers who smoked in the past 30 days.

**IF LOOP = GFILTR, THEN DEFINE:**

**R04\_GFILTR\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke every day or some days.

**R04\_GFILTR\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a filtered cigar and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GFILTR\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a filtered cigar and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GFILTR\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former filtered cigar smokers at the previous wave and aged-up adult respondents who ever smoked filtered cigars at the previous wave, who have ever smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated filtered smoking since the previous wave, who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GFILTR\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former filtered cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GFILTR\_USE = 1 (Every day user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke every day.

**R04\_CURRENT\_GFILTR\_USE = 2 (Some day user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke some days

**R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1** Adult respondents who are experimental former, recent former, or long-term former filtered cigar smokers who smoked in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR02**

If new baseline adult respondent and every day traditional cigar/cigarillo/filtered cigar user, go to R04\_AG1020[TC/CG/FC]\_NB.

Else, if aged-up and continuing adult respondent who initiated traditional cigar/cigarillo/filtered cigar use since the previous wave, or new cohort adult respondent who has ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04\_AG1008[TC/CG/FC].

Else, if every day traditional cigar/cigarillo/filtered cigar user, go to R04\_AG1021[TC/CG/FC].

Else, if someday, experimental current, former or experimental former traditional cigar/cigarillo/filtered cigar user who has smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days, go to R04\_AG1022[TC/CG/FC].

Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04\_AG9040[TC/CG/FC].

Else, go to Box R04\_AGR04.

**PATH ID: R04\_AG1020\_NB**

¿Qué edad tenía la primera vez que comenzó a fumar [CIGARFILL]s todos los días?

1 |\_\_|\_\_| Años

-8 DON'T KNOW GO TO R04\_AG1122[TC/CG/FC]\_NB

-7 REFUSED GO TO R04\_AG1122[TC/CG/FC]\_NB

ASK: New baseline adult respondents who are every day traditional cigars/cigarillos/filtered cigars every smokers.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AG1020TC\_NB\_LC1**

La computadora registró que usted comenzó a fumar puros tradicionales todos los días a la edad de [R04\_AG1020TC\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R04\_AG1020TC\_NB

2 NEXT GO TO BOX R04\_AGR27

ASK: IF R04\_AG1020TC\_NB <= 12 OR R04\_AG1020TC\_NB < R04\_AG1007TC\_NB.

**PATH ID: R04\_AG1020TC\_NB\_LC2**

La computadora registró que usted comenzó a fumar puros tradicionales todos los días a la edad de [R04\_AG1020TC\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R04\_AG1020TC\_NB

2 NEXT GO TO BOX R04\_AGR27

ASK: IF R04\_AG1020TC\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1020CG\_NB\_LC1**

La computadora registró que usted comenzó a fumar puritos todos los días a la edad de [R04\_AG1020CG\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020CG_NB |
| 2 | NEXT | GO TO BOX R04_AGR27   |

ASK: IF R04\_AG1020CG\_NB <= 10 OR R04\_AG1020CG\_NB < R04\_AG1007CG\_NB.

**PATH ID: R04\_AG1020CG\_NB\_LC2**

La computadora registró que usted comenzó a fumar puritos todos los días a la edad de [R04\_AG1020CG\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020CG_NB |
| 2 | NEXT | GO TO BOX R04_AGR27   |

ASK: IF R04\_AG1020CG\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AG1020FC\_NB\_LC1**

La computadora registró que usted comenzó a fumar puros con filtro todos los días a la edad de [R04\_AG1020FC\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020FC_NB |
| 2 | NEXT | GO TO BOX R04_AGR27   |

ASK: IF R04\_AG1020FC\_NB <= 5 OR R04\_AG1020FC\_NB < R04\_AG1007FC\_NB.

**PATH ID: R04\_AG1020FC\_NB\_LC2**

La computadora registró que usted comenzó a fumar puros con filtro todos los días a la edad de [R04\_AG1020FC\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020FC_NB |
| 2 | NEXT | GO TO BOX R04_AGR27   |

ASK: IF R04\_AG1020FC\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1122_NB</b>
<p>La primera vez que comenzó a fumar [CIGARFILL]s todos los días, ¿tenía...?</p> <ul style="list-style-type: none"> <li>1    menos de 18 años de edad,</li> <li>2    entre 18 y 24 años de edad,</li> <li>3    entre 25 y 34 años de edad,</li> <li>4    entre 35 y 44 años de edad,</li> <li>5    entre 45 y 54 años de edad o</li> <li>6    55 años de edad o más?</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul> <p>ASK: New baseline adult respondents who did not know or refused to report the age they started smoking traditional cigars/cigarillos/filtered cigars every day.</p>

<b>BOX ID:</b> <b>R04_AGR27</b>
<p>Aged-up and continuing adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars since the previous wave, and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04_AG1008[TC/CG/FC].</p> <p>Else, go to Box R04_AGR11.</p>

<b>PATH ID:</b> <b>R04_AG1008</b>										
<p>La primera vez que comenzó a fumar [CIGARFILL]s, ¿fumó [CIGARFILL]s con sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 20px;">1    Sí</td> <td></td> </tr> <tr> <td style="padding-left: 20px;">2    No</td> <td style="text-align: right;">GO TO BOX R04_AGR59</td> </tr> <tr> <td style="padding-left: 20px;">3    No sé</td> <td style="text-align: right;">GO TO BOX R04_AGR59</td> </tr> <tr> <td style="padding-left: 20px;">-8   DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R04_AGR59</td> </tr> <tr> <td style="padding-left: 20px;">-7   REFUSED</td> <td style="text-align: right;">GO TO BOX R04_AGR59</td> </tr> </table> <p>ASK: Aged-up and continuing adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since the previous wave, and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar.</p>	1    Sí		2    No	GO TO BOX R04_AGR59	3    No sé	GO TO BOX R04_AGR59	-8   DON'T KNOW	GO TO BOX R04_AGR59	-7   REFUSED	GO TO BOX R04_AGR59
1    Sí										
2    No	GO TO BOX R04_AGR59									
3    No sé	GO TO BOX R04_AGR59									
-8   DON'T KNOW	GO TO BOX R04_AGR59									
-7   REFUSED	GO TO BOX R04_AGR59									

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1011**

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AGR59**

If current, experimental current, former experimental, recent former, or long-term former new cohort adult respondent, go to R04\_AG1025[TC/CG/FC]\_RS.

Else, go to Box R04\_AGR11.

**PATH ID: R04\_AG1025\_RS**

Alrededor de esta época hace 12 meses, ¿fumaba [CIGARFILL]s...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former traditional cigar/cigarillo/filtered cigar smokers.

**BOX ID: R04\_AGR11**

If every day traditional cigar/cigarillo/filtered cigar user, go to R04\_AG1021[TC/CG/FC].

Else, if some day, experimental current, former or experimental former traditional cigar/cigarillo/filtered cigar user who has smoked in the past 30 days, go to R04\_AG1022[TC/CG/FC].

Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04\_AG9040[TC/CG/FC].

Else, go to Box R04\_AGR04.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1021</b>	
En promedio, aproximadamente, ¿cuántos [CIGARFILL]s fuma cada día actualmente?	
-2 Menos de 1 cada día	GO TO R04_AG1024[TC/CG/FC]
1  __ __	
-8 DON'T KNOW	GO TO R04_AG1024[TC/CG/FC]
-7 REFUSED	GO TO R04_AG1024[TC/CG/FC]
ASK: Every day traditional cigar/cigarillo/filtered cigar smokers.	
DISPLAY: DISPLAY AS A NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de 1 cada día" ON RIGHT.	

<b>PATH ID: R04_AG1021TC_LC1</b>	
La computadora registró que actualmente usted fuma [R04_AG1021TC] puros tradicionales cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1021TC
2 NEXT	GO TO R04_AG1024TC
ASK: IF R04_AG1021TC > 20.	

<b>PATH ID: R04_AG1021CG_LC1</b>	
La computadora registró que actualmente usted fuma [R04_AG1021CG] puritos cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1021CG
2 NEXT	GO TO R04_AG1024CG
ASK: IF R04_AG1021CG > 20.	

<b>PATH ID: R04_AG1021FC_LC1</b>	
La computadora registró que actualmente usted fuma [R04_AG1021FC] puros con filtro cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1021FC
2 NEXT	GO TO R04_AG1024FC
ASK: IF R04_AG1021FC > 20.	





**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9029TC\_LC1**

La computadora registró que la última vez que usted fumó puros tradicionales fue hace [R04\_AG9029TC\_NN] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG9029TC  |
| 2 | NEXT | GO TO BOX R04_AGR30 |

ASK: IF (R04\_AG9029TC\_NN < 30 AND R04\_AG9029TC\_UN = 1) OR (R04\_AG9029TC\_NN < 1 AND R04\_AG9029TC\_UN = 2) OR (R04\_AG9029TC\_NN > 18 AND R04\_AG9029TC\_UN = 2) OR (R04\_AG9029TC\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029TC\_UN = 3).

DISPLAY: IF R04\_AG9029TC\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AG9029TC\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AG9029TC\_UN = 3, DISPLAY "años".

**PATH ID: R04\_AG9029CG\_LC1**

La computadora registró que la última vez que usted fumó puritos fue hace [R04\_AG9029CG\_NN] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG9029CG  |
| 2 | NEXT | GO TO BOX R04_AGR30 |

ASK: IF (R04\_AG9029CG\_NN < 30 AND R04\_AG9029CG\_UN = 1) OR (R04\_AG9029CG\_NN < 1 AND R04\_AG9029CG\_UN = 2) OR (R04\_AG9029CG\_NN > 18 AND R04\_AG9029CG\_UN = 2) OR (R04\_AG9029CG\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029CG\_UN = 3).

DISPLAY: IF R04\_AG9029CG\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AG9029CG\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AG9029CG\_UN = 3, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG9029FC_LC1</b>	
La computadora registró que la última vez que usted fumó puros con filtro fue hace [R04_AG9029FC_NN] días/meses/años.	
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG9029FC
2 NEXT	GO TO BOX R04_AGR30
ASK: IF (R04_AG9029FC_NN < 30 AND R04_AG9029FC_UN = 1) OR (R04_AG9029FC_NN < 1 AND R04_AG9029FC_UN = 2) OR (R04_AG9029FC_NN > 18 AND R04_AG9029FC_UN = 2) OR (R04_AG9029FC_NN > (R04_ACHIEVEDAGE - 10) AND R04_AG9029FC_UN = 3).	
DISPLAY: IF R04_AG9029FC_UN = 1, DISPLAY "días".	
ELSE, IF R04_AG9029FC_UN = 2, DISPLAY "meses".	
ELSE, IF R04_AG9029FC_UN = 3, DISPLAY "años".	

<b>PATH ID: R04_AG1023</b>	
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AG1022 días/días en que fumó], ¿cuántos [CIGARFILL]s normalmente fumó cada día?	
-2 Menos de 1 cada día	
1  __ __	
-8 DON'T KNOW	GO TO BOX R04_AGR30
-7 REFUSED	GO TO BOX R04_AGR30
ASK: Some day, experimental current, and former thirty day traditional cigar/cigarillo/filtered cigar smokers who have smoked at least one day in past 30 days.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de 1 cada día" ON RIGHT.	
IF R04_AG1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "días en que fumó". ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R04_AG1022[TC/CG/FC].	

<b>PATH ID: R04_AG1023TC_LC1</b>	
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AG1023TC] puros tradicionales cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1023TC
2 NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023TC > 20.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1023CG_LC1</b>	
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AG1023CG] puritos cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1023CG
2 NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023CG > 20.	

<b>PATH ID: R04_AG1023FC_LC1</b>	
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AG1023FC] puros con filtro cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1023FC
2 NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023FC > 20.	

<b>BOX ID: R04_AGR30</b>	
Current and experimental current traditional cigar/cigarillo/filtered cigar users, go to R04_AG1024[TC/CG/FC].	
Else, if former 30 day traditional cigar/cigarillo/filtered cigar user, go to R04_AG1024[TC/CG/FC]_30D.	
Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04_AG9040[TC/CG/FC].	
Else, go to next section.	

<b>PATH ID: R04_AG1024</b>	
[En los días en que fuma [CIGARFILL]s, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primer [CIGARFILL] del día? Anote los minutos o las horas.	
1  __ __  Minutos después de despertarse	
2  __ __  Horas después de despertarse	
-8 DON'T KNOW	GO TO R04_AG1092[TC/CG/FC]
-7 REFUSED	GO TO R04_AG1092[TC/CG/FC]
ASK: Current and experimental current traditional cigar/cigarillo/filtered cigar smokers.	
DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "Qué". ELSE, DISPLAY "En los días en que fuma [CIGARFILL]s, ¿qué".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1024TC\_LC1**

La computadora registró que usted normalmente fuma su primer puro tradicional del día [R04\_AG1024TC\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1024TC  |
| 2 | NEXT | GO TO BOX R04_AGR34 |

ASK: IF (R04\_CURRENT\_GTRAD\_USE = 1 AND (R04\_AG1024TC\_NN > 60 AND R04\_AG1024TC\_UN = 1) OR (R04\_AG1024TC\_NN > 4 AND R04\_AG1024TC\_UN = 2)) OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2) AND (R04\_AG1024TC\_NN > 60 AND R04\_AG1024TC\_UN = 1) OR (R04\_AG1024TC\_NN > 12 AND R04\_AG1024TC\_UN = 2)).

DISPLAY: IF R04\_AG1024TC\_UN = 2, DISPLAY "horas". IF R04\_AG1024TC\_UN = 1, DISPLAY "minutos".

**PATH ID: R04\_AG1024TC\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer puro tradicional del día.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1024TC  |
| 2 | NEXT | GO TO BOX R04_AGR34 |

ASK: IF R04\_AG1024TC\_NN = 0.

**PATH ID: R04\_AG1024CG\_LC1**

La computadora registró que usted normalmente fuma su primer purito del día [R04\_AG1024CG\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1024CG  |
| 2 | NEXT | GO TO BOX R04_AGR34 |

ASK: IF (R04\_CURRENT\_GRILLO\_USE = 1 AND (R04\_AG1024CG\_NN > 60 AND R04\_AG1024CG\_UN = 1) OR (R04\_AG1024CG\_NN > 4 AND R04\_AG1024CG\_UN = 2)) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2) AND (R04\_AG1024CG\_NN > 60 AND R04\_AG1024CG\_UN = 1) OR (R04\_AG1024CG\_NN > 12 AND R04\_AG1024CG\_UN = 2)).

DISPLAY: IF R04\_AG1024TC\_UN = 2, DISPLAY "horas". IF R04\_AG1024TC\_UN = 1, DISPLAY "minutos".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AG1024CG_LC2</b>
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer purito del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1024CG
2 NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024CG_NN = 0.	

<b>PATH ID:</b>	<b>R04_AG1024FC_LC1</b>
La computadora registró que usted normalmente fuma su primer puro con filtro del día [R04_AG1024FC_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1024FC
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_CURRENT_GFILTR_USE = 1 AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 4 AND R04_AG1024FC_UN = 2)) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2) AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 12 AND R04_AG1024FC_UN = 2)).	
DISPLAY: IF R04_AG1024TC_UN = 2, DISPLAY "horas". IF R04_AG1024TC_UN = 1, DISPLAY "minutos".	

<b>PATH ID:</b>	<b>R04_AG1024FC_LC2</b>
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer puro con filtro del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1024FC
2 NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024FC_NN = 0.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1092</b>	
[En los días en que fuma [CIGARFILL]s, ¿diría/¿Diría] usted que fuma su primer [CIGARFILL] del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO BOX R04_AGR34
2 No	GO TO BOX R04_AGR34
3 Depende	GO TO BOX R04_AGR34
-8 DON'T KNOW	GO TO BOX R04_AGR34
-7 REFUSED	GO TO BOX R04_AGR34
ASK: Current and experimental current traditional cigar/cigarillo/filtered cigar smokers who did not know or refused to report how soon they smoke a traditional cigar/cigarillo/filtered cigar after waking up.	
DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "¿Diría". ELSE, DISPLAY "En los días en que fuma [CIGARFILL]s, ¿diría".	

<b>PATH ID: R04_AG1024_30D</b>	
[En los días en que fumaba [CIGARFILL]s, ¿qué tan pronto después de que se despertaba fumaba normalmente su primer [CIGARFILL] del día? Anote los minutos o las horas.	
1  __ __  Minutos después de despertarse	
2  __ __  Horas después de despertarse	
-8 DON'T KNOW	GO TO R04_AG1092[TC/CG/FC]_30D
-7 REFUSED	GO TO R04_AG1092[TC/CG/FC]_30D
ASK: Former 30 day traditional cigar/cigarillo/filtered cigar smokers.	

<b>PATH ID: R04_AG1024TC_30D_LC1</b>	
La computadora registró que usted normalmente fumaba su primer puro tradicional del día [R04_AG1024TC_30D_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1024TC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_AG1024TC_30D_NN AND > 60 AND R04_AG1024TC_30D_UN = 1) OR (R04_AG1024TC_30D > 12 AND R04_AG1024TC_30D_UN = 2).	
DISPLAY: IF R04_AG1024TC_30D_UN = 2, DISPLAY "horas". IF R04_AG1024TC_30D_UN = 1, DISPLAY "minutos".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1024TC\_30D\_LC2**

La computadora registró "0" para la cantidad de tiempo que normalmente pasaba hasta que usted fumaba su primer puro tradicional del día.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1024TC\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF R04\_AG1024TC\_30D\_NN = 0.

**PATH ID: R04\_AG1024CG\_30D\_LC1**

La computadora registró que usted normalmente fumaba su primer purito del día [R04\_AG1024CG\_30D\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1024CG\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF (R04\_AG1024CG\_30D\_NN AND > 60 AND R04\_AG1024CG\_30D\_UN = 1) OR (R04\_AG1024CG\_30D > 12 AND R04\_AG1024CG\_30D\_UN = 2).

DISPLAY: IF R04\_AG1024CG\_30D\_UN = 2, DISPLAY "horas". IF R04\_AG1024CG\_30D\_UN = 1, DISPLAY "minutos".

**PATH ID: R04\_AG1024CG\_30D\_LC2**

La computadora registró "0" para la cantidad de tiempo que normalmente pasaba hasta que usted fumaba su primer purito del día.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1024FC\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF R04\_AG1024CG\_30D\_NN = 0.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1024FC_30D_LC1
La computadora registró que usted normalmente fumaba su primer puro con filtro del día [R04_AG1024FC_30D_NN] [horas/minutos] después de despertarse. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1024FC_30D
2 NEXT GO TO BOX R04_AGR34
ASK: IF (R04_AG1024FC_30D_NN AND > 60 AND R04_AG1024FC_30D_UN = 1) OR (R04_AG1024FC_30D > 12 AND R04_AG1024FC_30D_UN = 2).
DISPLAY: IF R04_AG1024FC_30D_UN = 2, DISPLAY "horas". IF R04_AG1024FC_30D_UN = 1, DISPLAY "minutos".

<b>PATH ID:</b> R04_AG1024FC_30D_LC2
La computadora registró "0" para la cantidad de tiempo que normalmente pasaba hasta que usted fumaba su primer puro con filtro del día.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1024FC_30D
2 NEXT GO TO BOX R04_AGR34
ASK: IF R04_AG1024FC_30D_NN = 0.

<b>PATH ID:</b> R04_AG1092_30D
En los días en que fumaba [CIGARFILL]s, ¿diría usted que fumaba su primer [CIGARFILL] del día durante los primeros 30 minutos después de despertarse?
1 Sí
2 No
3 Depende
-8 DON'T KNOW
-7 REFUSED
ASK: Former 30 day traditional cigar/cigarillo/filtered cigar smokers who did not know or refused to report how soon they smoked a traditional cigar/cigarillo/filtered cigar after waking up.

<b>BOX ID:</b> R04_AGR34
If respondent did not smoke traditional cigars/cigarillos/filtered cigars in the past 30 days, go to R04_AG1030[TC/CG/FC]. Else, go to R04_AG0100[TC/CG/FC].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG0100</b>		
¿Cuándo fue la última vez que fumó un [CIGARFILL]?		
1	Hace menos de una hora	GO TO R04_AG0103[TC/CG/FC]
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R04_AG1130[TC/CG/FC]
-8	DON'T KNOW	GO TO R04_AG1130[TC/CG/FC]
-7	REFUSED	GO TO R04_AG1130[TC/CG/FC]
ASK: Adult respondents who have smoked traditional cigars/cigarillos/filtered cigars in the past 30 days.		

<b>PATH ID: R04_AG0102</b>		
La última vez que fumó un [[CIGARFILL] [FILL BASED ON R04_AG0100[TC/CG/FC]], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: FOR [FILL BASED ON R04_AG0100[TC/CG/FC]],		
IF R04_AG0100[TC/CG/FC] = 2, DISPLAY "hoy";		
IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "ayer";		
IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "hace dos días".		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG0103**

¿Cuántos [CIGARFILL]s [ha fumado/fumó] [FILL BASED ON R04\_AG0100][TC/CG/FC]? (Si fumó menos de 1, anote 1).

1 | \_ | \_ | \_ |

-8 DON'T KNOW

GO TO R04\_AG1130[TC/CG/FC]

-7 REFUSED

GO TO R04\_AG1130[TC/CG/FC]

ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF (R04\_AG0100[TC/CG/FC] = 1, 2, DISPLAY "ha fumado".

ELSE, IF R04\_AG0100[TC/CG/FC] = 3, 4, DISPLAY "fumó".

FOR [FILL BASED ON R04\_AG0100[TC/CG/FC]],

IF R04\_AG0100[TC/CG/FC] = 1, 2, DISPLAY "hoy";

ELSE, IF R04\_AG0100[TC/CG/FC] = 3, DISPLAY "ayer";

ELSE, IF R04\_AG0100[TC/CG/FC] = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AG0103TC\_LC1**

La computadora registró que usted fumó [R04\_AG0103TC] puros tradicionales [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG0103TC

2 NEXT

GO TO R04\_AG1130TC

ASK: IF R04\_AG0103TC > 15 OR R04\_AG0103TC = 11.

DISPLAY: IF R04\_AG0100TC = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AG0100TC = 3, DISPLAY "ayer".

ELSE, IF R04\_AG0100TC = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AG0103CG\_LC1**

La computadora registró que usted fumó [R04\_AG0103CG] puritos [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG0103CG

2 NEXT

GO TO R04\_AG1130CG

ASK: IF R04\_AG0103CG > 15 OR R04\_AG0103CG = 11.

DISPLAY: IF R04\_AG0100CG = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AG0100CG = 3, DISPLAY "ayer".

ELSE, IF R04\_AG0100CG = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG0103FC_LC1
La computadora registró que usted fumó [R04_AG0103FC] puros con filtro [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG0103FC
2 NEXT GO TO R04_AG1130FC
ASK: IF R04_AG0103FC > 15 OR R04_AG0103FC = 11.
DISPLAY: IF R04_AG0100FC = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AG0100FC = 3, DISPLAY "ayer".
ELSE, IF R04_AG0100FC = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AG1130
En los últimos 30 días, ¿tenía alguno de los [CIGARFILL]s que fumó sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?
1 Sí
2 No GO TO R04_AG1030[TC/CG/FC]
3 No sé GO TO R04_AG1030[TC/CG/FC]
-8 DON'T KNOW GO TO R04_AG1030[TC/CG/FC]
-7 REFUSED GO TO R04_AG1030[TC/CG/FC]
ASK: Adult respondents who have smoked traditional cigars/cigarillos/filtered cigars in the past 30 days.

<b>PATH ID:</b> R04_AG1131
¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.
1 Mentol o menta
2 Clavo de olor o especias
3 Fruta
4 Chocolate
5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
6 Caramelos u otros sabores dulces
7 Otro sabor (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1147</b>
<p>En los días en que fumó [CIGARFILL]s en los últimos 30 días, ¿con qué frecuencia fumó [CIGARFILL]s <u>con sabor</u>?</p> <ul style="list-style-type: none"> <li>1 Todo el tiempo</li> <li>2 Casi siempre</li> <li>3 A veces</li> <li>4 Rara vez</li> <li>5 Nunca</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Adult respondents who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.          DISPLAY: UNDERLINE "con sabor".</p>

<b>PATH ID: R04_AG1030</b>												
<p>Las siguientes preguntas son acerca de su experiencia al comprar [CIGARFILL]s.</p> <p>Normalmente, ¿cómo [compra/compraba] sus [CIGARFILL]s?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 20px;">1 En persona (en una tienda o bar de fumadores)</td> <td style="padding-left: 20px;"></td> </tr> <tr> <td style="padding-left: 20px;">2 En Internet</td> <td style="padding-left: 20px;">GO TO R04_AG1039[TC/CG/FC]</td> </tr> <tr> <td style="padding-left: 20px;">3 Por teléfono</td> <td style="padding-left: 20px;">GO TO R04_AG1039[TC/CG/FC]</td> </tr> <tr> <td style="padding-left: 20px;">4 No compro mis propios [CIGARFILL]s</td> <td style="padding-left: 20px;">GO TO R04_AG9040[TC/CG/FC]</td> </tr> <tr> <td style="padding-left: 20px;">-8 DON'T KNOW</td> <td style="padding-left: 20px;">GO TO R04_AG9040[TC/CG/FC]</td> </tr> <tr> <td style="padding-left: 20px;">-7 REFUSED</td> <td style="padding-left: 20px;">GO TO R04_AG9040[TC/CG/FC]</td> </tr> </table> <p>ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.          DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2) DISPLAY "compra". ELSE, DISPLAY "compraba".</p>	1 En persona (en una tienda o bar de fumadores)		2 En Internet	GO TO R04_AG1039[TC/CG/FC]	3 Por teléfono	GO TO R04_AG1039[TC/CG/FC]	4 No compro mis propios [CIGARFILL]s	GO TO R04_AG9040[TC/CG/FC]	-8 DON'T KNOW	GO TO R04_AG9040[TC/CG/FC]	-7 REFUSED	GO TO R04_AG9040[TC/CG/FC]
1 En persona (en una tienda o bar de fumadores)												
2 En Internet	GO TO R04_AG1039[TC/CG/FC]											
3 Por teléfono	GO TO R04_AG1039[TC/CG/FC]											
4 No compro mis propios [CIGARFILL]s	GO TO R04_AG9040[TC/CG/FC]											
-8 DON'T KNOW	GO TO R04_AG9040[TC/CG/FC]											
-7 REFUSED	GO TO R04_AG9040[TC/CG/FC]											

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1032</b>
<p>Normalmente, ¿[compra/compraba] [CIGARFILL]s...?</p> <ul style="list-style-type: none"> <li>1 En su propio estado</li> <li>2 En otro estado</li> <li>3 Fuera de Estados Unidos</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who usually buy traditional cigars/cigarillos/filtered cigars in person.</p> <p>DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2) DISPLAY "compra". ELSE, DISPLAY "compraba".</p>

<b>PATH ID: R04_AG1033</b>
<p>¿Dónde [compra/compraba] sus [CIGARFILL]s la mayoría del tiempo?</p> <ul style="list-style-type: none"> <li>1 Un bar de fumadores</li> <li>2 Una tienda de conveniencia o estación de gasolina</li> <li>3 Un supermercado, tienda de comestibles o farmacia</li> <li>4 Una tienda mayorista como Sam's o Costco</li> <li>5 Una tienda especializada o un almacén de tabaco o una tabaquería</li> <li>6 Una tienda libre de impuestos o un economato militar</li> <li>7 Un bar, restaurante, casino o una taberna</li> <li>8 Un amigo o familiar</li> <li>9 Un mercadillo o mercado de pulgas</li> <li>10 Una tienda de licores</li> <li>11 En otra parte (ESPECIFIQUE)</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Current, experimental current, and former 30 day traditional cigar/cigarillos/filtered cigars smokers who usually buy traditional cigars/cigarillos/filtered cigars in person.</p> <p>DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."</p> <p>IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "compra". ELSE, DISPLAY "compraba".</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1039</b>
¿{Compra normalmente [CIGARFILL]s/Compró los últimos [CIGARFILL]s que fumó} por caja o paquete o como [CIGARFILL]s sueltos?
1   Caja o paquete
2   [CIGARFILL]s sueltos
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who buy their own traditional cigars/cigarillos/filtered cigars.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Compra normalmente [CIGARFILL]s". ELSE, DISPLAY "Compró los últimos [CIGARFILL]s que fumó".

<b>BOX ID:</b> <b>R04_AGR58</b>
Respondents who buy traditional cigars/cigarillos/filtered cigars by the box or pack, go to R04_AG1040[TC/CG/FC].
Else, respondents who buy single traditional cigars/cigarillos/filtered cigars, go to R04_AG1043[TC/CG/FC].
Else, go to R04_AG9040[TC/CG/FC].

<b>PATH ID:</b> <b>R04_AG1040</b>
¿Cuántos [CIGARFILL]s [vienen/venían] en la caja o paquete que [compra normalmente/compraba]?
1    _ _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who buy traditional cigars/cigarillos/filtered cigars by the box.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "vienen" and "compra normalmente".
ELSE, DISPLAY "venían" AND "compraba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1040TC\_LC1**

La computadora registró que [vienen/venían] [R04\_AG1040TC] puros tradicionales en la caja o paquete que usted [compra normalmente/compraba]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R04\_AG1040TC  
2 NEXT GO TO R04\_AG1042TC

ASK: IF R04\_AG1040TC > 50.

DISPLAY: IF R04\_GTRAD\_USER\_STATUS = 1, 2, DISPLAY "vienen" AND "compra normalmente".  
ELSE, DISPLAY "venían" and "compraba".

**PATH ID: R04\_AG1040CG\_LC1**

La computadora registró que [vienen/venían] [R04\_AG1040CG] puritos en la caja o paquete que usted [compra normalmente/compraba]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R04\_AG1040CG  
2 NEXT GO TO R04\_AG1042CG

ASK: IF R04\_AG1040CG > 20.

DISPLAY: IF R04\_GRILLO\_USER\_STATUS = 1, 2, DISPLAY "vienen" AND "compra normalmente".  
ELSE, DISPLAY "venían" AND "compraba".

**PATH ID: R04\_AG1040FC\_LC1**

La computadora registró que [vienen/venían] [R04\_AG1040FC] puros con filtro en la caja o paquete que usted [compra normalmente/compraba]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R04\_AG1040FC  
2 NEXT GO TO R04\_AG1042FC

ASK: IF R04\_AG1040FC > 100.

DISPLAY: IF R04\_GFILTR\_USER\_STATUS = 1, 2, DISPLAY "vienen" AND "compra normalmente".  
ELSE, DISPLAY "venían" and "compraba".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1042**

¿[Cuánto paga normalmente por una caja o paquete de [CIGARFILL]s/Cuánto pagó por la última caja o paquete de [CIGARFILL]s que fumó)?

1 \$ |\_\_|\_\_|\_\_| Dólares . |\_\_|\_\_| Centavos

-8 DON'T KNOW

GO TO R04\_AG9040[TC/CG/FC]

-7 REFUSED

GO TO R04\_AG9040[TC/CG/FC]

ASK: Current, experimental current, and former 30 day cigar smokers who buy traditional cigars/cigarillos/filtered cigars by the box.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "Cuánto paga normalmente por una caja o paquete de [CIGARFILL]s".

ELSE, DISPLAY "Cuánto pagó por la última caja o paquete de [CIGARFILL]s que fumó".

**PATH ID: R04\_AG1042TC\_LC1**

La computadora registró que usted [normalmente paga/pagaba] \$[R04\_AG1042TC\_D].[R04\_AG1042TC\_C] por una caja de puros tradicionales. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1042TC

2 NEXT

GO TO R04\_AG9040TC

ASK: IF R04\_AG1042TC\_D > 300 OR R04\_AG1042TC\_D < 10.

DISPLAY: IF R04\_GTRAD\_USER\_STATUS = 1, 2, DISPLAY "normalmente paga".

ELSE, DISPLAY "pagaba".

**PATH ID: R04\_AG1042CG\_LC1**

La computadora registró que usted [normalmente paga/pagaba] \$[R04\_AG1042CG\_D].[R04\_AG1042CG\_C] por una caja de puritos. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1042CG

2 NEXT

GO TO R04\_AG9040CG

ASK: IF R04\_AG1042CG\_D > 11 OR R04\_AG1042CG\_D < 1.

DISPLAY: IF R04\_GRILLO\_USER\_STATUS = 1, 2, DISPLAY "normalmente paga".

ELSE, DISPLAY "pagaba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1042FC_LC1
La computadora registró que usted [normalmente paga/pagaba] \$[R04_AG1042FC_D].[R04_AG1042FC_C] por una caja de puros con filtro. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1042FC
2 NEXT GO TO R04_AG9040FC
ASK: IF R04_AG1042FC_D > 100 OR R04_AG1042FC_D < 1.
DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "normalmente paga".
ELSE, DISPLAY "pagaba".

<b>PATH ID:</b> R04_AG1043
¿[Cuánto paga normalmente por un [CIGARFILL] suelto?/Cuánto pagó por el último [CIGARFILL] suelto que fumó?]
1 \$ I ___ I ___ I ___ I Dólares . I ___ I ___ I Centavos
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigars smokers who buy single traditional cigars/cigarillos/filtered cigars.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.
IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Cuánto paga normalmente por un [CIGARFILL] suelto?".
ELSE, DISPLAY "Cuánto pagó por el último [CIGARFILL] suelto que fumó?".

<b>PATH ID:</b> R04_AG1043TC_LC1
La computadora registró que usted [normalmente paga/pagaba] \$[R04_AG1043TC_D].[R04_AG1043TC_C] por un puro tradicional suelto. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1043TC
2 NEXT GO TO R04_AG9040TC
ASK: IF R04_AG1043TC_D > 15 OR R04_AG1043TC_D < 1.
DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "normalmente paga".
ELSE, DISPLAY "pagaba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1043CG_LC1</b>	
La computadora registró que usted [normalmente paga/pagaba] \$[R04_AG1043CG_D].[R04_AG1043CG_C] por un purito suelto. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1043CG
2 NEXT	GO TO R04_AG9040CG
ASK: IF R04_AG1043CG_D > 3 OR (R04_AG1043CG_D = 0 AND R04_AG1043CG_C < 50).	
DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "normalmente paga".	
ELSE, DISPLAY "pagaba".	

<b>PATH ID: R04_AG1043FC_LC1</b>	
La computadora registró que usted [normalmente paga/pagaba] \$[R04_AG1043FC_D].[R04_AG1043FC_C] por un puro con filtro suelto. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1043FC
2 NEXT	GO TO R04_AG9040FC
ASK: IF R04_AG1043FC_D > 3 OR (R04_AG1043FC_D = 0 AND R04_AG1043FC_C < 50).	
DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "normalmente paga".	
ELSE, DISPLAY "pagaba".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9040**

Por favor mire esta imagen. ¿Qué grupo se parece más al [CIGARFILL] que usted [fuma normalmente/fumó la última vez]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

- 1 Grupo 1
- 2 Grupo 2
- 3 Grupo 3
- 4 Grupo 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "fuma normalmente".

ELSE, DISPLAY "fumó la última vez".

**PATH ID: R04\_AG1047**

¿[Tiene/Tenía] una marca habitual de [[CIGARFILL]s] que normalmente [fuma/fumaba]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "Tiene", "fuma" AND "[CIGARFILL]s".

ELSE, DISPLAY "Tenía", "fumaba" AND "[CIGARFILL]s".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1050**

¿[Tiene/Tenía] [su marca habitual/la última marca] que [fuma/fumó] sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?

- |    |            |                            |
|----|------------|----------------------------|
| 1  | Sí         |                            |
| 2  | No         | GO TO R04_AG1945[TC/CG/FC] |
| 3  | No sé      | GO TO R04_AG1945[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R04_AG1945[TC/CG/FC] |
| -7 | REFUSED    | GO TO R04_AG1945[TC/CG/FC] |

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "Tenía", "su marca habitual" AND "fuma".

ELSE, IF R04\_AG1047[TC/CG/FC] = 2, -8, -7 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "Tenía", "la última marca" AND "fumó".

ELSE, IF ((LOOP = GTRAD AND (R04\_GTRAD\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)) OR (LOOP = GRILLO AND (R04\_GRILLO\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)) OR (LOOP = GFILTR AND (R04\_GFILTR\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1))) AND R04\_AG1047[TC/CG/FC] = 1, DISPLAY "Tenía", "su marca habitual" AND "fumó".

ELSE, IF ((LOOP = GTRAD AND (R04\_GTRAD\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)) OR (LOOP = GRILLO AND (R04\_GRILLO\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)) OR (LOOP = GFILTR AND (R04\_GFILTR\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1))) AND R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Tenía", "la última marca" AND "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1012</b>
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.
1    Mentol o menta
2    Clavo de olor o especias
3    Fruta
4    Chocolate
5    Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
6    Caramelos u otros sabores dulces
7    Otro sabor (ESPECIFIQUE)
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.
DISPLAY: IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "es".
ELSE, DISPLAY "era".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>PATH ID:</b> <b>R04_AG1945</b>
¿Sabe el <u>nombre de la marca</u> de [CIGARFILL]s que [fuma normalmente/fumó normalmente/fumó la última vez]?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "fuma normalmente".
IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS != 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS != 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS != 1, 2)), DISPLAY "fumó normalmente".
IF R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó la última vez".
UNDERLINE "nombre de la marca".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR33**

Respondents who know the name of their brand, go to R04\_AG1048[TC/CG/FC]\_BRAND.  
 Else, respondents who have a regular brand, go to R04\_AG1051[TC/CG/FC].  
 Else, go to Box R04\_AGD03.

**PATH ID: R04\_AG1048**

¿Qué marca de [CIGARFILL] [fuma/fumó] [normalmente/la última vez]? Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]

1 Otra  
 -8 DON'T KNOW  
 -7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who know the brand name.  
 DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".  
 IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra.".  
 IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "fuma" AND "normalmente".  
 ELSE, IF R04\_AG1047[TC/CG/FC] = 1, DISPLAY "fumó" AND "normalmente".  
 ELSE, IF R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

**BOX ID: R04\_AGR16**

If respondent selects an image for their brand, go to R04\_AG1070[TC/CG/FC]\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AG1049[TC/CG/FC].  
 Else, go to Box R04\_AGR31.

**PATH ID: R04\_AG1049**

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

1 \_\_\_\_\_ GO TO BOX R04\_AGR31[TC/CG/FC]  
 -8 DON'T KNOW GO TO BOX R04\_AGR31[TC/CG/FC]  
 -7 REFUSED GO TO BOX R04\_AGR31[TC/CG/FC]

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected "Something else" for their brand.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1070**

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]? Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"/Si no ve la opción a continuación, toque la casilla que dice "Otra".]

- 1 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"."

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AG1048[TC/CG/FC]\_BRAND.

IF R04\_AG1047[TC/CG/FC] = 1 AND (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "fuma" AND "normalmente".

ELSE, IF R04\_AG1047[TC/CG/FC] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

**BOX ID: R04\_AGR17**

If the respondent selected a brand image, but selected "Something else" for their subbrand, go to R04\_AG1071[TC/CG/FC].

Else, go to Box R04\_AGR31.

**PATH ID: R04\_AG1071**

Usted dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba][ como si fueran toques o blunts] no está en las opciones. ¿Qué tipo es?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected a brand image, but selected "Something else" for their subbrand image.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AG1048[TC/CG/FC]\_BRAND.

IF ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)) AND R04\_AG1047[TC/CG/FC] = 1, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR31**

If the respondent has a regular brand, go to R04\_AG1051[TC/CG/FC].  
Else, go to Box R04\_AGR29.

**PATH ID: R04\_AG1051**

Aproximadamente, ¿cuánto tiempo [llevó/lleva] fumando su marca habitual de [CIGARFILL]?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who have a regular brand.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "lleva".

ELSE, DISPLAY "llevó".

**PATH ID: R04\_AG1051TC\_LC1**

La computadora registró que usted [lleva fumando/fumó] su marca habitual de puros tradicionales por [R04\_AG1051TC\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AG1051TC
- 2 NEXT GO TO BOX R04\_AGR29

ASK: IF (R04\_AG1051TC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1051TC\_UN = 3.

DISPLAY: IF R04\_GTRAD\_USER\_STATUS = 1, 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1051TC_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de puros tradicionales.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1051TC
2 NEXT	GO TO BOX R04_AGR29
ASK: IF R04_AG1051TC_NN = 0.	
DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "lleva fumando".	
ELSE, DISPLAY "fumaba".	

<b>PATH ID: R04_AG1051CG_LC1</b>	
La computadora registró que usted [lleva fumando/fumó] su marca habitual de purito por [R04_AG1051CG_NN] años. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1051CG
2 NEXT	GO TO BOX R04_AGR29
ASK: IF (R04_AG1051CG_NN > R04_ACHIEVEDAGE) AND R04_AG1051CG_UN = 3.	
DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "lleva fumando".	
ELSE, DISPLAY "fumaba".	

<b>PATH ID: R04_AG1051CG_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de purito.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1051CG
2 NEXT	GO TO BOX R04_AGR29
ASK: IF R04_AG1051CG_NN = 0.	
DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "lleva fumando".	
ELSE, DISPLAY "fumó".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1051FC_LC1</b>						
<p>La computadora registró que usted [lleva fumando/fumó] su marca habitual de puro con filtro por [R04_AG1051FC_NN] años. Son más años de los que usted tiene actualmente.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; margin-left: 20px;"> <tr> <td style="width: 50px;">1</td> <td>BACK</td> <td style="text-align: right;">GO TO R04_AG1051FC</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td style="text-align: right;">GO TO BOX R04_AGR29</td> </tr> </table> <p>ASK: IF (R04_AG1051FC_NN &gt; R04_ACHIEVEDAGE) AND R04_AG1051FC_UN = 3.          DISPLAY: IF R04_GFILTR_USER_STATUS = 1 1, 2, DISPLAY "lleva fumando".          ELSE, DISPLAY "fumó".</p>	1	BACK	GO TO R04_AG1051FC	2	NEXT	GO TO BOX R04_AGR29
1	BACK	GO TO R04_AG1051FC				
2	NEXT	GO TO BOX R04_AGR29				

<b>PATH ID:</b> <b>R04_AG1051FC_LC2</b>						
<p>La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de puro con filtro.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; margin-left: 20px;"> <tr> <td style="width: 50px;">1</td> <td>BACK</td> <td style="text-align: right;">GO TO R04_AG1051FC</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td style="text-align: right;">GO TO BOX R04_AGR29</td> </tr> </table> <p>ASK: IF R04_AG1051FC_NN = 0.          DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "lleva fumando".          ELSE, DISPLAY "fumó".</p>	1	BACK	GO TO R04_AG1051FC	2	NEXT	GO TO BOX R04_AGR29
1	BACK	GO TO R04_AG1051FC				
2	NEXT	GO TO BOX R04_AGR29				

<b>BOX ID:</b> <b>R04_AGR29</b>
<p>Current, experimental current, and former 30 day users who smoked traditional cigars/cigarillos/filtered cigars today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and valid product, go to R04_AG0104[TC/CG/FC].          Else, go to Box R04_AGD03.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG0104**

Usted dijo anteriormente que fumó un [CIGARFILL] [TIME OF LAST USE].

Piense en el último [CIGARFILL] que fumó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

IF R04\_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "hoy".

IF R04\_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "ayer".

IF R04\_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AG1070[TC/CG/FC]\_PRODUCT.

**BOX ID: R04\_AG03**

Randomize order of R04\_AG1060[TC/CG/FC] through R04\_AG1066[TC/CG/FC].

Display question R04\_AG1060[TC/CG/FC], R04\_AG1085[TC/CG/FC], R04\_AG1062[TC/CG/FC], R04\_AG1075[TC/CG/FC], R04\_AG1063[TC/CG/FC], R04\_AG1064[TC/CG/FC], R04\_AG1066[TC/CG/FC] on one screen. Show the intro/transition text from R04\_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1060</b>
Las siguientes preguntas son acerca de las razones por las que la gente fuma [CIGARFILL]s. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba [CIGARFILL]s].
[Fumo/Fumaba] [CIGARFILL]s porque...
[Son/Eran] económicos.
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "aplican a usted", "Fumo" AND "Son".
ELSE, DISPLAY "aplicaban a usted cuando fumaba [CIGARFILL]", "Fumaba" AND "Eran".

<b>PATH ID:</b> <b>R04_AG1085</b>
[Puedo/Podía] fumar [CIGARFILL]s en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Puedo" AND "permite".
ELSE, DISPLAY "Podía" AND "permitía".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1062</b>
Podrían [ser/haber sido] menos dañinos para mí que fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AG1075</b>
Podrían [ser/haber sido] menos dañinos que fumar cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AG1063</b>
Los [CIGARFILL]s [vienen/venían] en sabores que me [gustan/gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "vienen" AND "gustan".
ELSE, DISPLAY "venía" AND "gustaban".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR15**

Current, experimental current, and recent former cigarette smokers, go to R04\_AG1064[TC/CG/FC].  
Else, go to R04\_AG1066[TC/CG/FC].

**PATH ID: R04\_AG1064**

Fumar [CIGARFILL]s le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who are also current, experimental current or recent former cigarette users.

**PATH ID: R04\_AG1066**

Fumar [CIGARFILL] [se siente/se sentía] como si estuviese fumando un cigarrillo tradicional.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "se siente".

ELSE, DISPLAY "se sentía".

**BOX ID: R04\_AGR28**

Current and recent former cigarette smokers, go to R04\_AG1080[TC/CG/FC].  
Else, go to R04\_AG1139[TC/CG/FC].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1080</b>
¿[Fuma/Fumaba] [CIGARFILL]s como manera de disminuir su consumo de cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who are also current or recent former cigarette smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Fuma".
ELSE, DISPLAY "Fumaba".

<b>PATH ID:</b> <b>R04_AG1139</b>
Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.
[Es/Era] más fácil hablar y llevarse bien con otras personas cuando fumo un [CIGARFILL].
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Es",
ELSE, DISPLAY "Era".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1140</b>
Al fumar un [CIGARFILL], me [siento/sentía] más seguro con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "siento",
ELSE, DISPLAY "sentía".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

<b>PATH ID:</b> <b>R04_AG1141</b>
[Fumo/Fumaba] [CIGARFILL]s mucho más cuando [estoy/estaba] con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Fumo" AND "estoy",
ELSE, DISPLAY "Fumaba" AND "estaba".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

<b>BOX ID:</b> <b>R04_AGR04</b>
END CIGAR LOOP:
If respondent has remaining loops to complete for multiple non-blunt cigar types, return to Box R04_AGR10 and repeat section.
Else, if respondent has no more remaining loops to complete, go to next section.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PIPE**

**BOX ID: R04\_APR04**

In the previous wave, if the respondent was a former user, had smoked 100 or more bowls of pipe tobacco and had smoked fairly regularly; and at the current wave has not smoked in the past 12 months or now smokes not at all, go to Box R04\_APV01.

Else, continue with Box R04\_APT02.

**BOX ID: R04\_APT02**

Las siguientes preguntas son acerca de fumar tabaco en **pipa**.

Las pipas vienen en distintos tamaños y formas. Todas tienen una cánula y una cazoleta donde se pone el tabaco. El tabaco para pipas normalmente se vende suelto en paquetes o latas. En la siguiente sección, solo le vamos a preguntar sobre el consumo de pipas con tabaco. La imagen a continuación muestra una pipa tradicional y tabaco para pipa.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

**BOX ID: R04\_APR03**

New cohort adult respondents who have ever smoked a pipe, go to R04\_AP1006\_RS

Else, adult respondents who had not smoked 100 or more bowls of pipe tobacco in the previous wave, go to R04\_AP1005.

Else, go to Box R04\_APR08.

**PATH ID: R04\_AP1006\_RS**

¿Qué edad tenía la primera vez que fumó una pipa con tabaco, incluso si solo fueron una o dos probaditas?

1 |\_\_|\_\_| Años

-8 DON'T KNOW

-7 REFUSED

GO TO R04\_AP1120\_RS

GO TO R04\_AP1120\_RS

ASK: New cohort adult respondents who have ever smoked a pipe.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1006\_RS\_LC1**

La computadora registró que la primera vez que usted fumó tabaco en pipa fue a la edad de [R04\_AP1006\_RS] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1006\_RS

2 NEXT

GO TO R04\_AP1005

ASK: IF R04\_AP1006\_RS <= 10.

**PATH ID: R04\_AP1006\_RS\_LC2**

La computadora registró que la primera vez que usted fumó tabaco en pipa fue a la edad de [R04\_AP1006\_RS] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1006\_RS

2 NEXT

GO TO R04\_AP1005

ASK: IF R04\_AP1006\_RS > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AP1120\_RS**

La primera vez que fumó una pipa con tabaco, incluso si fueron una o dos probaditas, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report the age they first smoked a pipe.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1005**

¿Cuántas cazoletas con tabaco se ha fumado en toda su vida?

- 1 Una o más probaditas pero nunca una entera
- 2 Una a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco in the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**BOX ID: R04\_APR08**

Aged-up and continuing adult respondents who have ever smoked a pipe and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1100.

Else, go to Box R04\_APV01.

**PATH ID: R04\_AP1100**

¿Alguna vez ha fumado de manera habitual una pipa con tabaco?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a pipe and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**BOX ID: R04\_APR09**

New baseline respondents that have ever smoked fairly regularly, but had never smoked fairly regularly in a previous wave, go to R04\_AP1007\_NB.

Else, go to Box R04\_APV01.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1007_NB</b>	
¿Qué edad tenía la primera vez que comenzó a fumar habitualmente una pipa con tabaco?	
1     __ __  Años	
-8   DON'T KNOW	GO TO R04_AP1121_NB
-7   REFUSED	GO TO R04_AP1121_NB
ASK: New baseline adult respondents who have ever smoked a pipe fairly regularly, but had never smoked fairly regularly in the previous wave.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AP1007_NB_LC1</b>	
La computadora registró que usted comenzó a fumar en pipa de manera habitual a la edad de [R04_AP1007_NB] años.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AP1007_NB
2    NEXT	GO TO BOX R04_APV01
ASK: IF R04_AP1007_NB <= 10.	

<b>PATH ID:</b> <b>R04_AP1007_NB_LC2</b>	
La computadora registró que usted comenzó a fumar en pipa de manera habitual a la edad de [R04_AP1007_NB] años. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AP1007_NB
2    NEXT	GO TO BOX R04_APV01
ASK: IF R04_AP1007_NB > R04_ACHIEVEDAGE.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AP1121_NB</b>
<p>La primera vez que comenzó a fumar una pipa con tabaco habitualmente, ¿tenía...?</p> <p>1 menos de 18 años de edad,  2 entre 18 y 24 años de edad,  3 entre 25 y 34 años de edad,  4 entre 35 y 44 años de edad,  5 entre 45 y 54 años de edad o  6 55 años de edad o más?  -8 DON'T KNOW  -7 REFUSED</p> <p>ASK: New baseline adult respondents who did not know or refused to report the age they started smoking a pipe filled with tobacco fairly regularly.</p>	

<b>BOX ID:</b>	<b>R04_APV01</b>
<p>PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):</p> <p><b>R04_PIPE_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever smoked a pipe fairly regularly and now smoke every day or some days.</p> <p><b>R04_PIPE_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever smoked a pipe and have never smoked fairly regularly, and now smoke every day or some days.</p> <p><b>R04_PIPE_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever smoked a pipe and have never smoked fairly regularly and did not smoke in the past 12 months or now smokes not at all.</p> <p><b>R04_PIPE_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former pipe smokers at the previous wave and aged-up adult respondents who ever smoked a pipe at the previous wave, who have ever smoked a pipe fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated pipe smoking since the previous wave, who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p><b>R04_PIPE_USER_STATUS = 5 (Long-term former user)</b> Aged up and continuing adult respondents who were former pipe smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked fairly regularly, who have not smoked in the past 12 months.</p> <p><b>R04_CURRENT_PIPE_USE = 1 (Every day user)</b> Adult respondents who have ever smoked a pipe fairly regularly and now smoke every day.</p> <p><b>R04_CURRENT_PIPE_USE = 2 (Some day user)</b> Adult respondents who have ever smoked a pipe fairly regularly and now smoke some days.</p> <p><b>R04_FORMER_THIRTYDAY_USER_PIPE = 1</b> Adult respondents who are experimental former, recent former, or long-term former pipe smokers who smoked in the past 30 days.</p>	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR01**

New baseline respondents that are every day pipe smokers, go to R04\_AP1020\_NB.  
Else, aged-up and continuing adult respondents who have initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1008.  
Else, if every day pipe smoker, go to R04\_AP1021.  
Else, if some day, experimental current, or former 30 day pipe smoker, go to R04\_AP1022.  
Else, if recent former pipe user, go to R04\_AP1047.  
Else, if long-term former pipe user or experimental former pipe user, go to next section.

**PATH ID: R04\_AP1020\_NB**

¿Qué edad tenía la primera vez que comenzó a fumar una pipa con tabaco todos los días?

1 |\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AP1122\_NB

-7 REFUSED

GO TO R04\_AP1122\_NB

ASK: New baseline adult respondents who are every day pipe smokers.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AP1020\_NB\_LC1**

La computadora registró que usted comenzó a fumar en pipa todos los días a la edad de [R04\_AP1020\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1020\_NB

2 NEXT

GO TO BOX R04\_APR12

ASK: IF R04\_AP1020\_NB <= 10 OR IF R04\_AP1020\_NB < R04\_AP1007\_NB.

**PATH ID: R04\_AP1020\_NB\_LC2**

La computadora registró que usted comenzó a fumar en pipa todos los días a la edad de [R04\_AP1020\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1020\_NB

2 NEXT

GO TO BOX R04\_APR12

ASK: IF R04\_AP1020\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1122\_NB**

La primera vez que comenzó a fumar una pipa con tabaco todos los días, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking a pipe filled with tobacco every day.

**BOX ID: R04\_APR12**

Aged-up and continuing adult respondents who have initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1008.

Else, go to Box R04\_APR13.

**PATH ID: R04\_AP1008**

La primera vez que comenzó a fumar una pipa con tabaco, ¿comenzó con tabaco para pipas con sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?

- 1 Sí
- 2 No GO TO BOX R04\_APR34
- 3 No sé GO TO BOX R04\_APR34
- 8 DON'T KNOW GO TO BOX R04\_APR34
- 7 REFUSED GO TO BOX R04\_APR34

ASK: Aged-up and continuing adult respondents who initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1011**

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated pipe smoking with flavored tobacco.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_APR34**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former pipe smokers, go to R04\_AP1025\_RS.

Else, go to Box R04\_APR13.

**PATH ID: R04\_AP1025\_RS**

Alrededor de esta época hace 12 meses, ¿fumaba una pipa con tabaco, todos los días, algunos días o nunca?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former pipe smokers.

**BOX ID: R04\_APR13**

If every day pipe user, go to R04\_AP1021.

Else, if some day or experimental current user pipe, or former user who smoked in the past 30 days, go to R04\_AP1022.

Else, go to the next section.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1021</b>	
En promedio, aproximadamente, ¿cuántas cazoletas con tabaco fuma cada día actualmente?	
-2 Menos de una cada día	GO TO R04_AP1024
1  __ __	
-8 DON'T KNOW	GO TO R04_AP1024
-7 REFUSED	GO TO R04_AP1024
ASK: Every day pipe smokers.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de una cada día" ON RIGHT.	

<b>PATH ID: R04_AP1021_LC1</b>	
La computadora registró que usted fuma actualmente [R04_AP1021] cazoletas con tabaco para pipas cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AP1021
2 NEXT	GO TO R04_AP1024
ASK: IF R04_AP1021 > 10.	

<b>PATH ID: R04_AP1022</b>	
¿Durante cuántos de los últimos 30 días fumó usted una pipa con tabaco?	
1  __ __  DÍAS	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Some day and experimental current pipe smokers who have smoked in the past 30 days, and former 30 day pipe smokers.	
DISPLAY: DISPLAY "DÍAS" AS TITLE.	

<b>BOX ID: R04_APR15</b>	
If respondent enters "0" for R04_AP1022 and is a some day or experimental current pipe smoker, go to R04_AP9029.	
Else, if respondent enters "0" for R04_AP1022 and is a former 30 day user of pipe tobacco, go to Box R04_APR29.	
Else, go to R04_AP1023.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP9029</b>	
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó una pipa con tabaco?	
1	__ __  DÍAS
2	__ __  MESES
3	__ __  AÑOS
-8	DON'T KNOW <span style="float: right;">GO TO BOX R04_APR29</span>
-7	REFUSED <span style="float: right;">GO TO BOX R04_APR29</span>
ASK: Some day and experimental current pipe smokers who have not smoked in the past 30 days.	

<b>PATH ID: R04_AP9029_LC1</b>	
La computadora registró que la última vez que fumó en pipa fue hace [R04_AP9029] [días/meses/años].	
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1	BACK <span style="float: right;">GO TO R04_AP9029</span>
2	NEXT <span style="float: right;">GO TO BOX R04_APR29</span>
ASK: IF (R04_AP9029_NN <30 AND R04_AP9029_UN = 1) OR (R04_AP9029_NN <1 AND R04_AP9029_UN = 2) OR (R04_AP9029_NN > 18 AND R04_AP9029_UN = 2) OR (R04_AP9029_NN > (R04_ACHIEVEDAGE - 10) AND R04_AP9029_UN = 3).	
DISPLAY: IF R04_AP9029 REPORTED IN DAYS, DISPLAY "días". IF R04_AP9029 REPORTED IN MONTHS, DISPLAY "meses". IF R04_AP9029 REPORTED IN YEARS, DISPLAY "años".	

<b>PATH ID: R04_AP1023</b>	
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AP1022 días/días en que fumó], ¿cuántas cazoletas con tabaco normalmente fumó cada día?	
-2	Menos de una cada día <span style="float: right;">GO TO BOX R04_APR29</span>
1	__ __
-8	DON'T KNOW <span style="float: right;">GO TO BOX R04_APR29</span>
-7	REFUSED <span style="float: right;">GO TO BOX R04_APR29</span>
ASK: Some day, experimental current, and former thirty day pipe smokers who have smoked at least one day in past 30 days.	
DISPLAY: IF R04_AP1022 = 1, -8, -7, DISPLAY "días en que fumó". ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R04_AP1022. DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL: "Menos de una cada día" ON RIGHT.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1023\_LC1**

La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04\_AP1023] cazoletas con tabaco para pipas cada día, en promedio.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1023

2 NEXT

GO TO BOX R04\_APR29

ASK: IF R04\_AP1023 > 10.

**BOX ID: R04\_APR29**

Current and experimental current pipe smokers, go to R04\_AP1024.

Else, former 30 day pipe smokers, go to R04\_AP1024\_30D.

Else, recent former pipe smokers, go to R04\_AP1047.

Else, go to next section.

**PATH ID: R04\_AP1024**

[En los días en que fuma pipa con tabaco, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primera probadita? Anote los minutos o las horas.

1 |\_\_|\_\_|\_\_| Minutos después de despertarse

2 |\_\_|\_\_|\_\_| Horas después de despertarse

-8 DON'T KNOW

GO TO R04\_AP1092

-7 REFUSED

GO TO R04\_AP1092

ASK: Current and experimental current pipe smokers.

DISPLAY: IF R04\_CURRENT\_PIPE\_USE = 1, DISPLAY "¿Qué".

ELSE, DISPLAY "En los días en que fuma pipa con tabaco, ¿qué".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1024_LC1</b>				
<p>La computadora registró que usted normalmente fuma en pipa su primera cazoleta del día [R04_AP1024] [horas/minutos] después de despertarse. ¿Es correcto?</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1    BACK</td> <td style="text-align: right;">GO TO R04_AP1024</td> </tr> <tr> <td>2    NEXT</td> <td style="text-align: right;">GO TO BOX R04_APR31</td> </tr> </table> <p>ASK: IF [R04_CURRENT_PIPE_USE = 1 AND ((R04_AP1024_NN &gt; 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN &gt; 4 AND R04_AP1024_UN = 2))] OR [(R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2) AND ((R04_AP1024_NN &gt; 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN &gt; 12 AND R04_AP1024_UN = 2))].</p> <p>DISPLAY: IF R04_AP1024 REPORTED IN HOURS, DISPLAY "horas". IF R04_AP1024 REPORTED IN MINUTES DISPLAY "minutos".</p>	1    BACK	GO TO R04_AP1024	2    NEXT	GO TO BOX R04_APR31
1    BACK	GO TO R04_AP1024			
2    NEXT	GO TO BOX R04_APR31			

<b>PATH ID:</b> <b>R04_AP1024_LC2</b>				
<p>La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted toma su primera probadita de una pipa del día.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1    BACK</td> <td style="text-align: right;">GO TO R04_AP1024</td> </tr> <tr> <td>2    NEXT</td> <td style="text-align: right;">GO TO BOX R04_APR31</td> </tr> </table> <p>ASK: IF R04_AP1024_NN = 0.</p>	1    BACK	GO TO R04_AP1024	2    NEXT	GO TO BOX R04_APR31
1    BACK	GO TO R04_AP1024			
2    NEXT	GO TO BOX R04_APR31			

<b>PATH ID:</b> <b>R04_AP1092</b>										
<p>[En los días en que fuma pipa con tabaco, ¿diría/¿Diría] usted que fuma su primera probadita de una pipa durante los primeros 30 minutos después de despertarse?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1    Sí</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> <tr> <td>2    No</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> <tr> <td>3    Depende</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> <tr> <td>-8    DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> <tr> <td>-7    REFUSED</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> </table> <p>ASK: Current and experimental current pipe smokers who did not know or refused to report how soon they smoke a pipe after waking up.</p> <p>DISPLAY: IF R04_CURRENT_PIPE_USE = 1, DISPLAY "¿Diría". ELSE, DISPLAY "En los días en que fuma pipa con tabaco, ¿diría".</p>	1    Sí	GO TO R04_AP0100	2    No	GO TO R04_AP0100	3    Depende	GO TO R04_AP0100	-8    DON'T KNOW	GO TO R04_AP0100	-7    REFUSED	GO TO R04_AP0100
1    Sí	GO TO R04_AP0100									
2    No	GO TO R04_AP0100									
3    Depende	GO TO R04_AP0100									
-8    DON'T KNOW	GO TO R04_AP0100									
-7    REFUSED	GO TO R04_AP0100									

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1024\_30D**

En los días en que fumaba pipas con tabaco, ¿qué tan pronto después de que se despertaba fumaba normalmente su primera probadita de una pipa? Anote los minutos o las horas.

1 |\_\_|\_\_|\_\_| Minutos después de despertarse

2 |\_\_|\_\_|\_\_| Horas después de despertarse

-8 DON'T KNOW

GO TO R04\_AP1092\_30D

-7 REFUSED

GO TO R04\_AP1092\_30D

ASK: Former 30 day pipe smokers.

**PATH ID: R04\_AP1024\_30D\_LC1**

La computadora registró que usted normalmente fumaba su primera cazoleta de pipa del día [R04\_AP1024\_30D] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1024\_30D

2 NEXT

GO TO R04\_AP0100

ASK: IF (R04\_AP1024\_30D\_NN > 60 AND R04\_AP1024\_30D\_UN = 1) OR (R04\_AP1024\_30D\_NN > 12 AND R04\_AP1024\_30D\_UN = 2).

DISPLAY: IF R04\_AP1024\_30D REPORTED IN HOURS, DISPLAY "horas". IF R04\_AP1024\_30D REPORTED IN MINUTES DISPLAY "minutos".

**PATH ID: R04\_AP1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasó hasta que usted tomó su primera probadita de una pipa después de despertarse.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1024\_30D

2 NEXT

GO TO R04\_AP0100

ASK: IF R04\_AP1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1092\_30D**

En los días en que fumaba pipas con tabaco, ¿diría usted que fumaba su primera probadita de una pipa durante los primeros 30 minutos después de que se despertaba?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day pipe smokers who did not know or refused to report how soon they smoked a pipe after waking up.

**BOX ID: R04\_APR31**

Adult respondents who have smoked a pipe in the past 30 days, go to R04\_AP0100.  
Else, go to R04\_AP1030.

**PATH ID: R04\_AP0100**

¿Cuándo fue la última vez que fumó pipa con tabaco?

- |                          |                  |
|--------------------------|------------------|
| 1 Hace menos de una hora | GO TO R04_AP0103 |
| 2 Hoy                    |                  |
| 3 Ayer                   |                  |
| 4 Hace dos días          |                  |
| 5 Hace tres o más días   | GO TO R04_AP1130 |
| -8 DON'T KNOW            | GO TO R04_AP1130 |
| -7 REFUSED               | GO TO R04_AP1130 |

ASK: Adult respondents who have smoked a pipe in the past 30 days.





**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AP0103_LC1
La computadora registró que usted fumó [R04_AP0103] cazoletas con tabaco para pipas [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AP0103
2 NEXT GO TO R04_AP1130
ASK: IF R04_AP0103 > 10.
DISPLAY: IF R04_AP0100 = 1, 2, DISPLAY "hoy".
IF R04_AP0100 = 3, DISPLAY "ayer".
IF R04_AP0100 = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AP1130
En los últimos 30 días, ¿tenía el tabaco para pipa que fumó sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?
1 Sí
2 No GO TO R04_AP1030
3 No sé GO TO R04_AP1030
-8 DON'T KNOW GO TO R04_AP1030
-7 REFUSED GO TO R04_AP1030
ASK: Adult respondents who have smoked a pipe in the past 30 days.

<b>PATH ID:</b> R04_AP1131
¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.
1 Mentol o menta
2 Clavo de olor o especias
3 Fruta
4 Chocolate
5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
6 Caramelos u otros sabores dulces
7 Otro sabor (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have smoked a pipe with flavored tobacco in the past 30 days.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1030</b>	
Las siguientes preguntas son acerca de su experiencia al comprar tabaco para pipas.	
¿Cómo [compra/compraba] normalmente tabaco para pipas para usted?	
1    En persona	
2    En Internet	GO TO R04_AP1034
3    Por teléfono	GO TO R04_AP1034
4    No me compro mi propio tabaco para pipa	GO TO R04_AP1047
-8   DON'T KNOW	GO TO R04_AP1047
-7   REFUSED	GO TO R04_AP1047
ASK: Current, experimental current, and former 30 day pipe smokers.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".	

<b>PATH ID:</b> <b>R04_AP1032</b>	
Normalmente, ¿[compra/compraba] tabaco para pipa...?	
1    En su propio estado	
2    En otro estado	
3    Fuera de Estados Unidos	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Current, experimental current, and former 30 day pipe smokers who usually buy pipe tobacco in person.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1033</b>
<p>¿Dónde [compra/compraba] su tabaco para pipa la mayoría del tiempo?</p> <ul style="list-style-type: none"> <li>1 Una tienda de conveniencia o estación de gasolina</li> <li>2 Un supermercado, tienda de comestibles o farmacia</li> <li>3 Una tienda mayorista como Sam's o Costco</li> <li>4 Una tienda especializada o un almacén de tabaco o una tabaquería</li> <li>5 Una tienda libre de impuestos o un economato militar</li> <li>6 Un bar, restaurante, casino o una taberna</li> <li>7 Un amigo o familiar</li> <li>8 Un mercadillo o mercado de pulgas</li> <li>9 Una tienda de licores</li> <li>10 En otra parte (ESPECIFIQUE)</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Current, experimental current, and former 30 day pipe smokers who usually buy pipe tobacco in person.</p> <p>DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."</p> <p>IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".</p>

<b>PATH ID:</b> <b>R04_AP1034</b>
<p>¿Cuánto [paga/pagaba] normalmente por una bolsa de tabaco para pipas?</p> <ul style="list-style-type: none"> <li>1 \$  __ __ __  Dólares .  __ __  Centavos</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Current, experimental current, and former 30 day pipe smokers who usually buy their own pipe tobacco in person, from the internet, or by telephone.</p> <p>DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.</p> <p>IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".</p>

<b>PATH ID:</b> <b>R04_AP1034_LC1</b>
<p>La computadora registró que usted pagaba \$[R04_AP1034_D].[R04_AP1034_C] por una bolsa de tabaco para pipas. ¿Es correcto?</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <ul style="list-style-type: none"> <li>1 BACK <span style="float: right;">GO TO R04_AP1034</span></li> <li>2 NEXT <span style="float: right;">GO TO R04_AP1047</span></li> </ul> <p>ASK: IF R04_AP1034_D &gt; 50.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1047</b>
<p>¿[Tiene/Tenía] una marca habitual de tabaco para pipa que normalmente [fuma/fumaba]?</p> <p style="margin-left: 40px;">1 Sí</p> <p style="margin-left: 40px;">2 No</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day pipe smokers.</p> <p>DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "Tiene" AND "fuma".</p> <p>ELSE, DISPLAY "Tenía" AND "fumaba".</p>

<b>PATH ID: R04_AP1050</b>										
<p>[Su marca habitual/La última marca] que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 40%; padding-left: 40px;">1 Sí</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">2 No</td> <td style="text-align: right;">GO TO R04_AP1945</td> </tr> <tr> <td style="padding-left: 40px;">3 No sé</td> <td style="text-align: right;">GO TO R04_AP1945</td> </tr> <tr> <td style="padding-left: 40px;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AP1945</td> </tr> <tr> <td style="padding-left: 40px;">-7 REFUSED</td> <td style="text-align: right;">GO TO R04_AP1945</td> </tr> </table> <p>ASK: Current, current experimental, recent former, and former 30 day pipe smokers.</p> <p>DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "Su marca habitual" AND "fuma" AND "tiene".</p> <p>IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".</p> <p>ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, DISPLAY "Su marca habitual" AND "fumaba" AND "tenía".</p> <p>ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".</p>	1 Sí		2 No	GO TO R04_AP1945	3 No sé	GO TO R04_AP1945	-8 DON'T KNOW	GO TO R04_AP1945	-7 REFUSED	GO TO R04_AP1945
1 Sí										
2 No	GO TO R04_AP1945									
3 No sé	GO TO R04_AP1945									
-8 DON'T KNOW	GO TO R04_AP1945									
-7 REFUSED	GO TO R04_AP1945									

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1012**

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 AND R04\_AP1047 = 1, DISPLAY "es".

IF R04\_PIPE\_USER\_STATUS = 4 OR R04\_AP1047 = 2, -8, -7 OR  
R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1, DISPLAY "era".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT  
AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AP1945**

¿Sabe el nombre de la marca de tabaco para pipas que [fuma normalmente/fumó normalmente/fumó la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_AP1047 = 1 AND R04\_PIPE\_USER\_STATUS = 1 2, DISPLAY "fuma normalmente".

IF R04\_AP1047 = 1 AND R04\_PIPE\_USER\_STATUS != 1 2, DISPLAY "fumó normalmente".

IF R04\_AP1047 = 2, -8, -7, DISPLAY "fumó la última vez".

Underline "nombre de la marca".

**BOX ID: R04\_APR30**

Respondents who know the name of their brand, go to R04\_AP1048\_BRAND.

Else, respondents who have a regular brand, go to R04\_AP1051.

Else, go to Box R04\_APD01.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1048</b>
<p>¿Qué marca de tabaco para pipa [fuma/fumó] [normalmente/la última vez]?</p> <p>Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra". ]</p> <p style="margin-left: 40px;">1    Otra</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day pipe smokers who know the brand name.</p> <p>DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."</p> <p>IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "fuma" AND "normalmente".</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".</p> <p>ELSE, IF R04_AP1047 = 1, DISPLAY "fumó" AND "normalmente".</p> <p>ELSE, IF R04_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".</p>

<b>BOX ID:</b> <b>R04_APR22</b>
<p>If respondent selects an image for their brand, go to R04_AP1070_PRODUCT.</p> <p>Else, if respondent selects "Something else" for their brand, go to R04_AP1049.</p> <p>Else, go to Box R04_APR23.</p>

<b>PATH ID:</b> <b>R04_AP1049</b>									
<p>Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 10%; padding-left: 40px;">1</td> <td style="width: 60%; border-bottom: 1px solid black; padding-left: 10px;"></td> <td style="width: 30%; text-align: right; padding-right: 10px;">GO TO BOX R04_APR23</td> </tr> <tr> <td style="padding-left: 40px;">-8</td> <td style="padding-left: 10px;">DON'T KNOW</td> <td style="text-align: right; padding-right: 10px;">GO TO BOX R04_APR23</td> </tr> <tr> <td style="padding-left: 40px;">-7</td> <td style="padding-left: 10px;">REFUSED</td> <td style="text-align: right; padding-right: 10px;">GO TO BOX R04_APR23</td> </tr> </table> <p>ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected "Something else" for their brand.</p>	1		GO TO BOX R04_APR23	-8	DON'T KNOW	GO TO BOX R04_APR23	-7	REFUSED	GO TO BOX R04_APR23
1		GO TO BOX R04_APR23							
-8	DON'T KNOW	GO TO BOX R04_APR23							
-7	REFUSED	GO TO BOX R04_APR23							

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1070</b>
Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra". ]
1    Otra
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AP1048_BRAND.
IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "fuma" AND "normalmente".
ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".
ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, DISPLAY "fumó" AND "normalmente".
ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

<b>BOX ID:</b> <b>R04_APR28</b>
If current, experimental current, recent former, or former 30 day pipe smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04_AP1071.
Else, go to Box R04_APR23.

<b>PATH ID:</b> <b>R04_AP1071</b>
Usted dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba] no está en las opciones. ¿Qué tipo es?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AP1048_BRAND.
IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "fuma".
ELSE, DISPLAY "fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR23**

If respondent has a regular brand, go to R04\_AP1051.  
Else, go to Box R04\_APR25.

**PATH ID: R04\_AP1051**

Aproximadamente, ¿cuánto tiempo [llevó/lleva] fumando su marca habitual de tabaco para pipa?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW GO TO BOX R04\_APR25
- 7 REFUSED GO TO BOX R04\_APR25

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who have a regular brand.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "lleva".

ELSE, DISPLAY "llevó".

**PATH ID: R04\_AP1051\_LC1**

La computadora registró que usted [lleva fumando/fumó] su marca habitual de tabaco para pipas por [R04\_AP1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AP1051
- 2 NEXT GO TO BOX R04\_APR25

ASK: IF (R04\_AP1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AP1051\_UN = 3.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

**PATH ID: R04\_AP1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de tabaco para pipas.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AP1051
- 2 NEXT GO TO BOX R04\_APR25

ASK: IF R04\_AP1051\_NN = 0.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR25**

Current, experimental current, and former 30 day users who smoked a pipe today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and a valid product, go to R04\_AP0104.

Else, go to Box R04\_APD01.

**PATH ID: R04\_AP0104**

Anteriormente usted dijo que la última vez que fumó una pipa fue [TIME OF LAST USE].

Piense en la última cazoleta que fumó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day pipe smokers who have smoked a pipe in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AP0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

IF R04\_AP0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

IF R04\_AP0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

IF R04\_AP0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AP1070\_PRODUCT.

**BOX ID: R04\_APD01**

Randomize order of R04\_AP1060 through R04\_AP1064.

Display question R04\_AP1060, R04\_AP1085, R04\_AP1062, R04\_AP1075, R04\_AP1063, R04\_AP1064 on one screen. Show the intro/transition text from R04\_AP1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1060**

Las siguientes preguntas son acerca de las razones por las que la gente fuma en pipas. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba en pipas].

[Fumo/Fumaba] una pipa con tabaco porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "aplican a usted", "Fumo", AND "Es".

ELSE, DISPLAY "aplicaban a usted cuando fumaba en pipas", "Fumaba", AND "Era".

**PATH ID: R04\_AP1085**

[Puedo/Podía] fumar en pipa en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

**PATH ID: R04\_AP1062**

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "ser".

ELSE, DISPLAY "haber sido".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1075</b>
Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AP1063</b>
El tabaco para pipa [viene/venía] en sabores que me [gustan /gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "viene" AND "gustan".
ELSE, DISPLAY "venía" AND "gustaban".

<b>BOX ID:</b> <b>R04_APR26</b>
Current, experimental current or recent former cigarette smokers, go to R04_AP1064.
Else, go to R04_AP1139.

<b>PATH ID:</b> <b>R04_AP1064</b>
Fumar en pipa ayuda a las personas a dejar de fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who are also current, experimental current or recent former cigarette smokers.

<b>BOX ID:</b> <b>R04_APR27</b>
Current, experimental current, recent former, and former 30 day pipe smokers who are also current or recent former cigarette smokers, go to R04_AP1080.
Else, go to R04_AP1139.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1080**

¿[Fuma/Fumaba] pipas con tabaco como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Fuma".

ELSE, DISPLAY "Fumaba".

**PATH ID: R04\_AP1139**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando fumo en pipa.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Es",

ELSE, DISPLAY "Era".

Display scale for the R04\_AP1139-1141 series.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1140**

Al fumar en pipa, me [siento/sentía] más seguro con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "siento".

ELSE, DISPLAY "sentía".

Display scale for the R04\_AP1139-1141 series.

**PATH ID: R04\_AP1141**

[Fumo/Fumaba] una pipa mucho más cuando [estoy/estaba] con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Fumo" AND "estoy".

ELSE, DISPLAY "Fumaba" AND "estaba".

Display scale for the R04\_AP1139-1141 series.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## HOOKAH

**BOX ID: R04\_AHT02**

Las siguientes preguntas son acerca de fumar tabaco en una **hookah**, que es un tipo de pipa de agua. También se conoce como "narguile". De ahora en adelante usaremos la palabra "hookah" para referirnos a la pipa de agua o narguile.

La gente fuma **shishas** o **el tabaco para hookahs** en una hookah. La shisha viene en distintos sabores. Algunos tipos de shisha contienen tabaco y otros no.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

**PATH ID: R04\_AH1090**

¿Tiene su propia hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR13**

Young adult respondents who have ever smoked hookah, go to R04\_AH9041.  
Else, go to Box R04\_AHR04.

**PATH ID: R04\_AH9041**

¿Alguna otra persona que viva en su casa tiene una hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR04**

New cohort adult respondents who have ever smoked hookah, go to R04\_AH1006\_RS.  
Else, adult respondents who had not smoked hookah 100 or more times in the previous wave, go to R04\_AH1005.  
Else, go to Box R04\_AHR09.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1006_RS</b>
¿Qué edad tenía la primera vez que fumó tabaco en una hookah, incluso si solo fueron una o dos probaditas?
1    __ __  Años
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AH1120_RS
GO TO R04_AH1120_RS
ASK: New cohort adult respondents who have ever smoked hookah.

<b>PATH ID:</b> <b>R04_AH1006_RS_LC1</b>
La computadora registró que la primera vez que usted fumó tabaco en una hookah fue a la edad de [R04_AH1006_RS] años. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AH1006_RS
GO TO R04_AH1005
ASK: IF R04_AH1006_RS <= 10.

<b>PATH ID:</b> <b>R04_AH1006_RS_LC2</b>
La computadora registró que la primera vez que usted fumó tabaco en una hookah fue a la edad de [R04_AH1006_RS] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AH1006_RS
GO TO R04_AH1005
ASK: IF R04_AH1006_RS > R04_ACHIEVEDAGE.

<b>PATH ID:</b> <b>R04_AH1120_RS</b>
La primera vez que fumó tabaco en una hookah, incluso si solo fueron una o dos probaditas, ¿tenía...?
1   menos de 18 años de edad,
2   entre 18 y 24 años de edad,
3   entre 25 y 34 años de edad,
4   entre 35 y 44 años de edad,
5   entre 45 y 54 años de edad o
6   55 años de edad o más?
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who did not know or refused to report the age they first smoked hookah.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1005**

¿Cuántas veces ha fumado tabaco en una hookah en toda su vida? Cuento cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.

- 1 Una a 10
- 2 11 a 20
- 3 21 a 50
- 4 51 a 99
- 5 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked hookah and had not smoked 100 or more times in the previous wave, and new cohort adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR09**

Aged-up and continuing adult respondents who have ever smoked hookah and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked hookah, go to R04\_AH1100.

Else, go to Box R04\_AHR10.

**PATH ID: R04\_AH1100**

¿Alguna vez ha fumado tabaco en una hookah habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked hookah and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR10**

New baseline respondents that have ever smoked hookah fairly regularly, go to R04\_AH1007\_NB.

Else, go to Box R04\_AHR01.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AH1007_NB</b>	
¿Qué edad tenía la primera vez que comenzó a fumar tabaco en una hookah habitualmente?		
1	_ _ _  Años	
-8	DON'T KNOW	GO TO R04_AH1121_NB
-7	REFUSED	GO TO R04_AH1121_NB
ASK: New baseline adult respondents who have ever smoked hookah fairly regularly, but had never smoked fairly regularly in the previous wave.		
DISPLAY: DISPLAY "Años" AS A TITLE.		

<b>PATH ID:</b>	<b>R04_AH1007_NB_LC1</b>	
La computadora registró que usted comenzó a fumar tabaco en una hookah de manera habitual a la edad de [R04_AH1007_NB] años. ¿Es correcto?		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AH1007_NB
2	NEXT	GO TO BOX R04_AHR01
ASK: IF R04_AH1007_NB <= 12.		

<b>PATH ID:</b>	<b>R04_AH1007_NB_LC2</b>	
La computadora registró que usted comenzó a fumar tabaco en una hookah de manera habitual a la edad de [R04_AH1007_NB] años. Son más años de los que usted tiene actualmente.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AH1007_NB
2	NEXT	GO TO BOX R04_AHR01
ASK: IF R04_AH1007_NB > R04_ACHIEVEDAGE.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH1121_NB</b>
<p>La primera vez que comenzó a fumar tabaco en una hookah habitualmente, ¿tenía...?</p> <p>1    menos de 18 años de edad,  2    entre 18 y 24 años de edad,  3    entre 25 y 34 años de edad,  4    entre 35 y 44 años de edad,  5    entre 45 y 54 años de edad o  6    55 años de edad o más?  -8   DON'T KNOW  -7   REFUSED</p> <p>ASK: New baseline adult respondents who did not know or refused to report the age they started smoking hookah fairly regularly.</p>

<b>BOX ID: R04_AHR01</b>
<p>New baseline respondents that are every day users, go to R04_AH1020_NB.  Else, go to Box R04_AHR11.</p>

<b>PATH ID: R04_AH1020_NB</b>
<p>¿Qué edad tenía la primera vez que comenzó a fumar tabaco en una hookah todos los días?</p> <p>1     __ __  Años  -8   DON'T KNOW                                    GO TO R04_AH1122_NB  -7   REFUSED                                         GO TO R04_AH1122_NB</p> <p>ASK: New baseline adult respondents who are every day hookah smokers.  DISPLAY: DISPLAY "Años" AS A TITLE.</p>

<b>PATH ID: R04_AH1020_NB_LC1</b>
<p>La computadora registró que usted comenzó a fumar tabaco en una hookah todos los días a la edad de [R04_AH1020_NB] años. ¿Es correcto?</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <p>1    BACK     GO TO R04_AH1020_NB  2    NEXT     GO TO BOX R04_AHR11</p> <p>ASK: IF R04_AH1020_NB &lt;= 12 OR R04_AH1020_NB &lt; R04_AH1007_NB.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1020\_NB\_LC2**

La computadora registró que usted comenzó a fumar tabaco en una hookah todos los días a la edad de [R04\_AH1020\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AH1020\_NB

2 NEXT

GO TO BOX R04\_AHR11

ASK: IF R04\_AH1020\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AH1122\_NB**

La primera vez que comenzó a fumar tabaco en una hookah todos los días, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they started smoking hookah every day.

**BOX ID: R04\_AHR11**

Aged-up and continuing adult respondents who initiated hookah smoking since the previous wave, and new cohort adult respondents who have ever smoked hookah, go to R04\_AH1008.

Else, go to Box R04\_AHR27.

**PATH ID: R04\_AH1008**

La primera vez que comenzó a fumar en hookah, ¿fumó shisha o tabaco para hookah con sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otro sabor dulce?

1 Sí

2 No

GO TO BOX R04\_AHR27

3 No sé

GO TO BOX R04\_AHR27

-8 DON'T KNOW

GO TO BOX R04\_AHR27

-7 REFUSED

GO TO BOX R04\_AHR27

ASK: Aged-up and continuing adult respondents who initiated hookah smoking since the previous wave, and new cohort adult respondents who have ever smoked hookah.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1011**

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated hookah smoking with flavored shisha.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AHR27**

If respondent does not smoke hookah every day but smoked hookah in the past 12 months, go to R04\_AH9003.

Else, go to Box R04\_AHV01.

**PATH ID: R04\_AH9003**

¿Cuál de las siguientes opciones describe mejor su hábito de fumar en hookah? Normalmente, fumo tabaco en una hookah...

- 1 Todos los días
- 2 Semanalmente
- 3 Mensualmente
- 4 Una vez cada dos meses
- 5 Una vez al año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not smoke hookah every day but smoked hookah in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_HOOK\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked a hookah fairly regularly and smokes monthly or more frequently.

**R04\_HOOK\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and now smoke hookah every day or some days or weekly or monthly or in the past 30 days.

**R04\_HOOK\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and did not smoke in the past 12 months or now smokes not at all.

**R04\_HOOK\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former hookah smokers at the previous wave and aged-up adult respondents who ever smoked hookah at the previous wave, who have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated hookah smoking since the previous wave, who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_HOOK\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former hookah smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a hookah and have smoked fairly regularly, who have not smoked in the past 12 months.

**R04\_THIRTY\_DAY\_USER\_HOOK = 1** Adult respondents who have smoked a hookah within the past 30 days.

**BOX ID: R04\_AHR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former hookah smokers, go to R04\_AH1025\_RS.

Else, go to Box R04\_AHR24.

**PATH ID: R04\_AH1025\_RS**

Alrededor de esta época hace 12 meses, ¿fumaba tabaco en una hookah todos los días, algunos días o nunca?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former hookah smokers.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR24**

Current, experimental current, past 30 day or recent former hookah smokers, go to R04\_AH9011.  
Else, go to Box R04\_AHV03.

**PATH ID: R04\_AH9011**

¿Dónde [fuma/fumaba] normalmente en hookah? Escoja todas las opciones que correspondan.

- 1 En su casa
- 2 En casa de otra persona
- 3 En un café o bar de hookah
- 4 En una discoteca o un bar cafetería
- 5 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "fuma". ELSE, DISPLAY "fumaba".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AH9012**

Normalmente, ¿[comparte/compartía] una hookah con otros cuando [fuma/fumaba]?

- 1 Sí
- 2 No GO TO R04\_AH9014
- 8 DON'T KNOW GO TO R04\_AH9014
- 7 REFUSED GO TO R04\_AH9014

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "comparte" AND "fuma". ELSE, DISPLAY "compartía" AND "fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH9013</b>
Normalmente, ¿con cuántas personas [comparte/compartía] una hookah?  1    Una persona 2    2 personas 3    3 personas 4    4 personas o más -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, past 30 day or recent former hookah smokers who share hookah with others. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1 , DISPLAY "comparte". ELSE, DISPLAY "compartía".

<b>PATH ID:</b> <b>R04_AH9014</b>
Aproximadamente, ¿cuánto tiempo [dura/duraba] una sesión de hookah para usted[ y para las personas que [la comparten/la compartían] con usted]?  1    Menos de 30 minutos 2    Más de 30 minutos a una hora 3    Una a 2 horas 4    Más de 2 horas -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, past 30 day or recent former hookah smokers. DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 1, DISPLAY "dura" AND "y para las personas que la comparten". IF R04_AH9012 != 1, DO NOT DISPLAY " y para las personas que la comparten". IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 1, DISPLAY "duraba" AND "y para las personas que la compartían"; IF R04_AH9012 != 1, DO NOT DISPLAY "y para las personas que la compartían".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH9015
Aproximadamente, cuando [fuma/fumaba/comparte/compartía] una hookah, ¿cuántas veces se [vuelve/volvía] a llenar la hookah con tabaco durante una sesión?
1 Ninguna
2 Una vez
3 2 a 3 veces
4 4 veces o más
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers. DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 1, DISPLAY "comparte" AND "vuelve". IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 2, DISPLAY "fuma" AND "vuelve". IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 1, DISPLAY "compartía" AND "volvía". IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 2, DISPLAY "fumaba" AND "volvía".

<b>PATH ID:</b> R04_AH9016
¿Con qué frecuencia [prepara/preparaba] usted mismo la hookah?
1 Siempre
2 Casi siempre
3 A veces
4 Rara vez
5 Nunca, otra persona siempre me la [preparaba   prepara]
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "prepara" AND "prepara". ELSE, DISPLAY "preparaba" AND "preparaba".

<b>PATH ID:</b> R04_AH9043
Cuando [fuma/fumaba] en hookah, ¿[tiene/tenía] normalmente tabaco la shisha?
1 Sí
2 No
3 No sé
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, past 30 day, and recent former hookah smokers. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2, OR R04_THIRTY_DAY_USER_HOOK = 1 DISPLAY "fuma" AND "tiene". IF R04_HOOK_USER_STATUS = 4, DISPLAY "fumaba" AND "tenía".





**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH9005</b>	
En promedio, aproximadamente, ¿cuántas veces fuma en hookah en una semana? Cuente cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.	
1    _ _	
-8   DON'T KNOW	GO TO BOX R04_AHR25
-7   REFUSED	GO TO BOX R04_AHR25
ASK: Adult respondents who smoke hookah weekly.	

<b>PATH ID:</b> <b>R04_AH9005_LC1</b>	
La computadora registró que, en promedio, usted fuma tabaco en hookah [R04_AH9005] veces a la semana. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AH9005
2   NEXT	GO TO BOX R04_AHR25
ASK: IF R04_AH9005 > 15.	

<b>PATH ID:</b> <b>R04_AH9006</b>	
En promedio, aproximadamente, ¿cuántas veces fuma en hookah cada día? Cuente cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.	
1    _ _	
-8   DON'T KNOW	GO TO BOX R04_AHR25
-7   REFUSED	GO TO BOX R04_AHR25
ASK: Adult respondents who smoke hookah every day.	

<b>PATH ID:</b> <b>R04_AH9006_LC1</b>	
La computadora registró que, en promedio, usted fuma tabaco en hookah [R04_AH9006] veces al día. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AH9006
2   NEXT	GO TO BOX R04_AHR25
ASK: IF R04_AH9006 > 2.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR25**

Current, experimental current, and past 30 day hookah smokers, go to R04\_AH1024.  
Else, go to Box R04\_AHR02.

**PATH ID: R04\_AH1024**

[En los días en que fuma en hookah, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primera probadita de tabaco en una hookah?

- |    |  |                     |
|----|--|---------------------|
| 1  | Entre las 6 de la mañana y el mediodía   | GO TO BOX R04_AHR02 |
| 2  | Entre el mediodía y las 6 de la tarde    | GO TO BOX R04_AHR02 |
| 3  | Entre las 6 de la tarde y la medianoche  | GO TO BOX R04_AHR02 |
| 4  | Entre la medianoche y las 6 de la mañana | GO TO BOX R04_AHR02 |
| -8 | DON'T KNOW                               |                     |
| -7 | REFUSED                                  |                     |

ASK: Current, experimental current, and past 30 day hookah smokers.

DISPLAY: IF R04\_CURRENT\_HOOK\_USE = 1, DISPLAY "¿Qué". ELSE, DISPLAY "En los días en que fuma en hookah, ¿qué".

**PATH ID: R04\_AH1092**

[En los días en que fuma en hookah, ¿diría/¿Diría] que fuma su primera probadita de tabaco en una hookah durante los primeros 30 minutos después de despertarse?

- |    |            |
|----|------------|
| 1  | Sí         |
| 2  | No         |
| 3  | Depende    |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Current, experimental current, and past 30 day hookah smokers who did not know or refused to report what time of day they smoke hookah.

DISPLAY: IF R04\_CURRENT\_HOOK\_USE = 1, DISPLAY "¿Diría". ELSE, DISPLAY "En los días en que fuma en hookah, ¿diría".

**BOX ID: R04\_AHR02**

If respondent smoked hookah in the past 30 days, go to R04\_AH0100.  
Else, go to Box R04\_AHR23.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AH0100</b>	
¿Cuándo fue la última vez que fumó tabaco en una hookah?		
1	Hace menos de una hora	GO TO R04_AH0103
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R04_AH1130
-8	DON'T KNOW	GO TO R04_AH1130
-7	REFUSED	GO TO R04_AH1130
ASK: Adult respondents who have smoked hookah in the past 30 days.		

<b>PATH ID:</b>	<b>R04_AH0102</b>	
La última vez que fumó tabaco en una hookah [FILL BASED ON R04_AH0100], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have smoked hookah today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: FOR [FILL BASED ON R04_AH0100]:		
IF R04_AH0100 = 2, DISPLAY "hoy".		
IF R04_AH0100 = 3, DISPLAY "ayer".		
IF R04_AH0100 = 4, DISPLAY "hace dos días".		



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1131**

¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked flavored shisha in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AH1147**

En los días en que fumó shisha o tabaco para hookah en los últimos 30 días, ¿con qué frecuencia fumó shisha o tabaco para hookah con sabor?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoked flavored shisha in the past 30 days.

DISPLAY: UNDERLINE "con sabor".

**BOX ID: R04\_AHR23**

Current, experimental current, and past 30 day hookah smokers go to R04\_AH1030.

Else, recent former hookah smokers, go to R04\_AH1047.

Else, go to Box R04\_AHR19.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1030</b>
Las siguientes preguntas son acerca de su experiencia al comprar shisha o tabaco para hookah.
Normalmente, ¿cómo compra shisha o tabaco para hookah para usted?
1    En persona (en una tienda o bar de hookah)
2    En Internet
3    Por teléfono
4    No compro mi propia shisha o tabaco para hookah
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and past 30 day hookah smokers.

<b>PATH ID:</b> <b>R04_AH1032</b>
Normalmente, ¿compra shisha o tabaco para hookah...?
1    En su propio estado
2    En otro estado
3    Fuera de Estados Unidos
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and past 30 day hookah smokers who usually buy shisha tobacco in person.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1033**

¿Dónde compra su tabaco para hookah o shisha la mayoría del tiempo?

- 1 Un bar o café de hookah
- 2 Una tienda de conveniencia o estación de gasolina
- 3 Un supermercado, tienda de comestibles o farmacia
- 4 Una tienda mayorista como Sam's o Costco
- 5 Una tienda especializada o un almacén de tabaco o una tabaquería
- 6 Una tienda libre de impuestos o un economato militar
- 7 Un bar, restaurante, casino o una taberna
- 8 Un amigo o familiar
- 9 Un mercadillo o mercado de pulgas
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who usually buy shisha tobacco in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AH1047**

¿[Tiene/Tenía] una marca habitual de shisha o tabaco para hookah que normalmente [fuma/fumaba]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Tiene" AND "fuma". ELSE, DISPLAY "Tenía" AND "fumaba".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AH1050</b>		
[Su marca habitual/La última marca] que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?			
	1	Sí	
	2	No	GO TO R04_AH1945
	3	No sé	GO TO R04_AH1945
	-8	DON'T KNOW	GO TO R04_AH1945
	-7	REFUSED	GO TO R04_AH1945
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.			
DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Su marca habitual" AND "fuma" AND "tiene". IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".			
ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Su marca habitual", "fumaba" AND "tenía".			
ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "La última marca", "fumaba" AND "tenía".			

<b>PATH ID:</b>	<b>R04_AH1012</b>		
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.			
	1	Mentol o menta	
	2	Clavo de olor o especias	
	3	Fruta	
	4	Chocolate	
	5	Una bebida alcohólica (como vino, brandy, margarita u otro coctel)	
	6	Caramelos u otros sabores dulces	
	7	Otro sabor (ESPECIFIQUE)	
	-8	DON'T KNOW	
	-7	REFUSED	
ASK: Current, experimental current, recent former, and past 30 day hookah smokers whose regular brand or last brand of shisha smoked was flavored.			
DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Es". ELSE, DISPLAY "Era".			
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."			

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1945**

¿Sabe el nombre de la marca de shisha o tabaco para hookah que [fuma normalmente/fumó normalmente/fumó la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_AH1047 = 1 AND R04\_HOOK\_USER\_STATUS = 1, 2, DISPLAY "fuma normalmente".

IF R04\_AH1047 = 1 AND R04\_HOOK\_USER\_STATUS != 1, 2, DISPLAY "fumó normalmente".

IF R04\_AH1047 = 2, -8, -7, DISPLAY "fumó la última vez".

UNDERLINE "nombre de la marca".

**BOX ID: R04\_AHR26**

Respondents who know the name of their brand, go to R04\_AH1048\_BRAND.

Else, respondents who have a regular brand, go to R04\_AH1051.

Else, go to Box R04\_AHD01.

**PATH ID: R04\_AH1048**

¿Qué marca de shisha o tabaco para hookah [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación tocando la pantalla. [ Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". /Si no ve la opción a continuación, toque la casilla que dice "Otra". ]

- 1 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who know the brand name.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."

IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

IF ((R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R04\_AH1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R04\_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR17**

If respondent selects an image for their brand, go to R04\_AH1070\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AH1049.  
 Else, go to Box R04\_AHR22.

**PATH ID: R04\_AH1049**

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

1	_____	GO TO BOX R04_AHR20
-8	DON'T KNOW	GO TO BOX R04_AHR20
-7	REFUSED	GO TO BOX R04_AHR20

ASK: Current, experimental current, recent former, past 30 day hookah smokers who selected "Something else" for their brand.

**PATH ID: R04\_AH1070**

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación tocando la pantalla. [ Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra". ]

1	Otra	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AH1048\_BRAND.

IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R04\_AH1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R04\_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

**BOX ID: R04\_AHR18**

If current, experimental current, recent former, or past 30 day hookah smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AH1071.  
 Else, go to Box R04\_AHR20.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1071</b>
Usted dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba] no está en las opciones. ¿Qué tipo es?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AH1048_BRAND.
IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "fuma".
ELSE, DISPLAY "fumaba".

<b>BOX ID:</b> <b>R04_AHR20</b>
If respondent selected a brand in R04_AH1048_BRAND or wrote in a brand in R04_AH1049, go to R04_AH9108.
Else, go to Box R04_AHR22.

<b>PATH ID:</b> <b>R04_AH9108</b>
¿Contiene tabaco esta marca de shisha?
1    Sí
2    No
3    No sé
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers who selected a brand in R04_AH1048 or who wrote a brand in to R04_AH1049.

<b>BOX ID:</b> <b>R04_AHR22</b>
Current, experimental current, past 30 day or recent former hookah smokers who have a regular brand of shisha or hookah tobacco, go to R04_AH1051.
Else, go to Box R04_AHR19.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1051**

Aproximadamente, ¿cuánto tiempo [llevó/lleva] fumando su marca habitual de shisha o tabaco para hookah?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AHR19

GO TO BOX R04\_AHR19

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who have a regular brand.

DISPLAY: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1), DISPLAY "lleva".

ELSE, DISPLAY "llevó".

**PATH ID: R04\_AH1051\_LC1**

La computadora registró que usted [lleva fumando/fumó] su marca habitual de shisha o tabaco para hookah por [R04\_AH1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK
- 2 NEXT

GO TO R04\_AH1051

GO TO BOX R04\_AHR19

ASK: IF R04\_AH1051\_NN > R04\_ACHIEVEDAGE AND R04\_AH1051\_UN = 3.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "lleva fumando".

IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "fumó".

**PATH ID: R04\_AH1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de shisha o tabaco para hookah.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK
- 2 NEXT

GO TO R04\_AH1051

GO TO BOX R04\_AHR19

ASK: IF R04\_AH1051\_NN = 0.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "lleva fumando".

IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR19**

Current, experimental current, and past 30 day hookah smokers who smoked hookah today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand in R04\_AH1048 and valid product in R04\_AH1070, go to R04\_AH0104.

Else, if respondent is a current, experimental current, recent former, or past 30 day user, go to Box R04\_AHD01.

Else, go to next section.

**PATH ID: R04\_AH0104**

Anteriormente usted dijo que la última vez que fumó en una hookah fue [TIME OF LAST USE].

Piense en la última probadita que tomó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who have smoked hookah in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AH0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

IF R04\_AH0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

IF R04\_AH0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

IF R04\_AH0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AH1070.

**BOX ID: R04\_AHD01**

Randomize order of R04\_AH1060 through R04\_AH1073.

Display question R04\_AH1060, R04\_AH1085, R04\_AH1062, R04\_AH1075, R04\_AH1063, R04\_AH1064, R04\_AH1073 on one screen. Show the intro/transition text from R04\_AH1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1060</b>
Las siguientes preguntas son acerca de las razones por las que la gente fuma en una hookah. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba en hookah].
[Fumo/Fumaba] en hookah porque...
[Es/Era] económico.
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "aplican a usted", "Fumo" AND "Es". ELSE, DISPLAY "aplicaban a usted cuando fumaba en hookah", "Fumaba" AND "Era".

<b>PATH ID:</b> <b>R04_AH1085</b>
[Puedo/Podía] fumar en hookah en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Puedo" AND "permite". ELSE, DISPLAY "Podía" AND "permitía".

<b>PATH ID:</b> <b>R04_AH1062</b>
Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "ser". ELSE, DISPLAY "haber sido".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH1075
Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "ser". ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> R04_AH1063
La shisha o el tabaco para hookah [viene/venía] en sabores que me [gustan/gustaban].
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "viene" AND "gustan". ELSE, DISPLAY "venía" AND "gustaban".

<b>BOX ID:</b> R04_AHR15
Current, experimental current, past 30 day, or recent former hookah smokers who are also current, experimental current or recent former cigarette smokers, go to R04_AH1064.
Else, go to R04_AH1073.

<b>PATH ID:</b> R04_AH1064
Fumar en una hookah le ayuda a la gente a dejar de fumar cigarrillos.
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who are also current, experimental current or recent former cigarette smokers.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1073</b>
Fumar en hookah es parte de mi tradición cultural.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

<b>BOX ID:</b> <b>R04_AHR16</b>
Current, experimental current, past 30 day, and recent former hookah smokers who also are current, experimental current, or recent former cigarette smokers, go to R04_AH1080.
Else, go to R04_AH1139.

<b>PATH ID:</b> <b>R04_AH1080</b>
¿[Fuma/Fumaba] en hookah como manera de disminuir su consumo de cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who are also current, experimental current or recent former cigarette smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Fuma". ELSE, DISPLAY "Fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1139**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando fumo en hookah.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Es",

ELSE, DISPLAY "Era".

Display scale for the R04\_AH1139-1141 series.

**PATH ID: R04\_AH1140**

Al fumar en hookah, me [siento/sentía] más seguro con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "siento",

ELSE, DISPLAY "sentía".

Display scale for the R04\_AH1139-1141 series.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1141**

[Fumo/Fumaba] hookah mucho más cuando [estoy/estaba] con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Fumo" AND "estoy",

ELSE, DISPLAY "Fumaba" AND "estaba".

Display scale for the R04\_AH1139-1141 series.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**SNUS**

<b>BOX ID:</b> <b>R04_AUR08</b>
Aged-up and continuing adult respondents who were a former user, had used 100 or more snus pouches and had used fairly regularly as of the previous wave; and at the current wave has not used in the past 12 months or now uses not at all, go to Box R04_AUV02. Else, continue with Box R04_AUT02.

<b>BOX ID:</b> <b>R04_AUT02</b>
IF RESPONDENT ONLY USES SNUS (R04_EVER_NEVER_SNUS = 1 AND R04_EVER_NEVER_SMKLS = 2), DISPLAY THE FOLLOWING TRANSITION TEXT: Las siguientes preguntas son acerca del <b>snus</b> , una clase de tabaco que no se fuma que viene en una bolsita o saquito que se pone bajo el labio. No es necesario escupir cuando se consume snus. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus.  Piense en su consumo de <b>snus</b> cuando conteste estas preguntas.  [SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]  IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04_EVER_NEVER_SNUS = 1 AND R04_EVER_NEVER_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT: Las siguientes preguntas son acerca del <b>snus</b> , una clase de tabaco que no se fuma que viene en una bolsita o saquito que se pone bajo el labio. No es necesario escupir cuando se consume snus. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus.  Piense en su consumo de <b>snus</b> cuando conteste estas preguntas. Más adelante habrá otra sección acerca de las otras clases de productos de tabaco que no se fuma.  [SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]

<b>BOX ID:</b> <b>R04_AUR07</b>
New cohort adult respondents who have ever used snus, go to R04_AU1006_RS. Else, aged-up and continuing adult respondents who have ever used snus (and had not used 100 or more in the previous wave), go to R04_AU1005. Else, aged-up and continuing adult respondents who have ever used snus and had never used fairly regularly in the previous wave, go to R04_AU1100. Else, go to Box R04_AUV02.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1006_RS</b>
¿Qué edad tenía la primera vez que consumió snus, incluso si solo fueron una o dos veces?
1    __ __  Años
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AU1120_RS
GO TO R04_AU1120_RS
ASK: New cohort adult respondents who have ever used snus.

<b>PATH ID:</b> <b>R04_AU1006_RS_LC1</b>
La computadora registró que la primera vez que usted consumió snus fue a la edad de [R04_AU1006_RS] años. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AU1006_RS
GO TO R04_AU1005
ASK: IF R04_AU1006_RS <= 10.

<b>PATH ID:</b> <b>R04_AU1006_RS_LC2</b>
La computadora registró que la primera vez que usted consumió snus fue a la edad de [R04_AU1006_RS] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AU1006_RS
GO TO R04_AU1005
ASK: IF R04_AU1006_RS > R04_ACHIEVEDAGE.

<b>PATH ID:</b> <b>R04_AU1120_RS</b>
La primera vez que consumió snus, incluso si solo fueron una o dos veces, ¿tenía...?
1   menos de 18 años de edad,
2   entre 18 y 24 años de edad,
3   entre 25 y 34 años de edad,
4   entre 35 y 44 años de edad,
5   entre 45 y 54 años de edad o
6   55 años de edad o más?
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who did not know or refused to report the age they first tried snus.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1005</b>
¿Cuántas veces ha consumido snus en toda su vida?
1   Una a 10
2   11 a 20
3   21 a 50
4   51 a 99
5   100 o más
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult respondents who have ever used snus and had not used 100 or more pouches in the previous wave, and new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR10</b>
Aged-up and continuing adult respondents who have ever used snus and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever used snus, go to R04_AU1100. Else, go to Box R04_AUV02.

<b>PATH ID:</b> <b>R04_AU1100</b>
¿Alguna vez ha consumido snus habitualmente?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult respondents who have ever used snus and had never used fairly regularly in the previous wave and new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR11</b>
New baseline adult respondents that have ever used fairly regularly, go to R04_AU1007_NB. Else, go to Box R04_AUV02.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1007_NB</b>	
¿Qué edad tenía la primera vez que comenzó a consumir snus habitualmente?	
1  __ __  Años	
-8 DON'T KNOW	GO TO R04_AU1121_NB
-7 REFUSED	GO TO R04_AU1121_NB
ASK: New baseline adult respondents who have ever used snus fairly regularly but had never used fairly regularly in the previous wave.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID: R04_AU1007_NB_LC1</b>	
La computadora registró que usted comenzó a consumir snus de manera habitual a la edad de [R04_AU1007_NB] años.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AU1007_NB
2 NEXT	GO TO BOX R04_AUV02
ASK: IF R04_AU1007_NB <= 8.	

<b>PATH ID: R04_AU1007_NB_LC2</b>	
La computadora registró que usted comenzó a consumir snus de manera habitual a la edad de [R04_AU1007_NB] años. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AU1007_NB
2 NEXT	GO TO BOX R04_AUV02
ASK: IF R04_AU1007_NB > R04_ACHIEVEDAGE.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AU1121_NB</b>
<p>La primera vez que comenzó a consumir snus de manera habitual, ¿tenía usted...?</p> <p>1 menos de 18 años de edad,  2 entre 18 y 24 años de edad,  3 entre 25 y 34 años de edad,  4 entre 35 y 44 años de edad,  5 entre 45 y 54 años de edad o  6 55 años de edad o más?  -8 DON'T KNOW  -7 REFUSED</p> <p>ASK: New baseline adult respondents who did not know or refused to report the age they first started using snus fairly regularly.</p>	

<b>BOX ID:</b>	<b>R04_AUV02</b>
<p>PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):</p> <p><b>R04_SNUS_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever used snus fairly regularly and now use every day or some days.  <b>R04_SNUS_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever used snus and have never used fairly regularly, and now use every day or some days.  <b>R04_SNUS_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever used snus and have never used fairly regularly and did not use in the past 12 months or now uses not at all.  <b>R04_SNUS_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former snus users at the previous wave and aged-up adult respondents who ever used snus at the previous wave, who have ever used snus fairly regularly, and did not use snus in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated snus use since the previous wave, who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all.  <b>R04_SNUS_USER_STATUS = 5 (Long-term former user)</b> Adult respondents who were former snus users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used snus and have ever used snus fairly regularly, who have not used snus in the past 12 months..  <b>R04_CURRENT_SNUS_USE = 1 (Every day user)</b> Adult respondents who have ever used snus fairly regularly and now use every day.  <b>R04_CURRENT_SNUS_USE = 2 (Some day user)</b> Adult respondents who have ever used snus fairly regularly and now use some days.  <b>R04_FORMER_THIRTYDAY_USER_SNUS = 1</b> Adult respondents who are experimental former, recent former, or long-term former snus users who used in the past 30 days.</p>	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR02**

New baseline respondents that are every day snus users, go to R04\_AU1020\_NB.  
 Else, go to Box R04\_AUR12.

**PATH ID: R04\_AU1020\_NB**

¿Qué edad tenía la primera vez que comenzó a consumir snus todos los días?

1 |\_\_|\_\_| Años  
 -8 DON'T KNOW GO TO R04\_AU1122\_NB  
 -7 REFUSED GO TO R04\_AU1122\_NB

ASK: New baseline adult respondents who are every day snus users.  
 DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AU1020\_NB\_LC1**

La computadora registró que usted comenzó a consumir snus todos los días a la edad de [R04\_AU1020\_NB] años.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R04\_AU1020\_NB  
 2 NEXT GO TO BOX R04\_AUR12

ASK: IF R04\_AU1020\_NB <= 8 OR R04\_AU1020\_NB < R04\_AU1007\_NB.

**PATH ID: R04\_AU1020\_NB\_LC2**

La computadora registró que usted comenzó a consumir snus todos los días a la edad de [R04\_AU1020\_NB] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R04\_AU1020\_NB  
 2 NEXT GO TO BOX R04\_AUR12

ASK: IF R04\_AU1020\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1122_NB</b>
La primera vez que comenzó a consumir snus todos los días, ¿tenía usted...?
1    menos de 18 años de edad,
2    entre 18 y 24 años de edad,
3    entre 25 y 34 años de edad,
4    entre 35 y 44 años de edad,
5    entre 45 y 54 años de edad o
6    55 años de edad o más?
-8    DON'T KNOW
-7    REFUSED
ASK: New baseline adult respondents who did not know or refused to report the age they first started using snus every day.

<b>BOX ID:</b> <b>R04_AUR12</b>
Aged-up and continuing adult respondents who initiated snus use since the previous wave, and new cohort adult respondents who have ever used snus, go to R04_AU1008.
Else, go to Box R04_AUR50.

<b>PATH ID:</b> <b>R04_AU1008</b>
La primera vez que comenzó a consumir snus, ¿consumió snus con sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otro sabor dulce?
1    Sí
2    No
3    No sé
-8    DON'T KNOW
-7    REFUSED
GO TO BOX R04_AUR50
GO TO BOX R04_AUR50
GO TO BOX R04_AUR50
GO TO BOX R04_AUR50
ASK: Aged-up and continuing adult respondents who initiated snus use since the previous wave, and new cohort adult respondents who have ever used snus.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1011**

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Wintergreen, hierbabuena o frost
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated snus use with flavored snus.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AUR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former snus users, go to R04\_AU1025\_RS.  
Else, go to Box R04\_AUR09.

**PATH ID: R04\_AU1025\_RS**

Alrededor de esta época hace 12 meses, ¿consumía snus todos los días, algunos días o nunca?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former snus users.

**BOX ID: R04\_AUR09**

Every day snus users, go to R04\_AU1021.

Else, some day and experimental current snus users, and former or experimental former users who have used in the past 30 days, go to R04\_AU1022.

Else, recent former snus users, go to R04\_AU1047.

Else, experimental former and long-term former snus users, go to next section.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU1021
En promedio, ¿aproximadamente cuántas veces consume snus cada día actualmente?
1  __ __
-8 DON'T KNOW GO TO R04_AU1024
-7 REFUSED GO TO R04_AU1024
ASK: Every day snus users.

<b>PATH ID:</b> R04_AU1021_LC1
La computadora registró que en promedio actualmente usted consume snus [R04_AU1021] veces al día. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU1021
2 NEXT GO TO R04_AU1024
ASK: IF R04_AU1021 > 20.

<b>PATH ID:</b> R04_AU1022
¿Durante cuántos de los últimos 30 días consumió snus?
1  __ __  DÍAS
-8 DON'T KNOW
-7 REFUSED
ASK: Some day and experimental current snus users who have used in the past 30 days, and former 30 day snus users.
DISPLAY: DISPLAY "DÍAS" AS A TITLE.

<b>BOX ID:</b> R04_AUR13
If respondent enters "0" for R04_AU1022 and is a some day or experimental current snus user, go to R04_AU9029.
Else, if respondent enters "0" for R04_AU1022 and is a former 30 day user of snus, go to Box R04_AUR26.
Else, go to R04_AU1023.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU9029
¿Aproximadamente cuánto tiempo hace desde la última vez que consumió snus?
1  __ __  DÍAS
2  __ __  MESES
3  __ __  AÑOS
-8 DON'T KNOW GO TO BOX R04_AUR26
-7 REFUSED GO TO BOX R04_AUR26
ASK: Some day and experimental current snus users who have not used in the past 30 days.

<b>PATH ID:</b> R04_AU9029_LC1
La computadora registró que usted consumió snus hace [R04_AU9029] [días/meses/años].
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU9029
2 NEXT GO TO BOX R04_AUR26
ASK: IF (R04_AU9029_NN < 30 AND R04_AU9029_UN = 1) OR (R04_AU9029_NN < 1 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > 18 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > (R04_ACHIEVEDAGE - 10) AND R04_AU9029_UN = 3).
DISPLAY: IF R04_AU9029_UN = 1, DISPLAY "días",
ELSE, IF R04_AU9029_UN = 2, DISPLAY "meses".
ELSE, IF R04_AU9029_UN = 3, DISPLAY "años".

<b>PATH ID:</b> R04_AU1023
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AU1022 días/días en que consumió], ¿cuántas veces consumió normalmente tabaco que no se fuma cada día?
1  __ __
-8 DON'T KNOW GO TO BOX R04_AUR26
-7 REFUSED GO TO BOX R04_AUR26
ASK: Some day, experimental current, and former thirty day snus users who have used at least one day in past 30 days.
DISPLAY: IF R04_AU1022 = 1, -8, -7, DISPLAY "días en que consumió".
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AU1022 AND "días" (EX. "2 días").

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1023_LC1</b>	
La computadora registró que en sus días de consumo en los últimos 30 días, usted consumió snus [R04_AU1023] veces al día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AU1023
2 NEXT	GO TO BOX R04_AUR26
ASK: IF R04_AU1023 > 20.	

<b>BOX ID: R04_AUR26</b>
Current and experimental current snus users, go to R04_AU1024.
Else, former 30 day snus users, go to R04_AU1024_30D.
Else, go to next section.

<b>PATH ID: R04_AU1024</b>	
[En los días en que consume snus, ¿qué tan pronto /¿Qué tan pronto] después de que se despierta consume normalmente su primer producto de snus del día? Anote los minutos o las horas.	
1  __ __ __  Minutos después de despertarse	
2  __ __ __  Horas después de despertarse	
-8 DON'T KNOW	GO TO R04_AU1092
-7 REFUSED	GO TO R04_AU1092
ASK: Current and experimental current snus users.	
DISPLAY: IF R04_CURRENT_SNUS_USE = 1, DISPLAY "¿Qué tan pronto".	
ELSE, DISPLAY "En los días en que consume snus, ¿qué tan pronto".	

<b>PATH ID: R04_AU1024_LC1</b>	
La computadora registró que usted normalmente consume su primer producto de snus [R04_AU1024_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AU1024
2 NEXT	GO TO BOX R04_AUR28
ASK: IF [R04_CURRENT_SNUS_USE = 1 AND ((R04_AU1024_NN > 60 AND R04_AU1024_UN = 1) OR (R04_AU1024_NN > 4 AND R04_AU1024_UN = 2))] OR [(R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2) AND ((R04_AU1024_NN > 60 AND R04_AU1024_UN = 1) OR (R04_AU1024_NN > 12 AND R04_AU1024_UN = 2))].	
DISPLAY: IF R04_AU1024_UN = 1, DISPLAY "minutos".	
ELSE, IF R04_AU1024_UN = 2 DISPLAY "horas".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1024_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted consume su primer producto de snus después de despertarse.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AU1024
2 NEXT	GO TO BOX R04_AUR28
ASK: IF R04_AU1024_NN = 0.	

<b>PATH ID: R04_AU1092</b>	
[En los días en que consume snus, ¿diría/¿Diría] que consume su primer producto de snus del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO BOX R04_AUR28
2 No	GO TO BOX R04_AUR28
3 Depende	GO TO BOX R04_AUR28
-8 DON'T KNOW	GO TO BOX R04_AUR28
-7 REFUSED	GO TO BOX R04_AUR28
ASK: Current and experimental current snus users who did not know or refused to report how soon after waking up they first use snus.	
DISPLAY: IF R04_CURRENT_SNUS_USE = 1, DISPLAY "Diría".	
ELSE, DISPLAY "En los días en que consume snus, ¿diría".	

<b>PATH ID: R04_AU1024_30D</b>	
En los días en que consumía snus, ¿qué tan pronto después de que se despertaba consumía normalmente su primer producto de snus del día? Anote los minutos o las horas.	
1  __ __ __  Minutos después de despertarse	
2  __ __ __  Horas después de despertarse	
-8 DON'T KNOW	GO TO R04_AU1092_30D
-7 REFUSED	GO TO R04_AU1092_30D
ASK: Former 30 day snus users.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1024\_30D\_LC1**

La computadora registró que usted normalmente consumía su primer producto de snus [R04\_AU1024\_30D\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                      |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AU1024_30D |
| 2 | NEXT | GO TO BOX R04_AUR28  |

ASK: IF (R04\_AU1024\_30D\_NN > 60 AND R04\_AU1024\_30D\_UN = 1) OR (R04\_AU1024\_30D\_NN > 12 AND R04\_AU1024\_30D\_UN = 2).

DISPLAY: IF R04\_AU1024\_30D\_UN = 1, DISPLAY "minutos".

ELSE, IF R04\_AU1024\_30D\_UN = 2, DISPLAY "horas".

**PATH ID: R04\_AU1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasó hasta que usted consumió su primer producto de snus después de despertarse.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                      |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AU1024_30D |
| 2 | NEXT | GO TO BOX R04_AUR28  |

ASK: IF R04\_AU1024\_30D\_NN = 0.

**PATH ID: R04\_AU1092\_30D**

En los días en que consumía snus, ¿diría usted que consumía su primer producto de snus del día durante los primeros 30 minutos después de que se despertaba?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day snus users who did not know or refused to report how soon after they woke up they first used snus.

**BOX ID: R04\_AUR28**

Adult respondents who have used snus in the past 30 days, go to R04\_AU0100.

Else, go to R04\_AU9041.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU0100</b>																					
¿Cuándo fue la última vez que consumió snus?																					
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%; text-align: center;">1</td> <td style="width: 80%;">Hace menos de una hora</td> <td style="width: 10%; text-align: right;">GO TO R04_AU0103</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Hoy</td> <td></td> </tr> <tr> <td style="text-align: center;">3</td> <td>Ayer</td> <td></td> </tr> <tr> <td style="text-align: center;">4</td> <td>Hace dos días</td> <td></td> </tr> <tr> <td style="text-align: center;">5</td> <td>Hace tres o más días</td> <td style="text-align: right;">GO TO R04_AU1130</td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AU1130</td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R04_AU1130</td> </tr> </table>	1	Hace menos de una hora	GO TO R04_AU0103	2	Hoy		3	Ayer		4	Hace dos días		5	Hace tres o más días	GO TO R04_AU1130	-8	DON'T KNOW	GO TO R04_AU1130	-7	REFUSED	GO TO R04_AU1130
1	Hace menos de una hora	GO TO R04_AU0103																			
2	Hoy																				
3	Ayer																				
4	Hace dos días																				
5	Hace tres o más días	GO TO R04_AU1130																			
-8	DON'T KNOW	GO TO R04_AU1130																			
-7	REFUSED	GO TO R04_AU1130																			
ASK: Adult respondents who have used snus in the past 30 days.																					

<b>PATH ID:</b> <b>R04_AU0102</b>																		
La última vez que consumió snus [FILL BASED ON R04_AU0100], ¿fue...?																		
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%; text-align: center;">1</td> <td style="width: 80%;">Entre la medianoche y las 6 de la mañana</td> <td style="width: 10%;"></td> </tr> <tr> <td style="text-align: center;">2</td> <td>Entre las 6 de la mañana y el mediodía</td> <td></td> </tr> <tr> <td style="text-align: center;">3</td> <td>Entre el mediodía y las 6 de la tarde</td> <td></td> </tr> <tr> <td style="text-align: center;">4</td> <td>Entre las 6 de la tarde y la medianoche</td> <td></td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td></td> </tr> </table>	1	Entre la medianoche y las 6 de la mañana		2	Entre las 6 de la mañana y el mediodía		3	Entre el mediodía y las 6 de la tarde		4	Entre las 6 de la tarde y la medianoche		-8	DON'T KNOW		-7	REFUSED	
1	Entre la medianoche y las 6 de la mañana																	
2	Entre las 6 de la mañana y el mediodía																	
3	Entre el mediodía y las 6 de la tarde																	
4	Entre las 6 de la tarde y la medianoche																	
-8	DON'T KNOW																	
-7	REFUSED																	
ASK: Adult respondents who have used snus today, yesterday or the day before yesterday, but not in the past hour.																		
DISPLAY: FOR [FILL BASED ON R04_AU0100]:																		
IF R04_AU0100 = 2, DISPLAY "hoy".																		
IF R04_AU0100 = 3, DISPLAY "ayer".																		
IF R04_AU0100 = 4, DISPLAY "hace dos días".																		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU0103</b>	
¿Cuántas veces [ha consumido/consumió] snus [FILL BASED ON R04_AU0100]?	
1   _   _   _   _	
-8 DON'T KNOW	GO TO R04_AU1130
-7 REFUSED	GO TO R04_AU1130
ASK: Adult respondents who have used snus in the past hour, today, yesterday or the day before yesterday.	
DISPLAY: IF R04_AU0100 = 1, 2, DISPLAY "ha consumido".	
ELSE, IF R04_AU0100 = 3, 4, DISPLAY "consumió".	
FOR [FILL BASED ON R04_AU0100]:	
IF R04_AU0100 = 1, 2, DISPLAY "hoy".	
ELSE, IF R04_AU0100 = 3, DISPLAY "ayer".	
ELSE, IF R04_AU0100 = 4, DISPLAY "hace dos días".	

<b>PATH ID: R04_AU0103_LC1</b>	
La computadora registró que usted consumió snus [R04_AU0103] veces [hoy/ayer/hace dos días]. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AU0103
2 NEXT	GO TO R04_AU1130
ASK: IF R04_AU0103 > 20 OR R04_AU0103 = 11.	
DISPLAY: IF R04_AU0100 = 1, 2, DISPLAY "hoy".	
ELSE, IF R04_AU0100 = 3, DISPLAY "ayer".	
ELSE, IF R04_AU0100 = 4, DISPLAY "hace dos días".	

<b>PATH ID: R04_AU1130</b>	
En los últimos 30 días, ¿tenía alguno del snus que consumió sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?	
1 Sí	
2 No	GO TO R04_AU9041
3 No sé	GO TO R04_AU9041
-8 DON'T KNOW	GO TO R04_AU9041
-7 REFUSED	GO TO R04_AU9041
ASK: Adult respondents who have used snus in the past 30 days.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1131**

¿Qué sabores ha consumido en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Wintergreen, hierbabuena o frost
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored snus in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AU1147**

En los días en que consumió snus en los últimos 30 días, ¿con qué frecuencia consumió snus con sabor?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored snus in the past 30 days.

DISPLAY: UNDERLINE "con sabor".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU9041
¿Qué tipo de snus [consume/ha consumido]?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1 Bolsitas o saquitos de snus GO TO R04_AU1030
2 Snus suelto GO TO R04_AU1030
3 Bolsitas o saquitos de snus y snus suelto
-8 DON'T KNOW GO TO R04_AU1030
-7 REFUSED GO TO R04_AU1030
ASK: Current, experimental current, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "consume".
ELSE, DISPLAY "ha consumido".

<b>PATH ID:</b> R04_AU9042
Usted mencionó que ha consumido bolsitas o saquitos de snus y snus suelto. ¿Qué tipo de snus [consume/consumía] con más frecuencia?
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
1 Bolsitas o saquitos de snus
2 Snus suelto
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day snus users who have used both snus pouches and loose snus.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "consume".
ELSE, DISPLAY "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AU1030</b>
Las siguientes preguntas son acerca de su experiencia al comprar snus. [Piense en el tipo de snus que consume con más frecuencia cuando conteste estas preguntas.	
]Cómo [compra/compraba] normalmente snus para usted?	
1 En persona	
2 En Internet	GO TO R04_AU1042
3 Por teléfono	GO TO R04_AU1042
4 No compro mi propio snus	GO TO R04_AU1047
-8 DON'T KNOW	GO TO R04_AU1047
-7 REFUSED	GO TO R04_AU1047
ASK: Current, experimental current, and former 30 day snus users.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "compra".	
ELSE, DISPLAY "compraba".	
IF R04_AU9041 = 3, DISPLAY "Piense en el tipo de snus que consume con más frecuencia cuando conteste estas preguntas."	
ELSE, DO NOT DISPLAY THIS TEXT.	

<b>PATH ID:</b>	<b>R04_AU1032</b>
¿Normalmente [compra/compraba] snus...?	
1 En su propio estado	
2 En otro estado	
3 Fuera de Estados Unidos	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current, experimental current, and former 30 day snus users who usually buy snus in person.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2 DISPLAY "compra".	
ELSE, DISPLAY "compraba".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1033</b>
¿Dónde [compra/compraba] snus la mayoría del tiempo?
1    Una tienda de conveniencia o estación de gasolina
2    Un supermercado, tienda de comestibles o farmacia
3    Una tienda mayorista como Sam's o Costco
4    Una tienda especializada o un almacén de tabaco o una tabaquería
5    Una tienda libre de impuestos o un economato militar
6    Un bar, restaurante, casino o una taberna
7    Un amigo o familiar
8    Un mercadillo o mercado de pulgas
9    Una tienda de licores
10   En otra parte (ESPECIFIQUE)
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day snus users who usually buy snus in person. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>PATH ID:</b> <b>R04_AU1042</b>
¿Cuánto [paga normalmente/pagaba] por un envase de snus?
1    \$  __ __ __  Dólares .  __ __  Centavos
-8   DONT KNOW
-7   REFUSED
GO TO BOX R04_AUR52
GO TO BOX R04_AUR52
ASK: Current, experimental current, and former 30 day snus users who usually buy their own snus. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "paga normalmente". ELSE, DISPLAY "pagaba", DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID:</b> <b>R04_AU1042_LC1</b>
La computadora registró que usted pagó \$[R04_AU1042_D].[R04_AU1042_C] por un envase de snus.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK
2    NEXT
GO TO R04_AU1042
GO TO BOX R04_AUR52
ASK: IF R04_AU1042_D > 6 OR R04_AU1042_D < 1.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR52**

Current, experimental current, and former 30 day users who buy their own snus and usually use pouched snus, go to R04\_AU9001.  
Else, go to R04\_AU1047.

**PATH ID: R04\_AU9001**

¿Cuántas bolsitas o saquitos [hay/había] en el envase de snus que usted [compra/compraba] normalmente?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AU1047

-7 REFUSED

GO TO R04\_AU1047

ASK: Current, experimental current, and former 30 day users who buy their own snus and usually use pouched snus.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "hay" AND "compra".

ELSE, DISPLAY "había" and "compraba".

**PATH ID: R04\_AU9001\_LC1**

La computadora registró que hay [R04\_AU9001] bolsitas en el envase que compró.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AU9001

2 NEXT

GO TO R04\_AU9002

ASK: IF R04\_AU9001 > 50 OR R04\_AU9001 < 5.

**PATH ID: R04\_AU9002**

Aproximadamente, ¿cuántos días le [toma/tomaba] para acabar el envase de este tamaño?

1 |\_\_|\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AU1047

-7 REFUSED

GO TO R04\_AU1047

ASK: Current, experimental current, and former 30 day snus users who provided the number of pouches in the container of snus they usually buy.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "toma".

ELSE, DISPLAY "tomaba".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU9002_LC1</b>	
La computadora registró que le tomó [R04_AU9002] días para acabar el envase de snus.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AU9002
2 NEXT	GO TO R04_AU1047
ASK: IF R04_AU9002 > (R04_AU9001*7) OR R04_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.	

<b>PATH ID: R04_AU1047</b>	
¿[Tiene/Tenía] una marca habitual de snus que [consume/consumía] normalmente?	
1 Sí	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current, experimental current, recent former, and former 30 day snus users.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Tiene" AND "consume".	
ELSE, DISPLAY "Tenía" AND "consumía".	

<b>PATH ID: R04_AU1050</b>	
¿[Su marca habitual/La última marca] que [consume/consumía], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?	
1 Sí	
2 No	GO TO R04_AU1945
3 No sé	GO TO R04_AU1945
-8 DON'T KNOW	GO TO R04_AU1945
-7 REFUSED	GO TO R04_AU1945
ASK: Current, experimental current, recent former, and former 30 day snus users.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "Su marca habitual" AND "consume" AND "tiene".	
ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".	
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "Su marca habitual" AND "consumía" AND "tenía".	
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU1012
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.
1 Mentol o menta
2 Wintergreen, hierbabuena o frost
3 Clavo de olor o especias
4 Fruta
5 Chocolate
6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
7 Caramelos u otros sabores dulces
8 Otro sabor (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former and former 30 day snus users whose regular brand or last brand of snus used was flavored.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "es".
ELSE, DISPLAY "era".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>PATH ID:</b> R04_AU1945
¿Sabe el <u>nombre de la marca</u> de snus que [consume normalmente/consumió normalmente/consumió la última vez]?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former and former 30 day snus users.
DISPLAY: UNDERLINE "nombre de la marca".
IF R04_AU1047 = 1 AND R04_SNUS_USER_STATUS = 1, 2, DISPLAY "consume normalmente".
ELSE, IF R04_AU1047 = 1 AND R04_SNUS_USER_STATUS != 1, 2, DISPLAY "consumió normalmente".
ELSE, IF R04_AU1047 = 2, -8, -7, DISPLAY "consumió la última vez".

<b>BOX ID:</b> R04_AUR27
Respondents who know the name of their brand, go to R04_AU1048_BRAND.
Else, respondents who have a regular brand, go to R04_AU1051.
Else, go to Box R04_AUD03.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1048</b>
<p>¿Qué marca de snus [consume/consumió] [normalmente/la última vez]?</p> <p>Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]</p> <p style="margin-left: 40px;">1    Otra</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day snus users who know the brand name.</p> <p>DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."</p> <p>IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "consume" AND "normalmente".</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "consumió" AND "normalmente".</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".</p>

<b>BOX ID:</b> <b>R04_AUR16</b>
<p>If respondent selects an image for their brand, go to R04_AU1070_PRODUCT.</p> <p>Else, if respondent selects "Something else" for their brand, go to R04_AU1049.</p> <p>Else, go to Box R04_AUR25.</p>

<b>PATH ID:</b> <b>R04_AU1049</b>									
<p>Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 10%; padding-left: 40px;">1</td> <td style="width: 60%; border-bottom: 1px solid black; padding-left: 10px;"></td> <td style="width: 30%; text-align: right; padding-right: 10px;">GO TO BOX R04_AUR25</td> </tr> <tr> <td style="padding-left: 40px;">-8</td> <td style="padding-left: 10px;">DON'T KNOW</td> <td style="text-align: right; padding-right: 10px;">GO TO BOX R04_AUR25</td> </tr> <tr> <td style="padding-left: 40px;">-7</td> <td style="padding-left: 10px;">REFUSED</td> <td style="text-align: right; padding-right: 10px;">GO TO BOX R04_AUR25</td> </tr> </table> <p>ASK: Current, experimental current, recent former, and former 30 day snus users who selected "Something else" for their brand.</p>	1		GO TO BOX R04_AUR25	-8	DON'T KNOW	GO TO BOX R04_AUR25	-7	REFUSED	GO TO BOX R04_AUR25
1		GO TO BOX R04_AUR25							
-8	DON'T KNOW	GO TO BOX R04_AUR25							
-7	REFUSED	GO TO BOX R04_AUR25							

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1070</b>
Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra".]
1    Otra
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AU1048_BRAND.
IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "consume" AND "normalmente".
ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "consumió" AND "normalmente".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

<b>BOX ID:</b> <b>R04_AUR17</b>
If current, experimental current, recent former, or former 30 day snus user who selected a brand image, but selected "Something else" for their subbrand, go to R04_AU1071.
Else, go to Box R04_AUR25.

<b>PATH ID:</b> <b>R04_AU1071</b>
Usted dijo que el tipo de [BRANDFILL] que usted [consume/consumía] no está en las opciones. ¿Qué tipo es?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AU1048_BRAND.
IF R04_CURRENT_USER_SNUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "consume".
ELSE, DISPLAY "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR25**

Current, experimental current, recent former, and former 30 day snus users who have a regular brand of snus, go to R04\_AU1051.  
Else, go to Box R04\_AUR18.

**PATH ID: R04\_AU1051**

Aproximadamente, ¿cuánto tiempo [consumió/lleva consumiendo] su marca habitual de snus?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_AUR18

-7 REFUSED

GO TO BOX R04\_AUR18

ASK: Current, experimental current, recent former, and former 30 day snus users who have a regular brand.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

**PATH ID: R04\_AU1051\_LC1**

La computadora registró que usted [lleva consumiendo/consumió] su marca habitual de snus por [R04\_AU1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AU1051

2 NEXT

GO TO BOX R04\_AUR18

ASK: IF R04\_AU1051\_NN > R04\_ACHIEVEDAGE AND R04\_AU1051\_UN = 3.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "lleva consumiendo".

ELSE DISPLAY "consumió".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva consumiendo/consumió] su marca habitual de snus.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AU1051

2 NEXT

GO TO BOX R04\_AUR18

ASK: IF R04\_AU1051\_NN = 0.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "lleva consumiendo".

ELSE DISPLAY "consumió".

**BOX ID: R04\_AUR18**

Current, experimental current, and former 30 day snus users who used snus today, yesterday, or the day before yesterday and who know the name of their brand and selected a valid brand and a valid product, go to R04\_AU0104.

Else, go to Box R04\_AUD03.

**PATH ID: R04\_AU0104**

Anteriormente usted dijo que la última vez que consumió snus fue [TIME OF LAST USE].

Piense en la última vez que lo consumió.

¿Era la marca [NEQBRAND]?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who have used snus in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AU0100=1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R04\_AU0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R04\_AU0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R04\_AU0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AU1070\_PRODUCT.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUD03**

Randomize order of R04\_AU1060 through R04\_AU1076.

Display question R04\_AU1060, R04\_AU1085, R04\_AU1062, R04\_AU1075, R04\_AU1063, R04\_AU1064, R04\_AU1065, R04\_AU1067, R04\_AU1076 on one screen. Show the intro/transition text from R04\_AU1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

**PATH ID: R04\_AU1060**

Las siguientes preguntas son acerca de las razones por las que la gente consume snus. Seleccione las razones que [aplican a usted/aplicaban a usted cuando consumía snus].

[Consumo/Consumía] snus porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "aplican a usted", "Consumo" AND "Es".

ELSE, DISPLAY "aplicaban a usted cuando consumía snus", "Comsumía" AND "Era".

**PATH ID: R04\_AU1085**

[Puedo/Podía] consumir snus en ocasiones o en lugares donde no se [permite/ permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2 DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1062</b>
Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.
1    Sí
2    No
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AU1075</b>
Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AU1063</b>
El snus [viene/venía] en sabores que me [gustan/gustaban].
1    Sí
2    No
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "viene" AND "gustan".
ELSE, DISPLAY "venían" AND "gustaban".

<b>BOX ID:</b> <b>R04_AUR19</b>
Current, experimental current, recent former, and former 30 day snus users who are also current, experimental current, or recent former cigarette smokers, go to R04_AU1064.
Else, go to R04_AU1065.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1064</b>
Consumir snus le ayuda a la gente a dejar de fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who are also current, experimental current or recent former cigarette smokers.

<b>PATH ID:</b> <b>R04_AU1065</b>
El snus no huele.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.

<b>PATH ID:</b> <b>R04_AU1067</b>
El snus [es/era] más aceptable por personas que no consumen tabaco.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "es".
ELSE, DISPLAY "era".

<b>PATH ID:</b> <b>R04_AU1076</b>
Nadie se [da/daba] cuenta cuando [consumo/consumía] snus.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "da" AND "consumo".
ELSE, DISPLAY "daba" AND "consumía".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR20**

Current, experimental current, and former 30 day snus users who are also current or experimental current cigarette smokers, go to R04\_AU1086.  
 Else, recent former snus users who are current cigarette smokers, go to R04\_AU1080.  
 Else, current, experimental current, recent former, and former 30 day snus users who are recent former cigarette smokers, go to R04\_AU1080.  
 Else, go to R04\_AU1139.

**PATH ID: R04\_AU1086**

En los últimos 30 días, ¿ha consumido snus en ocasiones o en lugares donde no se podía fumar cigarrillos?

1	Sí	
2	No	GO TO R04_AU1080
-8	DON'T KNOW	GO TO R04_AU1080
-7	REFUSED	GO TO R04_AU1080

ASK: Current, experimental current, and former 30 day snus users who are also current or experimental current cigarette smokers.

**PATH ID: R04\_AU1087**

¿Con qué frecuencia [consume/consumía] snus en ocasiones o en lugares donde no puede fumar cigarrillos tradicionales?

1	Todos los días	
2	Algunos días	
3	Rara vez	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current, and former 30 day snus users who used snus at times when or in places where they could not smoke cigarettes.  
 DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "consume",  
 ELSE, IF R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1, DISPLAY "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1080</b>
¿[Consume/Consumía] snus como manera de disminuir su consumo de cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who are also current or recent former cigarette smokers.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Consume".
ELSE, DISPLAY "Consumía".

<b>PATH ID:</b> <b>R04_AU1139</b>
Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.
[Es/Era] más fácil hablar y llevarse bien con otras personas cuando consumo snus.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Es".
ELSE, DISPLAY "Era".
DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1140</b>
Al consumir snus, me [siento/sentía] más seguro con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "siento".
ELSE, DISPLAY "sentía".
DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

<b>PATH ID:</b> <b>R04_AU1141</b>
[Consumo/Consumía] snus mucho más cuando [estoy/estaba] con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Consumo" AND "estoy".
ELSE, DISPLAY "Consumía" AND "estaba".
DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **SMOKELESS TOBACCO**

**BOX ID: R04\_ASR08**

Aged-up and continuing adult respondents who were a former user, had used smokeless tobacco 100 or more times and had used fairly regularly as of the previous wave, and at the current wave has not used in the past 12 months or now uses not at all, go to Box R04\_ASV02.

Else, continue with Box R04\_AST02.

**BOX ID: R04\_AST02**

IF RESPONDENT USES ONLY SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 2 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

Las siguientes preguntas son acerca del **tabaco que no se fuma**, el cual la persona normalmente mastica, chupa o escupe.

Hay muchas clases de productos de tabaco que no se fuma, como por ejemplo el dip, el rapé o tabaco de inhalar, las bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly, Redman y Levi Garrett, pero hay muchas más.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

Acaba de responder preguntas sobre el snus. Las siguientes preguntas son acerca de su consumo de otros tipos de productos de **tabaco que no se fuma**, los cuales la persona normalmente mastica, chupa o escupe.

Hay muchas clases de tabaco que no se fuma, como por ejemplo el dip, el rapé o tabaco de inhalar, las bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly, Redman y Levi Garrett, pero hay muchas más.

En las preguntas se usará la frase "**tabaco que no se fuma**" para referirse a estos productos. Piense en su consumo de tabaco que no se fuma, sin incluir el snus, cuando conteste estas preguntas.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR07**

New cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1006\_RS.

Else, aged-up and continuing adult respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times in the previous wave, go to R04\_AS1005.

Else, aged-up and continuing adult respondents who have ever used smokeless tobacco and had never used fairly regularly in the previous wave, go to R04\_AS1100.

Else, go to Box R04\_ASV02.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1005**

¿Cuántas veces ha consumido en toda su vida tabaco que no se fuma?

- 1 Una a 10
- 2 11 a 20
- 3 21 a 50
- 4 51 a 99
- 5 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used smokeless tobacco and had not used 100 or more times in the previous wave, and new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR10**

Aged up and continuing adult respondents who have ever used smokeless tobacco and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1100.

Else, go to Box R04\_ASV02.

**PATH ID: R04\_AS1100**

¿Alguna vez ha consumido tabaco que no se fuma habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used smokeless tobacco and had never used fairly regularly in the previous wave and new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR11**

New baseline adult respondents that have ever used smokeless tobacco fairly regularly, go to R04\_AS1007\_NB.

Else, go to Box R04\_ASV02.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1121_NB</b>
<p>La primera vez que comenzó a consumir tabaco que no se fuma habitualmente, ¿tenía...?</p> <p>1    menos de 18 años de edad,  2    entre 18 y 24 años de edad,  3    entre 25 y 34 años de edad,  4    entre 35 y 44 años de edad,  5    entre 45 y 54 años de edad o  6    55 años de edad o más?  -8    DON'T KNOW  -7    REFUSED</p> <p>ASK: New baseline adult respondents who did not know or refused to report the age they first started using smokeless tobacco fairly regularly.</p>	

<b>BOX ID:</b>	<b>R04_ASV02</b>
<p>PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):</p> <p><b>R04_SMKLS_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use every day or some days.</p> <p><b>R04_SMKLS_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever used smokeless tobacco and have never used fairly regularly, and now use every day or some days.</p> <p><b>R04_SMKLS_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever used smokeless tobacco and have never used fairly regularly and did not use in the past 12 months or now uses not at all.</p> <p><b>R04_SMKLS_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former smokeless tobacco users at the previous wave and aged-up adult respondents who ever used smokeless tobacco at the previous wave, who have ever used smokeless tobacco fairly regularly, and did not use smokeless tobacco in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since the previous wave, who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all.</p> <p><b>R04_SMKLS_USER_STATUS = 5 (Long-term former user)</b> Adult respondents who were former smokeless tobacco users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, who have not used smokeless tobacco in the past 12 months.</p> <p><b>R04_CURRENT_SMKLS_USE = 1 (Every day user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use every day.</p> <p><b>R04_CURRENT_SMKLS_USE = 2 (Some day user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use some days.</p> <p><b>R04_FORMER_THIRTYDAY_USER_SMKLS = 1</b> Adult respondents who are experimental former, recent former, or long-term former smokeless tobacco users who used in the past 30 days.</p>	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_ASR02
New baseline respondents that are every day smokeless tobacco users, go to R04_AS1020_NB. Else, go to Box R04_ASR12.

<b>PATH ID:</b> R04_AS1020_NB
¿Qué edad tenía la primera vez que comenzó a consumir tabaco que no se fuma todos los días?
1  __ __  Años
-8 DON'T KNOW GO TO R04_AS1122_NB
-7 REFUSED GO TO R04_AS1122_NB
ASK: New baseline adult respondents who are every day smokeless tobacco users.
DISPLAY: DISPLAY "Años" AS A TITLE.

<b>PATH ID:</b> R04_AS1020_NB_LC1
La computadora registró que usted comenzó a consumir tabaco que no se fuma todos los días a la edad de [R04_AS1020_NB] años.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AS1020_NB
2 NEXT GO TO BOX R04_ASR12
ASK: IF R04_AS1020_NB <= 8 OR R04_AS1020_NB < R04_AS1007_NB.

<b>PATH ID:</b> R04_AS1020_NB_LC2
La computadora registró que usted comenzó a consumir tabaco que no se fuma todos los días a la edad de [R04_AS1020_NB] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AS1020_NB
2 NEXT GO TO BOX R04_ASR12
ASK: IF R04_AS1020_NB > R04_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1122\_NB**

La primera vez que comenzó a consumir tabaco que no se fuma todos los días, ¿tenía...?

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they first started using smokeless tobacco every day.

**BOX ID: R04\_ASR12**

Aged-up and continuing adult respondents who initiated smokeless tobacco use since the previous wave, and new cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1008. Else, go to Box R04\_ASR50.

**PATH ID: R04\_AS1008**

La primera vez que comenzó a consumir tabaco que no se fuma, ¿consumió tabaco que no se fuma con sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otro sabor dulce?

- 1 Sí
- 2 No GO TO BOX R04\_ASR50
- 3 No sé GO TO BOX R04\_ASR50
- 8 DON'T KNOW GO TO BOX R04\_ASR50
- 7 REFUSED GO TO BOX R04\_ASR50

ASK: Aged-up and continuing adult respondents who initiated smokeless tobacco use since the previous wave, and new cohort adult respondents who have ever used smokeless tobacco.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1011</b>
¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan.
1    Mentol o menta
2    Wintergreen, hierbabuena o frost
3    Clavo de olor o especias
4    Fruta
5    Chocolate
6    Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
7    Caramelos u otros sabores dulces
8    Otro sabor (ESPECIFIQUE)
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who initiated smokeless tobacco use with flavored smokeless tobacco. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>BOX ID:</b> <b>R04_ASR50</b>
New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former smokeless tobacco users, go to R04_AS1025_RS. Else, go to Box R04_ASR09.

<b>PATH ID:</b> <b>R04_AS1025_RS</b>
Alrededor de esta época hace 12 meses, ¿consumía tabaco que no se fuma todos los días, algunos días o nunca?
1    Todos los días
2    Algunos días
3    Nunca
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former smokeless tobacco users.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_ASR09
Every day smokeless tobacco users, go to R04_AS1021. Else, some day or experimental current smokeless tobacco users, and former or experimental former users who have used in the past 30 days, go to R04_AS1022. Else, if recent former smokeless tobacco users, go to R04_AS1047. Else, experimental former and long-term former smokeless tobacco users, go to next section.

<b>PATH ID:</b> R04_AS1021
En promedio, ¿aproximadamente cuántas veces consume tabaco que no se fuma cada día actualmente?
1  __ __
-8 DON'T KNOW GO TO R04_AS1024
-7 REFUSED GO TO R04_AS1024
ASK: Every day smokeless tobacco users.

<b>PATH ID:</b> R04_AS1021_LC1
La computadora registró que en promedio actualmente usted consume tabaco que no se fuma [R04_AS1021] veces al día. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AS1021
2 NEXT GO TO R04_AS1024
ASK: IF R04_AS1021 > 20.

<b>PATH ID:</b> R04_AS1022
¿Durante cuántos de los últimos 30 días consumió usted tabaco que no se fuma?
1  __ __  DÍAS
-8 DON'T KNOW
-7 REFUSED
ASK: Some day and experimental current smokeless users who have used in the past 30 days, and former 30 day smokeless tobacco users.
DISPLAY: DISPLAY "DÍAS" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR13**

If respondent enters "0" for R04\_AS1022 and is a some day or experimental current smokeless tobacco user, go to R04\_AS9029.

Else, if respondent enters "0" for R04\_AS1022 and is a former 30 day user of smokeless tobacco, go to Box R04\_ASR26.

Else, go to R04\_AS1023.

**PATH ID: R04\_AS9029**

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió tabaco que no se fuma?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_ASR26

-7 REFUSED

GO TO BOX R04\_ASR26

ASK: Some day and experimental current smokeless tobacco users who have not used in the past 30 days.

**PATH ID: R04\_AS9029\_LC1**

La computadora registró que la última vez que consumió tabaco que no se fuma fue hace [R04\_AS9029] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS9029

2 NEXT

GO TO BOX R04\_ASR26

ASK: IF (R04\_AS9029\_NN <30 AND R04\_AS9029\_UN = 1) OR (R04\_AS9029\_NN <1 AND R04\_AS9029\_UN = 2) OR (R04\_AS9029\_NN > 18 AND R04\_AS9029\_UN = 2) OR (R04\_AS9029\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AS9029\_UN = 3).

DISPLAY: IF R04\_AS9029 REPORTED IN DAYS, DISPLAY "días".

IF R04\_AS9029 REPORTED IN MONTHS DISPLAY "meses".

IF R04\_AS9029 REPORTED IN YEARS, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AS1023
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AS1022 días/días en que consumió], ¿cuántas veces consumió normalmente tabaco que no se fuma cada día?
1  __ __
-8 DON'T KNOW GO TO BOX R04_ASR26
-7 REFUSED GO TO BOX R04_ASR26
ASK: Some day, experimental current, and former thirty day smokeless tobacco users who have used at least one day in past 30 days.
DISPLAY: IF R04_AS1022 = 1, -8, -7, DISPLAY "días en que consumió".
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AS1022 AND days reported in R04_AC1022 and "días" (ex. "2 días").

<b>PATH ID:</b> R04_AS1023_LC1
La computadora registró que en sus días de consumo en los últimos 30 días, usted consumió tabaco que no se fuma [R04_AS1023] veces al día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AS1023
2 NEXT GO TO BOX R04_ASR26
ASK: IF R04_AS1023 > 20.

<b>BOX ID:</b> R04_ASR26
Current and experimental current smokeless tobacco users, go to R04_AS1024.
Else, former 30 day smokeless tobacco users, go to R04_AS1024_30D.
Else, go to next section.

<b>PATH ID:</b> R04_AS1024
[En los días que consume tabaco que no se fuma, ¿qué/¿Qué] tan pronto después de que se despierta consume normalmente su primer producto de tabaco que no se fuma del día? Anote los minutos o las horas.
1  __ __ __  Minutos después de despertarse
2  __ __ __  Horas después de despertarse
-8 DON'T KNOW GO TO R04_AS1092
-7 REFUSED GO TO R04_AS1092
ASK: Current and experimental current smokeless tobacco users.
DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "¿Qué".
ELSE DISPLAY "En los días que consume tabaco que no se fuma, ¿qué".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1024_LC1</b>	
La computadora registró que usted normalmente consume su primer producto de tabaco que no se fuma [R04_AS1024_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AS1024
2 NEXT	GO TO BOX R04_ASR28
ASK: IF [R04_CURRENT_SMKLS_USE = 1 AND ((R04_AS1024_NN > 60 AND R04_AS1024_NN = 1) OR (R04_AS1024_NN > 4 AND R04_AS1024_NN = 2))] OR [(R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2) AND ((R04_AS1024_NN > 60 AND R04_AS1024_UN = 1) OR (R04_AS1024_NN > 12 AND R04_AS1024_UN = 2))].	
DISPLAY: IF R04_AS1024_UN = 1, DISPLAY "minutos".	
ELSE, IF R04_AS1024_UN = 2 DISPLAY "horas".	

<b>PATH ID: R04_AS1024_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted consume su primer producto de tabaco que no se fuma del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AS1024
2 NEXT	GO TO BOX R04_ASR28
ASK: IF R04_AS1024_NN = 0.	

<b>PATH ID: R04_AS1092</b>	
[En los días en que consume tabaco que no se fuma, ¿diría/¿Diría] usted que consume su primer producto de tabaco que no se fuma del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO BOX R04_ASR28
2 No	GO TO BOX R04_ASR28
3 Depende	GO TO BOX R04_ASR28
-8 DON'T KNOW	GO TO BOX R04_ASR28
-7 REFUSED	GO TO BOX R04_ASR28
ASK: Current and experimental current smokeless tobacco users who did not know or refused to report how soon after waking up they first use smokeless tobacco.	
DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "¿Diría".	
ELSE, DISPLAY "En los días en que consume tabaco que no se fuma, ¿diría".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1024\_30D**

En los días en que consumía tabaco que no se fuma, ¿qué tan pronto después de que se despertaba consumía normalmente su primer producto de tabaco que no se fuma del día? Anote los minutos o las horas.

1 |\_\_|\_\_|\_\_| Minutos después de despertarse

2 |\_\_|\_\_|\_\_| Horas después de despertarse

-8 DON'T KNOW

GO TO R04\_AS1092\_30D

-7 REFUSED

GO TO R04\_AS1092\_30D

ASK: Former 30 day smokeless tobacco users.

**PATH ID: R04\_AS1024\_30D\_LC1**

La computadora registró que usted normalmente consumía su primer producto de tabaco que no se fuma [R04\_AS1024\_30D\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS1024\_30D

2 NEXT

GO TO BOX R04\_ASR28

ASK: IF (R04\_AS1024\_30D\_NN > 60 AND R04\_AS1024\_30D\_UN = 1) OR (R04\_AS1024\_30D\_NN > 12 AND R04\_AS1024\_30D\_UN = 2).

DISPLAY: IF R04\_AS1024\_30D\_UN = 1, DISPLAY "minutos".

ELSE, IF R04\_AS1024\_30D\_UN = 2, DISPLAY "horas".

**PATH ID: R04\_AS1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasó hasta que usted consumió su primer producto de tabaco que no se fuma después de despertarse.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS1024\_30D

2 NEXT

GO TO BOX R04\_ASR28

ASK: IF R04\_AS1024\_30D\_NN = 0.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1092_30D</b>
<p>En los días en que consumía tabaco que no se fuma, ¿diría usted que consumía su primer producto de tabaco que no se fuma del día durante los primeros 30 minutos después de que se despertaba?</p> <p style="margin-left: 40px;">1   Sí</p> <p style="margin-left: 40px;">2   No</p> <p style="margin-left: 40px;">3   Depende</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Former 30 day smokeless tobacco users who did not know or refused to report how soon after they woke up they first used smokeless tobacco.</p>

<b>BOX ID:</b> <b>R04_ASR28</b>
<p>Adult respondents who have used smokeless tobacco in the past 30 days, go to R04_AS0100.  Else, go to R04_AS9041.</p>

<b>PATH ID:</b> <b>R04_AS0100</b>														
<p>¿Cuándo fue la última vez que consumió tabaco que no se fuma [sin incluir snus]?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1   Hace menos de una hora</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AS0103</td> </tr> <tr> <td style="padding-left: 40px;">2   Hoy</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">3   Ayer</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">4   Hace dos días</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">5   Hace tres o más días</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AS1130</td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AS1130</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AS1130</td> </tr> </table> <p>ASK: Adult respondents who used smokeless tobacco in the past 30 days.  DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "sin incluir snus".  ELSE, DO NOT DISPLAY THIS TEXT.</p>	1   Hace menos de una hora	GO TO R04_AS0103	2   Hoy		3   Ayer		4   Hace dos días		5   Hace tres o más días	GO TO R04_AS1130	-8   DON'T KNOW	GO TO R04_AS1130	-7   REFUSED	GO TO R04_AS1130
1   Hace menos de una hora	GO TO R04_AS0103													
2   Hoy														
3   Ayer														
4   Hace dos días														
5   Hace tres o más días	GO TO R04_AS1130													
-8   DON'T KNOW	GO TO R04_AS1130													
-7   REFUSED	GO TO R04_AS1130													

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS0102</b>
La última vez que consumió tabaco que no se fuma [FILL BASED ON R04_AS0100] [sin incluir snus], ¿fue...?	
	<ul style="list-style-type: none"> <li>1 Entre la medianoche y las 6 de la mañana</li> <li>2 Entre las 6 de la mañana y el mediodía</li> <li>3 Entre el mediodía y las 6 de la tarde</li> <li>4 Entre las 6 de la tarde y la medianoche</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
ASK: Adult respondents who have used smokeless tobacco today, yesterday, or the day before yesterday, but not in the past hour.	
DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "sin incluir snus".	
ELSE, DO NOT DISPLAY THIS TEXT.	
FOR [FILL BASED ON R04_AS0100]:	
IF R04_AS0100 = 2, DISPLAY "hoy".	
ELSE, IF R04_AS0100 = 3, DISPLAY "ayer".	
ELSE, IF R04_AS0100 = 4, DISPLAY "hace dos días".	

<b>PATH ID:</b>	<b>R04_AS0103</b>
¿Cuántas veces [ha consumido/consumió] tabaco que no se fuma [FILL BASED ON R04_AS0100] [sin incluir snus]?	
	<ul style="list-style-type: none"> <li>1  _ _ _ </li> <li>-8 DON'T KNOW GO TO R04_AS1130</li> <li>-7 REFUSED GO TO R04_AS1130</li> </ul>
ASK: Adult respondents who have used smokeless tobacco in the past hour, today, yesterday, or the day before yesterday.	
DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "sin incluir snus".	
ELSE, DO NOT DISPLAY THIS TEXT.	
IF R04_AS0100 = 1, 2, DISPLAY "ha consumido".	
ELSE, IF R04_AS0100 = 3, 4, DISPLAY "consumio".	
FOR [FILL BASED ON R04_AS0100]:	
IF R04_AS0100 = 1, 2, DISPLAY "hoy".	
ELSE, IF R04_AS0100 = 3, DISPLAY "ayer".	
ELSE, IF R04_AS0100 = 4, DISPLAY "hace dos días".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AS0103_LC1
La computadora registró que usted consumió tabaco que no se fuma [R04_AS0103] veces [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AS0103
2 NEXT GO TO R04_AS1130
ASK: IF R04_AS0103 > 20 OR R04_AS0103 = 11.
DISPLAY: IF R04_AS0100 = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AS0100 = 3, DISPLAY "ayer".
ELSE, IF R04_AS0100 = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AS1130
En los últimos 30 días, ¿tenía el tabaco que no se fuma que consumió sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?
1 Sí
2 No GO TO R04_AS9041
3 No sé GO TO R04_AS9041
-8 DON'T KNOW GO TO R04_AS9041
-7 REFUSED GO TO R04_AS9041
ASK: Adult respondents who have used smokeless tobacco in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1131**

¿Qué sabores ha consumido en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Wintergreen, hierbabuena o frost
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored smokeless tobacco in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AS1147**

En los días en que consumió tabaco que no se fuma en los últimos 30 días, ¿con qué frecuencia consumió tabaco que no se fuma con sabor?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored smokeless tobacco in the past 30 days.

DISPLAY: UNDERLINE "con sabor".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AS9041
¿Qué tipo de tabaco que no se fuma [consume/ha consumido]?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]
1 Tabaco que no se fuma suelto (como dip o tabaco de mascar) GO TO R04_AS1030
2 Bolsitas o saquitos de tabaco que no se fuma (sin incluir snus) GO TO R04_AS1030
3 Tabaco que no se fuma suelto y bolsitas de tabaco que no se fuma
-8 DON'T KNOW GO TO R04_AS1030
-7 REFUSED GO TO R04_AS1030
ASK: Current, experimental current, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "consume".
ELSE, DISPLAY "ha consumido".

<b>PATH ID:</b> R04_AS9042
Usted mencionó que ha consumido tanto tabaco que no se fuma suelto como bolsitas de tabaco que no se fuma. ¿Qué tipo de tabaco que no se fuma [consume/consumía] con más frecuencia?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]
1 Tabaco que no se fuma suelto (como dip o tabaco de mascar)
2 Bolsitas o saquitos de tabaco que no se fuma (sin incluir snus)
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day smokeless tobacco users who have used both loose and pouched smokeless tobacco.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "consume".
ELSE, DISPLAY "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1030</b>	
Las siguientes preguntas son acerca de su experiencia al comprar tabaco que no se fuma. [Piense en el tipo de tabaco que no se fuma que consume con más frecuencia cuando conteste estas preguntas.		
]Normalmente, ¿cómo [compra/compraba] tabaco que no se fuma para usted mismo?		
1	En persona	
2	En Internet	GO TO R04_AS1042
3	Por teléfono	GO TO R04_AS1042
4	No compro mi propio tabaco que no se fuma	GO TO R04_AS1047
-8	DON'T KNOW	GO TO R04_AS1047
-7	REFUSED	GO TO R04_AS1047
ASK: Current, experimental current, and former 30 day smokeless tobacco users.		
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "consume".		
ELSE, DISPLAY "consumía".		
IF R04_AS9041 = 3, DISPLAY "Piense en el tipo de tabaco que no se fuma que consume con más frecuencia cuando conteste estas preguntas".		
ELSE, DO NOT DISPLAY THIS TEXT.		

<b>PATH ID:</b>	<b>R04_AS1032</b>	
Normalmente, ¿[compra/compraba] tabaco que no se fuma...?		
1	En su propio estado	
2	En otro estado	
3	Fuera de Estados Unidos	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy smokeless tobacco in person.		
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "compra".		
ELSE, DISPLAY "compraba".		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1033**

¿Dónde [compra/compraba] su tabaco que no se fuma la mayoría del tiempo?

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda de licores
- 10 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy smokeless tobacco in person.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1 OR 2, DISPLAY "compra".

ELSE, DISPLAY "compraba".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AS1042**

¿Cuánto [paga normalmente/pagaba] por un envase de tabaco que no se fuma?

- 1 \$ |\_\_|\_\_|\_\_| Dólares . |\_\_|\_\_| Centavos
- 8 DON'T KNOW GO TO BOX R04\_ASR52
- 7 REFUSED GO TO BOX R04\_ASR52

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy their own smokeless tobacco.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "paga normalmente".

ELSE, DISPLAY "pagaba".

DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1042\_LC1**

La computadora registró que usted pagaba \$[R04\_AS1042\_D].[R04\_AS1042\_C] por un envase de tabaco que no se fuma.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS1042

2 NEXT

GO TO BOX R04\_ASR52

ASK: IF R04\_AS1042\_D > 6 OR R04\_AS1042\_D < 1.

**BOX ID: R04\_ASR52**

Current, experimental current, and former 30 day users who buy their own smokeless tobacco and usually use pouched smokeless tobacco, go to R04\_AS9001.

Else, go to R04\_AS1047.

**PATH ID: R04\_AS9001**

¿Cuántas bolsitas o saquitos [hay/había] en el envase de tabaco que no se fuma que usted [compra/compraba] normalmente?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AS1047

-7 REFUSED

GO TO R04\_AS1047

ASK: Current, experimental current, and former 30 day users who buy their own smokeless tobacco and usually use pouched smokeless tobacco.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "hay" AND "compra".

ELSE, DISPLAY "había" and "compraba".

**PATH ID: R04\_AS9001\_LC1**

La computadora registró que hay [R04\_AS9001] bolsitas en el envase que compró.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS9001

2 NEXT

GO TO R04\_AS9002

ASK: IF R04\_AS9001 > 50 OR R04\_AS9001 < 5.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS9002</b>	
Aproximadamente, ¿cuántos días le [toma/tomaba] para acabar el envase de este tamaño?		
1	_ _ _ _	
-8	DON'T KNOW	GO TO R04_AS1047
-7	REFUSED	GO TO R04_AS1047
ASK: Current, experimental current, and former 30 day pouched smokeless tobacco users who provided the number of pouches in the container they usually buy.		
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "toma".		
ELSE, DISPLAY "tomaba".		

<b>PATH ID:</b>	<b>R04_AS9002_LC1</b>	
La computadora registró que le tomó [R04_AU9002] días para acabar el envase de tabaco que no se fuma.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AS9002
2	NEXT	GO TO R04_AS1047
ASK: IF R04_AS9002 > (R04_AS9001*7) OR R04_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.		

<b>PATH ID:</b>	<b>R04_AS1047</b>
¿[Tiene/Tenía] una marca habitual de tabaco que no se fuma que normalmente [consume/consumía]?	
1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.	
DISPLAY: R04_SMKLS_USER_STATUS = 1 OR 2, DISPLAY "Tiene" AND "consume".	
ELSE, DISPLAY "Tenía" AND "fumaba".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1050</b>		
¿[Su marca habitual/La última marca] que [consume/ consumía], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?			
	1	Sí	
	2	No	GO TO R04_AS1945
	3	No sé	GO TO R04_AS1945
	-8	DON'T KNOW	GO TO R04_AS1945
	-7	REFUSED	GO TO R04_AS1945
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.			
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "Su marca habitual" AND "consume" AND "tiene".			
ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".			
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "Su marca habitual" AND "consumía" AND "tenía".			
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "La última marca" and "consumía" and "tenía".			

<b>PATH ID:</b>	<b>R04_AS1012</b>		
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.			
	1	Mentol o menta	
	2	Wintergreen, hierbabuena o frost	
	3	Clavo de olor o especias	
	4	Fruta	
	5	Chocolate	
	6	Una bebida alcohólica (como vino, brandy, margarita u otro coctel)	
	7	Caramelos u otros sabores dulces	
	8	Otro sabor (ESPECIFIQUE)	
	-8	DON'T KNOW	
	-7	REFUSED	
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.			
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "es".			
ELSE, DISPLAY "era".			
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."			

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1945</b>
¿Sabe el <u>nombre de la marca</u> de tabaco que no se fuma que [consume normalmente/consumió normalmente/consumió la última vez]?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former or past 30 day smokeless tobacco users.
DISPLAY: UNDERLINE "nombre de la marca".
IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "consume normalmente".
ELSE, IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS != 1, 2, DISPLAY "consumió normalmente".
ELSE, IF R04_AS1047 = 2, -8, -7, DISPLAY "consumió la última vez".

<b>BOX ID:</b> <b>R04_ASR27</b>
Respondents who know the name of their brand, go to R04_AS1048_BRAND.
Else, respondents who have a regular brand, go to R04_AS1051.
Else, go to Box R04_ASD03.

<b>PATH ID:</b> <b>R04_AS1048</b>
¿Qué marca de tabaco que no se fuma [consume/consumió] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]
1    Otra
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "consume" AND "normalmente".
ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "consumió" AND "normalmente".
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR16**

If respondent selects an image for their brand, go to R04\_AS1070\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AS1049.  
 Else, go to Box R04\_ASR25.

**PATH ID: R04\_AS1049**

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

1	_____	GO TO BOX R04_ASR25
-8	DON'T KNOW	GO TO BOX R04_ASR25
-7	REFUSED	GO TO BOX R04_ASR25

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected "Something else" for their brand.

**PATH ID: R04\_AS1070**

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?

Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra".]

1	Otra	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AS1048\_BRAND.

IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF (R04\_SMKLS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF (R04\_SMKLS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR17**

If current, experimental current, recent former, or former 30 day smokeless tobacco user who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AS1071.  
Else, go to Box R04\_ASR25.

**PATH ID: R04\_AS1071**

Usted dijo que el tipo de [BRANDFILL] que usted [consume/consumía] no está en las opciones. ¿Qué tipo es?

- 1 \_\_\_\_\_  
-8 DON'T KNOW  
-7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected a brand image, but selected "Something else" for their subbrand image.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AS1048\_BRAND.

IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 1, DISPLAY "consume".

ELSE, DISPLAY "consumía".

**BOX ID: R04\_ASR25**

Current, experimental current, recent former, and former 30 day smokeless tobacco users who have a regular brand of smokeless tobacco, go to R04\_AS1051.  
Else, go to Box R04\_ASR18.

**PATH ID: R04\_AS1051**

Aproximadamente, ¿cuánto tiempo [llevó/lleva] consumiendo su marca habitual de tabaco que no se fuma?

- 1 |\_\_|\_\_| DÍAS  
2 |\_\_|\_\_| MESES  
3 |\_\_|\_\_| AÑOS  
-8 DON'T KNOW GO TO BOX R04\_ASR18  
-7 REFUSED GO TO BOX R04\_ASR18

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who have a regular brand.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "lleva".

ELSE, DISPLAY "llevó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1051\_LC1**

La computadora registró que usted [lleva consumiendo/consumió] su marca habitual de tabaco que no se fuma por [R04\_AS1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1051    |
| 2 | NEXT | GO TO BOX R04_ASR18 |

ASK: IF (R04\_AS1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AS1051\_UN = 3.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2 DISPLAY "lleva consumiendo".

ELSE DISPLAY "consumió".

**PATH ID: R04\_AS1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva consumiendo/consumió] su marca habitual de tabaco que no se fuma.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1051    |
| 2 | NEXT | GO TO BOX R04_ASR18 |

ASK: IF R04\_AS1051\_NN = 0.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2 DISPLAY "lleva consumiendo".

ELSE DISPLAY "consumió".

**BOX ID: R04\_ASR18**

Current, experimental current, and former 30 day smokeless tobacco users who used smokeless tobacco today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and a valid product, go to R04\_AS0104.

Else, go to Box R04\_ASD03.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS0104**

Anteriormente usted dijo que consumió tabaco que no se fuma [TIME OF LAST USE].

Piense en la última vez que lo consumió.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who have used smokeless tobacco in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AS0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R04\_AS0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R04\_AS0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R04\_AS0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AS1070\_PRODUCT.

**BOX ID: R04\_ASD03**

Randomize order of R04\_AS1060 through R04\_AS1067.

Display question R04\_AS1060, R04\_AS1085, R04\_AS1062, R04\_AS1075, R04\_AS1063, R04\_AS1064, R04\_AS1065, R04\_AS1067 on one screen. Show the intro/transition text from R04\_AS1060 first, then show each item with a Sí/No response. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1060**

Las siguientes preguntas son acerca de las razones por las que la gente consume tabaco que no se fuma. Seleccione las razones que [aplican a usted/aplicaban a usted cuando consumía tabaco que no se fuma].

[Consumo/Consumía] tabaco que no se fuma porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "aplican a usted", "Consumo" AND "Es".  
ELSE, DISPLAY "aplicaban a usted cuando consumía tabaco que no se fuma", "Consumía" AND "Era".

**PATH ID: R04\_AS1085**

[Puedo/Podía] consumir tabaco que no se fuma en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "Puedo" AND "permite".  
ELSE, DISPLAY "Podía" AND "permitía".

**PATH ID: R04\_AS1062**

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "ser".  
ELSE, DISPLAY "haber sido".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1075</b>
Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AS1063</b>
El tabaco que no se fuma [viene/venía] en sabores que me [gustan/gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "viene" AND "gustan".
ELSE, DISPLAY "venía" AND "gustaban".

<b>BOX ID:</b> <b>R04_ASR19</b>
Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current, experimental current or recent former cigarette smokers, go to R04_AS1064.
Else, go to R04_AS1065.

<b>PATH ID:</b> <b>R04_AS1064</b>
Consumir tabaco que no se fuma le ayuda a la gente a dejar de fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current, experimental current or recent former cigarette smokers.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1065</b>
El tabaco que no se fuma no huele.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

<b>PATH ID:</b> <b>R04_AS1067</b>
El tabaco que no se fuma [es/era] más aceptable por personas que no consumen tabaco.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "es".
ELSE, DISPLAY "era".

<b>BOX ID:</b> <b>R04_ASR20</b>
Current, experimental current, and former 30 day smokeless tobacco users who are also current or experimental current cigarette smokers, go to R04_AS1086.
Else, recent former smokeless tobacco users who are current cigarette smokers, go to R04_AS1080.
Else, current, experimental current, recent former, and former 30 day smokeless tobacco users who are recent former cigarette smokers, go to R04_AS1080.
Else, go to R04_AS1139.

<b>PATH ID:</b> <b>R04_AS1086</b>
En los últimos 30 días, ¿ha consumido tabaco que no se fuma en ocasiones o en lugares donde no se podía fumar cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AS1080
GO TO R04_AS1080
GO TO R04_AS1080
ASK: Current, experimental current, and former 30 day smokeless tobacco users, who are also current or experimental current cigarette smokers.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1087</b>
¿Con qué frecuencia [consume/consumía] tabaco que no se fuma en ocasiones o en lugares donde no puede fumar cigarrillos tradicionales?
1    Todos los días
2    Algunos días
3    Rara vez
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day smokeless tobacco users who used smokeless tobacco at times when or in places where they could not smoke cigarettes.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "consume".
ELSE, DISPLAY "consumía".

<b>PATH ID:</b> <b>R04_AS1080</b>
¿[Consume/Consumía] tabaco que no se fuma como manera de disminuir su consumo de cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current or recent former cigarette smokers.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "consume".
ELSE, DISPLAY "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1139**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando consumo tabaco que no se fuma.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2 DISPLAY "Es",  
ELSE, DISPLAY "Era".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH ID: R04\_AS1140**

Al consumir tabaco que no se fuma, me [siento/sentía] más seguro con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "siento".  
ELSE, DISPLAY "sentía".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1141**

[Consumo/Consumía] tabaco que no se fuma mucho más cuando [estoy/estaba] con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "Consumo" AND "estoy".

ELSE, DISPLAY "Consumía" AND "estaba".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## NEW PRODUCT - PLACEHOLDER

<b>BOX ID:</b> R04_AZV01
CREATE THE FOLLOWING VARIABLE AND SET = 2: R04_NEW_PRODUCT_SECTION.

<b>BOX ID:</b> R04_AZR01
If R04_NEW_PRODUCT_SECTION = 1, continue with R04_AZ1005. Else, go to Box R04_ANV01.

<b>PATH ID:</b> R04_AZ1005
¿Cuántos [ <i>units of tobacco product</i> ] ha [fumado/consumido] en toda su vida?
1 Una o más [units] pero nunca uno completo
2 1 a 10
3 11 a 20
4 21 a 50
5 51 a 99
6 100 o más
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents (if the new product section is active).

<b>PATH ID:</b> R04_AZ1008	
La primera vez que comenzó a [fumar/consumir] [ <i>tobacco product</i> ], ¿tenían sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otro sabor dulce?	
1 Sí	
2 No	GO TO R04_AZ9029
3 No sé	GO TO R04_AZ9029
-8 DON'T KNOW	GO TO R04_AZ9029
-7 REFUSED	GO TO R04_AZ9029
ASK: Adult respondents who have ever used [ <i>tobacco product</i> ].	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AZ1011**

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used flavored [tobacco product].

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AZ9029**

Aproximadamente, ¿cuánto tiempo hace desde la última vez que le dio [*insert usage term*] a [*tobacco product*]?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used [tobacco product].

**PATH ID: R04\_AZ1100**

Alguna vez, ¿ha [fumado/consumido] [*tobacco product*] de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used [tobacco product].

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**POLYUSE**

<b>BOX ID:</b>	<b>R04_ANV01</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):	
<b>R04_CURRENT_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses every day or some days.	
<b>R04_SOME_DAY_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses some days.	
<b>R04_EVERY_DAY_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses every day.	
<b>R04_TOBACCO_PRODUCT_LIST</b> = A list of all the tobacco products the respondent currently uses.	
<b>R04_EVER_NEVER_TOBACCO = 1 (Ever)</b> Adult respondents who have ever used any tobacco product.	
<b>R04_EVER_NEVER_TOBACCO = 2 (Never)</b> Adult respondents who have never used any tobacco product.	
<b>R04_TOBACCO_USER_STATUS = 1 (Current)</b> Adult respondents that currently use at least one tobacco product.	
<b>R04_TOBACCO_USER_STATUS = 2 (Experimental current)</b> Adult respondents who are an experimental current user of at least one tobacco product, and not a current established user of any other product.	
<b>R04_TOBACCO_USER_STATUS = 3 (Experimental former)</b> Adult respondents who are an experimental former user of at least one tobacco product, and not a current established user of any other product.	
<b>R04_TOBACCO_USER_STATUS = 4 (Recent former)</b> Adult respondents who are a recent former users of any tobacco product (including e-products), and are not current users of any other tobacco products (including e-products).	
<b>R04_TOBACCO_USER_STATUS = 5 (Long-term former)</b> Adult respondents who are long-term former established users of a tobacco product (including e-products), and are not current, experimental current, or recent former users of any other tobacco products (including e-products).	

<b>BOX ID:</b>	<b>R04_ANR11</b>
If NOT a current user of tobacco, go to the next section.	
Else, respondents who are some day users of more than one tobacco product and are not every day users of any products, go to R04_AY0005.	
Else, go to Box R04_ANV02.	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AY0005</b>
Usted mencionó que consume [TOBACCO PRODUCT LIST] algunos días.  ¿Cuáles de las siguientes opciones describe mejor la frecuencia con la que los consume?  1 Consumo por lo menos uno de esos productos cada día 2 Hay días en que no consumo ninguno de esos productos -8 DON'T KNOW -7 REFUSED  ASK: Adult respondents who are some day users of more than one tobacco product and are not every day users of any products. DISPLAY: If R04_SOME_DAY_PRODUCT_COUNT = 2, DISPLAY "". Else, display "".

<b>BOX ID: R04_ANV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_CURRENT_TOBACCO_USE = 1 (Every day user)</b> Adult respondents who are an every day user of any one tobacco product or use more than one product and use at least one of them each day. <b>R04_CURRENT_TOBACCO_USE = 2 (Some day user)</b> Adult respondents who are some day users of at least one tobacco product and do not use tobacco every day.

<b>BOX ID: R04_ANR12</b>
If every day user of tobacco who uses more than one tobacco product, go to R04_AY0010. Else, go to R04_ANV03.

<b>PATH ID: R04_AY0010</b>
Usted mencionó que consume [TOBACCO PRODUCT LIST]. ¿Qué tan pronto después de que se despierta consume normalmente alguno de estos productos?  1 Minutos _____ 2 Horas _____ -8 DON'T KNOW GO TO R04_AY0015 -7 REFUSED GO TO R04_AY0015  ASK: Every day users of tobacco who use more than one tobacco product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AY0010\_LC1**

La computadora registró que usted consume su primer producto de tabaco [R04\_AY0010] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AY0010    |
| 2 | NEXT | GO TO BOX R04_ANV03 |

ASK: IF (R04\_AY0010\_NN > 60 AND R04\_AY0010\_UN = 1) OR (R04\_AY0010\_NN > 4 AND R04\_AY0010\_UN = 2).

DISPLAY: IF R04\_AY0010\_UN = 2, DISPLAY "horas".

IF R04\_AY0010\_UN = 1, DISPLAY "minutos".

**PATH ID: R04\_AY0015**

¿Diría que consume su primer producto de tabaco durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Every day users of tobacco who did not know or refused to report how soon after waking up they use tobacco.

**BOX ID: R04\_ANV03**

CREATE AN ARRAY USEPROD WITH 9 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT USER OF THE SPECIFIC TOBACCO TYPE.

**USEPROD(1-9):** Current users of: (1) cigarillos; (2) productos electrónicos con nicotina; (3) puros tradicionales; (4) puritos; (5) puros con filtro; (6) pipas; (7) hookahs; (8) snus; (9) tabaco que no se fuma.

DISPLAY: Display all products bold with lowercase letters.

If [USEPROD(1-9)] is a list and R04\_CURRENT\_PRODUCT\_COUNT = 2, separate with "y".

If [USEPROD(1-9)] is a list and R04\_CURRENT\_PRODUCT\_COUNT > 2, separate with commas with ", y" preceding last product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR38**

If the respondent is a current established user of every tobacco product, go to the next section.  
Else, go to R04\_AX0306.

**PATH ID: R04\_AX0306**

¿Ha pensado acerca de consumir cualquiera de los siguientes productos además de consumir **[USEPROD(1-9)]**? Escoja todas las opciones que correspondan.

- 1 No he pensado acerca de consumir productos adicionales
- 2 Cigarrillos
- 3 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Pipas
- 8 Hookahs
- 9 Snus
- 10 [Otro tabaco/Tabaco] que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product. This question asks the respondent if they have considered using any products they are not current established users of, in addition to the products they are current established users of. If the respondent is a current established user of every tobacco type, resulting in no options presented, do not ask this question.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04\_SNUS\_USER\_STATUS = 1 AND R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Otro tabaco que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar".

ELSE, IF R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Tabaco que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0307**

¿Ha pensado acerca de cambiar de **[USEPROD(1-9)]** a cualquiera de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 No he pensado acerca de cambiar a otro producto
- 2 Cigarrillos
- 3 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Pipas
- 8 Hookahs
- 9 Snus
- 10 [Otro tabaco/Tabaco] que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product. This question asks about switching from each product the respondent is a current established user of to any of the products they are not current established users of. If the respondent is a current established user of every tobacco product, resulting in no options presented, do not ask this question.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04\_SNUS\_USER\_STATUS = 1 AND R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Otro tabaco que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar".

ELSE, IF R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Tabaco que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## NICOTINE DEPENDENCE

<b>BOX ID:</b>	<b>R04_ANV04</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
<b>R04_EXPERIMENTAL_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses experimentally.	
<b>R04_RECENT_FORMER_PRODUCT_COUNT</b> = Number of tobacco products used in the past 12 months, but not currently used.	
<b>R04_TOBXEPROD_USER_STATUS = 1</b> (Current tobacco user excluding e-products) Adult respondents who are current users of at least one tobacco product other than electronic nicotine products. The respondent may have any e-product user status.	
<b>R04_TOBXEPROD_USER_STATUS = 2</b> (Experimental current tobacco user excluding e-products) Adult respondents who are experimental current users of any tobacco product other than electronic nicotine products, and are not current or recent former users of any tobacco products. The respondent may have any e-product user status.	
<b>R04_TOBXEPROD_USER_STATUS = 3</b> (Experimental former tobacco user excluding e-products) Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products. The respondent may have any e-product user status.	
<b>R04_TOBXEPROD_USER_STATUS = 4</b> (Recent former tobacco user excluding e-products) Adult respondents who are recent former users of any tobacco product other than electronic nicotine products, and are not current users of any tobacco products other than electronic nicotine products. The respondent may have any e-product user status.	
<b>R04_NDSKIP</b> = Type of product use -- polyusers or multiple product users:	
<u>R04_NDSKIP = 0</u> (Respondents who are current or new former users of only one product. Or respondents who are experimental current users of only one product and who are not current or new former users of any products. If R04_NDSKIP = 0, only the e-product ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.)	
<u>R04_NDSKIP = 1</u> (Respondents who are current or new former users of two or more products, where none of those products is/was e-products. Or respondents who are experimental current users of two or more products, where none of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.)	
<u>R04_NDSKIP = 2</u> (Respondents who are current or new former users of three or more products, where one of those products is/was e-products. Or respondents who are experimental current users of three or more products, where one of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 2, both ND modules will be asked, first the e-product ND module and second the tobacco ND module with fills tailored to their tobacco use overall.	
<u>R04_NDSKIP = 3</u> (Respondents who are current or new former users of two products, where one of those products is/was e-products. Or respondents who are experimental current users of two products, where one of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 3, both ND modules will be asked, first the e-product ND module and second the tobacco ND module with fills tailored to their other specific product.)	
<b>R04_GROUP</b> = IF R04_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: NC, NG, NL, NF, NP, NH, NU, NS, ND.	
<b>R04_VALID_TIME_LASTUSED = 1</b> Respondent is a new former user of a product answered	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

R04\_A\*1009 with a valid response (excluding e-products).

**R04\_VALID\_TIME\_LASTUSED = 2** Respondent is a new former user of a product did not answer R04\_A\*1009 with a valid response (excluding e-products).

**BOX ID: R04\_ANR02**

**If current user or recent former user of tobacco** go through the Nicotine Dependence e-product and tobacco modules according to the following conditions:

**Condition a:** Respondents who currently use or formerly used in the past 12 months only one product. Condition **a** will be asked the questions in either the e-product module or the tobacco module (not both), with fills tailored to their specific product.

**Condition b:** Respondents who currently use or formerly used in the past 12 months more than one product, where one of those products is/was an electronic nicotine product. Condition **b** will respond to the questions in both modules; the e-product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their other specific product.

**Condition c:** Respondents who currently use or formerly used in the past 12 months two or more products, where none of those products is an e-product. Condition **c** will respond to the questions in the tobacco module only, with fills tailored to their tobacco use overall.

**Condition d:** Respondents who currently use or formerly used in the past 12 months three or more products, where one of those products is/was an e-product. Condition **d** will respond to the questions in both modules; the e-product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their tobacco use overall.

Else, if **experimental current user of only electronic nicotine products and not a current or former user of any product**, go to R04\_AN0330\_12ME and go through the e-product module once according to condition a.

Else, if **experimental current user of only one product and not a current or former user of any product**, go to R04\_AN0330\_12M and go through the tobacco module once according to condition a.

Else, if **experimental current user of more than one product and not a current or former user of any product**, go through the section according to conditions a, b, c, or d.

Else, if **experimental former user of electronic nicotine products and not a current, former, or experimental current user of any product**, go to R04\_AX0006E.

Else, if **experimental former user of any other tobacco product and not a current, former, or experimental current user of any product**, go to R04\_AX0006.

Else, go to Box R04\_ART01.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AND01**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R04\_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "fumar cigarrillos"

IF NG=YES, FILL WITH "fumar puros tradicionales"

IF NL=YES, FILL WITH "fumar puritos"

IF NF=YES, FILL WITH "fumar puros con filtro"

IF NP=YES, FILL WITH "fumar una pipa"

IF NH=YES, FILL WITH "fumar en hookah"

IF NU=YES, FILL WITH "consumir snus"

IF NS=YES, FILL WITH "consumir tabaco que no se fuma"

IF R04\_NDSKIP = 1, 2 FILL WITH "consumir tabaco"

**BOX ID: R04\_AND05**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarrillos"

IF NG=YES FILL WITH "puros tradicionales"

IF NL=YES FILL WITH "puritos"

IF NF=YES FILL WITH "puros con filtro"

IF NP=YES FILL WITH "tabaco para pipa"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus"

IF NS=YES FILL WITH "tabaco que no se fuma"

IF R04\_NDSKIP = 1, 2 FILL WITH "tabaco"

**BOX ID: R04\_AND06**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "fumar cigarrillos"

IF NG=YES FILL WITH "fumar puros tradicionales"

IF NL=YES FILL WITH "fumar puritos"

IF NF=YES FILL WITH "fumar puros con filtro"

IF NP=YES FILL WITH "fumar en pipa"

IF NH=YES FILL WITH "fumar en hookah"

IF NU=YES FILL WITH "consumir snus"

IF NS=YES FILL WITH "consumir tabaco que no se fuma"

IF R04\_NDSKIP = 1, 2 FILL WITH "consumir tabaco"

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AND07**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "consumo de cigarrillos"

IF NG=YES FILL WITH "consumo de puros tradicionales"

IF NL=YES FILL WITH "consumo de puritos "

IF NF=YES FILL WITH "consumo de puros con filtro"

IF NP=YES FILL WITH "consumo de pipa"

IF NH=YES FILL WITH "consumo de hookah"

IF NU=YES FILL WITH "consumo de snus"

IF NS=YES FILL WITH "consumo de tabaco que no se fuma"

IF R04\_NDSKIP = 1, 2 FILL WITH "consumo de tabaco"

**BOX ID: R04\_ANR17**

Respondents who are current or recent former users of e-products, go to Box R04\_ANT01E.

Else, respondents who are current or recent former users of tobacco (excluding e-products), go to Box R04\_ANR37.

Else, respondents who are experimental current users of e-products who use more than one e-product, go to Box R04\_ANT01E.

Else, respondents who are experimental current users of e-products, go to Box R04\_ANR22.

Else, respondents who are experimental current users of tobacco who use more than one product (excluding e-products), go to Box R04\_ANR37.

Else, respondents who are experimental current users of tobacco (excluding e-products), go to Box R04\_ANR26.

Else, respondents who are experimental former users of e-products, go to R04\_AX0006E.

Else, respondents who are experimental former users of tobacco (excluding e-products), go to R04\_AX0006.

Else, go to Box R04\_ART01.

**BOX ID: R04\_ANT01E**

**IF R04\_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina.

**IF R04\_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina. Piense únicamente acerca de productos electrónicos con nicotina cuando conteste estas preguntas. Más adelante le haremos preguntas acerca de [ND FILL2].

**IF R04\_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR22**

Respondents who are current e-product users, recent former e-product users, or experimental current e-product users who use more than one e-product, go to R04\_AN0010E.  
Else, go to R04\_AN0330\_12ME.

**PATH ID: R04\_AN0010E**

¿Se considera adicto a los productos electrónicos con nicotina?

- 1 Para nada
- 2 Sí, un poco adicto
- 3 Sí, muy adicto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0015E**

¿Alguna vez siente un fuerte deseo de fumar productos electrónicos con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0020E**

¿Alguna vez ha sentido que necesitaba fumar productos electrónicos con nicotina mucho?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0055E**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 5 = es muy cierto.

Me doy cuenta que estoy tratando de agarrar productos electrónicos con nicotina sin pensármelo.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**BOX ID: R04\_AND02E**

Randomize order of items R04\_AN0025E - R04\_AN0100E.

**PATH ID: R04\_AN0025E**

Con frecuencia tengo un fuerte deseo de fumar productos electrónicos con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0030E</b>
[Mis deseos se vuelven más fuertes si no puedo/Sigo sintiendo deseos de] fumar productos electrónicos con nicotina.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Mis deseos se vuelven más fuertes si no puedo".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "Sigo sintiendo deseos de".

<b>PATH ID:</b> <b>R04_AN0035E</b>
Los productos electrónicos con nicotina me controlan.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0045E</b>
[Mi consumo de productos electrónicos con nicotina está fuera de control./Mi deseo de fumar productos electrónicos con nicotina está fuera de control.]
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Mi consumo de productos electrónicos con nicotina está fuera de control."
IF R04_EPROD_USER_STATUS = 4, DISPLAY "Mi deseo de fumar productos electrónicos con nicotina está fuera de control."

<b>PATH ID:</b> <b>R04_AN0060E</b>
Normalmente quiero fumar productos electrónicos con nicotina justo después de despertarme.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0065E</b>
No me puedo aguantar más de un par de horas sin [fumar/querer fumar] productos electrónicos con nicotina.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fumar".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "querer fumar".

<b>PATH ID:</b> <b>R04_AN0050E</b>
[Con frecuencia me gusta fumar/Cuando me doy cuenta casi me pongo a fumar] productos electrónicos con nicotina sin pensarlo.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Con frecuencia me gusta fumar".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "Cuando me doy cuenta casi me pongo a fumar".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0070E</b>
Fumar productos electrónicos con nicotina me [ayuda/ayudaría] mucho a sentirme mejor cuando estoy triste.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "ayuda".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "ayudaría".

<b>PATH ID:</b> <b>R04_AN0075E</b>
Fumar productos electrónicos con nicotina me ayuda a pensar mejor.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

<b>BOX ID:</b> <b>R04_ANR23</b>
If respondent is only completing the e-product module of Nicotine Dependence, go to R04_AN0255E.
Else, if the respondent is completing both the e-product and the tobacco modules, go to R04_AN0080E.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0255E**

Consume tabaco la mayoría de la gente con la que paso el tiempo.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0080E**

Me [sentiría/siento] solo sin mis productos electrónicos con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "sentiría".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "siento".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0085E**

[Se me haría muy difícil dejar de/Se me haría muy difícil no] fumar productos electrónicos con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Se me haría muy difícil dejar de".  
ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "Se me haría muy difícil no".

**PATH ID: R04\_AN0090E**

[Se me haría difícil dejar de fumar productos electrónicos con nicotina por una semana./Se me haría difícil no fumar productos electrónicos con nicotina por otra semana.]

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Se me haría difícil dejar de fumar productos electrónicos con nicotina por una semana."  
ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "Se me haría difícil no fumar productos electrónicos con nicotina por otra semana".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0095E</b>
[Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito/Me gustaría] fumar productos electrónicos con nicotina para poder sentirme menos inquieto e irritable.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "Me gustaría".

<b>PATH ID:</b> <b>R04_AN0100E</b>
[Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito/Siento que necesito] fumar productos electrónicos con nicotina para evitar sentir alguna molestia.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "Siento que necesito".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0110E</b>
¿Cree que fumar productos electrónicos con nicotina le [está ocasionando/ocasionó] un problema de salud o lo [está empeorando/empeoró]?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "está ocasionando" AND "está empeorando".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "ocasionó" AND "empeoró".

<b>PATH ID:</b> <b>R04_AN0813E</b>
En los últimos 12 meses, ¿le fue difícil dejar de fumar productos electrónicos con nicotina en lugares donde no estaba permitido?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

<b>PATH ID:</b> <b>R04_AN0812E</b>
En los últimos 12 meses, ¿dejó por completo o disminuyó las actividades que le agradaban o le importaban porque su consumo de productos electrónicos con nicotina no estaba permitido en el lugar de la actividad?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

<b>BOX ID:</b> <b>R04_ANR30</b>
Current e-product users, go to R04_AN0105E.
Recent former e-product users, go to Box R04_ANV06E.
Experimental current e-product users, to to R04_AN0330_12ME.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0105E
En los últimos 12 meses, ¿ha tratado de dejar de fumar productos electrónicos con nicotina totalmente?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current e-product users.

<b>PATH ID:</b> R04_AN0334E
En los últimos 12 meses, ¿ha tratado de dejar los productos electrónicos con nicotina reduciendo gradualmente su consumo?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current e-product users.

<b>BOX ID:</b> R04_ANV06E
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 (12 month quit attempter) Adult respondents who have quit or attempted to quit e-products in the past 12 months
R04_TWELVEMONTHQUIT_STATUS_EPROD = 2 (12 month reducers) Adult respondents who have cut down their e-product use in the past 12 months, but have not tried to quit.

<b>BOX ID:</b> R04_ANR31
Twelve month quit attempters, go to R04_AN0115E.
Else, go to Box R04_ANR25.

<b>PATH ID:</b> R04_AN0115E
En total, ¿cuántas veces en los últimos 12 meses ha tratado de dejar los productos electrónicos con nicotina por completo?
0 No traté de dejarlos en los últimos 12 meses
1  __ __ __
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_ANR24
GO TO BOX R04_ANR24
ASK: Current and recent former e-product users who are twelve month quit attempters.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0115E_LC1</b>	
La computadora registró que usted ha tratado de dejar los productos electrónicos con nicotina totalmente [R04_AN0115E] veces en los últimos 12 meses.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AN0115E
2   NEXT	GO TO BOX R04_ANR24
ASK: IF R04_AN0115E > 50.	

<b>PATH ID:</b> <b>R04_AN0115E_LC2</b>	
La computadora registró que en los últimos 12 meses usted no ha tratado de dejar los productos electrónicos con nicotina por completo.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AN0115E
2   NEXT	
ASK: IF R04_AN0115E = 0.	

<b>BOX ID:</b> <b>R04_ANR24</b>
Respondents who did not try to quit in the past 12 months, go to R04_AN0330_12ME.
Else, current users, go to R04_AN0120E.
Else, recent former users who provided a valid response in R04_AV1009, go to R04_AN0257E.
Else, recent former users who did not provide a valid response in R04_AV1009, go to R04_AN0145E.

<b>PATH ID:</b> <b>R04_AN0120E</b>	
En los últimos 12 meses, ¿ha dejado de fumar productos electrónicos con nicotina por un día o más debido a que estaba tratando de dejarlos?	
1   Sí	
2   No	GO TO R04_AN0130E
-8   DON'T KNOW	GO TO R04_AN0130E
-7   REFUSED	GO TO R04_AN0130E
ASK: Current e-product users who have tried to quit completely in the past 12 months.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0125E	
En los últimos 12 meses, ¿cuántas veces dejó de fumar productos electrónicos con nicotina por un día o más porque estaba tratando de dejarlos?	
1 Una vez	
2 2-3 veces	
3 4 veces o más	
-8 DON'T KNOW	GO TO R04_AN0256E
-7 REFUSED	GO TO R04_AN0256E
ASK: Current e-product users who have tried to stop for one day or longer.	

<b>PATH ID:</b> R04_AN0125E_LC1	
La computadora registró que usted ha dejado de fumar productos electrónicos con nicotina por un día o más porque estaba tratando de dejarlos. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AN0125E
2 NEXT	GO TO R04_AN0130E
ASK: IF R04_AN0125E > R04_AN0115E.	

<b>PATH ID:</b> R04_AN0256E	
¿Diría que en los últimos 12 meses ha tratado de dejar de fumar productos electrónicos con nicotina más de 3 veces por un día o más debido a que estaba tratando de dejarlos?	
1 Sí	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current e-product users who did not know or refused to report the number of quit attempt times.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0130E</b>	
En los últimos 12 meses, la última vez que dejó de fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos, ¿por cuánto tiempo los dejó?		
1	_ _ _ _  Minutos	
2	_ _ _ _  Horas	
3	_ _ _ _  Días	
4	_ _ _ _  Semanas	
5	_ _ _ _  Meses	
-8	DON'T KNOW	GO TO R04_AN0300E
-7	REFUSED	GO TO R04_AN0300E
ASK: Current e-product users who have tried to quit completely in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AN0130E_LC1</b>	
La computadora registró que la última vez que usted trató de dejar de fumar productos electrónicos con nicotina en los últimos 12 meses, usted los dejó durante [R04_AN0130E_NN] [días/semanas/meses].		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AN0130E
2	NEXT	GO TO R04_AN0135E
ASK: IF (R04_AN0130E_NN > 366 AND R04_AN0130E_UN = 3) OR (R04_AN0130E_NN > 52 AND R04_AN0130E_UN = 4) OR (R04_AN0130E_NN > 12 AND R04_AN0130E_UN = 5).		
DISPLAY: IF R04_AN0130E_UN = 3, DISPLAY "días".		
ELSE, IF R04_AN0130E_UN = 4, DISPLAY "semanas".		
ELSE, IF R04_AN0130E_UN = 5, DISPLAY "meses".		

<b>PATH ID:</b>	<b>R04_AN0300E</b>	
¿Fue por más de una semana, una semana o menos de una semana?		
1	Más de una semana	GO TO BOX R04_ANR25
2	Una semana	GO TO BOX R04_ANR25
3	Menos de una semana	GO TO BOX R04_ANR25
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Current e-product users who did not know or refused to report the duration for the last quit attempt.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0135E
¿Cuándo fue la fecha final aproximada de este último intento por dejar los productos electrónicos con nicotina que duró [enter duration from R04_AN0130E]?
1  __ __  MES  __ __  DÍA  __ __ __ __  AÑO
-8 DON'T KNOW GO TO R04_AN0140E
-7 REFUSED GO TO R04_AN0140E
ASK: Current e-product users who provided a duration for the last quit attempt.

<b>PATH ID:</b> R04_AN0135E_LC1
La computadora registró que la fecha final de su último intento de dejar los productos electrónicos con nicotina en los últimos 12 meses fue el [DATE ENTERED IN R04_AN0135E]. Esa es una fecha en el futuro. ¿Es correcta esa fecha final?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0135E
2 NEXT GO TO R04_AN0140E
ASK: IF R04_AN0135E > TODAY'S DATE.

<b>PATH ID:</b> R04_AN0135E_LC2
La computadora registró que la fecha final de su último intento de dejar los productos electrónicos con nicotina en los últimos 12 meses fue el [DATE ENTERED IN R04_AN0135E]. Eso fue hace más de 12 meses. ¿Es correcta esa fecha final?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0135E
2 NEXT GO TO R04_AN0140E
ASK: IF R04_AN0135E < (TODAY'S DATE - 12 MONTHS).

<b>PATH ID:</b> R04_AN0135E_LC3
Anote el año usando cuatro dígitos o números.
1 BACK GO TO R04_AN0135E
ASK: IF R04_AN0135E (YEARS) IS < 4 DIGITS.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0140E</b>		
En los últimos 12 meses, ¿fue [DURATION OF LAST QUIT ATTEMPT] el periodo más largo que estuvo sin fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos?		
1	Sí	GO TO BOX R04_ANR25
2	No	GO TO R04_AN0145E
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Current e-product users who provided a duration for the last quit attempt.		
DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R04_AN0130E (ex. "45 días")		

<b>PATH ID: R04_AN0257E</b>		
Usted mencionó anteriormente que dejó de fumar productos electrónicos con nicotina hace [ENTER LENGTH OF TIME SINCE LAST USE IN R04_AV1009]. ¿Es este el periodo más largo que ha estado sin fumar productos electrónicos con nicotina en los últimos 12 meses?		
1	Sí	GO TO BOX R04_ANR25
2	No	GO TO R04_AN0145E
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Recent former e-product users who provided a valid response in R04_AV1009.		
DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R04_AV1009_NN/UN] with time entered (ex. "45 days") in corresponding R04_AV1009 item.		

<b>PATH ID: R04_AN0145E</b>		
En los últimos 12 meses, ¿cuánto duró el periodo de tiempo más largo que dejó de fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos?		
1	_ _ _ _  Minutos	
2	_ _ _ _  Horas	
3	_ _ _ _  Días	
4	_ _ _ _  Semanas	
5	_ _ _ _  Meses	
-8	DON'T KNOW	GO TO R04_AN0305E
-7	REFUSED	GO TO R04_AN0305E
ASK: Current and recent former e-product users who said their last quit attempt was not their longest in the past 12 months and recent former e-product users who did not provide a valid response in R04_AV1009.		



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<p><b>PATH ID: R04_AN0145E_LC1</b></p> <p>La computadora registró que usted dejó de fumar productos electrónicos con nicotina por [R04_AN0145E] [días/semanas/meses].</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <p style="padding-left: 40px;">1 BACK <span style="float: right;">GO TO R04_AN0145E</span></p> <p style="padding-left: 40px;">2 NEXT <span style="float: right;">GO TO BOX R04_ANR25</span></p> <p>ASK: IF (R04_AN0145E_NN &gt; 366 AND R04_AN0145E_UN = 3) OR (R04_AN0145E_NN &gt; 52 AND R04_AN0145E_UN = 4) OR (R04_AN0145E_NN &gt; 12 AND R04_AN0145E_UN = 5).</p> <p>DISPLAY: IF R04_AN0145E_UN = 3, DISPLAY "días".  ELSE, IF R04_AN0145E_UN = 4, DISPLAY "semanas"  ELSE, IF R04_AN0145E_UN = 5, DISPLAY "meses".</p>
--

<p><b>PATH ID: R04_AN0305E</b></p> <p>¿Fue por más de una semana, una semana o menos de una semana?</p> <p style="padding-left: 40px;">1 Más de una semana</p> <p style="padding-left: 40px;">2 Una semana</p> <p style="padding-left: 40px;">3 Menos de una semana</p> <p style="padding-left: 40px;">-8 DON'T KNOW</p> <p style="padding-left: 40px;">-7 REFUSED</p> <p>ASK: Current and recent former e-product users who did not know or refused to report the duration for their longest quit in the past 12 months.</p>
---

<p><b>BOX ID: R04_ANR25</b></p> <p>Twelve month quit attempters, go to R04_AN0210E.</p> <p>Else, current, experimental current, and recent former e-product users, go to R04_AN0330_12ME.</p> <p>Else, go to Box R04_ANR32.</p>
---

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0210E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses, ¿contó con el apoyo de sus amigos y familiares para ayudarle a dejarlos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AN0215E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses. ¿Usó una de las siguientes opciones como ayuda? Consejería, una línea directa de ayuda para dejar el tabaco, libros, folletos, videos o un centro de tratamiento, clase o grupo de apoyo para dejar el tabaco o un programa disponible en la Web.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0225E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses. ¿Usó otro producto de tabaco para ayudarse a dejarlos? Escoja todas las opciones que correspondan.

- 1 No usé otro producto de tabaco para ayudarme a dejarlos
- 2 Cigarrillos
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Tabaco para pipas
- 8 Hookah
- 9 Snus
- 10 Tabaco que no se fuma como el dip, el tabaco de mascar, el tabaco de inhalar o rapé
- 11 Tabaco que se disuelve
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AN0330\_12ME**

En los últimos 12 meses, ¿ha usado un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current e-product users.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR32**

Current and recent former e-product users who are past 12 month quit attempters and used NRTs in the past 12 months, go to R04\_AN0150E.

Else, current e-product users who cut down instead of quitting and experimental current e-product users who used NRTs in the past 12 months, go to R04\_AN0811E.

Else, respondents who used NRTs in the past 12 months, go to R04\_AN0307E.

Else, go to R04\_AN0331\_12ME.

**PATH ID: R04\_AN0150E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses. ¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

1 Sí

2 No GO TO BOX R04\_ANR39

-8 DON'T KNOW GO TO BOX R04\_ANR39

-7 REFUSED GO TO BOX R04\_ANR39

ASK: Current and recent former e-product users who attempted to quit in the past 12 months and have used NRTs in the past 12 months.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de fumar".

UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AN0155E**

¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para dejar de fumar productos electrónicos con nicotina por completo?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months.

DISPLAY: UNDERLINE "por completo".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0811E**

¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para aliviar o evitar los efectos secundarios después de dejar o disminuir su consumo de productos electrónicos con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months, and current e-product users who are twelve month reducers, and experimental current e-product users, who have used NRT.

**BOX ID: R04\_ANR39**

If respondent is only completing Nicotine Dependence for electronic nicotine products and used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill, go to R04\_AN0336E.  
Else, go to Box R04\_ANR33.

**PATH ID: R04\_AN0336E**

¿Cuál fue la razón principal por la que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 Para dejar de fumar por completo
- 2 Para reducir la cantidad que fuma
- 3 Para sobrellevar las veces en que no podía o no le permitían fumar
- 4 Otra razón (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current and recent former e-product users who have used NRT in the past 12 months and are only completing Nicotine Dependence for electronic nicotine products.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_ANR33**

Current e-product users who are twelve month reducers and experimental current e-product users, go to R04\_AN0307E.

Else, twelve month quit attempters who used NRTs when they tried to quit, go to R04\_AN0160E.

Else, twelve month quit attempters, go to R04\_AN0170E.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0160E**

¿Qué producto usó o tomó [la vez que trató de dejar de fumar productos electrónicos con nicotina/la última vez que trató de dejar de fumar productos electrónicos con nicotina /cuando dejó de fumar productos electrónicos con nicotina]? Escoja todas las opciones que correspondan.

- 1 Parche de nicotina
- 2 Chicle de nicotina
- 3 Inhalador de nicotina
- 4 Espray nasal con nicotina
- 5 Pastillas de chupar o píldoras de nicotina
- 6 Ninguna de los anteriores GO TO R04\_AN0170E
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de fumar productos electrónicos con nicotina".

ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de fumar productos electrónicos con nicotina".

ELSE, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".

**PATH ID: R04\_AN0165E**

En total, [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] fumar productos electrónicos con nicotina[ por completo], ¿por cuánto tiempo usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| SEMANAS
- 3 |\_\_|\_\_| MESES
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who used a listed NRT to help them quit.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0170E</b>	
Actualmente, ¿está usando o tomando un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?	
1 Sí	
2 No	GO TO R04_AN0307E
-8 DON'T KNOW	GO TO R04_AN0307E
-7 REFUSED	GO TO R04_AN0307E
ASK: Current and recent former e-product users who attempted to quit in the past 12 months and have used NRTs in the past 12 months.	

<b>PATH ID: R04_AN0251E</b>	
Aproximadamente, ¿cuánto tiempo ha estado usando o tomando un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?	
1  __ __  DÍAS	
2  __ __  MESES	
3  __ __  AÑOS	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and recent former e-product users who attempted to quit in the past 12 months who are currently using NRTs.	

<b>PATH ID: R04_AN0251E_LC1</b>	
La computadora registró que usted lleva [R04_AN0251E_NN] [días/meses/años] usando o tomando productos con nicotina, como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para que le ayuden a dejar los productos electrónicos con nicotina.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AN0251E
2 NEXT	GO TO R04_AN0307E
ASK: IF (R04_AN0251E_NN > 99 AND R04_AN0251E_UN = 1) OR (R04_AN0251E_NN > 60 AND R04_AN0251E_UN = 2) OR (R04_AN0251E_NN > 5 AND R04_AN0251E_UN = 3).	
DISPLAY: IF R04_AN0251E_UN = 1, DISPLAY "días".	
IF R04_AN0251E_UN = 2, DISPLAY "meses".	
IF R04_AN0251E_UN = 3, DISPLAY "años".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0251E_LC2</b>
La computadora registró "cero" para la cantidad de tiempo que usted lleva usando o tomando productos con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para que le ayuden a dejar los productos electrónicos con nicotina.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK <span style="float: right;">GO TO R04_AN0251E</span>
2    NEXT
ASK: IF R04_AN0251E = 0.

<b>PATH ID:</b> <b>R04_AN0307E</b>
¿Cuándo fue la última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?
1    Hace menos de una hora <span style="float: right;">GO TO R04_AN0309E</span>
2    Hoy
3    Ayer
4    Hace dos días
5    Hace tres o más días <span style="float: right;">GO TO R04_AN0175E</span>
-8   DON'T KNOW <span style="float: right;">GO TO R04_AN0331_12ME</span>
-7   REFUSED <span style="float: right;">GO TO R04_AN0331_12ME</span>
ASK: Current, recent former, and experimental current e-product users who have used NRTs in the past 12 months.

<b>PATH ID:</b> <b>R04_AN0308E</b>
La última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04_AN0307E], ¿fue...?
1    Entre la medianoche y las 6 de la mañana
2    Entre las 6 de la mañana y el mediodía
3    Entre el mediodía y las 6 de la tarde
4    Entre las 6 de la tarde y la medianoche
-8   DON'T KNOW
-7   REFUSED
ASK: Current, recent former, and experimental current e-product users who have used NRT today, yesterday or the day before yesterday.
DISPLAY: [FILL BASED ON R04_AN0307E]:
IF R04_AN0307E = 2, DISPLAY "hoy".
IF R04_AN0307E = 3, DISPLAY "ayer".
IF R04_AN0307E = 4, DISPLAY "hace dos días".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0309E**

Cuando usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04\_AN0307E], ¿cuántos usó o tomó?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AN0331\_12ME

-7 REFUSED

GO TO R04\_AN0331\_12ME

ASK: Current, recent former, and experimental current e-product users who have used NRT in the past hour, today, yesterday or the day before yesterday.

DISPLAY: [FILL BASED ON R04\_AN0307E]:

IF R04\_AN0307E = 1, 2, DISPLAY "hoy".

IF R04\_AN0307E = 3, DISPLAY "ayer".

IF R04\_AN0307E = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309E\_LC1**

La computadora registró que [hoy/ayer/hace dos días] usted usó o tomó el producto con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [R04\_AN0309E] veces. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0309E

2 NEXT

GO TO R04\_AN0331\_12ME

ASK: IF R04\_AN0309E > 5.

DISPLAY: IF R04\_AN0307E = 1, 2, DISPLAY "hoy".

IF R04\_AN0307E = 3, DISPLAY "ayer".

IF R04\_AN0307E = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309E\_LC2**

La computadora registró que [hoy/ayer/hace dos días], usted usó o tomó el producto con nicotina, tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras cero veces. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

Go to R04\_AN0309E

2 NEXT

GO TO R04\_AN0331\_12ME

ASK: IF R04\_AN0309E = 0.

DISPLAY: IF R04\_AN0307E = 1, 2, DISPLAY "hoy".

IF R04\_AN0307E = 3, DISPLAY "ayer".

IF R04\_AN0307E = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0175E**

¿Cuánto hace que dejó de usar o tomar un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW GO TO R04\_AN0331\_12ME
- 7 REFUSED GO TO R04\_AN0331\_12ME

ASK: Current, recent former, and experimental current e-product users who have used NRT three or more days ago.

**PATH ID: R04\_AN0175E\_LC1**

La computadora registró que usted dejó de tomar o usar el producto con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras hace [R04\_AN0175E\_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AN0175E
- 2 NEXT

ASK: IF ((R04\_AN0175E\_NN > 31 OR R04\_AN0175E\_NN < 3) AND R04\_AN0175E\_UN = 1) OR (R04\_AN0175E\_NN > 12 AND R04\_AN0175E\_UN = 2) OR (R04\_AN0175E\_NN > 1 AND R04\_AN0175E\_UN = 3).

DISPLAY: IF R04\_AN0175E\_UN = 1, DISPLAY "días".

IF R04\_AN0175E\_UN = 2, DISPLAY "meses".

IF R04\_AN0175E\_UN = 3, DISPLAY "años".

**PATH ID: R04\_AN0331\_12ME**

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos de venta con receta médica? Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current e-product users.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR34**

Current and recent former e-product users who are past 12 month quit attempters and used prescription drugs in the past 12 months, go to R04\_AN0180E.

Else, if respondent used prescription drugs in the past 12 months, go to R04\_AN0327E.

Else, go to Box R04\_ANR35.

**PATH ID: R04\_AN0180E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses. ¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1 Sí

2 No

GO TO R04\_AN0327E

-8 DON'T KNOW

GO TO R04\_AN0327E

-7 REFUSED

GO TO R04\_AN0327E

ASK: Current and recent former e-product users who attempted to quit in the past year and have used a prescription drug to help them.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar".

UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AN0185E**

¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión para dejar de fumar productos electrónicos con nicotina por completo?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0190E</b>
<p>¿Qué medicamento que se vende con receta médica usó [la vez que trató de dejar de fumar productos electrónicos con nicotina/la última vez que trató de dejar de fumar productos electrónicos con nicotina/cuando dejó de fumar productos electrónicos con nicotina]? Escoja todas las opciones que correspondan.</p> <ul style="list-style-type: none"><li>1 Chantix o vareniclina</li><li>2 Wellbutrin, Zyban, o bupropión</li><li>3 Ninguna de las anteriores</li><li>-8 DON'T KNOW</li><li>-7 REFUSED</li></ul> <p style="text-align: right;">GO TO R04_AN0200E</p> <p>ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.</p> <p>DISPLAY: IF R04_AN0125E = 1, DISPLAY "la vez que trató de dejar de fumar productos electrónicos con nicotina".</p> <p>ELSE, IF (R04_AN0125E &gt; 1 OR R04_AN0256E = 1), DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".</p> <p>ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de fumar productos electrónicos con nicotina".</p> <p>ELSE, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".</p>	

<b>PATH ID:</b>	<b>R04_AN0195E</b>
<p>En total, [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] fumar productos electrónicos con nicotina[ por completo], ¿por cuánto tiempo tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?</p> <ul style="list-style-type: none"><li>1  __ __  DÍAS</li><li>2  __ __  SEMANAS</li><li>3  __ __  MESES</li><li>-8 DON'T KNOW</li><li>-7 REFUSED</li></ul> <p>ASK: Current and recent former e-product users who attempted to quit in the past year who used a listed prescription drug to help them.</p> <p>DISPLAY: IF R04_AN0125E = 1, DISPLAY "la vez que trató de dejar de".</p> <p>ELSE, IF (R04_AN0125E &gt; 1 OR R04_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".</p> <p>ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".</p> <p>ELSE, DISPLAY "la última vez que trató de dejar de".</p>	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0200E</b>	
Actualmente, ¿está tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?	
1 Sí	
2 No	GO TO R04_AN0327E
-8 DON'T KNOW	GO TO R04_AN0327E
-7 REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.	

<b>PATH ID: R04_AN0252E</b>	
Aproximadamente, ¿cuánto tiempo ha estado tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?	
1  __ __  DÍAS	
2  __ __  MESES	
3  __ __  AÑOS	
-8 DON'T KNOW	GO TO R04_AN0327E
-7 REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them and are currently using a prescription drug.	

<b>PATH ID: R04_AN0252E_LC1</b>	
La computadora registró que usted lleva tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión por [R04_AN0252E_NN] [meses/años].	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AN0252E
2 NEXT	GO TO R04_AN0327E
ASK: IF (R04_AN0252E_NN > 60 AND R04_AN0252E_UN = 2) OR (R04_AN0252E_NN > 5 AND R04_AN0252E_UN = 3).	
DISPLAY: IF R04_AN0252E_UN = 2, DISPLAY "meses".	
IF R04_AN0252E_UN = 3, DISPLAY "años".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0252E_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que lleva tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AN0252E
2 NEXT	
ASK: IF R04_AN0252E = 0.	

<b>PATH ID: R04_AN0327E</b>	
¿Cuándo fue la última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?	
1 Hace menos de una hora	GO TO R04_AN0329E
2 Hoy	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO R04_AN0205E
-8 DON'T KNOW	GO TO BOX R04_ANR35
-7 REFUSED	GO TO BOX R04_ANR35
ASK: Current, recent former, and experimental current e-product users who have used a prescription drug in the past 12 months.	

<b>PATH ID: R04_AN0328E</b>	
La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04_AN0327E], ¿fue...?	
1 Entre la medianoche y las 6 de la mañana	
2 Entre las 6 de la mañana y el mediodía	
3 Entre el mediodía y las 6 de la tarde	
4 Entre las 6 de la tarde y la medianoche	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current, recent former, and experimental current e-product users who have used a prescription drug today, yesterday or the day before yesterday.	
DISPLAY: FOR [FILL BASED ON R04_AN0327E]:	
IF R04_AN0327E = 4, DISPLAY "hace dos días".	
ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327E, MAKING FIRST LETTER LOWERCASE.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0329E**

Cuando tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04\_AN0327E], ¿cuántas píldoras tomó?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO BOX R04\_ANR35

-7 REFUSED

GO TO BOX R04\_ANR35

ASK: Current, recent former, and experimental current e-product users who have used a prescription drug in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0327E]:

IF R04\_AN0327E = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0327E = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0327E = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0329E\_LC1**

La computadora registró que [hoy/ayer/hace dos días], usted tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [R04\_AN0329E] veces.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0329E

2 NEXT

GO TO BOX R04\_ANR35

ASK: IF R04\_AN0329E = 0 OR R04\_AN0329E > 5.

DISPLAY: IF R04\_AN0327E = 1, 2, DISPLAY "hoy".

IF R04\_AN0327E = 3, DISPLAY "ayer".

IF R04\_AN0327E = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0205E**

¿Cuánto hace que dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

-7 REFUSED

ASK: Current, recent former, and experimental current e-product users who used prescription drugs three or more days ago.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0205E_LC1
La computadora registró que usted dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión hace [R04_AN0205E_NN] [días/meses/años] ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AN0205E</span>
2 NEXT
ASK: IF (R04_AN0205E_NN > 31 AND R04_AN0205E_UN = 1) OR (R04_AN0205E_NN > 12 AND R04_AN0205E_UN = 2) OR (R04_AN0205E_NN > 1 AND R04_AN0250E_UN = 3).
DISPLAY: IF R04_AN0205E_UN = 1, DISPLAY "días".
IF R04_AN0205E_UN = 2, DISPLAY "meses".
IF R04_AN0205E_UN = 3, DISPLAY "años".

<b>BOX ID:</b> R04_ANR35
If recent former e-product user, or current e-product user who attempted to quit or cut down in the past 12 months, go to Box R04_AND03E.
Else, if current e-product user, go to R04_AN0230E.
Else, if experimental current e-product user, go to R04_AX0006E.
Else, go to Box R04_ANR37.

<b>BOX ID:</b> R04_AND03E
Display question R04_AN0804E, R04_AN0805E, R04_AN0806E, R04_AN0807E, R04_AN0808E, R04_AN0809E, R04_AN0810E, on one screen. Show the transition text and question stem from R04_AN0804E first, then show each item with the sí/no responses. As each item is answered, show the next one.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0804E**

Las siguientes preguntas son acerca de cómo se sintió días después de [tratar de dejar de fumar/la última vez que trató de dejar de fumar/dejar de fumar/reducir su consumo de] productos electrónicos con nicotina en los últimos 12 meses.

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió deprimido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "tratar de dejar de fumar".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, DISPLAY "la última vez que trató de dejar de fumar".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "dejar de fumar".

ELSE, IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD =2, DISPLAY "reducir su consumo de".

**BOX ID: R04\_AND04E**

Randomize order of R04\_AN0805E - R04\_AN0809E.

**PATH ID: R04\_AN0805E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿tuvo dificultad para dormir?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0806E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿tuvo dificultad para concentrarse?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0807E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿comió más de lo normal o subió de peso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0808E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se irritó, molestó o frustró fácilmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0809E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió ansioso o nervioso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0810E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió más inquieto de lo habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**BOX ID: R04\_ANR36**

If current e-product user, go to R04\_AN0230E.

Else, go to R04\_AX0006E.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0230E**

En general, usando una escala del 1 al 10, en donde 1 = no estoy interesado en absoluto y 10 = estoy extremadamente interesado, dígame ¿qué tan interesado está en dejar de fumar productos electrónicos con nicotina? Seleccione una cantidad del 1 al 10.

- 1 No estoy interesado en absoluto
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Estoy extremadamente interesado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users.

**PATH ID: R04\_AN0235E**

¿Tiene planificado dejar de fumar productos electrónicos con nicotina para siempre?

- 1 Sí
- 2 No GO TO R04\_AX0006E
- 8 DON'T KNOW GO TO R04\_AX0006E
- 7 REFUSED GO TO R04\_AX0006E

ASK: Current e-product users.

**PATH ID: R04\_AN0240E**

¿Cuándo tiene planificado dejar de fumar productos electrónicos con nicotina para siempre?

- 1 En los próximos 7 días
- 2 En los próximos 30 días
- 3 En los próximos 6 meses
- 4 El próximo año GO TO R04\_AX0006E
- 5 En más de un año GO TO R04\_AX0006E
- 8 DON'T KNOW GO TO R04\_AX0006E
- 7 REFUSED GO TO R04\_AX0006E

ASK: Current e-product users who say they plan to quit for good.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0245E**

Si de hecho tratara de dejar de fumar productos electrónicos con nicotina por completo dentro de los próximos 6 meses, ¿qué tan probable cree que es que tenga éxito?

- 1 Nada en absoluto
- 2 Muy poco probable
- 3 Es algo probable
- 4 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users who have some interest in quitting in the next 6 months.

**PATH ID: R04\_AX0006E**

Si tuviera que volver a hacerlo, ¿habría comenzado a fumar productos electrónicos con nicotina?

- 1 Definitivamente no
- 2 Probablemente no
- 3 Probablemente sí
- 4 Definitivamente sí
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former e-product users.

**BOX ID: R04\_ANR37**

If respondent is only completing Nicotine Dependence for electronic nicotine products, go to Box R04\_ART01.

Else, if respondent is an experimental former tobacco user (excluding e-products) and is not a current, experimental current, or recent former user of any products, go to R04\_AX0006.

Else, if respondent is an experimental current tobacco user who only uses one product (excluding e-products), go to Box R04\_ANR26.

Else, go to Box R04\_ANT01.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANT01**

**IF R04\_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con [los/el/la] [ND FILL2].

**IF R04\_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:**

Ahora nos gustaría preguntarle sobre su experiencia con [los/el/la] [ND FILL2]. Piense únicamente acerca de [los/el/la] [ND FILL2] cuando conteste estas preguntas.

**IF R04\_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con productos de tabaco. Usted dijo que ha consumido los siguientes productos de tabaco: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT. IF R04\_TOBACCO\_USER\_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 1, 4. IF R04\_TOBACCO\_USER\_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 2. IF PRODUCT COUNT = 2, SEPARATE WITH 'y'. IF PRODUCT COUNT > 2, SEPARATE WITH COMMAS WITH ", y" PRECEDING LAST PRODUCT].

Por favor, piense sobre [ambos/todos estos] productos juntos cuando conteste las siguientes preguntas. [IF PRODUCT COUNT = 2, DISPLAY "ambos"; IF PRODUCT COUNT > 2, DISPLAY "todos estos".]

**IF R04\_NDSKIP = 2, DISPLAY THE FOLLOWING TEXT:**

Ahora nos gustaría preguntarle sobre su experiencia con productos de tabaco. Usted dijo que ha consumido los siguientes productos de tabaco, además de productos electrónicos con nicotina: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT EXCLUDING EPRODUCTS. IF R04\_TOBACCO\_USER\_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 1, 4, EXCLUDING EPRODUCTS. IF R04\_TOBACCO\_USER\_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 2, EXCLUDING EPRODUCTS. IF PRODUCT COUNT EXCLUDING EPRODUCTS = 2, SEPARATE WITH 'y'. IF PRODUCT COUNT EXCLUDING EPRODUCTS > 2, SEPARATE WITH COMMAS WITH ", y" PRECEDING LAST PRODUCT].

Por favor, piense sobre [ambos l todos estos] productos juntos cuando conteste las siguientes preguntas. [IF PRODUCT COUNT = 2, DISPLAY "ambos"; IF PRODUCT COUNT > 2, DISPLAY "todos estos".]

**BOX ID: R04\_ANR26**

Respondents who are current or recent former users of tobacco (excluding e-products), or experimental current tobacco users who use more than one product (excluding e-products), go to R04\_AN0010.

Else, go to Box R04\_ANR04.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0010**

¿Se considera adicto [a los/al/a la] [ND FILL2]?

- 1 Para nada
- 2 Sí, un poco adicto
- 3 Sí, muy adicto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "a los".

FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO AND TOBACCO, DISPLAY "al".

FOR HOOKAH, DISPLAY "a la".

**PATH ID: R04\_AN0015**

¿Alguna vez siente un fuerte deseo de [ND FILL1]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH ID: R04\_AN0020**

¿Alguna vez ha sentido que necesitaba [ND FILL1] mucho?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0055**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 5 = es muy cierto.

Me doy cuenta que estoy tratando de agarrar [los/el/la] [ND FILL2] sin pensármelo.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: For cigarettes, traditional cigars, cigarillos and filter cigar, display "los".

For pipe tobacco, snus, smokeless tobacco and tobacco, display "el".

For hookah, display "la".

**BOX ID: R04\_AND02**

Randomize order of items R04\_AN0025 - R04\_AN0100.

**PATH ID: R04\_AN0025**

Con frecuencia tengo un fuerte deseo de [ND FILL2].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0030**

[Mis deseos se vuelven más fuertes si no puedo/Sigo sintiendo deseos de] [ND FILL1].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "Mis deseos se vuelven más fuertes si no puedo".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "Sigo sintiendo deseos de".

**PATH ID: R04\_AN0035**

[FILL AS SHOWN BELOW].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "Los cigarrillos me controlan"

IF NG=YES FILL WITH "Los puros tradicionales me controlan"

IF NL=YES FILL WITH "Los puritos me controlan"

IF NF=YES FILL WITH "Los puros con filtro me controlan"

IF NP=YES FILL WITH "Fumar en pipa me controla"

IF NH=YES FILL WITH "Fumar en hookah me controla"

IF NU=YES FILL WITH "El snus me controla"

IF NS=YES FILL WITH "El tabaco que no se fuma me controla"

IF R04\_NDSKIP = 1, 2 fill with "El tabaco me controla"

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0045</b>
[[Mi [ND FILL4] está fuera de control./Mi deseo de [ND FILL1] está fuera de control.]]
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DONT' KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Mi [ND FILL4] está fuera de control."
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Mi deseo de [ND FILL1] está fuera de control."

<b>PATH ID:</b> <b>R04_AN0060</b>
Normalmente quiero [ND FILL1] justo después de despertarme.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DONT' KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0065</b>
No me puedo aguantar más de un par de horas sin [[ND FILL3]/querer [ND FILL1]].
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "[ND FILL3]".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "querer [ND FILL1]"

<b>PATH ID:</b> <b>R04_AN0050</b>
[Con frecuencia me gusta [ND FILL1]/Cuando me doy cuenta casi me pongo a [ND FILL3]] sin pensarlo.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Con frecuencia me gusta [ND FILL1]".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Cuando me doy cuenta casi me pongo a [ND FILL3] sin pensarlo".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0070</b>
[ND FILL3] me [ayuda/ayudaría] mucho a sentirme mejor cuando estoy triste.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "ayuda".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "ayudaría".

<b>PATH ID:</b> <b>R04_AN0075</b>
[ND FILL3] me ayuda a pensar mejor.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

<b>PATH ID:</b> <b>R04_AN0255</b>
Consume tabaco la mayoría de la gente con la que paso el tiempo.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0080**

Me [sentiría/siento] solo sin [mi/mis] [ND FILL2].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "sentiría".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "siento".

FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "mis".

FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO, HOOKAH AND TOBACCO, DISPLAY "mi".

**PATH ID: R04\_AN0085**

[Se me haría muy difícil dejar de [ND FILL3]./Se me haría muy difícil no [ND FILL 1].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "Se me haría muy difícil dejar de [ND FILL3].".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "Se me haría muy difícil no [ND FILL 1].".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0090</b>
[Se me haría difícil dejar de [ND FILL3] por una semana./Se me haría difícil no [ND FILL1] por otra semana.]	
1	No es cierto en absoluto
2	
3	
4	
5	Es muy cierto
-8	DON'T KNOW
-7	REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).	
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Se me haría difícil dejar de [ND FILL3] por una semana."	
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Se me haría difícil no [ND FILL1] por otra semana".	

<b>PATH ID:</b>	<b>R04_AN0095</b>
[Si dejo de [ND FILL3] por un tiempo, necesito/ Me gustaría] [ND FILL1] para sentirme menos inquieto e irritable.	
1	No es cierto en absoluto
2	
3	
4	
5	Es muy cierto
-8	DON'T KNOW
-7	REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).	
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Si dejo de [ND FILL3] por un tiempo, necesito".	
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Me gustaría".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0100</b>
[Si dejo de [ND FILL3] por un tiempo, necesito/Siento que necesito] [ND FILL1] para evitar sentir alguna molestia.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Si dejo de [ND FILL3] por un tiempo, necesito".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Siento que necesito".

<b>PATH ID:</b> <b>R04_AN0110</b>
¿Cree que [ND FILL3] le [está ocasionando/ocasionó] un problema de salud o lo [está empeorando/empeoró]?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "está ocasionando" AND "está empeorando".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "ocasionó" AND "empeoró".

<b>PATH ID:</b> <b>R04_AN0813</b>
En los últimos 12 meses, ¿le fue difícil dejar de [ND FILL3] en lugares donde no estaba permitido?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0812**

En los últimos 12 meses, ¿dejó por completo o disminuyó las actividades que le agradaban o le importaban porque su [ND FILL4] no estaba permitido en el lugar de la actividad?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**BOX ID: R04\_ANR19**

Current tobacco users (excluding e-products), go to R04\_AN0105.

Else, recent former tobacco users (excluding e-products), go to Box R04\_ANV06.

Else, experimental current tobacco users (excluding e-products), go to Box R04\_ANR04.

**PATH ID: R04\_AN0105**

En los últimos 12 meses, ¿ha tratado de dejar de [ND FILL3] por completo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0334**

En los últimos 12 meses, ¿ha tratado de dejar de [ND FILL3] reduciendo gradualmente el [ND FILL3]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).





**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0115_LC2
La computadora registró que en los últimos 12 meses usted no ha tratado de dejar [los/el/la] [ND FILL2] por completo.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AN0115</span>
2 NEXT
ASK: IF R04_AN0115 = 0.
DISPLAY: FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "los".
FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO AND TOBACCO, DISPLAY "el".
FOR HOOKAH, DISPLAY "la".

<b>BOX ID:</b> R04_ANR27
If respondent did not try to quit in the past 12 months, go to Box R04_ANR04.
Else, current users, go to R04_AN0120.
Else, recent former users who provided a valid response in R04_A*1009, go to R04_AN0257.
Else, recent former users who did not provide a valid response in R04_A*1009, go to R04_AN0145.

<b>PATH ID:</b> R04_AN0120
En los últimos 12 meses, ¿ha dejado usted de [ND FILL3] durante un día o más debido a que estaba tratando de [dejarlos/dejarla/dejarlo]?
1 Sí <span style="float: right;">GO TO R04_AN0130</span>
2 No <span style="float: right;">GO TO R04_AN0130</span>
-8 DON'T KNOW <span style="float: right;">GO TO R04_AN0130</span>
-7 REFUSED <span style="float: right;">GO TO R04_AN0130</span>
ASK: Current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months.
DISPLAY: IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos".
IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".
IF NDFILL3 = consumir tabaco que no se fuma; consumir snus, consumir tabaco, DISPLAY "dejarlo".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0125</b>	
En los últimos 12 meses, ¿cuántas veces ha dejado de [ND FILL3] por un día o más debido a que estaba tratando de {dejarlos/dejarla/dejarlo}?		
1	Una vez	
2	2-3 veces	
3	4 veces o más	
-8	DON'T KNOW	GO TO R04_AN0256
-7	REFUSED	GO TO R04_AN0256
ASK: Current tobacco users (excluding e-products) who have tried to stop for one day or longer.		
DISPLAY: IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos".		
IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".		
IF NDFILL3 = consumir tabaco que no se fuma; consumir snus, consumir tabaco, DISPLAY "dejarlo".		

<b>PATH ID:</b>	<b>R04_AN0125_LC1</b>	
La computadora registró que usted ha dejado de [ND FILL3] por un día o más porque estaba tratando de dejar de consumir tabaco. ¿Es correcto?		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AN0125
2	NEXT	GO TO R04_AN0130
ASK: IF R04_AN0125 > R04_AN0115.		

<b>PATH ID:</b>	<b>R04_AN0256</b>	
¿Diría que en los últimos 12 meses ha tratado de dejar de [NDFILL3] más de 3 veces por un día o más debido a que estaba tratando de dejar de [NDFILL3]?		
1	Sí	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current tobacco users (excluding e-products) who did not know or refused to report the number of quit attempt times.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0130</b>	
En los últimos 12 meses, la última vez que dejó de [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo], ¿por cuánto tiempo [los/la/lo] dejó?	
1	_ _ _ _  Minutos
2	_ _ _ _  Horas
3	_ _ _ _  Días
4	_ _ _ _  Semanas
5	_ _ _ _  Meses
-8	DON'T KNOW <span style="float: right;">GO TO R04_AN0300</span>
-7	REFUSED <span style="float: right;">GO TO R04_AN0300</span>
ASK: Current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months.	
DISPLAY: IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos" AND "los". IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla" AND "la". IF NDFILL3 = consumir snus, consumir tabaco que no se fuma; consumir tabaco, DISPLAY "dejarlo" and "lo".	

<b>PATH ID: R04_AN0130_LC1</b>	
La computadora registró que la última vez que usted trató de dejar de [ND FILL3] en los últimos 12 meses, usted lo dejó durante [R04_AN0130_NN] [días/semanas/meses].	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1	BACK <span style="float: right;">GO TO R04_AN0130</span>
2	NEXT <span style="float: right;">GO TO R04_AN0135</span>
ASK: IF (R04_AN0130_NN > 366 AND R04_AN0130_UN = 3) OR (R04_AN0130_NN > 52 AND R04_AN0130_UN = 4) OR (R04_AN0130_NN > 12 AND R04_AN0130_UN = 5).	
DISPLAY: IF R04_AN0130 REPORTED IN DAYS, DISPLAY "días".	
ELSE, IF R04_AN0130 REPORTED IN MONTHS DISPLAY "semanas".	
ELSE, IF R04_AN0130 REPORTED IN WEEKS, DISPLAY "meses".	

<b>PATH ID: R04_AN0300</b>	
¿Fue por más de una semana, una semana o menos de una semana?	
1	Más de una semana <span style="float: right;">GO TO R04_AN0210</span>
2	Una semana <span style="float: right;">GO TO R04_AN0210</span>
3	Menos de una semana <span style="float: right;">GO TO R04_AN0210</span>
-8	DON'T KNOW <span style="float: right;">GO TO R04_AN0210</span>
-7	REFUSED <span style="float: right;">GO TO R04_AN0210</span>
ASK: Current tobacco users (excluding e-products) who did not provide a duration for the last quit attempt.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0135</b>	
¿Me puede dar una fecha aproximada de finalización de este último intento que duró [enter duration from R04_AN0130]?	
1     __ __  MES  __ __  DÍA  __ __ __  AÑO	
-8   DON'T KNOW	GO TO R04_AN0140
-7   REFUSED	GO TO R04_AN0140
ASK: Current tobacco users (excluding e-products) who provided a duration for the last quit attempt.	

<b>PATH ID:</b> <b>R04_AN0135_LC1</b>	
La computadora registró que la fecha final de su último intento de dejar de [ND FILL3] en los últimos 12 meses fue el [DATE ENTERED IN R04_AN0135]. Esa es una fecha en el futuro. ¿Es correcta esa fecha final?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AN0135
2    NEXT	GO TO R04_AN0140
ASK: IF R04_AN0135 > TODAY'S DATE.	

<b>PATH ID:</b> <b>R04_AN0135_LC2</b>	
La computadora registró que la fecha final de su último intento de dejar de [ND FILL3] en los últimos 12 meses fue el [DATE ENTERED IN R04_AN0135]. Eso fue hace más de 12 meses. ¿Es correcta esa fecha final?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AN0135
2    NEXT	GO TO R04_AN0140
ASK: IF R04_AN0135 < (TODAY'S DATE - 12 MONTHS).	

<b>PATH ID:</b> <b>R04_AN0135_LC3</b>	
Anote el año usando cuatro dígitos o números.	
1    BACK	GO TO R04_AN0135
ASK: IF R04_AN0135 (YEARS) IS < 4 DIGITS.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0140</b>	
En los últimos 12 meses, ¿fue [DURATION OF LAST QUIT ATTEMPT] el periodo más largo que estuvo sin [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo]?		
1	Sí	GO TO BOX R04_ANR28
2	No	GO TO R04_AN0145
-8	DON'T KNOW	GO TO BOX R04_ANR28
-7	REFUSED	GO TO BOX R04_ANR28
ASK: Current tobacco users (excluding e-products) who provided a duration for the last quit attempt.		
DISPLAY: Fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R04_AN0130 (ex. "45 días")		
IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos".		
IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".		
IF NDFILL3 = consumir snus, consumir tabaco que no se fuma; consumir tabaco, DISPLAY "dejarlo".		

<b>PATH ID:</b>	<b>R04_AN0257</b>	
Usted mencionó anteriormente que dejó de [ND FILL3] hace [ENTER LENGTH OF TIME SINCE LAST USE IN R04_A*1009]. ¿Es este el periodo más largo que ha estado sin [ND FILL3] en los últimos 12 meses?		
1	Sí	GO TO BOX R04_ANR28
2	No	GO TO R04_AN0145
-8	DON'T KNOW	GO TO BOX R04_ANR28
-7	REFUSED	GO TO BOX R04_ANR28
ASK: Recent former tobacco users (excluding e-products) who provided a valid response in R04_A*1009.		
DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R04_A*1009] with time entered (ex. "45 días") in corresponding R04_A*1009 item by product:		
IF R04_NDSKIP=0, 3:		
NC=R04_AC1009 NP=R04_AP1009		
NG=R04_AG1009 NH=R04_AH1009		
NL=R04_AG1009 NU=R04_AU1009		
NF=R04_AG1009 NS=R04_AS1009		
IF R04_NDSKIP = 1, 2:		
Use longest time period among R04_AC1009, R04_AG1009, R04_AP1009, R04_AH1009, R04_AU1009, R04_AS1009.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0145</b>	
En los últimos 12 meses, ¿cuánto duró el periodo de tiempo más largo que dejó de [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo]?		
1	_ _ _ _  Minutos	
2	_ _ _ _  Horas	
3	_ _ _ _  Días	
4	_ _ _ _  Semanas	
5	_ _ _ _  Meses	
-8	DON'T KNOW	GO TO R04_AN0305
-7	REFUSED	GO TO R04_AN0305
ASK: Current and recent former tobacco users (excluding e-products) who said their last quit attempt was not their longest in the past 12 months and recent former tobacco users (excluding e-products) who did not provide a valid response in R04_A*1009.		
DISPLAY: IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos". IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".		
IF NDFILL3 = consumir snus, consumir tabaco que no se fuma; consumir tabaco, DISPLAY "dejarlo".		

<b>PATH ID:</b>	<b>R04_AN0145_LC1</b>	
La computadora registró que usted dejó de [ND FILL3] por [R04_AN0145_NN] [días/semanas/meses].		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AN0145
2	NEXT	GO TO BOX R04_ANR28
ASK: IF (R04_AN0145_NN > 366 AND R04_AN0145_UN = 3) OR (R04_AN0145_NN > 52 AND R04_AN0145_UN = 4) OR (R04_AN0145_NN > 12 AND R04_AN0145_UN = 5).		
DISPLAY: IF R04_AN0145_UN = 3, DISPLAY "días",		
ELSE, IF R04_AN0145_UN = 4, DISPLAY "semanas".		
ELSE, IF R04_AN0145_UN = 5, DISPLAY "meses".		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0305**

¿Fue por más de una semana, una semana o menos de una semana?

- 1 Más de una semana
- 2 Una semana
- 3 Menos de una semana
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who did not know or refused to report the duration for their longest quit in the past 12 months.

**BOX ID: R04\_ANR28**

Twelve month quit attempters, go to R04\_AN0210.  
Else, go to Box R04\_ANR04.

**PATH ID: R04\_AN0210**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los últimos 12 meses, ¿contó con el apoyo de sus amigos y familiares para ayudarlo a dejarlo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0215**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los últimos 12 meses. ¿Usó una de las siguientes opciones como ayuda? Consejería, una línea directa de ayuda para dejar el tabaco, libros, folletos, videos o un centro de tratamiento, clase o grupo de apoyo para dejar el tabaco o un programa disponible en la Web.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0225**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los últimos 12 meses. ¿Usó otro producto de tabaco para ayudarse a [dejarlos/dejarla/dejarlo]?  
Escoja todas las opciones que correspondan.

- 1 No usé otro producto de tabaco para ayudarme a [dejarlos/dejarla/dejarlo]
- 2 Cigarrillos
- 3 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Tabaco para pipas
- 8 Hookah
- 9 Snus
- 10 Tabaco que no se fuma como el dip, el tabaco de mascar, el tabaco de inhalar o rapé
- 11 Tabaco que se disuelve
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos".

IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".

IF NDFILL3 = consumir snus, consumir tabaco que no se fuma; consumir tabaco, DISPLAY "dejarlo".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR04**

**If R04\_NDSKIP = 0, 1:**

Go to R04\_AN0330\_12M.

**If R04\_NDSKIP = 2, 3:**

Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year and already reported using NRT in the past 12 months, go to R04\_AN0150.

Else, current tobacco users (excluding e-products) who are twelve month reducers and already reported using NRT in the past 12 months, go to R04\_AN0811.

Else, experimental current tobacco users (excluding e-products) who already reported using NRT in the past 12 months, go to R04\_AN0811.

Else, respondents who already reported using NRT in the past 12 months, go to R04\_AN0336.

Else, go to Box R04\_ANR29.

**PATH ID: R04\_AN0330\_12M**

En los últimos 12 meses, ¿ha usado un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and recent former tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users.

**BOX ID: R04\_ANR15**

Twelve month quit attempters who used NRT in the past 12 months, go to R04\_AN0150.

Else, twelve month reducers who used NRT in the past 12 months, go to R04\_AN0811.

Else, experimental current tobacco users (excluding e-products) who used NRT in the past 12 months, go to R04\_AN0811.

Else, respondents who have used NRT in the past 12 months, go to R04\_AN0336.

Else, go to Box R04\_ANR29.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0150</b>	
Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los <u>últimos 12 meses</u> . ¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?		
1	Sí	
2	No	GO TO R04_AN0336
-8	DON'T KNOW	GO TO R04_AN0336
-7	REFUSED	GO TO R04_AN0336
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used NRT in the past 12 months.		
DISPLAY: IF R04_AN0125 = 1, DISPLAY "la vez que trató de dejar de".		
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".		
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".		
ELSE, DISPLAY "la última vez que trató de dejar de".		
UNDERLINE "últimos 12 meses".		

<b>PATH ID:</b>	<b>R04_AN0155</b>	
¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para dejar de [ND FILL3] <u>por completo</u> ?		
1	Sí	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current and recent former tobacco users who used NRT to help them quit in the past 12 months.		
DISPLAY: UNDERLINE "por completo".		

<b>PATH ID:</b>	<b>R04_AN0811</b>	
¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para aliviar o evitar los efectos secundarios después de dejar o disminuir su [ND FILL4]?		
1	Sí	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current and recent former tobacco users who used NRT to help them quit in the past 12 months and twelve month reducers and experimental current tobacco users, who have ever used NRT.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0336**

¿Cuál fue la razón principal por la que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 Para dejar de [fumar/consumir] por completo
- 2 Para reducir la cantidad que [fuma/consume]
- 3 Para sobrellevar las veces en que no podía o no le permitían [fumar/consumir]
- 4 Otra razón (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current and recent former tobacco users (including ENDS and tobacco dual use) who have used NRT in the past 12 months.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 4 OR R04\_GTRAD\_USER\_STATUS = 1, 4 OR R04\_GRILLO\_USER\_STATUS = 1, 4 OR R04\_GFILTR\_USER\_STATUS = 1, 4 OR R04\_PIPE\_USER\_STATUS = 1, 4 OR R04\_HOOK\_USER\_STATUS = 1, 4, DISPLAY "fumar", "fuma" AND "fumar", IN RESPONSE OPTIONS.

ELSE, IF R04\_SNUS\_USER\_STATUS = 1, 4, OR R04\_SMKLS\_USER\_STATUS = 1, 4, DISPLAY "consumir", "consume" AND "consumir" IN RESPONSE OPTIONS.

ELSE, IF R04\_CIG\_USER\_STATUS = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_HOOK\_USER\_STATUS = 2, DISPLAY "fumar", "fuma" AND "fumar", IN RESPONSE OPTIONS.

ELSE, DISPLAY "consumir", "consume" AND "consumir" IN RESPONSE OPTIONS.

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_ANR05**

Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used NRT in the past 12 months who did not use NRT to help them quit, go to Box R04\_ANR06.

Else, current tobacco users who are twelve month reducers and experimental current tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users, go to R04\_AN0307.

Else, current tobacco users who are twelve month reducers and experimental current tobacco users (excluding e-products), go to Box R04\_ANR29.

Else, go to R04\_AN0160.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0160**

¿Cuál es el medicamento que usó o tomó [la vez que trató de dejar de/la última vez que trató de dejar de/ cuando dejó de] [ND FILL3]? Escoja todas las opciones que correspondan.

- 1 Parche de nicotina
- 2 Chicle de nicotina
- 3 Inhalador de nicotina
- 4 Espray nasal con nicotina
- 5 Pastillas de chupar o píldoras de nicotina
- 6 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_ANR06

ASK: Current and recent former tobacco users (excluding e-products) who used NRT to help them quit in the past 12 months.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de fumar".

**PATH ID: R04\_AN0165**

En total, [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] [ND FILL3][ por completo], ¿por cuánto tiempo usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| SEMANAS
- 3 |\_\_|\_\_| MESES
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who used a listed NRT to help them quit.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND "por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

**BOX ID: R04\_ANR06**

If R04\_NDSKIP = 0 OR 1, go to R04\_AN0170

Else, if R04\_NDSKIP = 2, 3, go to Box R04\_ANR29.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0170</b>												
Actualmente, ¿está usando o tomando un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?												
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;">Sí</td> <td style="width: 20%;"></td> </tr> <tr> <td>2</td> <td>No</td> <td style="text-align: right;">GO TO R04_AN0307</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AN0307</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R04_AN0307</td> </tr> </table>	1	Sí		2	No	GO TO R04_AN0307	-8	DON'T KNOW	GO TO R04_AN0307	-7	REFUSED	GO TO R04_AN0307
1	Sí											
2	No	GO TO R04_AN0307										
-8	DON'T KNOW	GO TO R04_AN0307										
-7	REFUSED	GO TO R04_AN0307										
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months, and are not recent former or current ENDS users, and have used NRT in the past 12 months.												

<b>PATH ID:</b> <b>R04_AN0251</b>															
Aproximadamente, ¿cuánto tiempo ha estado usando o tomando un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?															
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;"> _ _  DÍAS</td> <td style="width: 20%;"></td> </tr> <tr> <td>2</td> <td> _ _  MESES</td> <td></td> </tr> <tr> <td>3</td> <td> _ _  AÑOS</td> <td></td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table>	1	_ _  DÍAS		2	_ _  MESES		3	_ _  AÑOS		-8	DON'T KNOW		-7	REFUSED	
1	_ _  DÍAS														
2	_ _  MESES														
3	_ _  AÑOS														
-8	DON'T KNOW														
-7	REFUSED														
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months, who are not recent former or current ENDS users, who are currently using NRT.															

<b>PATH ID:</b> <b>R04_AN0251_LC1</b>						
La computadora registró que usted lleva usando o tomando productos con nicotina, como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para que le ayuden a dejar de [ND FILL3] por [R04_AN0251_NN] [días/meses/años].						
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.						
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;">BACK</td> <td style="width: 20%; text-align: right;">GO TO R04_AN0251</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td style="text-align: right;">GO TO R04_AN0307</td> </tr> </table>	1	BACK	GO TO R04_AN0251	2	NEXT	GO TO R04_AN0307
1	BACK	GO TO R04_AN0251				
2	NEXT	GO TO R04_AN0307				
ASK: IF (R04_AN0251_NN > 99 AND R04_AN0251_UN = 1) OR (R04_AN0251_NN > 60 AND R04_AN0251_UN = 2) AND (R04_AN0251_NN > 5 AND R04_AN0251_UN = 3).						
DISPLAY: IF R04_AN0251_UN = 1, DISPLAY "días".						
ELSE, IF R04_AN0251_UN = 2, DISPLAY "meses".						
ELSE, IF R04_AN0251_UN = 3, DISPLAY "años".						

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0251_LC2
La computadora registró "cero" para la cantidad de tiempo que usted lleva usando o tomando productos con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para que le ayuden a dejar de [ND FILL3].
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AN0251</span>
2 NEXT
ASK: IF R04_AN0251 = 0.

<b>PATH ID:</b> R04_AN0307
¿Cuándo fue la última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?
1 Hace menos de una hora <span style="float: right;">GO TO R04_AN0309</span>
2 Hoy
3 Ayer
4 Hace dos días
5 Hace tres o más días <span style="float: right;">GO TO R04_AN0175</span>
-8 DON'T KNOW <span style="float: right;">GO TO R04_AN0331_12M</span>
-7 REFUSED <span style="float: right;">GO TO R04_AN0331_12M</span>
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT in the past 12 months.

<b>PATH ID:</b> R04_AN0308
La última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04_AN0307], ¿fue...?
1 Entre la medianoche y las 6 de la mañana
2 Entre las 6 de la mañana y el mediodía
3 Entre el mediodía y las 6 de la tarde
4 Entre las 6 de la tarde y la medianoche
-8 DON'T KNOW
-7 REFUSED
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0307]:
IF R04_AN0307 = 2, DISPLAY "hoy".
IF R04_AN0307 = 3, DISPLAY "ayer".
IF R04_AN0307 = 4, DISPLAY "hace dos días".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0309**

Cuando usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04\_AN0307], ¿cuántos usó o tomó?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AN0331\_12M

-7 REFUSED

GO TO R04\_AN0331\_12M

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0307]:

IF R04\_AN0307 = 1, 2, DISPLAY "hoy".

IF R04\_AN0307 = 3, DISPLAY "ayer".

IF R04\_AN0307 = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309\_LC1**

La computadora registró que [hoy/ayer/hace dos días], usted usó o tomó el producto con nicotina, tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [R04\_AN0309] veces. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0309

2 NEXT

GO TO R04\_AN0331\_12M

ASK: IF R04\_AN0309 > 5.

DISPLAY: IF R04\_AN0307 = 1, 2, DISPLAY "hoy".

IF R04\_AN0307 = 3, DISPLAY "ayer".

IF R04\_AN0307 = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309\_LC2**

La computadora registró que [hoy/ayer/hace dos días], usted usó o tomó el producto con nicotina, tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras cero veces. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0309

2 NEXT

GO TO R04\_AN0331\_12M

ASK: IF R04\_AN0309 = 0.

DISPLAY: IF R04\_AN0307 = 1, 2, DISPLAY "hoy".

IF R04\_AN0307 = 3, DISPLAY "ayer".

IF R04\_AN0307 = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0175**

¿Cuánto hace que dejó de usar o tomar un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO R04\_AN0331\_12M

-7 REFUSED

GO TO R04\_AN0331\_12M

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT three or more days ago.

**PATH ID: R04\_AN0175\_LC1**

La computadora registró que usted dejó de tomar o usar el producto con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras hace [R04\_AN0175\_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0175

2 NEXT

ASK: IF ((R04\_AN0175\_NN > 31 OR R04\_AN0175\_NN < 3) AND R04\_AN0175\_UN = 1) OR (R04\_AN0175\_NN > 12 AND R04\_AN0175\_UN = 2) OR (R04\_AN0175\_NN > 1 AND R04\_AN0175\_UN = 3).

DISPLAY: IF R04\_AN0175\_UN = 1, DISPLAY "días",

ELSE, IF R04\_AN0175\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AN0175\_UN = 3, DISPLAY "años".

**BOX ID: R04\_ANR29**

**If R04\_NDSKIP = 0 or 1:**

Go to R04\_AN0331\_12M.

**If R04\_NDSKIP = 2 or 3:**

Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year and already reported using prescription drugs in the past 12 months, go to R04\_AN0180.

Else, go to Box R04\_ANR18.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0331\_12M**

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos de venta con receta médica? Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and recent former tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users.

**BOX ID: R04\_ANR07**

Twelve month quit attempters who used a prescription drug in the past twelve months, go to R04\_AN0180.

Else, current, recent former, and experimental current tobacco users (excluding e-products) who used a prescription drug in the past twelve months, go to R04\_AN0327.

Else, go to Box R04\_ANR18.

**PATH ID: R04\_AN0180**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los últimos 12 meses. ¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 Sí
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_ANR08  
GO TO BOX R04\_ANR08  
GO TO BOX R04\_ANR08

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used a prescription drug to stop smoking.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AN0185**

¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión para dejar de [ND FILL3] por completo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0190**

¿Cuál es el medicamento con receta que usó o tomó [la vez que trató de dejar de/la última vez que trató de dejar de/ cuando dejó de] [ND FILL3]? Escoja todas las opciones que correspondan.

- 1 Chantix o vareniclina
- 2 Wellbutrin, Zyban, o bupropión
- 3 Ninguna de las anteriores GO TO BOX R04\_ANR08
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

**PATH ID: R04\_AN0195**

En total, [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] [ND FILL3][ por completo], ¿por cuánto tiempo tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| SEMANAS
- 3 |\_\_|\_\_| MESES
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a listed prescription drug to help them.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ANR08</b>
<b>If R04_NDSKIP = 0 OR 1:</b> If the respondents attempted to quit in the past year and used a prescription drug to help them, go to R04_AN0200. Else, if the respondent used a prescription drug in the past 12 months, go to R04_AN0327.
<b>If R04_NDSKIP = 2 OR 3:</b> Go to Box R04_ANR18.

<b>PATH ID:</b> <b>R04_AN0200</b>
Actualmente, ¿está tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AN0327
GO TO R04_AN0327
GO TO R04_AN0327
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them, who are not recent former or current ENDS users.

<b>PATH ID:</b> <b>R04_AN0252</b>
Aproximadamente, ¿cuánto tiempo ha estado tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?
1     __ __  DÍAS
2     __ __  MESES
3     __ __  AÑOS
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AN0327
GO TO R04_AN0327
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them and are currently using a prescription drug, who are not recent former or current ENDS users.





**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0329\_LC1**

La computadora registró que [hoy/ayer/hace dos días], usted tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [R04\_AN0329] veces.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0329

2 NEXT

GO TO BOX R04\_ANR18

ASK: IF R04\_AN0329 = 0 OR IF R04\_AN0329 > 5.

DISPLAY: IF R04\_AN0327 = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0327 = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0327 = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0205**

¿Cuánto hace que dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

-7 REFUSED

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, who used prescription drugs three or more days ago.

**PATH ID: R04\_AN0205\_LC1**

La computadora registró que usted dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión hace [R04\_AN0205] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0205

2 NEXT

ASK: IF (R04\_AN0205\_NN > 31 AND R04\_AN0205\_UN = 1) OR (R04\_AN0205\_NN > 12 AND R04\_AN0205\_UN = 2) OR (R04\_AN0205\_NN > 1 AND R04\_AN0205\_UN = 3).

DISPLAY: IF R04\_AN0205\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AN0205\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AN0205\_UN = 3, DISPLAY "años".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR18**

Current and recent former tobacco users (excluding e-products) who attempted to quit or cut down in the past 12 months, go to Box R04\_AND03.

Else, current tobacco users (excluding e-products), go to R04\_AN0230.

Else, experimental current tobacco users (excluding e-products), go to R04\_AX0006.

Else, go to Box R04\_ART01.

**BOX ID: R04\_AND03**

Display question R04\_AN0804, R04\_AN0805, R04\_AN0806, R04\_AN0807, R04\_AN0808, R04\_AN0809, R04\_AN0810, on one screen. Show the transition text and question stem from R04\_AN0804 first, then show each item with the sí/no responses. As each item is answered, show the next one.

**PATH ID: R04\_AN0804**

Las siguientes preguntas son acerca de cómo se sintió días después de [tratar de dejar de/la última vez que trató de dejar de/dejar de/redujo el] [ND FILL3] en los últimos 12 meses.

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...  
¿se sintió deprimido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "tratar de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "dejar de".

ELSE, IF R04\_TWELVEMONTHQUIT\_STATUS = 2, DISPLAY "redujo el".

**BOX ID: R04\_AND04**

Randomize order of R04\_AN0805 - R04\_AN0809.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0805</b>
En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted... ¿tuvo dificultad para dormir?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID:</b> <b>R04_AN0806</b>
En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted... ¿tuvo dificultad para concentrarse?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID:</b> <b>R04_AN0807</b>
En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted... ¿comió más de lo normal o subió de peso?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID:</b> <b>R04_AN0808</b>
En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted... ¿se irritó, molestó o frustró fácilmente?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0809**

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...  
¿se sintió ansioso o nervioso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH ID: R04\_AN0810**

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...  
¿se sintió más inquieto de lo habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**BOX ID: R04\_ANR21**

Current tobacco users (excluding e-products), go to R04\_AN0230.  
Else, go to R04\_AX0006.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0230**

En general, usando una escala del 1 al 10, en donde 1 = no estoy interesado en absoluto y 10 = estoy extremadamente interesado, dígame ¿qué tan interesado está en dejar el [ND FILL 4]? Seleccione una cantidad del 1 al 10.

- 1 No estoy interesado en absoluto
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Estoy extremadamente interesado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0235**

¿Tiene planificado dejar de [ND FILL3] para siempre?

- 1 Sí
- 2 No GO TO R04\_AX0006
- 8 DON'T KNOW GO TO R04\_AX0006
- 7 REFUSED GO TO R04\_AX0006

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0240**

¿Cuándo tiene planificado dejar de [ND FILL3] para siempre?

- 1 En los próximos 7 días
- 2 En los próximos 30 días
- 3 En los próximos 6 meses
- 4 El próximo año GO TO R04\_AX0006
- 5 En más de un año GO TO R04\_AX0006
- 8 DON'T KNOW GO TO R04\_AX0006
- 7 REFUSED GO TO R04\_AX0006

ASK: Current tobacco users (excluding e-products) who say they plan to quit for good.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0245**

Si de hecho tratara de dejar de [ND FILL3] por completo dentro de los próximos 6 meses, ¿qué tan probable cree que es que tenga éxito?

- 1 Nada en absoluto
- 2 Muy poco probable
- 3 Es algo probable
- 4 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products) who have some interest in quitting in the next 6 months.

**PATH ID: R04\_AX0006**

Si tuviera que volver a hacerlo, ¿volvería a fumar o consumir tabaco [(sin incluir cigarrillos electrónicos u otros productos electrónicos con nicotina)]?

- 1 Definitivamente no
- 2 Probablemente no
- 3 Probablemente sí
- 4 Definitivamente sí
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former tobacco users (excluding e-products).

DISPLAY: IF R04\_NDSKIP 2, 3, DISPLAY " (sin incluir cigarrillos electrónicos u otros productos electrónicos con nicotina)".

ELSE, DO NOT DISPLAY.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **PACKAGING AND HEALTH WARNINGS**

**BOX ID: R04\_ART01**

Las siguientes preguntas son acerca de cosas que posiblemente haya visto o leído acerca de los productos de tabaco.

**PATH ID: R04\_AR0141**

En los últimos 12 meses, ¿con qué frecuencia ha visto una lista de los productos químicos que contienen los productos de tabaco?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AR0142**

En los últimos 12 meses, ¿con qué frecuencia ha pensado en las sustancias químicas que contienen los productos de tabaco?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR01**

If current user of roll-your-own cigarettes, go to R04\_AR0095.  
Else, go to R04\_AR0005.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0095**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes para armar sus propios cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current cigarette smokers who buy roll-your-own tobacco.

**PATH ID: R04\_AR0005**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en las cajetillas de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR03**

Current and experimental current cigarette smokers who have noticed health warnings on cigarette packs, go to R04\_AR0202.

Else, experimental former, recent former, and long-term former cigarette smokers who have noticed health warnings on cigarette packs, go to R04\_AR0040.

Else, respondents who have never smoked cigarettes and have noticed the health warnings on cigarette packs, go to R04\_AR0055.

Else, go to R04\_AR0110.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0202**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en las cajetillas de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed the health warnings in the past 30 days.

**PATH ID: R04\_AR0010**

En los últimos 30 días, cuando iba a fumar un cigarrillo ¿con qué frecuencia ha dejado de fumar al ver las advertencias de riesgo para la salud?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0015**

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud en las cajetillas de cigarrillos? Por ejemplo, ¿las ha tapado o escondido, ha usado un estuche para sus cajetillas, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AR0025</b>
¿Qué tan creíbles cree que son las advertencias de riesgo para la salud en las cajetillas de cigarrillos?
<ul style="list-style-type: none"> <li>1 No son creíbles en absoluto</li> <li>2 Son muy poco creíbles</li> <li>3 Son algo creíbles</li> <li>4 Son muy creíbles</li> <li>5 Son extremadamente creíbles</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

<b>PATH ID:</b> <b>R04_AR0035</b>
Las advertencias de riesgo para la salud en las cajetillas de cigarrillos, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?
<ul style="list-style-type: none"> <li>1 Para nada</li> <li>2 Muy poco</li> <li>3 Algo</li> <li>4 Mucho</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

<b>PATH ID:</b> <b>R04_AR0040</b>												
Las advertencias de riesgo para la salud en las cajetillas de cigarrillos, ¿aumentan sus probabilidades de [dejar de/no volver a] fumar?												
<table style="width: 100%; border: none;"> <tr> <td style="padding-left: 20px;">1 Para nada</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">2 Muy poco</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">3 Algo</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">4 Mucho</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">-8 DON'T KNOW</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">-7 REFUSED</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AR0110</td> </tr> </table>	1 Para nada	GO TO R04_AR0110	2 Muy poco	GO TO R04_AR0110	3 Algo	GO TO R04_AR0110	4 Mucho	GO TO R04_AR0110	-8 DON'T KNOW	GO TO R04_AR0110	-7 REFUSED	GO TO R04_AR0110
1 Para nada	GO TO R04_AR0110											
2 Muy poco	GO TO R04_AR0110											
3 Algo	GO TO R04_AR0110											
4 Mucho	GO TO R04_AR0110											
-8 DON'T KNOW	GO TO R04_AR0110											
-7 REFUSED	GO TO R04_AR0110											
ASK: Current, experimental current, experimental former, recent former and long-term former cigarette smokers, who have noticed health warnings in the past 30 days.												
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "dejar de".												
ELSE, DISPLAY "no volver a".												

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0055**

Las advertencias de riesgo para la salud en los paquetes de cigarrillos, ¿disminuyen su probabilidad de empezar a fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0110**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR06**

Current and experimental current e-product users who have noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products in the past 30 days, go to R04\_AR0222.

Else, go to R04\_AR0115.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0222**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0226**

Las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar estos productos?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0115**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puros tradicionales?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ARR07**

Current and experimental current traditional cigar smokers who have noticed health warnings on packages of traditional cigars in the past 30 days, go to R04\_AR0229.  
Else, go to R04\_AR0120.

**PATH ID: R04\_AR0229**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puros tradicionales?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current traditional cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0233**

Las advertencias de riesgo para la salud en los paquetes de puros tradicionales, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current traditional cigar smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0120**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puritos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR08**

Current and experimental current cigarillo smokers who have noticed health warnings on packages of cigarillos in the past 30 days, go to R04\_AR0236.

Else, go to R04\_AR0125.

**PATH ID: R04\_AR0236**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puritos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarillo smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0240**

Las advertencias de riesgo para la salud en los paquetes de puritos, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarillo smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0125**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puros con filtro?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR09**

Current and experimental current filtered cigar smokers who have noticed health warnings on packages of filtered cigars in the past 30 days, go to R04\_AR0243.

Else, go to R04\_AR0130.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0243**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puros con filtro?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current filtered cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0247**

Las advertencias de riesgo para la salud en los paquetes de puros con filtro, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current filtered cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0130**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de tabaco para pipa?

[SHOW GENERIC IMAGE OF PIPES AND PIPE TOBACCO]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0135**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de shisha o tabaco para hookah?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_APR35**

Current and experimental current hookah users who have noticed health warnings on packages of shisha or hookah tobacco in the past 30 days, go to R04\_AR0250.

Else, go to R04\_AR0206.

**PATH ID: R04\_AR0250**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de shisha o tabaco para hookah?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current hookah smokers who have noticed health warnings in the past 30 days.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0254**

Las advertencias de riesgo para la salud en los paquetes de shisha o tabaco para hookah, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current hookah smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0206**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los envases de snus?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR04**

Current and experimental current snus users who have noticed health warnings on snus containers, go to R04\_AR0207.

Else, experimental former, recent former, and long-term former snus users who have noticed health warnings, go to R04\_AR0212.

Else, go to R04\_AR0060.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0207**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los envases de snus?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0208**

En los últimos 30 días, cuando iba a consumir un producto de snus, ¿con qué frecuencia ha dejado de consumirlo al ver las advertencias de riesgo para la salud?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0209**

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud de los envases de snus? Por ejemplo, ¿las ha tapado o escondido, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AR0210</b>
¿Qué tan creíbles cree que son las advertencias de riesgo para la salud en los envases de snus?
1    No son creíbles en absoluto
2    Son muy poco creíbles
3    Son algo creíbles
4    Son muy creíbles
5    Son extremadamente creíbles
-8    DON'T KNOW
-7    REFUSED
ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

<b>PATH ID:</b> <b>R04_AR0211</b>
Las advertencias de riesgo para la salud en los envases de snus, ¿le hacen pensar acerca de los riesgos para la salud que implica el consumo de snus?
1    Para nada
2    Muy poco
3    Algo
4    Mucho
-8    DON'T KNOW
-7    REFUSED
ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

<b>PATH ID:</b> <b>R04_AR0212</b>
Las advertencias de riesgo para la salud en los envases de snus, ¿le hacen [tener más probabilidades de dejar de consumir snus/tener más probabilidades de no volver a consumir snus]?
1    Para nada
2    Muy poco
3    Algo
4    Mucho
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, experimental former, recent former and long-term former snus users, who have noticed health warnings in the past 30 days.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "tener más probabilidades de dejar de consumir snus".
ELSE, DISPLAY "tener más probabilidades de no volver a consumir snus".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0060**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de otros productos de tabaco que no se fuma, tales como el dip, el tabaco de mascar o el tabaco de inhalar o rapé?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR05**

Current and experimental current smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco, go to R04\_AR0205.

Else, experimental former, recent former, and long-term former smokeless tobacco users who have noticed health warnings, go to R04\_AR0090.

Else, go to Box R04\_AXT03.

**PATH ID: R04\_AR0205**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de tabaco que no se fuma?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0065**

En los últimos 30 días, cuando iba a consumir un producto de tabaco que no se fuma, ¿con qué frecuencia ha dejado de consumirlo al ver las advertencias de riesgo para la salud?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0070**

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud de los paquetes de productos de tabaco que no se fuma? Por ejemplo, ¿las ha tapado o escondido, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0075**

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud de los paquetes de tabaco que no se fuma?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0085**

Las advertencias de riesgo para la salud, ¿le hacen pensar en los riesgos que implica para la salud el consumir productos de tabaco que no se fuma?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0090**

Las advertencias de riesgo para la salud en los paquetes de productos de tabaco que no se fuma, ¿le hacen tener más probabilidades de [dejar de/no volver a] consumir productos de tabaco que no se fuma?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, recent former and long-term former smokeless tobacco users, who have noticed health warnings in the past 30 days.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "dejar de".

ELSE, DISPLAY "no volver a".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **RISK PERCEPTIONS AND ATTITUDES**

**BOX ID: R04\_AXT03**

En las siguientes preguntas le pedimos su opinión sobre el consumo de tabaco, incluyendo cigarrillos electrónicos y otros productos electrónicos con nicotina.

**PATH ID: R04\_AX0722**

¿Qué tan dañina cree que es la nicotina para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AN0250**

¿Cree usted que la nicotina es la sustancia principal en el tabaco que hace que la gente desee consumir productos de tabaco?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0723</b>
¿Cree que un producto de tabaco que se describe como <b><u>sin aditivos</u></b> es menos dañino, igual de dañino o más dañino que un producto normal de tabaco?
1    Menos dañino
2    Igual de dañino
3    Más dañino
-8   DONT' KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: BOLD AND UNDERLINE "sin aditivos".

<b>PATH ID:</b> <b>R04_AX0724</b>
¿Cree que un producto de tabaco que se describe como <b><u>orgánico</u></b> es menos dañino, igual de dañino o más dañino que un producto normal de tabaco?
1    Menos dañino
2    Igual de dañino
3    Más dañino
-8   DONT' KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: BOLD AND UNDERLINE "orgánico".

<b>BOX ID:</b> <b>R04_AXR10</b>
If current or experimental current user of tobacco, go to R04_AX0004. Else, go to R04_AC9050.

<b>PATH ID:</b> <b>R04_AX0004</b>
En los últimos 30 días, ¿con qué frecuencia pensó en el daño que su consumo de tabaco le puede estar causando?
1    Nunca
2    Rara vez
3    A veces
4    A menudo
5    Muy a menudo
-8   DONT' KNOW
-7   REFUSED
ASK: Current and experimental current users of tobacco.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9050**

¿Qué tan dañinos cree que son los cigarrillos para la salud?

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC1149**

¿Qué tan dañina cree que es la nicotina en los cigarrillos para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotina".

**PATH ID: R04\_AC9046**

Según su opinión, ¿cree usted que algunos tipos de cigarrillos son menos dañinos para la salud de una persona que otros tipos de cigarrillos?

- 1 Sí
- 2 No
- 3 No sé
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR78**

New baseline respondents, go to R04\_AC9040\_NB.

Else, go to R04\_AC9047.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9040\_NB**

¿Cree usted que los cigarrillos con sabor a mentol o menta, son menos dañinos, igual de dañinos o más dañinos que los cigarrillos normales?

- 1 Menos dañinos
- 2 Igual de dañinos
- 3 Más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AC9047**

Según su opinión, ¿cree usted que los cigarrillos con niveles más bajos de nicotina son menos dañinos, igual de dañinos o más dañinos para la salud de una persona que los cigarrillos normales?

- 1 Menos dañinos
- 2 Igual de dañinos
- 3 Más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9051**

Según su opinión, ¿cree usted que los cigarrillos con niveles más bajos de nicotina son menos adictivos, igual de adictivos o más adictivos para la salud de una persona que los cigarrillos normales?

- 1 Menos adictivos
- 2 Igual
- 3 Más adictivos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR11**

If current or experimental current user of cigarettes, go to R04\_AC9055.  
Else, go to R04\_AC1170.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9055**

En los últimos 30 días, ¿ha apagado su cigarrillo antes de terminarlo debido a que pensó sobre el daño que causa fumar?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current users of cigarettes.

**PATH ID: R04\_AC1170**

¿Cuánto daño cree usted que se hacen las personas cuando fuman cigarrillos algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC1110**

¿Qué tan dañinos cree que son los cigarrillos de hoy comparados con los de hace cinco años?

- 1 Mucho menos dañinos
- 2 Algo menos dañinos
- 3 Igual de dañinos
- 4 Algo más dañinos
- 5 Mucho más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9120**

¿Cree usted que la nicotina es la sustancia química que causa la mayoría del cáncer causado por el consumo de cigarrillos?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AE9050**

¿Qué tan dañinos cree que son los cigarrillos electrónicos u otros productos electrónicos con nicotina para la salud?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AV1149**

¿Qué tan dañina cree que es la nicotina en los cigarrillos electrónicos u otros productos electrónicos con nicotina para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotina".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1170</b>
¿Cuánto daño cree usted que se hacen las personas cuando fuman cigarrillos electrónicos u otros productos electrónicos con nicotina algunos días pero no todos los días?
1   Ningún daño
2   Muy poco daño
3   Algo de daño
4   Mucho daño
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AV1669</b>	
En los últimos 12 meses, ¿ha visto algún <u>cigarrillo electrónico u otro producto electrónico con nicotina</u> que afirma ser menos dañino?	
1   Sí	
2   No	GO TO R04_AE1099
-8   DON'T KNOW	GO TO R04_AE1099
-7   REFUSED	GO TO R04_AE1099
ASK: All adult respondents.	
DISPLAY: UNDERLINE "cigarrillos electrónicos u otros productos electrónicos con nicotina".	

<b>PATH ID:</b> <b>R04_AV1670</b>
¿Cuál es la probabilidad de que usted vaya a fumar uno de esos <u>cigarrillos electrónicos u otros productos electrónicos con nicotina</u> que afirman ser menos dañinos dentro de los próximos 30 días?
1   Es muy probable
2   Es algo probable
3   Es muy poco probable
4   No es muy probable
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have seen an e-product that claims to be less harmful.
DISPLAY: UNDERLINE "cigarrillos electrónicos u otros productos electrónicos con nicotina".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AE1099**

¿Fumar cigarrillos electrónicos u otros productos electrónicos con nicotina es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "cigarrillos electrónicos u otros productos electrónicos con nicotina" AND "cigarrillos".

**PATH ID: R04\_AV1148**

Algunos cigarrillos electrónicos y otros productos electrónicos con nicotina vienen en sabores como mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces. Otros cigarrillos electrónicos u otros productos electrónicos con nicotina tienen sabor a tabaco o no tienen sabor.

¿Cree que fumar cigarrillos electrónicos con sabor a mentol o menta es menos dañino, igual de dañino o más dañino que fumar cigarrillos electrónicos con sabor a tabaco o sin sabor?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "mentol", "menta", "sabor a tabaco" AND "sin sabor".

**PATH ID: R04\_AV1152**

¿Cree que fumar cigarrillos electrónicos con otro sabor (aparte de mentol o menta) es menos dañino, igual de dañino o más dañino que fumar cigarrillos electrónicos con sabor a tabaco o sin sabor?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "con otro sabor", "aparte de mentol o menta", "sabor a tabaco" AND "sin sabor".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9050**

¿Qué tan dañinos cree que son los puros tradicionales o "grandes" para la salud?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG9060**

¿Cuánto daño cree usted que se hacen las personas cuando fuman puros tradicionales algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1099**

¿Fumar puros tradicionales es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "puros tradicionales" AND "cigarrillos".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9054**

¿Qué tan dañinos cree que son los puritos para la salud?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG9061**

¿Cuánto daño cree usted que se hacen las personas cuando fuman puritos algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1106**

¿Fumar puritos es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "puritos" AND "cigarrillos".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG9055</b>
¿Qué tan dañinos cree que son los puros con filtro para la salud?
[SHOW GENERIC IMAGE OF FILTERED CIGARS]
1 No son dañinos en absoluto
2 Muy poco dañinos
3 Algo dañinos
4 Muy dañinos
5 Son extremadamente dañinos
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID: R04_AG9062</b>
¿Cuánto daño cree usted que se hacen las personas cuando fuman puros con filtro algunos días pero no todos los días?
1 Ningún daño
2 Muy poco daño
3 Algo de daño
4 Mucho daño
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID: R04_AG1107</b>
¿Fumar <u>puros con filtro</u> es menos dañino, igual de dañino o más dañino que fumar <u>cigarrillos</u> ?
1 Menos dañino
2 Igual de dañino
3 Más dañino
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "puros con filtro" AND "cigarrillos".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1110**

¿Qué tan dañinos cree que son los puros tradicionales, puritos o puros con filtro de hoy comparados con los de hace cinco años?

- 1 Mucho menos dañinos
- 2 Algo menos dañinos
- 3 Igual de dañinos
- 4 Algo más dañinos
- 5 Mucho más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AP1170**

¿Cuánto daño cree usted que se hacen las personas cuando fuman tabaco para pipas algunos días pero no todos los días?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AP1099**

¿Fumar tabaco en pipa es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "tabaco en pipa" AND "cigarrillos".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9050**

¿Qué tan dañina cree que es la shisha o tabaco para hookah para la salud?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AH9044**

¿Qué tan dañino cree que es estar cerca de personas que están fumando shisha o tabaco para hookah?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañinos
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AH1170**

¿Cuánto daño cree usted que se hacen las personas cuando fuman hookah algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1099</b>
¿Fumar <u>tabaco en hookah</u> es menos dañino, igual de dañino o más dañino que fumar <u>cigarrillos</u> ?
1    Menos dañino
2    Igual de dañino
3    Más dañino
-8   DONT KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "tabaco en hookah" AND "cigarrillos".

<b>PATH ID:</b> <b>R04_AU9050</b>
¿Qué tan dañino cree que es el snus para la salud?
[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]
1    No es dañino en absoluto
2    Muy poco dañino
3    Algo dañino
4    Muy dañino
5    Es extremadamente dañino
-8   DONT KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AU1105</b>
¿Consumir <u>snus</u> es menos dañino, igual de dañino o más dañino que fumar <u>cigarrillos</u> ?
1    Menos dañino
2    Igual de dañino
3    Más dañino
-8   DONT KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: Underline "snus" and "cigarrillos".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1170</b>
¿Cuánto daño cree usted que se hacen las personas cuando consumen snus algunos días pero no todos los días?
1   Ningún daño
2   Muy poco daño
3   Algo de daño
4   Mucho daño
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AU1669</b>	
En los últimos 12 meses, ¿ha visto algunos <u>productos de snus</u> que afirman ser menos dañinos?	
1   Sí	
2   No	GO TO R04_AU9040
-8   DON'T KNOW	GO TO R04_AU9040
-7   REFUSED	GO TO R04_AU9040
ASK: All adult respondents.	
DISPLAY: UNDERLINE "productos de snus".	

<b>PATH ID:</b> <b>R04_AU1670</b>
¿Cuál es la probabilidad de que usted vaya a consumir uno de esos <u>productos de snus</u> que afirman ser menos dañinos dentro de los próximos 30 días?
1   Es muy probable
2   Es algo probable
3   Es muy poco probable
4   No es muy probable
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have seen snus products that claim to be less harmful.
DISPLAY: UNDERLINE "productos de snus".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU9040</b>
¿Consumir <u>snus</u> es menos dañino, igual de dañino o más dañino que consumir <u>otros tipos de productos de tabaco que no se fuma</u> (como dip, spit o tabaco de mascar)?
1    Menos dañino
2    Igual de dañino
3    Más dañino
-8   DONT KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "snus" AND "otros tipos de productos de tabaco que no se fuma".

<b>PATH ID:</b> <b>R04_AU1110</b>
¿Qué tan dañinos cree que son los productos de snus de hoy comparados con los de hace cinco años?
1    Mucho menos dañinos
2    Algo menos dañinos
3    Igual de dañinos
4    Algo más dañinos
5    Mucho más dañinos
-8   DONT KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AS9050</b>
¿Qué tan dañinos cree que son otros tipos de productos de tabaco que no se fuma (como dip, spit o tabaco de mascar) para la salud?
[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]
1    No son dañinos en absoluto
2    Muy poco dañinos
3    Algo dañinos
4    Muy dañinos
5    Son extremadamente dañinos
-8   DONT KNOW
-7   REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1170</b>
¿Cuánto daño cree usted que se hacen las personas cuando consumen otros productos de tabaco que no se fuma (como dip, spit o tabaco de mascar) algunos días pero no todos los días?
1   Ningún daño
2   Muy poco daño
3   Algo de daño
4   Mucho daño
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AS1669</b>	
En los últimos 12 meses, ¿ha visto otros tipos de <u>productos de tabaco que no se fuma</u> (como dip, spit o tabaco de mascar) que afirman ser menos dañinos?	
1   Sí	
2   No	GO TO R04_AS1105
-8   DON'T KNOW	GO TO R04_AS1105
-7   REFUSED	GO TO R04_AS1105
ASK: All adult respondents.	
DISPLAY: UNDERLINE "productos de tabaco que no se fuma".	

<b>PATH ID:</b> <b>R04_AS1670</b>
¿Cuál es la probabilidad de que usted vaya a consumir uno de esos <u>productos de tabaco que no se fuma</u> (como dip, spit o tabaco de mascar) que afirman ser menos dañinos dentro de los próximos 30 días?
1   Es muy probable
2   Es algo probable
3   Es muy poco probable
4   No es muy probable
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful.
DISPLAY: UNDERLINE "productos de tabaco que no se fuma".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1105**

¿Consumir tabaco que no se fuma (como dip, spit o tabaco de mascar) es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "tabaco que no se fuma" AND "cigarrillos".

**PATH ID: R04\_AS1110**

¿Qué tan dañinos cree que son los productos de tabaco que no se fuma (como dip, spit o tabaco de mascar) de hoy comparados con los de hace cinco años?

- 1 Mucho menos dañinos
- 2 Algo menos dañinos
- 3 Igual de dañinos
- 4 Algo más dañinos
- 5 Mucho más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0759**

Algunas veces las personas que están tratando de dejar de consumir tabaco usan productos que reemplazan la nicotina tales como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras.

¿Qué tan dañina cree que es la nicotina en estos productos para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotina".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9055**

¿Cree que fumar cigarrillos electrónicos u otros productos electrónicos con nicotina es menos dañino, igual de dañino o más dañino que usar un producto con nicotina como parches, chicles o pastillas de chupar?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ACD02**

Display question R04\_AC9060, R04\_AC9065, R04\_AC9070, R04\_AC9075, R04\_AC9043, R04\_AC9080, R04\_AC9085, R04\_AC9090, R04\_AC9044, R04\_AC9100, R04\_AC9105, R04\_AC9110, R04\_AC9115 on one screen (if size allows) using the expanded WVB stem-leaf screen. Show the intro/transition text from R04\_AC9060 first, then show each item with responses. As each item is answered, show the next one.

**PATH ID: R04\_AC9060**

De acuerdo con lo que usted cree, ¿qué tan de acuerdo o en desacuerdo está con las siguientes afirmaciones?

Fumar puede causar...

derrame cerebral en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents. (Note - The list of health effects should include the diseases that are featured on the new health warnings if/when they come on cigarette packs, thus these current questions are subject to change based on this future information.)

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9065**

cáncer pulmonar en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9070**

enfermedad del corazón en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9075**

ceguera en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9043</b>
diabetes en los fumadores.
1    Completamente de acuerdo
2    De acuerdo
3    Ni de acuerdo ni en desacuerdo
4    En desacuerdo
5    Completamente en desacuerdo
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9080</b>
mala circulación (también llamada enfermedad vascular periférica) en los fumadores.
1    Completamente de acuerdo
2    De acuerdo
3    Ni de acuerdo ni en desacuerdo
4    En desacuerdo
5    Completamente en desacuerdo
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9085</b>
cáncer de vejiga en los fumadores.
1    Completamente de acuerdo
2    De acuerdo
3    Ni de acuerdo ni en desacuerdo
4    En desacuerdo
5    Completamente en desacuerdo
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9090**

cáncer de boca en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9044**

cáncer de hígado en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9100**

enfermedad pulmonar (como enfisema) en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9105</b>
enfermedad pulmonar en los no fumadores debido al humo de tabaco ajeno.
1    Completamente de acuerdo
2    De acuerdo
3    Ni de acuerdo ni en desacuerdo
4    En desacuerdo
5    Completamente en desacuerdo
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9110</b>
ataque al corazón en los no fumadores debido al humo de tabaco ajeno.
1    Completamente de acuerdo
2    De acuerdo
3    Ni de acuerdo ni en desacuerdo
4    En desacuerdo
5    Completamente en desacuerdo
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9115</b>
daños a los fetos (o los niños no nacidos) durante el embarazo debido al humo de tabaco ajeno.
1    Completamente de acuerdo
2    De acuerdo
3    Ni de acuerdo ni en desacuerdo
4    En desacuerdo
5    Completamente en desacuerdo
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **MEDIA USE**

**BOX ID: R04\_AXT04**

Las siguientes preguntas son acerca de su uso de televisión, radio, Internet y teléfonos celulares.

**PATH ID: R04\_AX0494**

En un día normal entre semana, ¿aproximadamente cuánto tiempo pasa mirando televisión y videos en Internet que incluyen comerciales?

- 1 Ninguno
- 2 Media hora o menos
- 3 Aproximadamente una hora
- 4 Aproximadamente 2 horas
- 5 Aproximadamente 3 horas
- 6 Aproximadamente 4 horas
- 7 Aproximadamente 5 horas
- 8 Aproximadamente 6 horas
- 9 7 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "entre semana".

**PATH ID: R04\_AX0495**

En un día normal de fin de semana, ¿aproximadamente cuánto tiempo pasa mirando televisión y videos en Internet que incluyen comerciales?

- 1 Ninguno
- 2 Menos de una hora
- 3 Una a 2 horas
- 4 3 a 4 horas
- 5 5 a 6 horas
- 6 7 a 8 horas
- 7 9 a 10 horas
- 8 11 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "fin de semana".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0060**

En un día normal entre semana, ¿cuánto tiempo pasa oyendo la radio u oyendo emisoras de radio en Internet que incluyen comerciales?

- 1 Ninguno
- 2 Media hora o menos
- 3 Aproximadamente una hora
- 4 Aproximadamente 2 horas
- 5 Aproximadamente 3 horas
- 6 Aproximadamente 4 horas
- 7 Aproximadamente 5 horas
- 8 Aproximadamente 6 horas
- 9 7 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "entre semana".

**PATH ID: R04\_AX0061**

En un día normal de fin de semana, ¿cuánto tiempo pasa oyendo la radio u oyendo emisoras de radio en Internet que incluyen comerciales?

- 1 Ninguno
- 2 Menos de una hora
- 3 Una a 2 horas
- 4 3 a 4 horas
- 5 5 a 6 horas
- 6 7 a 8 horas
- 7 9 a 10 horas
- 8 11 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "fin de semana".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0062**

Algunas veces la gente usa el Internet para comunicarse con otras personas en línea mediante redes sociales como Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest o Snapchat. A esto se le suele llamar "redes sociales".

¿Tiene una cuenta en una red social?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AXR12 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR12 |
| -7 | REFUSED    | GO TO BOX R04_AXR12 |

ASK: All adult respondents.

**PATH ID: R04\_AX0317**

¿Con que frecuencia visita sus cuentas en redes sociales?

- |    |                        |                     |
|----|------------------------|---------------------|
| 1  | Más de una vez al día  |                     |
| 2  | Una vez al día         |                     |
| 3  | 3 a 5 días a la semana |                     |
| 4  | 1 a 2 días a la semana |                     |
| 5  | Cada pocas semanas     |                     |
| 6  | Con menos frecuencia   |                     |
| 7  | Nunca                  | GO TO BOX R04_AXR12 |
| -8 | DON'T KNOW             |                     |
| -7 | REFUSED                |                     |

ASK: Adult respondents who have a social media account.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0686**

En los últimos 12 meses, ¿ha hecho clic en "Me gusta" o en "Seguir" a alguna de las siguientes marcas de un producto de tabaco, cigarrillo electrónico u otro producto electrónico con nicotina en Facebook, Twitter u otros sitios de redes sociales? Escoja todas las opciones que correspondan.

- 0 No he hecho clic en "Me gusta" ni en "Seguir" a ninguna marca en redes sociales
- 1 Camel
- 2 Marlboro
- 3 Newport
- 4 American Spirit
- 5 Vuse
- 6 Blu
- 7 Logic
- 8 MarkTen
- 9 NJOY
- 10 eGo
- 11 iTaste
- 12 Black & Mild
- 13 Swisher Sweets
- 14 Dutch Masters
- 15 Phillies Blunts
- 16 Zig Zag
- 17 Skoal
- 18 Redman
- 19 Grizzly
- 20 Copenhagen
- 21 Otra marca (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a social media account (excluding those who never visit their social media account).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AXR12**

Adult respondents who have ever used tobacco or e-products and have spent time on the internet, go to R04\_AX0505.

Else, go to Box R04\_AXT05.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0505**

¿Ha usado alguna vez una aplicación en una tableta o teléfono inteligente (smartphone) como ayuda para dejar de consumir productos de tabaco, cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco or e-product who report spending time on the internet.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **SECONDHAND SMOKE EXPOSURE**

**BOX ID: R04\_AXT05**

Las siguientes preguntas son acerca del consumo de tabaco en su trabajo y su casa.

**PATH ID: R04\_AM0014**

¿Cuál de las siguientes afirmaciones describe mejor su trabajo actual o su condición de empleo pagado?

- |   |                      |
|---|----------------------|
| 1 Trabajo a tiempo completo por lo menos 35 horas a la semana |                      |
| 2 Trabajo a medio tiempo de 15 a 34 horas a la semana         |                      |
| 3 Trabajo a medio tiempo menos de 15 horas a la semana        |                      |
| 4 Actualmente no trabajo por paga                             | GO TO BOX R04_AXR117 |
| -8 DON'T KNOW   | GO TO BOX R04_AXR117 |
| -7 REFUSED  | GO TO BOX R04_AXR117 |

ASK: All adult respondents.

**PATH ID: R04\_AX0064**

¿Es su área principal de trabajo en interiores, exteriores o en un vehículo? Escoja todas las opciones que correspondan.

- 1 Interiores
- 2 Exteriores
- 3 En un vehículo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0747**

¿Cuándo fue la última vez que una persona fumó cigarrillos electrónicos u otros productos electrónicos con nicotina cerca de usted cuando estaba en el trabajo?

- 1 Nunca
- 2 Hoy
- 3 Hace una semana
- 4 Hace dos semanas
- 5 Hace un mes
- 6 Hace más de un mes, pero durante el año pasado
- 7 Hace más de un año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**PATH ID: R04\_AX0065**

¿Cuándo fue la última vez que una persona fumó cerca de usted cuando estaba en el trabajo?

- 1 Nunca
- 2 Hoy
- 3 Hace una semana
- 4 Hace dos semanas
- 5 Hace un mes
- 6 Hace más de un mes, pero durante el año pasado
- 7 Hace más de un año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**BOX ID: R04\_AXR117**

New baseline adult respondents, go to R04\_AR0144\_NB.  
Else, go to R04\_AX0690.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AR0144_NB
En su niñez, ¿vivió con un fumador habitual que fumaba dentro de su casa? Piense en <u>alguien</u> que fumaba cigarrillos, puros, en pipa o en hookah.
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: New baseline adult respondents.
DISPLAY: UNDERLINE "alguien".

<b>PATH ID:</b> R04_AX0690
¿Actualmente vive solo?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> R04_AXR15
Respondents aged 25 or older who did not already complete a parent interview, go to R04_AX0691. Else, go to Box R04_AXR16.

<b>PATH ID:</b> R04_AX0691
¿En qué tipo de lugar vive actualmente?
1 Casa unifamiliar no adosada a otra casa
2 Dúplex
3 Casa para una o más familias
4 Condominio
5 Casa adosada a otra casa o townhouse
6 Edificio de apartamentos
7 Ninguna de las anteriores
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents aged 25 or older who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR16**

Adult respondents who do not live alone, or did not know or refused to report whether they live alone, go to R04\_AX0066.

Else, go to Box R04\_AXR105.

**PATH ID: R04\_AX0066**

Sin incluirse a usted, ¿ha hecho alguna de las siguientes actividades alguna de las personas que viven con usted actualmente? Escoja todas las opciones que correspondan.

- 1 Fumar cigarrillos
- 2 Fumar cigarrillos electrónicos u otro tipo de producto electrónico con nicotina
- 3 Consumir snus
- 4 Consumir otro tipo de tabaco que no se fuma, tal como tabaco de mascar, tabaco de inhalar o rapé o dip
- 5 Fumar puros tradicionales, puritos o puros con filtro
- 6 Fumar en hookah
- 7 Fumar tabaco para pipas
- 8 Consumir otro tipo de tabaco
- 9 Nadie que viva conmigo actualmente consume ningún formato de tabaco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not live alone.

DISPLAY: UNDERLINE "actualmente".

**BOX ID: R04\_AXR105**

Adult respondents who already completed a parent interview, go to R04\_AX0068.

Else, go to R04\_AR1045.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR1045**

Las siguientes preguntas son acerca de las normas o reglas del consumo de tabaco dentro de su casa. Piense en todas las personas que podrían estar en su casa, incluyendo niños, adultos, visitas, invitados o trabajadores.

Para los productos de tabaco que se queman, tales como cigarrillos, puros, pipas o hookahs, ¿cuál de las siguientes afirmaciones describe mejor las reglas acerca de fumar productos de tabaco dentro de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "dentro" IN BOTH PARAGRAPHS.

UNDERLINE "queman".

**PATH ID: R04\_AR1051**

Ahora piense acerca de los cigarrillos electrónicos y de otros productos electrónicos con nicotina.

¿Cuál de las siguientes afirmaciones describe mejor las reglas acerca del consumo de estos productos dentro de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "dentro".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR1050**

Ahora piense en los productos de tabaco que no se queman, tales como el snus y otros tipos de tabaco que no se fuma.

¿Cuál de las siguientes afirmaciones describe mejor las reglas acerca del consumo de estos productos dentro de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "no" AND "dentro".

**PATH ID: R04\_AX0068**

En los últimos 7 días, aproximadamente ¿cuántas horas estuvo alrededor de personas que estaban fumando [, ya sea o no que usted mismo también estuviera fumando]? Incluya el tiempo en su casa, en un carro, en el trabajo o en la calle.

- 1 |\_|\_|\_| Cantidad de horas
- 8 DON'T KNOW GO TO R04\_AX0008
- 7 REFUSED GO TO R04\_AX0008

ASK: All adult respondents.

DISPLAY: UNDERLINE "de personas".

IF R04\_CIG\_USER\_STATUS = 1, 2, 3 OR R04\_GTRAD\_USER\_STATUS = 1, 2, 3 OR R04\_GRILLO\_USER\_STATUS = 1, 2, 3 OR R04\_GFILTR\_USER\_STATUS = 1, 2, 3 OR R04\_PIPE\_USER\_STATUS = 1, 2, 3 OR R04\_HOOK\_USER\_STATUS = 1, 2, 3, DISPLAY", ya sea o no que usted mismo también estuviera fumando".

DISPLAY "Cantidad de horas" AS A TITLE.

**PATH ID: R04\_AX0068\_LC1**

[Una semana tiene 168 horas]. Usted dijo que durante los últimos siete días, usted estuvo por [R04\_AX0068\_NN] horas muy cerca de otras personas mientras fumaban.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AX0068
- 2 NEXT GO TO R04\_AX0008

ASK: IF R04\_AX0068 > 120 OR R04\_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999.

DISPLAY: IF R04\_AX0068 > 168, DISPLAY "Una semana tiene 168 horas".

ELSE, DO NOT DISPLAY THIS TEXT.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**SOCIAL NORMS, PEER AND FAMILY INFLUENCES**

<b>PATH ID:</b> <b>R04_AX0008</b>
En general, ¿cree que la mayoría de la gente está en contra del consumo de <b>cigarrillos</b> ?
1   Definitivamente sí
2   Probablemente sí
3   Probablemente no
4   Definitivamente no
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: BOLD "cigarrillos".

<b>PATH ID:</b> <b>R04_AX0012</b>
En general, ¿cree que la mayoría de la gente está en contra del consumo de <b>cigarrillos electrónicos u otros productos electrónicos con nicotina</b> ?
1   Definitivamente sí
2   Probablemente sí
3   Probablemente no
4   Definitivamente no
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: BOLD "cigarrillos electrónicos u otros productos electrónicos con nicotina".

<b>BOX ID:</b> <b>R04_AXR80</b>
Young adult respondents and current, experimental current, experimental former, and recent former tobacco users, go to R04_AX0071.
Else, go to R04_AX0741.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0071</b>
Al pensar en las <u>personas que son importantes para usted</u> , ¿cómo describiría la opinión de ellos sobre el consumo de <b>tabaco en general</b> ?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents and all current, experimental current, experimental former, and recent former tobacco users.
DISPLAY: UNDERLINE "personas que son importantes para usted"; BOLD "tabaco en general".

<b>BOX ID:</b> <b>R04_AXR05</b>
Young adult respondents, go to Box R04_AXD89.
Else, go to R04_AX0741.

<b>BOX ID:</b> <b>R04_AXD89</b>
Display questions R04_AC1143 through R04_AS1143 using the expanded WVB stem-leaf screen. The introduction text from R04_AC1143 is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AC1143</b>
Al pensar en las <u>personas que son importantes para usted</u> , ¿cómo describiría la opinión <b>de ellos</b> sobre...
el consumo de cigarrillos?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.
DISPLAY: UNDERLINE "personas que son importantes para usted"; Bold "de ellos".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1143</b>
el consumo de cigarrillos electrónicos u otros productos electrónicos con nicotina?
1    Muy positiva
2    Positiva
3    Ni positiva ni negativa
4    Negativa
5    Muy negativa
-8   DONT' KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AG1143</b>
el consumo de puros tradicionales, puritos o puros con filtro?
1    Muy positiva
2    Positiva
3    Ni positiva ni negativa
4    Negativa
5    Muy negativa
-8   DONT' KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AP1143</b>
el consumo de tabaco para pipas?
1    Muy positiva
2    Positiva
3    Ni positiva ni negativa
4    Negativa
5    Muy negativa
-8   DONT' KNOW
-7   REFUSED
ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1143</b>
el consumo de shisha o tabaco para hookah?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AU1143</b>
el consumo de snus?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AS1143</b>
el consumo de otros tipos de tabaco que no se fuma (como dip, spit o tabaco de mascar)?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0741**

Piense en las personas que son importantes para usted. ¿Alguna de ellas consume alguno de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 Cigarrillos
- 2 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 3 Puros tradicionales o "grandes"
- 4 Puritos
- 5 Puros con filtro
- 6 Tabaco para pipa
- 7 Shisha o tabaco para hookah
- 8 Snus
- 9 Otros tipos de tabaco que no se fuma (como dip, spit o tabaco de mascar)
- 10 Ninguno de los anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "personas que son importantes para usted"

**BOX ID: R04\_AXR02**

If current or recent former tobacco user, go to R04\_AX0742.

Else, if current experimental or former experimental tobacco user, go to R04\_AX0743.

Else, go to Box R04\_AXT01.

**PATH ID: R04\_AX0742**

En los últimos 12 meses, ¿hasta qué punto la desaprobación de sus amigos cercanos y sus familiares le [ha hecho/hizo] pensar en dejar de fumar?

- |    |                      |                     |
|----|----------------------|---------------------|
| 1  | No he pensado en eso | GO TO BOX R04_AXT01 |
| 2  | Algo                 | GO TO BOX R04_AXT01 |
| 3  | Mucho                | GO TO BOX R04_AXT01 |
| -8 | DON'T KNOW           | GO TO BOX R04_AXT01 |
| -7 | REFUSED              | GO TO BOX R04_AXT01 |

ASK: Current and recent former tobacco users.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, DISPLAY "ha hecho".

ELSE, IF R04\_TOBACCO\_USER\_STATUS = 4, DISPLAY "hizo".

UNDERLINE "amigos cercanos y sus familiares".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0743**

En los últimos 12 meses, ¿hasta qué punto la desaprobación de sus amigos cercanos y sus familiares le [ha hecho/hizo] pensar en no consumir?

- 1 No he pensado en eso
- 2 Algo
- 3 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Experimental current and experimental former tobacco users.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 2, DISPLAY "ha hecho".

ELSE DISPLAY "hizo".

UNDERLINE "amigos cercanos y sus familiares".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## HEALTH

**BOX ID: R04\_AXT01**

Las siguientes preguntas son acerca de alguna información médica básica que es importante para el estudio.

**BOX ID: R04\_AMD05**

Display questions R04\_AX0090 through R04\_AX0088 using the expanded WVB stem-leaf screen. The introduction text from R04\_AX0090 is the stem. Show all leaves on the screen at once.

**PATH ID: R04\_AX0090**

En general, ¿cómo calificaría su...

salud física?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0091**

salud mental, la cual incluye el estrés, la depresión y los problemas emocionales?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0088</b>
salud en general?
1    Excelente
2    Muy buena
3    Buena
4    Regular
5    Mala
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AMD06</b>
Display questions R04_AX0090_12M through R04_AX0088_12M using the expanded WVB stem-leaf screen. The introduction text from R04_AX0090_12M is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AX0090_12M</b>
En comparación con hace 12 meses, ¿diría que...
actualmente su salud física es?
1    Mejor
2    Peor
3    Igual
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0091_12M</b>
actualmente su salud mental es?
1    Mejor
2    Peor
3    Igual
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0088\_12M**

actualmente su salud en general es?

- 1 Mejor
- 2 Peor
- 3 Igual
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0185**

En general, ¿diría que su calidad de vida es...?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0185\_12M**

En comparación con hace 12 meses, ¿diría que actualmente su calidad de vida es ...?

- 1 Mejor,
- 2 Peor o
- 3 Igual
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0092</b>
En general, ¿qué tan satisfecho está con sus actividades sociales y relaciones?
1   Extremadamente satisfecho
2   Muy satisfecho
3   Algo satisfecho
4   Muy poco satisfecho
5   No estoy satisfecho
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0092_12M</b>
En comparación con hace 12 meses, ¿diría que actualmente sus actividades sociales y relaciones son ...?
1   Mejores,
2   Peores o
3   Iguales
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0313</b>
Las siguientes preguntas son acerca de su estatura y peso. ¿Prefiere contestar estas preguntas en...
1   pies y libras o
2   metros y kilogramos? <span style="float: right;">GO TO R04_AX0316</span>
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0679</b>	
¿Aproximadamente cuánto mide usted sin zapatos?	
1  _ _  Pies	
2  _ _  Pulgadas	
-8 DON'T KNOW	GO TO R04_AX0109
-7 REFUSED	GO TO R04_AX0109
ASK: Adult respondents who prefer to answer in feet or did not choose a system of measurement.	
DISPLAY: Display "Pies" and "Pulgadas" as titles.	

<b>PATH ID: R04_AX0679_LC1</b>	
La computadora registró que usted mide [R04_AX0679_FT] pies [y R04_AX0679_IN pulgadas].	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0679
2 NEXT	GO TO R04_AX0109
ASK: IF R04_AX0679_FT < 5 OR (R04_AX0679_FT = 6 AND R04_AX0679_IN > 0) OR R04_AX0679_FT > 6.	
DISPLAY: IF R04_AX0679_FT > 0 AND R04_AX0679_IN = 0, DISPLAY "[R04_AX0679_FT] pies".	
ELSE, IF R04_AX0679_FT > 0 AND R04_AX0679_IN > 0, DISPLAY "[R04_AX0679_FT] pies y [R04_AX0679_IN] pulgadas".	

<b>PATH ID: R04_AX0316</b>	
¿Aproximadamente cuánto mide usted sin zapatos?	
1  _ _ . _ _  Metros	
-8 DON'T KNOW	GO TO R04_AX0312
-7 REFUSED	GO TO R04_AX0312
ASK: Adult respondents who prefer to answer in meters.	
DISPLAY: DISPLAY "Metros" AS A TITLE.	

<b>PATH ID: R04_AX0316_LC1</b>	
La computadora registró que usted mide [R04_AX0316] metros.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0316
2 NEXT	GO TO R04_AX0312
ASK: IF R04_AX0316 < 1.5 OR R04_AX0316 > 1.8.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0109</b>	
Aproximadamente, ¿cuánto pesa usted sin ropa ni zapatos?	
1     _ _ _  Libras	
-8   DON'T KNOW	GO TO R04_AX0241
-7   REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to answer in pounds or did not choose a system of measurement. DISPLAY: DISPLAY "Libras" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AX0109_LC1</b>	
La computadora registró que usted pesa [R04_AX0109] libras.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AX0109
2    NEXT	GO TO R04_AX0241
ASK: IF R04_AX0109 < 125 OR R04_AX0109 > 240.	

<b>PATH ID:</b> <b>R04_AX0312</b>	
Aproximadamente, ¿cuánto pesa usted sin ropa ni zapatos?	
1     _ _ _  Kilogramos	
-8   DON'T KNOW	GO TO R04_AX0241
-7   REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to answer in kilograms. DISPLAY: DISPLAY "Kilogramos" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AX0312_LC1</b>	
La computadora registró que usted pesa [R04_AX0312] kilos.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AX0312
2    NEXT	GO TO R04_AX0241
ASK: IF R04_AX0312 < 56.7 OR R04_AX0312 > 108.9.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0241</b>	
En una semana normal, ¿cuántos días hace alguna actividad física o ejercicio de por lo menos una intensidad moderada, como caminar a paso ligero, andar en bicicleta o nadar a un ritmo regular?	
0 Ninguno	GO TO R04_AX0243
1 Un día a la semana	
2 2 días a la semana	
3 3 días a la semana	
4 4 días a la semana	
5 5 días a la semana	
6 6 días a la semana	
7 7 días a la semana	
-8 DON'T KNOW	GO TO R04_AX0243
-7 REFUSED	GO TO R04_AX0243
ASK: All adult respondents.	
DISPLAY: UNDERLINE "En una semana normal".	

<b>PATH ID: R04_AX0242</b>	
En los días que hace alguna actividad física o ejercicio de por lo menos una intensidad moderada, ¿normalmente por cuánto tiempo hace estas actividades?	
1  __ __  Horas	
2  __ __  Minutos	
-8 DON'T KNOW	GO TO R04_AX0243
-7 REFUSED	GO TO R04_AX0243
ASK: Adult respondents who indicate they do any physical activity of moderate intensity.	

<b>PATH ID: R04_AX0242_LC1</b>	
La computadora registró [R04_AX0242_NN] [horas/minutos] para el tiempo en que usted normalmente hace alguna actividad física o ejercicio de intensidad moderada en los días que hace estas actividades. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0242
2 NEXT	GO TO R04_AX0243
ASK: IF (R04_AX0242_NN > 8 AND R04_AX0242_UN = 1) OR (R04_AX0242_NN > 200 AND R04_AX0242_UN = 2) .	
DISPLAY: IF R04_AX0242_UN = 1, DISPLAY "horas".	
ELSE, IF R04_AX0242_UN = 2, DISPLAY "minutos".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0243**

En una semana normal, sin contar su trabajo o sus quehaceres domésticos, ¿cuántos días hace actividades físicas especialmente diseñadas para fortalecer los músculos, tales como levantar pesas o entrenamiento en circuito? No incluya ejercicios cardiovasculares como caminar, andar en bicicleta o nadar.

- 0 Ninguno
- 1 Un día a la semana
- 2 2 días a la semana
- 3 3 días a la semana
- 4 4 días a la semana
- 5 5 días a la semana
- 6 6 días a la semana
- 7 7 días a la semana
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "En una semana normal".

**PATH ID: R04\_AX0100**

En los últimos 7 días, en promedio, ¿cómo calificaría su dolor usando una escala del 0 al 10, en donde 0 significa que no tiene dolor y el 10 significa que tiene el peor dolor imaginable?

- 0 No tengo dolor
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Tengo el peor dolor imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "En los últimos 7 días".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0101**

En los últimos 7 días, en promedio, ¿cómo calificaría su cansancio? Por cansancio, nos referimos a no sentirse descansado o sentirse muy cansado a lo largo del día, sin importar la cantidad de horas que durmió.

- 1 Ninguno
- 2 Es leve
- 3 Es moderado
- 4 Es intenso
- 5 Es muy intenso
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "En los últimos 7 días".

**PATH ID: R04\_AX0103**

En los últimos 7 días, ¿con qué frecuencia ha tenido problemas emocionales tales como sentirse ansioso, deprimido o irritable?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "En los últimos 7 días".

**PATH ID: R04\_AX0102**

En general, califique qué tan bien hace sus actividades sociales y funciones habituales. Esto incluye a las actividades en casa, en el trabajo y en su comunidad, y a las responsabilidades como padre, hijo, esposo, empleado, amigo, etc.

- 1 Excelente
- 2 Muy bien
- 3 Bien
- 4 Regular
- 5 Mal
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0001**

Piense en cualquier atención médica que haya recibido en los últimos 12 meses.

En los últimos 12 meses, ¿lo ha visto un médico, una enfermera u otro profesional de la salud?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AX0002**

En los últimos 12 meses, ¿ha ido al dentista?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0302**

En los últimos 12 meses, ¿ha ido a la sala de emergencias o centro de atención de urgencias debido a un problema de salud que usted tenía?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR18**

If respondent has been to an emergency room or urgent health center for a health problem of their own, go to R04\_AX0155.

Else, if respondent is a current, experimental current, experimental former, or recent former tobacco user that saw a doctor or dentist in the past 12 months, go to R04\_AX0003.

Else, if ever user of tobacco, go to R04\_AX0104.

Else, if new baseline go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0155</b>	
En los últimos 12 meses, ¿cuántas veces ha ido a la sala de emergencias o centro de atención de urgencias debido a un problema de salud que usted tenía?	
1   _   _   _   _   _	
-8 DON'T KNOW	GO TO BOX R04_AXR19
-7 REFUSED	GO TO BOX R04_AXR19
ASK: Adult respondents who visited an emergency room or urgent care center in the past 12 months.	

<b>PATH ID: R04_AX0155_LC1</b>	
La computadora registró que usted fue a la sala de emergencias o centro de atención de urgencias [R04_AX0155] veces en los últimos 12 meses. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0155
2 NEXT	GO TO BOX R04_AXR19
ASK: IF R04_AX0155 > 15.	

<b>PATH ID: R04_AX0155_LC2</b>	
La computadora registró "cero" para la cantidad de veces que usted ha ido a la sala de emergencias o centro de atención de urgencias en los últimos 12 meses. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0155
2 NEXT	
ASK: IF R04_AX0155 = 0.	

<b>BOX ID: R04_AXR19</b>	
If respondent is a current, experimental current, experimental former, or new former tobacco user that saw a doctor or dentist in the past 12 months, go to R04_AX0003.	
Else, if ever user of tobacco, go to R04_AX0104.	
Else, if new baseline go to R04_AX0186_NB.	
Else, go to R04_AX0093.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0003**

En los últimos 12 meses, ¿le ha recomendado un médico, un dentista u otro profesional de la salud que deje de consumir tabaco [, incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former tobacco users that saw a medical doctor or dentist in the past 12 months.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, 3, 4, DISPLAY ", incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AX0104**

¿Hasta qué punto ha dañado su salud, su [consumo de/consumo pasado de] productos de tabaco[, incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina]?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, DISPLAY "consumo de".

ELSE, DISPLAY "consumo pasado de".

IF R04\_EVER\_NEVER\_EPRODS = 1, DISPLAY ", incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina", ELSE DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0105**

¿Hasta qué punto le preocupa que su [consumo de/consumo pasado de] productos de tabaco [, incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina] vaya a dañar su salud en el futuro?

- 1 Para nada
- 2 Un poco
- 3 Moderadamente
- 4 Muy preocupado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, DISPLAY "consumo de".

ELSE, DISPLAY "consumo pasado de".

IF R04\_EVER\_NEVER\_EPRODS = 1, DISPLAY ", incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina", ELSE DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AXR20**

New baseline respondents, go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.

**PATH ID: R04\_AX0186\_NB**

Las siguientes preguntas son acerca de las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado, [o] fracturas [o embarazo].

¿Tiene serias dificultades para caminar o subir escaleras?

- 1 Sí
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AX0094  
GO TO R04\_AX0094  
GO TO R04\_AX0094

ASK: New baseline adult respondents.

DISPLAY: IF R03\_GENDER != 1 OR R04\_AM0004\_RS != 1 (FEMALE), DISPLAY "o embarazo".

IF R03\_GENDER = 1 OR R04\_AM0004\_RS = 1 (MALE), DISPLAY "o" AND DO NOT DISPLAY "o embarazo".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0093
[Las siguientes preguntas son acerca de las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado, [o] fracturas [o embarazo].
]¿Hasta qué punto es capaz de hacer actividades físicas diarias tales como caminar, subir las escaleras, cargar las bolsas del mercado o mover una silla?
1 Totalmente
2 Mayormente
3 Moderadamente
4 Un poco
5 Nada
-8 DON'T KNOW
-7 REFUSED
ASK: Continuing adult respondents and new baseline adult respondents who said they had serious difficulty walking or climbing stairs.
DISPLAY: IF R04_ADULTTYPE = 1, DISPLAY INTRODUCTORY TEXT "Las siguientes preguntas son sobre las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado, [o] fracturas [o embarazo]."
IF FEMALE (R03_GENDER != 1 AND R04_AM0004_RS != 1), DISPLAY " o embarazo".
IF MALE (R03_GENDER = 1 OR R04_AM0004_RS = 1), DISPLAY "o" (AND DO NOT DISPLAY "o embarazo").
IF R04_ADULTTYPE = 2, 3, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

<b>PATH ID:</b> R04_AX0094
¿Hasta qué punto es capaz de hacer actividades diarias tales como usar un teléfono, pagar las cuentas, tomar medicamentos, preparar comidas ligeras, lavar la ropa o ir de compras?
1 Totalmente
2 Mayormente
3 Moderadamente
4 Un poco
5 Nada
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> R04_AXR21
New baseline respondents, go to R04_AX0188_NB.
Else, go to R04_AX0095.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0188_NB</b>	
¿Tiene dificultades para vestirse o bañarse?	
1    Sí	
2    No	GO TO R04_AX0097
-8   DON'T KNOW	GO TO R04_AX0097
-7   REFUSED	GO TO R04_AX0097
ASK: New baseline adult respondents.	

<b>PATH ID:</b> <b>R04_AX0095</b>	
¿Hasta qué punto es capaz de hacer actividades diarias tales como bañarse o tomar una ducha, vestirse o caminar por la casa?	
1    Totalmente	
2    Mayormente	
3    Moderadamente	
4    Un poco	
5    Nada	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Continuing adult respondents, and new baseline adult respondents who say they have difficulty dressing or bathing.	

<b>PATH ID:</b> <b>R04_AX0097</b>	
Debido a su salud, ¿se siente limitado en alguna de las siguientes actividades? Escoja todas las opciones que correspondan.	
1    Levantar 10 libras	
2    Subir hasta 10 escalones	
3    Caminar 3 cuadras	
4    Caminar 1 milla	
5    Estar de pie por 20 minutos	
6    Agacharse o encorvarse	
7    Alzar el brazo por encima de la cabeza	
8    Usar los dedos para agarrar	
9    Ninguna de las anteriores	
-8   DON'T KNOW	
-7   REFUSED	
ASK: All adult respondents.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR22**

New baseline respondents, go to R04\_AX0187\_NB.

Else, continuing respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04\_AX0111\_12M.

Else, go to Box R04\_AXR82.

**PATH ID: R04\_AX0187\_NB**

Debido a un problema físico, mental o emocional, ¿tiene dificultad para hacer diligencias solo, como por ejemplo ir al médico o ir de compras?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0189\_NB**

Debido a un problema físico, mental o emocional, ¿tiene serias dificultades para concentrarse, recordar cosas o tomar decisiones?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH ID: R04\_AX0190\_NB**

¿Es sordo o tiene serias dificultades para oír?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0191_NB</b>
¿Es ciego o tiene serias dificultades para ver, incluso cuando usa anteojos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: New baseline adult respondents.

<b>PATH ID:</b> <b>R04_AX0111_NB</b>
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que tenía alguno de los siguientes problemas del corazón? Escoja todas las opciones que correspondan.
1    Hipertensión
2    Colesterol alto
3    Insuficiencia cardíaca congestiva
4    Un derrame cerebral
5    Un ataque al corazón (también llamado infarto de miocardio) o que necesitaba cirugía de bypass
6    Otra enfermedad del corazón
7    Ninguna de las anteriores
-8    DON'T KNOW
-7    REFUSED
ASK: New baseline adult respondents.

<b>BOX ID:</b> <b>R04_AXR23</b>
If new baseline adult has had high blood pressure, go to R04_AX0114_NB. Else, if aged-up adult reported having high blood pressure in a previous wave, go to R04_AX0744. Else, if new baseline adult has had high cholesterol, go to R04_AX0115_NB. Else, if aged-up adult reported having high cholesterol in a previous wave, go to R04_AX0746. Else, if new baseline adult has had congestive heart failure, go to R04_AX0116_NB. Else, if new baseline adult has had a stroke, go to R04_AX0117_NB. Else, if new baseline adult has had a heart attack, go to R04_AX0112_NB. Else, if new baseline adult has had some other heart condition, go to R04_AX0219. Else, if new baseline adult has not had any heart condition, go to Box R04_AXR115.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID: R04_AXR82</b>
<p>If respondent has ever had high blood pressure, go to R04_AX0744.  Else, if respondent has ever had high cholesterol, go to R04_AX0160_12M.  Else, if respondent has ever had a stroke, go to R04_AX0745.  Else, if respondent has ever had any heart condition, go to R04_AX0219.  Else, if respondent has not had any heart condition, go to Box R04_AXR115.</p>

<b>PATH ID: R04_AX0114_NB</b>
<p>¿Qué edad tenía la primera vez que le dijeron que tenía hipertensión?</p> <p style="padding-left: 40px;">1  __ __ __  Años</p> <p style="padding-left: 40px;">-8 DON'T KNOW <span style="float: right;">GO TO R04_AX0253_NB</span></p> <p style="padding-left: 40px;">-7 REFUSED <span style="float: right;">GO TO R04_AX0253_NB</span></p> <p>ASK: New baseline adult respondents who have had high blood pressure.  DISPLAY: DISPLAY "Años" AS A TITLE.</p>

<b>PATH ID: R04_AX0114_NB_LC1</b>
<p>La computadora registró que usted tenía [R04_AX0114_NB] años la primera vez que le dijeron que tenía hipertensión. Son más años de los que usted tiene actualmente.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <p style="padding-left: 40px;">1 BACK <span style="float: right;">GO TO R04_AX0114_NB</span></p> <p style="padding-left: 40px;">2 NEXT <span style="float: right;">GO TO R04_AX0744</span></p> <p>ASK: IF R04_AX0114_NB &gt; R04_ACHIEVEDAGE.</p>

<b>PATH ID: R04_AX0253_NB</b>
<p>La primera vez que le dijeron que tenía hipertensión, ¿tenía...</p> <p style="padding-left: 40px;">1 menos de 18 años de edad,</p> <p style="padding-left: 40px;">2 entre 18 y 24 años de edad,</p> <p style="padding-left: 40px;">3 entre 25 y 34 años de edad,</p> <p style="padding-left: 40px;">4 entre 35 y 44 años de edad,</p> <p style="padding-left: 40px;">5 entre 45 y 54 años de edad o</p> <p style="padding-left: 40px;">6 55 años de edad o más?</p> <p style="padding-left: 40px;">-8 DON'T KNOW</p> <p style="padding-left: 40px;">-7 REFUSED</p> <p>ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had high blood pressure.</p>



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0744</b>
[Anteriormente, usted nos dijo que tenía hipertensión.
]En los últimos 12 meses, ¿ha estado su hipertensión bajo control?
1    Sí
2    No
3    Nunca he tenido hipertensión
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have ever been told they have high blood pressure.
DISPLAY: IF RESPONDENT REPORTED HAVING HIGH BLOOD PRESSURE IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03_HIGH_BLOOD_PRESSURE = 1 AND R04_AX0111_NB_01 != 1 AND R04_AX0111_12M_01 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía hipertensión." AND DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

<b>BOX ID:</b> <b>R04_AXR24</b>
If new baseline adult has had high cholesterol, go to R04_AX0115_NB.
Else, if aged-up adult reported having high cholesterol in a previous wave, go to R04_AX0746.
Else, if continuing adult has ever had high cholesterol, go to R04_AX0160_12M.
Else, if new baseline adult has had congestive heart failure, go to R04_AX0116_NB.
Else, if new baseline adult has had a stroke, go to R04_AX0117_NB.
Else, if continuing adult respondent has ever had a stroke, go to R04_AX0745.
Else, if new baseline adult has had a heart attack, go to R04_AX0112_NB.
Else, if respondent has ever had any heart condition, go to R04_AX0219.

<b>PATH ID:</b> <b>R04_AX0115_NB</b>
¿Qué edad tenía la primera vez que le dijeron que tenía el colesterol alto?
1     __ __ __  Años
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AX0254_NB
GO TO R04_AX0254_NB
ASK: New baseline adult respondents who have had high cholesterol.
DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0115\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0115\_NB] años la primera vez que le dijeron que tenía el colesterol alto. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0115\_NB

2 NEXT

GO TO R04\_AX0160\_NB

ASK: IF R04\_AX0115\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0254\_NB**

La primera vez que le dijeron que tenía el colesterol alto, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had high cholesterol.

**PATH ID: R04\_AX0160\_NB**

Alguna vez, ¿ha tomado algún medicamento para reducir el colesterol?, por ejemplo: pravastatina (Pravachol), atorvastatina (Lipitor), simvastatina (Zocor)?

1 Sí

GO TO R04\_AX0746

2 No

GO TO R04\_AX0746

-8 DON'T KNOW

GO TO R04\_AX0746

-7 REFUSED

GO TO R04\_AX0746

ASK: New baseline adult respondents who have had high cholesterol.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0746**

[Anteriormente, usted nos dijo que tenía el colesterol alto.

]En los últimos 12 meses, ¿ha estado su colesterol alto bajo control?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have high cholesterol.

DISPLAY: IF AGED UP ADULT RESPONDENT REPORTED HAVING HIGH CHOLESTEROL IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R04\_ADULTTYPE = 2 AND R03\_HIGH\_CHOLESTEROL = 1 AND R04\_AX0111\_NB\_02 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía el colesterol alto."

ELSE, DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AXR26**

If new baseline adult has had congestive heart failure, go to R04\_AX0116\_NB.

Else, if new baseline adult has had a stroke, go to R04\_AX0117\_NB.

Else, if continuing adult respondent has ever had a stroke, go to R04\_AX0745.

Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.

Else, if respondent has ever had any heart condition, go to R04\_AX0219.

**PATH ID: R04\_AX0116\_NB**

¿Qué edad tenía la primera vez que le dijeron que tenía insuficiencia cardíaca congestiva?

1 |\_\_|\_\_|\_\_| Años

-8 DON'T KNOW

-7 REFUSED

GO TO R04\_AX0255\_NB

GO TO R04\_AX0255\_NB

ASK: New baseline adult respondents who have had congestive heart failure.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0116\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0116\_NB] años la primera vez que le dijeron que tenía insuficiencia cardíaca congestiva. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0116\_NB

2 NEXT

GO TO BOX R04\_AXR28

ASK: IF R04\_AX0116\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0255\_NB**

La primera vez que le dijeron que tenía insuficiencia cardíaca congestiva, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had congestive heart failure.

**BOX ID: R04\_AXR28**

If new baseline adult has had a stroke, go to R04\_AX0117\_NB.

Else, if continuing adult respondent has ever had a stroke, go to R04\_AX0745.

Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.

Else, if respondent has had some other heart condition, go to R04\_AX0219.

**PATH ID: R04\_AX0117\_NB**

¿Qué edad tenía la primera vez que le dijeron que tuvo un derrame cerebral?

1 |\_\_|\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0256\_NB

-7 REFUSED

GO TO R04\_AX0256\_NB

ASK: New baseline adult respondents who have had a stroke.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0117\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0117\_NB] años la primera vez que le dijeron que tuvo un derrame cerebral. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0117\_NB

2 NEXT

GO TO R04\_AX0745

ASK: IF R04\_AX0117\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0256\_NB**

La primera vez que le dijeron que tuvo un derrame cerebral, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had a stroke.

**PATH ID: R04\_AX0745**

[Anteriormente, usted nos dijo que tuvo un derrame cerebral.

]¿Tiene una discapacidad permanente como consecuencia del derrame cerebral?

- 1 Sí
- 2 No
- 3 Nunca he tenido un derrame cerebral
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have had a stroke.

DISPLAY: IF RESPONDENT REPORTED HAVING A STROKE IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE, [R03\_STROKE = 1 AND R04\_AX0111\_NB\_04 != 1 AND R04\_AX0111\_12M\_04 != 1], DISPLAY "Anteriormente, usted nos dijo que tuvo un derrame cerebral." AND DISPLAY OPTION 3. ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 3.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR30**

If new baseline adult has had a heart attack, go to R04\_AX0112\_NB.  
Else, if respondent has ever had any other heart condition, go to R04\_AX0219.

**PATH ID: R04\_AX0112\_NB**

¿Qué edad tenía la primera vez que le dijeron que tuvo un ataque al corazón (también llamado infarto de miocardio) o que necesitaba una cirugía de bypass?

1 |\_\_|\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0252\_NB

-7 REFUSED

GO TO R04\_AX0252\_NB

ASK: New baseline adult respondents who have had a heart attack.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AX0112\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0112\_NB] años la primera vez que le dijeron que tuvo un ataque al corazón. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0112\_NB

2 NEXT

GO TO R04\_AX0219

ASK: IF R04\_AX0112\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0252\_NB**

La primera vez que le dijeron que tuvo un ataque al corazón (también llamado infarto de miocardio) o que necesitaba una cirugía de bypass, ¿tenía...

1 menos de 18 años de edad,

2 entre 18 y 24 años de edad,

3 entre 25 y 34 años de edad,

4 entre 35 y 44 años de edad,

5 entre 45 y 54 años de edad o

6 55 años de edad o más?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had a heart attack or needed bypass surgery.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0219</b>	
En los últimos 12 meses, ¿tomó algún [otro] medicamento para el corazón o la presión arterial de manera habitual? (De manera habitual quiere decir de acuerdo con las instrucciones de un profesional del cuidado de la salud.)	
1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED
	GO TO BOX R04_AXR115
	GO TO BOX R04_AXR115
	GO TO BOX R04_AXR115
ASK: Adult respondents who have been told they had any type of heart condition.	
DISPLAY: IF R04_AX0160_NB = 1 OR R04_AX0160_12M = 1, DISPLAY "otro ". ELSE, DO NOT DISPLAY.	

<b>BOX ID: R04_AXD04</b>
DISPLAY INSTRUCTION: For R04_AX0159, display a column on the right with a "Sí" and "No" option for each response category.

<b>PATH ID: R04_AX0159</b>	
¿Qué tipo de medicamento para el corazón o la presión arterial toma de manera habitual?	
1	Bloqueadores de canales de calcio - por ejemplo: nifedipina (Procardia, Adalat), diltiazem (Cardizem), amlodipino (Norvasc), verapamilo (Calan), nisoldipina (Sular)
2	Bloqueadores beta - por ejemplo: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)
3	Bloqueadores del receptor de angiotensina - por ejemplo: losartán (Cozaar), irbesartán (Avapro), valsartán (Diovan), candesartán (Atacand), telmisartán (Micardis), olmesartán (Benicar)
4	Inhibidores de enzima convertidora de angiotensina (ACE, por sus siglas en inglés) - por ejemplo: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)
5	Diuréticos - por ejemplo: furosemida (Lasix), indapamide (Lozol), triamterene (Dyrenium), tiazidas (HCTZ), triamterene/HCTZ (Dyazide)
6	Digoxin (Lanoxin)
7	Metildopa (Aldomet) o hidralazina (Apresolina)
8	Otro antiarrítmico
9	Algún otro medicamento para el corazón o la presión arterial
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who took heart or blood pressure medications in the past 12 months.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AXR115</b>
New baseline adult respondents, go to R04_AX0046_NB. Else, continuing adult respondents, go to R04_AX0047_12M.

<b>PATH ID:</b> <b>R04_AX0046_NB</b>	
Anteriormente, ¿ha tenido <u>alguna vez</u> silbidos o sibilancias en el pecho?	
1    Sí	
2    No	GO TO R04_AX0052
-8   DON'T KNOW	GO TO R04_AX0052
-7   REFUSED	GO TO R04_AX0052
ASK: New baseline adult respondents.	
DISPLAY: Underline "Alguna vez".	

<b>PATH ID:</b> <b>R04_AX0047_12M</b>	
¿Ha tenido silbidos o sibilancias en el pecho en los <u>últimos 12 meses</u> ?	
1    Sí	
2    No	GO TO R04_AX0052
-8   DON'T KNOW	GO TO R04_AX0052
-7   REFUSED	GO TO R04_AX0052
ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, and continuing adult respondents.	
DISPLAY: UNDERLINE "últimos 12 meses".	

<b>PATH ID:</b> <b>R04_AX0048</b>	
¿Cuántos ataques de silbidos o sibilancias ha tenido en los últimos 12 meses?	
1    Ninguno	
2    1 a 3	
3    4 a 12	
4    Más de 12	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0049**

En los últimos 12 meses, ¿con qué frecuencia en promedio no ha podido dormir bien debido a los silbidos o sibilancias?

- 1 Nunca se ha despertado con silbidos o sibilancias
- 2 Menos de una noche a la semana
- 3 Una o más noches a la semana
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

**PATH ID: R04\_AX0050**

En los últimos 12 meses, ¿alguna vez han sido los silbidos o sibilancias tan intensos que le limitaron al hablar y solo podía decir una o dos palabras entre respiros?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

**PATH ID: R04\_AX0052**

En los últimos 12 meses, ¿le han sonado silbidos o sibilancias en el pecho durante o después de hacer ejercicio?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0053**

Una tos seca es una tos sin flema ni mucosidad. En los últimos 12 meses, ¿ha tenido una tos seca en la noche?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AXR31</b>
New baseline adult respondents, go to R04_AX0119_NB. Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04_AX0119_12M. Else, go to Box R04_AXR63.

<b>PATH ID:</b> <b>R04_AX0119_NB</b>
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que tenía alguno de los siguientes problemas pulmonares o respiratorios? Escoja todas las opciones que correspondan.  1    COPD 2    Bronquitis crónica 3    Enfisema 4    Asma 5    Algún otro tipo de problema pulmonar o respiratorio 6    Ninguna de las anteriores -8    DON'T KNOW -7    REFUSED  ASK: New baseline adult respondents.

<b>BOX ID:</b> <b>R04_AXR32</b>
If new baseline adult has had COPD, go to R04_AX0120_NB. Else, if new baseline adult has had chronic bronchitis, go to R04_AX0121_NB. Else, if new baseline adult has had emphysema, go to R04_AX0123_NB. Else, if new baseline adult has had asthma, go to R04_AX0124_NB. Else, new baseline adults go to Box R04_AXV09.

<b>BOX ID:</b> <b>R04_AXR63</b>
Continuing adults who have ever had COPD, go to R04_AX0733. Else, go to Box R04_AXV09.

<b>PATH ID:</b> <b>R04_AX0120_NB</b>
¿Qué edad tenía la primera vez que le dijeron que tenía COPD?  1     __ __ __  Años -8    DON'T KNOW                                    GO TO R04_AX0257_NB -7    REFUSED    GO TO R04_AX0257_NB  ASK: New baseline adult respondents who have had COPD. DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0120_NB_LC1</b>	
La computadora registró que usted tenía [R04_AX0120_NB] años la primera vez que le dijeron que tenía enfermedad obstructiva crónica pulmonar. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0120_NB
2 NEXT	GO TO R04_AX0733
ASK: IF R04_AX0120_NB > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0257_NB</b>	
La primera vez que le dijeron que tenía COPD, ¿tenía...	
1 menos de 18 años de edad,	
2 entre 18 y 24 años de edad,	
3 entre 25 y 34 años de edad,	
4 entre 35 y 44 años de edad,	
5 entre 45 y 54 años de edad o	
6 55 años de edad o más?	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had COPD.	

<b>PATH ID: R04_AX0733</b>	
[Anteriormente, usted nos dijo que tenía COPD.	
]Le molesta la dificultad para respirar cuando camina rápido en un sitio plano o cuando sube por una cuesta leve?	
1 Sí	
2 No	GO TO BOX R04_AXV09
3 Nunca he tenido COPD	GO TO BOX R04_AXV09
-8 DON'T KNOW	GO TO BOX R04_AXV09
-7 REFUSED	GO TO BOX R04_AXV09
ASK: Adult respondents who have COPD.	
DISPLAY: IF RESPONDENT REPORTED HAVING COPD IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03_COPD = 1 AND R04_AX0119_NB_01 != 1 AND R04_AX0119_12M_01 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía COPD." AND DISPLAY OPTION 3.	
ELSE, DO NOT DISPLAY TRANSITION TEXT AND SUPPRESS OPTION 3.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AXD15</b>
BOX – DISPLAY INSTRUCTIONS For R04_AX0734, display a "Sí" and "No" column with options for each response category.

<b>PATH ID:</b> <b>R04_AX0734</b>
¿Alguna vez...  1    tiene que caminar más despacio que las personas de su edad en un nivel plano debido a la dificultad para respirar? 2    tiene que parar para respirar cuando camina a su propio paso en un nivel plano? 3    tiene que parar para respirar después de caminar un par de cuadras (o después de unos minutos) en un nivel plano ? 4    le cuesta bastante respirar como para salir de casa o cuando se viste o desviste? -8   DON'T KNOW -7   REFUSED  ASK: Adult respondents who have COPD and report shortness of breath.

<b>BOX ID:</b> <b>R04_AXV09</b>
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):  <b>R04_ADULT_COPD</b> = Adult respondents who have ever had COPD.

<b>BOX ID:</b> <b>R04_AXR09</b>
If respondent has ever had COPD, go to R04_AX0735. Else, go to Box R04_AXR33.

<b>PATH ID:</b> <b>R04_AX0735</b>
En las <u>últimas 2 semanas</u> , ¿cuántos días o cuántas noches le ha molestado alguna dificultad para respirar al tratar de dormir?  1    Nunca 2    1 a 2 días o noches 3    3 a 6 días o noches 4    7 a 13 días o noches 5    Todos los días o todas las noches -8   DON'T KNOW -7   REFUSED  ASK: Adult respondents who have COPD. DISPLAY: UNDERLINE "últimas 2 semanas".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0736
En los <u>últimos 5 años</u> , ¿lo han admitido en un hospital, sala de emergencias o centro de atención de urgencias debido al COPD?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have COPD.
DISPLAY: UNDERLINE "últimos 5 años".

<b>PATH ID:</b> R04_AX0737
En los <u>últimos 5 años</u> , ¿lo han entubado para ayudarle a respirar debido al COPD?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have COPD.
DISPLAY: UNDERLINE "últimos 5 años".

<b>BOX ID:</b> R04_AXR33
If new baseline adult has had chronic bronchitis, go to R04_AX0121_NB. Else, if new baseline adult has had emphysema, go to R04_AX0123_NB. Else, if new baseline adult reported asthma as of the previous wave, go to R04_AX0124_NB. Else, if new baseline adult has had asthma, go to R04_AX0227. Else, if continuing adult has had asthma, go to R04_AX0227. Else, go to Box R04_AXV03.

<b>PATH ID:</b> R04_AX0121_NB
¿Qué edad tenía la primera vez que le dijeron que tenía bronquitis crónica?
1  __ __ __  Años
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AX0258_NB
GO TO R04_AX0258_NB
ASK: New baseline adult respondents who have had chronic bronchitis.
DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0121\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0121\_NB] años la primera vez que le dijeron que tenía bronquitis crónica. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0121\_NB

2 NEXT

GO TO BOX R04\_AXR35

ASK: IF R04\_AX0121\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0258\_NB**

La primera vez que le dijeron que tenía bronquitis crónica, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had bronchitis.

**BOX ID: R04\_AXR35**

If new baseline adult has had emphysema, go to R04\_AX0123\_NB.

Else, if new baseline adult reported asthma as of the previous wave, go to R04\_AX0124\_NB.

Else, if new baseline adult has had asthma, go to R04\_AX0227.

Else, if continuing adult has had asthma, go to R04\_AX0227.

Else, go to Box R04\_AXV03.

**PATH ID: R04\_AX0123\_NB**

¿Qué edad tenía la primera vez que le dijeron que tenía enfisema?

1 |\_\_|\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0259\_NB

-7 REFUSED

GO TO R04\_AX0259\_NB

ASK: New baseline adult respondents who have had emphysema.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0123\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0123\_NB] años la primera vez que le dijeron que tenía enfisema. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0123\_NB

2 NEXT

GO TO BOX R04\_AXR37

ASK: IF R04\_AX0123\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0259\_NB**

La primera vez que le dijeron que tenía enfisema, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had emphysema.

**BOX ID: R04\_AXR37**

If new baseline adult reported asthma as of the previous wave, go to R04\_AX0124\_NB.

Else, if new baseline adult has had asthma, go to R04\_AX0227.

Else, if continuing adult has had asthma, go to R04\_AX0227.

Else, go to Box R04\_AXV03.

**PATH ID: R04\_AX0124\_NB**

¿Qué edad tenía la primera vez que le dijeron que tenía asma?

1 |\_\_|\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0260\_NB

-7 REFUSED

GO TO R04\_AX0260\_NB

ASK: New baseline adult respondents who have had asthma.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0124\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0124\_NB] años la primera vez que le dijeron que tenía asma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0124\_NB

2 NEXT

GO TO R04\_AX0227

ASK: IF R04\_AX0124 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0260\_NB**

La primera vez que le dijeron que tenía asma, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had asthma.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0227</b>
[Anteriormente, usted nos dijo que tenía asma.
]En los últimos 30 días, ¿cuánto tiempo el asma le impidió hacer gran parte de sus actividades en el trabajo, la escuela o en casa?
1    Todo el tiempo
2    Casi siempre
3    A veces
4    Un poco
5    Nunca
6    Nunca he tenido asma
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have asthma.
DISPLAY: IF RESPONDENT REPORTED HAVING ASTHMA IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03_ASTHMA = 1 AND R04_AX0119_NB_04 != 1 AND R04_AX0119_12M_04 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía asma." AND DISPLAY OPTION 6.
ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 6.

<b>BOX ID:</b> <b>R04_AXV03</b>
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_ADULT_ASTHMA</b> = Adult respondents who have ever had asthma

<b>BOX ID:</b> <b>R04_AXR08</b>
If respondent has ever had asthma, go to R04_AX0228.
Else, if respondent has ever had COPD, go to R04_AX0283.
Else, go to R04_AX0726.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0228**

En los últimos 30 días, ¿con qué frecuencia ha tenido dificultad para respirar o ha sentido que le falta el aire?

- 1 Más de una vez al día
- 2 Una vez al día
- 3 3 a 6 veces a la semana
- 4 Una o dos veces a la semana
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: UNDERLINE "últimos 30 días".

**PATH ID: R04\_AX0229**

En los últimos 30 días, ¿con qué frecuencia sus síntomas de asma (como silbidos en el pecho, tos, dificultad para respirar, sentir el pecho apretado o dolor) lo despiertan en la noche o antes de lo usual en la mañana?

- 1 4 o más noches a la semana
- 2 2 o 3 noches
- 3 Una vez a la semana
- 4 Una o dos veces
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

**PATH ID: R04\_AX0283**

En los últimos 12 meses, ¿tomó algún medicamento de manera habitual para COPD o el asma? (De manera habitual quiere decir de acuerdo con las instrucciones de un profesional del cuidado de la salud.)

- 1 Sí
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_AXR07  
GO TO BOX R04\_AXR07  
GO TO BOX R04\_AXR07

ASK: Adult respondents who have had asthma or COPD.

DISPLAY: UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXD05**

DISPLAY INSTRUCTION: For R04\_AX0128, display as a stem and leaf question. For each leaf, display a sí/no response.

**PATH ID: R04\_AX0128**

En los últimos 12 meses, ¿cuál de los siguientes medicamentos tomó de manera habitual para COPD o asma?

- 1 Inhalador de alivio inmediato - por ejemplo: albuterol (ProAir, Ventolin, Xopenex), ipratropio (Atrovent) o un inhalador de combinación (Combivent)
- 2 Controlador o inhalador de acción a largo plazo, incluyendo inhaladores de esteroides - por ejemplo: beclometasona (Qvar), fluticasona (Flovent), salmeterol (Serevent), tiotropio (Spiriva) o un inhalador de combinación (Advair)
- 3 Otro medicamento para controlar el asma - por ejemplo: Montelukast (Singulair), zafirlukast (Accolate), teofilina, roflumilast (Daliresp)
- 5 Tratamiento con oxígeno
- 6 Algún otro medicamento para la COPD o el asma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who took medication regularly for COPD or asthma in the past 12 months.

**BOX ID: R04\_AXR07**

If respondent has COPD and took medications regularly, go to R04\_AX0749.  
Else if respondent has COPD and did not say they took medications regularly, go to R04\_AX0751.  
Else, if respondent has asthma, go to R04\_AX0125.  
Else, go to R04\_AX0726.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0749**

En las últimas 2 semanas, ¿cuál de los siguientes medicamentos tomó de manera habitual para el COPD? Escoja todas las opciones que correspondan.

- 1 Inhalador de alivio inmediato - por ejemplo: albuterol (ProAir, Ventolin, Xopenex), ipratropio (Atrovent) o un inhalador de combinación (Combivent)
- 2 Inhalador de acción a largo plazo - por ejemplo: salmeterol (Serevent), tiotropio (Spiriva) o un inhalador de combinación (Advair)
- 3 Inhalador de esteroides - por ejemplo: beclometasona (Qvar), fluticasona (Flovent), budesonida (Pulmicort) o mometasona (Asmanex)
- 4 Algún otro medicamento para el COPD
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who took medication regularly for COPD in the past 12 months.

DISPLAY: UNDERLINE "últimas 2 semanas".

**PATH ID: R04\_AX0751**

Actualmente ¿está usando un tratamiento de oxígeno en la casa (de día o de noche) para la COPD?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have COPD.

**PATH ID: R04\_AX0750**

En los últimos 12 meses, ¿cuántas veces ha tomado antibióticos para una infección de los pulmones como la bronquitis o la neumonía?

- 1 |\_|\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR97

GO TO BOX R04\_AXR97

ASK: Adult respondents who have COPD.

DISPLAY: UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0750_LC1</b>	
La computadora registró que usted ha tomado antibióticos para una infección relacionada con los pulmones [R04_AX0750] veces en los últimos 12 meses. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0750
2 NEXT	GO TO BOX R04_AXR97
ASK: IF R04_AX0750 > 50.	

<b>BOX ID: R04_AXR97</b>
If respondent has asthma, go to R04_AX0125. Else, go to R04_AX0726.

<b>PATH ID: R04_AX0125</b>	
En los últimos 12 meses, ¿ha tenido un ataque de asma en el que se necesitó usar un medicamento esteroide por vía oral o en inyección en el momento del ataque? Ejemplos de medicamentos esteroides por vía oral o en inyección incluyen a prednisona, prednisolona (Orapred) y dexametasona (Decadron).	
1 Sí	
2 No	GO TO R04_AX0127
-8 DON'T KNOW	GO TO R04_AX0127
-7 REFUSED	GO TO R04_AX0127
ASK: Adult respondents who have asthma.	

<b>PATH ID: R04_AX0126</b>	
En los últimos 12 meses, ¿cuántos ataques de asma ha tenido en los que se necesitaba usar un medicamento esteroide oral o en inyección en el momento del ataque?	
1  __ __ __	
-8 DON'T KNOW	GO TO R04_AX0127
-7 REFUSED	GO TO R04_AX0127
ASK: Adult respondents who had an asthma attack in the past 12 months that needed an oral or injected steroid medication.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0126_LC1</b>	
La computadora registró que usted ha tenido [R04_AX0126] ataques de asma en los últimos 12 meses. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0126
2 NEXT	GO TO R04_AX0127
ASK: IF R04_AX0126 > 100.	

<b>PATH ID: R04_AX0126_LC2</b>	
La computadora registró "cero" para la cantidad de ataques de asma que tuvo en los últimos 12 meses. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0126
2 NEXT	GO TO R04_AX0127
ASK: IF R04_AX0126 = 0.	

<b>PATH ID: R04_AX0127</b>	
En los últimos 12 meses, ¿ha tenido que visitar una sala de emergencias o centro de atención de urgencias debido al asma?	
1 Sí	
2 No	GO TO R04_AX0230
-8 DON'T KNOW	GO TO R04_AX0230
-7 REFUSED	GO TO R04_AX0230
ASK: Adult respondents who have asthma.	

<b>PATH ID: R04_AX0282</b>	
En los últimos 12 meses, ¿cuántas veces ha ido a la sala de emergencias o centro de atención de urgencias debido al asma?	
1  __ __ __	
-8 DON'T KNOW	GO TO R04_AX0230
-7 REFUSED	GO TO R04_AX0230
ASK: Adult respondents who have gone to emergency room for asthma in the past 12 months.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0282_LC1
La computadora registró que usted fue a la sala de emergencias o centro de atención de urgencias [R04_AX0282] veces en los últimos 12 meses debido al asma. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AX0282
2 NEXT GO TO R04_AX0230
ASK: IF R04_AX0282 > 20.

<b>PATH ID:</b> R04_AX0230
<u>En los últimos 30 días</u> , ¿con qué frecuencia ha usado un inhalador de rescate, un tratamiento con nebulizador u otro medicamento de control (como albuterol)?
1 3 o más veces al día
2 Una o 2 veces al día
3 2 o 3 veces a la semana
4 Una vez a la semana o menos
5 Nunca
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have asthma.
DISPLAY: UNDERLINE "En los últimos 30 días".

<b>PATH ID:</b> R04_AX0231
¿Cómo calificaría el control de su asma durante los últimos 30 días?
1 Sin ningún control
2 Mal controlada
3 Un poco controlada
4 Bien controlada
5 Totalmente controlada
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have asthma.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0726</b>
En general, ¿cómo calificaría la salud de sus dientes y encías?
1    Excelente
2    Muy buena
3    Buena
4    Regular
5    Mala
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXR98</b>
New baseline respondents, go to R04_AX0693_NB.
Else, continuing respondents, go to R04_AX0693_12M.

<b>PATH ID:</b> <b>R04_AX0693_NB</b>
¿Alguna vez ha observado sangrado después de cepillarse o de limpiar entre los dientes con hilo dental o debido a otros problemas de la boca?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: New baseline adult respondents.

<b>PATH ID:</b> <b>R04_AX0694_NB</b>
¿Alguna vez se le ha aflojado algún diente o muela por su cuenta, sin ser debido a una lesión?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: New baseline adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0695_NB	
¿Cuántos de sus dientes o muelas permanentes le han extraído debido a caries o gingivitis (enfermedad de las encías)? No incluya pérdida de los dientes debido a otras razones, tales como lesiones u ortodoncia.	
1  __ __	GO TO R04_AX0725
-8 DON'T KNOW	GO TO R04_AX0725
-7 REFUSED	GO TO R04_AX0725
ASK: New baseline adult respondents.	

<b>PATH ID:</b> R04_AX0725	
¿Cuántas veces al día se cepilla los dientes?	
-2 No me cepillo los dientes todos los días	
1  __ __  Veces	
-8 DON'T KNOW	
-7 REFUSED	
ASK: All adult respondents.	
DISPLAY: DISPLAY "Veces" AS A TITLE.	

<b>PATH ID:</b> R04_AX0696	
En los últimos 7 días, aparte de cepillarse los dientes con un cepillo dental, ¿cuántas veces usó hilo dental u otro aparato para limpiar entre los dientes?	
1  __ __	
-8 DON'T KNOW	
-7 REFUSED	
ASK: All adult respondents.	

<b>BOX ID:</b> R04_AXR99	
New baseline respondents, go to R04_AX0760_NB.	
Else, continuing respondents who have seen a dentist in the past 12 months, go to R04_AX0760_12M.	
Else, go to Box R04_AXR100.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0760_NB</b>	
¿Alguna vez un dentista, un higienista dental u otro profesional de la salud le ha hecho una limpieza dental?		
1	Sí	GO TO R04_AX0729
2	No	GO TO BOX R04_AXR100
-8	DON'T KNOW	GO TO BOX R04_AXR100
-7	REFUSED	GO TO BOX R04_AXR100
ASK: New baseline adult respondents.		

<b>PATH ID:</b>	<b>R04_AX0729</b>
¿Cuánto hace desde que un dentista, un higienista dental u otro profesional de la salud le hizo una limpieza dental? (Si fue más temprano hoy, anote un día)	
1	_ _  DÍAS
2	_ _  MESES
3	_ _  AÑOS
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have had their teeth cleaned.	

<b>BOX ID:</b>	<b>R04_AXR100</b>
New baseline respondents, go to R04_AX0727_NB.	
Else, continuing respondents who have seen a dentist in the past 12 months, go to R04_AX0727_12M.	
Else, go to Box R04_AXR25.	

<b>PATH ID:</b>	<b>R04_AX0727_NB</b>
Alguna vez, ¿le ha dicho un dentista, un higienista dental u otro profesional de la salud que usted ha perdido hueso alrededor de sus dientes?	
1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: New baseline adult respondents.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0129_NB	
Alguna vez, ¿le ha dicho un dentista, un higienista dental u otro profesional de la salud que usted tiene enfermedad de las encías?	
1 Sí	
2 No	GO TO R04_AX0132_NB
-8 DON'T KNOW	GO TO R04_AX0132_NB
-7 REFUSED	GO TO R04_AX0132_NB
ASK: New baseline adult respondents.	

<b>PATH ID:</b> R04_AX0131_NB	
¿Qué edad tenía la primera vez que le dijeron que tenía enfermedad de las encías?	
1  __ __ __  Años	
-8 DON'T KNOW	GO TO R04_AX0261_NB
-7 REFUSED	GO TO R04_AX0261_NB
ASK: New baseline adult respondents who have had gum disease.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID:</b> R04_AX0131_NB_LC1	
La computadora registró que usted tenía [R04_AX0131_NB] años la primera vez que le dijeron que tenía gingivitis o enfermedad de las encías. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0131_NB
2 NEXT	GO TO R04_AX0132_NB
ASK: IF R04_AX0131_NB > R04_ACHIEVEDAGE.	

<b>PATH ID:</b> R04_AX0261_NB	
La primera vez que le dijeron que tenía enfermedad de las encías, ¿tenía...	
1 menos de 18 años de edad,	
2 entre 18 y 24 años de edad,	
3 entre 25 y 34 años de edad,	
4 entre 35 y 44 años de edad,	
5 entre 45 y 54 años de edad o	
6 55 años de edad o más?	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had gum disease.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0132_NB</b>	
¿Alguna vez le ha dicho un médico, un dentista u otro profesional de la salud que usted tiene lesiones orales precancerosas?	
1    Sí	
2    No	GO TO BOX R04_AXR25
-8   DON'T KNOW	GO TO BOX R04_AXR25
-7   REFUSED	GO TO BOX R04_AXR25
ASK: New baseline adult respondents.	

<b>PATH ID:</b> <b>R04_AX0133_NB</b>	
¿Qué edad tenía la primera vez que le dijeron que tenía lesiones orales precancerosas?	
1     __ __ __  Años	
-8   DON'T KNOW	GO TO R04_AX0262_NB
-7   REFUSED	GO TO R04_AX0262_NB
ASK: New baseline adult respondents who have had pre-cancerous oral lesions.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AX0133_NB_LC1</b>	
La computadora registró que usted tenía [R04_AX0133_NB] años la primera vez que le dijeron que tenía lesiones orales precancerosas. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AX0133_NB
2    NEXT	GO TO R04_AX0719
ASK: IF R04_AX0133_NB > R04_ACHIEVEDAGE.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0262_NB</b>		
La primera vez que le dijeron que tenía lesiones orales precancerosas, ¿tenía...		
1	menos de 18 años de edad,	GO TO R04_AX0719
2	entre 18 y 24 años de edad,	GO TO R04_AX0719
3	entre 25 y 34 años de edad,	GO TO R04_AX0719
4	entre 35 y 44 años de edad,	GO TO R04_AX0719
5	entre 45 y 54 años de edad o	GO TO R04_AX0719
6	55 años de edad o más?	GO TO R04_AX0719
-8	DON'T KNOW	GO TO R04_AX0719
-7	REFUSED	GO TO R04_AX0719
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had precancerous oral lesions.		

<b>PATH ID: R04_AX0719</b>		
¿Necesitan tratamiento las lesiones orales?		
1	Sí	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have reported having pre-cancerous oral lesions.		

<b>BOX ID: R04_AXR25</b>		
New baseline respondents go to R04_AX0281_NB.		
Else, continuing respondents go to R04_AX0281_12M.		

<b>PATH ID: R04_AX0281_NB</b>		
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene diabetes, diabetes sacarina, exceso de azúcar en la sangre o prediabetes?		
1	Sí	
2	No	GO TO BOX R04_AXR83
-8	DON'T KNOW	GO TO BOX R04_AXR83
-7	REFUSED	GO TO BOX R04_AXR83
ASK: New baseline adult respondents.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0280_NB</b>	
¿Qué edad tenía la primera vez que le dijeron que tenía diabetes, diabetes sacarina, exceso de azúcar en la sangre o prediabetes?	
1  __ __ __  Años	
-8 DON'T KNOW	GO TO R04_AX0263_NB
-7 REFUSED	GO TO R04_AX0263_NB
ASK: New baseline adult respondents who have diabetes or raised glucose levels.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID: R04_AX0280_NB_LC1</b>	
La computadora registró que usted tenía [R04_AX0280_NB] años la primera vez que le dijeron que tenía diabetes. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0280_NB
2 NEXT	GO TO BOX R04_AXR83
ASK: IF R04_AX0280_NB > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0263_NB</b>	
La primera vez que le dijeron que tenía diabetes, diabetes sacarina, exceso de azúcar en la sangre o prediabetes, ¿tenía...	
1 menos de 18 años de edad,	GO TO BOX R04_AXR83
2 entre 18 y 24 años de edad,	GO TO BOX R04_AXR83
3 entre 25 y 34 años de edad,	GO TO BOX R04_AXR83
4 entre 35 y 44 años de edad,	GO TO BOX R04_AXR83
5 entre 45 y 54 años de edad o	GO TO BOX R04_AXR83
6 55 años de edad o más?	GO TO BOX R04_AXR83
-8 DON'T KNOW	GO TO BOX R04_AXR83
-7 REFUSED	GO TO BOX R04_AXR83
ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.	

<b>BOX ID: R04_AXR83</b>
If respondent has ever had diabetes, go to R04_AX0721. Else, go to Box R04_AXR27.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0721**

[Anteriormente, usted nos dijo que tenía diabetes.

]¿Qué tipo de diabetes tiene?

- 1 Tipo 1
- 2 Tipo 2
- 3 No sé
- 4 Nunca he tenido diabetes
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR27

ASK: Adult respondents who have ever been told they have diabetes.

DISPLAY: IF RESPONDENT REPORTED HAVING DIABETES IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_DIABETES = 1 AND R04\_AX0281\_NB != 1 AND R04\_AX0281\_12M != 1], DISPLAY "Anteriormente, usted nos dijo que tenía diabetes." AND DISPLAY OPTION 4.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 4.

**PATH ID: R04\_AX0697**

Actualmente, ¿está tomando alguno de los siguientes medicamentos para reducir el azúcar en la sangre? Escoja todas las opciones que correspondan.

- 1 Insulina
- 2 Píldoras para la diabetes
- 3 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have diabetes and did not recant their diabetes diagnosis.

**BOX ID: R04\_AXR27**

New baseline respondents, go to Box R04\_AXD19.

Else, continuing respondents who have seen a doctor in the past 12 months, go to Box R04\_AXD20.

Else, go to Box R04\_AXR42.

**BOX ID: R04\_AXD19**

Display questions R04\_AX0141\_NB, R04\_AX0147\_NB, R04\_AX0151\_NB, and R04\_AX0144\_NB on one screen. Show the transition text and question stem from R04\_AX0141\_NB first, then show each item with the sí/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0141_NB</b>
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tenía... una úlcera? Incluya las úlceras estomacales, duodenales o pépticas.
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: New baseline adult respondents.

<b>PATH ID:</b> <b>R04_AX0147_NB</b>
sangrado de estómago u otro sangrado gastrointestinal?
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: New baseline adult respondents.

<b>PATH ID:</b> <b>R04_AX0151_NB</b>
una catarata o glaucoma?
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: New baseline adult respondents.

<b>PATH ID:</b> <b>R04_AX0144_NB</b>
cáncer?
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: New baseline adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR29**

New baseline respondents who have had an ulcer, go to R04\_AX0143\_NB.  
 Else, new baseline respondents who have had stomach or gastrointestinal bleeding, go to R04\_AX0148\_NB.  
 Else, new baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.  
 Else, new baseline respondents who have had cancer, go to R04\_AX0145.  
 Else, new baseline respondents go to Box R04\_AXR40.

**BOX ID: R04\_AXD20**

Display questions R04\_AX0141\_12M, R04\_AX0147\_12M, R04\_AX0151\_12M, and R04\_AX0144\_12M on one screen. Show the transition text and question stem from R04\_AX0141\_12M first, then show each item with the sí/no responses. As each item is answered, show the next one.

**BOX ID: R04\_AXR42**

Continuing adults who have ever had an ulcer, go to R04\_AX0698.  
 Else, continuing adults who have had cancer in the past 12 months, go to R04\_AX0145.  
 Else, continuing adults who have ever had cancer, go to R04\_AX0705.  
 Else, continuing adults go to Box R04\_AXR40.

**PATH ID: R04\_AX0143\_NB**

¿Qué edad tenía la primera vez que le dijeron que tenía una úlcera?

1 |\_\_|\_\_| Años

-8 DON'T KNOW GO TO R04\_AX0264\_NB

-7 REFUSED GO TO R04\_AX0264\_NB

ASK: New baseline adult respondents who were told they had an ulcer.  
 DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AX0143\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0143\_NB] años la primera vez que le dijeron que tenía una úlcera. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R04\_AX0143\_NB

2 NEXT GO TO R04\_AX0698

ASK: IF R04\_AX0143\_NB > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0264\_NB**

La primera vez que le dijeron que tenía una úlcera, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age they were first told they had an ulcer.

**PATH ID: R04\_AX0698**

[Anteriormente, usted nos dijo que tenía una úlcera.

]¿Ha tomado algún medicamento para una úlcera en los últimos 30 días?

- 1 Sí
- 2 No GO TO R04\_AX0699
- 3 Nunca he tenido una úlcera GO TO BOX R04\_AXR34
- 8 DON'T KNOW GO TO R04\_AX0699
- 7 REFUSED GO TO R04\_AX0699

ASK: Adult respondents who have ever been told they have ulcers.

DISPLAY: IF RESPONDENT REPORTED HAVING ULCERS IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_ULCER = 1 AND R04\_AX0141\_NB != 1 AND R04\_AX0141\_12M != 1], DISPLAY "Anteriormente, usted nos dijo que tenía una úlcera." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 3.

**PATH ID: R04\_AX0738**

¿Qué clase de medicamentos ha tomado para la úlcera en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Antiácidos que se venden sin receta médica
- 2 Medicamentos que se venden con receta médica
- 3 Otro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken medications for ulcers in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0699</b>	
¿Le han hecho pruebas para detectar una infección bacteriana, llamada Helicobacter Pylori, en el estómago?	
1 Sí	
2 No	GO TO BOX R04_AXR34
3 No sé	GO TO BOX R04_AXR34
-8 DON'T KNOW	GO TO BOX R04_AXR34
-7 REFUSED	GO TO BOX R04_AXR34
ASK: Adult respondents who have ever been told they have ulcers.	

<b>PATH ID: R04_AX0739</b>	
¿Le detectaron la Helicobacter Pylori?	
1 Sí	
2 No	
3 No sé	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have been tested for H. Pylori.	

<b>BOX ID: R04_AXR34</b>	
New baseline respondents who have had stomach or gastrointestinal bleeding, go to R04_AX0148_NB.	
Else, new baseline respondents who have had a cataract or glaucoma, go to R04_AX0152_NB.	
Else, new baseline respondents who have had cancer, go to R04_AX0145.	
Else, new baseline respondents go to Box R04_AXR40.	
Else, continuing adults who have had cancer in the past 12 months, go to R04_AX0145.	
Else, continuing adults who have ever had cancer, go to R04_AX0705.	
Else, continuing adults go to Box R04_AXR40.	

<b>PATH ID: R04_AX0148_NB</b>	
¿Qué edad tenía la primera vez que le dijeron que tenía sangrado de estómago u otro sangrado gastrointestinal?	
1  __ __  Años	
-8 DON'T KNOW	GO TO R04_AX0266_NB
-7 REFUSED	GO TO R04_AX0266_NB
ASK: New baseline adult respondents who were told they had stomach or other GI bleeding.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0148\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0148\_NB] años la primera vez que le dijeron que usted tenía sangrado estomacal u otro tipo de sangrado gastrointestinal. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0148\_NB

2 NEXT

GO TO BOX R04\_AXR36

ASK: IF R04\_AX0148\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0266\_NB**

La primera vez que le dijeron que tenía sangrado de estómago u otro sangrado gastrointestinal, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had GI bleeding.

**BOX ID: R04\_AXR36**

New baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.  
Else, new baseline respondents who have had cancer in the past 12 months, go to R04\_AX0145.  
Else, continuing adults who have ever had cancer, go to R04\_AX0705.  
Else, go to Box R04\_AXR40.

**PATH ID: R04\_AX0152\_NB**

¿Qué edad tenía la primera vez que le dijeron que tenía una catarata o glaucoma?

1 |\_\_|\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0269\_NB

-7 REFUSED

GO TO R04\_AX0269\_NB

ASK: New baseline adult respondents who were told they had a cataract or glaucoma.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0152\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0152\_NB] años la primera vez que le dijeron que tenía cataratas o glaucoma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0152\_NB

2 NEXT

GO TO BOX R04\_AXR39

ASK: IF R04\_AX0152\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0269\_NB**

La primera vez que le dijeron que tenía una catarata o glaucoma, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report age when they were first told they had a cataract/glaucoma.

**BOX ID: R04\_AXR39**

New baseline respondents who have had cancer, go to R04\_AX0145.

Else, new baseline respondents go to Box R04\_AXR40.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0145**

¿Qué tipo de cáncer le dijeron que tenía? Escoja todas las opciones que correspondan.

[Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "OTRA."]

- 17 DE BOCA/LENGUA/LABIO
- 7 DE COLON
- 6 DE CUELLO UTERINO (CERVICAL)
- 8 DE ESÓFAGO (ESOFÁGICO)
- 26 DE ESTÓMAGO
- 28 DE GARGANTA
- 11 DE LARINGE/TRÁQUEA
- 3 DE LOS HUESOS
- 19 DE OVARIO
- 20 DE PÁNCREAS (PANCREÁTICO)
- 16 DE PIEL (MELANOMA)
- 23 DE PIEL (NO MELANOMA)
- 24 DE PIEL (NO SE SABE EL TIPO)
- 21 DE PRÓSTATA
- 14 DE PULMÓN
- 22 DE RECTO (RECTAL)
- 10 DE RIÑÓN
- 2 DE SANGRE
- 5 DE SENO (MAMA)
- 25 DE TEJIDOS BLANDOS (MÚSCULO O GRASA)
- 27 DE TESTÍCULO (TESTICULAR)
- 29 DE TIROIDES
- 30 DE ÚTERO (UTERINO)
- 1 DE VEJIGA
- 9 DE VESÍCULA
- 4 DEL CEREBRO
- 13 DEL HÍGADO
- 18 DEL SISTEMA NERVIOSO
- 12 LEUCEMIA
- 15 LINFOMA/ENFERMEDAD DE HODGKIN
- 31 OTRO
- 8 DON'T KNOW

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

-7 REFUSED

ASK: Adult respondents who have had cancer.

DISPLAY: IF SCREENS 1-3 DISPLAY: Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF LAST SCREEN DISPLAY: Si no ve la opción a continuación, toque la casilla que dice "OTRA".

**BOX ID: R04\_AXR41**

If new baseline respondent, go to Box R04\_AXR46.

Else, go to Box R04\_AXR40.

**BOX ID: R04\_AXR46**

PROGRAM: CREATE LOOP:

Repeat R04\_AX0146\_NB[01/.../\_31] through R04\_AX0265\_NB[01/.../\_31] for each type of cancer the respondent reports they had in R04\_AX0145. (This loop is only asked of new baseline adults who reported ever having cancer.)

**PATH ID: R04\_AX0146\_NB**

¿A qué edad le diagnosticaron [cáncer/TYPE OF CANCER] por primera vez?

1 |\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0265\_NB[01/.../\_31]

-7 REFUSED

GO TO R04\_AX0265\_NB[01/.../\_31]

ASK: New baseline adult respondents who have cancer.

DISPLAY: FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R04\_AX0145[01/.../\_31] AS FOLLOWS:

IF R04\_AX0145\_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cáncer".

ELSE, IF R04\_AX0145[12/\_15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cáncer".

ELSE, IF R04\_AX0145[16/\_23] = 1, DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES BEFORE "de piel" AND DISPLAY "cáncer" (EX. "melanoma de piel").

ELSE, IF R04\_AX0145\_24 = 1, DISPLAY AS "cáncer de piel (no sabe de qué clase)".

ELSE, IF R04\_AX0145[06/\_08/\_20/\_22/\_27/\_30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cáncer" (EX. "cáncer cervical" INSTEAD OF "de cuello uterino cáncer (cervical)").

ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cáncer".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_01\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_01] años la primera vez que le diagnosticaron cáncer de vejiga. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_01 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_01 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_02\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_02] años la primera vez que le diagnosticaron cáncer de la sangre. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_02 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_02 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_03\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_03] años la primera vez que le diagnosticaron cáncer de los huesos. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_03 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_03 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_04\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_04] años la primera vez que le diagnosticaron cáncer de cerebro. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_04 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_04 > R04\_ACHIEVEDAGE.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_05\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_05] años la primera vez que le diagnosticaron cáncer de seno. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_05 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_05 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_06\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_06] años la primera vez que le diagnosticaron cáncer del cuello uterino. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_06 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_06 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_07\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_07] años la primera vez que le diagnosticaron cáncer de colon. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_07 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_07 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_08\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_08] años la primera vez que le diagnosticaron cáncer de esófago. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_08 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_08 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_09\_LC1**

La computadora registró que usted tenía [R04\_AX0146\_NB\_09] años la primera vez que le diagnosticaron cáncer de vesícula. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_09 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_09 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_10\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_10] años la primera vez que le diagnosticaron cáncer de riñón. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_10 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_10 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_11\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_11] años la primera vez que le diagnosticaron cáncer de laringe o tráquea. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_11 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_11 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_12\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_12] años la primera vez que le diagnosticaron leucemia. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_12 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_12 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_13\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_13] años la primera vez que le diagnosticaron cáncer de hígado. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_13 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_13 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_14\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_14] años la primera vez que le diagnosticaron cáncer de pulmón. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_14 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_14 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_15\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_15] años la primera vez que le diagnosticaron linfoma o enfermedad de Hodgkin. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_15 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_15 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_16\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_16] años la primera vez que le diagnosticaron cáncer de piel tipo melanoma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_16 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_16 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_17\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_17] años la primera vez que le diagnosticaron cáncer de la boca, la lengua o los labios. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0146\_NB\_17

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_17 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_18\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_18] años la primera vez que le diagnosticaron cáncer del sistema nervioso. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0146\_NB\_18

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_18 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_19\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_19] años la primera vez que le diagnosticaron cáncer de ovario. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0146\_NB\_19

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_19 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_20\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_20] años la primera vez que le diagnosticaron cáncer de páncreas. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0146\_NB\_20

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_20 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_21\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_21] años la primera vez que le diagnosticaron cáncer de próstata. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_21 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_21 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_22\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_22] años la primera vez que le diagnosticaron cáncer de recto. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_22 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_22 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_23\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_23] años la primera vez que le diagnosticaron cáncer de piel tipo no melanoma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_23 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_23 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_24\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_24] años la primera vez que le diagnosticaron cáncer de piel. (No sabe de qué clase). Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_24 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_24 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_25\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_25] años la primera vez que le diagnosticaron cáncer de tejidos blandos (cómo músculos o grasa). Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0146\_NB\_25

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_25 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_26\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_26] años la primera vez que le diagnosticaron algún tipo de cáncer. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0146\_NB\_26

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_26 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_27\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_27] años la primera vez que le diagnosticaron cáncer de testículo. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0146\_NB\_27

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_27 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_28\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_28] años la primera vez que le diagnosticaron cáncer de garganta. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0146\_NB\_28

2 NEXT

GO TO BOX R04\_AXR47

ASK: IF R04\_AX0146\_NB\_28 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0146\_NB\_29\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_29] años la primera vez que le diagnosticaron cáncer de tiroides. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_29 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_29 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_30\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_30] años la primera vez que le diagnosticaron cáncer de útero. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_30 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_30 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0146\_NB\_31\_LC**

La computadora registró que usted tenía [R04\_AX0146\_NB\_31] años la primera vez que le diagnosticaron cáncer. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_31 |
| 2 | NEXT | GO TO BOX R04_AXR47    |

ASK: IF R04\_AX0146\_NB\_31 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0265\_NB**

La primera vez que le diagnosticaron [cáncer /TYPE OF CANCER], ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first diagnosed with cancer.

DISPLAY: FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R04\_AX0145[\_01/.../\_31] AS FOLLOWS:

IF R04\_AX0145\_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cáncer".

ELSE, IF R04\_AX0145[\_12/\_15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cáncer".

IF R04\_AX0145[\_6/\_8] ELSE, IF R04\_AX0145[\_16/\_23] = 1, DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES BEFORE "de piel" AND DISPLAY "cáncer" (EX. "melanoma cáncer de piel").

ELSE, IF R04\_AX0145\_24 = 1, DISPLAY AS "cáncer de piel (no sabe de qué clase)".

ELSE, IF R04\_AX0145[\_06/\_08/\_20/\_22/\_27/\_30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cáncer" (EX. "cáncer cervical" INSTEAD OF "de cuello uterino (cervical)").

ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cáncer".

**BOX ID: R04\_AXR47**

END NEW BASELINE CANCER LOOP:

If the respondent has loops to complete for other types of cancer, return to Box R04\_AXR46 and loop through the subsection for any other types of cancer the respondent has had.

Else, if the respondent has no more remaining loops to complete, go to Box R04\_AXR40.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0705</b>
Anteriormente, usted nos dijo que tenía cáncer.
¿Está su cáncer en remisión?
1   Sí
2   No
3   Nunca he tenido cáncer
-8   DON'T KNOW
-7   REFUSED
ASK: Continuing adult respondents who have ever been diagnosed with cancer, but were not told they had cancer in the past 12 months.
GO TO BOX R04_AXR40

<b>PATH ID:</b> <b>R04_AX0748</b>
Anteriormente, usted nos dijo que tenía cáncer.
¿Ha vuelto a aparecer el cáncer?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Continuing adult respondents who have ever been diagnosed with cancer, but were not told they had cancer in the past 12 months and did not recant their cancer diagnosis.

<b>BOX ID:</b> <b>R04_AXR40</b>
New baseline adult respondents, go to Box R04_AXD25.
Else, continuing adults who are aged 40 or older and who have seen a doctor in the past 12 months, go to Box R04_AXD21.
Else, go to R04_AX0756.

<b>BOX ID:</b> <b>R04_AXD25</b>
Display questions R04_AX0149_NB, R04_AX0196_NB, and R04_AX0400_NB on one screen. Show the transition text and question stem from R04_AX0149_NB first, then show each item with the sí/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0149_NB</b>
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene... osteoporosis, que a veces se llama la enfermedad de huesos delgados o quebradizos?
1    Sí
2    No
-8   DONT KNOW
-7   REFUSED
ASK: New baseline adult respondents.

<b>PATH ID:</b> <b>R04_AX0196_NB</b>
una fractura debido a que tiene huesos frágiles?
1    Sí
2    No
-8   DONT KNOW
-7   REFUSED
ASK: New baseline adult respondents.

<b>PATH ID:</b> <b>R04_AX0400_NB</b>
pérdida rápida de la visión? No incluya pérdida de la visión debido al envejecimiento, como la miopía o la hipermetropía.
1    Sí
2    No
-8   DONT KNOW
-7   REFUSED
ASK: New baseline adult respondents.

<b>BOX ID:</b> <b>R04_AXR86</b>
If new baseline respondent has been diagnosed with osteoporosis, go to R04_AX0150_NB. Else, if new baseline respondent has been diagnosed with fragile bones, go to R04_AX0198_NB. Else, go to Box R04_AXR88.

<b>BOX ID:</b> <b>R04_AXD21</b>
Display questions R04_AX0149_12M, R04_AX0196_12M, and R04_AX0400_12M on one screen. Show the transition text and question stem from R04_AX0149_12M first, then show each item with the sí/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR17**

If respondent aged 40 or older has been diagnosed with fragile bones, go to R04\_AX0701.  
Else, if respondent aged 40 or older has been diagnosed with osteoporosis, go to R04\_AX0700.  
Else, go to R04\_AX0702.

**PATH ID: R04\_AX0150\_NB**

¿Qué edad tenía la primera vez que le dijeron que tenía osteoporosis, que a veces se llama la enfermedad de huesos delgados o quebradizos?

1 |\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0267\_NB

-7 REFUSED

GO TO R04\_AX0267\_NB

ASK: New baseline adult respondents who were told they had osteoporosis or had a history of unexplained bone fractures.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AX0150\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0150\_NB] años la primera vez que le dijeron que tenía osteoporosis. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0150\_NB

2 NEXT

GO TO BOX R04\_AXR87

ASK: IF R04\_AX0150\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0267\_NB**

La primera vez que le dijeron que tenía osteoporosis, ¿tenía...

1 menos de 18 años de edad,

2 entre 18 y 24 años de edad,

3 entre 25 y 34 años de edad,

4 entre 35 y 44 años de edad,

5 entre 45 y 54 años de edad o

6 55 años de edad o más?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had osteoporosis.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR87**

If new baseline respondent has been diagnosed with fragile bones, go to R04\_AX0198\_NB.  
Else, go to R04\_AX0700.

**PATH ID: R04\_AX0198\_NB**

¿Qué edad tenía la primera vez que le dijeron que tuvo una fractura debido a que tiene huesos frágiles?

1 |\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0268\_NB

-7 REFUSED

GO TO R04\_AX0268\_NB

ASK: New baseline adult respondents who were told they had a bone fracture.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AX0198\_NB\_LC1**

La computadora registró que usted tenía [R04\_AX0198\_NB] años la primera vez que le dijeron que tuvo una fractura de hueso debido a huesos frágiles. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0198\_NB

2 NEXT

GO TO R04\_AX0701

ASK: IF R04\_AX0198\_NB > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0268\_NB**

La primera vez que le dijeron que tuvo una fractura debido a que tenía huesos frágiles, ¿tenía...

1 menos de 18 años de edad,

2 entre 18 y 24 años de edad,

3 entre 25 y 34 años de edad,

4 entre 35 y 44 años de edad,

5 entre 45 y 54 años de edad o

6 55 años de edad o más?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who did not know or refused to report the age when they were first told they had a bone fracture because of fragile bones.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0701</b>
En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que el tiempo de curación o consolidación de una fractura era más largo que lo esperado?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have been diagnosed with fragile bones.

<b>PATH ID:</b> <b>R04_AX0700</b>
¿Alguna vez ha tomado píldoras de prednisona o cortisona casi todos los días por un mes o más? La prednisona y la cortisona son tipos de esteroides.
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have been diagnosed with osteoporosis or fragile bones.

<b>BOX ID:</b> <b>R04_AXR88</b>
Adult respondents who are aged 40 or older, go to R04_AX0702. Else, go to R04_AX0756.

<b>PATH ID:</b> <b>R04_AX0702</b>
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene degeneración macular?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AX0756
GO TO R04_AX0756
GO TO R04_AX0756
ASK: Adult respondents aged 40 and older.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0703
¿Qué edad tenía la primera vez que le dijeron que tenía degeneración macular?
1  __ __ __  Años
-8 DON'T KNOW GO TO R04_AX0704
-7 REFUSED GO TO R04_AX0704
ASK: Adult respondents aged 40 and older who were told they had macular degeneration.
DISPLAY: DISPLAY "Años" AS A TITLE.

<b>PATH ID:</b> R04_AX0703_LC1
La computadora registró que usted tenía [R04_AX0703] años la primera vez que le dijeron que tenía degeneración macular. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AX0703
2 NEXT GO TO R04_AX0756
ASK: IF R04_AX0703 > R04_ACHIEVEDAGE.

<b>PATH ID:</b> R04_AX0704
La primera vez que le dijeron que tenía degeneración macular, ¿tenía...?
1 menos de 18 años de edad,
2 entre 18 y 24 años de edad,
3 entre 25 y 34 años de edad,
4 entre 35 y 44 años de edad,
5 entre 45 y 54 años de edad o
6 55 años de edad o más?
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents aged 40 and older who did not know or refused to report the age when they were first told they had macular degeneration.

<b>PATH ID:</b> R04_AX0756
¿Le ha dicho un médico, un terapeuta u otro profesional de la salud mental alguna vez que usted tenía esquizofrenia, un trastorno esquizoafectivo o psicosis?
1 Sí
2 No GO TO R04_AX0761
-8 DON'T KNOW GO TO R04_AX0761
-7 REFUSED GO TO R04_AX0761
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0757</b>	
¿Qué edad tenía la primera vez que un médico, un terapeuta u otro profesional de la salud mental le dijo que usted tenía esquizofrenia, un trastorno esquizoafectivo o psicosis?	
1  __ __ __  Años	GO TO BOX R04_AXR14
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have ever been told they have schizophrenia/psychosis.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID: R04_AX0758</b>	
La primera vez que le dijeron que tenía esquizofrenia, un trastorno esquizoafectivo o psicosis, ¿tenía...	
1 menos de 18 años de edad,	GO TO BOX R04_AXR14
2 entre 18 y 24 años de edad,	GO TO BOX R04_AXR14
3 entre 25 y 34 años de edad,	GO TO BOX R04_AXR14
4 entre 35 y 44 años de edad,	GO TO BOX R04_AXR14
5 entre 45 y 54 años de edad o	GO TO BOX R04_AXR14
6 55 años de edad o más?	GO TO BOX R04_AXR14
-8 DON'T KNOW	GO TO BOX R04_AXR14
-7 REFUSED	GO TO BOX R04_AXR14
ASK: Adult respondents who did not know or refused to report the age they were told they have schizophrenia/psychosis.	

<b>PATH ID: R04_AX0761</b>	
¿Le ha dicho un médico, un terapeuta u otro profesional de la salud mental alguna vez que usted tenía una enfermedad o una crisis psicótica?	
1 Sí	
2 No	GO TO BOX R04_AXR14
-8 DON'T KNOW	GO TO BOX R04_AXR14
-7 REFUSED	GO TO BOX R04_AXR14
ASK: Adult respondents who have not been diagnosed with schizophrenia, schizoaffective disorder or psychosis.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0762</b>
¿Qué edad tenía la primera vez que un médico, un terapeuta u otro profesional de la salud mental le dijo que usted tenía una enfermedad o una crisis psicótica?
1    _ _ _ _  Años <span style="float: right;">GO TO BOX R04_AXR14</span>
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have ever been told they had a psychotic illness or episode. DISPLAY: DISPLAY "Años" AS A TITLE.

<b>PATH ID:</b> <b>R04_AX0772</b>
La primera vez que le dijeron que tenía una enfermedad o una crisis psicótica, ¿tenía...
1    menos de 18 años de edad,
2    entre 18 y 24 años de edad,
3    entre 25 y 34 años de edad,
4    entre 35 y 44 años de edad,
5    entre 45 y 54 años de edad, o
6    55 años de edad o más?
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not know or refused to report the age they were told they had a psychotic illness or episode.

<b>BOX ID:</b> <b>R04_AXR14</b>
Adult male respondents aged 20 years old or older, go to R04_AX0730. Else, go to Box R04_AXD06.

<b>PATH ID:</b> <b>R04_AX0730</b>
Muchos hombres tienen problemas en sus relaciones sexuales. ¿Cómo describiría su capacidad de lograr y mantener una erección adecuada para mantener relaciones sexuales satisfactorias? ¿Diría que usted ...?
1    Siempre o casi siempre puede lograr y mantener una erección
2    Normalmente puede lograr y mantener una erección
3    A veces puede lograr y mantener una erección
4    Nunca puede lograr ni mantener una erección
-8   DON'T KNOW
-7   REFUSED
ASK: Adult male respondents aged 20 years old or older.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AXD06
DISPLAY INSTRUCTION: For R04_AX0158, display a 'Sí' and 'No' column with options for each response category.

<b>PATH ID:</b> R04_AX0158
En los últimos 12 meses, ¿tomó alguno de los siguientes medicamentos, incluso si solo fue una vez?
1 Aspirina
2 Tylenol (acetaminofén o paracetamol)
3 Inhibidores Cox-2, por ejemplo: Celebrex
4 Otro medicamento antiinflamatorio, por ejemplo: ibuprofeno, Motrin, Advil, Naprosyn, o Aleve
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> R04_AXR43
If respondent uses aspirin, go to R04_AX0156. Else, if respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH. Else, go to Box R04_AXR102.

<b>PATH ID:</b> R04_AX0156
Aproximadamente, en los últimos 12 meses, ¿con qué frecuencia tomó <u>aspirina</u> ? <u>No</u> incluya a los analgésicos (calmantes para el dolor) tales como ibuprofeno o Tylenol.
1 Nunca
2 Menos de una vez al mes
3 1 a 3 días al mes
4 Semanalmente
5 A diario
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who report taking aspirin. DISPLAY: UNDERLINE "aspirina" AND "No".

<b>BOX ID:</b> R04_AXR44
If respondent has taken aspirin in the past 12 months, go to R04_AX0157. Else, if respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH. Else, go to Box R04_AXR102.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0157</b>
¿Qué tipo de aspirina toma normalmente?
<ul style="list-style-type: none"> <li>1 Aspirina para bebé (162 mg o menos)</li> <li>2 Aspirina normal o extra fuerte</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
ASK: Adult respondents who have taken aspirin in the past 12 months.

<b>BOX ID:</b> <b>R04_AXR45</b>
If respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH.
Else, go to Box R04_AXR102.

<b>PATH ID:</b> <b>R04_AN0330_12MH</b>	
En los últimos 12 meses, ¿ha usado un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?	
<ul style="list-style-type: none"> <li>1 Sí</li> <li>2 No</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>	<ul style="list-style-type: none"> <li>GO TO R04_AN0331_12MH</li> <li>GO TO R04_AN0331_12MH</li> <li>GO TO R04_AN0331_12MH</li> </ul>
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users.	

<b>PATH ID:</b> <b>R04_AN0307H</b>	
¿Cuándo fue la última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?	
<ul style="list-style-type: none"> <li>1 Hace menos de una hora</li> <li>2 Hoy</li> <li>3 Ayer</li> <li>4 Hace dos días</li> <li>5 Hace tres o más días</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>	<ul style="list-style-type: none"> <li>GO TO R04_AN0309H</li> <li>GO TO R04_AN0331_12MH</li> <li>GO TO R04_AN0331_12MH</li> <li>GO TO R04_AN0331_12MH</li> </ul>
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT in the past 12 months.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0308H**

La última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04\_AN0307H], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0307H]:

IF R04\_AN0307H = 2, DISPLAY "hoy".

ELSE, IF R04\_AN0307H = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0307H = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309H**

Cuando usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04\_AN0307H], ¿cuántos usó o tomó?

- 1 |\_\_|\_\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0307H]:

IF R04\_HN0307 = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0307H = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0307H = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0309H\_LC1**

La computadora registró que [hoy/ayer/hace dos días] usted usó o tomó el producto con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [R04\_AN0309H] veces.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AN0309H     |
| 2 | NEXT | GO TO R04_AN0331_12MH |

ASK: IF R04\_AN0309H > 5.

DISPLAY: IF R04\_AN0307H = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0307H = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0307H = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309H\_LC2**

La computadora registró que [hoy/ayer/hace dos días], usted usó o tomó el producto con nicotina, tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras cero veces.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AN0309H     |
| 2 | NEXT | GO TO R04_AN0331_12MH |

ASK: IF R04\_AN0309H = 0.

DISPLAY: IF R04\_AN0307H = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0307H = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0307H = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0331\_12MH**

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos de venta con receta médica? Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- |    |            |                      |
|----|------------|----------------------|
| 1  | Sí         |                      |
| 2  | No         | GO TO BOX R04_AXR102 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR102 |
| -7 | REFUSED    | GO TO BOX R04_AXR102 |

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0327H</b>	
¿Cuándo fue la última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?		
1	Hace menos de una hora	GO TO R04_AN0329H
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO BOX R04_AXR102
-8	DON'T KNOW	GO TO BOX R04_AXR102
-7	REFUSED	GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AN0328H</b>	
La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04_AN0327H], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug today, yesterday or the day before yesterday.		
DISPLAY: FOR [FILL BASED ON R04_AN0327H]:		
IF R04_AN0327H = 4, DISPLAY "hace dos días".		
ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327H, MAKING FIRST LETTER LOWERCASE.		

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0329H
Quando tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04_AN0327H], ¿cuántas píldoras tomó?
1  __ __
-8 DON'T KNOW GO TO BOX R04_AXR102
-7 REFUSED GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug in the past hour, today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0327H]:
IF R04_AN0327H = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AN0327H = 3, DISPLAY "ayer".
ELSE, IF R04_AN0327H = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AN0329H_LC1
La computadora registró que [hoy/ayer/hace dos días], usted tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [R04_AN0329H] veces.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0329H
2 NEXT GO TO BOX R04_AXR102
ASK: IF R04_AN0329H = 0 OR IF R04_AN0329H > 5.
DISPLAY: IF R04_AN0327H = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AN0327H = 3, DISPLAY "ayer".
ELSE, IF R04_AN0327H = 4, DISPLAY "hace dos días".

<b>BOX ID:</b> R04_AXR102
New cohort adult female respondents, go to R04_AX0134_RS.
Else, aged-up and continuing adult female respondents who are less than 50 years old, go to R04_AX0134_12M.
Else, go to R04_AX0488.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0134_RS</b>	
Las siguientes preguntas son acerca de su historial de embarazos.	
Alguna vez, ¿ha estado embarazada? Por favor, incluya su embarazo actual, nacimientos vivos, pérdidas del embarazo, abortos, embarazos ectópicos o tubáricos (en las trompas) y embarazos en los que el bebé nació sin vida.	
1    Sí	
2    No	GO TO R04_AX0488
-8   DONT' KNOW	GO TO R04_AX0488
-7   REFUSED	GO TO R04_AX0488
ASK: New cohort adult respondents who are female.	

<b>PATH ID:</b> <b>R04_AX0135_RS</b>	
¿Alguno de sus embarazos resultó en lo siguiente? Escoja todas las opciones que correspondan.	
1    Pérdida del embarazo	
2    Aborto	
3    Embarazo ectópico o tubárico (en las trompas)	
4    El bebé nació sin vida	
5    Ninguna de las anteriores	
-8   DONT' KNOW	
-7   REFUSED	
ASK: New cohort adult respondents who have been pregnant.	

<b>PATH ID:</b> <b>R04_AX0308_RS</b>	
¿Cuántos embarazos han resultado en nacimientos vivos?	
1     __ __	
-8   DONT' KNOW	
-7   REFUSED	
ASK: New cohort adult respondents who have been pregnant.	

<b>BOX ID:</b> <b>R04_AXR121</b>	
New cohort adult respondents who have been pregnant, but have not had a live birth or did not know or refused to report how many of their pregnancies resulted in a live birth, go to Box R04_AXR52.	
Else, new cohort adult respondents who have had a live birth, go to R04_AX0300_RS.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0300\_RS**

Para [ese nacimiento \ esos #R04\_AX0308\_RS nacimientos], ¿pasó algo de los siguiente? Escoja todas las opciones que correspondan.

- 1 Nacimiento prematuro (el bebé nació antes de las 37 semanas de gestación)
- 2 Bebé con bajo peso (menos de 5 libras 8 onzas)
- 3 Bebé con defectos congénitos
- 4 Placenta previa (cuando la placenta cubre el cuello uterino)
- 5 Desprendimiento prematuro de la placenta
- 6 Preeclampsia
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever been pregnant and had a live birth.

DISPLAY: IF R04\_AX0308\_RS = 1, DISPLAY "ese nacimiento".

ELSE, IF R04\_AX0308\_RS > 1, DISPLAY "esos #R04\_AX0308\_RS nacimientos".

**BOX ID: R04\_AXR52**

New cohort adult female respondents who have been pregnant, go to R04\_AX0136.

Else, go to R04\_AX0488.

**PATH ID: R04\_AX0134\_12M**

Las siguientes preguntas son acerca de su historial de embarazos.

En los últimos 12 meses, ¿ha estado embarazada? Por favor, incluya su embarazo actual, nacimientos vivos, pérdidas del embarazo, abortos, embarazos ectópicos o tubáricos (en las trompas) y embarazos en los que el bebé nació sin vida.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult female respondents who are less than 50 years old.

**BOX ID: R04\_AXR53**

If aged-up or continuing adult female respondent has been pregnant in the past 12 months, go to R04\_AX0136.

Else, if respondent was pregnant at the previous wave, and reports not being pregnant in the past 12 months, go to R04\_AX0135\_12M.

Else, if respondent was not pregnant at the previous wave, and reports not being pregnant in the past 12 months, go to R04\_AX0488.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0136</b>
¿Está usted embarazada ahora?
1    Sí 2    No -8   DON'T KNOW -7   REFUSED
ASK: New cohort adult female respondents who have ever been pregnant, and aged-up and continuing adult female respondents who have been pregnant sometime in the past 12 months.

<b>BOX ID:</b> <b>R04_AXR54</b>
If respondent is currently pregnant, go to R04_AX0137.
Else, if new cohort adult female respondent who is not currently pregnant, go to Box R04_AXR118.
Else, if aged-up and continuing adult female respondent who has been pregnant sometime in the past 12 months and is not currently pregnant, go to R04_AX0135_12M.
Else, go to R04_AX0488.

<b>PATH ID:</b> <b>R04_AX0137</b>	
¿Cuántos meses o semanas de embarazo tiene? Anote el número de meses o semanas.	
1     __ __  Meses 2     __ __  Semanas -8   DON'T KNOW -7   REFUSED	GO TO BOX R04_AXR118  GO TO BOX R04_AXR118
ASK: Adult female respondents who are currently pregnant.	
DISPLAY: Display as Quantity/Units	

<b>PATH ID:</b> <b>R04_AX0137_LC1</b>	
La computadora registró que usted tiene [R04_AX0137] [meses/semanas] de embarazo. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK 2    NEXT	GO TO R04_AX0137 GO TO BOX R04_AXR118
ASK: IF (R04_AX0137_NN > 10 AND R04_AX0137_UN = 1) OR (R04_AX0137_NN > 42 AND R04_AX0137_UN = 2).	
DISPLAY: IF R04_AX0137_UN = 1, DISPLAY "meses".	
ELSE, IF R04_AX0137_UN = 2, DISPLAY "semanas".	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR118**

New cohort adult female respondents whose pregnancy resulted in preterm birth, low birth weight or birth defects, go to R04\_AX0299.

Else, new cohort adult female respondents who have ever been pregnant and respondents who are currently pregnant, go to R04\_AX0340.

Else, go to R04\_AX0488.

**PATH ID: R04\_AX0135\_12M**

¿Cómo culminó su último embarazo?

- 1 Nacimiento vivo
- 2 Pérdida del embarazo
- 3 Aborto
- 4 Embarazo ectópico o tubárico (en las trompas)
- 5 El bebé nació sin vida
- 6 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult female respondents who were pregnant during the previous wave, or who became pregnant in the past 12 months but are not currently pregnant during the current wave.

**BOX ID: R04\_AXR55**

If pregnancy resulted in live birth, go to R04\_AX0300\_12M.

Else, go to R04\_AX0340.

**PATH ID: R04\_AX0300\_12M**

En su último embarazo, ¿ocurrió algo de lo siguiente? Escoja todas las opciones que correspondan.

- 1 Nacimiento prematuro (el bebé nació antes de las 37 semanas de gestación)
- 2 Bebé con bajo peso (menos de 5 libras 8 onzas)
- 3 Bebé con defectos congénitos
- 4 Placenta previa (cuando la placenta cubre el cuello uterino)
- 5 Desprendimiento prematuro de la placenta
- 6 Preeclampsia
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents whose last pregnancy resulted in a live birth.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR56**

If pregnancy resulted in preterm birth, low birth weight or birth defects, go to R04\_AX0299.  
Else, go to R04\_AX0340.

**PATH ID: R04\_AX0299**

¿Tiene su hijo o su hija algún retraso en el desarrollo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who previously reported having a preterm birth or having babies with low birth weight or birth defects.

**BOX ID: R04\_AXR57**

If pregnancy resulted in birth defects, go to R04\_AX0706.  
Else, go to R04\_AX0340.

**PATH ID: R04\_AX0706**

¿Nació su hijo con labio leporino o paladar hendido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who previously reported having a baby with birth defects.

**BOX ID: R04\_AXR119**

New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, go to R04\_AX0340.  
Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0340**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿cuántas bebidas alcohólicas consumió en una semana?

Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 1 14 o más bebidas a la semana
- 2 7 a 13 bebidas a la semana
- 3 4 a 6 bebidas a la semana
- 4 Una a 3 bebidas a la semana
- 5 Menos de una a la semana
- 6 No tomaba bebida alcohólicas en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0341**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿cuántas bebidas alcohólicas [consumió/ha consumido] en una semana?

Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 1 14 o más bebidas a la semana
- 2 7 a 13 bebidas a la semana
- 3 4 a 6 bebidas a la semana
- 4 Una a 3 bebidas a la semana
- 5 Menos de una a la semana
- 6 No tomaba bebida alcohólicas en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha consumido". ELSE, DISPLAY "más reciente" AND "consumió".

**BOX ID: R04\_AXV05**

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_PASTUSE\_CIGS** - Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarette smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarettes.

**R04\_PASTUSE\_EPRODS** - Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 and new baseline adult respondents who have ever used electronic nicotine products.

**R04\_PASTUSE\_GTRAD** - Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former traditional cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked traditional cigars.

**R04\_PASTUSE\_GRILLO** - Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarillo smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarillos.

**R04\_PASTUSE\_GFILTR** - Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former filtered cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked filtered cigars.

**R04\_PASTUSE\_PIPE** - Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former pipe smokers in Wave 3 and new baseline adult respondents who have ever smoked pipe tobacco.

**R04\_PASTUSE\_HOOK** - Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former hookah smokers in Wave 3 and new baseline adult respondents who have ever smoked hookah.

**R04\_PASTUSE\_SNUS** - Continuing adult respondents who used snus in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former snus users in Wave 3 and new baseline adult respondents who have ever used snus.

**R04\_PASTUSE\_SMKLS** - Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former smokeless tobacco users in Wave 3 and new baseline adult respondents who have ever used smokeless tobacco.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR60**

If respondent has smoked cigarettes, go to R04\_AX0342.  
Else, If respondent has used e-products, go to R04\_AX0344.  
Else, if respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0342**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿cuántos cigarrillos fumó en un día?  
Una cajetilla normalmente contiene 20 cigarrillos.

- 1 Menos de un cigarrillo
- 2 1 a 5 cigarrillos
- 3 6 a 10 cigarrillos
- 4 11 a 20 cigarrillos
- 5 21 a 40 cigarrillos
- 6 41 cigarrillos o más
- 7 Ninguno (cero cigarrillos)
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarettes.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0343**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿cuántos cigarrillos [fumó/ha fumado] en un día?

- 1 Menos de un cigarrillo
- 2 1 a 5 cigarrillos
- 3 6 a 10 cigarrillos
- 4 11 a 20 cigarrillos
- 5 21 a 40 cigarrillos
- 6 41 cigarrillos o más
- 7 Ninguno (cero cigarrillos)
- 8 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarettes.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**BOX ID: R04\_AXR89**

If respondent has used e-products, go to R04\_AX0344.

Else, if respondent has smoked traditional cigars, go to R04\_AX0346.

Else, if respondent has smoked cigarillos, go to R04\_AX0348.

Else, if respondent has smoked filtered cigars, go to R04\_AX0350.

Else, if respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0344**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia fumó cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba productos electrónicos con nicotina en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used e-products.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH ID: R04\_AX0345**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba productos electrónicos con nicotina en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used e-products.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR90**

If respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0346**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puros tradicionales?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros tradicionales en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked traditional cigars.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0347**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puros tradicionales?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros tradicionales en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked traditional cigars.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**BOX ID: R04\_AXR91**

If respondent has smoked cigarillos, go to R04\_AX0348.

Else, if respondent has smoked filtered cigars, go to R04\_AX0350.

Else, if respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0348</b>
Durante los 3 meses <u>antes</u> de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puritos?
1    Todos los días
2    Algunos días a la semana
3    Una vez a la semana
4    Dos o tres días al mes
5    Una vez al mes o menos
6    No fumaba puritos en ese momento
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarillos.
DISPLAY: UNDERLINE "antes".
IF R04_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

<b>PATH ID:</b> <b>R04_AX0349</b>
Durante los <u>últimos</u> 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puritos?
1    Todos los días
2    Algunos días a la semana
3    Una vez a la semana
4    Dos o tres días al mes
5    Una vez al mes o menos
6    No fumaba puritos en ese momento
7    Todavía no he llegado a los últimos 3 meses de mi embarazo
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarillos.
DISPLAY: UNDERLINE "últimos".
IF R04_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR92**

If respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0350**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puros con filtro?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros con filtro en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked filtered cigars.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0351**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puros con filtro?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros con filtro en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked filtered cigars.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**BOX ID: R04\_AXR93**

If respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0352
Durante los 3 meses <u>antes</u> de su embarazo [más reciente/actual], ¿con qué frecuencia fumó una pipa con tabaco?
1 Todos los días
2 Algunos días a la semana
3 Una vez a la semana
4 Dos o tres días al mes
5 Una vez al mes o menos
6 No fumaba pipa con tabaco en ese momento
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked a pipe.
DISPLAY: UNDERLINE "antes".
IF R04_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

<b>PATH ID:</b> R04_AX0353
Durante los <u>últimos</u> 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] una pipa con tabaco?
1 Todos los días
2 Algunos días a la semana
3 Una vez a la semana
4 Dos o tres días al mes
5 Una vez al mes o menos
6 No fumaba pipa con tabaco en ese momento
7 Todavía no he llegado a los últimos 3 meses de mi embarazo
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked a pipe.
DISPLAY: UNDERLINE "últimos".
IF R04_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR94**

If respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0354**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia fumó hookah?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba hookah en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked hookah.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH ID: R04\_AX0355**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] hookah?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba hookah en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked hookah.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR95**

If respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0356**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia consumió snus?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía snus en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used snus.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH ID: R04\_AX0357**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [consumió/ha consumido] snus?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía snus en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used snus.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha consumido". ELSE, DISPLAY "más reciente" AND "consumió".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR96**

If respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0358**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia consumió [otros tipos de] tabaco que no se fuma (como dip, spit o tabaco de mascar)?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía tabaco que no se fuma en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used smokeless tobacco.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

IF R04\_PASTUSE\_SNUS = 1, DISPLAY "otros tipos de ". ELSE, DO NOT DISPLAY.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0359**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [consumió/ha consumido] tabaco que no se fuma?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía tabaco que no se fuma en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used smokeless tobacco.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha consumido". ELSE, DISPLAY "más reciente" AND "consumió".

**PATH ID: R04\_AX0488**

Las siguientes preguntas son acerca de problemas comunes psicológicos, conductuales y personales. A estos problemas se les considera como graves cuando los tiene por dos semanas o más, cuando vuelven, cuando le impiden cumplir con sus responsabilidades o cuando le hacen sentir que ya no puede más.

Después de cada una de las siguientes preguntas, díganos cuándo fue la última vez que ocurrió este problema indicando si fue el mes pasado, hace 2 a 12 meses, hace más de un año o nunca.

- 1 NEXT

ASK: All adult respondents.

DISPLAY: UNDERLINE "graves".

**BOX ID: R04\_AXD91**

Display questions R04\_AX0161 through R04\_AX0164 using the expanded WVB stem-leaf screen. The introduction text from R04\_AX0161 is the stem. As each question is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0161**

¿Cuándo fue la última vez que tuvo serios problemas como..

sentirse atrapado, solo, triste, melancólico, deprimido o desesperado?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "serios problemas".

**PATH ID: R04\_AX0162**

problemas para dormir, como tener pesadillas, dormir sin descansar o quedarse dormido a lo largo del día?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0163**

sentirse muy ansioso, nervioso, tenso, asustado, con pánico o sentía que algo malo iba a pasar?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0164</b>
angustiar-se mucho o molestarse cuando se acordaba de algo que ocurrió en el pasado?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXD92</b>
Display questions R04_AX0165 through R04_AX0251 using the expanded WVB stem-leaf screen. The introduction text from R04_AX0165 is the stem. As each question is answered, show the next one.

<b>PATH ID:</b> <b>R04_AX0165</b>
¿Cuándo fue la última vez que pasó algo de lo siguiente <u>más de dos veces</u> ...
mintió o engañó para obtener lo que deseaba o para dejar de hacer algo?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "más de dos veces".

<b>PATH ID:</b> <b>R04_AX0166</b>
tuvo dificultad al prestar atención en la escuela, el trabajo o en casa?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0167</b>
tuvo dificultad al escuchar las instrucciones en la escuela, el trabajo o en casa?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0168</b>
intimidó o amenazó a otras personas?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0169</b>
inició una pelea física con otra persona?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0250</b>
se sintió inquieto o con la necesidad de ir de un lado a otro o de treparse en las cosas?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0251</b>
respondió a una pregunta antes de que la persona termine de hacer la pregunta?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXR103</b>
New cohort adult respondents, go to R04_AX0084_RS.
Else, go to R04_AX0084_12M.

<b>PATH ID:</b> <b>R04_AX0084_RS</b>
Las siguientes preguntas son acerca de su consumo de alcohol y otras drogas. Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.
Alguna vez, ¿ha consumido alcohol, incluyendo sorbos de la bebida de otra persona o de su propia bebida?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult respondents.
DISPLAY: Underline "".
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0086_RS</b>
Aproximadamente, ¿qué edad tenía la primera vez que tomó alcohol, incluyendo pequeñas probaditas o sorbos?
1     __ __  Años
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AX0087_RS
GO TO R04_AX0087_RS
ASK: New cohort adult respondents who have ever used alcohol.
DISPLAY: Underline "". DISPLAY "Años" AS A TITLE.

<b>PATH ID: R04_AX0086_RS_LC1</b>
La computadora registró que usted tenía [R04_AX0086_RS] años la primera vez que tomó bebidas alcohólicas. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK
2    NEXT
GO TO R04_AX0086_RS
GO TO R04_AX0074_RS
ASK: IF R04_AX0086_RS > R04_ACHIEVEDAGE.

<b>PATH ID: R04_AX0087_RS</b>
La primera vez que tomó alcohol, incluyendo pequeñas probaditas o sorbos, ¿tenía...
1    menos de 18 años de edad,
2    entre 18 y 24 años de edad,
3    entre 25 y 34 años de edad,
4    entre 35 y 44 años de edad,
5    entre 45 y 54 años de edad o
6    55 años de edad o más?
-8   DON'T KNOW
-7   REFUSED
ASK: New cohort adult respondents who did not know or refused to report the age they first drank alcohol.
DISPLAY: Underline "".



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0074\_RS**

Aproximadamente, ¿qué edad tenía la primera vez que tomó su primera bebida alcohólica, aparte de pequeñas probaditas o sorbos?

Una bebida es una lata o botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

-2 Nunca he tomado una bebida alcohólica aparte de pequeñas probaditas o sorbos

1 |\_\_|\_\_| Años

-8 DON'T KNOW

GO TO R04\_AX0270\_RS

-7 REFUSED

GO TO R04\_AX0270\_RS

ASK: New cohort adult respondents who have ever used alcohol.

DISPLAY: UNDERLINE "primera bebida alcohólica".

DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AX0074\_RS\_LC1**

La computadora registró que la primera vez que usted comenzó a tomar bebidas alcohólicas fue a la edad de [R04\_AX0074\_RS] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0074\_RS

2 NEXT

GO TO R04\_AX0084\_12M

ASK: IF R04\_AX0074\_RS = 0.

**PATH ID: R04\_AX0074\_RS\_LC2**

La computadora registró que usted tenía [R04\_AX0074\_RS] años la primera vez que tomó bebidas alcohólicas. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0074\_RS

2 NEXT

GO TO R04\_AX0084\_12M

ASK: IF R04\_AX0074\_RS > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0270_RS</b>
<p>Cuando tomó su <u>primera bebida alcohólica</u>, ¿tenía...</p> <ul style="list-style-type: none"> <li>1    menos de 18 años de edad,</li> <li>2    entre 18 y 24 años de edad,</li> <li>3    entre 25 y 34 años de edad,</li> <li>4    entre 35 y 44 años de edad,</li> <li>5    entre 45 y 54 años de edad o</li> <li>6    55 años de edad o más?</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul> <p>ASK: New cohort adult respondents who did not know or refused to report the age they first had an alcoholic drink.          DISPLAY: Underline "primera bebida alcohólica".</p>

<b>PATH ID:</b> <b>R04_AX0084_12M</b>
<p>[Las siguientes preguntas son acerca de su consumo de alcohol y otras drogas. Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.]</p> <p>En los últimos 12 meses, ¿ha consumido algún tipo de bebidas alcohólicas, incluyendo probaditas o sorbos?</p> <ul style="list-style-type: none"> <li>1    Sí</li> <li>2    No</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul> <p style="text-align: right; padding-right: 20px;">             GO TO BOX R04_AXR120              GO TO BOX R04_AXR120              GO TO BOX R04_AXR120         </p> <p>ASK: Aged-up and continuing respondents and new cohort adult respondents who report ever having used alcohol.          DISPLAY: IF R04_ADULTTYPE = 1, 2 DISPLAY "Las siguientes preguntas son acerca de su consumo de alcohol y otras drogas. Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado." ELSE, DO NOT DISPLAY.</p>

<b>PATH ID:</b> <b>R04_AX0673</b>
<p>¿Ha consumido alcohol en los <u>últimos 30 días</u>?</p> <ul style="list-style-type: none"> <li>1    Sí</li> <li>2    No</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul> <p style="text-align: right; padding-right: 20px;">             GO TO BOX R04_AXR120              GO TO BOX R04_AXR120              GO TO BOX R04_AXR120         </p> <p>ASK: Adult respondents who have used alcohol in the past 12 months.          DISPLAY: UNDERLINE "últimos 30 días".</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0075**

En los últimos 30 días, ¿cuántos días se ha tomado al menos una bebida alcohólica?

Una bebida es una lata o botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 1 |\_\_|\_\_| DÍAS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used alcohol in the past 30 days.

**BOX ID: R04\_AXR48**

If respondent drank on at least one of the past 30 days or did not know or refused to report on how many of the past 30 days they drank, go to R04\_AX0076.

Else, go to Box R04\_AXR120.

**PATH ID: R04\_AX0076**

En promedio, en esos [días en los que tomó bebidas alcohólicas en los últimos 30 días/NUMBER OF DAYS FROM R04\_AX0075 días], ¿cuántas bebidas alcohólicas consumió normalmente cada día?

Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 1 |\_\_|\_\_|
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR120

GO TO BOX R04\_AXR120

ASK: Adult respondents who drank alcohol on one or more days in the past 30 days.

DISPLAY: IF R04\_AX0075 = 1, -8, -7, DISPLAY = "días en los que tomó bebidas alcohólicas en los últimos 30 días".

IF R04\_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R04\_AX0075 AND "días".

**PATH ID: R04\_AX0076\_LC1**

La computadora registró que usted normalmente tomó [R04\_AX0076] bebidas alcohólicas en los días que bebió en los últimos 30 días. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK
- 2 NEXT

GO TO R04\_AX0076

GO TO BOX R04\_AXR120

ASK: IF R04\_AX0076 > 30.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AXR120</b>
New cohort adult respondents who did not previously report smoking a blunt, smoking marijuana from a hookah, or using marijuana in an e-product, go to R04_AX0085_RS. Else, new cohort adult respondents who have previously reported ever using marijuana, go to R04_AX0079_RS. Else, go to Box R04_AXR49.

<b>PATH ID:</b> <b>R04_AX0085_RS</b>												
Alguna vez, ¿ha consumido marihuana, hachís, THC, mota, maría o hierba?												
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;">Sí</td> <td style="width: 20%;"></td> </tr> <tr> <td>2</td> <td>No</td> <td style="text-align: right;">GO TO BOX R04_AXR106</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R04_AXR106</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO BOX R04_AXR106</td> </tr> </table>	1	Sí		2	No	GO TO BOX R04_AXR106	-8	DON'T KNOW	GO TO BOX R04_AXR106	-7	REFUSED	GO TO BOX R04_AXR106
1	Sí											
2	No	GO TO BOX R04_AXR106										
-8	DON'T KNOW	GO TO BOX R04_AXR106										
-7	REFUSED	GO TO BOX R04_AXR106										
ASK: New cohort adult respondents who did not previously report smoking a blunt, smoking marijuana from a hookah, or smoking marijuana from an e-product.												

<b>PATH ID:</b> <b>R04_AX0079_RS</b>									
¿Qué edad tenía la primera vez que consumió marihuana, hachís, THC, mota, maría o hierba?									
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;"> _ _ _ _  Años</td> <td style="width: 20%;"></td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AX0271_RS</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R04_AX0271_RS</td> </tr> </table>	1	_ _ _ _  Años		-8	DON'T KNOW	GO TO R04_AX0271_RS	-7	REFUSED	GO TO R04_AX0271_RS
1	_ _ _ _  Años								
-8	DON'T KNOW	GO TO R04_AX0271_RS							
-7	REFUSED	GO TO R04_AX0271_RS							
ASK: New cohort adult respondents who have ever used marijuana. DISPLAY: DISPLAY "Años" AS A TITLE.									

<b>PATH ID:</b> <b>R04_AX0079_RS_LC1</b>						
La computadora registró que la primera vez que usted comenzó a consumir marihuana, hachís, THC, mota, maría o hierba fue a la edad de [R04_AX0079_RS] años. ¿Es correcto?						
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.						
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%;">1</td> <td style="width: 70%;">BACK</td> <td style="width: 20%; text-align: right;">GO TO R04_AX0079_RS</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td style="text-align: right;">GO TO BOX R04_AXR49</td> </tr> </table>	1	BACK	GO TO R04_AX0079_RS	2	NEXT	GO TO BOX R04_AXR49
1	BACK	GO TO R04_AX0079_RS				
2	NEXT	GO TO BOX R04_AXR49				
ASK: IF R04_AX0079_RS <= 10.						

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0079\_RS\_LC2**

La computadora registró que usted tenía [R04\_AX0079\_RS] años la primera vez que comenzó a consumir marihuana, hachís, THC, mota, maría o hierba. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0079\_RS

2 NEXT

GO TO BOX R04\_AXR49

ASK: IF R04\_AX0079\_RS > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0271\_RS**

La primera vez que consumió marihuana, hachís, THC, mota, maría o hierba, ¿tenía...

- 1 menos de 18 años de edad,
- 2 entre 18 y 24 años de edad,
- 3 entre 25 y 34 años de edad,
- 4 entre 35 y 44 años de edad,
- 5 entre 45 y 54 años de edad o
- 6 55 años de edad o más?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who did not know or refused to report age they first used marijuana, hash, THC, grass, pot, or weed.

**BOX ID: R04\_AXR49**

If respondent has smoked a blunt in the past 12 months, go to R04\_AX0675.  
Else, go to R04\_AX0085\_12M.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0085_12M	
En los últimos 12 meses, ¿ha consumido marihuana, hachís, THC, mota, maría o hierba?	
1 Sí	
2 No	GO TO BOX R04_AXR106
-8 DON'T KNOW	GO TO BOX R04_AXR106
-7 REFUSED	GO TO BOX R04_AXR106
ASK: Aged-up and continuing adult respondents who did not previously report smoking a blunt in the past 12 months, and new cohort adults who have ever used marijuana and did not previously report smoking a blunt in the past 12 months.	

<b>PATH ID:</b> R04_AX0675	
¿Ha consumido marihuana, hachís, THC, mota, maría o hierba en los <u>últimos 30 días</u> ?	
1 Sí	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have used marijuana in the past 12 months.	
DISPLAY: UNDERLINE "últimos 30 días".	

<b>BOX ID:</b> R04_AXR106
New cohort adult respondents, go to Box R04_AXD90.
Else, go to Box R04_AXD07.

<b>BOX ID:</b> R04_AXD90
DISPLAY INSTRUCTION: For R04_AX0089_RS and R04_AX0220_RS, display each question with a "Sí" and "No" column with options for each response category.

<b>PATH ID:</b> R04_AX0089_RS	
Alguna vez, ¿ha tomado alguno de los siguientes medicamentos que se venden con receta médica y que <u>no</u> le recetaron o los ha tomado <u>únicamente</u> por las sensaciones que dan?	
1 Ritalin® o Adderall®	
2 Analgésicos, sedantes o tranquilizantes	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New cohort adult respondents.	
DISPLAY: UNDERLINE "no" AND "únicamente".	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0082_RS_01_LC1</b>
La computadora registró que la primera vez que usted comenzó a tomar Ritalin® o Adderall® fue a la edad de [R04_AX0082_RS_01] años. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AX0082_RS_01</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AXD07</span>
ASK: IF R04_AX0082_RS_01 <= 10.

<b>PATH ID: R04_AX0082_RS_01_LC2</b>
La computadora registró que usted tenía [R04_AX0082_RS_01] años la primera vez que tomó Ritalin® or Adderall®. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AX0082_RS_01</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AXR06</span>
ASK: IF R04_AX0082_RS_01 > R04_ACHIEVEDAGE.

<b>PATH ID: R04_AX0082_RS_02_LC1</b>
La computadora registró que la primera vez que usted comenzó a tomar analgésicos, sedantes o tranquilizantes fue a la edad de [R04_AX0082_RS_02] años. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AX0082_RS_02</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AXD07</span>
ASK: IF R04_AX0082_RS_02 <= 10.

<b>PATH ID: R04_AX0082_RS_02_LC2</b>
La computadora registró que usted tenía [R04_AX0082_RS_02] años la primera vez que comenzó a tomar analgésicos, sendantes o tranquilizantes. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AX0082_RS_02</span>
2 NEXT <span style="float: right;">GO TO BOX R04_AXD07</span>
ASK: IF R04_AX0082_RS_02 > R04_ACHIEVEDAGE.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0082\_RS\_03\_LC1**

La computadora registró que la primera vez que usted comenzó a consumir cocaína o crack fue a la edad de [R04\_AX0082\_RS\_03] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_03 |
| 2 | NEXT | GO TO BOX R04_AXD07    |

ASK: IF R04\_AX0082\_RS\_03 <= 10.

**PATH ID: R04\_AX0082\_RS\_03\_LC2**

La computadora registró que usted tenía [R04\_AX0082\_RS\_03] años la primera vez que comenzó a consumir cocaína o crack. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_03 |
| 2 | NEXT | GO TO BOX R04_AXD07    |

ASK: IF R04\_AX0082\_RS\_03 > R04\_ACHIEVEDAGE.

**PATH ID: R04\_AX0082\_RS\_04\_LC1**

La computadora registró que la primera vez que usted comenzó a consumir estimulantes como metanfetamina o speed fue a la edad de [R04\_AX0082\_RS\_04] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_04 |
| 2 | NEXT | GO TO BOX R04_AXD07    |

ASK: IF R04\_AX0082\_RS\_04 <= 10.

**PATH ID: R04\_AX0082\_RS\_04\_LC2**

La computadora registró que usted tenía [R04\_AX0082\_RS\_04] años la primera vez que consumió estimulantes como metanfetaminas o anfetaminas (speed). Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                        |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_04 |
| 2 | NEXT | GO TO BOX R04_AXD07    |

ASK: IF R04\_AX0082\_RS\_04 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0082\_RS\_05\_LC1**

La computadora registró que la primera vez que usted comenzó a consumir otras drogas como heroína, inhalantes, disolventes o alucinógenos fue a la edad de [R04\_AX0082\_RS\_05] años. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0082\_RS\_05

2 NEXT

GO TO BOX R04\_AXD07

ASK: IF R04\_AX0082\_RS\_05 <= 10.

**PATH ID: R04\_AX0082\_RS\_05\_LC2**

La computadora registró que usted tenía [R04\_AX0082\_RS\_05] años la primera vez que usted consumió drogas como heroína, inhalantes, disolventes o alucinógenos.. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0082\_RS\_05

2 NEXT

GO TO BOX R04\_AXD07

ASK: IF R04\_AX0082\_RS\_05 > R04\_ACHIEVEDAGE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0272_RS</b>
La primera vez que consumió [SUBSTANCEFILL], ¿tenía...
1    menos de 18 años de edad,
2    entre 18 y 24 años de edad,
3    entre 25 y 34 años de edad,
4    entre 35 y 44 años de edad,
5    entre 45 y 54 años de edad o
6    55 años de edad o más?
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult respondents who did not know or refused to report the age when they first used a substance.
DISPLAY: FOR [SUBSTANCEFILL]:
FOR R04_AX0272_RS_01: IF R04_AX0089_RS_01 = 1, DISPLAY "Ritalin® o Adderall®".
FOR R04_AX0272_RS_02: IF R04_AX0089_RS_02 = 1, DISPLAY "analgésicos, sedantes o tranquilizantes".
FOR R04_AX0272_RS_03: IF R04_AX0220_RS_01 = 1, DISPLAY "cocaína o crack".
FOR R04_AX0272_RS_04: IF R04_AX0220_RS_02 = 1, DISPLAY "medicamentos estimulantes como metanfetaminas o anfetaminas (speed)".
FOR R04_AX0272_RS_05: IF R04_AX0220_RS_03 = 1, DISPLAY "alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos".

<b>BOX ID:</b> <b>R04_AXD07</b>
DISPLAY INSTRUCTION: For R04_AX0089_12M and R04_AX0220_12M, display a "Sí" and "No" column with options for each response category.

<b>BOX ID:</b> <b>R04_AXR122</b>
New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers and aged-up and continuing adult respondents, go to R04_AX0089_12M. Else, new cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, go to R04_AX0220_12M.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0089\_12M**

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos que se venden con receta médica y que no le recetaron o que ha tomado únicamente por las sensaciones que dan?

- 1 Ritalin® o Adderall®
- 2 Analgésicos, sedantes o tranquilizantes
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers and aged-up and continuing adult respondents.

DISPLAY: UNDERLINE "no" AND "únicamente".

**BOX ID: R04\_AXR123**

New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs and aged-up and continuing adult respondents, go to R04\_AX0220\_12M.

Else, go to Box R04\_AXR06.

**PATH ID: R04\_AX0220\_12M**

En los últimos 12 meses, ¿ha consumido alguna de las siguientes sustancias?

- 1 Cocaína o crack
- 2 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 3 Alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs and aged-up and continuing adult respondents.

**BOX ID: R04\_AXR06**

Repeat R04\_AX0676[\_01/.../\_05] up to five times for each substance reported in R04\_AX0089\_12M and R04\_AX0220\_12M.

Else, if no substances reported, go to Box R04\_AXV04.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0676</b>
¿Ha consumido [SUBSTANCEFILL] en los <u>últimos 30 días</u> ?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have used a substance in the past 12 months.
DISPLAY: UNDERLINE "últimos 30 días".
FOR [SUBSTANCEFILL]:
IF R04_AX0089_12M_01 = 1, DISPLAY "Ritalin® o Adderall®".
IF R04_AX0089_12M_02 = 1, DISPLAY "analgésicos, sedantes o tranquilizantes".
IF R04_AX0220_12M_01 = 1, DISPLAY "cocaína o crack".
IF R04_AX0220_12M_02 = 1, DISPLAY "medicamentos estimulantes como metanfetaminas o anfetaminas (speed)".
IF R04_AX0220_12M_03 = 1, DISPLAY "alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos".

<b>BOX ID:</b> <b>R04_AXR50</b>
If more than one substance is selected in R04_AX0089_12M or R04_AX0220_12M, go back to box R04_AXR06, until R04_AX0676 has been asked about for all selected substances.
Else, go to Box R04_AXV04.

<b>BOX ID:</b> <b>R04_AXV04</b>
PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_EVER_USER_ALC</b> = Has ever used alcohol
<b>R04_EVER_USER_MJ</b> = Has ever used marijuana
<b>R04_EVER_USER_RIT</b> = Has ever used Ritalin® or Adderall®
<b>R04_EVER_USER_PK</b> = Has ever used painkillers, sedatives, or tranquilizers
<b>R04_EVER_USER_COC</b> = Has ever used cocaine or crack
<b>R04_EVER_USER_STIM</b> = Has ever used stimulants
<b>R04_EVER_USER_OTH</b> = Has ever used other drugs like heroin, inhalants, solvents, or hallucinogens
<b>R04_SUBSTANCE_COUNT</b> = Count of the number of substances ever used

<b>BOX ID:</b> <b>R04_AXR03</b>
If respondent has ever used at least one substance, go to R04_AX0170.
Else, go to Box R04_AXT06.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0170**

¿Cuándo fue la última vez que...

consumió alcohol u otras drogas semanalmente o con mayor frecuencia?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**BOX ID: R04\_AXR04**

If respondent used alcohol or other drugs weekly or more often and reports ever using two or more substances, go to R04\_AX0175.

Else, go to R04\_AX0171.

**PATH ID: R04\_AX0175**

Usted mencionó que en el pasado consumió alcohol o drogas por lo menos semanalmente. ¿Qué sustancias consumió semanalmente o con mayor frecuencia? No incluya los medicamentos que le recetaron. Escoja todas las opciones que correspondan.

- 1 Alcohol
- 2 Marihuana, hachís, THC, mota, maría o hierba
- 3 Ritalin® o Adderall®
- 4 Analgésicos, sedantes o tranquilizantes
- 5 Cocaína o crack
- 6 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 7 Alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used alcohol or other drugs weekly or more often and report ever using two or more substances.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0171**

¿Cuándo fue la última vez que...

pasó mucho tiempo consiguiendo alcohol u otras drogas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0172**

¿Cuándo fue la última vez que...

seguía consumiendo alcohol u otras drogas a pesar que le provocaba problemas sociales, originaba peleas o lo/la metía en problemas con otras personas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0173**

¿Cuándo fue la última vez que...

su consumo de alcohol u otras drogas disminuyó su compromiso con el trabajo, la escuela, la casa o eventos sociales?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0193**

¿Cuándo fue la última vez que...

pasó mucho tiempo recuperándose de los efectos del alcohol u otras drogas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0174**

¿Cuándo fue la última vez que...

tuvo síntomas de abstinencia al alcohol u otras drogas como manos temblorosas, vómitos, dificultad para estar quieto o dificultad para dormir?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0194**

¿Cuándo fue la última vez que...

consumió alcohol u otras drogas para dejar de sentirse enfermo o para evitar sentir los síntomas de abstinencia?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR51**

If respondent ever used two or more substances and reported any problems due to drug or alcohol use, go to R04\_AX0176.  
Else, go to Box R04\_AXT06.

**PATH ID: R04\_AX0176**

Usted mencionó que el alcohol o las drogas le han provocado problemas. ¿Qué sustancias le provocaron estos problemas? No incluya los medicamentos que le recetaron. Escoja todas las opciones que correspondan.

- 1 Alcohol
- 2 Marihuana, hachís, THC, mota, maría o hierba
- 3 Ritalin® o Adderall®
- 4 Analgésicos, sedantes o tranquilizantes
- 5 Cocaína o crack
- 6 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 7 Alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used 2 or more substances and who indicated alcohol or drugs caused problems for them.

**BOX ID: R04\_AXT06**

Las siguientes preguntas son acerca de sus familiares, incluyendo a su padre, madre, hermanos, hermanas, hijos o hijas, tanto los que están vivos como los que ya fallecieron.

**BOX ID: R04\_AXR79**

New baseline adult respondents, go to Box R04\_AXD13.  
Else, continuing adult respondents, go to Box R04\_AXD14.

**BOX ID: R04\_AXD13**

DISPLAY INSTRUCTION:  
For R04\_AX0689\_NB, display a 'Sí' and 'No' column with options for each response category.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0689_NB</b>
Alguna vez, ¿le dijo un profesional de la salud a alguno de sus familiares cercanos biológicos o de sangre que tenían algunos de los siguientes problemas de salud?
1    Asma
2    Hipertensión
3    Colesterol alto
4    Un ataque al corazón o que necesitaba cirugía de bypass
-8    DON'T KNOW
-7    REFUSED
ASK: New baseline adult respondents.

<b>BOX ID:</b> <b>R04_AXR84</b>
If a relative of the respondent has had a heart attack or needed bypass surgery, go to R04_AX0195. Else, go to R04_AX0707.

<b>BOX ID:</b> <b>R04_AXD14</b>
DISPLAY INSTRUCTION: For R04_AX0689_12M, display a 'Sí' and 'No' column with options for each response category.

<b>BOX ID:</b> <b>R04_AXR85</b>
If a relative of the respondent has had a heart attack or needed bypass surgery, go to R04_AX0195. Else, go to R04_AX0707.

<b>PATH ID:</b> <b>R04_AX0195</b>
¿Les dijeron que tuvieron un ataque al corazón o que necesitaban una cirugía de bypass <u>antes de cumplir 50 años</u> ?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents whose close relative has had a heart attack or needed bypass surgery. DISPLAY: UNDERLINE "antes de cumplir 50 años".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0707**

Alguna vez, ¿ha consumido productos de tabaco alguno de sus familiares cercanos biológicos o de sangre? Por esto nos referimos a cigarrillos, cigarrillos electrónicos u otros productos electrónicos con nicotina, puros, pipa, hookah, snus u otros tipos de tabaco que no se fuma (como dip, spit o tabaco de mascar) y tabaco que se disuelve.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0731**

Alguna vez, ¿ha sido alguno de sus familiares cercanos biológicos o de sangre un alcohólico o bebedor problemático? Por esto nos referimos a una persona cuyo consumo de alcohol le causa problemas en su salud física o emocional, con su familia o amigos, en el trabajo o en la escuela o con la policía.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0732**

Alguna vez, ¿ha tenido alguno de sus familiares cercanos biológicos o de sangre problemas con las drogas? Por esto nos referimos a una persona cuyo consumo de drogas le causa problemas en su salud física o emocional, con su familia o amigos, en el trabajo o en la escuela o con la policía.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR101**

New baseline respondents, go to R04\_AX0401\_NB.

Else, go to Box R04\_AXT02.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0401\_NB**

¿Consumió tabaco su mamá cuando estaba embarazada de usted?

- 1 No sé
- 2 Sí
- 3 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**MARKETING, ADVERTISING AND PROMOTION**

**BOX ID: R04\_AXT02**

Las siguientes preguntas son acerca de los anuncios de tabaco que puede haber visto o recibido.

**PATH ID: R04\_AX0708**

En los últimos 12 meses, ¿ha recibido descuentos o cupones por alguno de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 Cigarrillos
- 2 Cigarrillos electrónicos u otros productos electrónicos con nicotina (incluyendo líquido electrónico)
- 3 Puros
- 4 Shisha o tabaco para hookah
- 5 Snus
- 6 Otro tipo de tabaco que no se fuma (como dip o tabaco de mascar)
- 7 Algún otro tipo de productos de tabaco
- 8 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0178**

En los últimos 30 días, ¿se ha dado cuenta de los anuncios o promociones de tabaco en las ventanas de las tiendas o dentro de las tiendas donde se vende tabaco?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXV10**

CREATE DERIVED VARIABLE:

R04\_REGULAR\_BRAND  
R04\_NO\_REGULAR\_BRAND

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR64**

Adult respondents who are current tobacco users who have a regular brand, go to R04\_AX0715.  
Else, go to Box R04\_AXR67.

**PATH ID: R04\_AX0715**

En los últimos 30 días, ¿ha comprado un producto de tabaco de una marca distinta a la habitual?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AXR67 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR67 |
| -7 | REFUSED    | GO TO BOX R04_AXR67 |

ASK: Current tobacco users who have a regular brand.

**PATH ID: R04\_AX0716**

En los últimos 30 días, ¿ha pasado esto solo una o dos veces, algunas veces o regularmente?

- |    |                 |
|----|-----------------|
| 1  | Una o dos veces |
| 2  | Algunas veces   |
| 3  | Regularmente    |
| -8 | DON'T KNOW      |
| -7 | REFUSED         |

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH ID: R04\_AX0210**

En los últimos 30 días, ¿ha comprado un producto de tabaco de una marca distinta a la habitual porque lo vio en exhibición en la tienda o en anuncios?

- |    |            |                  |
|----|------------|------------------|
| 1  | Sí         |                  |
| 2  | No         | GO TO R04_AX0717 |
| -8 | DON'T KNOW | GO TO R04_AX0717 |
| -7 | REFUSED    | GO TO R04_AX0717 |

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0211</b>
En los últimos 30 días, ¿ha pasado esto solo una o dos veces, algunas veces o regularmente?
1    Una o dos veces
2    Algunas veces
3    Regularmente
-8    DON'T KNOW
-7    REFUSED
ASK: Current tobacco users who have a regular brand and bought a different brand because it was on display.

<b>PATH ID:</b> <b>R04_AX0717</b>	
En los últimos 30 días cuando estuvo en una tienda en la que se venden productos de tabaco, ¿compró una marca de un producto de tabaco distinta a su marca habitual porque se dio cuenta de que estaba en rebaja o que había una promoción, como 2 por 1?	
1    Sí	
2    No	GO TO BOX R04_AXR67
-8    DON'T KNOW	GO TO BOX R04_AXR67
-7    REFUSED	GO TO BOX R04_AXR67
ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.	

<b>PATH ID:</b> <b>R04_AX0718</b>
En los últimos 30 días, ¿ha pasado esto solo una o dos veces, algunas veces o regularmente?
1    Una o dos veces
2    Algunas veces
3    Regularmente
-8    DON'T KNOW
-7    REFUSED
ASK: Current tobacco users who have a regular brand and bought a different brand because of a sale or promotion.

<b>BOX ID:</b> <b>R04_AXR67</b>
Young adult respondents who are current or experimental current tobacco users and do not have a regular brand (this includes polyusers who reported not having a regular brand for any product, even if they reported a regular brand for another product), go to R04_AX0209.
Else, experimental former, recent former, and long-term former tobacco users, go to R04_AX0212.
Else, go to R04_AX0678.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0209</b>	
En los últimos 30 días, ¿ha comprado un producto de tabaco de una marca porque se dio cuenta que tenía una promoción especial?		
1	Sí	GO TO R04_AX0678
2	No	GO TO R04_AX0678
-8	DON'T KNOW	GO TO R04_AX0678
-7	REFUSED	GO TO R04_AX0678
ASK: Young adult respondents who are current or experimental current tobacco users who do not have a regular brand. This includes polyusers who reported not having a regular brand for any product, even if they reported a regular brand for another product.		

<b>PATH ID:</b>	<b>R04_AX0212</b>	
Desde que dejó de consumir tabaco, ¿le ha pasado que cuando ha visto un producto de tabaco en exhibición u otros anuncios de que se vende tabaco, ha sentido la necesidad de comprar tabaco?		
1	Sí	
2	No	GO TO R04_AX0678
-8	DON'T KNOW	GO TO R04_AX0678
-7	REFUSED	GO TO R04_AX0678
ASK: Adult respondents who are experimental former, recent former, or long-term former tobacco users of tobacco.		

<b>PATH ID:</b>	<b>R04_AX0213</b>	
En los últimos 30 días, ¿ha pasado esto solo una o dos veces, algunas veces o regularmente?		
1	Una o dos veces	
2	Algunas veces	
3	Regularmente	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are experimental former, recent former, or long-term former tobacco users of tobacco who had the urge to buy tobacco when seeing a display.		



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0678
En los últimos 30 días, ¿ha recibido una muestra gratuita de un <b><u>cigarrillo electrónico u otro producto electrónico con nicotina</u></b> (incluyendo líquido electrónico)?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: BOLD AND UNDERLINE "cigarrillo electrónico u otro producto electrónico con nicotina".

<b>PATH ID:</b> R04_AX0203
En los últimos 30 días, ¿se ha dado cuenta de anuncios de <b><u>cigarrillos electrónicos u otros productos electrónicos con nicotina</u></b> en alguno de los siguientes lugares? Escoja todas las opciones que correspondan.
1 No he visto ningún anuncio en los últimos 30 días
2 En estaciones de gasolina, tiendas de conveniencia o almacenes
3 En vallas publicitarias
4 En periódicos o revistas
5 En la radio
6 En la televisión
7 En eventos como ferias, festivales o eventos deportivos
8 En discotecas, bares o conciertos
9 En páginas Web o redes sociales
10 En otra parte (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: BOLD AND UNDERLINE "cigarrillos electrónicos u otros productos electrónicos con nicotina".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>PATH ID:</b> R04_AX0709
¿Tiene un anuncio preferido de cigarrillos electrónicos o de productos electrónicos con nicotina?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0677**

En los últimos 30 días, ¿se ha dado cuenta de anuncios de **cigarrillos u otros productos de tabaco** (sin incluir cigarrillos electrónicos u otros productos electrónicos con nicotina) en alguno de los siguientes lugares? Escoja todas las opciones que correspondan.

- 1 No he visto ningún anuncio en los últimos 30 días
- 2 En estaciones de gasolina, tiendas de conveniencia o almacenes
- 3 En vallas publicitarias
- 4 En periódicos o revistas
- 5 En la radio
- 6 En la televisión
- 7 En eventos como ferias, festivales o eventos deportivos
- 8 En discotecas, bares o conciertos
- 9 En páginas Web o redes sociales
- 10 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "cigarrillos u otros productos de tabaco".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AXR66**

Young adult respondents, go to R04\_AX0710.  
Else, go to R04\_AX0777.

**PATH ID: R04\_AX0710**

¿Tiene un anuncio preferido de tabaco?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0777</b>
En los últimos 12 meses, ¿con qué frecuencia vio campañas publicitarias en contra del tabaco?
1    Nunca
2    Rara vez
3    A veces
4    Con frecuencia
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## **ADDITIONAL DEMOGRAPHICS**

**BOX ID: R04\_AMT01**

Por último, tenemos algunas preguntas adicionales acerca de usted, su trabajo, su educación y su seguro de salud.

**BOX ID: R04\_AMR01**

If respondent currently does not work for pay, go to R04\_AM0017.  
Else, go to Box R04\_AMR17.

**PATH ID: R04\_AM0017**

¿Actualmente...?

- 1 Está buscando un trabajo pagado
- 2 Es un estudiante que no está buscando un trabajo pagado
- 3 Cuida del hogar o de otra persona y no está buscando un trabajo pagado
- 4 Está jubilado/retirado
- 5 No puede trabajar debido a un problema físico o de salud mental
- 6 No puede trabajar debido a otras razones
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently work for pay.

**BOX ID: R04\_AMR17**

Adult respondents who already completed a parent interview, go to R04\_AM0019.  
Else, go to R04\_AM0018.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AM0018</b>	
¿Cuál es el grado o nivel escolar más alto que usted completó?	
1 Sin educación secundaria	
2 Parte de la secundaria, sin diploma	
3 Diploma de equivalencia general o ged	GO TO R04_AM0019
4 Secundaria completa - obtuvo diploma	GO TO R04_AM0019
5 Universidad por tiempo breve, sin graduarse	GO TO R04_AM0019
6 Título para una carrera intermedia - ocupacional/vocacional	GO TO R04_AM0019
7 Título para una carrera intermedia - programa académico	GO TO R04_AM0019
8 Título universitario (por ejemplo: BA, AB o BS)	GO TO R04_AM0019
9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)	GO TO R04_AM0019
10 Título profesional universitario (por ejemplo: MD, DDS, DVM, JD)	GO TO R04_AM0019
11 Doctorado (por ejemplo: PhD, EdD)	GO TO R04_AM0019
-8 DON'T KNOW	GO TO R04_AM0019
-7 REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview.	

<b>PATH ID: R04_AM0067</b>	
Actualmente, ¿está matriculado en una escuela secundaria o high school?	
1 Sí	
2 No	GO TO R04_AM0019
-8 DON'T KNOW	GO TO R04_AM0019
-7 REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than or some high school.	

<b>PATH ID: R04_AM0068</b>	
¿En qué grado está? Si está en vacaciones de verano o en feriado, elija el grado o año al que ingresará cuando vuelva a la escuela.	
6 9°	
7 10°	
8 11°	
9 12°	
12 Recibo mi educación en casa	
13 En mi escuela a los estudiantes no se les separa por grados	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who did not already complete a parent interview who are currently enrolled in high school.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0019</b>	
¿Está [también ]matriculado actualmente en un programa universitario?	
1    Sí	
2    No	GO TO R04_AM0015
-8   DON'T KNOW	GO TO R04_AM0015
-7   REFUSED	GO TO R04_AM0015
ASK: All adult respondents.	
DISPLAY: IF R04_AM0067 = 1, DISPLAY "también".	
ELSE, DO NOT DISPLAY THIS FILL.	

<b>PATH ID:</b> <b>R04_AM0020</b>	
¿En qué tipo de programa está matriculado actualmente?	
1    Programa técnico o vocacional	
2    Programa universitario de 2 años	
3    Programa universitario de 4 años	
4    Programa de postgraduado o especialización	
5    Otro tipo de programa (ESPECIFIQUE)	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who are currently enrolled in a degree program.	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."	

<b>PATH ID:</b> <b>R04_AM0015</b>	
En los últimos 30 días, debido a la falta de dinero, ¿tuvo problemas para pagar las cuentas a tiempo, tales como el alquiler, la electricidad o el teléfono?	
1    Sí	
2    No	
7    No aplica	
-8   DON'T KNOW	
-7   REFUSED	
ASK: All adult respondents.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0039</b>
En los últimos 12 meses, ¿ha recibido asistencia o ingresos de algún programa federal, estatal o local como estampillas de alimentos, welfare o bienestar social, ayuda en efectivo, beneficios por desempleo, asistencia de vivienda, cuidado infantil o Medicaid?
<ul style="list-style-type: none"> <li>1    Sí</li> <li>2    No</li> <li>-8   DON'T KNOW</li> <li>-7   REFUSED</li> </ul>
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AMR16</b>
Adult respondents who already completed a parent interview, go to Box R04_ALR05. Else, go to R04_AM0030.

<b>PATH ID:</b> <b>R04_AM0030</b>																								
¿Cuál de las siguientes categorías describe mejor el ingreso total de su <b>hogar</b> en los últimos 12 meses?																								
<p>Esto es el ingreso total, antes de impuestos, de <u>todas las personas de su hogar en conjunto</u>. Incluya el dinero que recibió de trabajos, familiares, pensiones, dividendos, intereses, pagos del Seguro Social o pensiones de jubilación, ingresos netos de negocios, agricultura o alquiler y cualquier otro dinero recibido por los miembros del hogar.</p>																								
<table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1    Menos de 10,000 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>2    10,000 a 14,999 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>3    15,000 a 24,999 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>4    25,000 a 34,999 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>5    35,000 a 49,999 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>6    50,000 a 74,999 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>7    75,000 a 99,999 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>8    100,000 a 149,999 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>9    150,000 a 199,999 dólares</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>10   200,000 dólares o más</td> <td style="text-align: right;">GO TO R04_AL0040</td> </tr> <tr> <td>-8   DON'T KNOW</td> <td></td> </tr> <tr> <td>-7   REFUSED</td> <td></td> </tr> </table>	1    Menos de 10,000 dólares	GO TO R04_AL0040	2    10,000 a 14,999 dólares	GO TO R04_AL0040	3    15,000 a 24,999 dólares	GO TO R04_AL0040	4    25,000 a 34,999 dólares	GO TO R04_AL0040	5    35,000 a 49,999 dólares	GO TO R04_AL0040	6    50,000 a 74,999 dólares	GO TO R04_AL0040	7    75,000 a 99,999 dólares	GO TO R04_AL0040	8    100,000 a 149,999 dólares	GO TO R04_AL0040	9    150,000 a 199,999 dólares	GO TO R04_AL0040	10   200,000 dólares o más	GO TO R04_AL0040	-8   DON'T KNOW		-7   REFUSED	
1    Menos de 10,000 dólares	GO TO R04_AL0040																							
2    10,000 a 14,999 dólares	GO TO R04_AL0040																							
3    15,000 a 24,999 dólares	GO TO R04_AL0040																							
4    25,000 a 34,999 dólares	GO TO R04_AL0040																							
5    35,000 a 49,999 dólares	GO TO R04_AL0040																							
6    50,000 a 74,999 dólares	GO TO R04_AL0040																							
7    75,000 a 99,999 dólares	GO TO R04_AL0040																							
8    100,000 a 149,999 dólares	GO TO R04_AL0040																							
9    150,000 a 199,999 dólares	GO TO R04_AL0040																							
10   200,000 dólares o más	GO TO R04_AL0040																							
-8   DON'T KNOW																								
-7   REFUSED																								
ASK: Adult respondents who did not already complete a parent interview.																								
DISPLAY: BOLD AND UNDERLINE "hogar". UNDERLINE "todas las personas de su hogar en conjunto".																								

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0031</b>
El ingreso total de su hogar en los últimos 12 meses, ¿es mayor o menor de 50,000 dólares?
1 Mayor de 50,000 dólares
2 Menor de 50,000 dólares
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income.

<b>PATH ID:</b> <b>R04_AL0040</b>
¿Es usted propietario de la casa o la alquila?
(Ser propietario incluye tener una hipoteca o un préstamo.)
1 Propietario
2 Alquila
3 Otra cosa
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>BOX ID:</b> <b>R04_ALR05</b>
Young adult respondents, go to R04_AM0042.
Else, go to Box R04_AMR02.

<b>PATH ID:</b> <b>R04_AM0042</b>	
¿Dónde vive actualmente? Si vive en más de un lugar durante el año, por favor conteste pensando en el lugar donde vive <u>actualmente</u> .	
1 Apartamento, condominio o casa	
2 En un campus universitario u otra vivienda universitaria	GO TO R04_AM0040
3 En la casa de una fraternidad	GO TO R04_AM0040
4 En otro lugar	GO TO R04_AM0040
-8 DON'T KNOW	
-7 REFUSED	
ASK: Young adult respondents.	
DISPLAY: UNDERLINE SECOND INSTANCE OF "actualmente".	



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0041**

¿Con quién vive actualmente? Si vive en más de un lugar durante el año, por favor conteste pensando en el lugar donde vive actualmente. Escoja todas las opciones que correspondan.

- 1 Padres o tutores
- 2 Amigos u otros compañeros de vivienda
- 3 Cónyuge o pareja sentimental
- 4 Mis hijos
- 5 Otro familiar o amigo de la familia
- 6 Vivo solo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

DISPLAY: UNDERLINE SECOND INSTANCE OF "actualmente".

**PATH ID: R04\_AM0040**

Esta escalera representa en qué posición están las personas en Estados Unidos.

En la parte de arriba de la escalera (escalón 10) están las personas que tienen más dinero y educación y los empleos más respetados.

En la parte de abajo de la escalera (escalón 1) están las personas que tienen menos dinero y educación y los empleos menos respetados, o que están desempleadas.

¿En qué posición se pondría usted en la escalera? Seleccione el número del escalón que muestra en qué posición cree usted que está en este momento, en comparación con otras personas en Estados Unidos.

[SHOW IMAGE OF LADDER]

- 1 10
- 2 9
- 3 8
- 4 7
- 5 6
- 6 5
- 7 4
- 8 3
- 9 2
- 10 1
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0033**

Las siguientes preguntas son acerca de sus padres. Piense en sus padres o figuras paternas o maternas (padrastros o madrastras, padres temporales, tutores, etc.) con quienes vivió la mayor parte del tiempo cuando era menor de 17 años.

¿Cuál es el grado o nivel escolar más alto que completó su **madre, madrastra** o **figura materna**?

- 1 Sin educación secundaria
- 2 Parte de la secundaria, sin diploma
- 3 Diploma de equivalencia general o ged
- 4 Secundaria completa - obtuvo diploma
- 5 Universidad por tiempo breve, sin graduarse
- 6 Título para una carrera intermedia - ocupacional/vocacional
- 7 Título para una carrera intermedia - programa académico
- 8 Título universitario (por ejemplo: BA, AB o BS)
- 9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)
- 10 Título profesional universitario (por ejemplo: MD, DDS, DVM, JD)
- 11 Doctorado (por ejemplo: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

DISPLAY: UNDERLINE THE FIRST OCCURRENCE OF "padres". BOLD "madre", "madrastra", and "figura materna".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0034**

¿Cuál es el grado o nivel escolar más alto que completó su **padre, padrastro o figura paterna**?

- 1 Sin educación secundaria
- 2 Parte de la secundaria, sin diploma
- 3 Diploma de equivalencia general o ged
- 4 Secundaria completa - obtuvo diploma
- 5 Universidad por tiempo breve, sin graduarse
- 6 Título para una carrera intermedia - ocupacional/vocacional
- 7 Título para una carrera intermedia - programa académico
- 8 Título universitario (por ejemplo: BA, AB o BS)
- 9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)
- 10 Título profesional universitario (por ejemplo: MD, DDS, DVM, JD)
- 11 Doctorado (por ejemplo: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

DISPLAY: BOLD "padre", "padraastro", and "figura paterna".

**BOX ID: R04\_AMR04**

Young adult respondents who do not live with their parents, go to R04\_AM0036.  
Else, go to Box R04\_AMR02.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0036**

¿Cuál de las siguientes categorías describe mejor el ingreso total del hogar de sus padres en los últimos 12 meses?

Esto es el ingreso total, antes de impuestos, de todas las personas del hogar de sus padres en conjunto. Incluya el dinero que recibió de trabajos, familiares, pensiones, dividendos, intereses, pagos del Seguro Social o pensiones de jubilación, ingresos netos de negocios, agricultura o alquiler y cualquier otro dinero recibido por los miembros del hogar.

- |    |                           |                     |
|----|---------------------------|---------------------|
| 1  | Menos de 10,000 dólares   | GO TO BOX R04_AMR02 |
| 2  | 10,000 a 14,999 dólares   | GO TO BOX R04_AMR02 |
| 3  | 15,000 a 24,999 dólares   | GO TO BOX R04_AMR02 |
| 4  | 25,000 a 34,999 dólares   | GO TO BOX R04_AMR02 |
| 5  | 35,000 a 49,999 dólares   | GO TO BOX R04_AMR02 |
| 6  | 50,000 a 74,999 dólares   | GO TO BOX R04_AMR02 |
| 7  | 75,000 a 99,999 dólares   | GO TO BOX R04_AMR02 |
| 8  | 100,000 a 149,999 dólares | GO TO BOX R04_AMR02 |
| 9  | 150,000 a 199,999 dólares | GO TO BOX R04_AMR02 |
| 10 | 200,000 dólares o más     | GO TO BOX R04_AMR02 |
| -8 | DON'T KNOW                |                     |
| -7 | REFUSED                   |                     |

ASK: Young adult respondents who do not live with their parents.

DISPLAY: UNDERLINE "ingreso total del hogar de sus padres" AND "todas las personas del hogar de sus padres en conjunto".

**PATH ID: R04\_AM0037**

El ingreso total del hogar de sus padres en los últimos 12 meses, ¿es mayor o menor de 50,000 dólares?

- 1 Mayor de 50,000 dólares
- 2 Menor de 50,000 dólares
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who did not know or refused to report their parents' household income.

DISPLAY: UNDERLINE "padres".

**BOX ID: R04\_AMR02**

New baseline adult respondents who have been on active military duty, go to R04\_AM0012\_NB.

Continuing adult respondents who have been on active duty but were not enrolled in VA health care at any previous wave, go to R04\_AM00012\_12M.

Else, go to Box R04\_AMD02.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AM0012_NB	
¿Alguna vez ha estado inscrito en el servicio médico para veteranos o VA?	
1 Sí	GO TO BOX R04_AMD02
2 No	GO TO BOX R04_AMD02
-8 DON'T KNOW	GO TO BOX R04_AMD02
-7 REFUSED	GO TO BOX R04_AMD02
ASK: New baseline adult respondents who have been on active duty.	

<b>BOX ID:</b> R04_AMD02
BOX – DISPLAY INSTRUCTIONS
For R04_AM0026, DISPLAY A "Sí" AND "No" COLUMN WITH OPTION FOR EACH RESPONSE CATEGORY.

<b>PATH ID:</b> R04_AM0026
Actualmente, ¿tiene seguro de salud de alguna de las siguientes compañías de seguros o planes de seguros?
1 Asegurado por medio del empleador actual, del empleador antiguo o por el sindicato (suyo o de un miembro de su familia)
2 Asegurado directamente con una compañía de seguros (lo compró usted o un miembro de su familia)
3 Medicare, para personas mayores de 65 años o, personas con algunas discapacidades
4 Medicaid, Medical Assistance o algún tipo de plan de ayuda del gobierno para aquellos con bajos recursos o con discapacidades
5 Seguro de salud de VA
6 TRICARE u otro tipo de cuidado de salud militar
7 Servicio de salud indígena
8 Cualquier otro tipo de seguro de salud o plan de seguro
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0021**

Las siguientes preguntas son acerca de su nivel de atracción sexual a AMBOS sexos, hombres y mujeres.

Por favor, responda las preguntas cuidadosamente, ya que es importante que las entienda y que sea lo más honesto posible.

¿Por quién se ha sentido atraído sexualmente, incluso si no hizo nada al respecto?

- 1 Solo por mujeres, nunca por hombres
- 2 Mayormente por mujeres y por lo menos una vez por hombres
- 3 Casi con la misma frecuencia por mujeres y hombres
- 4 Mayormente por hombres y por lo menos una vez por mujeres
- 5 Solo por hombres, nunca por mujeres
- 6 Nunca me he sentido atraído sexualmente por nadie
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: FOR MALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN THE SPECIFIED ORDER. FOR FEMALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN REVERSE ORDER, WHERE RESPONSE OPTION 5 IS PRESENTED FIRST, OPTION 4 SECOND, ETC. IF SEX IS UNKNOWN, DEFAULT TO ORDER SHOWN FOR MALE RESPONDENTS.

**PATH ID: R04\_AM0063**

¿Se considera...

- 1 Heterosexual (le atraen personas del otro sexo)
- 2 Lesbiana o gay (le atraen personas del mismo sexo)
- 3 Bisexual (le atraen ambos sexos)
- 4 Otra cosa
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0061**

Algunas personas se describen a sí mismas como transgéneros o transexuales cuando se identifican con un género distinto al de su sexo biológico al nacer. Por ejemplo, una persona transgénero o transexual sería alguien que nació varón, pero que se siente mujer o que vive como una mujer.

¿Se considera transgénero o transexual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR06**

If respondent is transgender, go to R04\_AM0062.

Else, go to R04\_AX0769.

**PATH ID: R04\_AM0062**

¿Se considera a sí mismo o a sí misma hombre a mujer, mujer a hombre o de género no conforme?

- 1 Sí, transgénero o transexual, hombre a mujer
- 2 Sí, transgénero o transexual, mujer a hombre
- 3 Sí, transgénero o transexual, de género no conforme
- 4 No
- 5 No está seguro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are transgender.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0769**

En el futuro, es posible que el cuestionario de PATH se pueda contestar por Internet en su computadora de escritorio, computadora portátil o tableta. Debido a su longitud, el cuestionario no se podrá contestar en teléfonos inteligentes o smartphones.

Usted podrá contestar el cuestionario cuando le convenga, sin la presencia de un entrevistador. El incentivo llegaría por correo unos días después de que conteste el cuestionario.

Cree que contestar el cuestionario PATH por Internet en su computadora de escritorio, computadora portátil o tableta, ¿le interesaría mucho, un poco o en absoluto?

- |    |                                 |                     |
|----|---------------------------------|---------------------|
| 1  | Me interesa mucho               | GO TO BOX R04_AMR07 |
| 2  | Me interesa algo                | GO TO BOX R04_AMR07 |
| 3  | No estoy interesado en absoluto |                     |
| 4  | No estoy seguro                 | GO TO BOX R04_AMR07 |
| -8 | DON'T KNOW                      | GO TO BOX R04_AMR07 |
| -7 | REFUSED                         | GO TO BOX R04_AMR07 |

ASK: All adult respondents.

**PATH ID: R04\_AX0770**

¿Por qué no? Escoja todas las opciones que correspondan.

- 1 No tengo computadora de escritorio, computadora portátil, ni tableta con acceso a Internet
- 2 Me preocupan las dificultades técnicas
- 3 Prefiero contar con la presencia de un entrevistador
- 4 Me preocupa la confidencialidad de mi información
- 5 Me preocupa no recibir mi incentivo
- 6 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who would not be interested in doing PATH questionnaires online in the future.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AMR07**

Current and experimental current tobacco users, go to R04\_AX0214.

Else, go to R04\_AL3000.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0214**

Finalmente, nos gustaría escanear el código de barra de cualquier producto de tabaco que tenga consigo ahora para su consumo propio[, incluyendo sus EPRODFILL2]. Los investigadores usarán esta información para conocer los distintos tipos de productos que las personas consumen.

Únicamente nos interesan los productos que ha consumido o que tiene pensado consumir pronto.

Nuestro entrevistador escaneará el producto. El entrevistador también le hará un par de preguntas acerca de los productos que estamos escaneando. Puede ser que otras personas en su casa vean los productos cuando se los dé al entrevistador, o podrían escuchar las preguntas que le hagamos acerca de los productos.

¿Le parece bien si escaneamos los productos de tabaco ahora?

- |    |         |                  |
|----|---------|------------------|
| 1  | Sí      |                  |
| 2  | No      | GO TO R04_AL3000 |
| -7 | REFUSED | GO TO R04_AL3000 |

ASK: Current and experimental current tobacco users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY ", incluyendo sus [EPRODFILL2]".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AX0215**

Gracias. Por favor entréguele la computadora al entrevistador. Después, por favor muéstrela al entrevistador cualquier producto de tabaco que tenga ahora para su consumo[ incluyendo sus EPRODFILL2] y dáselo al entrevistador. El entrevistador se los devolverá de inmediato.

-7 REFUSED

ASK: Current and experimental current tobacco users who agree to scanning.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY ", incluyendo sus [EPRODFILL2]".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AL3004**

The interviewer must now enter the Monitor Password into the computer.

Monitor Password: \_\_\_\_\_

ASK: Current and experimental current tobacco users who agree to scanning.

**BOX ID: R04\_ALR13**

When the interviewer enters the monitor password, go to R04\_AX0218.

Else, if the interviewer enters the password incorrectly, go to R04\_ERR\_AL3004.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_ERR\_AL3004**

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R04\_AL3004

ASK: If interviewer entered monitor password incorrectly.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PRODUCT BARCODE SCANNING MODULE**

<b>PATH ID:</b> <b>R04_AX0218</b>
HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN?
ENTER A NUMBER BETWEEN 0 AND 10.
1     __ __
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR81</b>
If respondent gave no products to scan, go to R04_AL3009.
Else, go to R04_AX0217_1.

<b>PATH ID:</b> <b>R04_AL3009</b>
THE RESPONDENT GAVE YOU ZERO PRODUCTS TO SCAN.
IF THIS IS CORRECT, PRESS THE NEXT BUTTON TO CONTINUE. IF THIS IS INCORRECT, GO BACK AND MAKE A CORRECTION.
1    BACK
2    NEXT
GO TO R04_AX0218
GO TO R04_AX0217_1
ASK: If respondent gave no products to scan.
DISPLAY: Display Interviewer instruction in blue font.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0217_1</b>
THIS IS PRODUCT BARCODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR68</b>
If R04_AX0217_1 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_1.

<b>PATH ID:</b> <b>R04_AX0233_1</b>
Piense en la última vez que consumió este tipo de producto. ¿Fue de este paquete o envase específicamente?
1 SÍ
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_2
THIS IS PRODUCT BARCODE SCAN #2.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR69
If R04_AX0217_2 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_2.

<b>PATH ID:</b> R04_AX0233_2
La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?
1 SÍ
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_3
THIS IS PRODUCT BARCODE SCAN #3.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning. DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR70
If R04_AX0217_3 is left blank, go to R04_AL3006. Else, go to R04_AX0233_3.

<b>PATH ID:</b> R04_AX0233_3
La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?
1 SÍ
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_4**

THIS IS PRODUCT BARCODE SCAN #4.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR71**

If R04\_AX0217\_4 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_4.

**PATH ID: R04\_AX0233\_4**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_5
THIS IS PRODUCT BARCODE SCAN #5.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR72
If R04_AX0217_5 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_5.

<b>PATH ID:</b> R04_AX0233_5
La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?
1 SÍ
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0217_6</b>
THIS IS PRODUCT BARCODE SCAN #6.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR73</b>
If R04_AX0217_6 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_6.

<b>PATH ID:</b> <b>R04_AX0233_6</b>
La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?
1 SÍ
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_7**

THIS IS PRODUCT BARCODE SCAN #7.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR74**

If R04\_AX0217\_7 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_7.

**PATH ID: R04\_AX0233\_7**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_8**

THIS IS PRODUCT BARCODE SCAN #8.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR75**

If R04\_AX0217\_8 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_8.

**PATH ID: R04\_AX0233\_8**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_9**

THIS IS PRODUCT BARCODE SCAN #9.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR76**

If R04\_AX0217\_9 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_9.

**PATH ID: R04\_AX0233\_9**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_10
THIS IS PRODUCT BARCODE SCAN #10.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR77
If R04_AX0217_10 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_10.

<b>PATH ID:</b> R04_AX0233_10
La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?
1 SÍ GO TO R04_AL3006
2 NO GO TO R04_AL3006
-8 DON'T KNOW GO TO R04_AL3006
-7 REFUSED GO TO R04_AL3006
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

<b>PATH ID:</b> R04_AL3000
Ha terminado esta parte del cuestionario. Por favor entréguele la computadora al entrevistador.
ASK: Adult respondents who are not current or experimental current tobacco users or who did not consent to barcode scanning.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL3003**

Monitor Password: \_\_\_\_\_

The interviewer must now enter the Monitor Password into the computer.

ASK: Adult respondents who are not current or experimental current tobacco users or who did not consent to barcode scanning.

**BOX ID: R04\_ALR12**

When the interviewer enters the monitor password, go to R04\_AL3007.

Else, if the interviewer enters the password incorrectly, go to R04\_ERR\_AL3003.

**PATH ID: R04\_ERR\_AL3003**

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R04\_AL3003

ASK: If interviewer entered monitor password incorrectly.

**PATH ID: R04\_AL3007**

[DO NOT SCAN BARCODES FOR THIS RESPONDENT.]

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

1 PRESS 1 TO CONTINUE

GO TO BOX R04\_ALV03

ASK: Adult respondents who are not current or experimental current tobacco users and respondents who DID NOT agree to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**PATH ID: R04\_AL3006**

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Current and experimental current tobacco users for whom scanning is complete.

DISPLAY: Display Interviewer instruction in blue font.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

## CONTACT INFORMATION

<b>BOX ID:</b> R04_ALV03
PROGRAM: Adult respondent has completed the adult questionnaire.

<b>BOX ID:</b> R04_ALR01
Obtain contact information 1 time for adult respondent. If adult respondent is same respondent on parent interview and contact information was obtained on parent interview, go to R04_AL3005 to end interview. Else, proceed with contact information section.

<b>PATH ID:</b> R04_AL0041
Ya que su continua participación en el Estudio PATH es importante para el éxito del estudio, quisiera confirmar su información de contacto para mis registros. Únicamente usaremos esta información para contactarle acerca de su participación en el estudio.  <b>PRESS 1 TO CONTINUE.</b>  1 CONTINUE  ASK: Adult respondents who have not already provided contact information in another completed interview. DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>BOX ID:</b> R04_ALR02
Adult respondents who have a valid Wave 4 physical address, go to R04_AL0001. Else, go to R04_AL0037.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AL0001</b>
Tengo anotado que su dirección es ...
<b>READ ADDRESS ALOUD.</b>
ADDRESS APT # CITY, STATE ZIP CODE
¿Es correcto?
1    SÍ
2    NO
GO TO R04_AL0002
ASK: Adult respondents who have not already provided contact information in another completed interview and have a valid physical address on file.
DISPLAY: DISPLAY ADDRESS IN EASY TO READ FORMAT. DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>PATH ID:</b> <b>R04_AL0037</b>
¿Cuál es su dirección?
<b>VERIFY ALL SPELLING.</b>
1    ADDRESS LINE 1
2    ADDRESS LINE 2
3    CITY
4    STATE
5    ZIP CODE
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AL0035
GO TO R04_AL0035
ASK: Adult respondents who need to correct their physical address or who do not have a valid physical address on file.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>PATH ID:</b> <b>R04_AL0002</b>
¿Recibe usted el correo en esta dirección?
1    SÍ
2    NO
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AL0035
GO TO R04_AL0035
GO TO R04_AL0035
ASK: Adult respondents who confirmed or provided their physical address.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0003**

¿Me podría dar su dirección postal?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not receive mail at their physical address.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0035**

¿Tiene otra vivienda en la que viva durante el año?

- 1 Sí
- 2 NO GO TO BOX R04\_ALR03
- 8 DON'T KNOW GO TO BOX R04\_ALR03
- 7 REFUSED GO TO BOX R04\_ALR03

ASK: Adult respondents who have not already provided contact information in another completed interview.

**PATH ID: R04\_AL0036**

¿Cuál es la dirección de la otra vivienda?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a second home.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ALR03</b>
Adult respondents who have a valid telephone number on file, go to R04_AL0004_12M. Else, go to R04_AL0004.

<b>PATH ID:</b> <b>R04_AL0004_12M</b>
Tengo anotado que su número de teléfono es [(XXX)-XXX-XXXX].
¿Es correcto?
1    SÍ
2    NO
-8    DON'T KNOW
-7    REFUSED
GO TO R04_ AL0038
GO TO R04_ AL0012
ASK: Adult respondents who have a valid telephone number on file.

<b>PATH ID:</b> <b>R04_AL0004</b>
¿Cuál es el mejor número de teléfono para comunicarse con usted?
<b>ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.</b>
1    AREA CODE AND PHONE NUMBER
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who need to correct their telephone number, who don't know if the telephone number provided is correct, or who do not have a valid telephone number on file.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>BOX ID:</b> <b>R04_ALR14</b>
Adult respondents who provided their telephone number, go to R04_AL0038. Else, adult respondents who did not provide, did not know, or refused to report a valid telephone number, go to R04_AL0012.

<b>PATH ID:</b> <b>R04_AL0038</b>
¿Es este número de un celular?
1    SÍ
2    NO
-8    DON'T KNOW
-7    REFUSED
GO TO R04_ ALR04
ASK: Adult respondents who confirmed or provided their telephone number.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AL0032</b>
<p>¿Podemos comunicarnos con usted con mensajes de texto por este número?</p> <p style="margin-left: 40px;">1 SÍ</p> <p style="margin-left: 40px;">2 NO</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Adult respondents who said their telephone number is a cell phone or did not know or refused to report whether it is a cell phone.</p>

<b>BOX ID: R04_ALR04</b>
<p>Adult respondents who have a valid second telephone number on file, go to R04_AL0005.  Else, go to R04_AL0006.</p>

<b>PATH ID: R04_AL0005</b>								
<p>Tengo anotado que su otro número de teléfono es [(XXX)-XXX-XXXX].</p> <p>¿Es correcto?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1 SÍ</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AL0039</td> </tr> <tr> <td style="padding-left: 40px;">2 NO</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-8 DON'T KNOW</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AL0012</td> </tr> <tr> <td style="padding-left: 40px;">-7 REFUSED</td> <td style="text-align: right; padding-right: 40px;">GO TO R04_AL0012</td> </tr> </table> <p>ASK: Adult respondents who have a valid second telephone number on file.</p>	1 SÍ	GO TO R04_AL0039	2 NO		-8 DON'T KNOW	GO TO R04_AL0012	-7 REFUSED	GO TO R04_AL0012
1 SÍ	GO TO R04_AL0039							
2 NO								
-8 DON'T KNOW	GO TO R04_AL0012							
-7 REFUSED	GO TO R04_AL0012							

<b>PATH ID: R04_AL0006</b>
<p>¿Cuál es un número alternativo que podamos utilizar para comunicarnos con usted?</p> <p style="color: blue; font-weight: bold;">ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.</p> <p style="margin-left: 40px;">1 AREA CODE AND PHONE NUMBER</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Adult respondents who need to correct their second telephone number or who do not have a valid second telephone number on file.  DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.</p>

<b>BOX ID: R04_ALR15</b>
<p>Adult respondents who provided their second phone number, go to R04_AL0039.  Else, adult respondents who did not provide, did not know, or refused to report a valid second phone number, go to R04_AL0012.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AL0039</b>
¿Es este número de un celular?
1    SÍ
2    NO
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AL0012
ASK: Adult respondents who confirmed or provided their second phone number.

<b>PATH ID:</b> <b>R04_AL0033</b>
¿Podemos comunicarnos con usted con mensajes de texto por este número?
1    SÍ
2    NO
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who said their second number is a cell phone or did not know or refused to report whether it is a cell phone.

<b>PATH ID:</b> <b>R04_AL0012</b>
¿Me podría dar su correo electrónico?
<b>VERIFY ALL SPELLING AND PUNCTUATION. RECORD TEXT BEFORE @ SYMBOL IN THE EMAIL NAME FIELD. TEXT AFTER THE @ SYMBOL IS ENTERED IN THE EMAIL PROVIDER FIELD.</b>
1    EMAIL NAME
2    EMAIL PROVIDER
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not already provided contact information in another completed interview.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>BOX ID:</b> <b>R04_ALR09</b>
If more than one mode of contact information is provided, go to R04_AL0017. Else, go to R04_AL0018.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AL0017</b>
¿Cuál es la mejor manera para comunicarse con usted?
1   PHONE
2   TEXT MESSAGE
3   E-MAIL
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who provided more than one mode of contact information.

<b>PATH ID:</b> <b>R04_AL0018</b>
¿Tiene pensado mudarse ya sea de manera permanente o temporal dentro de los próximos 12 meses?
1   SÍ
2   NO
3   QUIZÁS
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AL0020
GO TO R04_AL0020
GO TO R04_AL0020
ASK: Adult respondents who have not already provided contact information in another completed interview.

<b>PATH ID:</b> <b>R04_AL0019</b>
¿Me podría decir un poco más acerca de sus planes de mudanza?
<b>IF NEEDED:</b> [Por ejemplo, su nueva dirección o la ciudad o el estado a donde tiene pensado mudarse.]
<b>PROBE FOR AND RECORD ANY KNOWN INFORMATION.</b>
1   [TEXT FIELD]
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who plan to move in the next 12 months.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0020**

Ya que quisiéramos volver a entrevistarle es importante que podamos contactarlo en aproximadamente un año. En caso de que no podamos contactarlo, ¿tiene algún familiar o amigo que no viva con usted y que sepa cómo comunicarse con usted?

**IF NEEDED:** [Tenga la certeza de que solo usaremos esta información si no podemos comunicarnos con usted.]

¿Cómo se llama esa persona?

**VERIFY ALL SPELLING.**

**IF SP IS UNABLE TO PROVIDE A FIRST NAME MARK AS DON'T KNOW / REFUSED.**

- 1 FIRST NAME
- 2 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE AND BOLD "FIRST NAME".

**BOX ID: R04\_ALR10**

If FIRST NAME is don't know or refused, go to R04\_AL3005.

Else, go to R04\_AL0022.

**PATH ID: R04\_AL0022**

¿Cuál es la dirección de esa persona?

**VERIFY ALL SPELLING.**

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0023**

¿Cuál es el número de teléfono de esa persona?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0021**

¿Qué relación o parentesco tiene con usted?

- 1 ESPOSO O ESPOSA
- 2 PADRE O MADRE (INCLUYENDO LOS SUEGROS)
- 4 ABUELO O ABUELA
- 5 HIJO/HIJA (INCLUYENDO YERNOS / NUERAS)
- 7 NIETO/NIETA
- 8 HERMANO O HERMANA (INCLUYENDO CUÑADOS O CUÑADAS)
- 13 AMIGO O AMIGA/VECINO O VECINA
- 91 OTRO PARIENTE (ESPECIFIQUE)
- 92 OTRA PERSONA NO EMPARENTADA (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

**PATH ID: R04\_AL0025**

¿Podría darme el nombre de otro familiar o amigo que sepa cómo comunicarse con usted?

VERIFY ALL SPELLING.

IF SP IS UNABLE TO PROVIDE A **FIRST NAME** MARK AS DON'T KNOW / REFUSED.

- 1 FIRST NAME
- 2 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE AND BOLD "FIRST NAME".

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ALR11**

If FIRST NAME is don't know or refused, go to R04\_AL3005.  
Else, go to R04\_AL0027

**PATH ID: R04\_AL0027**

¿Cuál es la dirección de esa persona?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0028**

¿Cuál es el número de teléfono de esa persona?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0026**

¿Qué relación o parentesco tiene con usted?

- 1 ESPOSO O ESPOSA
- 2 PADRE O MADRE (INCLUYENDO LOS SUEGROS)
- 4 ABUELO O ABUELA
- 5 HIJO/HIJA (INCLUYENDO YERNOS / NUERAS)
- 7 NIETO/NIETA
- 8 HERMANO O HERMANA (INCLUYENDO CUÑADOS O CUÑADAS)
- 13 AMIGO O AMIGA/VECINO O VECINA
- 91 OTRO PARIENTE (ESPECIFIQUE)
- 92 OTRA PERSONA NO EMPARENTADA (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

**PATH ID: R04\_AL3005**

[THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION.]

Si se muda o cambia de número de teléfono sírvase actualizar su información de contacto en la página en Internet del Estudio PATH o llamando a nuestra línea directa y gratuita. Cada año podría recibir 5 dólares en su tarjeta de débito como agradecimiento por actualizar su información de contacto.

Gracias por su tiempo y por contestar estas preguntas.

ENTER 1 TO CONTINUE.

- 1 CONTINUE

ASK: All adult respondents.

DISPLAY: IF THE RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION IN ANOTHER COMPLETED INTERVIEW (R04\_CONTACTFLAG\_LD=1), DISPLAY: "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**BOX ID: R04\_ALV02**

Contact information was provided by Adult respondent, set R04\_CONTACTFLAG.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_LCAD01</b>
<b>INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?</b>	
1 ENGLISH	END INTERVIEW AND RETURN TO IMS
2 SPANISH	END INTERVIEW AND RETURN TO IMS
ASK: All adult respondents (asked of Interviewer).	
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.	

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**APPENDIX: USER GROUPS**

Variable Name	Variable Description	User Group Definition
<b>CIGARETTES</b>		
Ever or Never users - Cigarettes R04_EVER_NEVER_CIGS	(1) Ever user = Adult respondents who have ever smoked a cigarette and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a cigarette.	IF (R03_EVER_NEVER_CIGS = 1 OR R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R04_AC1002_RS = 1 OR R04_AC1003 = 1 OR R04_AC1003 = 2) AND R04_AC1010 != 3, THEN R04_EVER_NEVER_CIGS = 1. ELSE, IF R04_EVER_NEVER_CIGS != 1, THEN R04_EVER_NEVER_CIGS = 2.
Initiators - Cigarettes R04_INIT_CIGS_ADULT	(1) Initiator = Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette. (2) Non-initiator = Adult respondents who did not initiate cigarette use between Waves or new cohort adult respondent who have not ever smoked a cigarette.	IF R03_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_CIGS = 1, THEN R04_INIT_CIGS_ADULT = 1. ELSE, R04_INIT_CIGS_ADULT = 2.
Cigarette user status R04_CIG_USER_STATUS	(1) Current user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months	IF (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND (R04_AC1003 = 1 OR R04_AC1003 = 2), THEN R04_CIG_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6 AND (R04_AC1003 = 1 OR R04_AC1003 = 2), THEN R04_CIG_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3) AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6, THEN R04_CIG_USER_STATUS = 3. ELSE, IF (R03_CIG_USER_STATUS = 1 OR

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>or currently smokes not at all.            (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former cigarette smokers at the previous wave and aged-up adult respondents who ever smoked cigarettes at the previous wave, who have ever smoked cigarettes fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since the previous wave, who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all.            (5) Long-term former user = Aged up and continuing adult respondents who were former cigarette smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a cigarette and have smoked at least 100 cigarettes in their entire life, who did not smoke in the past 12 months.            (8) Unknown / missing = Unknown or missing</p>	<p>R03_CIG_USER_STATUS = 2 OR            R03_CIG_USER_STATUS = 3 OR            (R04_INIT_CIGS_ADULT = 1 AND            R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1) OR            (R04_ADULTTYPE = 3 AND            ((R04_AC1009_NN &lt;= 365 AND            R04_AC1009_UN = 1) OR (R04_AC1009_NN &lt;= 12 AND R04_AC1009_UN = 2) OR            (R04_AC1009_NN &lt;= 1 AND R04_AC1009_UN = 3))) AND R04_EVER_NEVER_CIGS = 1            AND (R03_NUMLIFE_CIGS = 1 OR            R04_AC1005 = 6) AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN            R04_CIG_USER_STATUS = 4.            ELSE, IF (R03_CIG_USER_STATUS = 4 OR            R03_CIG_USER_STATUS = 5 OR            (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND ((R04_AC1009_NN &gt; 365 AND            R04_AC1009_UN = 1) OR (R04_AC1009_NN &gt; 12 AND R04_AC1009_UN = 2) OR            (R04_AC1009_NN &gt; 1 AND R04_AC1009_UN = 3))) AND R04_EVER_NEVER_CIGS = 1            AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 5.            ELSE, R04_CIG_USER_STATUS = 8.</p>
<p>Every day or Some day use - Cigarettes            R04_CURRENT_CIG_USE</p>	<p>(1) Every day user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day.</p>	<p>IF R04_CIG_USER_STATUS = 1 AND            R04_AC1003 = 1, THEN            R04_CURRENT_CIG_USE = 1.            ELSE, IF R04_CIG_USER_STATUS = 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	(2) Some day user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes some days. (8) Unknown / missing = Unknown or missing	R04_AC1003 = 2, THEN R04_CURRENT_CIG_USE = 2. ELSE, R04_CURRENT_CIG_USE = 8.
Former but Past 30 Day Users - Cigarettes R04_FORMER_THIRTYDAY_USER_CIGS	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former smokers who have smoked any cigarettes in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former smokers who have NOT smoked any cigarettes in the past 30 days.	IF (R04_CIG_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AC1009_NN <= 30 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN = 1 AND R04_AC1009_UN = 2) OR R04_AC1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_CIGS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_CIGS = 2.
<b>ELECTRONIC NICOTINE PRODUCTS</b>		
Ever or Never users - Electronic nicotine products R04_EVER_NEVER_EPRODS	(1) Ever user = Adult respondents who have ever used any electronic nicotine product and did not recant prior use. (2) Never user = Adult respondents who have not ever used any electronic nicotine product.	IF (R03_EVER_NEVER_EPRODS = 1 OR R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR (R04_AV1001_RS = 1 AND R04_AV1002_RS = 1) OR R04_AV1003 = 1 OR R04_AV1003= 2) AND R04_AV1010 != 3, THEN R04_EVER_NEVER_EPRODS = 1. ELSE, IF R04_EVER_NEVER_EPRODS != 1, THEN R04_EVER_NEVER_EPRODS = 2.
Initiator - E-Products R04_INIT_EPRODS_ADULT	(1) Initiator = Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product. (2) Non-initiator = Adult respondents who did not initiate e-product use between Waves or new cohort adult respondents who have not ever used an e-product.	IF R03_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_EPRODS = 1, THEN R04_INIT_EPRODS_ADULT = 1. ELSE, R04_INIT_EPRODS_ADULT = 2.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
<p>E-product user status  R04_EPROD_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days.  (2) Experimental current user = Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.  (3) Experimental former user = Adult respondents who have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.  (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former e-product users at the previous wave and aged-up adult respondents who ever used e-products at the previous wave, who have ever used e-products fairly regularly, and did not use e-products in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated e-product use since the previous wave, who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all.  (5) Long-term former user = Aged up and continuing adult respondents who</p>	<p>IF (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND (R04_AV1003 = 1 OR R04_AV1003 = 2), THEN  R04_EPROD_USER_STATUS = 1.  ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1 AND (R04_AV1003 = 1 OR R04_AV1003 = 2), THEN  R04_EPROD_USER_STATUS = 2.  ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3) AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1, THEN  R04_EPROD_USER_STATUS = 3.  ELSE, IF (R03_EPROD_USER_STATUS = 1 OR R03_EPROD_USER_STATUS = 2 OR R03_EPROD_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_EPRODS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AV1009_NN &lt;= 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN &lt;= 12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN &lt;= 1 AND R04_AV1009_UN = 3)))) AND (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 4.  ELSE, IF (R03_EPROD_USER_STATUS = 4 OR R03_EPROD_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AV1100 = 1 AND ((R04_AV1009_NN &gt; 365 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	were former e-product users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used and e-product and have used fairly regularly, who have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	R04_AV1009_UN = 1) OR (R04_AV1009_NN > 12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN > 1 AND R04_AV1009_UN = 3))) AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 5. ELSE, R04_EPROD_USER_STATUS = 8.
Every day or Some day use - Electronic nicotine products R04_CURRENT_EPROD_USE	(1) Every day user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day. (2) Some day user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days. (8) Unknown / missing = Unknown or missing	IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 1, THEN CURRENT_EPROD_USE = 1. ELSE, IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 2, THEN CURRENT_EPROD_USE = 2. ELSE, R04_CURRENT_EPROD_USE = 8.
Former but Past 30 Day Users – Electronic nicotine products R04_FORMER_THIRTYDAY_USER_EPROD	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former users who have used any electronic nicotine products in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former users who have NOT used any electronic nicotine products in the past 30 days.	IF R04_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AV1009_NN <= 30 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN = 1 AND R04_AV1009_UN = 2) OR R04_AV1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_EPROD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_EPROD = 2.
<b>CIGARS</b>		
Ever or Never users - Traditional cigars R04_EVER_NEVER_GTRAD	(1) Ever user = Adult respondents who have ever smoked a traditional cigar and	IF (R03_EVER_NEVER_GTRAD = 1 OR R04_AG9030 = 1 OR R04_AG9003_12M = 1

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>did not recant prior use.  (2) Never user = Adult respondents who have not ever smoked a traditional cigar.</p>	<p>OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1 AND R04_AG9003_RS = 1) OR R04_AG1003TC = 1 OR R04_AG1003TC = 2) AND R04_AG1010TC != 3, THEN R04_EVER_NEVER_GTRAD = 1.  ELSE, IF R04_EVER_NEVER_GTRAD != 1, THEN R04_EVER_NEVER_GTRAD = 2.</p>
<p>Ever or Never users - Cigarillos  R04_EVER_NEVER_GRILLO</p>	<p>(1) Ever user = Adult respondents who have ever smoked a cigarillo and did not recant prior use.  (2) Never user = Adult respondents who have not ever smoked a cigarillo.</p>	<p>IF (R03_EVER_NEVER_GRILLO = 1 OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1 AND R04_AG9004_RS = 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1)) OR R04_AG1003CG = 1 OR R04_AG1003CG = 2) AND R04_AG1010CG != 3, THEN R04_EVER_NEVER_GRILLO = 1.  ELSE, IF R04_EVER_NEVER_GRILLO != 1, THEN R04_EVER_NEVER_GRILLO = 2.</p>
<p>Ever or Never users - Filtered cigars  R04_EVER_NEVER_GFILTR</p>	<p>(1) Ever user = Adult respondents who have ever smoked a filtered cigar and did not recant prior use.  (2) Never user = Adult respondents who have not ever smoked a filtered cigar.</p>	<p>IF (R03_EVER_NEVER_GFILTR = 1 OR R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1 AND R04_AG9004_RS = 1 AND R04_AG9009_RS_02 = 1) OR R04_AG1003FC = 1 OR R04_AG1003FC = 2) AND R04_AG1010FC != 3, THEN R04_EVER_NEVER_GFILTR = 1.  ELSE, IF R04_EVER_NEVER_GFILTR != 1, THEN R04_EVER_NEVER_GFILTR = 2.</p>



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Initiators – Traditional Cigars R04_INIT_GTRAD_ADULT	(1) Initiator = Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar. (2) Non-initiator = Adult respondents who did not initiate traditional cigar use between Waves or new cohort adult respondents who have not ever smoked a traditional cigar.	IF R03_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_INIT_GTRAD_ADULT = 1. ELSE, R04_INIT_GTRAD_ADULT = 2.
Initiators – Cigarillos R04_INIT_GRILLO_ADULT	(1) Initiator = Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo. (2) Non-initiator = Adult respondents who did not initiate cigarillo use between Waves or new cohort adult respondents who have not ever smoked a cigarillo.	IF R03_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_INIT_GRILLO_ADULT = 1. ELSE, R04_INIT_GRILLO_ADULT = 2.
Initiators – Filtered Cigars R04_INIT_GFILTR_ADULT	(1) Initiator = Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who ever smoked a filtered cigar. (2) Non-initiator = Adult respondents who did not initiate filtered cigar use between Waves or new cohort adult respondents who have not ever smoked a filtered cigar.	IF R03_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_INIT_GFILTR_ADULT = 1. ELSE, R04_INIT_GFILTR_ADULT = 2.
Past 12 Month Blunt-Only Users – Traditional Cigars R04_12MBLUNT_ONLY_BTRAD	(1) Past 12 month blunt-only smoker = Adult respondents who smoke traditional cigars as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke traditional cigars as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_01 = 1 AND R04_AG9106_01 = 1, THEN R04_12MBLUNT_ONLY_BTRAD = 1. ELSE, R04_12MBLUNT_ONLY_BTRAD = 2.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Past 12 Month Blunt-Only Users – Cigarillos R04_12MBLUNT_ONLY_BRILLO	(1) Past 12 month blunt-only smoker = Adult respondents who smoke cigarillos as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke cigarillos as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_12MBLUNT_ONLY_BRILLO = 1. ELSE, R04_12MBLUNT_ONLY_BRILLO = 2.
Past 12 Month Blunt-Only Users – Filtered Cigars R04_12MBLUNT_ONLY_BFILTR	(1) Past 12 month blunt-only smoker = Adult respondents who smoke filtered cigars as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke filtered cigars as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_12MBLUNT_ONLY_BFILTR = 1. ELSE, R04_12MBLUNT_ONLY_BFILTR = 2.
Initiators – Blunt-only Traditional Cigars R04_INIT_BLUNT_BTRAD_ADULT	(1) Initiator = Adult respondents who initiated smoking traditional cigars as blunts between Waves or or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking traditional cigars as blunts between Waves or or new cohort adult respondents who have not ever used traditional cigars as blunts.	IF R03_EVER_NEVER_BTRAD != 1 AND (R04_AG1095_01 = 1 AND R04_AG9106_01 = 1), THEN R04_INIT_BLUNT_BTRAD_ADULT = 1. ELSE, R04_INIT_BLUNT_BTRAD_ADULT = 2.
Initiators – Blunt-only Cigarillos R04_INIT_BLUNT_BRILLO_ADULT	(1) Initiator = Adult respondents who initiated smoking cigarillos as blunts between Waves or or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents	IF R03_EVER_NEVER_BRILLO != 1 AND R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_INIT_BLUNT_BRILLO_ADULT = 1. ELSE, R04_INIT_BLUNT_BRILLO_ADULT = 2.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	who did not initiate smoking cigarillos as blunts between Waves or or new cohort adult respondents who have not ever used cigarillos as blunts.	
Initiators – Blunt-only Filtered Cigars R04_INIT_BLUNT_BFILTR_ADULT	(1) Initiator = Adult respondents who initiated smoking filtered cigars as blunts between Waves or or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking filtered cigars as blunts between Waves or or new cohort adult respondents who have not ever used filtered cigars as blunts.	IF R03_EVER_NEVER_BFILTR != 1 AND R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_INIT_BLUNT_BFILTR_ADULT = 1. ELSE, R04_INIT_BLUNT_BFILTR_ADULT = 2.
Traditional cigar user status R04_GTRAD_USER_STATUS	(1) Current user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked traditional cigars fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former traditional cigar smokers at the previous wave and aged-up adult respondents who ever smoked traditional cigars at the previous wave,	IF (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG1003TC = 1 OR R04_AG1003TC = 2), THEN R04_GTRAD_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG1003TC = 1 OR R04_AG1003TC = 2), THEN R04_GTRAD_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3), THEN R04_GTRAD_USER_STATUS = 3. ELSE, IF (R03_GTRAD_USER_STATUS = 1 OR R03_GTRAD_USER_STATUS = 2 OR R03_GTRAD_USER_STATUS = 3 OR (R04_INIT_GTRAD_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1) OR

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>who have ever smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since the previous wave, who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>(R04_ADULTTYPE = 3 AND ((R04_AG1009TC_NN &lt;= 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN &lt;= 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN &lt;= 1 AND R04_AG1009TC_UN = 3)))) AND (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1, THEN R04_GTRAD_USER_STATUS = 4.</p> <p>ELSE, IF (R03_GTRAD_USER_STATUS = 4 OR R03_GTRAD_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100TC = 1 AND ((R04_AG1009TC_NN &gt; 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN &gt; 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN &gt; 1 AND R04_AG1009TC_UN = 3)))) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1, THEN R04_GTRAD_USER_STATUS = 5.</p> <p>ELSE, R04_GTRAD_USER_STATUS = 8.</p>
<p>Cigarillo user status R04_GRILLO_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never smoked cigarillos fairly regularly, and currently smokes every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never smoked</p>	<p>IF (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND (R04_AG1003CG = 1 OR R04_AG1003CG = 2), THEN R04_GRILLO_USER_STATUS = 1.</p> <p>ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND (R04_AG1003CG = 1 OR R04_AG1003CG = 2), THEN R04_GRILLO_USER_STATUS = 2.</p> <p>ELSE, IF R04_EVER_NEVER_GRILLO = 1</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>cigarillos fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former cigarillo smokers at the previous wave and aged-up adult respondents who ever smoked cigarillos at the previous wave, who have ever smoked cigarillos fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since the previous wave, who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former cigarillo traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre>AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3), THEN R04_GRILLO_USER_STATUS = 3. ELSE, IF (R03_GRILLO_USER_STATUS = 1 OR R03_GRILLO_USER_STATUS = 2 OR R03_GRILLO_USER_STATUS = 3 OR (R04_INIT_GRILLO_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009CG_NN &lt;= 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN &lt;= 12 AND R04_AG1009CG_UN = 2) OR R04_AG1009CG_NN &lt;= 1 AND R04_AG1009CG_UN = 3)))) AND (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1, THEN R04_GRILLO_USER_STATUS = 4. ELSE, IF (R03_GRILLO_USER_STATUS = 4 OR R03_GRILLO_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100CG = 1 AND ((R04_AG1009CG_NN &gt; 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN &gt; 12 AND</pre>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		R04_AG1009CG_UN = 2) OR (R04_AG1009CG_NN > 1 AND R04_AG1009CG_UN = 3))) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1, THEN R04_GRILLO_USER_STATUS = 5. ELSE, R04_GRILLO_USER_STATUS = 8.
Filtered cigar user status R04_GFILTR_USER_STATUS	(1) Current user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked filtered cigars fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former filtered cigar smokers at the previous wave and aged-up adult respondents who ever smoked filtered cigars at the previous wave, who have ever smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and	IF (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND (R04_AG1003FC = 1 OR R04_AG1003FC = 2), THEN R04_GFILTR_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND (R04_AG1003FC = 1 OR R04_AG1003FC = 2), THEN R04_GFILTR_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3), THEN R04_GFILTR_USER_STATUS = 3. ELSE, IF (R03_GFILTR_USER_STATUS = 1 OR R03_GFILTR_USER_STATUS = 2 OR R03_GFILTR_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_GFILTR_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1) OR (R04_ADULTTYPE = 3 AND

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>continuing and aged-up adult respondents who initiated filtered smoking since the previous wave, who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former filtered cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre>(((R04_AG1009FC_NN &lt;= 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN &lt;= 12 AND R04_AG1009FC_UN = 2) OR R04_AG1009FC_NN &lt;= 1 AND R04_AG1009FC_UN = 3)))) AND (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1, THEN R04_GFILTR_USER_STATUS = 4. ELSE, IF (R03_GFILTR_USER_STATUS = 4 OR R03_GFILTR_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100FC = 1 AND ((R04_AG1009FC_NN &gt; 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN &gt; 12 AND R04_AG1009FC_UN = 2) OR (R04_AG1009FC_NN &gt; 1 AND R04_AG1009FC_UN = 3)))) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1, THEN R04_GFILTR_USER_STATUS = 5. ELSE, R04_GFILTR_USER_STATUS = 8.</pre>
<p>Every day or Some day use - Traditional cigars  R04_CURRENT_GTRAD_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day.</p> <p>(2) Some day user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes</p>	<pre>IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 1, THEN R04_CURRENT_GTRAD_USE = 1. ELSE, IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 2, THEN R04_CURRENT_GTRAD_USE = 2.</pre>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	some days. (8) Unknown / missing = Unknown or missing	ELSE, R04_CURRENT_GTRAD_USE = 8.
Every day or Some day use - Cigarillos R04_CURRENT_GRILLO_USE	(1) Every day user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day. (2) Some day user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 1, THEN R04_CURRENT_GRILLO_USE = 1. ELSE, IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 2, THEN R04_CURRENT_GRILLO_USE = 2. ELSE, R04_CURRENT_GRILLO_USE = 8.
Every day or Some day use - Filtered cigars R04_CURRENT_GFILTR_USE	(1) Every day user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day. (2) Some day user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 1, THEN R04_CURRENT_GFILTR_USE = 1. ELSE, IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 2, THEN R04_CURRENT_GFILTR_USE = 2. ELSE, R04_CURRENT_GFILTR_USE = 8.
Former but Past 30 Day Users – Traditional Cigars R04_FORMER_THIRTYDAY_USER_GTRAD	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former traditional cigar smokers in Wave 4 who have smoked any traditional cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former traditional cigar smokers in Wave 4 who have smoked any traditional cigars in the past 30 days.	IF ((R04_GTRAD_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AG1009TC_NN <= 30 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN = 1 AND R04_AG1009TC_UN = 2) OR R04_AG9030 = 1)) AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_FORMER_THIRTYDAY_USER_GTRAD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GTRAD = 2.



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Former but Past 30 Day Users – Cigarillos R04_FORMER_THIRTYDAY_USER_GRILLO	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former cigarillo smokers in Wave 4 who have smoked any cigarillos in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former cigarillo smokers in Wave 4 who have smoked any cigarillos in the past 30 days.	IF ((R04_GRILLO_USER_STATUS = 3, 4, 5) AND (((1 <= R04_AG1009CG_NN <= 30 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN = 1 AND R04_AG1009CG_UN = 2)) OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1)) AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_FORMER_THIRTYDAY_USER_GRILLO = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GRILLO = 2.
Former but Past 30 Day Users – Filtered Cigars R04_FORMER_THIRTYDAY_USER_GFILTR	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former filtered cigar smokers in Wave 4 who have smoked any filtered cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former filtered cigar smokers in Wave 4 who have smoked any filtered cigars in the past 30 days.	IF ((R04_GFILTR_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AG1009FC_NN <= 30 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN = 1 AND R04_AG1009FC_UN = 2) OR R04_AG9049_02 = 1)) AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_FORMER_THIRTYDAY_USER_GFILTR = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GFILTR = 2.
<b>PIPES</b>		
Ever or Never users - Pipes R04_EVER_NEVER_PIPE	(1) Ever user = Adult respondents who have ever smoked a pipe and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a pipe.	IF (R03_EVER_NEVER_PIPE = 1 OR R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR (R04_AP1001_RS = 1 AND R04_AP1002_RS = 1) OR R04_AP1003 = 1 OR R04_AP1003 = 2) AND R04_AP1010 != 3, THEN R04_EVER_NEVER_PIPE = 1. ELSE, IF R04_EVER_NEVER_PIPE != 1,

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Initiators - Pipes R04_INIT_PIPE_ADULT	(1) Initiator = Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have ever smoked a pipe. (2) Non-initiator = Adult respondents who did not initiate pipe use between Waves or new cohort adult respondents who have not ever smoked a pipe.	THEN R04_EVER_NEVER_PIPE = 2.  IF R03_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_PIPE = 1, THEN R04_INIT_PIPE_ADULT = 1. ELSE, R04_INIT_PIPE_ADULT = 2.
Pipe user status R04_PIPE_USER_STATUS	(1) Current user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked a pipe fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked a pipe fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former pipe smokers at the previous wave and aged-up adult respondents who ever smoked a pipe at the previous wave, who have ever smoked a pipe fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated pipe smoking since the previous wave, who have ever smoked a pipe fairly regularly, have	IF (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND (R04_AP1003 = 1 OR R04_AP1003 = 2), THEN R04_PIPE_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1 AND (R04_AP1003 = 1 OR R04_AP1003 = 2), THEN R04_PIPE_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3) AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1, THEN R04_PIPE_USER_STATUS = 3. ELSE, IF (R03_PIPE_USER_STATUS = 1 OR R03_PIPE_USER_STATUS = 2 OR R03_PIPE_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AP1009_NN <= 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN <= 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN <= 1 AND R04_AP1009_UN = 3)))) AND (R03_REGUSE_PIPE = 1 OR

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged up and continuing adult respondents who were former pipe smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked fairly regularly, who have not smoked in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>R04_AP1100 = 1) AND  R04_EVER_NEVER_PIPE = 1 AND  (R04_AP1002_12M = 2 OR R04_AP1003 = 3),  THEN R04_PIPE_USER_STATUS = 4.  ELSE, IF (R03_PIPE_USER_STATUS = 4 OR  R03_PIPE_USER_STATUS = 5 OR  (R04_ADULTTYPE = 3 AND R04_AP1100 = 1  AND ((R04_AP1009_NN &gt; 365 AND  R04_AP1009_UN = 1) OR (R04_AP1009_NN &gt;  12 AND R04_AP1009_UN = 2) OR  (R04_AP1009_NN &gt; 1 AND R04_AP1009_UN  = 3)))) AND R04_EVER_NEVER_PIPE = 1  AND (R04_AP1002_12M = 2 OR R04_AP1003  = 3), THEN R04_PIPE_USER_STATUS = 5.  ELSE, R04_PIPE_USER_STATUS = 8.</p>
<p>Every day or Some day use - Pipes  R04_CURRENT_PIPE_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day.</p> <p>(2) Some day user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes some days.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>IF R04_PIPE_USER_STATUS = 1 AND  R04_AP1003 = 1, THEN  R04_CURRENT_PIPE_USE = 1.  ELSE, IF R04_PIPE_USER_STATUS = 1 AND  R04_AP1003 = 2, THEN  R04_CURRENT_PIPE_USE = 2.  ELSE, R04_CURRENT_PIPE_USE = 8.</p>
<p>Former but Past 30 Day Users – Pipes  R04_FORMER_THIRTYDAY_USER_PIPE</p>	<p>(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former pipe smokers in Wave 4 who have smoked any pipe tobacco in the past 30 days.</p> <p>(2) Not a former 30 day user = Adult respondents who are NOT experimental</p>	<p>IF (R04_PIPE_USER_STATUS = 3, 4, 5 AND  (1 &lt;= R04_AP1009_NN &lt;= 30 AND  R04_AP1009_UN = 1) OR (R04_AP1009_NN =  1 AND R04_AP1009_UN = 2) OR R04_AP1004  = 1), THEN  R04_FORMER_THIRTYDAY_USER_PIPE = 1.  ELSE,  R04_FORMER_THIRTYDAY_USER_PIPE = 2.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	former, recent former, or long-term former pipe smokers in Wave 4 who have smoked any pipe tobacco in the past 30 days.	
<b>HOOKAH</b>		
Ever or Never users - Hookah R04_EVER_NEVER_HOOK	(1) Ever user = Adult respondents who have ever smoked hookah and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked hookah.	IF (R03_EVER_NEVER_HOOK = 1 OR R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR (R04_AH1001_RS = 1 AND R04_AH1002_RS = 1) OR R04_AH1003 = 1 OR R04_AH1003 = 2) AND R04_AH1010 != 3, THEN R04_EVER_NEVER_HOOK = 1. ELSE, IF R04_EVER_NEVER_HOOK != 1, THEN R04_EVER_NEVER_HOOK = 2.
Initiators - Hookah R04_INIT_HOOK_ADULT	(1) Initiator = Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah. (2) Non-initiator = Adult respondents who did not initiate hookah use between Waves or new cohort adult respondents who have not ever smoked a hookah.	IF R03_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_HOOK = 1, THEN R04_INIT_HOOK_ADULT = 1. ELSE, R04_INIT_HOOK_ADULT = 2.
Hookah user status R04_HOOK_USER_STATUS	(1) Current user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes monthly or more frequently. (2) Experimental current user = Adult respondents who have never smoked hookah fairly regularly, and currently smokes hookah every day, some days, weekly, monthly or in the past 30 days. (3) Experimental former user = Adult respondents who have never smoked hookah fairly regularly, and did not smoke in the past 12 months or currently	IF (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND (R04_AH1003 = 1 OR R04_AH1003 = 2 OR R04_AH9003 = 1 OR R04_AH9003 = 2 OR R04_AH9003 = 3), THEN R04_HOOK_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 != 1 AND (R04_AH1003 = 1 OR R04_AH1003 = 2 OR R04_AH9003 = 1 OR R04_AH9003 = 2 OR R04_AH9003 = 3 OR (R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2) OR R04_AH1004 = 1), THEN

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>smokes not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former hookah smokers at the previous wave and aged-up adult respondents who ever smoked hookah at the previous wave, who have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated hookah smoking since the previous wave, who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former hookah smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a hookah and have smoked fairly regularly, who have not smoked in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre> R04_HOOK_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3) AND R04_AH1100 != 1 AND R03_REGUSE_HOOK != 1, THEN R04_HOOK_USER_STATUS = 3. ELSE, IF (R03_HOOK_USER_STATUS = 1 OR R03_HOOK_USER_STATUS = 2 OR R03_HOOK_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_HOOK_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AH1009_NN &lt;= 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN &lt;= 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN &lt;= 1 AND R04_AH1009_UN = 3)))) AND (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 4. ELSE, IF (R03_HOOK_USER_STATUS = 4 OR R03_HOOK_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AH1100 = 1 AND ((R04_AH1009_NN &gt; 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN &gt; 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN &gt; 1 AND R04_AH1009_UN = 3)))) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 5. ELSE, R04_HOOK_USER_STATUS = 8. </pre>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Every day or Some day use - Hookah R04_CURRENT_HOOK_USE	(1) Every day user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes every day. (2) Some day user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 1 OR R04_AH9003 = 1), THEN R04_CURRENT_HOOK_USE = 1. ELSE, IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 2 OR R04_AH9003 = 2 OR 3) THEN R04_CURRENT_HOOK_USE = 2. ELSE, R04_CURRENT_HOOK_USE = 8.
Past 30 Day Users - Hookah R04_THIRTY_DAY_USER_HOOK	(1) Past 30 day user = Adult respondents who have smoked hookah in the past 30 days. (2) Not a past 30 day user = Adult respondents who have not smoked hookah in the past 30 days.	IF ((1 <= R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2)) OR R04_AH1004 = 1, THEN R04_THIRTY_DAY_USER_HOOK = 1. ELSE, R04_THIRTY_DAY_USER_HOOK = 2.
<b>SNUS</b>		
Ever or Never users - Snus R04_EVER_NEVER_SNUS	(1) Ever user = Adult respondents who have ever used snus and did not recant prior use. (2) Never user = Adult respondents who have not ever used snus.	IF (R03_EVER_NEVER_SNUS = 1 OR R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR (R04_AU1001_RS = 1 AND R04_AU1002_RS = 1) OR R04_AU1003 = 1 OR R04_AU1003 = 2) AND R04_AU1010 != 3, THEN R04_EVER_NEVER_SNUS = 1. ELSE, IF R04_EVER_NEVER_SNUS != 1, THEN R04_EVER_NEVER_SNUS = 2.
Initiators – Snus R04_INIT_SNUS_ADULT	(1) Initiator = Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus. (2) Non-initiator = Adult respondents who did not initiate snus use between Waves or new cohort adult respondents who have not ever used snus.	IF R03_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SNUS = 1, THEN R04_INIT_SNUS_ADULT = 1. ELSE, R04_INIT_SNUS_ADULT = 2.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Snus user status R04_SNUS_USER_STATUS	<p>(1) Current user = Adult respondents who have ever used snus fairly regularly, and currently uses it every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never used snus fairly regularly, and currently uses it every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never used snus fairly regularly, and did not use it in the past 12 months or currently uses it not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former snus users at the previous wave and aged-up adult respondents who ever used snus at the previous wave, who have ever used snus fairly regularly, and did not use snus in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated snus use since the previous wave, who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all.</p> <p>(5) Long-term former user = Adult respondents who were former snus users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult</p>	<pre> IF (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND (R04_AU1003 = 1 OR R04_AU1003 = 2), THEN R04_SNUS_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1 AND (R04_AU1003 = 1 OR R04_AU1003 = 2), THEN R04_SNUS_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3) AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1, THEN R04_SNUS_USER_STATUS = 3. ELSE, IF (R03_SNUS_USER_STATUS = 1 OR R03_SNUS_USER_STATUS = 2 OR R03_SNUS_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SNUS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AU1009_NN &lt;= 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN &lt;= 12 AND R04_AU1009_UN = 2) OR (R04_AU1009_NN &lt;= 1 AND R04_AU1009_UN = 3)))) AND (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN R04_SNUS_USER_STATUS = 4. ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_SNUS_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AU1100 = 1 AND ((R04_AU1009_NN &gt; 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN &gt; 12 AND R04_AU1009_UN = 2) OR </pre>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	respondents who have ever used snus and have ever used snus fairly regularly, who have not used snus in the past 12 months.. (8) Unknown / missing = Unknown or missing	(R04_AU1009_NN > 1 AND R04_AU1009_UN = 3))) AND R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN R04_SNUS_USER_STATUS = 5. ELSE, R04_SNUS_USER_STATUS = 8.
Every day or Some day use - Snus R04_CURRENT_SNUS_USE	(1) Every day user = Adult respondents who have ever used snus fairly regularly, and currently uses it every day. (2) Some day user = Adult respondents who have ever used snus fairly regularly, and currently uses it some days. (8) Unknown / missing = Unknown or missing	IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 1, THEN R04_CURRENT_SNUS_USE = 1. ELSE, IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 2, THEN R04_CURRENT_SNUS_USE = 2. ELSE, R04_CURRENT_SNUS_USE = 8.
Former but Past 30 Day Users – Snus R04_FORMER_THIRTYDAY_USER_SNUS	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former snus users in Wave 4 who have used any snus in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former snus users in Wave 4 who have used any snus in the past 30 days.	IF (R04_SNUS_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AU1009_NN <= 30 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN = 1 AND R03_AU1009_UN = 2) OR R04_AU1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_SNUS = 2.
<b>SMOKELESS TOBACCO</b>		
Ever or Never users - Smokeless tobacco R04_EVER_NEVER_SMKLS	(1) Ever user = Adult respondents who have ever used smokeless tobacco and did not recant prior use. (2) Never user = Adult respondents who have not ever used smokeless tobacco.	IF (R03_EVER_NEVER_SMKLS = 1 OR R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR (R04_AS1001_RS = 1 AND R04_AS1002_RS = 1) OR R04_AS1003 = 1 OR R04_AS1003 = 2) AND R04_AS1010 != 3,



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		THEN R04_EVER_NEVER_SMKLS = 1. ELSE, IF R04_EVER_NEVER_SMKLS != 1, THEN R04_EVER_NEVER_SMKLS = 2.
Initiators – Smokeless Tobacco R04_INIT_SMKLS_ADULT	(1) Initiator = Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco. (2) Non-initiator = Adult respondents who did not initiate smokeless tobacco use between Waves or new cohort adult respondents who have not ever used smokeless tobacco.	IF R03_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_SMKLS = 1, THEN R04_INIT_SMKLS_ADULT = 1. ELSE, R04_INIT_SMKLS_ADULT = 2.
Smokeless tobacco user status R04_SMKLS_USER_STATUS	(1) Current user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day or some days. (2) Experimental current user = Adult respondents who have never used smokeless tobacco fairly regularly, and currently uses it every day or some days. (3) Experimental former user = Adult respondents who have never used smokeless tobacco fairly regularly, and did not use it in the past 12 months or currently uses it not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former smokeless tobacco users at the previous wave and aged-up adult respondents who ever used smokeless tobacco at the previous wave, who have ever used smokeless tobacco fairly	IF (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND (R04_AS1003 = 1 OR R04_AS1003 = 2), THEN R04_SMKLS_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1 AND (R04_AS1003 = 1 OR R04_AS1003 = 2), THEN R04_SMKLS_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3) AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1, THEN R04_SMKLS_USER_STATUS = 3. ELSE, IF (R03_SMKLS_USER_STATUS = 1 OR R03_SMKLS_USER_STATUS = 2 OR R03_SMKLS_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SMKLS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1) OR

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>regularly, and did not use smokeless tobacco in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since the previous wave, who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all.</p> <p>(5) Long-term former user = Adult respondents who were former smokeless tobacco users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, who have not used smokeless tobacco in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>(R04_ADULTTYPE = 3 AND ((R04_AS1009_NN &lt;= 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN &lt;= 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN &lt;= 1 AND R04_AS1009_UN = 3)))) AND (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 4.</p> <p>ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_SMKLS_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AS1100 = 1 AND ((R04_AS1009_NN &gt; 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN &gt; 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN &gt; 1 AND R04_AS1009_UN = 3)))) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 5.</p> <p>ELSE, R04_SMKLS_USER_STATUS = 8.</p>
<p>Every day or Some day use - Smokeless tobacco  R04_CURRENT_SMKLS_USE</p>	<p>(1) Every day user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day.</p> <p>(2) Some day user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it some days.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 1, THEN R04_CURRENT_SMKLS_USE = 1.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 2, THEN R04_CURRENT_SMKLS_USE = 2.</p> <p>ELSE, R04_CURRENT_SMKLS_USE = 8.</p>
<p>Former but Past 30 Day Users – Smokeless</p>	<p>(1) Former 30 day user = Adult</p>	<p>IF (R04_SMKLS_USER_STATUS = 3, 4, 5)</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Tobacco R04_FORMER_THIRTYDAY_USER_SMKLS	respondents who are experimental former, recent former, or long-term former smokeless tobacco users in Wave 4 who have used any smokeless tobacco in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former smokeless tobacco users in Wave 4 who have used any smokeless tobacco in the past 30 days.	AND ((1 <= R04_AS1009_NN <= 30 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN = 1 AND R04_AS1009_UN = 2) OR R04_AS1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SMKLS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_SMKLS = 2.
<b>DISSOLVABLE TOBACCO</b>		
Ever or Never users - Dissolvable tobacco R04_EVER_NEVER_DISSBL	(1) Ever user = Adult respondents who have ever used dissolvable tobacco. (2) Never user = Adult respondents who have not ever used dissolvable tobacco.	IF (R04_AD1001_RS = 1 AND R04_AD1002_RS = 1) OR R03_EVER_NEVER_DISSBL = 1 OR R04_AD1002_12M = 1, THEN R04_EVER_NEVER_DISSBL = 1. ELSE, IF R04_EVER_NEVER_DISSBL != 1, THEN R04_EVER_NEVER_DISSBL = 2.
<b>TOBACCO (GENERAL)</b>		
Ever Users - Tobacco R04_EVER_NEVER_TOBACCO	(1) Ever user = Adult respondents who have ever used any tobacco product(s). (2) Never user = Adult respondents who have never used any tobacco product(s).	IF R04_EVER_NEVER_CIGS = 1 OR R04_EVER_NEVER_EPRODS = 1 OR R04_EVER_NEVER_GTRAD = 1 OR R04_EVER_NEVER_GRILLO = 1 OR R04_EVER_NEVER_GFILTR = 1 OR R04_EVER_NEVER_PIPE = 1 OR R04_EVER_NEVER_HOOK = 1 OR R04_EVER_NEVER_SMKLS = 1 OR R04_EVER_NEVER_SNUS = 1 OR R04_EVER_NEVER_DISSBL = 1, THEN R04_EVER_NEVER_TOBACCO = 1. ELSE, R04_EVER_NEVER_TOBACCO = 2.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
<p>Tobacco user status  R04_TOBACCO_USER_STATUS</p>	<p>(1) Current user = Adult respondents who are current users of at least one tobacco product (including electronic nicotine products).  (2) Experimental current user = Adult respondents who are experimental current users of any tobacco product (including e-products), and are not current or recent former users of any other tobacco products (including e-products).  (3) Experimental former user = Adult respondents who are experimental former users of any tobacco product (including e-products), and are not current, experimental current, recent former, or long-term former users of any other tobacco products (including e-products).  (4) Recent former user = Adult respondents who are recent former users of any tobacco product (including e-products), and are not current users of any other tobacco products (including e-products).  (5) Long-term former user = Adult respondents who are long-term former established users of a tobacco product (including e-products), and are not current user, experimental current, or recent former users of any other tobacco products (including e-products).  (8) Unknown / missing = Unknown or missing</p>	<p>IF (R04_CIG_USER_STATUS = 1 OR  R04_EPROD_USER_STATUS = 1 OR  R04_GTRAD_USER_STATUS = 1 OR  R04_GRILLO_USER_STATUS = 1 OR  R04_GFILTR_USER_STATUS = 1 OR  R04_PIPE_USER_STATUS = 1 OR  R04_HOOK_USER_STATUS = 1 OR  R04_SMKLS_USER_STATUS = 1 OR  R04_SNUS_USER_STATUS = 1), THEN  R04_TOBACCO_USER_STATUS = 1.  ELSE, IF (R04_CIG_USER_STATUS = 4 OR  R04_EPROD_USER_STATUS = 4 OR  R04_GTRAD_USER_STATUS = 4 OR  R04_GRILLO_USER_STATUS = 4 OR  R04_GFILTR_USER_STATUS = 4 OR  R04_PIPE_USER_STATUS = 4 OR  R04_HOOK_USER_STATUS = 4 OR  R04_SMKLS_USER_STATUS = 4 OR  R04_SNUS_USER_STATUS = 4), THEN  R04_TOBACCO_USER_STATUS = 4.  ELSE, IF (R04_CIG_USER_STATUS = 2 OR  R04_EPROD_USER_STATUS = 2 OR  R04_GTRAD_USER_STATUS = 2 OR  R04_GRILLO_USER_STATUS = 2 OR  R04_GFILTR_USER_STATUS = 2 OR  R04_PIPE_USER_STATUS = 2 OR  R04_HOOK_USER_STATUS = 2 OR  R04_SMKLS_USER_STATUS = 2 OR  R04_SNUS_USER_STATUS = 2), THEN  R04_TOBACCO_USER_STATUS = 2.  ELSE, IF (R03_CIG_USER_STATUS = 5 OR  R03_EPROD_USER_STATUS = 5 OR  R03_GTRAD_USER_STATUS = 5 OR  R03_GRILLO_USER_STATUS = 5 OR  R03_GFILTR_USER_STATUS = 5 OR</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		R03_PIPE_USER_STATUS = 5 OR R03_HOOK_USER_STATUS = 5 OR R03_SMKLS_USER_STATUS = 5 OR R03_SNUS_USER_STATUS = 5), THEN R04_TOBACCO_USER_STATUS = 5.  ELSE, IF (R04_CIG_USER_STATUS = 3 OR R04_EPROD_USER_STATUS = 3 OR R04_GTRAD_USER_STATUS = 3 OR R04_GRILLO_USER_STATUS = 3 OR R04_GFILTR_USER_STATUS = 3 OR R04_PIPE_USER_STATUS = 3 OR R04_HOOK_USER_STATUS = 3 OR R04_SMKLS_USER_STATUS = 3 OR R04_SNUS_USER_STATUS = 3), THEN R04_TOBACCO_USER_STATUS = 3.  ELSE, R04_TOBACCO_USER_STATUS = 8.
Tobacco user status (excluding e-products) R04_TOBXEPROD_USER_STATUS	(1) Current user = Adult respondents who are current users of at least one tobacco product other than electronic nicotine products. (2) Experimental current user = Adult respondents who are experimental current users of any tobacco product other than electronic nicotine products, and are not current or recent former users of any tobacco products. (3) Experimental former user = Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products. (4) Recent former user = Adult respondents who are recent former	IF (R04_CIG_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR R04_GRILLO_USER_STATUS = 1 OR R04_GFILTR_USER_STATUS = 1 OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1 OR R04_SNUS_USER_STATUS = 1), THEN R04_TOBXEPROD_USER_STATUS = 1.  ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_GTRAD_USER_STATUS = 4 OR R04_GRILLO_USER_STATUS = 4 OR R04_GFILTR_USER_STATUS = 4 OR R04_PIPE_USER_STATUS = 4 OR R04_HOOK_USER_STATUS = 4 OR R04_SMKLS_USER_STATUS = 4 OR R04_SNUS_USER_STATUS = 4), THEN R04_TOBXEPROD_USER_STATUS = 4.  ELSE, IF (R04_CIG_USER_STATUS = 2 OR

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>users of any tobacco product other than electronic nicotine products, and are not current users of any tobacco products other than electronic nicotine products.            (5) Long-term former user = Adult respondents who are long-term former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products other than electronic nicotine products.            (8) Unknown / missing = Unknown or missing</p>	<p>R04_GTRAD_USER_STATUS = 2 OR            R04_GRILLO_USER_STATUS = 2 OR            R04_GFILTR_USER_STATUS = 2 OR            R04_PIPE_USER_STATUS = 2 OR            R04_HOOK_USER_STATUS = 2 OR            R04_SMKLS_USER_STATUS = 2 OR            R04_SNUS_USER_STATUS = 2), THEN            R04_TOBXEPROD_USER_STATUS = 2.            ELSE, IF (R04_CIG_USER_STATUS = 5 OR            R04_GTRAD_USER_STATUS = 5 OR            R04_GRILLO_USER_STATUS = 5 OR            R04_GFILTR_USER_STATUS = 5 OR            R04_PIPE_USER_STATUS = 5 OR            R04_HOOK_USER_STATUS = 5 OR            R04_SMKLS_USER_STATUS = 5 OR            R04_SNUS_USER_STATUS = 5), THEN            R04_TOBXEPROD_USER_STATUS = 5.            ELSE, IF (R04_CIG_USER_STATUS = 3 OR            R04_GTRAD_USER_STATUS = 3 OR            R04_GRILLO_USER_STATUS = 3 OR            R04_GFILTR_USER_STATUS = 3 OR            R04_PIPE_USER_STATUS = 3 OR            R04_HOOK_USER_STATUS = 3 OR            R04_SMKLS_USER_STATUS = 3 OR            R04_SNUS_USER_STATUS = 3), THEN            R04_TOBXEPROD_USER_STATUS = 3.            ELSE, R04_TOBXEPROD_USER_STATUS = 8.</p>
<p>Every day or Some day use - tobacco            R04_CURRENT_TOBACCO_USE</p>	<p>(1) Every day user = Adult respondents who are every day users of at least one tobacco product, or who are someday users of multiple products and use at least one each day.            (2) Some day user = Adult respondents who are some day users of at least one</p>	<p>IF (R04_CURRENT_CIG_USE = 1 OR            R04_CURRENT_EPROD_USE = 1 OR            R04_CURRENT_GTRAD_USE = 1 OR            R04_CURRENT_GRILLO_USE = 1 OR            R04_CURRENT_GFILTR_USE = 1 OR            R04_CURRENT_PIPE_USE = 1 OR            R04_CURRENT_HOOK_USE = 1 OR</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	tobacco product. (8) Unknown / missing = Unknown or missing	R04_CURRENT_SMKLS_USE = 1 OR R04_CURRENT_SNUS_USE = 1) OR R04_AY0005 = 1, THEN R04_CURRENT_TOBACCO_USE = 1. ELSE, IF R04_CURRENT_CIG_USE = 2 OR R04_CURRENT_EPROD_USE = 2 OR R04_CURRENT_GTRAD_USE = 2 OR R04_CURRENT_GRILLO_USE = 2 OR R04_CURRENT_GFILTR_USE = 2 OR R04_CURRENT_PIPE_USE = 2 OR R04_CURRENT_HOOK_USE = 2 OR R04_CURRENT_SMKLS_USE = 2 OR R04_CURRENT_SNUS_USE = 2, THEN R04_CURRENT_TOBACCO_USE = 2. ELSE, R04_CURRENT_TOBACCO_USE = 8.

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

**APPENDIX: DERIVED VARIABLES**

Variable Name	Variable Description	Variable Definition
R04_CIGSPERDAY	Number of cigarettes smoked per day.	IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 1, THEN R04_CIGSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 1, THEN R04_CIGSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND R04_AC9003_NN = 1, THEN R04_CIGSPERDAY = R04_AC9003_NN.
R04_CIGSPERDAY2	Estimate of cigarettes smoked per day when actual number is DK/RF.	IF R04_AC1090 = 1, THEN R04_CIGSPERDAY2 = “more than 20 cigarettes each day”. IF R04_AC1090 = 2, THEN R04_CIGSPERDAY2 = “about 20 cigarettes each day”. IF R04_AC1090 = 3, THEN R04_CIGSPERDAY2 = “less than 20 cigarettes each day”.
R04_PCKSPERDAY	Number of packs smoked per day.	IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 2, THEN R04_PCKSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 2, THEN R04_PCKSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		R04_AC9003_UN = 2, THEN R04_PCKSPERDAY = R04_AC9003_NN.
R04_EPRODCOUNT	Number of electronic nicotine products used.	R04_EPRODCOUNT = 0 IF R04_AV9035_01 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_02 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_03 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_04 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_05 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1.
R04_EDEVICETYPE	E-product device type.	IF R04_AV9005 = 2, -8 OR -7 AND R04_AV9008 = 2, -8 OR -7 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 2, -8 OR -7, THEN R04_EDEVICETYPE = 1 (Disposable). ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 2, -8 OR -7, THEN R04_EDEVICETYPE = 2 (Non-Refillable Cartridge). ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 != 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 3 (Refillable Cartridge). ELSE, IF R04_AV9005 = 1 AND R04_AV9038

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>= 1 AND R04_AV9009 = 1, THEN  R04_EDEVICETYPE = 4 (Refillable Tank System).</p> <p>ELSE, IF R04_AV9005 = 1, 2, -8 OR -7 AND R04_AV9008 = 2, -8 OR -7 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 1, THEN  R04_EDEVICETYPE = 5 (Refillable Mod System).</p> <p>ELSE, R04_EDEVICETYPE = 6 (Unknown).</p>
CIGARLOOP1	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06.</p> <p>GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts everytime when smoked in the past 12 months.</p> <p>GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts everytime when smoked in the past 12 months.</p> <p>GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP1 = BOX R04_AGR05</p>	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06.</p> <p>GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD.</p> <p>GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO.</p> <p>GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO NOT ASK ITEM R04_AG1010.</p> <p>BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.</p> <p>BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.</p> <p>BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>THROUGH BOX_R04_AGR06. DO NOT ASK ITEM R04_AG1010.</p> <p>BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.</p> <p>BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.</p>	
CIGARLOOP2	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080.</p> <p>GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months.</p> <p>GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months.</p>	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080.</p> <p>GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD.</p> <p>GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO.</p> <p>GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP2 = R04_AGT03, R04_AGR01,</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>Cigars as Blunts-Only:</p> <p>CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1071, R04_AG1050, R04_AG1012, and R04_AGR04</p> <p>BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.</p> <p>BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.</p>	<p>R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1049, R04_AG1071, R04_AG1050, R04_AG1012, and R04_AGR04</p> <p>BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.</p> <p>BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.</p> <p>BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.</p>
R04_TOBACCO_PRODUCT_LIST	<p>A list of all the tobacco products the respondent currently uses.</p> <p>DISPLAY: For [TOBACCO PRODUCT LIST] embedded in the question text, display the product names in lowercase letters. If [TOBACCO PRODUCT LIST] has two products, connect the products</p>	<p>If R04_CIG_USER_STATUS = 1, include "cigarettes".</p> <p>If R04_EPROD_USER_STATUS = 1, include "electronic nicotine products".</p> <p>If R04_GTRAD_USER_STATUS = 1, include "traditional cigars" in the list.</p> <p>If R04_GRILLO_USER_STATUS = 1, include "cigarillos" in the list.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	with "and". If [TOBACCO PRODUCT LIST] has three or more products, connect the products with commas and include "and" before the final product in the list.	If R04_GFILTR_USER_STATUS= 1, include "filtered cigars" in the list. If R04_PIPE_USER_STATUS = 1, include "a pipe" in the list. If R04_HOOK_USER_STATUS = 1, include "hookah" in the list. If R04_SNUS_USER_STATUS = 1, include "snus" in the list. If R04_SMKLS_USER_STATUS = 1, include "smokeless tobacco" in the list.
R04_CURRENT_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day or somedays.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_EVERY_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses somedays.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_EXPERIMENTAL_PRODUCT_COUNT	Number of tobacco products the respondent currently uses experimentally.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_RECENT_FORMER_PRODUCT_COUNT	Number of tobacco products the respondent is a recent former user of.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A RECENT FORMER USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_NDSKIP	Type of product use -- polyusers or multiple product users	R04_NDSKIP: IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R04_EPROD_USER_STATUS != 1, 4, THEN R04_NDSKIP = 1. ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 2. ELSE, IF (R04_CURRENT_PRODUCT_COUNT +

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_RECENT_FORMER_PRODUCT_COUNT = 2) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 3.</p> <p>ELSE, IF R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 1, THEN R04_NDSKIP = 0.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT &gt;= 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 2, THEN R04_NDSKIP = 1.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT &gt;= 3 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 2.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 3.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R04_TOBACCO_USER_STATUS = 2, THEN R04_NDSKIP = 0.</p>
R04_GROUP	Type of product use -- single product users	<p>IF R04_NDSKIP = 0:</p> <p>IF (R04_CIG_USER_STATUS = 1 OR 4) AND (R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GTRAD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 1  OR 4 AND (R04_CIG_USER_STATUS != 1  AND R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 1</p>



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 1 OR  4 AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 1  OR 4 AND (R04_CIG_USER_STATUS != 1  AND R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4), THEN  R04_GROUP = NS.</p> <p>ELSE, IF R04_CIG_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 2  AND (R04_TOBACCO_USER_STATUS != 1  AND R04_TOBACCO_USER_STATUS != 4)  THEN R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 2  AND (R04_TOBACCO_USER_STATUS != 1  AND R04_TOBACCO_USER_STATUS != 4)  THEN R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 2  AND (R04_TOBACCO_USER_STATUS != 1  AND R04_TOBACCO_USER_STATUS != 4)  THEN R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4) THEN  R04_GROUP = NP.</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF R04_HOOK_USER_STATUS = 2  AND (R04_TOBACCO_USER_STATUS != 1  AND R04_TOBACCO_USER_STATUS != 4)  THEN R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 2  AND (R04_TOBACCO_USER_STATUS != 1  AND R04_TOBACCO_USER_STATUS != 4)  THEN R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 2  AND (R04_TOBACCO_USER_STATUS != 1  AND R04_TOBACCO_USER_STATUS != 4)  THEN R04_GROUP = NS.</p> <p>IF R04_NDSKIP = 3:</p> <p>IF (R04_CIG_USER_STATUS = 1 OR 4 AND  R04_EPROD_USER_STATUS = 1 OR 4) AND  (R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF (R04_GTRAD_USER_STATUS = 1  OR 4 AND R04_EPROD_USER_STATUS = 1  OR 4) AND (R04_CIG_USER_STATUS != 1  AND R04_CIG_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NG.</p> <p>ELSE, IF (R04_GRILLO_USER_STATUS = 1  OR 4 AND R04_EPROD_USER_STATUS = 1  OR 4) AND (R04_CIG_USER_STATUS != 1  AND R04_CIG_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NL.</p> <p>ELSE, IF (R04_GFILTR_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NF.</p> <p>ELSE, IF (R04_PIPE_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NP.</p> <p>ELSE, IF (R04_HOOK_USER_STATUS = 1 OR  4 AND R04_EPROD_USER_STATUS = 1 OR  4) AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NH.</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 1 OR  4 AND R04_EPROD_USER_STATUS = 1 OR  4) AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND</p>



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NU.</p> <p>ELSE, IF (R04_SMKLS_USER_STATUS = 1  OR 4 AND R04_EPROD_USER_STATUS = 1  OR 4) AND (R04_CIG_USER_STATUS != 1  AND R04_CIG_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4), THEN  R04_GROUP = NS.</p> <p>ELSE, IF R04_CIG_USER_STATUS = 2 AND  R04_EPROD_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS !=1 AND  R04_TOBACCO_USER_STATUS !=4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 2  AND R04_EPROD_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS !=1 AND  R04_TOBACCO_USER_STATUS !=4), THEN</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 2</p>

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NS.
R04_VALID_TIME_LASTUSED	Respondent is a recent former user of a product answered R04_A*1009 with a valid response (excluding e-products).	IF (R04_CIG_USER_STATUS = 4 AND R04_AC1009_NN > 0) OR (R04_AG1009TC_NN > 0 AND R04_GTRAD_USER_STATUS = 4) OR (R04_GRILLO_USER_STATUS = 4 AND R04_AG1009CG_NN > 0) OR (R04_GFILTR_USER_STATUS = 4 AND R04_AG1009FC_NN > 0) OR (R03_HOOK_USER_STATUS = 4 AND R04_AH1009_NN > 0) OR (R04_PIPE_USER_STATUS = 4 AND R04_AP1009_NN > 0) OR (R04_SNUS_USER_STATUS = 4 AND R04_AU1009_NN > 0) OR (R04_SMKLS_USER_STATUS = 4 AND R04_AS1009_NN > 0), THEN R04_VALID_TIME_LASTUSED = 1. ELSE, R04_VALID_TIME_LASTUSED = 2.
Twelve month quit status (e-products) R04_TWELVEMONTHQUIT_STATUS_EPROD	(1) 12 month quit attempter = Adult respondents who have quit or attempted to quit e-products in the past 12 months. (2) 12 month reducer = Adult respondents who have cut down their e-product use in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R04_AN0105E = 1 OR R04_EPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 1. ELSE, IF R04_AN0334E = 1, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS_EPROD = 8.
Twelve month quit status (excluding e-products)	(1) 12 month quit attempter = Adult	IF R04_AN0105 = 1 OR

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
R04_TWELVEMONTHQUIT_STATUS	respondents who have quit or attempted to quit tobacco (excluding e-products) in the past 12 months. (2) 12 month reducer = Adult respondents who have cut down their tobacco use (excluding e-products) in the past 12 months. (8) Unknown / missing = Unknown or missing	R04_TOBXEPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS = 1. ELSE, IF R04_AN0334 = 1, THEN R04_TWELVEMONTHQUIT_STATUS = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS = 8.
R04_ADULT_COPD	Adult respondents who have ever had COPD.	IF (R04_AX0119_NB_01 = 1 OR R04_AX0119_12M_01 = 1 OR R03_COPD = 1) AND R04_AX0733 != 3, THEN R04_ADULT_COPD = 1. ELSE, R04_ADULT_COPD = 2.
R04_ADULT_ASTHMA	(1) Asthma = Adult respondent who ever had asthma. (2) No asthma = Adult respondent who never had asthma.	IF (R03_ASTHMA = 1 OR R04_AX0119_NB_04 = 1 OR R04_AX0119_12M_04 = 1) AND R04_AX0227 != 6, THEN R04_ADULT_ASTHMA = 1 ELSE, R04_ADULT_ASTHMA = 2.
R04_EVER_USER_ALC	Adult respondent has ever used alcohol.	IF R04_AX0084_RS = 1 OR R04_AX0084_12M = 1 OR R03_EVER_USER_ALCOHOL = 1, THEN R04_EVER_USER_ALC = 1. ELSE, R04_EVER_USER_ALC = 2.
R04_EVER_USER_MJ	Adult respondent has ever used marijuana.	IF R04_AG9107 = 1 OR R04_AG9105_RS = 1 OR R04_AX0085_12M = 1 OR R04_AX0085_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1 OR R03_EVER_USER_MARIJUANA = 1, THEN R04_EVER_USER_MJ = 1. ELSE, R04_EVER_USER_MJ = 2.
R04_EVER_USER_RIT	Adult respondent has ever used Ritalin® or Adderall®.	IF R04_AX0089_12M_01 = 1 OR R04_AX0089_RS_01 = 1 OR

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		R03_EVER_USER_RITALIN = 1, THEN R04_EVER_USER_RIT = 1. ELSE, R04_EVER_USER_RIT = 2.
R04_EVER_USER_PK	Adult respondent has ever used painkillers, sedatives, or tranquilizers.	IF R04_AX0089_12M_02 = 1 OR R04_AX0089_RS_02 = 1 OR R03_EVER_USER_PAINKILLERS = 1, THEN R04_EVER_USER_PK = 1. ELSE, R04_EVER_USER_PK = 2.
R04_EVER_USER_COC	Adult respondent has ever used cocaine or crack.	IF R04_AX0220_12M_01 = 1 OR R04_AX0220_RS_01 = 1 OR R03_EVER_USER_COCAINE = 1, THEN R04_EVER_USER_COC = 1. ELSE, R04_EVER_USER_COC = 2.
R04_EVER_USER_STIM	Adult respondent has ever used stimulants like methamphetamine or speed.	IF R04_AX0220_12M_02 = 1 OR R04_AX0220_RS_02 = 1 OR R03_EVER_USER_STIMULANTS = 1, THEN R04_EVER_USER_STIM = 1. ELSE, R04_EVER_USER_STIM = 2.
R04_EVER_USER_OTH	Adult respondent has ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R04_AX0220_12M_03 = 1 OR R04_AX0220_RS_03 = 1 OR R03_EVER_USER_OTHERDRUG = 1, THEN R04_EVER_USER_OTH = 1. ELSE R04_EVER_USER_OTH = 2.
R04_SUBSTANCE_COUNT	Number of substances the respondent has ever used.	R04_SUBSTANCE_COUNT = 0;  IF R04_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_RIT = 1, SET

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;
R04_PASTUSE_CIGS	Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarette smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarettes.	IF (R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R03_CIG_USER_STATUS = 1,2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_CIGS = 1)) AND R04_AC1010 != 3, THEN R04_PASTUSE_CIGS = 1. ELSE, R04_PASTUSE_CIGS = 2.
R04_PASTUSE_EPRODS	Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 and new baseline adult respondents who have ever used electronic nicotine products.	IF (R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR R03_ECIG_USER_STATUS = 1, 2, 3, 4) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_ADULTTYPE = 2, 3)) AND R04_AV1010 != 3, THEN R04_PASTUSE_EPRODS = 1. ELSE, R04_PASTUSE_EPRODS = 2.
R04_PASTUSE_GTRAD	Continuing adult respondents who smoked a traditional cigar in the past 30	IF (R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR R03_GTRAD_USER_STATUS = 1, 2, 3,

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	days or past 12 months or were current, experimental current, experimental former, or new former traditional cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked traditional cigars.	4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD = 1)) AND R04_AG1010TC != 3, THEN R04_PASTUSE_GTRAD = 1. ELSE, R04_PASTUSE_GTRAD = 2.
R04_PASTUSE_GRILLO	Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarillo smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarillos.	IF (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR R03_GRILLO_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GRILLO = 1)) AND R04_AG1010CG != 3, THEN R04_PASTUSE_GRILLO = 1. ELSE, R04_PASTUSE_GRILLO = 2.
R04_PASTUSE_GFILTR	Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former filtered cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked filtered cigars.	IF (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR R03_GFILTR_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR = 1)) AND R04_AG1010FC != 3, THEN R04_PASTUSE_GFILTR = 1. ELSE, R04_PASTUSE_GFILTR = 2.
R04_PASTUSE_PIPE	Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former pipe smokers in Wave 3 and new baseline adult respondents who have ever smoked pipe tobacco.	IF (R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR R03_PIPE_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_PIPE = 1)) AND R04_AP1010 != 3, THEN R04_PASTUSE_PIPE = 1. ELSE, R04_PASTUSE_PIPE = 2.
R04_PASTUSE_HOOK	Continuing adult respondents who	IF (R04_AH1004 = 1 OR R04_AH1002_12M =

**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	smoked hookah in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former hookah smokers in Wave 3 and new baseline adult respondents who have ever smoked hookah.	1 OR R03_HOOK_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_HOOK = 1)) AND R04_AH1010 != 3, THEN R04_PASTUSE_HOOK = 1. ELSE, R04_PASTUSE_HOOK = 2.
R04_PASTUSE_SNUS	Continuing adult respondents who used snus in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former snus users in Wave 3 and new baseline adult respondents who have ever used snus.	IF (R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR R03_SNUS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SNUS = 1)) AND R04_AU1010 != 3, THEN R04_PASTUSE_SNUS = 1. ELSE, R04_PASTUSE_SNUS = 2.
R04_PASTUSE_SMKLS	Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former smokeless tobacco users in Wave 3 and new baseline adult respondents who have ever used smokeless tobacco.	IF (R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR R03_SMKLS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS = 1)) AND R04_AS1010 != 3, THEN R04_PASTUSE_SMKLS = 1. ELSE, R04_PASTUSE_SMKLS = 2.
R04_REGULAR_BRAND	Adult respondent has a regular brand of any tobacco product.	IF R04_AC1047MC = 1 OR R04_AC1047RY = 1 OR R04_AV1047 = 1 OR R04_AG1047TC = 1 OR R04_AG1047CG = 1 OR R04_AG1047FC = 1 OR R04_AP1047 = 1 OR R04_AH1047 = 1 OR R04_AU1047 = 1 OR R04_AS1047 = 1, THEN R04_REGULAR_BRAND = 1. ELSE, R04_REGULAR_BRAND = 2.
R04_NO_REGULAR_BRAND	Adult respondent uses a tobacco product and does not have a regular brand of that tobacco product.	IF (R04_AC1047MC = 2, -8, -7 OR R04_AC1047RY = 2 -8, -7 OR R04_AV1047 = 2, -8, -7 OR R04_AG1047TC = 2, -8, -7 OR



**PATH**  
**Adult Questionnaire (Spanish) – New and Aged-Up Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		R04_AG1047CG = 2, -8, -7 OR R04_AG1047FC = 2, -8, -7 OR R04_AP1047 = 2, -8, -7 OR R04_AH1047 = 2, -8, -7 OR R04_AS1047 = 2, -8, -7 OR R04_AU1047 = 2, - 8, -7), THEN R04_NO_REGULAR_BRAND = 1. ELSE, R04_NO_REGULAR_BRAND = 2.

## **Adult Questionnaire – Extended Interview**

---

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**Table of Contents**

---

INTRODUCTORY DEMOGRAPHICS .....	1
TOBACCO USE .....	9
CIGARETTE .....	53
ELECTRONIC NICOTINE PRODUCTS .....	88
CIGAR .....	132
PIPE .....	193
HOOKAH .....	218
SNUS .....	244
SMOKELESS TOBACCO .....	273
NEW PRODUCT - PLACEHOLDER .....	303
POLYUSE .....	305
NICOTINE DEPENDENCE .....	310
PACKAGING AND HEALTH WARNINGS .....	390
RISK PERCEPTIONS AND ATTITUDES .....	407
MEDIA USE .....	430
SECONDHAND SMOKE EXPOSURE .....	435
SOCIAL NORMS, PEER AND FAMILY INFLUENCES .....	441
HEALTH .....	447
MARKETING, ADVERTISING AND PROMOTION .....	536
ADDITIONAL DEMOGRAPHICS .....	543
PRODUCT BARCODE SCANNING MODULE .....	558
CONTACT INFORMATION .....	570
APPENDIX: USER GROUPS .....	582
APPENDIX: DERIVED VARIABLES .....	610

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>SECTION</b>	<b># OF QUESTIONS</b>
Introductory Demographics	9
Tobacco Use	69
Cigarette	55
Electronic Nicotine Products	77
Cigar	75
Pipe	41
Hookah	51
Snus	51
Smokeless Tobacco	50
New Product - Placeholder	5
Polyuse	5
Nicotine Dependence	148
Packaging and Health Warnings	41
Risk Perceptions and Attitudes	66
Media Use	8
Secondhand Smoke Exposure	11
Social Norms, Peer and Family Influences	13
Health	180
Marketing, Advertising and Promotion	17
Additional Demographics	27
Product Barcode Scanning	26
Contact Information	28

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

OMB Control Number: 0925-0664

Expiration Date: XX/XX/XXXX

Public reporting burden for this collection of information is estimated to average 60 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0664). Do not return the completed form to this address.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## INTRODUCTORY DEMOGRAPHICS

<b>BOX ID:</b> R04_AMV02
PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.
<b>R03_CIG_USER_STATUS</b> - Wave 3 cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_ECIG_USER_STATUS</b> - Wave 3 e-cigarette user status (current, experimental current, experimental former, new former, still former)
<b>R03_GTRAD_USER_STATUS</b> - Wave 3 traditional cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_GRILLO_USER_STATUS</b> - Wave 3 cigarillo user status (current, experimental current, experimental former, new former, still former)
<b>R03_GFILTR_USER_STATUS</b> - Wave 3 filtered cigar user status (current, experimental current, experimental former, new former, still former)
<b>R03_PIPE_USER_STATUS</b> - Wave 3 pipe user status (current, experimental current, experimental former, new former, still former)
<b>R03_HOOK_USER_STATUS</b> - Wave 3 hookah user status (current, experimental current, experimental former, new former, still former)
<b>R03_SNUS_USER_STATUS</b> - Wave 3 snus user status (current, experimental current, experimental former, new former, still former)
<b>R03_SMKLS_USER_STATUS</b> - Wave 3 smokeless tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_TOBACCO_USER_STATUS</b> - Wave 3 tobacco user status (current, experimental current, experimental former, new former, still former)
<b>R03_EVER_NEVER_CIGS</b> - Wave 3 ever or never user of cigarettes
<b>R03_EVER_NEVER_EPRODS</b> - Wave 3 ever or never user of e-products
<b>R03_EVER_NEVER_GTRAD</b> - Wave 3 ever or never user of traditional cigars
<b>R03_EVER_NEVER_GRILLO</b> - Wave 3 ever or never user of cigarillos
<b>R03_EVER_NEVER_GFILTR</b> - Wave 3 ever or never user of filtered cigars
<b>R03_EVER_NEVER_BTRAD</b> - Wave 3 ever or never user of traditional cigars as blunts
<b>R03_EVER_NEVER_BRILLO</b> - Wave 3 ever or never user of cigarillos as blunts
<b>R03_EVER_NEVER_BFILTR</b> - Wave 3 ever or never user of filtered cigars as blunts
<b>R03_EVER_NEVER_PIPE</b> - Wave 3 ever or never user of pipes
<b>R03_EVER_NEVER_HOOK</b> - Wave 3 ever or never user of hookah
<b>R03_EVER_NEVER_SNUS</b> - Wave 3 ever or never user of snus
<b>R03_EVER_NEVER_SMKLS</b> - Wave 3 ever or never user of smokeless tobacco
<b>R03_EVER_NEVER_DISSBL</b> - Wave 3 ever or never user of dissolvable tobacco
<b>R03_NUMLIFE_CIGS</b> - The respondent reported smoking 100+ cigarettes in their lifetime at any previous wave.
<b>R03_NUMLIFE_EPROD</b> - The respondent reported using e-cigarettes 100+ times in their lifetime at any previous wave.
<b>R03_NUMLIFE_GTRAD</b> - The respondent reported smoking 100+ traditional cigars in their lifetime at any previous wave.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**R03\_NUMLIFE\_GRILLO** - The respondent reported smoking 100+ cigarillos in their lifetime at any previous wave.

**R03\_NUMLIFE\_GFILTR** - The respondent reported smoking 100+ filtered cigars in their lifetime at any previous wave.

**R03\_NUMLIFE\_PIPE** - The respondent reported smoking a pipe 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_HOOK** - The respondent reported smoking hookah 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_SNUS** - The respondent reported using 100+ snus pouches in their lifetime at any previous wave.

**R03\_NUMLIFE\_SMKLS** - The respondent reported using smokeless tobacco 100+ times in their lifetime at any previous wave.

**R03\_REGUSE\_CIGS** - The respondent reported smoking cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_EPROD** - The respondent reported using e-cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_GTRAD** - The respondent reported smoking traditional cigars fairly regularly at any previous wave.

**R03\_REGUSE\_GRILLO** - The respondent reported smoking cigarillos fairly regularly at any previous wave.

**R03\_REGUSE\_GFILTR** - The respondent reported smoking filtered cigars fairly regularly at any previous wave.

**R03\_REGUSE\_PIPE** - The respondent reported smoking a pipe fairly regularly at any previous wave.

**R03\_REGUSE\_HOOK** - The respondent reported smoking hookah fairly regularly at any previous wave.

**R03\_REGUSE\_SNUS** - The respondent reported using snus fairly regularly at any previous wave.

**R03\_REGUSE\_SMKLS** - The respondent reported using smokeless tobacco fairly regularly at any previous wave.

**R03\_GENDER** - Respondent's reported gender

**R03\_PREGNANT** - Respondent reported being pregnant at Wave 3.

**R03\_VA\_HEALTHCARE** - Respondent reported being enrolled in VA health care in any previous wave.

**R03\_ASTHMA** - Respondent reported being diagnosed with asthma in any previous wave.

**R03\_HIGH\_CHOLESTEROL** - Respondent reported being diagnosed with high cholesterol in any previous wave.

**R03\_HIGH\_BLOOD\_PRESSURE** - Respondent reported being diagnosed with high blood pressure in any previous wave.

**R03\_STROKE** - Respondent reported having had a stroke in any previous wave.

**R03\_ANY\_HEART\_CONDITION** - Respondent reported being diagnosed with any heart condition in any previous wave.

**R03\_CANCER** - Respondent reported being diagnosed with cancer in any previous wave.

**R03\_ULCER** - Respondent reported being diagnosed with an ulcer in any previous wave.

**R03\_COPD** - Respondent reported being diagnosed with COPD in any previous wave.

**R03\_DIABETES** - Respondent reported being diagnosed with diabetes in any previous wave.

**R03\_EVER\_USER\_ALCOHOL** - Respondent reported ever using alcohol in any previous wave.

**R03\_EVER\_USER\_MARIJUANA** - Respondent reported ever using marijuana in any previous wave.

**R03\_EVER\_USER\_RITALIN** - Respondent reported ever using ritalin in any previous wave.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**R03\_EVER\_USER\_PAINKILLERS** - Respondent reported ever using painkillers in any previous wave.  
**R03\_EVER\_USER\_COCAINE** - Respondent reported ever using cocaine in any previous wave.  
**R03\_EVER\_USER\_STIMULANTS** - Respondent reported ever using stimulants in any previous wave.  
**R03\_EVER\_USER\_OTHERDRUG** - Respondent reported ever using other drugs in any previous wave.  
**R03\_USCITIZEN** – Respondent reported US citizenship in any previous wave.

**R04\_CONTACTFLAG\_LD** - Adult respondent or parent/guardian of youth respondent has provided contact information.  
**R04\_LINKED\_ADDRESS** - Respondents' best address from IMS.  
**R04\_VTBESTSPPHONE** - Respondents' best phone number from IMS.  
**R04\_PHONE2** - Respondents' second phone number from IMS.  
**R04\_PARENT\_COMPLETE\_LD** - Adult respondent has completed a parent survey about a youth or shadow youth respondent.

**BOX ID: R04\_AMD04**

**Note** - In the following specifications, “!=” represents “not equal to”.

**Note** - References to the various respondent types are as follows:

**"New cohort adult respondents"** = Adult respondents who are new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.

**"Aged-up adult respondents"** = Adult respondents whose last completed interview in a previous wave was in the Youth cohort, and have now aged-up into the Adult cohort. This is their first interview in the Adult cohort, but not their first interview in the PATH Study.

**"New baseline adult respondents"** = Adult respondents where this is their first interview in the Adult cohort. Includes both the "New cohort adult" AND "Aged-up adult" respondents.

**"Continuing adult respondents"** = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study.

**"All adult respondents"** = All adult respondents in the Adult cohort.

**BOX ID: R04\_AMR03**

New cohort adult respondents, go to R04\_AM0004\_RS.

Else, adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.

Else, go to R04\_AM0007.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AMR12**

Adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.  
Else, go to R04\_AM0007.

**PATH ID: R04\_AT0047**

What is your marital status?

- 1 Now married
- 2 Widowed
- 3 Divorced
- 4 Separated
- 5 Never married
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH ID: R04\_AM0007**

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

- 1 Yes, now on active duty
- 2 Yes, on active duty in the past, but not now
- 3 No, training for Reserves or National Guard only
- 4 No, never served in the military
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR11**

New cohort adult respondents who are currently on active duty, go to R04\_AM0008\_RS.

Else, aged-up adult respondents who are currently on active duty or new baseline adult respondents who have been on active duty in the past, go to R04\_AM0011\_NB.

Else, go to Box R04\_AMR08.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AMR08**

New cohort adult respondents who are currently on active duty, go to R04\_AM0009\_RS.  
 Else, go to Box R04\_AMR09.

**BOX ID: R04\_AMR09**

New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty or don't know or refused to report if they are currently on active duty, go to R04\_AM0074\_RS.  
 Else, go to Box R04\_AMR13.

**BOX ID: R04\_AMR13**

Adult respondents who already completed a parent interview, go to Box R04\_AMR10.  
 Else, new baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, go to R04\_AM0069.  
 Else, go to R04\_AM0065.

**PATH ID: R04\_AM0069**

Are you a citizen of the United States?

- 1 Yes, born in the United States
- 2 Yes, born in Puerto Rico, Guam, the U.S. Virgin Islands, or Northern Marianas
- 3 Yes, born abroad of U.S. citizen parent or parents
- 4 Yes, U.S. citizen by naturalization
- 5 No, not a U.S. citizen
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, who did not already complete a parent interview.

**PATH ID: R04\_AM0065**

About how many years have you lived in the United States? (If you have lived in the United States for less than a year, enter 1.)

- 1 I have lived in the United States my whole life GO TO BOX R04\_AMR10
- 2 I\_\_I\_\_I\_\_I YEARS
- 8 DON'T KNOW GO TO BOX R04\_AMR10
- 7 REFUSED GO TO BOX R04\_AMR10

ASK: Adult respondents who did not already complete a parent interview.  
 DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "I have lived in the United States my whole life" ON RIGHT.  
 DISPLAY "YEARS" AS TITLE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0065\_LC1**

The computer recorded that you have lived in the United States for [R04\_AM0065] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AM0065

2 NEXT

GO TO BOX R04\_AMR10

ASK: IF R04\_AM0065 > R04\_ACHIEVEDAGE.

**BOX ID: R04\_AMR10**

New cohort adult respondents not currently on active duty, go to R04\_AM0075\_RS.

Else, go to Box R04\_AMR15.

**BOX ID: R04\_AMR15**

Adult respondents who already completed a parent interview, go to Box R04\_ACT02.

Else, go to Box R04\_AMD03.

**BOX ID: R04\_AMD03**

Display questions R04\_AM0066 through R04\_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R04\_AM0066 is the stem. Show all leaves on the screen at once.

**PATH ID: R04\_AM0066**

How well do you...

...speak English?

1 Very well

2 Well

3 Not well

4 Not at all

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0070</b>
read English?
1 Very well
2 Well
3 Not well
4 Not at all
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0073</b>
write in English?
1 Very well
2 Well
3 Not well
4 Not at all
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0071</b>
Do you speak a language other than English at home?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0072**

What other languages do you speak at home? Choose all that apply.

- 1 Spanish
- 2 Chinese
- 3 Tagalog
- 4 Vietnamese
- 5 French
- 6 Korean
- 7 German
- 8 Arabic
- 9 Russian
- 10 Some other language (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview and speak another language at home.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**TOBACCO USE**

**BOX ID: R04\_ACT02**

The next questions are about your experience with **cigarettes**.

**BOX ID: R04\_ACR50**

If new cohort adult respondent, go to R04\_AC1002\_RS.  
Else, go to R04\_AC1004.

**PATH ID: R04\_AC1004**

In the past 30 days, have you smoked a cigarette, even one or two puffs?

1 Yes

GO TO BOX R04\_ACR14

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarette.

**PATH ID: R04\_AC1002\_12M**

In the past 12 months, have you smoked a cigarette, even one or two puffs?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not smoked a cigarette in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarette).

**BOX ID: R04\_ACR14**

Adult respondents who have never smoked cigarettes in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were experimental former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AC1010.

Else, adult respondents who did not smoke in the past 12 months, go to R04\_AC1009.

Else, go to R04\_AC1003.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1003</b>		
Do you now smoke cigarettes...		
1	Every day	GO TO BOX R04_ACV04
2	Some days	GO TO BOX R04_ACV04
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_ACV04
-7	REFUSED	GO TO BOX R04_ACV04
ASK: Adult respondents who have smoked a cigarette in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a cigarette.		

<b>PATH ID: R04_AC1009</b>		
About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)		
1	_ _  DAYS	
2	_ _  MONTHS	
3	_ _  YEARS	
-8	DON'T KNOW	GO TO R04_AC1010
-7	REFUSED	GO TO R04_AC1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current cigarette smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months.		

<b>PATH ID: R04_AC1009_LC1</b>		
The computer recorded that it has been "0" [days/months/years] since you last smoked a cigarette.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AC1009
2	NEXT	GO TO R04_AC1010
ASK: IF R04_AC1009_NN = 0.		
DISPLAY: IF R04_AC1009_UN = 1, DISPLAY "days",		
IF R04_AC1009_UN = 2, DISPLAY "months",		
IF R04_AC1009_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1009_LC2</b>
The computer recorded that it has been [R04_AC1009_NN] years since you last smoked a cigarette. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AC1009</span>
2 NEXT <span style="float: right;">GO TO R04_AC1010</span>
ASK: IF (R04_AC1009_NN > R04_ACHIEVEDAGE) AND R04_AC1009_UN = 3.

<b>PATH ID: R04_AC1010</b>
Have you completely quit smoking cigarettes?
1 Yes
2 No
3 I have never smoked a cigarette in my entire life, not even one or two puffs
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke cigarettes not at all; and adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_CIG_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID: R04_ACV04</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_CIGS = 1 (Ever user)</b> Adult respondents who have ever smoked a cigarette and did not recant prior use.
<b>R04_EVER_NEVER_CIGS = 2 (Never user)</b> Adult respondents who have not ever smoked a cigarette.
<b>R04_INIT_CIGS_ADULT = 1 (Initiator)</b> Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette.

<b>BOX ID: R04_ACR10</b>
Young adult respondents who have never smoked a cigarette, go to R04_AC1103.
Else, young adult respondents who have not smoked a cigarette in the past 12 months, go to R04_AC1206.
Else, go to Box R04_ACR17.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1103**

Have you ever been curious about smoking a cigarette?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

**PATH ID: R04\_AC1206**

Do you think you will smoke a cigarette in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette or have not reported smoking a cigarette in the past 12 months.

**BOX ID: R04\_ACR17**

Adult respondents who have never smoked a cigarette, go to R04\_AC1104.  
Else, go to Box R04\_ACR48.

**PATH ID: R04\_AC1104**

Do you think that you will try a cigarette soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR48**

Young adult respondents who have never smoked a cigarette, go to R04\_AC1205.  
Else, go to Box R04\_AVT01.

**PATH ID: R04\_AC1205**

If one of your best friends were to offer you a cigarette, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

**BOX ID: R04\_AVT01**

The next questions are about **electronic nicotine products**, such as e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.

These products are battery-powered and produce vapor or aerosol instead of smoke. Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with cartridges or a tank system. They typically use a nicotine liquid called "e-liquid", although the amount of nicotine can vary and some may not contain any nicotine at all.

Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, eGo, and iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

**BOX ID: R04\_AVR49**

New cohort adult respondents, go to R04\_AV1001\_RS.  
Else, go to R04\_AV1004.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1004**

In the past 30 days, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

GO TO BOX R04\_AVR04

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used an e-product.

**PATH ID: R04\_AV1002\_12M**

In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not used an e-product in the past 30 days (excluding new cohort adult respondents who have not ever used an e-product).

**BOX ID: R04\_AVR04**

Adult respondents who have never used e-products in all previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04\_AVV02.

Else, adult respondents who were experimental former e-product users in the previous wave and did not use e-products in the past 12 months, go to Box R04\_AVV02.

Else, adult respondents who were former e-product users in the previous wave and did not use e-products in the past 12 months, go to R04\_AV1010.

Else, adult respondents who did not use e-products in the past 12 months, go to R04\_AV1009.

Else, go to R04\_AV1003.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV1003</b>	
Do you now use electronic nicotine products...		
1	Every day	GO TO BOX R04_AVV02
2	Some days	GO TO BOX R04_AVV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AVV02
-7	REFUSED	GO TO BOX R04_AVV02
ASK: Adult respondents who have used an e-product in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used an e-product.		

<b>PATH ID:</b>	<b>R04_AV1009</b>	
About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).		
1	_ _  DAYS	
2	_ _  MONTHS	
3	_ _  YEARS	
-8	DON'T KNOW	GO TO R04_AV1010
-7	REFUSED	GO TO R04_AV1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current e-product users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used an e-product, but did not use in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AV1009_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last took a puff from an electronic nicotine product.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AV1009
2	NEXT	GO TO R04_AV1010
ASK: IF R04_AV1009_NN = 0. DISPLAY: IF R04_AV1009_UN = 1, DISPLAY "days". IF R04_AV1009_UN = 2, DISPLAY, "months". IF R04_AV1009_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1009_LC2
The computer recorded that it has been [R04_AV1009_NN] years since you last took a puff from an electronic nicotine product. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AV1009
2 NEXT GO TO R04_AV1010
ASK: IF (R04_AV1009_NN > R04_ACHIEVEDAGE) AND R04_AV1009_UN = 3.

<b>PATH ID:</b> R04_AV1010
Have you completely quit using electronic nicotine products?
1 Yes
2 No
3 I have never used an electronic nicotine product in my entire life, not even one or two times
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use e-products not at all; and adult respondents who have ever used an e-product, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_EPROD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> R04_AVV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_EPRODS = 1 (Ever user)</b> Adult respondents who have ever used any electronic nicotine products and did not recant prior use.
<b>R04_EVER_NEVER_EPRODS = 2 (Never user)</b> Adult respondents who have not ever used any electronic nicotine products.
<b>R04_INIT_EPRODS_ADULT = 1 (Initiator)</b> Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product.

<b>BOX ID:</b> R04_AVR18
New cohort adult respondents who did not say they have heard of an e-product, go to Box R04_AGR52.
Else, young adult respondents who have heard of but never used an e-product, go to R04_AV1103.
Else, young adult respondents who have heard of but not used e-products in the past 12 months, go to R04_AV1206.
Else, go to Box R04_AVR16.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1103**

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**PATH ID: R04\_AV1206**

Do you think you will use an electronic nicotine product in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product or have not reported using an e-product in the past 12 months.

**BOX ID: R04\_AVR16**

Adult respondents who have heard of but never used e-products, go to R04\_AV1104.  
Else, go to Box R04\_AVR48.

**PATH ID: R04\_AV1104**

Do you think that you will try an electronic nicotine product soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used an e-product.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR48**

Young adult respondents who have heard of but never used e-products, go to R04\_AV1105.  
Else, go to Box R04\_AGR52.

**PATH ID: R04\_AV1105**

If one of your best friends were to offer you an electronic nicotine product, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**BOX ID: R04\_AGR52**

New cohort adult respondents, go to Box R04\_AGT06.  
Else, go to R04\_AGT01.

**BOX ID: R04\_AGT06**

The next questions are about **traditional cigars**, **cigarillos**, and **filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

**Traditional cigars** contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**BOX ID: R04\_AGT05**

**Cigarillos** and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with tips or filters. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, and Winchester.

[SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS]

**BOX ID: R04\_AGD04**

For R04\_AG9002\_RS, display as a stem and leaf question. For each leaf, display a yes/no response.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR57**

New cohort adult respondents who have heard of traditional cigars, go to R04\_AG9003\_RS.  
Else, new cohort adult respondents who have heard of cigarillos or filtered cigars, go to R04\_AG9004\_RS.  
Else, new cohort adult respondents who have heard of cigars, but did not know or refused to report which types of cigar they have heard of, go to R04\_AG9003\_RS.  
Else, go to Box R04\_AGR56.

**BOX ID: R04\_AGR56**

New cohort adult respondents who have heard of cigarillos or filtered cigars, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of, go to R04\_AG9004\_RS.  
Else, go to Box R04\_AGR54.

**BOX ID: R04\_AGR54**

New cohort adult respondents who have ever smoked a traditional cigar, go to R04\_AG9030.  
Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04\_AG9031.  
Else, go to Box R04\_AGR53.

**BOX ID: R04\_AGT01**

The next questions are about **traditional cigars**, **cigarillos**, and **filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

**Traditional cigars** contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**PATH ID: R04\_AG9030**

In the past 30 days, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        | GO TO BOX R04_AGR55 |
| 2  | No         |                     |
| -8 | DON'T KNOW |                     |
| -7 | REFUSED    |                     |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a traditional cigar.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9003\_12M**

In the past 12 months, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not smoked a traditional cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a traditional cigar).

**BOX ID: R04\_AGR55**

Continuing and aged-up adult respondents, go to Box R04\_AGT02.

Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04\_AG9031.

Else, go to Box R04\_AGR53.

**BOX ID: R04\_AGT02**

**Cigarillos** and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, and Cheyenne.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

**PATH ID: R04\_AG9031**

In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- 1 Yes
- 2 No GO TO R04\_AG9004\_12M
- 8 DON'T KNOW GO TO R04\_AG9004\_12M
- 7 REFUSED GO TO R04\_AG9004\_12M

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9049</b>
Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply.
The kind...
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]
1 With a plastic or wooden tip
2 With a filter (like a cigarette filter)
3 Without a tip or filter
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days.

<b>BOX ID:</b> <b>R04_AGR18</b>
Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip, go to R04_AG9051.
Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04_AG9052.
Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04_AG9053.
Else, go to Box R04_AGR53.

<b>PATH ID:</b> <b>R04_AG9051</b>
In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs?
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR19**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04\_AG9052.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter., go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9052**

In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter.

**BOX ID: R04\_AGR20**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9053**

In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

- |               |                     |
|---------------|---------------------|
| 1 Yes         | GO TO BOX R04_AGR53 |
| 2 No          | GO TO BOX R04_AGR53 |
| -8 DON'T KNOW | GO TO BOX R04_AGR53 |
| -7 REFUSED    | GO TO BOX R04_AGR53 |

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9004\_12M**

In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- 1 Yes
- 2 No GO TO BOX R04\_AGR53
- 8 DON'T KNOW GO TO BOX R04\_AGR53
- 7 REFUSED GO TO BOX R04\_AGR53

ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarillo or filtered cigar).

**PATH ID: R04\_AG9009\_12M**

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months?  
Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- 1 With a plastic or wooden tip
- 2 With a filter (like a cigarette filter)
- 3 Without a tip or filter
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 12 months, but not in the past 30 days.

**BOX ID: R04\_AGR53**

New cohort adult respondents who did not say they had heard of cigars, go to Box R04\_APT01.  
Else, new cohort adult respondents who have heard of cigars, go to R04\_AG9105\_RS.  
Else, go to R04\_AG9107.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9107**

[Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a “blunt”.

]In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AGV01 |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a blunt.

DISPLAY: IF R04\_ADULTTYPE = 1, 2, DISPLAY "Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a “blunt”." ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1095**

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Group 1    |                     |
| 2  | Group 2    |                     |
| 3  | Group 3    |                     |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: Adult respondents who have smoked a blunt in the past 12 months.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9106**

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past 12 months. (This question is repeated for each cigar type identified in R04\_AG1095.)

**BOX ID: R04\_AGV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_12MBLUNT\_ONLY\_BTRAD** = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BRILLO** = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BFILTR** = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

**R04\_INIT\_BLUNT\_BTRAD\_ADULT** = Adult respondents who initiated smoking traditional cigars as blunts between Waves or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BRILLO\_ADULT** = Adult respondents who initiated smoking cigarillos as blunts between Waves or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BFILTR\_ADULT** = Adult respondents who initiated smoking filtered cigars as blunts between Waves or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGD02**

PROGRAM: CREATE [CIGARFILL]

If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "traditional cigar".

If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "cigarillo".

If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "filtered cigar".

**BOX ID: R04\_AGR09**

PROGRAM: CREATE CIGARLOOP1 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:

**For Cigars (non-blunt):**  
Repeat Box R04\_AGR05 through Box R04\_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. (This excludes any type of cigar the respondent has smoked as a blunt every time in the past 12 months.)

**For Cigars as Blunt-Only:**  
Blunt-only cigar smokers will be asked Box R04\_AGR05 through Box R04\_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.

**BOX ID: R04\_AGT04**

DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.

The next questions are about [CIGARFILL]s, like those shown below.

As you answer these questions, please think **ONLY** about your use of [CIGARFILL]s[ when smoked as **blunts**].

[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:]  
There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARFILL].

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR05**

Adult respondents who never smoked any cigar type and has not smoked blunts in the past 12 months, go to Box R04\_APT01.

Else, adult respondents who were experimental former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to Box R04\_AGR06.

Else, adult respondents who were former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04\_AG1010[TC/CG/FC].

Else, adult respondents who did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04\_AG1009[TC/CG/FC].

Else, adult respondents who smoked a (non-blunt) traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R04\_AG1003[TC/CG/FC]

Else, adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months, go to R04\_AG1003[TJ/GJ/FJ].

Else, go to Box R04\_APT01.

**PATH ID: R04\_AG1003**

Do you now smoke [[CIGARFILL]s/ as blunts]...

1	Every day	GO TO BOX R04_AGR06
2	Some days	GO TO BOX R04_AGR06
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AGR06
-7	REFUSED	GO TO BOX R04_AGR06

ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a traditional cigar/cigarillo/filtered cigar; and adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as blunts". ELSE, DO NOT DISPLAY THIS TEXT.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009**

About how long has it been since you last smoked a [[CIGARFILL]/ as a blunt]? (If it was earlier today, enter 1 day.)

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AGR32

-7 REFUSED

GO TO BOX R04\_AGR32

ASK: Adult respondents who smoked traditional cigars/cigarillos/filtered cigars or blunts in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current traditional cigar/cigarillo/filtered cigar smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009TC\_LC1**

The computer recorded that it has been "0" [days/months/years] since you last smoked traditional cigars[ as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1009TC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009TC\_NN = 0.

DISPLAY: IF R04\_AG1009TC\_UN = 1, DISPLAY "days".

IF R04\_AG1009TC\_UN = 2, DISPLAY "months".

IF R04\_AG1009TC\_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009TC\_LC2**

The computer recorded that it has been [R04\_AG1009TC\_NN] years since you last smoked traditional cigars[ as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009TC  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF (R04\_AG1009TC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009TC\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009CG\_LC1**

The computer recorded that it has been "0" [days/months/years] since you last smoked cigarillos[ as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009CG  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF R04\_AG1009CG\_NN = 0.

DISPLAY: IF R04\_AG1009CG\_UN = 1, DISPLAY "days".

IF R04\_AG1009CG\_UN = 2, DISPLAY "months".

IF R04\_AG1009CG\_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009CG\_LC2**

The computer recorded that it has been [R04\_AG1009CG\_NN] years since you last smoked cigarillos[ as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009CG  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF (R04\_AG1009CG\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009CG\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009FC\_LC1**

The computer recorded that it has been "0" [days/months/years] since you last smoked filtered cigars[ as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1009FC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009FC\_NN = 0.

DISPLAY: IF R04\_AG1009FC\_UN = 1, DISPLAY "days".

IF R04\_AG1009FC\_UN = 2, DISPLAY "months".

IF R04\_AG1009FC\_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009FC\_LC2**

The computer recorded that it has been [R04\_AG1009FC\_NN] years since you last smoked filtered cigars[ as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1009FC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF (R04\_AG1009FC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009FC\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AGR32**

If adult respondent is answering loop series about blunt use, go to Box R04\_AGR06.

Else, go to R04\_AG1010[TC/CG/FC].

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1010</b>
Have you completely quit smoking [CIGARFILL]s?  1    Yes 2    No 3    I have never smoked a [CIGARFILL] in my entire life, not even one or two puffs -8    DON'T KNOW -7    REFUSED  ASK: Adult respondents who smoked traditional cigar/cigarillos/filtered cigars in the past 12 months, but currently smoke not at all; and adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave). DISPLAY: FOR R04_AG1010TC: DISPLAY OPTION 3 IF R03_GTRAD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION. FOR R04_AG1010CG: DISPLAY OPTION 3 IF R03_GRILLO_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION. FOR R04_AG1010FC: DISPLAY OPTION 3 IF R03_GFILTR_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AGR06</b>
If LOOP = GTRAD and respondent has ever smoked cigarillos or filtered cigars, or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = GRILLO and respondent has ever smoked filtered cigars or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = GFILTR and respondent smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = BTRAD and respondent smoked cigarillos as blunts or filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product. Else, if LOOP = BRILLO and respondent smoked filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.  Else, if all loops complete, go to Box R04_AGV04.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV04**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_GTRAD = 1 (Ever user)** Adult respondents who have ever smoked a traditional cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GTRAD = 2 (Never user)** Adult respondents who have not ever smoked a traditional cigar.

**R04\_EVER\_NEVER\_GRILLO = 1 (Ever user)** Adult respondents who have ever smoked a cigarillo and did not recant prior use.

**R04\_EVER\_NEVER\_GRILLO = 2 (Never user)** Adult respondents who have not ever smoked a cigarillo.

**R04\_EVER\_NEVER\_GFILTR = 1 (Ever user)** Adult respondents who have ever smoked a filtered cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GFILTR = 2 (Never user)** Adult respondents who have not ever smoked a filtered cigar.

**R04\_INIT\_GTRAD\_ADULT = 1 (Initiator)** Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar.

**R04\_INIT\_GRILLO\_ADULT = 1 (Initiator)** Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo.

**R04\_INIT\_GFILTR\_ADULT = 1 (Initiator)** Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who have ever smoked a filtered cigar.

**BOX ID: R04\_APT01**

The next questions are about smoking tobacco in **pipes**.

There are many different types of pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe.

[SHOW GENERIC IMAGE OF PIPE]

**BOX ID: R04\_APR33**

New cohort adult respondents, go to R04\_AP1001\_RS.

Else, go to R04\_AP1004.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1004**

In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

1 Yes

GO TO BOX R04\_APR05

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a pipe.

**PATH ID: R04\_AP1002\_12M**

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not smoked a pipe in the past 30 days (excluding new cohort adult respondents who have not ever smoked a pipe).

**BOX ID: R04\_APR05**

Adult respondents who have never smoked a pipe in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_APV02.

Else, adult respondents who were experimental former pipe smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_APV02.

Else, adult respondents who were former pipe smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AP1010.

Else, adult respondents who have not smoked in the past 12 months, go to R04\_AP1009.

Else, go to R04\_AP1003.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AP1003</b>	
Do you now smoke a pipe filled with tobacco...		
1	Every day	GO TO BOX R04_APV02
2	Some days	GO TO BOX R04_APV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_APV02
-7	REFUSED	GO TO BOX R04_APV02
ASK: Adult respondents who have smoked a pipe in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a pipe.		

<b>PATH ID:</b>	<b>R04_AP1009</b>	
About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).		
1	_ _ _  DAYS	
2	_ _ _  MONTHS	
3	_ _ _  YEARS	
-8	DON'T KNOW	GO TO R04_AP1010
-7	REFUSED	GO TO R04_AP1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current pipe smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AP1009_LC1</b>	
The computer recorded that it has been "0" [days/months /years] since you last smoked a pipe.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AP1009
2	NEXT	GO TO R04_AP1010
ASK: IF R04_AP1009_NN = 0. DISPLAY: IF R04_AP1009_UN = 1, DISPLAY "days". IF R04_AP1009_UN = 2, DISPLAY "months". IF R04_AP1009_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1009\_LC2**

The computer recorded that it has been [R04\_AP1009\_NN] years since you last smoked a pipe. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AP1009 |
| 2 | NEXT | GO TO R04_AP1010 |

ASK: IF (R04\_AP1009\_NN > R04\_ACHIEVEDAGE) AND R04\_AP1009\_UN = 3.

**PATH ID: R04\_AP1010**

Have you completely quit smoking pipes filled with tobacco?

- 1 Yes
- 2 No
- 3 I have never smoked a pipe filled with tobacco in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoked in the past 12 months, but currently smoke pipes not at all; and adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).

DISPLAY: DISPLAY OPTION 3 IF R03\_PIPE\_USER\_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

**BOX ID: R04\_APV02**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_PIPE = 1 (Ever user)** Adult respondents who have ever smoked a pipe and did not recant prior use.

**R04\_EVER\_NEVER\_PIPE = 2 (Never user)** Adult respondents who have not ever smoked a pipe.

**R04\_INIT\_PIPE\_ADULT = 1 (Initiator)** Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have ever smoked a pipe.

**BOX ID: R04\_AHT01**

We next ask about smoking tobacco in a **hookah**, which is a type of water pipe. It is sometimes also called a “narghile” pipe. From now on, we will use “hookah” to refer to a water pipe or narghile pipe.

There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah.

[SHOW GENERIC IMAGE OF HOOKAH]



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR49**

If new cohort adult respondent, go to R04\_AH1001\_RS.  
Else, go to R04\_AH1004.

**PATH ID: R04\_AH1004**

In the past 30 days, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

- 1 Yes GO TO BOX R04\_AHR06
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked hookah.

**PATH ID: R04\_AH1002\_12M**

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not smoked hookah in the past 30 days (excluding new cohort adult respondents who have not ever smoked hookah).

**BOX ID: R04\_AHR06**

Adult respondents who have never smoked hookah in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_AHV02.

Else, adult respondents who were experimental former hookah smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_AHV02.

Else, adult respondents who were former hookah smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AH1010.

Else, adult respondents who have not smoked in the past 12 months, go to R04\_AH1009.

Else, go to R04\_AH1003.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH1003</b>		
Do you now smoke tobacco in a hookah...		
1	Every day	GO TO BOX R04_AHV02
2	Some days	GO TO BOX R04_AHV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AHV02
-7	REFUSED	GO TO BOX R04_AHV02
ASK: Adult respondents who have smoked hookah in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked hookah.		

<b>PATH ID: R04_AH1009</b>		
About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)		
1	_ _  DAYS	
2	_ _  MONTHS	
3	_ _  YEARS	
-8	DON'T KNOW	GO TO R04_AH1010
-7	REFUSED	GO TO R04_AH1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current hookah smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked hookah, but did not smoke in the past 12 months.		

<b>PATH ID: R04_AH1009_LC1</b>		
The computer recorded that it has been "0" [days/months/years] since you last smoked tobacco in a hookah.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AH1009
2	NEXT	GO TO R04_AH1010
ASK: IF R04_AH1009_NN = 0.		
DISPLAY: IF R04_AH1009_UN = 1, DISPLAY "days".		
IF R04_AH1009_UN = 2, DISPLAY "months".		
IF R04_AH1009_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1009_LC2</b>
The computer recorded that it has been [R04_AH1009_NN] years since you last smoked tobacco in a hookah. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1    BACK
2    NEXT
ASK: IF (R04_AH1009_NN > R04_ACHIEVEDAGE) AND R04_AH1009_UN = 3.
GO TO R04_AH1009
GO TO R04_AH1010

<b>PATH ID:</b> <b>R04_AH1010</b>
Have you completely quit smoking tobacco in a hookah?
1    Yes
2    No
3    I have never smoked hookah in my entire life, not even one or two puffs
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke hookah not at all; and adult respondents who have ever smoked hookah, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_HOOK_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AHV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_HOOK = 1 (Ever user)</b> Adult respondents who have ever smoked a hookah and did not recant prior use.
<b>R04_EVER_NEVER_HOOK = 2 (Never user)</b> Adult respondents who have not ever smoked hookah.
<b>R04_INIT_HOOK_ADULT = 1 (Initiator)</b> Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah.

<b>BOX ID:</b> <b>R04_AHR03</b>
New cohort adult respondents who did not say they had heard of a hookah, go to Box R04_AST01.
Else, young adult respondents who have heard of but never smoked hookah, go to R04_AH1103.
Else, young adults who have heard of but not smoked hookah in the past 12 months, go to R04_AH1206.
Else, go to Box R04_AHR08.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1103**

Have you ever been curious about smoking tobacco in a hookah?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH ID: R04\_AH1206**

Do you think you will smoke tobacco in a hookah in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never smoked hookah or have not reported smoking hookah in the past 12 months.

**BOX ID: R04\_AHR08**

Adult respondents who have heard of but never smoked hookah, go to R04\_AH1104.  
Else, go to Box R04\_AHR48.

**PATH ID: R04\_AH1104**

Do you think you will try smoking tobacco in a hookah soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never smoked hookah.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR48**

Young adult respondents who have heard of but never smoked hookah, go to R04\_AH1205.  
Else, go to R04\_AH9031.

**PATH ID: R04\_AH1205**

If one of your best friends were to offer you a hookah, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH ID: R04\_AH9031**

Have you ever smoked marijuana from a hookah? (Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**PATH ID: R04\_AH9040**

Have you ever smoked herbal or tobacco-free shisha in a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AST01**

**Smokeless tobacco** is tobacco which you put in your mouth. Smokeless tobacco may be loose or it may be packaged in small pouches that you place under your lip. Frequently you chew, suck, or spit while using smokeless tobacco, although for some types you may not need to.

There are many different types of smokeless tobacco which go by lots of different names, so please use these descriptions and photos to understand what they are.

[SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO]

**BOX ID: R04\_AUT03**

**Snus** is a type of smokeless tobacco. Snus usually comes in small pouches, although some snus may be sold as loose snus. Typically, with most kinds of smokeless tobacco, you spit, but you do not need to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.

Please think about **snus** as you answer the following questions. There will be a separate section later about other types of smokeless tobacco products (such as dip, spit, chewing tobacco and smokeless tobacco pouches).

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

**BOX ID: R04\_AUR49**

New cohort adult respondents, go to R04\_AU1001\_RS.  
Else, go to R04\_AU1004.

**PATH ID: R04\_AU1004**

In the past 30 days, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

1 Yes

GO TO BOX R04\_AUR22

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used snus.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1002\_12M**

In the past 12 months, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not used snus in the past 30 days (excluding new cohort adult respondents who have not ever used snus).

**BOX ID: R04\_AUR22**

Adult respondents who have never used snus in all previous waves and did not use snus in the past 12 months or did not know or refused to report whether they used snus in the past 12 months, go to Box R04\_AUV03.

Else, adult respondents who were experimental former snus users in the previous wave and did not use snus in the past 12 months, go to Box R04\_AUV03.

Else, adult respondents were former snus users in the previous wave and did not use snus in the past 12 months, go to R04\_AU1010.

Else, adult respondents who have not used snus in the past 12 months, go to R04\_AU1009.

Else, go to R04\_AU1003.

**PATH ID: R04\_AU1003**

Do you now use snus...

- |    |            |                     |
|----|------------|---------------------|
| 1  | Every day  | GO TO BOX R04_AUV03 |
| 2  | Some days  | GO TO BOX R04_AUV03 |
| 3  | Not at all |                     |
| -8 | DON'T KNOW | GO TO BOX R04_AUV03 |
| -7 | REFUSED    | GO TO BOX R04_AUV03 |

ASK: Adult respondents who have used snus in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used snus.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1009</b>	
About how long has it been since you last used snus? (If it was earlier today, enter 1 day.)	
1  __ __  DAYS	
2  __ __  MONTHS	
3  __ __  YEARS	
-8 DON'T KNOW	GO TO R04_AU1010
-7 REFUSED	GO TO R04_AU1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current snus users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used snus, but did not use in the past 12 months.	

<b>PATH ID: R04_AU1009_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last used snus.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AU1009
2 NEXT	GO TO R04_AU1010
ASK: IF R04_AU1009_NN = 0.	
DISPLAY: IF R04_AU1009_UN = 1, DISPLAY "days".	
IF R04_AU1009_UN = 2, DISPLAY "months".	
IF R04_AU1009_UN = 3, DISPLAY "years".	

<b>PATH ID: R04_AU1009_LC2</b>	
The computer recorded that it has been [R04_AU1009_NN] years since you last used snus. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AU1009
2 NEXT	GO TO R04_AU1010
ASK: IF (R04_AU1009_NN > R04_ACHIEVEDAGE) AND R04_AU1009_UN = 3.	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1010</b>
Have you completely quit using snus?  1    Yes 2    No 3    I have never used snus in my entire life, not even one or two times -8   DON'T KNOW -7   REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use snus not at all; and adult respondents who have ever used snus, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave). DISPLAY: DISPLAY OPTION 3 IF R03_SNUS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AUV03</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_EVER_NEVER_SNUS = 1 (Ever user)</b> Adult respondents who have ever used snus and did not recant prior use. <b>R04_EVER_NEVER_SNUS = 2 (Never user)</b> Adult respondents who have not ever used snus. <b>R04_INIT_SNUS_ADULT = 1 (Initiator)</b> Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR06</b>
New cohort adult respondents who did not say they have heard of snus, go to Box R04_AST03. Else, young adult respondents who have heard of but never used snus, go to R04_AU1103. Else, young adult respondents who heard of but never used snus or have not used snus in the past 12 months, go to R04_AU1206. Else, go to Box R04_AUR24.

<b>PATH ID:</b> <b>R04_AU1103</b>
Have you ever been curious about using snus?  1    Very curious 2    Somewhat curious 3    A little curious 4    Not at all curious -8   DON'T KNOW -7   REFUSED
ASK: Young adult respondents who have heard of but never used snus.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1206**

Do you think you will use snus in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used snus or have not reported using snus in the past 12 months.

**BOX ID: R04\_AUR24**

Adult respondents who have heard of but never used snus, go to R04\_AU1104.  
Else, go to Box R04\_AUR48.

**PATH ID: R04\_AU1104**

Do you think you will try snus soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used snus.

**BOX ID: R04\_AUR48**

Young adult respondents who have heard of but never used snus, go to R04\_AU1205.  
Else, go to Box R04\_AST03.

**PATH ID: R04\_AU1205**

If one of your best friends were to offer you snus, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used snus.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AST03**

The next questions are about **smokeless tobacco** other than snus.

Smokeless tobacco is a type of tobacco which you put in your mouth and chew, suck, or spit. It may be loose or packaged in small pouches that you can place directly in your mouth. There are many kinds of smokeless tobacco, such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman, and Levi Garrett.

Please do **not** include snus when answering the following questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR49**

New cohort adult respondents, go to R04\_AS1001\_RS.

Else, go to R04\_AS1004.

**PATH ID: R04\_AS1004**

In the past 30 days, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        | GO TO BOX R04_ASR29 |
| 2  | No         |                     |
| -8 | DON'T KNOW |                     |
| -7 | REFUSED    |                     |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used smokeless tobacco.

**PATH ID: R04\_AS1002\_12M**

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- |    |            |
|----|------------|
| 1  | Yes        |
| 2  | No         |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Adult respondents who have not used smokeless tobacco in the past 30 days (excluding new cohort adult respondents who have not ever used smokeless tobacco).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR29**

Adult respondents who have never used smokeless tobacco in previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04\_ASV03.

Else, adult respondents who were experimental former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to Box R04\_ASV03.

Else, adult respondents who were former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to R04\_AS1010.

Else, adult respondents who have not used smokeless tobacco in the past 12 months, go to R04\_AS1009.

Else, go to R04\_AS1003.

**PATH ID: R04\_AS1003**

Do you now use smokeless tobacco...

- |    |            |                     |
|----|------------|---------------------|
| 1  | Every day  | GO TO BOX R04_ASV03 |
| 2  | Some days  | GO TO BOX R04_ASV03 |
| 3  | Not at all |                     |
| -8 | DON'T KNOW | GO TO BOX R04_ASV03 |
| -7 | REFUSED    | GO TO BOX R04_ASV03 |

ASK: Adult respondents who have used smokeless tobacco in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used smokeless tobacco.

**PATH ID: R04\_AS1009**

About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)

- |    |               |                  |
|----|---------------|------------------|
| 1  | _ _ _  DAYS   |                  |
| 2  | _ _ _  MONTHS |                  |
| 3  | _ _ _  YEARS  |                  |
| -8 | DON'T KNOW    | GO TO R04_AS1010 |
| -7 | REFUSED       | GO TO R04_AS1010 |

ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current smokeless tobacco users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1009_LC1</b>	
The computer recorded that it has been "0" [days/months/years] since you last used smokeless tobacco.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1009
2 NEXT	GO TO R04_AS1010
ASK: IF R04_AS1009_NN = 0.	
DISPLAY: IF R04_AS1009_UN = 1, DISPLAY "days".	
IF R04_AS1009_UN = 2, DISPLAY "months".	
IF R04_AS1009_UN = 3, DISPLAY "years".	

<b>PATH ID: R04_AS1009_LC2</b>	
The computer recorded that it has been [R04_AS1009_NN] years since you last used smokeless tobacco. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1009
2 NEXT	GO TO R04_AS1010
ASK: IF (R04_AS1009_NN > R04_ACHIEVEDAGE) AND R04_AS1009_UN = 3.	

<b>PATH ID: R04_AS1010</b>	
Have you completely quit using smokeless tobacco?	
1 Yes	
2 No	
3 I have never used smokeless tobacco in my entire life, not even one or two times	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who used in the past 12 months, but currently use smokeless tobacco not at all; and adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).	
DISPLAY: DISPLAY OPTION 3 IF R03_SMKLS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ASV03</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_SMKLS = 1 (Ever user)</b> Adult respondents who have ever used smokeless tobacco and did not recant prior use.
<b>R04_EVER_NEVER_SMKLS = 2 (Never user)</b> Adult respondents who have not ever used smokeless tobacco.
<b>R04_INIT_USER_SMKLS = 1 (Initiator)</b> Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco.

<b>BOX ID:</b> <b>R04_ASR06</b>
New cohort adult respondents who did not say they have heard of smokeless tobacco, go to Box R04_ADT01.
Else, young adult respondents who have heard of but never used smokeless tobacco, go to R04_AS1103.
Else, young adult respondents who have heard of but not used smokeless tobacco in the past 12 months, go to R04_AS1206.
Else, go to Box R04_ASR24.

<b>PATH ID:</b> <b>R04_AS1103</b>
Have you ever been curious about using smokeless tobacco?
1 Very curious
2 Somewhat curious
3 A little curious
4 Not at all curious
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents who have heard of but never used smokeless tobacco.

<b>PATH ID:</b> <b>R04_AS1206</b>
Do you think you will use smokeless tobacco in the next year?
1 Definitely yes
2 Probably yes
3 Probably not
4 Definitely not
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents who have heard of but never used smokeless tobacco or have not reported using smokeless tobacco in the past 12 months.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR24**

Adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1104.  
Else, go to Box R04\_ASR48.

**PATH ID: R04\_AS1104**

Do you think you will try smokeless tobacco soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used smokeless tobacco.

**BOX ID: R04\_ASR48**

Young adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1205.  
Else, go to Box R04\_ADT01.

**PATH ID: R04\_AS1205**

If one of your best friends were to offer you smokeless tobacco, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco.

**BOX ID: R04\_ADT01**

The next question asks about another type of tobacco called **dissolvable tobacco**. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks or Strips.

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ADR01**

New cohort adult respondents, go to R04\_AD1001\_RS.  
Else, go to R04\_AD1002\_12M.

**PATH ID: R04\_AD1002\_12M**

In the past 12 months, have you used dissolvable tobacco, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used dissolvable tobacco.

**BOX ID: R04\_ADV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_DISSBL = 1 (Ever user)** Adult respondents who have ever used dissolvable tobacco.

**R04\_EVER\_NEVER\_DISSBL = 2 (Never user)** Adult respondents who have not ever used dissolvable tobacco.

**BOX ID: R04\_AXR124**

New cohort adult respondents, go to R04\_TOBCONF.  
Else, aged-up and continuing adult respondents, go to R04\_AZ1002.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AZ1002</b>
<p>You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco and dissolvable tobacco.</p> <p>Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill.</p> <ul style="list-style-type: none"><li>1 Yes (SPECIFY)</li><li>2 No</li><li>-8 DON'T KNOW</li><li>-7 REFUSED</li></ul> <p>ASK: All adult respondents.</p> <p>DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."</p>

<b>BOX ID:</b> <b>R04_AXR125</b>
<p>New cohort adult respondents, go to R04_GATE.</p> <p>Else, aged-up and continuing adult respondents, go to next section.</p>

<b>BOX ID:</b> <b>R04_AXR01</b>
<p>PROGRAM: <b>Run second stage sampling algorithm for new cohort adult respondents only.</b></p> <p>New cohort adult respondents that are not sampled and thus screened out of the PATH Study, go to R04_AL3002_RS.</p> <p>Else, sampled new cohort adult respondents and all other adult respondents will then be routed through the remainder of the questionnaire as follows:</p> <p>For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.</p> <p>For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.</p>

<b>BOX ID:</b> <b>R04_AXV11</b>
<p>PROGRAM: SET DISPOSITION CODES</p> <p>New cohort adult respondents that are screened out after the Phase 2 Screener, set disposition code to CPX.</p> <p>New cohort adult respondents that report active military duty, set disposition code to CAM.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**CIGARETTE**

**BOX ID: R04\_ACR13**

Aged-up and continuing adult respondents who were a former user, had smoked 100 or more cigarettes and had smoked fairly regularly as of the previous wave; and at the current wave has not smoked in the past 12 months or now smokes not at all, go to Box R04\_ACV01.

Else, go to Box R04\_ACT01.

**BOX ID: R04\_ACT01**

The next questions ask about your experience with **cigarettes**.

**BOX ID: R04\_ACR11**

New cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1006\_RS.

Else, aged-up and continuing adult respondents who had not smoked 100 or more cigarettes as of the previous wave, go to R04\_AC1005.

Else, aged-up and continuing adult respondents who had never smoked fairly regularly as of the previous wave, go to R04\_AC1100.

Else, go to Box R04\_ACV01.

**PATH ID: R04\_AC1005**

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

- 1 1 or more puffs but never a whole cigarette
- 2 1 to 10 cigarettes (about ½ pack total)
- 3 11 to 20 cigarettes (about ½ pack to 1 pack)
- 4 21 to 50 cigarettes (more than 1 pack but less than 3 packs)
- 5 51 to 99 cigarettes (more than 2 ½ packs but less than 5 packs)
- 6 100 or more cigarettes (5 packs or more)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes in the previous wave, and new cohort adult respondents who have ever smoked a cigarette.

**BOX ID: R04\_ACR53**

Aged-up and continuing adult respondents who have smoked 100 or more cigarettes in their lifetime and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked 100 or more cigarettes, go to R04\_AC1100.

Else, go to Box R04\_ACV01.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1100**

Have you ever smoked cigarettes fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have smoked 100 or more cigarettes in their lifetime and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked 100 or more cigarettes.

**BOX ID: R04\_ACR19**

New baseline respondents that have ever smoked fairly regularly, but had never smoked fairly regularly in the previous wave, go to R04\_AC1007\_NB.

Else, go to Box R04\_ACV01.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_CIG\_USER\_STATUS = 1 (Current user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke every day or some days.

**R04\_CIG\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a cigarette and have not smoked more than 100 cigarettes in lifetime, and now smoke every day or some days.

**R04\_CIG\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a cigarette and have not smoked more than 100 cigarettes in lifetime, and did not smoke in the past 12 months or now smokes not at all.

**R04\_CIG\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former cigarette smokers at the previous wave and aged-up adult respondents who ever smoked cigarettes at the previous wave, who have ever smoked cigarettes fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since the previous wave, who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_CIG\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former cigarette smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a cigarette and have smoked at least 100 cigarettes in their entire life, who did not smoke in the past 12 months.

**R04\_CURRENT\_CIG\_USE = 1 (Every day user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke every day.

**R04\_CURRENT\_CIG\_USE = 2 (Some day user)** Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1** Adult respondents who are experimental former, recent former, or long-term former cigarette smokers who smoked in the past 30 days.

**BOX ID: R04\_ACR01**

New baseline respondents that are every day cigarette smokers, go to R04\_AC1020\_NB.

Else, aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1008.

Else, go to Box R04\_ACR42.

**BOX ID: R04\_ACR21**

Aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1008.

Else, go to Box R04\_ACR22.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1008</b>
When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol or mint?
1    Yes
2    No
3    I don't know
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette.

<b>BOX ID:</b> <b>R04_ACR22</b>
Aged-up and continuing young adult adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette, go to R04_AC9904.
Else, go to Box R04_ACR42.

<b>PATH ID:</b> <b>R04_AC9904</b>
How much did you experience <u>pleasant</u> sensations the first time you smoked a cigarette?
1    Not at all
2    A little
3    Somewhat
4    A lot
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.
DISPLAY: UNDERLINE "pleasant" IN THE QUESTION TEXT.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9905</b>
How much did you experience <u>unpleasant</u> sensations the first time you smoked a cigarette?
1    Not at all
2    A little
3    Somewhat
4    A lot
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette. DISPLAY: UNDERLINE "unpleasant" IN THE QUESTION TEXT.

<b>PATH ID:</b> <b>R04_AC9906</b>
How much did you feel sick to your stomach the first time you smoked a cigarette?
1    Not at all
2    A little
3    Somewhat
4    A lot
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.

<b>BOX ID:</b> <b>R04_ACR42</b>
Aged-up and continuing adult respondents who have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who have ever smoked cigarettes fairly regularly, go to R04_AC9002. Else, go to Box R04_ACR23.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9002</b>	
About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.	
1  __ __  Months	
2  __ __  Years	
-8 DON'T KNOW	GO TO BOX R04_ACR23
-7 REFUSED	GO TO BOX R04_ACR23
ASK: Aged-up and continuing adult respondents who have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who have ever smoked cigarettes fairly regularly.	
DISPLAY: IF R04_CIG_USER_STATUS = 1, DISPLAY "have you been smoking". ELSE, DISPLAY "did you smoke".	

<b>PATH ID: R04_AC9002_LC1</b>	
The computer recorded that you have smoked fairly regularly for [R04_AC9002] years. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC9002
2 NEXT	GO TO R04_AC9002_LC2
ASK: IF R04_AC9002_NN > R04_ACHIEVEDAGE AND R04_AC9002_UN = 2.	

<b>PATH ID: R04_AC9002_LC2</b>	
The computer recorded that you entered [R04_AC9002] years. This question is about how long you have been smoking fairly regularly, not when you started.	
Please double check the number of years you entered.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC9002
2 NEXT	GO TO BOX R04_ACR23
ASK: IF (R04_AC9002_UN = 2 AND R04_AC9002_NN > (R04_ACHIEVEDAGE - 10)) OR (R04_AC9002_NN > 60 AND R04_AC9002_UN = 2).	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR23**

Aged-up and continuing adult respondents who are recent former cigarette smokers that have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who are former cigarette smokers who have ever smoked cigarettes fairly regularly, go to R04\_AC9003.

Else, go to Box R04\_ACR51.

**PATH ID: R04\_AC9003**

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly? A pack usually has 20 cigarettes in it.

1 |\_\_|\_\_| Cigarettes per day

2 |\_\_|\_\_| Packs per day

-8 DON'T KNOW

GO TO BOX R04\_ACR51

-7 REFUSED

GO TO BOX R04\_ACR51

ASK: Aged-up and continuing adult respondents who are recent former cigarette smokers that have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who are former cigarette smokers who have ever smoked cigarettes fairly regularly,

**PATH ID: R04\_AC9003\_LC1**

The computer recorded that on average you smoked [R04\_AC9003] [cigarettes/packs] a day while you were smoking regularly.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC9003

2 NEXT

GO TO BOX R04\_ACR51

ASK: IF (R04\_AC9003\_NN > 40 AND R04\_AC9003\_UN = 1) OR R04\_AC9003\_NN = 11, 22, 33 OR (R04\_AC9003\_NN > 2 AND R04\_AC9003\_UN = 2).

DISPLAY: IF R04\_AC9003\_UN = 1, DISPLAY "cigarettes". IF R04\_AC9003\_UN = 2, DISPLAY "packs".

**BOX ID: R04\_ACR51**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers, go to R04\_AC1025\_RS.

Else, go to Box R04\_ACR04.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR04**

Every day cigarette smokers, go to R04\_AC1021.  
Some day and experimental current cigarette smokers, and former or experimental former cigarette smokers who have smoked in the past 30 days, go to R04\_AC1022.  
Else, if recent former smoker, go to R04\_AC1047MC.  
Else, if experimental former or long-term former smoker, go to next section.

**PATH ID: R04\_AC1021**

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

1 |\_\_|\_\_| Cigarettes per day  
2 |\_\_|\_\_| Packs per day  
-8 DON'T KNOW GO TO R04\_AC1090  
-7 REFUSED GO TO R04\_AC1090

ASK: Every day cigarette smokers.

**PATH ID: R04\_AC1021\_LC1**

The computer recorded that you now smoke [R04\_AC1021] [cigarettes/packs] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AC1021  
2 NEXT GO TO BOX R04\_ACV03

ASK: IF (R04\_AC1021\_NN > 40 AND R04\_AC1021\_UN = 1) OR R04\_AC1021\_NN = 11, 22, 33 OR (R04\_AC1021\_NN > 2 AND R04\_AC1021\_UN = 2).  
DISPLAY: IF R04\_AC1021 REPORTED IN CIGARETTES, DISPLAY "cigarettes".  
ELSE, IF R04\_AC1021 REPORTED IN PACKS, DISPLAY "packs".

**PATH ID: R04\_AC1090**

Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day?

1 More than 20 cigarettes each day GO TO BOX R04\_ACV03  
2 About 20 cigarettes each day GO TO BOX R04\_ACV03  
3 Less than 20 cigarettes each day GO TO BOX R04\_ACV03  
-8 DON'T KNOW GO TO BOX R04\_ACV03  
-7 REFUSED GO TO BOX R04\_ACV03

ASK: Every day cigarette smokers who did not know or refused to report how many cigarettes they smoke each day.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1022</b>
<p>On how many of the past 30 days did you smoke cigarettes?</p> <p style="margin-left: 40px;">1  __ __  DAYS</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Some day and experimental current cigarette smokers who have smoked in the past 30 days, and former 30 day cigarette smokers.</p> <p>DISPLAY: DISPLAY 'DAYS' AS TITLE.</p>

<b>BOX ID: R04_ACR25</b>
<p>If respondent enters "0" for R04_AC1022 and is a some day or experimental current user of cigarettes, go to R04_AC9029.</p> <p>Else, if respondent enters "0" for R04_AC1022 and is a former 30 day user of cigarettes, go to Box R04_ACV03.</p> <p>Else, go to R04_AC1023.</p>

<b>PATH ID: R04_AC9029</b>
<p>About how long has it been since you last smoked a cigarette?</p> <p style="margin-left: 40px;">1  __ __  DAYS</p> <p style="margin-left: 40px;">2  __ __  MONTHS</p> <p style="margin-left: 40px;">3  __ __  YEARS</p> <p style="margin-left: 40px;">-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ACV03</span></p> <p style="margin-left: 40px;">-7 REFUSED <span style="float: right;">GO TO BOX R04_ACV03</span></p> <p>ASK: Some day and experimental current cigarette smokers who have not smoked in the past 30 days.</p>

<b>PATH ID: R04_AC9029_LC1</b>
<p>The computer recorded that you last smoked a cigarette [R04_AC9029] [days/months/years] ago.</p> <p>If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.</p> <p style="margin-left: 40px;">1 BACK <span style="float: right;">GO TO R04_AC9029</span></p> <p style="margin-left: 40px;">2 NEXT <span style="float: right;">GO TO BOX R04_ACV03</span></p> <p>ASK: IF (R04_AC9029_NN &lt; 30 AND R04_AC9029_UN = 1) OR (R04_AC9029_NN &lt; 1 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN &gt; 18 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN &gt; (R04_ACHIEVEDAGE - 10) AND R04_AC9029 = 3).</p> <p>DISPLAY: IF R04_AC9029_UN = 1, DISPLAY "days".</p> <p>ELSE, IF R04_AC9029_UN = 2, DISPLAY "months".</p> <p>ELSE, IF R04_AC9029_UN = 3, DISPLAY "years".</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1023</b>	
On average, on those [FILL NUMBER OF DAYS FROM R04_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.	
1  __ __  Cigarettes per day	
2  __ __  Packs per day	
-8 DON'T KNOW	GO TO BOX R04_ACV03
-7 REFUSED	GO TO BOX R04_ACV03
ASK: Some day, experimental current, and former thirty day cigarette smokers who have smoked at least one day in past 30 days.	
DISPLAY: IF R04_AC1022 = 1, -8, -7, DISPLAY "days you smoked".	
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AC1022 AND "days" (EX. "2 days").	

<b>PATH ID: R04_AC1023_LC1</b>	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AC1023] [cigarettes/packs] a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1023
2 NEXT	GO TO BOX R04_ACV03
ASK: IF (R04_AC1023_NN > 40 AND R04_AC1023_UN = 1) OR R04_AC1023_NN = 0, 11, 22, 33 OR (R04_AC1023_NN > 2 AND R04_AC1023_UN = 2).	
DISPLAY: IF R04_AC1023_UN = 1, DISPLAY "cigarettes".	
IF R04_AC1023_UN = 2, DISPLAY "packs".	

<b>BOX ID: R04_ACV03</b>	
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
<b>R04_CIGSPERDAY</b> = Number of cigarettes smoked per day.	
<b>R04_PCKSPERDAY</b> = Number of packs smoked per day.	
<b>R04_CIGSPERDAY2</b> = Estimate of cigarettes smoked per day when actual number is DK/RF.	

<b>BOX ID: R04_ACR05</b>	
New baseline and initiating current cigarette smokers who have ever smoked fairly regularly and provided the number of cigarettes/packs smoked per day, go to R04_AC9004.	
Else, new baseline and initiating every day cigarette smokers who have ever smoked fairly regularly and provided the average number of cigarettes per day, go to R04_AC9009.	
Else, go to Box R04_ACR41.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9004</b>	
You mentioned that you smoke [#] [[cigarette[s]/pack[s]] per day[ on the days that you smoke]. Have you smoked about this many [cigarettes/packs] per day since you started smoking fairly regularly?	
1 Yes	GO TO BOX R04_ACR41
2 No	GO TO R04_AC9005
-8 DON'T KNOW	GO TO R04_AC9005
-7 REFUSED	GO TO R04_AC9005
ASK: New baseline and initiating current cigarette smokers who have ever smoked fairly regularly and provided the number of cigarettes/packs smoked per day.	
DISPLAY: AUTOFILL [#] WITH R04_CIGSPERDAY OR R04_PCKSPERDAY.	
IF R04_CIGSPERDAY = 1, DISPLAY "cigarette".	
IF R04_CIGSPERDAY > 1, DISPLAY "cigarettes".	
IF R04_PCKSPERDAY = 1, DISPLAY "pack".	
IF R04_PCKSPERDAY > 1, DISPLAY "packs".	
IF R04_CURRENT_CIG_USE = 2, DISPLAY " on the days that you smoke".	
ELSE, DO NOT DISPLAY THIS TEXT	

<b>PATH ID: R04_AC9009</b>	
You mentioned that you smoke [R04_CIGSPERDAY2]. Have you smoked about this many cigarettes per day since you started smoking fairly regularly?	
1 Yes	GO TO BOX R04_ACR41
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline and initiating every day cigarette smokers who have ever smoked fairly regularly and reported an average number of cigarettes smoked per day.	
DISPLAY: IF R04_AC1090 = 1, FILL R04_CIGSPERDAY2 WITH "more than 20 cigarettes each day".	
IF R04_AC1090 = 2, FILL WITH "about 20 cigarettes each day". IF R04_AC1090 = 3, FILL WITH "less than 20 cigarettes each day".	

<b>PATH ID: R04_AC9005</b>	
On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?	
1  __ __  Cigarettes per day	
2  __ __  Packs per day	
-8 DON'T KNOW	GO TO BOX R04_ACR41
-7 REFUSED	GO TO BOX R04_ACR41
ASK: New baseline and initiating every day cigarette smokers who report smoking a different amount now than in the past.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9005\_LC1**

The computer recorded that, when you smoked regularly in the past, you smoked [R04\_AC9005\_NN] [cigarettes/packs] a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC9005    |
| 2 | NEXT | GO TO BOX R04_ACR41 |

ASK: IF (R04\_AC9005\_NN > 40 AND R04\_AC9005\_UN = 1) OR (R04\_AC9005\_NN = 11, 22, 33 AND R04\_AC9005\_UN = 1) OR (R04\_AC9005\_NN > 2 AND R04\_AC9005\_UN = 2).

DISPLAY: IF R04\_AC9005\_UN = 1, DISPLAY "cigarettes".

ELSE, IF R04\_AC9005\_UN = 2, DISPLAY "packs".

**BOX ID: R04\_ACR41**

Current and experimental current cigarette smokers, go to R04\_AC9022.

Else, former 30 day cigarette smokers, go to R04\_AC1024\_30D.

Else, go to the next section.

**PATH ID: R04\_AC9022**

Do you consider yourself a smoker?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9045**

Please rate your level of agreement using the following scale: 1 = Not at all to 7 = Extremely.

Do you enjoy the sensation in your throat and chest when you smoke a cigarette?

- 1 Not at all
- 2
- 3
- 4
- 5
- 6
- 7 Extremely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers.

**PATH ID: R04\_AC1024**

[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

- 1 |\_\_|\_\_| Minutes after waking
- 2 |\_\_|\_\_| Hours after waking
- 8 DON'T KNOW GO TO R04\_AC1092
- 7 REFUSED GO TO R04\_AC1092

ASK: Current and experimental current cigarette smokers.

DISPLAY: IF R04\_CURRENT\_CIG\_USE = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke, how".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1024_LC1</b>	
The computer recorded that you typically smoke your first cigarette of the day [R04_AC1024_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1024
2 NEXT	GO TO R04_AC9052
ASK: IF [R04_CURRENT_CIG_USE = 1 AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 4 AND R04_AC1024_UN = 2))] OR [(R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 12 AND R04_AC1024_UN = 2))].	
DISPLAY: IF R04_AC1024_UN = 2, DISPLAY "hours".	
ELSE, IF R04_AC1024_UN = 1, DISPLAY "minutes".	

<b>PATH ID: R04_AC1024_LC2</b>	
The computer recorded "0" for how soon you typically smoke your first cigarette of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1024
2 NEXT	GO TO R04_AC9052
ASK: IF R04_AC1024_NN = 0.	

<b>PATH ID: R04_AC1092</b>	
[On the days that you smoke, would/Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO R04_AC9052
2 No	GO TO R04_AC9052
3 It varies	GO TO R04_AC9052
-8 DON'T KNOW	GO TO R04_AC9052
-7 REFUSED	GO TO R04_AC9052
ASK: Current and experimental current cigarette smokers who did not know or refused to report how soon they smoke a cigarette after waking up.	
DISPLAY: IF R04_CURRENT_CIG_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you smoke, would".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1024\_30D**

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

1 |\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AC1092\_30D

-7 REFUSED

GO TO R04\_AC1092\_30D

ASK: Former 30 day cigarette smokers.

**PATH ID: R04\_AC1024\_30D\_LC1**

The computer recorded that you typically smoked your first cigarette of the day [R04\_AC1024\_30D\_NN] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1024\_30D

2 NEXT

GO TO R04\_AC9048

ASK: IF (R04\_AC1024\_30D\_NN > 60 AND R04\_AC1024\_30D\_UN = 1) OR (R04\_AC1024\_30D\_NN > 12 AND R04\_AC1024\_30D\_UN = 2).

DISPLAY: IF R04\_AC1024\_30D\_UN = 2, DISPLAY "hours".

ELSE, IF R04\_AC1024\_30D\_UN = 1, DISPLAY "minutes".

**PATH ID: R04\_AC1024\_30D\_LC2**

The computer recorded "0" for how soon you typically smoked your first cigarette of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1024\_30D

2 NEXT

GO TO R04\_AC9048

ASK: IF R04\_AC1024\_30D\_NN = 0.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1092_30D</b>	
On the days that you smoked, would you say you smoked your first cigarette of the day within the first 30 minutes after you woke up?	
1 Yes	GO TO R04_AC9048
2 No	GO TO R04_AC9048
3 It varies	GO TO R04_AC9048
-8 DON'T KNOW	GO TO R04_AC9048
-7 REFUSED	GO TO R04_AC9048
ASK: Former 30 day cigarette smokers who did not know or refused to report how soon they smoked a cigarette after waking up.	

<b>PATH ID:</b> <b>R04_AC9052</b>	
Which cigarette would you hate most to give up?	
1 The first one in the morning	
2 All others	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

<b>PATH ID:</b> <b>R04_AC9053</b>	
Do you smoke more frequently during the first hours after waking than during the rest of the day?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

<b>PATH ID:</b> <b>R04_AC9054</b>	
Do you smoke if you are so ill that you are in bed most of the day?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and experimental current cigarette smokers.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9048**

When you [smoke/smoked] cigarettes, [do/did] you usually smoke manufactured cigarettes or [do/did] you smoke roll-your-own cigarettes?

- 1 Manufactured cigarettes
- 2 Roll-your-own cigarettes
- 3 Both manufactured and roll-your-own cigarettes
- 4 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "smoke", "do", AND "do".

ELSE, IF R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1, DISPLAY "smoked", "did", AND "did".

**BOX ID: R04\_ACR36**

If respondent usually smokes both manufactured and roll-your-own cigarettes, create and repeat R04\_AC0100[MC/R Y] to R04\_AC1051[MC/R Y] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second.

If R04\_AC9048 = 1, 4, -8, -7, loop through R04\_AC0100MC to R04\_AC1051MC only once, following the display instructions for manufactured cigarettes.

If R04\_AC9048 = 2, loop through R04\_AC0100RY to R04\_AC1051RY only once, following the display instructions for roll-your-own cigarettes.

**BOX ID: R04\_ACR45**

Adult respondents who did not smoke cigarettes in the past 30 days, go to R04\_AC1030[MC/R Y].  
Else, go to R04\_AC0100[MC/R Y].

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC0100</b>	
When did you last smoke a [cigarette/roll-your-own cigarette]?	
1 In the past hour	GO TO R04_AC0103[MC/R Y]
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R04_AC1130[MC/R Y]
-8 DON'T KNOW	GO TO R04_AC1130[MC/R Y]
-7 REFUSED	GO TO R04_AC1130[MC/R Y]
ASK: Adult respondents who have smoked a cigarette in the past 30 days.	
DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette".	
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME.	
ELSE, DISPLAY "cigarette".	

<b>PATH ID: R04_AC0102</b>	
When you last smoked a [cigarette/roll-your-own cigarette] [FILL BASED ON R04_AC0100[MC/R Y]], was it...	
1 Between midnight and 6AM	
2 After 6AM but before noon	
3 Between noon and 6PM	
4 After 6PM but before midnight	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have smoked a cigarette today, yesterday or the day before yesterday, but not in the past hour.	
DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME. ELSE, DISPLAY "cigarette".	
FOR [FILL BASED ON R04_AC0100]:	
IF R04_AC0100[MC/R Y] = 2, DISPLAY "today".	
IF R04_AC0100[MC/R Y] = 3, DISPLAY "yesterday".	
IF R04_AC0100[MC/R Y] = 4, DISPLAY "the day before yesterday".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC0103**

How many [cigarettes/roll-your-own cigarettes] [have/did] you [smoked/smoke] [FILL BASED ON R04\_AC0100]? [A pack usually has 20 cigarettes in it.]

1 |\_\_|\_\_|\_\_| Number of cigarettes

-8 DON'T KNOW

GO TO R04\_AC1130[MC/R Y]

-7 REFUSED

GO TO R04\_AC1130[MC/R Y]

ASK: Adult respondents who have smoked a cigarette in the past hour, today, yesterday or the day before yesterday.

DISPLAY: DISPLAY "Number of cigarettes" AS A TITLE.

IF R04\_AC9048 = 1, 4, -8, -7, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it."

ELSE, IF R04\_AC9048 = 2, DISPLAY "roll-your-own cigarettes".

ELSE, IF R04\_AC9048 = 3, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it." THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarettes" THE SECOND TIME.

IF R04\_AC0100[MC/R Y] = 1, 2, DISPLAY "have" AND "smoked".

IF R04\_AC0100[MC/R Y] = 3, 4, DISPLAY, "did" AND "smoke".

FOR [FILL BASED ON R04\_AC0100]:

IF R04\_AC0100[MC/R Y] = 1, 2, DISPLAY "today".

IF R04\_AC0100[MC/R Y] = 3, DISPLAY "yesterday".

IF R04\_AC0100[MC/R Y] = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AC0103\_LC1**

The computer recorded that you smoked [R04\_AC0103] cigarettes [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC0103[MC/R Y]

2 NEXT

GO TO R04\_AC1130[MC/R Y]

ASK: IF R04\_AC0103[MC/R Y]\_NN > 60 OR R04\_AC0103[MC/R Y]\_NN = 11, 22, 33, 44, 55.

DISPLAY: IF R04\_AC0100[MC/R Y] = 1, 2, DISPLAY "today".

IF R04\_AC0100[MC/R Y] = 3, DISPLAY "yesterday".

IF R04\_AC0100[MC/R Y] = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1130**

In the past 30 days, [were any of the cigarettes/was any of the roll-your-own cigarette tobacco] you smoked flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarette in the past 30 days.

DISPLAY: IF R04\_AC9048 = 2, DISPLAY "was any of the roll-your-own cigarette tobacco". ELSE, IF R04\_AC9048 = 3, DISPLAY "were any of the cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "was any of the roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "were any of the cigarettes".

**PATH ID: R04\_AC1030**

The next questions ask about your experience buying cigarettes.

How [do/did] you usually buy [cigarettes/a pouch of roll-your-own cigarette tobacco] for yourself?

- 1 In person
- 2 From the internet GO TO BOX R04\_ACR07
- 3 By telephone GO TO BOX R04\_ACR07
- 4 I do not buy my own [cigarettes/cigarette tobacco] GO TO BOX R04\_ACR07
- 8 DON'T KNOW GO TO BOX R04\_ACR07
- 7 REFUSED GO TO BOX R04\_ACR07

ASK: Current, experimental current, and former 30 day cigarette smokers.

DISPLAY: IF R04\_AC9048 = 2, DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4.

ELSE, IF R04\_AC9048 = 3, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4 THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4 THE SECOND TIME.

ELSE, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4.

IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1032</b>
[Do/Did] you usually buy [cigarettes/roll-your-own cigarette tobacco]...?  1    In your own state 2    In another state 3    Outside the US -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, and former 30 day cigarette smokers who usually buy cigarettes in person. DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes". IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "Do". ELSE, DISPLAY "Did".

<b>PATH ID:</b> <b>R04_AC1033</b>
Where [do/did] you buy your [cigarettes/roll-your-own cigarette tobacco] most of the time?  1    A convenience store or gas station 2    A supermarket, grocery store, or drug store 3    A warehouse club, such as Sam's or Costco 4    A smoke shop, tobacco specialty store or tobacco outlet store 5    A duty free shop or military commissary 6    A bar, pub, restaurant or casino 7    A friend or relative 8    A swap meet or flea market 9    A store on an Indian reservation 10   A liquor store 11   Or from somewhere else (SPECIFY) -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, and former 30 day cigarette smokers who usually buy cigarettes in person. DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes". IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR07**

Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarette tobacco and usually buy in person, over the telephone or internet, go to R04\_AC9049.  
 Else, current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes and usually buy in person, over the telephone or internet, go to R04\_AC1039.  
 Else, go to R04\_AC1047[MC/RV].

**PATH ID: R04\_AC9049**

How much do you usually pay for a pouch of roll-your-own cigarette tobacco?

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents  
 -8 DON'T KNOW GO TO R04\_AC1047RY  
 -7 REFUSED GO TO R04\_AC1047RY

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarette tobacco and usually buy in person, over the telephone or internet.  
 DISPLAY: DISPLAY"\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH ID: R04\_AC9049\_LC1**

The computer recorded that you usually pay \$[R04\_AC9049\_D].[R04\_AC9049\_C] for a pouch of roll-your-own cigarette tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AC9049RY  
 2 NEXT GO TO R04\_AC1047RY

ASK: IF R04\_AC9049\_D > 30.

**PATH ID: R04\_AC1039**

Do you usually buy cigarettes by the carton, pack or as single cigarettes?

1 Carton  
 2 Pack GO TO R04\_AC1042MC  
 3 Single cigarettes GO TO R04\_AC1043MC  
 -8 DON'T KNOW GO TO R04\_AC1047MC  
 -7 REFUSED GO TO R04\_AC1047MC

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes and usually buy in person, over the telephone or internet.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1040</b>	
How many packs of cigarettes are in the carton you usually buy?	
1  __ __	
-8 DON'T KNOW	GO TO R04_AC1041MC
-7 REFUSED	GO TO R04_AC1041MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the carton.	

<b>PATH ID: R04_AC1040_LC1</b>	
A carton of cigarettes usually has 10 packs in it, but not always. The computer recorded that there [is R04_AC1040 pack/are R04_AC1040 packs] of cigarettes in the carton you usually buy.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1040
2 NEXT	GO TO R04_AC1041
ASK: IF R04_AC1040 != 10.	
DISPLAY: IF R04_AC1040 = 1, DISPLAY "is [R04_AC1040] pack".	
ELSE, DISPLAY "are [R04_AC1040] packs".	

<b>PATH ID: R04_AC1041</b>	
How much do you usually pay for a carton of cigarettes?	
1 \$  __ __ __  Dollars .  __ __  Cents	
-8 DON'T KNOW	GO TO R04_AC1047MC
-7 REFUSED	GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the carton.	
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.	

<b>PATH ID: R04_AC1041_LC1</b>	
The computer recorded that you usually pay \$[R04_AC1041_D].[R04_AC1041_C] for a carton of cigarettes. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1041
2 NEXT	GO TO R04_AC1047MC
ASK: IF R04_AC1041_D > 125 OR (R04_AC1041_D = 125 AND R04_AC1041_C > 00) OR R04_AC1041_D < 25.	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1042</b>
How much do you usually pay for a pack of cigarettes?
1 \$  __ __ __  Dollars .  __ __  Cents
-8 DON'T KNOW GO TO R04_AC1047MC
-7 REFUSED GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the pack.
DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles.

<b>PATH ID: R04_AC1042_LC1</b>
The computer recorded that you paid \$[R04_AC1042_D].[R04_AC1042_C] for a pack of cigarettes. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AC1042
2 NEXT GO TO R04_AC1047MC
ASK: IF R04_AC1042_D > 15 OR (R04_AC1042_D = 15 AND R04_AC1042_C > 00) OR R04_AC1042_D < 3 OR (R04_AC1042_D = 3 AND R04_AC1042_C < 99).

<b>PATH ID: R04_AC1043</b>
How much do you usually pay for a single cigarette?
1 \$  __ __ __  Dollars .  __ __  Cents
-8 DON'T KNOW GO TO R04_AC1047MC
-7 REFUSED GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes as single cigarettes.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID: R04_AC1043_LC1</b>
The computer recorded that you usually pay \$[R04_AC1043_D].[R04_AC1043_C] for a single cigarette. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AC1043
2 NEXT GO TO R04_AC1047MC
ASK: IF R04_AC1043_D > 3 OR (R04_AC1043_D = 3 AND R04_AC1043_C > 00) OR (R04_AC1043_D = 0 AND R04_AC1043_C < 50).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1047</b>
<p>[Do/Did] you have a regular brand of [cigarettes/roll-your-own cigarette tobacco] that you usually [smoke/ smoked]?</p> <p style="margin-left: 40px;">1 Yes</p> <p style="margin-left: 40px;">2 No</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers.</p> <p>DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY “Do” AND “smoke”.</p> <p>ELSE, IF R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY “Did” AND “smoked”.</p> <p>IF R04_AC9048 = 2, DISPLAY “roll-your-own cigarette tobacco”.</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY “cigarettes” THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY “roll-your-own cigarette tobacco” THE SECOND TIME.</p> <p>ELSE, DISPLAY “cigarettes”.</p>

<b>BOX ID: R04_ACR29</b>
<p>Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes; and recent former cigarette smokers, go to R04_AC1050.</p> <p>Else, respondents who smoke roll-your-own cigarettes, go to R04_AC9150.</p>

<b>PATH ID: R04_AC1050</b>										
<p>[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol or mint?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1 Yes</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">2 No</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">3 I don't know</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">-7 REFUSED</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> </table> <p>ASK: Current, experimental current, and former 30 day cigarette smokers who smoke manufactured cigarettes; and recent former cigarette smokers.</p> <p>DISPLAY: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 1, DISPLAY “Is” AND “your regular brand” AND “smoke”.</p> <p>IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 2, -8, -7, DISPLAY “Was” AND “the last brand” AND “smoked”.</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1, DISPLAY “Was” AND “your regular brand” AND “smoked”.</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 2, -8, -7, DISPLAY “Was” and “the last brand” and “smoked”.</p>	1 Yes	GO TO R04_AC1945MC	2 No	GO TO R04_AC1945MC	3 I don't know	GO TO R04_AC1945MC	-8 DON'T KNOW	GO TO R04_AC1945MC	-7 REFUSED	GO TO R04_AC1945MC
1 Yes	GO TO R04_AC1945MC									
2 No	GO TO R04_AC1945MC									
3 I don't know	GO TO R04_AC1945MC									
-8 DON'T KNOW	GO TO R04_AC1945MC									
-7 REFUSED	GO TO R04_AC1945MC									

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9150</b>
<p>[Is/Was] [your regular brand/the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol or mint?</p> <p style="margin-left: 40px;">1    Yes  2    No  3    I don't know  -8   DONT' KNOW  -7   REFUSED</p> <p>ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarettes.  DISPLAY: IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 1, DISPLAY "Is" AND "your regular brand".  IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 2, -8, -7), DISPLAY, "Was", "the last brand" AND "you smoked".  ELSE, IF R04_AC1047RY = 1, DISPLAY "Was" AND "your regular brand".  ELSE, IF R04_AC1047RY = 2, -8, -7, DISPLAY "Was" and "the last brand" and "you smoked".</p>

<b>PATH ID:</b> <b>R04_AC1945</b>
<p>Do you know the <u>name of the brand</u> of [cigarettes/roll-your-own cigarette tobacco] you [usually smoke/usually smoked/last smoked]?</p> <p style="margin-left: 40px;">1    Yes  2    No  -8   DONT' KNOW  -7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers.  DISPLAY: IF R04_AC1047[MC/R Y] = 1 AND R04_CIG_USER_STATUS = 1, 2, DISPLAY "usually smoke".  ELSE, IF R04_AC1047[MC/R Y] = 1 AND R04_CIG_USER_STATUS != 1, 2, DISPLAY "usually smoked".  ELSE, IF R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "last smoked".  IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".  ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.  ELSE, DISPLAY "cigarettes".  UNDERLINE "name of the brand".</p>

<b>BOX ID:</b> <b>R04_ACR44</b>
<p>Respondents who know the name of their brand, go to R04_AC1048[MC/R Y]_BRAND.  Else, respondents who have a regular brand, go to R04_AC1051[MC/R Y].  Else, go to Box R04_ACR43.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1048</b>
<p>What brand of [cigarettes/roll-your-own cigarette tobacco] [do/did] you [usually/last] smoke?</p> <p>Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]</p> <p style="margin-left: 40px;">1    Something else</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who know the brand name.</p> <p>DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT"."</p> <p>IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."</p> <p>IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 1, DISPLAY "do" AND "usually".</p> <p>ELSE, IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "did" AND "last".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS =1) AND R04_AC1047[MC/R Y] = 1, DISPLAY "did" AND "usually".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS =1) AND R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "did" AND "last".</p> <p>IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.</p> <p>ELSE, DISPLAY "cigarettes".</p>

<b>BOX ID: R04_ACR30</b>
<p>If respondent selects an image for their brand, go to R04_AC1070[MC/R Y]_PRODUCT.</p> <p>Else, if respondent selects "Something else" for their brand, go to R04_AC1049[MC/R Y].</p> <p>Else, go to Box R04_ACR33.</p>

<b>PATH ID: R04_AC1049</b>						
<p>You said that your brand was not listed. What is it?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; padding-left: 40px;">1    _____</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> </table> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected "Something else" for their brand.</p>	1    _____	GO TO BOX R04_ACR33	-8   DON'T KNOW	GO TO BOX R04_ACR33	-7   REFUSED	GO TO BOX R04_ACR33
1    _____	GO TO BOX R04_ACR33					
-8   DON'T KNOW	GO TO BOX R04_ACR33					
-7   REFUSED	GO TO BOX R04_ACR33					

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1070**

You selected [CIGBRANDFILL/RYOBRANDFILL] as your brand. What kind of [CIGBRANDFILL/RYOBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else."]

- 1 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected a brand image.

DISPLAY: IF R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04\_AC1048MC\_BRAND.

ELSE, IF R04\_AC9048 = 2 OR (R04\_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04\_AC1048RY\_BRAND.

IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."

IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1047[MC/R Y] = 1, DISPLAY "do" AND "usually".

ELSE, IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04\_CIG\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047[MC/R Y] = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04\_CIG\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_ACR31**

If current, experimental current, recent former, or former 30 day cigarette smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AC1071[MC/R Y].

Else, go to Box R04\_ACR33.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1071</b>
<p>You said that the type of [CIGBRANDFILL/RYOBRANDFILL]s that you [smoke/smoked] is not listed. What type is it?</p> <p style="margin-left: 40px;">1 _____</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected a brand image, but selected "Something else" for their subbrand image.</p> <p>DISPLAY: IF R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04_AC1048MC_BRAND.</p> <p>IF R04_AC9048 = 2 OR (R04_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04_AC1048RY_BRAND.</p> <p>IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 1, DISPLAY "smoke".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] != 1) OR R04_CIG_USER_STATUS = 4, DISPLAY "smoked".</p>

<b>BOX ID: R04_ACR33</b>
<p>Current, experimental current, recent former, and former 30 day cigarette smokers who have a regular brand, go to R04_AC1051[MC/R Y].</p> <p>Else, go to Box R04_ACR43.</p>

<b>PATH ID: R04_AC1051</b>
<p>About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]?</p> <p style="margin-left: 40px;">1  __ __  DAYS</p> <p style="margin-left: 40px;">2  __ __  MONTHS</p> <p style="margin-left: 40px;">3  __ __  YEARS</p> <p style="margin-left: 40px;">-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ACR43</span></p> <p style="margin-left: 40px;">-7 REFUSED <span style="float: right;">GO TO BOX R04_ACR43</span></p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who have a regular brand.</p> <p>DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes".</p> <p>IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "have you been smoking".</p> <p>ELSE, DISPLAY "did you smoke".</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1051\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand for [R04\_AC1051MC\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC1051MC  |
| 2 | NEXT | GO TO BOX R04_ACR43 |

ASK: IF (R04\_AC1051MC\_NN > R04\_ACHIEVEDAGE) AND R04\_AC1051MC\_UN = 3.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**PATH ID: R04\_AC1051\_LC2**

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC1051MC  |
| 2 | NEXT | GO TO BOX R04_ACR43 |

ASK: IF R04\_AC1051MC\_NN = 0.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**PATH ID: R04\_AC1051RY\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand for [R04\_AC1051RY\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC1051RY  |
| 2 | NEXT | GO TO BOX R04_ACR09 |

ASK: IF R04\_AC1051RY\_NN > R04\_ACHIEVEDAGE AND R04\_AC1051RY\_UN = 3.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1051RY\_LC2**

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AC1051RY

2 NEXT

GO TO BOX R04\_ACR09

ASK: IF R04\_AC1051RY\_NN = 0.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**BOX ID: R04\_ACR43**

Adult respondents who usually smoke both manufactured and roll-your-own cigarettes, go back to R04\_AC0100RY and loop through series for roll-your-own cigarettes.

Else, go to Box R04\_ACR09.

**BOX ID: R04\_ACR09**

Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand, go to Box R04\_ACD01.

Else, if current, experimental current, new former or former 30 day cigarette smoker, who does not have a regular brand and usually smokes manufactured cigarettes, go to R04\_AC9019.

Else, go to Box R04\_ACR35.

**BOX ID: R04\_ACD01**

Randomize order of R04\_AC9010 through R04\_AC9015.

Display question R04\_AC9010, R04\_AC9011, R04\_AC9014, R04\_AC9015, on one screen. Show the intro/transition text from R04\_AC9010 first, then show each item with a Y/N response. As each item is answered, show the next one.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9010**

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes. ]In choosing your regular brand of cigarettes[ when you smoked], was part of your decision based on any of the following?

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "when you smoked" AND "was".

IF R04\_CIG\_USER\_STATUS = 1 AND R04\_AC9048 = 3, DISPLAY TRANSITION TEXT: "The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AC9011**

The tar and nicotine levels.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH ID: R04\_AC9014**

The taste.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9015**

As a way to help you quit.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH ID: R04\_AC9019**

Do you think the brand of cigarettes you [usually smoke/usually smoked/last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who usually smoke manufactured cigarettes.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1047MC = 1, DISPLAY "usually smoke".

ELSE, IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

ELSE, IF R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 1, DISPLAY "usually smoked".

ELSE, IF R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

**BOX ID: R04\_ACR35**

Adult respondents who are a current smoker of BOTH manufactured and roll-your-own cigarettes, who know the name of their brands and selected a valid brand and product for both, and smoked today, yesterday, or the day before yesterday, go to R04\_AC0105.

Else, if NEQBRAND is missing in either loop for manufactured or RYO cigarettes or respondents who have smoked a cigarette today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand AND valid product AND are users of either manufactured OR roll-your-own cigarettes, but not both, go to R04\_AC0104.

Else, go to the next section.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AC0105</b>	
<p>You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand...</p>		
1	[NEQBRAND]	GO TO NEXT SECTION
2	[NEQBRAND]	GO TO NEXT SECTION
3	Some other brand	GO TO NEXT SECTION
-8	DON'T KNOW	GO TO NEXT SECTION
-7	REFUSED	GO TO NEXT SECTION
<p>ASK: Current, experimental current, and former 30 day cigarette smokers who have smoked a cigarette today, yesterday or the day before yesterday who know the name of their brands AND selected a valid brand and valid product AND are users of both RYO and manufactured cigarettes. (If NEQBRAND is missing in either loop for manufactured or RYO cigarettes, default to asking R04_AC0104 at the end of the cigarette section instead of R04_AC0105.)</p>		
<p>DISPLAY: IF R04_AC0100MC = 1, FILL [TIME OF LAST USE] WITH "in the past hour".</p>		
<p>ELSE, IF R04_AC0100RY = 1, FILL [TIME OF LAST USE] WITH "in the past hour".</p>		
<p>ELSE, IF R04_AC0100MC = 2, FILL [TIME OF LAST USE] WITH "sometime today".</p>		
<p>ELSE, IF R04_AC0100RY = 2, FILL [TIME OF LAST USE] WITH "sometime today".</p>		
<p>ELSE, IF R04_AC0100MC = 3, FILL [TIME OF LAST USE] WITH "yesterday".</p>		
<p>ELSE, IF R04_AC0100RY = 3, FILL [TIME OF LAST USE] WITH "yesterday".</p>		
<p>ELSE, IF R04_AC0100MC = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".</p>		
<p>ELSE, IF R04_AC0100RY = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".</p>		
<p>FILL [NEQBRAND] WITH R04_AC1070MC_PRODUCT RESPONSE CODE 1 FOR MANUFACTURED.</p>		
<p>FILL [NEQBRAND] WITH R04_AC1070RY_PRODUCT RESPONSE CODE 2 FOR ROLL-YOUR-OWN.</p>		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC0104**

We just have one more question about [your regular brand / the last brand] of cigarettes[ you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who have smoked a cigarette in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product AND are users of either manufactured OR roll-your-own cigarettes, but not both OR are users of both, but only provided a valid brand AND valid product for one type of cigarette.

DISPLAY: UNDERLINE "your regular brand" AND "the last brand" IN THE QUESTION TEXT.

IF R04\_AC1047[MC/RY] = 1, DISPLAY "your regular brand".

ELSE, IF R04\_AC1047[MC/RY] = 2, -8, -7, DISPLAY "the last brand" AND "you smoked".

IF R04\_AC0100[MC/RY] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04\_AC0100[MC/RY] = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04\_AC0100[MC/RY] = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE IF R04\_AC0100[MC/RY] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R04\_AC1070[MC/RY]\_PRODUCT RESPONSE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## **ELECTRONIC NICOTINE PRODUCTS**

<b>BOX ID:</b> <b>R04_AVT02</b>
The next questions are about <b>electronic nicotine products</b> .
Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with a cartridge or tank system. Some people refill their own electronic nicotine products with nicotine fluid, sometimes called "e-liquid" or "e-juice".
Disposable electronic nicotine products, electronic nicotine product cartridges and e-liquid come in many different flavors and nicotine concentrations. Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, eGo, and iTaste.
[SHOW GENERIC IMAGE OF E-PRODUCTS].

<b>PATH ID:</b> <b>R04_AV1090</b>
Do you own an electronic nicotine product?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AV9041
GO TO R04_AV9041
GO TO R04_AV9041
ASK: Adult respondents who have ever used an e-product.

<b>PATH ID:</b> <b>R04_AV9945</b>
Do you know the <u>name of the brand</u> of electronic nicotine product that you own?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AV9004
GO TO R04_AV9004
GO TO R04_AV9004
ASK: Adult respondents who own an e-product.
DISPLAY: UNDERLINE "name of the brand".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9002**

What brand of electronic nicotine product do you own? (If you own more than one electronic nicotine product, answer about the one you use **most often**.)

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". / If you do not see it below, touch the box marked "Something else".]

- 1 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product and know the brand name.

DISPLAY: [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT".

[If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else".

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

**BOLD AND UNDERLINE "most often".**

**BOX ID: R04\_AVR36**

Adult respondents who own an e-product and know the brand name and select "Something else" in R04\_AV9002, go to R04\_AV9003.

Else, go to R04\_AV9004.

**PATH ID: R04\_AV9003**

You said that the brand of electronic nicotine product you own was not listed. What brand is it?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product and know the brand name and did not select an image of the brand they own.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9004**

About how much did you pay for your electronic nicotine product? Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.

(If you own more than one electronic nicotine product, answer about the one you use **most often**.)

- 1 Less than \$10
- 2 \$10 to \$20
- 3 \$21 to \$100
- 4 More than \$100
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product.

DISPLAY: BOLD AND UNDERLINE “most often”.

**PATH ID: R04\_AV9041**

Does anyone else living in your home own an electronic nicotine product?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR20**

New cohort adult respondents who have ever used an e-product, go to R04\_AV1006\_RS.

Else, aged-up and continuing adult respondents who have ever used an e-product and had not used e-products 100 or more times in the previous wave, go to R04\_AV1005.

Else, aged-up and continuing adult respondents who have ever used an e-product and had never used e-products fairly regularly in the previous wave, go to R04\_AV1100.

Else, go to Box R04\_AVR22.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1005**

How many times have you used an electronic nicotine product in your entire life?

- 1 1 time, even just a few puffs
- 2 2 to 10 times
- 3 11 to 20 times
- 4 21 to 50 times
- 5 51 to 99 times
- 6 100 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used an e-product and had not used 100 or more times in the previous wave, and new cohort adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR21**

Aged-up and continuing adult respondents who have ever used an e-product and had never used e-products fairly regularly in the previous wave, and new cohort adult respondents who have ever used e-products, go to R04\_AV1100.

Else, go to Box R04\_AVV01.

**PATH ID: R04\_AV1100**

Have you ever used electronic nicotine products fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used an e-product (and had never used fairly regularly in the previous wave), and new cohort adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR22**

New baseline respondents that have ever used e-products fairly regularly but had never used fairly regularly in the previous wave, go to R04\_AV1007\_NB.

Else, go to Box R04\_AVV01.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AV01**

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EPROD\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days.

**R04\_EPROD\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.

**R04\_EPROD\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.

**R04\_EPROD\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former e-product users at the previous wave and aged-up adult respondents who ever used e-products at the previous wave, who have ever used e-products fairly regularly, and did not use e-products in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated e-product use since the previous wave, who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all.

**R04\_EPROD\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former e-product users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used and e-product and have used fairly regularly, who have not used in the past 12 months.

**R04\_CURRENT\_EPROD\_USE = 1 (Every day user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day.

**R04\_CURRENT\_EPROD\_USE = 2 (Some day user)** Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days.

**R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1** Adult respondents who are experimental former, recent former, or long-term former users who have used any electronic nicotine products in the past 30 days.

**BOX ID: R04\_AVR02**

New baseline respondents that are every day e-product users, go to R04\_AV1020\_NB.

Else, aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondent who have ever used an e-product, go to R04\_AV1011.

Else, aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months, go to R04\_AV9035.

Else, go to Box R04\_AVR52.

**BOX ID: R04\_AVR23**

Aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondents who have ever used an e-product, go to R04\_AV1011.

Else, go to R04\_AV9035.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1011**

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

- 1 Tobacco-flavored
- 2 Menthol or mint
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
- 8 Candy, desserts or other sweets
- 9 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondents who have ever used an e-product.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AV9035**

Which of the following types of electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- 1 E-cigarette including a vape pen, personal vaporizer, or mod
- 2 E-cigar
- 3 E-pipe
- 4 E-hookah including a hookah pen
- 5 Something else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months and new cohort adult respondents who have ever used e-products.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR56**

If the only device type selected is "Something else" or the respondent did not know or refused to report which device types they have used, go to Box R04\_AVR59.

Else, repeat R04\_AV9060 for each device type selected, except "Something else".  
When all loops complete, go to Box R04\_AVV04.

**PATH ID: R04\_AV9060**

[Do/Did] you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04\_AV9035]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months and new cohort adult respondents who have ever used e-products and selected a type of e-product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, IF R04\_EPROD\_USER\_STATUS = 3, 4, 5, DISPLAY "did".

FOR R04\_AV9060\_01, DISPLAY "e-cigarette".

FOR R04\_AV9060\_02, DISPLAY "e-cigar".

FOR R04\_AV9060\_03, DISPLAY "e-pipe".

FOR R04\_AV9060\_04, DISPLAY "e-hookah".

**BOX ID: R04\_AVR60**

If there are remaining device types, go back to Box R04\_AVR56 and complete loop for all remaining device types.

Else, if all loops are complete, go to Box R04\_AVV04.

**BOX ID: R04\_AVV04**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

**R04\_EPRODCOUNT** = The number of electronic nicotine products used.

**BOX ID: R04\_AVR58**

If the respondent uses more than one type of electronic nicotine product go to R04\_AV9044.

Else, go to Box R04\_AVR59.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9044**

You mentioned that you have used more than one type of electronic nicotine product.

Which type of electronic nicotine product [do/did] you use **most often**?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- 1 E-cigarette including a vape pen, personal vaporizer, or mod
- 2 E-cigar
- 3 E-pipe
- 4 E-hookah including a hookah pen
- 5 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used more than one e-product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

BOLD AND UNDERLINE "most often".

**BOX ID: R04\_AVR59**

Current, experimental current, recent former, or former 30 day e-product users, go to R04\_AV9040.  
Else, go to Box R04\_AVR12.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9040**

Please look at this picture. Which group is most like the electronic nicotine product you [use/used] **most often**?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 5 Group 5
- 6 Group 6
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "use".

ELSE, DISPLAY "used".

BOLD AND UNDERLINE "most often".

**BOX ID: R04\_AVD05**

Display questions R04\_AV9005 through R04\_AV9009 using stem-leaf screen. The introduction text from R04\_AV9009 is the stem.

**PATH ID: R04\_AV9005**

For the following questions, please think about the electronic nicotine product you [use/used] **most often**.

[Is/Was] it rechargeable?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "use" AND "Is".

ELSE, DISPLAY "used" AND "Was".

BOLD AND UNDERLINE "most often".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV9038</b>
[Does/Did] it use a tank system?  1 Yes 2 No -8 DON'T KNOW -7 REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Does". ELSE, DISPLAY "Did".

<b>PATH ID: R04_AV9008</b>
[Does/Did] it use cartridges?  1 Yes 2 No -8 DON'T KNOW -7 REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Does". ELSE, DISPLAY "Did".

<b>PATH ID: R04_AV9009</b>
[Can/Could] you refill it with "e-liquid"?  1 Yes 2 No -8 DON'T KNOW -7 REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Can". ELSE, DISPLAY "Could".

<b>BOX ID: R04_AVR57</b>
Adult respondents who use refillable e-products, go to R04_AV9046. Else, go to Box R04_AVV03.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9046**

How often [do/did] you refill your electronic nicotine product with e-liquid?

- 1 At least once a day
- 2 Once every couple of days
- 3 Once a week
- 4 A few times a month
- 5 Once a month
- 6 A few times a year
- 7 Once a year
- 8 Never
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AVR30

ASK: Current, experimental current, recent former, or former 30 day e-product users that use refillable e-products.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH ID: R04\_AV9036**

Who [refills/refilled] it with e-liquid?

- 1 I [refill/refilled] it myself
- 2 I [get/got] it refilled at a vape shop or vapor lounge
- 3 I [buy/bought] it already filled
- 4 I [get/got] it refilled some other way
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users who use refillable e-products and have refilled them before.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "refills" IN QUESTION TEXT AND "refill", "get", "buy", AND "got" IN RESPONSE OPTIONS.

ELSE, DISPLAY "refilled" IN QUESTION TEXT AND "refilled", "got", "bought", AND "got" IN RESPONSE OPTIONS.

**BOX ID: R04\_AVR30**

Current, experimental current, recent former, or former 30 day e-product users that use a refillable tank system, go to R04\_AV9045.

Else, go to Box R04\_AVV03.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9045</b>
How many milliliters of e-liquid [does/did] your tank system hold?
1    _ _
-2   I don't know
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users that use a refillable tank system.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "does".
ELSE, DISPLAY "did".

<b>BOX ID:</b> <b>R04_AW03</b>
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_EDEVICETYPE</b> = (E-Product device type):
<b>R04_EDEVICETYPE</b> = 1 (Disposable E-Product Users).
<b>R04_EDEVICETYPE</b> = 2 (Non-Refillable Cartridge E-Product Users).
<b>R04_EDEVICETYPE</b> = 3 (Refillable Cartridge E-Product Users).
<b>R04_EDEVICETYPE</b> = 4 (Refillable Tank System E-Product Users).
<b>R04_EDEVICETYPE</b> = 5 (Refillable Mod System E-Product Users).
<b>R04_EDEVICETYPE</b> = 6 (Unknown E-Product User Type).

<b>BOX ID:</b> <b>R04_AVT04</b>
PROGRAM - CREATE [EPRODFILL1-3]:
<b>EPRODFILL1:</b>
R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL1 = "electronic nicotine products".
R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "electronic nicotine cartridges".
R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL1 = "milliliters of e-liquid".
<b>EPRODFILL2:</b>
R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL2 = "electronic nicotine products".
R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "electronic nicotine cartridges".
R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL2 = "e-liquid".
<b>EPRODFILL3:</b>
R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL3 = "electronic nicotine product".
R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "electronic nicotine cartridge".
R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL3 = "e-liquid".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9010**

Please think about the [EPRODFILL3] you [use/used] **most often**.

[Does/Did] it contain nicotine?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AVR12 |
| -8 | DON'T KNOW | GO TO BOX R04_AVR12 |
| -7 | REFUSED    | GO TO BOX R04_AVR12 |

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "use" and "Does".

ELSE, DISPLAY "used" and "Did".

BOLD AND UNDERLINE "most often".

**PATH ID: R04\_AV9006**

What concentration of nicotine [do/did] you usually use?

- 1 I don't know the concentration
- 2 0mg or 0%
- 3 1-6mg or 0.1-0.6%
- 4 7-12mg or 0.7-1.2%
- 5 13-17mg or 1.3-1.7%
- 6 18-24mg or 1.8-2.4%
- 7 25-39mg or 2.5-3.9%
- 8 40+mg or 4.0+%
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users whose e-products contain nicotine.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**BOX ID: R04\_AVR12**

Every day e-product users, go to R04\_AV1021.

Else, some day, experimental current, or former 30 day e-product users, go to R04\_AV1022.

Else, new cohort adult respondents who are experimental former, recent former, or long-term former e-product users go to R04\_AV1025\_RS.

Else, recent former smokers who did not use an e-product in the past 30 days, go to R04\_AV1047.

Else, go to R04\_AV9042.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1021</b>		
On average, about how many [EPRODFILL1] do you now use each day?		
-2	Less than 1 each day	GO TO R04_AV1026
1	__ __	
-8	DON'T KNOW	GO TO R04_AV1026
-7	REFUSED	GO TO R04_AV1026
ASK: Every day e-product users.		
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.		

<b>PATH ID: R04_AV1021_LC1</b>		
The computer recorded that you now use [R04_AV1021] [EPRODFILL1] a day, on average.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AV1021
2	NEXT	GO TO R04_AV1026
ASK: IF R04_AV1021 > 1.		

<b>PATH ID: R04_AV1022</b>		
On how many of the past 30 days did you use an electronic nicotine product?		
1	__ __  DAYS	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Some day, experimental current, and former 30 day e-product users.		
DISPLAY: DISPLAY 'DAYS' AS A TITLE.		

<b>BOX ID: R04_AVR42</b>		
If respondent enters "0" for R04_AV1022 and is a some day or experimental current e-product user, go to R04_AV9029.		
Else, if respondent enters "0" for R04_AV1022 and is a former 30 day user of e-products, go to Box R04_AVR32.		
Else, go to R04_AV1026.		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9029**

About how long has it been since you last took a puff from an electronic nicotine product?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AVR32

-7 REFUSED

GO TO BOX R04\_AVR32

ASK: Some day and experimental current e-product users who have not used in the past 30 days.

**PATH ID: R04\_AV9029\_LC1**

The computer recorded that you last took a puff from an electronic nicotine product [R04\_AV9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AV9029

2 NEXT

GO TO BOX R04\_AVR32

ASK: IF (R04\_AV9029\_NN < 30 AND R04\_AV9029\_UN = 1) OR ((R04\_AV9029\_NN < 1 OR R04\_AV9029\_NN > 18) AND R04\_AV9029\_UN = 2) OR ((R04\_AV9029\_NN > (R04\_ACHIEVEDAGE - 10)) AND R04\_AV9029\_UN = 3).

DISPLAY: IF R04\_AV9029\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AV9029\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AV9029\_UN = 3, DISPLAY "years".

**PATH ID: R04\_AV1026**

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

1 |\_\_|\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AV1027

-7 REFUSED

GO TO R04\_AV1027

ASK: Every day e-product users or some day, experimental current, and former 30 day e-product users who have used in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1026\_LC1**

The computer recorded that on the days you use, you pick up your electronic nicotine product to use it [R04\_AV1026] [time / times] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK	GO TO R04_AV1026
2 NEXT	GO TO R04_AV1027

ASK: IF R04\_AV1026 > 50 OR R04\_AV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.  
 DISPLAY: IF R04\_AV1026 = 1, DISPLAY "time".  
 ELSE, DISPLAY "times".

**PATH ID: R04\_AV1027**

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

1  __ __ __	
-8 DON'T KNOW	GO TO BOX R04_AVR32
-7 REFUSED	GO TO BOX R04_AVR32

ASK: Every day e-product users or some day, experimental current, and former 30 day e-product users who have used in the past 30 days.

**PATH ID: R04\_AV1027\_LC1**

The computer recorded that you take [R04\_AV1027] [puff / puffs] from your electronic nicotine product each time you use it, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK	GO TO R04_AV1027
2 NEXT	GO TO BOX R04_AVR32

ASK: IF R04\_AV1027 > 50 OR R04\_AV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.  
 DISPLAY: IF R04\_AV1027 = 1, DISPLAY "puff".  
 ELSE, DISPLAY "puffs".

**BOX ID: R04\_AVR32**

Current and experimental current e-product users, go to R04\_AV1024.  
 Else, former 30 day e-product users, go to R04\_AV1024\_30D.  
 Else, new cohort adult respondents who are experimental former, recent former, or long-term former e-product users, go to R04\_AV1025\_RS.  
 Else, recent former smokers who did not use an e-product in the past 30 days, go to R04\_AV1047.  
 Else, go to R04\_AV9042.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1024</b>	
[On the days that you use an electronic nicotine product, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.	
1     __ __ __  Minutes after waking	
2     __ __ __  Hours after waking	
-8    DON'T KNOW	GO TO R04_AV1092
-7    REFUSED	GO TO R04_AV1092
ASK: Current and experimental current e-product users.	
DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "How".	
ELSE, DISPLAY "On the days that you use an electronic nicotine product, how".	

<b>PATH ID:</b> <b>R04_AV1024_LC1</b>	
The computer recorded that you typically take your first puff from an electronic nicotine product [R04_AV1024_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AV1024
2    NEXT	GO TO BOX R04_AVR52
ASK: IF [R04_CURRENT_EPROD_USE = 1 AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 4 AND R04_AV1024_UN = 2))] OR [(R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 12 AND R04_AV1024_UN = 2))].	
DISPLAY: IF R04_AV1024_UN = 1, DISPLAY "minutes".	
IF R04_AV1024_UN = 2, DISPLAY "hours".	

<b>PATH ID:</b> <b>R04_AV1024_LC2</b>	
The computer recorded "0" for how soon you typically take your first puff from an electronic nicotine product after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AV1024
2    NEXT	GO TO BOX R04_AVR52
ASK: IF R04_AV1024 = 0.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1092</b>	
(On the days that you use electronic nicotine products, would/Would) you say you take your first puff of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R04_AVR52
2 No	GO TO BOX R04_AVR52
3 It varies	GO TO BOX R04_AVR52
-8 DON'T KNOW	GO TO BOX R04_AVR52
-7 REFUSED	GO TO BOX R04_AVR52
ASK: Current and experimental current e-product users who did not know or refused to report how soon after waking up they took their first puff from an e-product.	
DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you use electronic nicotine products, would".	

<b>PATH ID: R04_AV1024_30D</b>	
On the days that you used an electronic nicotine product, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.	
1  __ __ __  Minutes after waking	
2  __ __ __  Hours after waking	
-8 DON'T KNOW	GO TO R04_AV1092_30D
-7 REFUSED	GO TO R04_AV1092_30D
ASK: Former 30 day e-product users.	

<b>PATH ID: R04_AV1024_30D_LC1</b>	
The computer recorded that you typically took your first puff from an electronic nicotine product [R04_AV1024_30D_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AV1024_30D
2 NEXT	GO TO BOX R04_AVR52
ASK: IF (R04_AV1024_30D_NN > 60 AND R04_AV1024_30D_UN = 1) OR (R04_AV1024_30D_NN > 12 AND R04_AV1024_30D_UN = 2).	
DISPLAY: IF R04_AV1024_30D_UN = 1, DISPLAY "minutes".	
IF R04_AV1024_30D_UN = 2, DISPLAY "hours".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1024\_30D\_LC2**

The computer recorded "0" for how soon you typically took your first puff from an electronic nicotine product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AV1024\_30D

2 NEXT

GO TO BOX R04\_AVR52

ASK: IF R04\_AV1024\_30D = 0.

**PATH ID: R04\_AV1092\_30D**

On the days that you used electronic nicotine products, would you say you took your first puff of the day within the first 30 minutes after you woke up?

1 Yes

2 No

3 It varies

-8 DON'T KNOW

-7 REFUSED

ASK: Former 30 day e-product users who did not know or refused to report how soon after waking up they took their first puff from an e-product.

**BOX ID: R04\_AVR52**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former e-product users, go to R04\_AV1025\_RS.

Else, go to Box R04\_AVR46.

**BOX ID: R04\_AVR46**

Adult respondents who used e-products in the past 30 days, go to R04\_AV0100.

Else, current, experimental current, and former 30 day e-product users, go to R04\_AV1030.

Else, recent former e-product users, go to R04\_AV1047.

Else, go to R04\_AV9042.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV0100</b>
When did you last use an electronic nicotine product?	
1 In the past hour	GO TO R04_AV0103
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R04_AV1131
-8 DON'T KNOW	GO TO R04_AV1131
-7 REFUSED	GO TO R04_AV1131
ASK: Adult respondents who used e-products in the past 30 days.	

<b>PATH ID:</b>	<b>R04_AV0102</b>
When you last used an electronic nicotine product [FILL BASED ON R04_AV0100], was it...	
1 Between midnight and 6AM	
2 After 6AM but before noon	
3 Between noon and 6PM	
4 After 6PM but before midnight	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have used an e-product today, yesterday or the day before yesterday, but not in the past hour.	
DISPLAY: FOR [FILL BASED ON R04_AV0100]:	
IF R04_AV0100 = 2, DISPLAY "today".	
IF R04_AV0100 = 3, DISPLAY "yesterday".	
IF R04_AV0100 = 4, DISPLAY "the day before yesterday".	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV0103**

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R04\_AV0100]?

- 1   |\_|\_|\_|
- 8   DON'T KNOW
- 7   REFUSED

ASK: Adult respondents who have used an e-product in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AV0100 = 1, 2, DISPLAY “have” AND “taken”.

IF R04\_AV0100 = 3, 4, DISPLAY “did” AND “take”.

FOR [FILL BASED ON R04\_AV0100]:

IF R04\_AV0100 = 1, 2, DISPLAY “today”.

IF R04\_AV0100 = 3, DISPLAY “yesterday”.

IF R04\_AV0100 = 4, DISPLAY “the day before yesterday”.

**PATH ID: R04\_AV0103\_LC1**

The computer recorded you took [R04\_AV0103] puffs from an electronic nicotine product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |          |                  |
|----------|------------------|
| 1   BACK | GO TO R04_AV0103 |
| 2   NEXT | GO TO R04_AV1131 |

ASK: IF R04\_AV0103 > 200 OR R04\_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R04\_AV0100 = 1, 2, DISPLAY “today”.

IF R04\_AV0100 = 3, DISPLAY “yesterday”.

IF R04\_AV0100 = 4, DISPLAY “the day before yesterday”.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1131**

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

- 1 Tobacco-flavored
- 2 Menthol or mint
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
- 8 Candy, desserts or other sweets
- 9 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used e-products in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AVR53**

Adult respondents who used menthol or mint flavored e-products in the past 30 days, go to R04\_AV1147.

Else, adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days, go to R04\_AV1157.

Else, go to R04\_AV1030.

**PATH ID: R04\_AV1147**

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used menthol or mint flavored e-products in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR55**

Adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days, go to R04\_AV1157.  
Else, go to R04\_AV1030.

**PATH ID: R04\_AV1157**

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days.

**PATH ID: R04\_AV1030**

The next questions ask about your experience buying [EPRODFILL2].

How [do/did] you usually buy [EPRODFILL2] for yourself?

- 1 In person
- 2 From the internet GO TO BOX R04\_AVR05
- 3 By telephone GO TO BOX R04\_AVR05
- 4 I do not buy my own [EPRODFILL2] GO TO R04\_AV1047
- 8 DON'T KNOW GO TO R04\_AV1047
- 7 REFUSED GO TO R04\_AV1047

ASK: Current, experimental current, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1032</b>
[Do/Did] you usually buy [EPRODFILL2]...
1    In your own state
2    In another state
3    Outside the US
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day e-product users who usually buy e-products in person.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, display "Do".
ELSE, DISPLAY "Did".

<b>PATH ID:</b> <b>R04_AV1033</b>
Where [do/did] you buy your [EPRODFILL2] most of the time?
12    A vape shop or vapor lounge
1    A mall kiosk
2    A convenience store or gas station
3    A supermarket, grocery store, or drug store
4    A warehouse club, such as Sam's or Costco
5    A smoke shop, tobacco specialty store or tobacco outlet store
6    A duty free shop or military commissary
7    A bar, pub, restaurant or casino
8    A friend or relative
9    A swap meet or flea market
10    A liquor store
11    Or from somewhere else (SPECIFY)
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day e-product users who usually buy e-products in person.
DISPLAY: IF R04_EPROD_USERS_STATUS = 1, 2, display "do".
ELSE, DISPLAY "did".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR05**

Disposable e-product users and e-product users of undetermined type that buy their own e-products, go to R04\_AV1136.  
 Else, refillable cartridge, tank system, and mod system e-product users that buy their own e-products, go to R04\_AV1041.  
 Else, non-refillable cartridge e-product users that buy their own e-products, go to R04\_AV1039.  
 Else, go to R04\_AV1047.

**PATH ID: R04\_AV1136**

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single [EPRODFILL1]?

1	Box or pack	
2	Single [EPRODFILL1]	GO TO R04_AV1034
-8	DON'T KNOW	GO TO R04_AV1047
-7	REFUSED	GO TO R04_AV1047

ASK: Current, experimental current or former 30 day disposable e-product users who usually buy their own e-products in person, on the internet or by telephone.  
 DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Do".  
 ELSE, DISPLAY "Did".

**PATH ID: R04\_AV1137**

How many [EPRODFILL1] [come/came] in the box or pack that you usually [buy/bought]?

1	_ _	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone in a box or pack.  
 DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "come" AND "buy".  
 ELSE, DISPLAY "came" AND "bought".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1138</b>
How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?
1    \$  __ __ __  Dollars .  __ __  Cents
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AV1047
GO TO R04_AV1047
GO TO R04_AV1047
ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone in a box or pack.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID:</b> <b>R04_AV1034</b>
How much [do/did] you usually pay for a single [EPRODFILL3]?
1    \$  __ __ __  Dollars .  __ __  Cents
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AV1047
GO TO R04_AV1047
ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone as single disposable e-products.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID:</b> <b>R04_AV1034_LC1</b>
The computer recorded that you paid \$[R04_AV1034_D].[R04_AV1034_C] for a single [EPRODFILL3]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1    BACK
2    NEXT
GO TO R04_AV1034
GO TO R04_AV1047
ASK: IF R04_AV1034_D > 50.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1041**

How much [do/did] you usually pay for a bottle or container of e-liquid?

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents

-8 DON'T KNOW

GO TO R04\_AV1047

-7 REFUSED

GO TO R04\_AV1047

ASK: Current, experimental current or former 30 day refillable cartridge, tank system, and mod system e-product users who usually buy e-liquid in person, on the internet or by telephone.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1041_LC1</b>	
The computer recorded that you paid \$[R04_AV1041_D].[R04_AV1041_C] for a bottle or container of e-liquid. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AV1041
2    NEXT	GO TO R04_AV1047
ASK: IF R04_AV1041_D >\$50.	

<b>PATH ID:</b> <b>R04_AV1039</b>	
[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single cartridges?	
1    Box or pack	
2    Single cartridges	GO TO R04_AV1043
-8    DON'T KNOW	GO TO R04_AV1047
-7    REFUSED	GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who usually buy their own e-product cartridges in person, on the internet or by telephone.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".	
ELSE, DISPLAY "Did".	

<b>PATH ID:</b> <b>R04_AV1040</b>	
How many [EPRODFILL1] [come/came] in the box or pack that you [buy/bought]?	
1     __ __	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone in a box or pack.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "come" AND "buy".	
ELSE, DISPLAY "came" AND "bought".	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1042</b>	
How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?	
1 \$  __ __ __  Dollars .  __ __  Cents	
-8 DON'T KNOW	GO TO R04_AV1047
-7 REFUSED	GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone in a box or pack.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".	
ELSE, DISPLAY "did".	
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.	

<b>PATH ID: R04_AV1042_LC1</b>	
The computer recorded that you paid \$[R04_AV1042_D].[R04_AV1042_C] for a box or pack of [EPRODFILL1]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AV1042
2 NEXT	GO TO R04_AV1042
ASK: IF R04_AV1042_D > 50.	

<b>PATH ID: R04_AV1043</b>	
How much [do/did] you usually pay for a single [EPRODFILL3]?	
1 \$  __ __ __  Dollars .  __ __  Cents	
-8 DON'T KNOW	GO TO R04_AV1047
-7 REFUSED	GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone as single e-cartridges.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".	
ELSE, DISPLAY "did".	
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1043\_LC1**

The computer recorded that you paid \$[R04\_AV1043\_D].[R04\_AV1043\_C] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AV1043

2 NEXT

GO TO R04\_AV1047

ASK: IF R04\_AV1043\_D > 50.

**PATH ID: R04\_AV1047**

[Do/Did] you have a regular brand of [EPRODFILL2] that you usually [use/used]?

1 Yes

2 No

3 I don't know

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, display "Do" AND "use".

ELSE, DISPLAY "Did" AND "used".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1012**

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

- 1 Tobacco-flavored
- 2 Menthol or mint
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
- 8 Candy, desserts or other sweets
- 9 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

IF R04\_AV1047 = 1 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Is" AND "your regular brand".

ELSE, IF R04\_AV1047 = 1, DISPLAY "Was" AND "your regular brand".

IF R04\_AV1047 = 2, 3, -8, -7 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Is" AND "the brand you last used".

ELSE IF R04\_AV1047 = 2, 3, -8, -7, DISPLAY "Was" AND "the brand you last used".

**PATH ID: R04\_AV1945**

Do you know the name of the brand of [EPRODFILL2] you [usually use/usually used/last used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former e-product users.

DISPLAY: IF R04\_AV1047 = 1 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "usually use".

IF R04\_AV1047 = 1 AND R04\_EPROD\_USER\_STATUS != 1, 2, DISPLAY "usually used".

IF R04\_AV1047 = 2, 3, -8, -7, DISPLAY "last used".

UNDERLINE "name of the brand".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AVR45</b>
Current, experimental current, recent former, and former 30 day e-product users who know the brand name, go to R04_AV1048_BRAND. Else, current, experimental current, recent former, and former 30 day e-product users who have a regular brand, go to R04_AV1051. Else, go to Box R04_AVD02.

<b>PATH ID:</b> <b>R04_AV1048</b>
What brand of [EPRODFILL2] [do/did] you [usually/last] use?  Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]  1    Something else -8    DON'T KNOW -7    REFUSED  ASK: Current, experimental current, recent former, and former 30 day e-product users who know the brand name. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else". IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do" AND "usually". ELSE, IF R04_AV1047 = 1, DISPLAY "did" AND "usually". IF R04_AV1047 = 2, 3, -8, -7 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "did" AND "last". ELSE IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "did" AND "last".

<b>BOX ID:</b> <b>R04_AVR33</b>
Current, experimental current, recent former or former 30 day e-product users who selected "Something else" for their brand, go to R04_AV1049. Else, current, experimental current, recent former or former 30 day e-product users that have a regular brand, go to R04_AV1051. Else, go to Box R04_AVR44.

<b>PATH ID:</b> <b>R04_AV1049</b>
You said that your brand was not listed. What is it?  1    _____ -8    DON'T KNOW -7    REFUSED  ASK: Current, experimental current, recent former or former 30 day e-product users who selected "Something else" for their brand.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR43**

Current, experimental current, recent former, or former 30 day e-product users who have a regular brand, go to R04\_AV1051.  
Else, go to Box R04\_AVR44.

**PATH ID: R04\_AV1051**

About how long [did you use/have you been using] your regular brand of [EPRODFILL2]?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users who have a regular brand.

DISPLAY: R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

**PATH ID: R04\_AV1051\_LC1**

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R04\_AV1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AV1051
- 2 NEXT GO TO BOX R04\_AVR44

ASK: IF (R04\_AV1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AV1051\_UN = 3..

**PATH ID: R04\_AV1051\_LC2**

The computer recorded "0" for how long you have used your regular brand of [EPRODFILL3].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AV1051
- 2 NEXT GO TO BOX R04\_AVR44

ASK: IF R04\_AV1051 = 0.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1051\_LC3**

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R04\_AV1051\_NN] years.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AV1051

2 NEXT

GO TO BOX R04\_AVR44

ASK: IF R04\_AV1051\_NN > (Today's date - 2010) AND R04\_AV1051\_UN = 3.

**BOX ID: R04\_AVR44**

Current, experimental current, or former 30 day e-product users who have used an e-product today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand, go to R04\_AV0104.

Else, go to Box R04\_AVD02.

**PATH ID: R04\_AV0104**

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, or former 30 day e-product users who have used an e-product in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand.

DISPLAY: IF R04\_AV0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

IF R04\_AV0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

IF R04\_AV0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

IF R04\_AV0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH SELECTION MADE IN R04\_AV1048\_BRAND.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVD02**

Randomize order of R04\_AV1060 through R04\_AV1067.

Display question R04\_AV1060, R04\_AV1085, R04\_AV1062, R04\_AV1075, R04\_AV1063, R04\_AV1064, R04\_AV1065, R04\_AV1066, and R04\_AV1067 on one screen. Show the intro/transition text from R04\_AV1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH ID: R04\_AV1060**

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "are".

ELSE, DISPLAY "applied to you when you used to use electronic nicotine products", "used" AND "were".

**PATH ID: R04\_AV1085**

I [can/could] use electronic nicotine products at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1062</b>
They might [be/have been] less harmful to me than smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

<b>PATH ID:</b> <b>R04_AV1075</b>
They might [be/have been] less harmful to people around me than cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

<b>PATH ID:</b> <b>R04_AV1063</b>
E-liquid [comes/came] in flavors I [like/liked].
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "comes" and "like".
IF R04_EPROD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "came" AND "liked".

<b>BOX ID:</b> <b>R04_AVR34</b>
Current, experimental current, recent former, and former 30 day e-product users who are also current, experimental current, or recent former cigarette smokers, go to R04_AV1064.
Else, go to R04_AV1065.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1064</b>
Using electronic nicotine products helps people quit smoking cigarettes.
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users who are also current, experimental current, or recent former cigarette smokers.

<b>PATH ID: R04_AV1065</b>
Electronic nicotine products don't smell.
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.

<b>PATH ID: R04_AV1066</b>
Using an electronic nicotine product [feels/felt] like smoking a regular cigarette.
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "feels".
ELSE, DISPLAY "felt".

<b>PATH ID: R04_AV1067</b>
Electronic nicotine products [are/were] more acceptable to non-tobacco users.
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "are".
ELSE, DISPLAY "were".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR35**

Current, experimental current, and former 30 day e-product users who are also current or experimental current cigarette smokers, go to R04\_AV1086.  
Else, go to Box R04\_AVR51.

**PATH ID: R04\_AV1086**

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AVR51 |
| -8 | DON'T KNOW | GO TO BOX R04_AVR51 |
| -7 | REFUSED    | GO TO BOX R04_AVR51 |

ASK: Current, experimental current, and former 30 day e-product users who are also current or experimental current cigarette smokers.

**PATH ID: R04\_AV1087**

How often [do/did] you use an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

- |    |            |
|----|------------|
| 1  | Every day  |
| 2  | Some days  |
| 3  | Rarely     |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Current and experimental current cigarette smokers who have used e-products at times when or in places where they could not smoke regular cigarettes.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, IF R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1, DISPLAY "did".

**BOX ID: R04\_AVR51**

Current and experimental current e-product users who are also current or experimental current cigarette smokers, go to R04\_AV9054.  
Else, go to Box R04\_AVR54.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9054**

On the days you use both cigarettes and electronic nicotine products, do you smoke...

- 1 Fewer cigarettes than usual
- 2 The same amount of cigarettes
- 3 More cigarettes than usual
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who are also current or experimental current cigarette users.

**BOX ID: R04\_AVR54**

Current, experimental current, recent former, and former 30 day e-product users who are also current or recent former cigarette users, go to R04\_AV1080.

Else, go to R04\_AV1139.

**PATH ID: R04\_AV1080**

[Do/Did] you use electronic nicotine products as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users who are also current or recent former cigarette users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, display "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using an electronic nicotine product.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04\_AV1139-1141 SERIES.

**PATH ID: R04\_AV1140**

While using an electronic nicotine product, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04\_AV1139-1141 SERIES.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1141**

I [use/used] electronic nicotine products much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R04\_AV1139-1141 SERIES.

**PATH ID: R04\_AV9042**

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No GO TO BOX R04\_AGR03
- 8 DON'T KNOW GO TO BOX R04\_AGR03
- 7 REFUSED GO TO BOX R04\_AGR03

ASK: Adult respondents who have ever used an e-product.

DISPLAY: UNDERLINE "electronic product".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9106**

When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

GO TO NEXT SECTION

ASK: Adult respondents who have ever used e-products to smoke marijuana.

**PATH ID: R04\_AM0100**

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

- 1 In the past hour
- 2 Sometime today
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AM0103

GO TO BOX R04\_AGR03

GO TO BOX R04\_AGR03

GO TO BOX R04\_AGR03

ASK: Adult respondents who have ever used e-products to smoke marijuana.

DISPLAY: UNDERLINE "electronic product".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0102**

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product [FILL BASED ON R04\_AM0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used marijuana in an e-product today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AM0100]:

IF R04\_AM0100 = 2, DISPLAY "today".

IF R04\_AM0100 = 3, DISPLAY "yesterday".

IF R04\_AM0100 = 4, DISPLAY "the day before yesterday".

UNDERLINE "electronic product".

**PATH ID: R04\_AM0103**

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an electronic product [have/did] you [taken/take] [FILL BASED ON R04\_AM0100]?

- 1 |\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AGR03

GO TO BOX R04\_AGR03

ASK: Adult respondents who have used marijuana in an e-product in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AM0100 = 1, 2, DISPLAY "have" AND "taken".

IF R04\_AM0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R04\_AM0100]:

IF R04\_AM0100 = 1, 2, DISPLAY "today".

IF R04\_AM0100 = 3, DISPLAY "yesterday".

IF R04\_AM0100 = 4, DISPLAY "the day before yesterday".

UNDERLINE "electronic product".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0103\_LC1**

The computer recorded you took [R04\_AM0103] puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oil from an electronic product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AM0103

2 NEXT

ASK: IF R04\_AM0103 > 200 OR R04\_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R04\_AM0100 = 1 OR 2, DISPLAY "today".

IF R04\_AM0100 = 3, DISPLAY "yesterday".

IF R04\_AM0100 = 4, DISPLAY "the day before yesterday".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**CIGAR**

<b>BOX ID:</b> R04_AGR03
<p>PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:</p> <p><b>Blunt/Cigar Loops</b></p> <p>If the respondent has smoked cigars as blunts-only, R04_AJ1008[TC/CG/FC] through R04_AJ1071[TC/CG/FC] are repeated in a loop for each cigar type as blunts. See Box R04_AJT03 for transition text shown at the start of each loop.</p> <p>After all blunt loops are complete, items from R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R04_AGT03 for transition text shown at the start of each loop.</p> <p>If the respondent has smoked cigars (as non-blunt) types, R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated in a loop for each cigar type. See Box R04_AGT03 for transition text shown at the start of each loop.</p> <p>If the respondent only smoked traditional cigars, cigarillos, or filtered cigars as blunts, go to Box R04_AJT03.</p> <p>Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R04_AGR10.</p> <p>[CIGARFILL]</p> <p>If traditional cigar/blunt smoker, [CIGARFILL] = "traditional cigar".</p> <p>If cigarillo/blunt smoker, [CIGARFILL] = "cigarillo".</p> <p>If filtered cigar/blunt smoker, [CIGARFILL] = "filtered cigar".</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJT03**

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=BTRAD (Traditional Cigars as blunts-only):

The next questions are about traditional cigars when smoked as blunts.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Sometimes people take tobacco out of a traditional cigar and replace it with marijuana. This is sometimes called a blunt. As you answer these questions, please think only about your use of traditional cigars when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=BRILLO (Cigarillos as blunts-only):

The next questions are about cigarillos when smoked as blunts.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips. [Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of cigarillos when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF CIGARILLO]

IF LOOP=BFILTR (Filtered Cigars as blunts-only):

The next questions are about filtered cigars when smoked as blunts.

Filtered cigars are usually brown and have a filter like a cigarette. [Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of filtered cigars when smoked as blunts like those shown below.

[SHOW GENERIC IMAGE OF FILTERED CIGAR]

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJR10**

If loop = BTRAD and respondent initiated traditional cigar blunt use since the previous wave, go to R04\_AJ1008TC.  
 Else, if loop = BTRAD, go to R04\_AJ9030TC.

If loop = BRILLO and respondent initiated cigarillo blunt use since the previous wave, go to R04\_AJ1008CG.  
 Else, if loop = BRILLO, go to R04\_AJ9030CG.

If loop = BFILTR and respondent initiated filtered cigar blunt use since the previous wave, go to R04\_AJ1008FC.  
 Else, if loop = BFILTR, go to R04\_AJ9030FC.

**PATH ID: R04\_AJ1008**

When you first started smoking [CIGARFILL]s as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

1	Yes	
2	No	GO TO R04_AJ9030[TC/CG/FC]
3	I don't know	GO TO R04_AJ9030[TC/CG/FC]
-8	DON'T KNOW	GO TO R04_AJ9030[TC/CG/FC]
-7	REFUSED	GO TO R04_AJ9030[TC/CG/FC]

ASK: Aged-up and continuing adult respondents who initiated blunt smoking since the previous wave, and new cohort adult respondents who have ever smoked a blunt.

**PATH ID: R04\_AJ1011**

Which flavor did you first start smoking? Choose all that apply.

1	Menthol or mint
2	Clove or spice
3	Fruit
4	Chocolate
5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)
6	Candy or other sweets
7	Some other flavor (SPECIFY)
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who initiated blunt smoking with flavored cigars.  
 DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ9030**

In the past 30 days, have you smoked a [CIGARFILL] as a blunt, even one or two puffs?

- |    |            |                            |
|----|------------|----------------------------|
| 1  | Yes        |                            |
| 2  | No         | GO TO R04_AJ9029[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R04_AJ9029[TC/CG/FC] |
| -7 | REFUSED    | GO TO R04_AJ9029[TC/CG/FC] |

ASK: Adult respondents who have smoked cigars as blunts every time in the past 12 months.

**PATH ID: R04\_AJ1022**

On how many of the past 30 days did you smoke [CIGARFILL]s as blunts?

- |    |             |
|----|-------------|
| 1  | __ __  DAYS |
| -8 | DON'T KNOW  |
| -7 | REFUSED     |

ASK: Blunt smokers who have smoked a blunt in the past 30 days.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

**BOX ID: R04\_AJR11**

If respondent enters "0" to R04\_AJ1022[TC/CG/FC], go to R04\_AJ9029[TC/CG/FC].  
Else, if respondent smoked blunts in the past 30 days, go to R04\_AJ1023[TC/CG/FC].

**PATH ID: R04\_AJ9029**

About how long has it been since you last smoked a [CIGARFILL] as a blunt?

- |    |               |                            |
|----|---------------|----------------------------|
| 1  | __ __  DAYS   |                            |
| 2  | __ __  MONTHS |                            |
| 3  | __ __  YEARS  |                            |
| -8 | DON'T KNOW    | GO TO R04_AJ1030[TC/CG/FC] |
| -7 | REFUSED       | GO TO R04_AJ1030[TC/CG/FC] |

ASK: Blunt smokers who have not smoked a blunt in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ9029TC_LC1</b>	
The computer recorded that you last smoked traditional cigars as blunts [R04_AJ9029TC_NN] [days/months/years] ago.	
If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AJ9029TC
2    NEXT	GO TO R04_AJ1030TC
ASK: IF (R04_AJ9029TC_NN < 30 AND R04_AJ9029TC_UN = 1) OR (R04_AJ9029TC_NN < 1 AND R04_AJ9029TC_UN = 2) OR (R04_AJ9029TC_NN > 18 AND R04_AJ9029TC_UN = 2) OR (R04_AJ9029TC_NN > (R04_ACHIEVEDAGE - 10) AND R04_AJ9029TC_UN = 3).	
DISPLAY: IF R04_AJ9029TC_UN = 1, DISPLAY "days".	
ELSE, IF R04_AJ9029TC_UN = 2, DISPLAY "months".	
ELSE, IF R04_AJ9029TC_UN = 3, DISPLAY "years".	

<b>PATH ID:</b> <b>R04_AJ9029CG_LC1</b>	
The computer recorded that you last smoked cigarillos as blunts [R04_AJ9029CG_NN] [days/months/years] ago.	
If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AJ9029CG
2    NEXT	GO TO R04_AJ1030CG
ASK: IF (R04_AJ9029CG_NN < 30 AND R04_AJ9029CG_UN = 1) OR (R04_AJ9029CG_NN < 1 AND R04_AJ9029CG_UN = 2) OR (R04_AJ9029CG_NN > 18 AND R04_AJ9029CG_UN = 2) OR (R04_AJ9029CG_NN > (R04_ACHIEVEDAGE - 10) AND R04_AJ9029CG_UN = 3).	
DISPLAY: IF R04_AJ9029CG_UN = 1, DISPLAY "days".	
ELSE, IF R04_AJ9029CG_UN = 2, DISPLAY "months".	
ELSE, IF R04_AJ9029CG_UN = 3, DISPLAY "years".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ9029FC_LC1</b>	
The computer recorded that you last smoked filtered cigars as blunts [R04_AJ9029FC_NN] [days/months/years] ago.	
If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ9029FC
2 NEXT	GO TO R04_AJ1030FC
ASK: IF (R04_AJ9029FC_NN < 30 AND R04_AJ9029FC_UN = 1) OR (R04_AJ9029FC_NN < 1 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > 18 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > (R04_ACHIEVEDAGE - 10) AND R04_AJ9029FC_UN = 3).	
DISPLAY: IF R04_AJ9029FC_UN = 1, DISPLAY "days".	
ELSE, IF R04_AJ9029FC_UN = 2, DISPLAY "months".	
ELSE, IF R04_AJ9029FC_UN = 3, DISPLAY "years".	

<b>PATH ID: R04_AJ1023</b>	
On average, on those [FILL NUMBER OF DAYS FROM R04_AJ1022[TC/CG/FC] days/days you smoked], how many [CIGARFILL]s did you usually smoke as a blunt each day?	
1 Less than 1 each day	
2  __ __	
-8 DON'T KNOW	GO TO R04_AJ9012[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ9012[TC/CG/FC]
ASK: Blunt smokers who have smoked blunts on at least one day in the past 30 days.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.	
FOR R04_AJ1023[TC/CG/FC]: IF R04_AJ1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "days you smoked".	
ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04_AJ1022[TC/CG/FC].	

<b>PATH ID: R04_AJ1023TC_LC1</b>	
The computer recorded that on the days you smoked traditional cigars as blunts in the past 30 days, you smoked [R04_AJ1023TC_NN] traditional cigars as blunts a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ1023TC
2 NEXT	GO TO R04_AJ9012TC
ASK: IF R04_AJ1023TC_NN > 20.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ1023CG_LC1</b>	
The computer recorded that on the days you smoked cigarillos as blunts in the past 30 days, you smoked [R04_AJ1023CG_NN] cigarillos as blunts a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ1023CG
2 NEXT	GO TO R04_AJ9012CG
ASK: IF R04_AJ1023CG_NN > 20.	

<b>PATH ID: R04_AJ1023FC_LC1</b>	
The computer recorded that on the days you smoked filtered cigars as blunts in the past 30 days, you smoked [R04_AJ1023FC_NN] filtered cigars as blunts a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ1023FC
2 NEXT	GO TO R04_AJ9012FC
ASK: IF R04_AJ1023FC_NN > 20.	

<b>PATH ID: R04_AJ9012</b>	
Do you usually share blunts with others when you smoke them?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Blunt smokers who have smoked a blunt in the past 30 days.	

<b>PATH ID: R04_AJ0100</b>	
When did you last smoke a [CIGARFILL] as a blunt?	
1 In the past hour	GO TO R04_AJ0103[TC/CG/FC]
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R04_AJ1130[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AJ1130[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ1130[TC/CG/FC]
ASK: Blunt smokers who have smoked a blunt in the past 30 days.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ0102**

When you last smoked a [CIGARFILL] as a blunt [FILL BASED ON R04\_AJ0100[TC/CG/FC]], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AJ0100[TC/CG/FC]]:

IF R04\_AJ0100[TC/CG/FC] = 2, DISPLAY "today".

IF R04\_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

IF R04\_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AJ0103**

How many [CIGARFILL]s [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04\_AJ0100[TC/CG/FC]]? (If less than 1, enter 1.)

- 1 |\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked".

IF R04\_AJ0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R04\_AJ0100[TC/CG/FC]]:

IF R04\_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "today".

IF R04\_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

IF R04\_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ0103TC_LC1</b>	
The computer recorded that you smoked [R04_AJ0103TC_NN] traditional cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ0103TC
2 NEXT	GO TO R04_AJ1130TC
ASK: IF R04_AJ0103TC_NN > 15 OR R04_AJ0103TC_NN = 11.	
DISPLAY: IF R04_AJ0100TC = 1, 2, DISPLAY "today".	
IF R04_AJ0100TC = 3, DISPLAY "yesterday".	
IF R04_AJ0100TC = 4, DISPLAY "the day before yesterday".	

<b>PATH ID: R04_AJ0103CG_LC1</b>	
The computer recorded that you smoked [R04_AJ0103CG_NN] cigarillos as blunts [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ0103CG
2 NEXT	GO TO R04_AJ1130CG
ASK: IF R04_AJ0103CG_NN > 15 OR R04_AJ0103CG_NN = 11.	
DISPLAY: IF R04_AJ0100CG = 1, 2, DISPLAY "today".	
IF R04_AJ0100CG = 3, DISPLAY "yesterday".	
IF R04_AJ0100CG = 4, DISPLAY "the day before yesterday".	

<b>PATH ID: R04_AJ0103FC_LC1</b>	
The computer recorded that you smoked [R04_AJ0103FC_NN] filtered cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ0103FC
2 NEXT	GO TO R04_AJ1130FC
ASK: IF R04_AJ0103FC_NN > 15 OR R04_AJ0103FC_NN = 11.	
DISPLAY: IF R04_AJ0100FC = 1, 2, DISPLAY "today".	
IF R04_AJ0100FC = 3, DISPLAY "yesterday".	
IF R04_AJ0100FC = 4, DISPLAY "the day before yesterday".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1130**

In the past 30 days, were any of the [CIGARFILL]s that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                            |
|----|--------------|----------------------------|
| 1  | Yes          |                            |
| 2  | No           | GO TO R04_AJ1030[TC/CG/FC] |
| 3  | I don't know | GO TO R04_AJ1030[TC/CG/FC] |
| -8 | DON'T KNOW   | GO TO R04_AJ1030[TC/CG/FC] |
| -7 | REFUSED      | GO TO R04_AJ1030[TC/CG/FC] |

ASK: Blunt smokers who have smoked a blunt in the past 30 days.

**PATH ID: R04\_AJ1131**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked flavored cigars as blunts in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AJ1147**

On the days you smoked [CIGARFILL]s as blunts in the past 30 days, how often did you smoke flavored [CIGARFILL]s?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked flavored cigars as blunts in the past 30 days.

DISPLAY: UNDERLINE "flavored".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1030**

How do you usually buy [CIGARFILL]s for yourself when you smoke blunts?

- |    |   |                            |
|----|---|----------------------------|
| 1  | In person (such as at a store or cigar bar) |                            |
| 2  | From the internet                           | GO TO R04_AJ1039[TC/CG/FC] |
| 3  | By telephone                                | GO TO R04_AJ1039[TC/CG/FC] |
| 4  | I do not buy my own [CIGARFILL]s for blunts | GO TO R04_AJ1047[TC/CG/FC] |
| -8 | DON'T KNOW                                  | GO TO R04_AJ1047[TC/CG/FC] |
| -7 | REFUSED                                     | GO TO R04_AJ1047[TC/CG/FC] |

ASK: Blunt smokers who have smoked a blunt in the past 12 months.

**PATH ID: R04\_AJ1032**

Do you usually buy [CIGARFILL]s for blunts...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who usually buy cigars for blunts in person.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1033**

Where do you buy your [CIGARFILL]s for blunts most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who usually buy cigars for blunts in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AJ1039**

Do you usually buy [CIGARFILL]s for blunts by the box or pack, or as single [CIGARFILL]s?

- 1 Box or pack
- 2 Single [CIGARFILL]s
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who buy cigars for blunts in person.

**BOX ID: R04\_AJR34**

Respondents who buy cigars for blunts by the box or pack, go to R04\_AJ1040[TC/CG/FC].  
Else, respondents who buy single cigars for blunts, go to R04\_AJ1043[TC/CG/FC].  
Else, go to R04\_AJ1047[TC/CG/FC].

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ1040</b>
How many [CIGARFILL]s come in the box or pack that you usually buy for blunts?
1  __ __ __
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who buy cigars for blunts by the box.

<b>PATH ID: R04_AJ1040TC_LC1</b>
The computer recorded that [R04_AJ1040TC_NN] traditional cigars come in the box or pack you usually buy for blunts. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AJ1040TC</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1042TC</span>
ASK: IF R04_AJ1040TC_NN > 50.

<b>PATH ID: R04_AJ1040CG_LC1</b>
The computer recorded that [R04_AJ1040CG_NN] cigarillos come in the box or pack you usually buy for blunts. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AJ1040CG</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1042CG</span>
ASK: IF R04_AJ1040CG_NN > 20.

<b>PATH ID: R04_AJ1040FC_LC1</b>
The computer recorded that [R04_AJ1040FC_NN] filtered cigars come in the box or pack you usually buy for blunts. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AJ1040FC</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1042FC</span>
ASK: IF R04_AJ1040FC_NN > 100.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1042**

How much do you usually pay for a box or pack of [CIGARFILL]s for blunts?

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents

-8 DON'T KNOW

GO TO R04\_AJ1047[TC/CG/FC]

-7 REFUSED

GO TO R04\_AJ1047[TC/CG/FC]

ASK: Blunt smokers who buy cigars for blunts by the box.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH ID: R04\_AJ1042TC\_LC1**

The computer recorded that you usually pay \$[R04\_AJ1042TC\_D].[R04\_AJ1042TC\_C] for a box of traditional cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AJ1042TC

2 NEXT

GO TO R04\_AJ1047TC

ASK: IF R04\_AJ1042TC\_D > 300 OR R04\_AJ1042TC\_D < 10.

**PATH ID: R04\_AJ1042CG\_LC1**

The computer recorded that you usually pay \$[R04\_AJ1042CG\_D].[R04\_AJ1042CG\_C] for a box of cigarillos for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AJ1042CG

2 NEXT

GO TO R04\_AJ1047CG

ASK: IF R04\_AJ1042CG\_D > 11 OR R04\_AJ1042CG\_D < 1.

**PATH ID: R04\_AJ1042FC\_LC1**

The computer recorded that you usually pay \$[R04\_AJ1042FC\_D].[R04\_AJ1042FC\_C] for a box of filtered cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AJ1042FC

2 NEXT

GO TO R04\_AJ1047FC

ASK: IF R04\_AJ1042FC\_D > 100 OR R04\_AJ1042FC\_D < 1.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ1043</b>
How much do you usually pay for a single [CIGARFILL] for a blunt?
1 \$  __ __ __  Dollars .  __ __  Cents
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who buy single cigars for blunts.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

<b>PATH ID: R04_AJ1043TC_LC1</b>
The computer recorded that you usually pay \$[R04_AJ1043TC_D].[R04_AJ1043TC_C] for a single traditional cigar for a blunt. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AJ1043TC</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1047TC</span>
ASK: IF R04_AJ1043TC_D > 15 OR R04_AJ1043TC_D < 1.

<b>PATH ID: R04_AJ1043CG_LC1</b>
The computer recorded that you usually pay \$[R04_AJ1043CG_D].[R04_AJ1043CG_C] for a single cigarillo for a blunt. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AJ1043CG</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1047CG</span>
ASK: IF R04_AJ1043CG_D > 3 OR (R04_AJ1043CG_D = 0 AND R04_AJ1043CG_C < 50).

<b>PATH ID: R04_AJ1043FC_LC1</b>
The computer recorded that you usually pay \$[R04_AJ1043FC_D].[R04_AJ1043FC_C] for a single filtered cigar for a blunt. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AJ1043FC</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1047FC</span>
ASK: IF R04_AJ1043FC_D > 3 OR (R04_AJ1043FC_D = 0 AND R04_AJ1043FC_C < 50).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1047**

Do you have a regular brand of [CIGARFILL]s that you usually use for blunts?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked a blunt in the past 12 months.

**PATH ID: R04\_AJ1050**

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No GO TO R04\_AJ1945[TC/CG/FC]
- 3 I don't know GO TO R04\_AJ1945[TC/CG/FC]
- 8 DON'T KNOW GO TO R04\_AJ1945[TC/CG/FC]
- 7 REFUSED GO TO R04\_AJ1945[TC/CG/FC]

ASK: Blunt smokers who have smoked a blunt in the past 12 months.

DISPLAY: IF R04\_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".

ELSE, IF R04\_AJ1047[TC/CG/FC] = 1, DISPLAY "Is", "your regular brand" AND "smoke".

**PATH ID: R04\_AJ1012**

Which flavor [is/was] it? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers whose regular brand or last brand of cigar smoked was flavored.

DISPLAY: IF R04\_AJ1047[TC/CG/FC] = 1 DISPLAY "is". ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1945</b>
Do you know the <u>name of the brand</u> of [CIGARFILL]s that you [usually use/last used] for blunts?  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Blunt smokers who have smoked a blunt in the past 12 months. DISPLAY: IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY “usually use”. IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY “last used”. UNDERLINE “name of the brand”.

<b>BOX ID:</b> <b>R04_AJR33</b>
Respondents who know the name of their brand, go to R04_AJ1048[TC/CG/FC]_BRAND. Else, go to Box R04_AJR04.

<b>PATH ID:</b> <b>R04_AJ1048</b>
What brand of [CIGARFILL] for blunts [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked “NEXT”./If you do not see it below, touch the box marked “Something else”.]  1    Something else -8   DON'T KNOW -7   REFUSED  ASK: Blunt smokers who have smoked a blunt in the past 12 months and know the brand name. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: “If you do not see it below, touch the button marked “NEXT”.” IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: “If you do not see it below, touch the box marked “Something else”.” IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY “did” AND “last”. ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY “do” AND “usually”.

<b>BOX ID:</b> <b>R04_AJR01</b>
If respondent selects a brand, go to R04_AJ1070[TC/CG/FC]_PRODUCT. Else, if respondent selects "Something else", go to R04_AJ1049[TC/CG/FC]. Else, go to Box R04_AJR04.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1049</b>	
You said that your brand was not listed. What is it?	
1     _____	GO TO BOX R04_AJR04
-8    DON'T KNOW	GO TO BOX R04_AJR04
-7    REFUSED	GO TO BOX R04_AJR04
ASK: Blunt smokers who selected "Something else" for their brand.	

<b>PATH ID:</b> <b>R04_AJ1070</b>	
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]	
1    Something else	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Blunt smokers who selected a brand image.	
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT"." IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"." FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	
IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually".	

<b>BOX ID:</b> <b>R04_AJR02</b>	
If respondent selects "Something else" for their subbrand image, go to R04_AJ1071[TC/CG/FC]. Else, go to Box R04_AJR04.	

<b>PATH ID:</b> <b>R04_AJ1071</b>	
You said that the type of [BRANDFILL]s that you smoke as blunts is not listed. What type is it?	
1     _____	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Blunt smokers who selected a brand image, but selected "Something else" for their subbrand image.	
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJR04**

END BLUNT LOOP:

If respondent has loops to complete for blunt-only cigar types, return to Box R04\_AJT03 and loop through subsections for any other blunt-only cigar types.

Else, if respondent has loops to complete for non-blunt cigar types, go to Box R04\_AGR10.

Else, if respondent has no more remaining loops to complete, go to next section.

**BOX ID: R04\_AGR10**

If respondent was a former user and had smoked 100 or more traditional cigars/cigarillos/filtered cigars and had smoked fairly regularly at the previous wave and has not smoked in the last 12 months or currently smokes not at all or is an ever user and switched to blunt-only use, go to Box R04\_AGV02.

Else, continue with Box R04\_AGT03.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGT03**

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD (Traditional Cigars):

The next questions are about traditional cigars.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf.

As you answer these questions, please think only about your use of traditional cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=GRILLO (Cigarillos):

The next questions are about cigarillos.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips.

As you answer these questions, please think only about your use of cigarillos like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARILLO].

IF LOOP=GFILTR (Filtered Cigars):

The next questions are about filtered cigars.

Filtered cigars are usually brown and have a filter like a cigarette. As you answer these questions, please think only about your use of filtered cigars like those shown below.

[SHOW GENERIC IMAGE OF FILTERED CIGAR].

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR01**

New cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04\_AG1006[TC/CG/FC]\_RS.

Else, aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars (and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in the previous wave), and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R04\_AG1005[TC/CG/FC].

Else, aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had never smoked fairly regularly in the previous wave, go to R04\_AG1100[TC/CG/FC].

Else, go to Box R04\_AGR12.

**PATH ID: R04\_AG1005**

How many [CIGARFILL]s have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in the previous wave, and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

**BOX ID: R04\_AGR26**

Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars (and had never smoked fairly regularly in the previous wave), and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R04\_AG1100[TC/CG/FC].

Else, go to Box R04\_AGV02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1100</b>
Have you ever smoked [CIGARFILL]s fairly regularly?  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

<b>BOX ID:</b> <b>R04_AGR12</b>
New baseline adult respondents who smoke fairly regularly, go to R04_AG1007[TC/CG/FC]_NB. Else, go to Box R04_AGV02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV02**

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**IF LOOP = GTRAD, THEN DEFINE:**

**R04\_GTRAD\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke every day or some days.

**R04\_GTRAD\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a traditional cigar and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GTRAD\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a traditional cigar and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GTRAD\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former traditional cigar smokers at the previous wave and aged-up adult respondents who ever smoked traditional cigars at the previous wave, who have ever smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since the previous wave, who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GTRAD\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GTRAD\_USE = 1 (Every day user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke every day.

**R04\_CURRENT\_GTRAD\_USE = 2 (Some day user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1** Adult respondents who are experimental former, recent former, or long-term former traditional cigar smokers who smoked in the past 30 days.

**IF LOOP = GRILLO, THEN DEFINE:**

**R04\_GRILLO\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke every day or some days.

**R04\_GRILLO\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a cigarillo and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GRILLO\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a cigarillo and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GRILLO\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former cigarillo smokers at the previous wave and aged-up adult respondents who ever smoked cigarillos at the previous wave, who have ever smoked cigarillos fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since the previous wave, who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GRILLO\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

respondents who were former cigarillo traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GRILLO\_USE = 1 (Every day user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke every day.

**R04\_CURRENT\_GRILLO\_USE = 2 (Some day user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1** Adult respondents who are experimental former, recent former, or long-term former cigarillo smokers who smoked in the past 30 days.

**IF LOOP = GFILTR, THEN DEFINE:**

**R04\_GFILTR\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke every day or some days.

**R04\_GFILTR\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a filtered cigar and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GFILTR\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a filtered cigar and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GFILTR\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former filtered cigar smokers at the previous wave and aged-up adult respondents who ever smoked filtered cigars at the previous wave, who have ever smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated filtered smoking since the previous wave, who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GFILTR\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former filtered cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GFILTR\_USE = 1 (Every day user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke every day.

**R04\_CURRENT\_GFILTR\_USE = 2 (Some day user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke some days

**R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1** Adult respondents who are experimental former, recent former, or long-term former filtered cigar smokers who smoked in the past 30 days.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AGR02</b>
If new baseline adult respondent and every day traditional cigar/cigarillo/filtered cigar user, go to R04_AG1020[TC/CG/FC]_NB. Else, if aged-up and continuing adult respondent who initiated traditional cigar/cigarillo/filtered cigar use since the previous wave, or new cohort adult respondent who has ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04_AG1008[TC/CG/FC]. Else, if every day traditional cigar/cigarillo/filtered cigar user, go to R04_AG1021[TC/CG/FC]. Else, if someday, experimental current, former or experimental former traditional cigar/cigarillo/filtered cigar user who has smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days, go to R04_AG1022[TC/CG/FC]. Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04_AG9040[TC/CG/FC]. Else, go to Box R04_AGR04.

<b>BOX ID:</b> <b>R04_AGR27</b>
Aged-up and continuing adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars since the previous wave, and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04_AG1008[TC/CG/FC]. Else, go to Box R04_AGR11.

<b>PATH ID:</b> <b>R04_AG1008</b>
When you first started smoking [CIGARFILL]s, did you smoke [CIGARFILL]s flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?
1    Yes
2    No
3    I don't know
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR59
GO TO BOX R04_AGR59
GO TO BOX R04_AGR59
GO TO BOX R04_AGR59
ASK: Aged-up and continuing adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since the previous wave, and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1011</b>
<p>Which flavor did you first start smoking? Choose all that apply.</p> <ul style="list-style-type: none"> <li>1   Menthol or mint</li> <li>2   Clove or spice</li> <li>3   Fruit</li> <li>4   Chocolate</li> <li>5   An alcoholic drink (such as wine, cognac, margarita or other cocktails)</li> <li>6   Candy or other sweets</li> <li>7   Some other flavor (SPECIFY)</li> <li>-8  DON'T KNOW</li> <li>-7  REFUSED</li> </ul> <p>ASK: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.</p> <p>DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."</p>

<b>BOX ID:</b> <b>R04_AGR59</b>
<p>If current, experimental current, former experimental, recent former, or long-term former new cohort adult respondent, go to R04_AG1025[TC/CG/FC]_RS.</p> <p>Else, go to Box R04_AGR11.</p>

<b>BOX ID:</b> <b>R04_AGR11</b>
<p>If every day traditional cigar/cigarillo/filtered cigar user, go to R04_AG1021[TC/CG/FC].</p> <p>Else, if some day, experimental current, former or experimental former traditional cigar/cigarillo/filtered cigar user who has smoked in the past 30 days, go to R04_AG1022[TC/CG/FC].</p> <p>Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04_AG9040[TC/CG/FC].</p> <p>Else, go to Box R04_AGR04.</p>

<b>PATH ID:</b> <b>R04_AG1021</b>								
<p>On average, about how many [CIGARFILL]s do you now smoke each day?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 20px;">-2   Less than 1 each day</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AG1024[TC/CG/FC]</td> </tr> <tr> <td style="padding-left: 20px;">1     _ _ _ </td> <td></td> </tr> <tr> <td style="padding-left: 20px;">-8  DON'T KNOW</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AG1024[TC/CG/FC]</td> </tr> <tr> <td style="padding-left: 20px;">-7  REFUSED</td> <td style="text-align: right; padding-right: 20px;">GO TO R04_AG1024[TC/CG/FC]</td> </tr> </table> <p>ASK: Every day traditional cigar/cigarillo/filtered cigar smokers.</p> <p>DISPLAY: DISPLAY AS A NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.</p>	-2   Less than 1 each day	GO TO R04_AG1024[TC/CG/FC]	1     _ _ _		-8  DON'T KNOW	GO TO R04_AG1024[TC/CG/FC]	-7  REFUSED	GO TO R04_AG1024[TC/CG/FC]
-2   Less than 1 each day	GO TO R04_AG1024[TC/CG/FC]							
1     _ _ _								
-8  DON'T KNOW	GO TO R04_AG1024[TC/CG/FC]							
-7  REFUSED	GO TO R04_AG1024[TC/CG/FC]							

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1021TC_LC1</b>	
The computer recorded that you now smoke [R04_AG1021TC] traditional cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1021TC
2    NEXT	GO TO R04_AG1024TC
ASK: IF R04_AG1021TC > 20.	

<b>PATH ID:</b> <b>R04_AG1021CG_LC1</b>	
The computer recorded that you now smoke [R04_AG1021CG] cigarillos a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1021CG
2    NEXT	GO TO R04_AG1024CG
ASK: IF R04_AG1021CG > 20.	

<b>PATH ID:</b> <b>R04_AG1021FC_LC1</b>	
The computer recorded that you now smoke [R04_AG1021FC] filtered cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1021FC
2    NEXT	GO TO R04_AG1024FC
ASK: IF R04_AG1021FC > 20.	

<b>PATH ID:</b> <b>R04_AG1022</b>	
On how many of the past 30 days did you smoke [CIGARFILL]s?	
1     __ __  DAYS	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Some day and experimental current traditional cigar/cigarillo/filtered cigar smokers who have smoked in the past 30 days, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.	
DISPLAY: DISPLAY 'DAYS' AS A TITLE.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR13**

If respondent enters "0" for R04\_AG1022[TC/CG/FC] and is a some day or experimental current traditional cigar/cigarillo/filtered cigar smoker, go to R04\_AG9029[TC/CG/FC].

Else, if respondent enters "0" for R04\_AG1022[TC/CG/FC] and is a former 30 day user, go to Box R04\_AGR30.

Else, go to R04\_AG1023[TC/CG/FC].

**PATH ID: R04\_AG9029**

About how long has it been since you last smoked [CIGARFILL]s?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AGR30

-7 REFUSED

GO TO BOX R04\_AGR30

ASK: Some day and experimental current traditional cigar/cigarillo/filtered cigar smokers who have not smoked in the past 30 days.

**PATH ID: R04\_AG9029TC\_LC1**

The computer recorded that you last smoked traditional cigars [R04\_AG9029TC\_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG9029TC

2 NEXT

GO TO BOX R04\_AGR30

ASK: IF (R04\_AG9029TC\_NN < 30 AND R04\_AG9029TC\_UN = 1) OR (R04\_AG9029TC\_NN < 1 AND R04\_AG9029TC\_UN = 2) OR (R04\_AG9029TC\_NN > 18 AND R04\_AG9029TC\_UN = 2) OR (R04\_AG9029TC\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029TC\_UN = 3).

DISPLAY: IF R04\_AG9029TC\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AG9029TC\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AG9029TC\_UN = 3, DISPLAY "years".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9029CG\_LC1**

The computer recorded that you last smoked cigarillos [R04\_AG9029CG\_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG9029CG  |
| 2 | NEXT | GO TO BOX R04_AGR30 |

ASK: IF (R04\_AG9029CG\_NN < 30 AND R04\_AG9029CG\_UN = 1) OR (R04\_AG9029CG\_NN < 1 AND R04\_AG9029CG\_UN = 2) OR (R04\_AG9029CG\_NN > 18 AND R04\_AG9029CG\_UN = 2) OR (R04\_AG9029CG\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029CG\_UN = 3).

DISPLAY: IF R04\_AG9029CG\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AG9029CG\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AG9029CG\_UN = 3, DISPLAY "years".

**PATH ID: R04\_AG9029FC\_LC1**

The computer recorded that you last smoked filtered cigars [R04\_AG9029FC\_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG9029FC  |
| 2 | NEXT | GO TO BOX R04_AGR30 |

ASK: IF (R04\_AG9029FC\_NN < 30 AND R04\_AG9029FC\_UN = 1) OR (R04\_AG9029FC\_NN < 1 AND R04\_AG9029FC\_UN = 2) OR (R04\_AG9029FC\_NN > 18 AND R04\_AG9029FC\_UN = 2) OR (R04\_AG9029FC\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029FC\_UN = 3).

DISPLAY: IF R04\_AG9029FC\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AG9029FC\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AG9029FC\_UN = 3, DISPLAY "years".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1023</b>
On average, on those [FILL NUMBER OF DAYS FROM R04_AG1022 days/days you smoked], how many [CIGARFILL]s did you usually smoke each day?
-2 Less than 1 each day
1  __ __
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AGR30
GO TO BOX R04_AGR30
ASK: Some day, experimental current, and former thirty day traditional cigar/cigarillo/filtered cigar smokers who have smoked at least one day in past 30 days.
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.
IF R04_AG1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "days you smoked". ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04_AG1022[TC/CG/FC].

<b>PATH ID: R04_AG1023TC_LC1</b>
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023TC] traditional cigars a day, on average.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
GO TO R04_AG1023TC
GO TO BOX R04_AGR30
ASK: IF R04_AG1023TC > 20.

<b>PATH ID: R04_AG1023CG_LC1</b>
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023CG] cigarillos a day, on average.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
GO TO R04_AG1023CG
GO TO BOX R04_AGR30
ASK: IF R04_AG1023CG > 20.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1023FC_LC1</b>	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023FC] filtered cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1023FC
2 NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023FC > 20.	
<b>BOX ID: R04_AGR30</b>	
Current and experimental current traditional cigar/cigarillo/filtered cigar users, go to R04_AG1024[TC/CG/FC].	
Else, if former 30 day traditional cigar/cigarillo/filtered cigar user, go to R04_AG1024[TC/CG/FC]_30D.	
Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04_AG9040[TC/CG/FC].	
Else, go to next section.	

<b>PATH ID: R04_AG1024</b>	
[On the days that you smoke [CIGARFILL]s, how/How] soon after you wake up do you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.	
1  __ __ __  Minutes after waking	
2  __ __ __  Hours after waking	
-8 DON'T KNOW	GO TO R04_AG1092[TC/CG/FC]
-7 REFUSED	GO TO R04_AG1092[TC/CG/FC]
ASK: Current and experimental current traditional cigar/cigarillo/filtered cigar smokers.	
DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "How". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, how".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1024TC_LC1</b>	
The computer recorded that you typically smoke your first traditional cigar of the day [R04_AG1024TC_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024TC
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_CURRENT_GTRAD_USE = 1 AND (R04_AG1024TC_NN > 60 AND R04_AG1024TC_UN = 1) OR (R04_AG1024TC_NN > 4 AND R04_AG1024TC_UN = 2)) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2) AND (R04_AG1024TC_NN > 60 AND R04_AG1024TC_UN = 1) OR (R04_AG1024TC_NN > 12 AND R04_AG1024TC_UN = 2)).	
DISPLAY: IF R04_AG1024TC_UN = 2, DISPLAY "hours". IF R04_AG1024TC_UN = 1, DISPLAY "minutes".	

<b>PATH ID: R04_AG1024TC_LC2</b>	
The computer recorded "0" for how long you typically smoke your first traditional cigar of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024TC
2 NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024TC_NN = 0.	

<b>PATH ID: R04_AG1024CG_LC1</b>	
The computer recorded that you typically smoke your first cigarillo of the day [R04_AG1024CG_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024CG
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_CURRENT_GRILLO_USE = 1 AND (R04_AG1024CG_NN > 60 AND R04_AG1024CG_UN = 1) OR (R04_AG1024CG_NN > 4 AND R04_AG1024CG_UN = 2)) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2) AND (R04_AG1024CG_NN > 60 AND R04_AG1024CG_UN = 1) OR (R04_AG1024CG_NN > 12 AND R04_AG1024CG_UN = 2)).	
DISPLAY: IF R04_AG1024TC_UN = 2, DISPLAY "hours". IF R04_AG1024TC_UN = 1, DISPLAY "minutes".	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1024CG_LC2</b>	
The computer recorded "0" for how long you typically smoke your first cigarillo of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AG1024CG
2   NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024CG_NN = 0.	

<b>PATH ID:</b> <b>R04_AG1024FC_LC1</b>	
The computer recorded that you typically smoke your first filtered cigar of the day [R04_AG1024FC_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AG1024FC
2   NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_CURRENT_GFILTR_USE = 1 AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 4 AND R04_AG1024FC_UN = 2)) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2) AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 12 AND R04_AG1024FC_UN = 2)).	
DISPLAY: IF R04_AG1024TC_UN = 2, DISPLAY "hours". IF R04_AG1024TC_UN = 1, DISPLAY "minutes".	

<b>PATH ID:</b> <b>R04_AG1024FC_LC2</b>	
The computer recorded "0" for how long you typically smoke your first filtered cigar of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AG1024FC
2   NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024FC_NN = 0.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1092</b>	
[On the days that you smoke [CIGARFILL]s, would/Would] you say you smoke your first [CIGARFILL] of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R04_AGR34
2 No	GO TO BOX R04_AGR34
3 It varies	GO TO BOX R04_AGR34
-8 DON'T KNOW	GO TO BOX R04_AGR34
-7 REFUSED	GO TO BOX R04_AGR34
ASK: Current and experimental current traditional cigar/cigarillo/filtered cigar smokers who did not know or refused to report how soon they smoke a traditional cigar/cigarillo/filtered cigar after waking up.	
DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, would".	

<b>PATH ID: R04_AG1024_30D</b>	
On the days that you smoked [CIGARFILL]s, how soon after you woke up did you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.	
1  __ __ __  Minutes after waking	
2  __ __ __  Hours after waking	
-8 DON'T KNOW	GO TO R04_AG1092[TC/CG/FC]_30D
-7 REFUSED	GO TO R04_AG1092[TC/CG/FC]_30D
ASK: Former 30 day traditional cigar/cigarillo/filtered cigar smokers.	

<b>PATH ID: R04_AG1024TC_30D_LC1</b>	
The computer recorded that you typically smoked your first traditional cigar of the day [R04_AG1024TC_30D_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024TC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_AG1024TC_30D_NN AND > 60 AND R04_AG1024TC_30D_UN = 1) OR (R04_AG1024TC_30D > 12 AND R04_AG1024TC_30D_UN = 2).	
DISPLAY: IF R04_AG1024TC_30D_UN = 2, DISPLAY "hours". IF R04_AG1024TC_30D_UN = 1, DISPLAY "minutes".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1024TC\_30D\_LC2**

The computer recorded "0" for how long you typically smoked your first traditional cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1024TC\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF R04\_AG1024TC\_30D\_NN = 0.

**PATH ID: R04\_AG1024CG\_30D\_LC1**

The computer recorded that you typically smoked your first cigarillo of the day [R04\_AG1024CG\_30D\_NN] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1024CG\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF (R04\_AG1024CG\_30D\_NN AND > 60 AND R04\_AG1024CG\_30D\_UN = 1) OR (R04\_AG1024CG\_30D > 12 AND R04\_AG1024CG\_30D\_UN = 2).

DISPLAY: IF R04\_AG1024CG\_30D\_UN = 2, DISPLAY "hours". IF R04\_AG1024CG\_30D\_UN = 1, DISPLAY "minutes".

**PATH ID: R04\_AG1024CG\_30D\_LC2**

The computer recorded "0" for how long you typically smoked your first cigarillo of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1024FC\_30D

2 NEXT

GO TO BOX R04\_AGR34

ASK: IF R04\_AG1024CG\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1024FC_30D_LC1</b>	
The computer recorded that you typically smoked your first filtered cigar of the day [R04_AG1024FC_30D] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024FC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_AG1024FC_30D_NN AND > 60 AND R04_AG1024FC_30D_UN = 1) OR (R04_AG1024FC_30D > 12 AND R04_AG1024FC_30D_UN = 2).	
DISPLAY: IF R04_AG1024FC_30D_UN = 2, DISPLAY "hours". IF R04_AG1024FC_30D_UN = 1, DISPLAY "minutes".	

<b>PATH ID: R04_AG1024FC_30D_LC2</b>	
The computer recorded "0" for how long you typically smoked your first filtered cigar of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1024FC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024FC_30D_NN = 0.	

<b>PATH ID: R04_AG1092_30D</b>	
On the days that you smoked [CIGARFILL]s, would you say you smoked your first [CIGARFILL] of the day within the first 30 minutes after you woke up?	
1 Yes	
2 No	
3 It varies	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Former 30 day traditional cigar/cigarillo/filtered cigar smokers who did not know or refused to report how soon they smoked a traditional cigar/cigarillo/filtered cigar after waking up.	
<b>BOX ID: R04_AGR34</b>	
If respondent did not smoke traditional cigars/cigarillos/filtered cigars in the past 30 days, go to R04_AG1030[TC/CG/FC].	
Else, go to R04_AG0100[TC/CG/FC].	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AG0100</b>	
When did you last smoke a [CIGARFILL]?		
1	In the past hour	GO TO R04_AG0103[TC/CG/FC]
2	Sometime today	
3	Yesterday	
4	Day before yesterday	
5	Three or more days ago	GO TO R04_AG1130[TC/CG/FC]
-8	DON'T KNOW	GO TO R04_AG1130[TC/CG/FC]
-7	REFUSED	GO TO R04_AG1130[TC/CG/FC]
ASK: Adult respondents who have smoked traditional cigars/cigarillos/filtered cigars in the past 30 days.		

<b>PATH ID:</b>	<b>R04_AG0102</b>	
When you last smoked a [CIGARFILL] [FILL BASED ON R04_AG0100[TC/CG/FC]], was it...		
1	Between midnight and 6AM	
2	After 6AM but before noon	
3	Between noon and 6PM	
4	After 6PM but before midnight	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: FOR [FILL BASED ON R04_AG0100[TC/CG/FC]],		
IF R04_AG0100[TC/CG/FC] = 2, DISPLAY "today";		
IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday";		
IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG0103
How many [CIGARFILL]s [have/did] you [smoked/smoke] [FILL BASED ON R04_AG0100[TC/CG/FC]]? (If less than 1, enter 1.)
1  _ _ _
-8 DON'T KNOW GO TO R04_AG1130[TC/CG/FC]
-7 REFUSED GO TO R04_AG1130[TC/CG/FC]
ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday.
DISPLAY: IF (R04_AG0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked".
ELSE, IF R04_AG0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke".
FOR [FILL BASED ON R04_AG0100[TC/CG/FC]],
IF R04_AG0100[TC/CG/FC] = 1, 2, DISPLAY "today";
ELSE, IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday";
ELSE, IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

<b>PATH ID:</b> R04_AG0103TC_LC1
The computer recorded that you smoked [R04_AG0103TC] traditional cigars [today/yesterday/the day before yesterday]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AG0103TC
2 NEXT GO TO R04_AG1130TC
ASK: IF R04_AG0103TC > 15 OR R04_AG0103TC = 11.
DISPLAY: IF R04_AG0100TC = 1, 2, DISPLAY "today".
ELSE, IF R04_AG0100TC = 3, DISPLAY "yesterday".
ELSE, IF R04_AG0100TC = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG0103CG_LC1</b>	
The computer recorded that you smoked [R04_AG0103CG] cigarillos [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG0103CG
2 NEXT	GO TO R04_AG1130CG
ASK: IF R04_AG0103CG > 15 OR R04_AG0103CG = 11.	
DISPLAY: IF R04_AG0100CG = 1, 2, DISPLAY “today”.	
ELSE, IF R04_AG0100CG = 3, DISPLAY “yesterday”.	
ELSE, IF R04_AG0100CG = 4, DISPLAY “the day before yesterday”.	

<b>PATH ID: R04_AG0103FC_LC1</b>	
The computer recorded that you smoked [R04_AG0103FC] filtered cigars [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG0103FC
2 NEXT	GO TO R04_AG1130FC
ASK: IF R04_AG0103FC > 15 OR R04_AG0103FC = 11.	
DISPLAY: IF R04_AG0100FC = 1, 2, DISPLAY “today”.	
ELSE, IF R04_AG0100FC = 3, DISPLAY “yesterday”.	
ELSE, IF R04_AG0100FC = 4, DISPLAY “the day before yesterday”.	

<b>PATH ID: R04_AG1130</b>	
In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1 Yes	
2 No	GO TO R04_AG1030[TC/CG/FC]
3 I don't know	GO TO R04_AG1030[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AG1030[TC/CG/FC]
-7 REFUSED	GO TO R04_AG1030[TC/CG/FC]
ASK: Adult respondents who have smoked traditional cigars/cigarillos/filtered cigars in the past 30 days.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1131**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AG1147**

On the days you smoked [CIGARFILL]s in the past 30 days, how often did you smoke flavored [CIGARFILL]s?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

DISPLAY: UNDERLINE "flavored".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1030**

The next questions ask about your experience buying [CIGARFILL]s.

How [do/did] you usually buy [CIGARFILL]s for yourself?

- |    |   |                            |
|----|---|----------------------------|
| 1  | In person (such as at a store or cigar bar) |                            |
| 2  | From the internet                           | GO TO R04_AG1039[TC/CG/FC] |
| 3  | By telephone                                | GO TO R04_AG1039[TC/CG/FC] |
| 4  | I do not buy my own [CIGARFILL]s            | GO TO R04_AG9040[TC/CG/FC] |
| -8 | DON'T KNOW                                  | GO TO R04_AG9040[TC/CG/FC] |
| -7 | REFUSED                                     | GO TO R04_AG9040[TC/CG/FC] |

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2) DISPLAY "do". ELSE, DISPLAY "did".

**PATH ID: R04\_AG1032**

[Do/Did] you usually buy [CIGARFILL]s...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who usually buy traditional cigars/cigarillos/filtered cigars in person.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2) DISPLAY "Do". ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1033**

Where [do/did] you buy your [CIGARFILL]s most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillos/filtered cigars smokers who usually buy traditional cigars/cigarillos/filtered cigars in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "do".

ELSE, DISPLAY "did".

**PATH ID: R04\_AG1039**

{Do you usually buy [CIGARFILL]s/Did you buy the last [CIGARFILL]s you smoked} by the box or pack, or as single [CIGARFILL]s?

- 1 Box or pack
- 2 Single [CIGARFILL]s
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who buy their own traditional cigars/cigarillos/filtered cigars.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "Do you usually buy [CIGARFILL]s". ELSE, DISPLAY "Did you buy the last [CIGARFILL]s you smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR58**

Respondents who buy traditional cigars/cigarillos/filtered cigars by the box or pack, go to R04\_AG1040[TC/CG/FC].

Else, respondents who buy single traditional cigars/cigarillos/filtered cigars, go to R04\_AG1043[TC/CG/FC].

Else, go to R04\_AG9040[TC/CG/FC].

**PATH ID: R04\_AG1040**

How many [CIGARFILL]s [come/came] in the box or pack that you [usually buy/bought]?

1 | \_ | \_ | \_ | \_ |

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who buy traditional cigars/cigarillos/filtered cigars by the box.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY “come” AND “usually buy”.

ELSE, DISPLAY “came” AND “bought”.

**PATH ID: R04\_AG1040TC\_LC1**

The computer recorded that [R04\_AG1040TC] traditional cigars [come/came] in the box or pack you [usually buy/bought]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AG1040TC

2 NEXT

GO TO R04\_AG1042TC

ASK: IF R04\_AG1040TC > 50.

DISPLAY: IF R04\_GTRAD\_USER\_STATUS = 1, 2, DISPLAY “come” AND “usually buy”.

ELSE, DISPLAY “came” AND “bought”.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1040CG_LC1</b>	
The computer recorded that [R04_AG1040CG] cigarillos [come/came] in the box or pack you [usually buy/bought]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1040CG
2 NEXT	GO TO R04_AG1042CG
ASK: IF R04_AG1040CG > 20.	
DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY “come” AND “usually buy”.	
ELSE, DISPLAY “came” AND “bought”.	

<b>PATH ID: R04_AG1040FC_LC1</b>	
The computer recorded that [R04_AG1040FC] filtered cigars [come/came] in the box or pack you [usually buy/bought]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1040FC
2 NEXT	GO TO R04_AG1042FC
ASK: IF R04_AG1040FC > 100.	
DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY “come” AND “usually buy”.	
ELSE, DISPLAY “came” AND “bought”.	

<b>PATH ID: R04_AG1042</b>	
[How much do you usually pay for a box or pack of [CIGARFILL]s/How much did you pay for the last box or pack of [CIGARFILL]s that you smoked]?	
1 \$  __ __ __  Dollars .  __ __  Cents	
-8 DON'T KNOW	GO TO R04_AG9040[TC/CG/FC]
-7 REFUSED	GO TO R04_AG9040[TC/CG/FC]
ASK: Current, experimental current, and former 30 day cigar smokers who buy traditional cigars/cigarillos/filtered cigars by the box.	
DISPLAY: DISPLAY “\$” AS LEFT LABEL; “Dollars” AND “Cents” AS TITLES.	
IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “How much do you usually pay for a box or pack of [CIGARFILL]s”.	
ELSE, DISPLAY “How much did you pay for the last box or pack of [CIGARFILL]s that you smoked”.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1042TC_LC1</b>	
The computer recorded that you [usually pay/paid] \$[R04_AG1042TC_D].[R04_AG1042TC_C] for a box of traditional cigars. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1042TC
2    NEXT	GO TO R04_AG9040TC
ASK: IF R04_AG1042TC_D > 300 OR R04_AG1042TC_D < 10.	
DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY “usually pay”.	
ELSE, DISPLAY “paid”.	

<b>PATH ID:</b> <b>R04_AG1042CG_LC1</b>	
The computer recorded that you [usually pay/paid] \$[R04_AG1042CG_D].[R04_AG1042CG_C] for a box of cigarillos. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1042CG
2    NEXT	GO TO R04_AG9040CG
ASK: IF R04_AG1042CG_D > 11 OR R04_AG1042CG_D < 1.	
DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY “usually pay”.	
ELSE, DISPLAY “paid”.	

<b>PATH ID:</b> <b>R04_AG1042FC_LC1</b>	
The computer recorded that you [usually pay/paid] \$[R04_AG1042FC_D].[R04_AG1042FC_C] for a box of filtered cigars. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1042FC
2    NEXT	GO TO R04_AG9040FC
ASK: IF R04_AG1042FC_D > 100 OR R04_AG1042FC_D < 1.	
DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY “usually pay”.	
ELSE, DISPLAY “paid”.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1043</b>
<p>[How much do you usually pay for a single [CIGARFILL]?/How much did you pay for the single [CIGARFILL] that you last smoked?]</p> <p style="margin-left: 40px;">1 \$  __ __ __  Dollars .  __ __  Cents</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigars smokers who buy single traditional cigars/cigarillos/filtered cigars.</p> <p>DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.</p> <p>IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "How much do you usually pay for a single [CIGARFILL]?".</p> <p>ELSE, DISPLAY "How much did you pay for the single [CIGARFILL] that you last smoked?".</p>

<b>PATH ID: R04_AG1043TC_LC1</b>				
<p>The computer recorded that you [usually pay/paid] \$[R04_AG1043TC_D].[R04_AG1043TC_C] for a single traditional cigar. Is that correct?</p> <p>If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; padding-left: 40px;">1 BACK</td> <td style="padding-left: 100px;">GO TO R04_AG1043TC</td> </tr> <tr> <td style="padding-left: 40px;">2 NEXT</td> <td style="padding-left: 100px;">GO TO R04_AG9040TC</td> </tr> </table> <p>ASK: IF R04_AG1043TC_D &gt; 15 OR R04_AG1043TC_D &lt; 1.</p> <p>DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "usually pay".</p> <p>ELSE, DISPLAY "paid".</p>	1 BACK	GO TO R04_AG1043TC	2 NEXT	GO TO R04_AG9040TC
1 BACK	GO TO R04_AG1043TC			
2 NEXT	GO TO R04_AG9040TC			

<b>PATH ID: R04_AG1043CG_LC1</b>				
<p>The computer recorded that you [usually pay/paid] \$[R04_AG1043CG_D].[R04_AG1043CG_C] for a single cigarillo. Is that correct?</p> <p>If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; padding-left: 40px;">1 BACK</td> <td style="padding-left: 100px;">GO TO R04_AG1043CG</td> </tr> <tr> <td style="padding-left: 40px;">2 NEXT</td> <td style="padding-left: 100px;">GO TO R04_AG9040CG</td> </tr> </table> <p>ASK: IF R04_AG1043CG_D &gt; 3 OR (R04_AG1043CG_D = 0 AND R04_AG1043CG_C &lt; 50).</p> <p>DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "usually pay".</p> <p>ELSE, DISPLAY "paid".</p>	1 BACK	GO TO R04_AG1043CG	2 NEXT	GO TO R04_AG9040CG
1 BACK	GO TO R04_AG1043CG			
2 NEXT	GO TO R04_AG9040CG			

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1043FC\_LC1**

The computer recorded that you [usually pay/paid] \$[R04\_AG1043FC\_D].[R04\_AG1043FC\_C] for a single filtered cigar. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                    |
|---|------|--------------------|
| 1 | BACK | GO TO R04_AG1043FC |
| 2 | NEXT | GO TO R04_AG9040FC |

ASK: IF R04\_AG1043FC\_D > 3 OR (R04\_AG1043FC\_D = 0 AND R04\_AG1043FC\_C < 50).

DISPLAY: IF R04\_GFILTR\_USER\_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".

**PATH ID: R04\_AG9040**

Please look at this picture. Which group is most like the [CIGARFILL] you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "usually smoke".

ELSE, DISPLAY "last smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1047**

[Do/Did] you have a regular brand of [[CIGARFILL]s] that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY “Do”, “smoke” AND “[CIGARFILL]s”.

ELSE, DISPLAY “Did”, “smoked” AND “[CIGARFILL]s”.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AG1050</b>	
	[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
	1 Yes	
	2 No	GO TO R04_AG1945[TC/CG/FC]
	3 I don't know	GO TO R04_AG1945[TC/CG/FC]
	-8 DON'T KNOW	GO TO R04_AG1945[TC/CG/FC]
	-7 REFUSED	GO TO R04_AG1945[TC/CG/FC]
	ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.	
	DISPLAY: IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Is", "your regular brand" AND "smoke".	
	ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Was", "the last brand" AND "smoked".	
	ELSE, IF ((LOOP = GTRAD AND (R04_GTRAD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1)) OR (LOOP = GRILLO AND (R04_GRILLO_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1)) OR (LOOP = GFILTR AND (R04_GFILTR_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1))) AND R04_AG1047[TC/CG/FC] = 1, DISPLAY "Was", "your regular brand" AND "smoked".	
	ELSE, IF ((LOOP = GTRAD AND (R04_GTRAD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1)) OR (LOOP = GRILLO AND (R04_GRILLO_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1)) OR (LOOP = GFILTR AND (R04_GFILTR_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1))) AND R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1012**

Which flavor [is/was] it? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

DISPLAY: IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "is".

ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AG1945**

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "usually smoke".

IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS != 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS != 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS != 1, 2)), DISPLAY "usually smoked".

IF R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR33**

Respondents who know the name of their brand, go to R04\_AG1048[TC/CG/FC]\_BRAND.  
 Else, respondents who have a regular brand, go to R04\_AG1051[TC/CG/FC].  
 Else, go to Box R04\_AGD03.

**PATH ID: R04\_AG1048**

What brand of [CIGARFILL]s [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

1 Something else  
 -8 DON'T KNOW  
 -7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who know the brand name.  
 DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".  
 IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."  
 IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "do" AND "usually".  
 ELSE, IF R04\_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually".  
 ELSE, IF R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_AGR16**

If respondent selects an image for their brand, go to R04\_AG1070[TC/CG/FC]\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AG1049[TC/CG/FC].  
 Else, go to Box R04\_AGR31.

**PATH ID: R04\_AG1049**

You said that your brand was not listed. What is it?

1 _____	GO TO BOX R04_AGR31[TC/CG/FC]
-8 DON'T KNOW	GO TO BOX R04_AGR31[TC/CG/FC]
-7 REFUSED	GO TO BOX R04_AGR31[TC/CG/FC]

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected "Something else" for their brand.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1070</b>
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]
1    Something else
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".".
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AG1048[TC/CG/FC]_BRAND.
IF R04_AG1047[TC/CG/FC] = 1 AND (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "do" AND "usually".
ELSE, IF R04_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually".
ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last".

<b>BOX ID:</b> <b>R04_AGR17</b>
If the respondent selected a brand image, but selected "Something else" for their subbrand, go to R04_AG1071[TC/CG/FC].
Else, go to Box R04_AGR31.

<b>PATH ID:</b> <b>R04_AG1071</b>
You said that the type of [BRANDFILL]s that you [smoke/smoked][ as blunts] is not listed. What type is it?
1    _____
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AG1048[TC/CG/FC]_BRAND.
IF ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)) AND R04_AG1047[TC/CG/FC] = 1, DISPLAY "smoke".
ELSE, DISPLAY "smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR31**

If the respondent has a regular brand, go to R04\_AG1051[TC/CG/FC].  
Else, go to Box R04\_AGR29.

**PATH ID: R04\_AG1051**

About how long [did you smoke/have you been smoking] your regular brand of [CIGARFILL]?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who have a regular brand.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

**PATH ID: R04\_AG1051TC\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand of traditional cigar for [R04\_AG1051TC\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AG1051TC
- 2 NEXT GO TO BOX R04\_AGR29

ASK: IF (R04\_AG1051TC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1051TC\_UN = 3.

DISPLAY: IF R04\_GTRAD\_USER\_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1051TC_LC2</b>	
The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of traditional cigar.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1051TC
2    NEXT	GO TO BOX R04_AGR29
ASK: IF R04_AG1051TC_NN = 0.	
DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "have been smoking".	
ELSE, DISPLAY "smoked".	

<b>PATH ID:</b> <b>R04_AG1051CG_LC1</b>	
The computer recorded that you [have been smoking/smoked] your regular brand of cigarillo for [R04_AG1051CG_NN] years. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1051CG
2    NEXT	GO TO BOX R04_AGR29
ASK: IF (R04_AG1051CG_NN > R04_ACHIEVEDAGE) AND R04_AG1051CG_UN = 3.	
DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "have been smoking".	
ELSE, DISPLAY "smoked".	

<b>PATH ID:</b> <b>R04_AG1051CG_LC2</b>	
The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarillo.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AG1051CG
2    NEXT	GO TO BOX R04_AGR29
ASK: IF R04_AG1051CG_NN = 0.	
DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "have been smoking".	
ELSE, DISPLAY "smoked".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1051FC\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand of filtered cigar for [R04\_AG1051FC\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1051FC  |
| 2 | NEXT | GO TO BOX R04_AGR29 |

ASK: IF (R04\_AG1051FC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1051FC\_UN = 3.

DISPLAY: IF R04\_GFILTR\_USER\_STATUS = 1, 2 DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**PATH ID: R04\_AG1051FC\_LC2**

The computer recorded "0" for how long you [have been smoking /smoked] your regular brand of filtered cigar.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1051FC  |
| 2 | NEXT | GO TO BOX R04_AGR29 |

ASK: IF R04\_AG1051FC\_NN = 0.

DISPLAY: IF R04\_GFILTR\_USER\_STATUS = 1, 2 DISPLAY, "have been smoking".

ELSE, DISPLAY "smoked".

**BOX ID: R04\_AGR29**

Current, experimental current, and former 30 day users who smoked traditional cigars/cigarillos/filtered cigars today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and valid product, go to R04\_AG0104[TC/CG/FC].

Else, go to Box R04\_AGD03.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG0104**

You said earlier that you smoked a [CIGARFILL] [TIME OF LAST USE].

Think about the very last [CIGARFILL] you smoked.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH “in the past hour”.

IF R04\_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH “sometime today”.

IF R04\_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH “yesterday”.

IF R04\_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH “the day before yesterday”.

FILL [NEQBRAND] WITH RESPONSE TO R04\_AG1070[TC/CG/FC]\_PRODUCT.

**BOX ID: R04\_AGD03**

Randomize order of R04\_AG1060[TC/CG/FC] through R04\_AG1066[TC/CG/FC].

Display question R04\_AG1060[TC/CG/FC], R04\_AG1085[TC/CG/FC], R04\_AG1062[TC/CG/FC], R04\_AG1075[TC/CG/FC], R04\_AG1063[TC/CG/FC], R04\_AG1064[TC/CG/FC], R04\_AG1066[TC/CG/FC] on one screen. Show the intro/transition text from R04\_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1060**

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons [apply to you/applied to you when you used to smoke [CIGARFILL]s].

I [smoke/smoked] [CIGARFILL]s because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY “apply to you”, “smoke” AND “are”.

ELSE, DISPLAY “applied to you when you used to smoke [CIGARFILL]”, “smoked” AND “were”.

**PATH ID: R04\_AG1085**

I [can/could] smoke [CIGARFILL]s at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY “can” AND “isn't”.

ELSE, DISPLAY “could” AND “wasn't”.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1062</b>
They might [be/have been] less harmful to me than smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “be”.
ELSE, DISPLAY “have been”.

<b>PATH ID:</b> <b>R04_AG1075</b>
They might [be/have been] less harmful to people around me than smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “be”.
ELSE, DISPLAY “have been”.

<b>PATH ID:</b> <b>R04_AG1063</b>
[CIGARFILL]s [come/came] in flavors I [like/liked].
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “come” AND “like”.
ELSE, DISPLAY “came” AND “liked”.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AGR15</b>
Current, experimental current, and recent former cigarette smokers, go to R04_AG1064[TC/CG/FC]. Else, go to R04_AG1066[TC/CG/FC].

<b>PATH ID:</b> <b>R04_AG1064</b>
Smoking [CIGARFILL]s helps people quit smoking cigarettes.  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who are also current, experimental current or recent former cigarette users.

<b>PATH ID:</b> <b>R04_AG1066</b>
Smoking a [CIGARFILL] [feels/felt] like smoking a regular cigarette.  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY “feels”. ELSE, DISPLAY “felt”.

<b>BOX ID:</b> <b>R04_AGR28</b>
Current and recent former cigarette smokers, go to R04_AG1080[TC/CG/FC]. Else, go to R04_AG1139[TC/CG/FC].

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1080**

[Do/Did] you smoke [CIGARFILL]s as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who are also current or recent former cigarette smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH ID: R04\_AG1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a [CIGARFILL].

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "is",

ELSE, DISPLAY "was".

Display scale for the R04\_AG1139[TC/CG/FC]-R04\_AG1141[TC/CG/FC] series.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1140</b>
While smoking a [CIGARFILL], I [feel/felt] more confident with other people.
1    Not true of me at all
2
3
4    Very true of me
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "feel",
ELSE, DISPLAY "felt".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

<b>PATH ID:</b> <b>R04_AG1141</b>
I [smoke/smoked] [CIGARFILL]s much more when I [am/was] with other people.
1    Not true of me at all
2
3
4    Very true of me
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "smoke" AND "am",
ELSE, DISPLAY "smoked" AND "was".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

<b>BOX ID:</b> <b>R04_AGR04</b>
END CIGAR LOOP:
If respondent has remaining loops to complete for multiple non-blunt cigar types, return to Box R04_AGR10 and repeat section.
Else, if respondent has no more remaining loops to complete, go to next section.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PIPE**

**BOX ID: R04\_APR04**

In the previous wave, if the respondent was a former user, had smoked 100 or more bowls of pipe tobacco and had smoked fairly regularly; and at the current wave has not smoked in the past 12 months or now smokes not at all, go to Box R04\_APV01.

Else, continue with Box R04\_APT02.

**BOX ID: R04\_APT02**

The next questions are about smoking tobacco in **pipes**.

Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

**BOX ID: R04\_APR03**

New cohort adult respondents who have ever smoked a pipe, go to R04\_AP1006\_RS

Else, adult respondents who had not smoked 100 or more bowls of pipe tobacco in the previous wave, go to R04\_AP1005.

Else, go to Box R04\_APR08.

**PATH ID: R04\_AP1005**

How many bowls filled with pipe tobacco have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco in the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR08**

Aged-up and continuing adult respondents who have ever smoked a pipe and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1100.

Else, go to Box R04\_APV01.

**PATH ID: R04\_AP1100**

Have you ever smoked a pipe filled with tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a pipe and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**BOX ID: R04\_APR09**

New baseline respondents that have ever smoked fairly regularly, but had never smoked fairly regularly in a previous wave, go to R04\_AP1007\_NB.

Else, go to Box R04\_APV01.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_PIPE\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke every day or some days.

**R04\_PIPE\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a pipe and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_PIPE\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a pipe and have never smoked fairly regularly and did not smoke in the past 12 months or now smokes not at all.

**R04\_PIPE\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former pipe smokers at the previous wave and aged-up adult respondents who ever smoked a pipe at the previous wave, who have ever smoked a pipe fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated pipe smoking since the previous wave, who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_PIPE\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former pipe smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked fairly regularly, who have not smoked in the past 12 months.

**R04\_CURRENT\_PIPE\_USE = 1 (Every day user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke every day.

**R04\_CURRENT\_PIPE\_USE = 2 (Some day user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1** Adult respondents who are experimental former, recent former, or long-term former pipe smokers who smoked in the past 30 days.

**BOX ID: R04\_APR01**

New baseline respondents that are every day pipe smokers, go to R04\_AP1020\_NB.

Else, aged-up and continuing adult respondents who have initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1008.

Else, if every day pipe smoker, go to R04\_AP1021.

Else, if some day, experimental current, or former 30 day pipe smoker, go to R04\_AP1022.

Else, if recent former pipe user, go to R04\_AP1047.

Else, if long-term former pipe user or experimental former pipe user, go to next section.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR12**

Aged-up and continuing adult respondents who have initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1008.  
Else, go to Box R04\_APR13.

**PATH ID: R04\_AP1008**

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_APR34 |
| 3  | I don't know | GO TO BOX R04_APR34 |
| -8 | DON'T KNOW   | GO TO BOX R04_APR34 |
| -7 | REFUSED      | GO TO BOX R04_APR34 |

ASK: Aged-up and continuing adult respondents who initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**PATH ID: R04\_AP1011**

Which flavor did you first start smoking? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated pipe smoking with flavored tobacco.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_APR34**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former pipe smokers, go to R04\_AP1025\_RS.  
Else, go to Box R04\_APR13.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR13**

If every day pipe user, go to R04\_AP1021.

Else, if some day or experimental current user pipe, or former user who smoked in the past 30 days, go to R04\_AP1022.

Else, go to the next section.

**PATH ID: R04\_AP1021**

On average, about how many bowls filled with pipe tobacco do you now smoke each day?

-2 Less than 1 each day GO TO R04\_AP1024

1 |\_\_|\_\_|

-8 DON'T KNOW GO TO R04\_AP1024

-7 REFUSED GO TO R04\_AP1024

ASK: Every day pipe smokers.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

**PATH ID: R04\_AP1021\_LC1**

The computer recorded that you now smoke [R04\_AP1021] bowls filled with pipe tobacco a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AP1021

2 NEXT GO TO R04\_AP1024

ASK: IF R04\_AP1021 > 10.

**PATH ID: R04\_AP1022**

On how many of the past 30 days did you smoke a pipe filled with tobacco?

1 |\_\_|\_\_| DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Some day and experimental current pipe smokers who have smoked in the past 30 days, and former 30 day pipe smokers.

DISPLAY: DISPLAY 'DAYS' AS TITLE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR15**

If respondent enters "0" for R04\_AP1022 and is a some day or experimental current pipe smoker, go to R04\_AP9029.

Else, if respondent enters "0" for R04\_AP1022 and is a former 30 day user of pipe tobacco, go to Box R04\_APR29.

Else, go to R04\_AP1023.

**PATH ID: R04\_AP9029**

About how long has it been since you last smoked a pipe filled with tobacco?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_APR29

-7 REFUSED

GO TO BOX R04\_APR29

ASK: Some day and experimental current pipe smokers who have not smoked in the past 30 days.

**PATH ID: R04\_AP9029\_LC1**

The computer recorded that you last smoked a pipe [R04\_AP9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP9029

2 NEXT

GO TO BOX R04\_APR29

ASK: IF (R04\_AP9029\_NN <30 AND R04\_AP9029\_UN = 1) OR (R04\_AP9029\_NN <1 AND R04\_AP9029\_UN = 2) OR (R04\_AP9029\_NN > 18 AND R04\_AP9029\_UN = 2) OR (R04\_AP9029\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AP9029\_UN = 3).

DISPLAY: IF R04\_AP9029 REPORTED IN DAYS, DISPLAY "days". IF R04\_AP9029 REPORTED IN MONTHS, DISPLAY "months". IF R04\_AP9029 REPORTED IN YEARS, DISPLAY "years".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1023</b>	
On average, on those [FILL NUMBER OF DAYS FROM R04_AP1022 days/days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day?	
-2 Less than 1 each day	GO TO BOX R04_APR29
1  __ __	
-8 DON'T KNOW	GO TO BOX R04_APR29
-7 REFUSED	GO TO BOX R04_APR29
ASK: Some day, experimental current, and former thirty day pipe smokers who have smoked at least one day in past 30 days.	
DISPLAY: IF R04_AP1022 = 1, -8, -7, DISPLAY "days you smoked". ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04_AP1022. DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL: "Less than 1 each day" ON RIGHT.	

<b>PATH ID: R04_AP1023_LC1</b>	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AP1023] bowls filled with pipe tobacco a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AP1023
2 NEXT	GO TO BOX R04_APR29
ASK: IF R04_AP1023 > 10.	

<b>BOX ID: R04_APR29</b>
Current and experimental current pipe smokers, go to R04_AP1024. Else, former 30 day pipe smokers, go to R04_AP1024_30D. Else, recent former pipe smokers, go to R04_AP1047. Else, go to next section.

<b>PATH ID: R04_AP1024</b>	
[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.	
1  __ __ __  Minutes after waking	
2  __ __ __  Hours after waking	
-8 DON'T KNOW	GO TO R04_AP1092
-7 REFUSED	GO TO R04_AP1092
ASK: Current and experimental current pipe smokers.	
DISPLAY: IF R04_CURRENT_PIPE_USE = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, how".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1024_LC1</b>	
The computer recorded that you typically smoke your first pipe bowl of the day [R04_AP1024] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AP1024
2 NEXT	GO TO BOX R04_APR31
ASK: IF [R04_CURRENT_PIPE_USE = 1 AND ((R04_AP1024_NN > 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN > 4 AND R04_AP1024_UN = 2))] OR [(R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2) AND ((R04_AP1024_NN > 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN > 12 AND R04_AP1024_UN = 2))].	
DISPLAY: IF R04_AP1024 REPORTED IN HOURS, DISPLAY "hours". IF R04_AP1024 REPORTED IN MINUTES DISPLAY "minutes".	

<b>PATH ID: R04_AP1024_LC2</b>	
The computer recorded "0" for how soon you typically take your first puff from a pipe after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AP1024
2 NEXT	GO TO BOX R04_APR31
ASK: IF R04_AP1024_NN = 0.	

<b>PATH ID: R04_AP1092</b>	
[On the days that you smoke a pipe filled with tobacco, would/Would] you say you take your first puff from a pipe within the first 30 minutes after you wake up?	
1 Yes	GO TO R04_AP0100
2 No	GO TO R04_AP0100
3 It varies	GO TO R04_AP0100
-8 DON'T KNOW	GO TO R04_AP0100
-7 REFUSED	GO TO R04_AP0100
ASK: Current and experimental current pipe smokers who did not know or refused to report how soon they smoke a pipe after waking up.	
DISPLAY: IF R04_CURRENT_PIPE_USE = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, would".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1024\_30D**

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

1 |\_\_|\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AP1092\_30D

-7 REFUSED

GO TO R04\_AP1092\_30D

ASK: Former 30 day pipe smokers.

**PATH ID: R04\_AP1024\_30D\_LC1**

The computer recorded that you typically smoked your first pipe bowl of the day [R04\_AP1024\_30D] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1024\_30D

2 NEXT

GO TO R04\_AP0100

ASK: IF (R04\_AP1024\_30D\_NN > 60 AND R04\_AP1024\_30D\_UN = 1) OR (R04\_AP1024\_30D\_NN > 12 AND R04\_AP1024\_30D\_UN = 2).

DISPLAY: IF R04\_AP1024\_30D REPORTED IN HOURS, DISPLAY "hours". IF R04\_AP1024\_30D REPORTED IN MINUTES DISPLAY "minutes".

**PATH ID: R04\_AP1024\_30D\_LC2**

The computer recorded "0" for how soon you typically took your first puff from a pipe after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1024\_30D

2 NEXT

GO TO R04\_AP0100

ASK: IF R04\_AP1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1092\_30D**

On the days that you smoked a pipe filled with tobacco, would you say you took your first puff from a pipe within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day pipe smokers who did not know or refused to report how soon they smoked a pipe after waking up.

**BOX ID: R04\_APR31**

Adult respondents who have smoked a pipe in the past 30 days, go to R04\_AP0100.  
Else, go to R04\_AP1030.

**PATH ID: R04\_AP0100**

When did you last smoke a pipe filled with tobacco?

- |                          |                  |
|--------------------------|------------------|
| 1 In the past hour       | GO TO R04_AP0103 |
| 2 Sometime today         |                  |
| 3 Yesterday              |                  |
| 4 Day before yesterday   |                  |
| 5 Three or more days ago | GO TO R04_AP1130 |
| -8 DON'T KNOW            | GO TO R04_AP1130 |
| -7 REFUSED               | GO TO R04_AP1130 |

ASK: Adult respondents who have smoked a pipe in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP0102**

When you last smoked a pipe filled with tobacco [FILL BASED ON R04\_AP0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a pipe today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AP0100]:

IF R04\_AP0100 = 2, DISPLAY "today".

IF R04\_AP0100 = 3, DISPLAY "yesterday".

IF R04\_AP0100 = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AP0103**

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R04\_AP0100]? (If less than 1, enter 1.)

1 |\_|\_|\_|

-8 DON'T KNOW

-7 REFUSED

GO TO R04\_AP1130

GO TO R04\_AP1130

ASK: Adult respondents who have smoked a pipe in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AP0100 = 1, 2, DISPLAY "have" AND "smoked".

IF R04\_AP0100 = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R04\_AP0100]:

IF R04\_AP0100 = 1, 2, DISPLAY "today".

IF R04\_AP0100 = 3, DISPLAY "yesterday".

IF R04\_AP0100 = 4, DISPLAY "the day before yesterday".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP0103_LC1</b>	
The computer recorded that you smoked [R04_AP0103] bowls filled with pipe tobacco [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AP0103
2    NEXT	GO TO R04_AP1130
ASK: IF R04_AP0103 > 10.	
DISPLAY: IF R04_AP0100 = 1, 2, DISPLAY "today".	
IF R04_AP0100 = 3, DISPLAY "yesterday".	
IF R04_AP0100 = 4, DISPLAY "the day before yesterday".	

<b>PATH ID:</b> <b>R04_AP1130</b>	
In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1    Yes	
2    No	GO TO R04_AP1030
3    I don't know	GO TO R04_AP1030
-8   DON'T KNOW	GO TO R04_AP1030
-7   REFUSED	GO TO R04_AP1030
ASK: Adult respondents who have smoked a pipe in the past 30 days.	

<b>PATH ID:</b> <b>R04_AP1131</b>	
Which flavors have you smoked in the past 30 days? Choose all that apply.	
1    Menthol or mint	
2    Clove or spice	
3    Fruit	
4    Chocolate	
5    An alcoholic drink (such as wine, cognac, margarita or other cocktails)	
6    Candy or other sweets	
7    Some other flavor (SPECIFY)	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who have smoked a pipe with flavored tobacco in the past 30 days.	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1030**

The next questions ask about your experience buying pipe tobacco.

How [do/did] you usually buy pipe tobacco for yourself?

- |    |                                  |                  |
|----|----------------------------------|------------------|
| 1  | In person                        |                  |
| 2  | From the internet                | GO TO R04_AP1034 |
| 3  | By telephone                     | GO TO R04_AP1034 |
| 4  | I do not buy my own pipe tobacco | GO TO R04_AP1047 |
| -8 | DON'T KNOW                       | GO TO R04_AP1047 |
| -7 | REFUSED                          | GO TO R04_AP1047 |

ASK: Current, experimental current, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did".

**PATH ID: R04\_AP1032**

[Do/Did] you usually buy pipe tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day pipe smokers who usually buy pipe tobacco in person.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2, DISPLAY "Do". ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1033</b>
Where [do/did] you buy your pipe tobacco most of the time?  1    A convenience store or gas station 2    A supermarket, grocery store, or drug store 3    A warehouse club, such as Sam's or Costco 4    A smoke shop, tobacco specialty store or tobacco outlet store 5    A duty free shop or military commissary 6    A bar, pub, restaurant or casino 7    A friend or relative 8    A swap meet or flea market 9    A liquor store 10   Or from somewhere else (SPECIFY) -8   DONT KNOW -7   REFUSED
ASK: Current, experimental current, and former 30 day pipe smokers who usually buy pipe tobacco in person. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did".

<b>PATH ID:</b> <b>R04_AP1034</b>
How much [do/did] you usually pay for a pouch of pipe tobacco?  1    \$ I__ __ __  Dollars . I__ __  Cents -8   DONT KNOW -7   REFUSED
ASK: Current, experimental current, and former 30 day pipe smokers who usually buy their own pipe tobacco in person, from the internet, or by telephone. DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES. IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did".

<b>PATH ID:</b> <b>R04_AP1034_LC1</b>
The computer recorded that you paid \$[R04_AP1034_D].[R04_AP1034_C] for a pouch of pipe tobacco. Is that correct?  If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.  1    BACK 2    NEXT
GO TO R04_AP1034 GO TO R04_AP1047
ASK: IF R04_AP1034_D > 50.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1047**

[Do/Did] you have a regular brand of pipe tobacco that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2, DISPLAY "Do" AND "smoke".

ELSE, DISPLAY "Did" AND "smoked".

**PATH ID: R04\_AP1050**

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No GO TO R04\_AP1945
- 3 I don't know GO TO R04\_AP1945
- 8 DON'T KNOW GO TO R04\_AP1945
- 7 REFUSED GO TO R04\_AP1945

ASK: Current, current experimental, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 AND R04\_AP1047 = 1, DISPLAY "Is" AND "your regular brand" AND "smoke".

IF R04\_PIPE\_USER\_STATUS = 1, 2 AND R04\_AP1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".

ELSE, IF (R04\_PIPE\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1047 = 1, DISPLAY "Was" AND "your regular brand" AND "smoked".

ELSE, IF (R04\_PIPE\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1047 = 2, -8, -7, DISPLAY "Was" and "the last brand" and "smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1012</b>
Which flavor [is/was] it? Choose all that apply.  1    Menthol or mint 2    Clove or spice 3    Fruit 4    Chocolate 5    An alcoholic drink (such as wine, cognac, margarita or other cocktails) 6    Candy or other sweets 7    Some other flavor (SPECIFY) -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, and former 30 day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored. DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "is". IF R04_PIPE_USER_STATUS = 4 OR R04_AP1047 = 2, -8, -7 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1, DISPLAY "was". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

<b>PATH ID:</b> <b>R04_AP1945</b>
Do you know the <u>name of the brand</u> of pipe tobacco you [usually smoke/usually smoked/last smoked]?  1    Yes 2    No -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, and former 30 day pipe smokers. DISPLAY: IF R04_AP1047 = 1 AND R04_PIPE_USER_STATUS = 1, 2, DISPLAY "usually smoke". IF R04_AP1047 = 1 AND R04_PIPE_USER_STATUS != 1, 2, DISPLAY "usually smoked". IF R04_AP1047 = 2, -8, -7, DISPLAY "last smoked". Underline "name of the brand".

<b>BOX ID:</b> <b>R04_APR30</b>
Respondents who know the name of their brand, go to R04_AP1048_BRAND. Else, respondents who have a regular brand, go to R04_AP1051. Else, go to Box R04_APD01.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1048</b>
What brand of pipe tobacco [do/did] you [usually/last] smoke?
Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else". ]
1 Something else
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."
IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "do" AND "usually".
ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".
ELSE, IF R04_AP1047 = 1, DISPLAY "did" AND "usually".
ELSE, IF R04_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

<b>BOX ID: R04_APR22</b>
If respondent selects an image for their brand, go to R04_AP1070_PRODUCT.
Else, if respondent selects "Something else" for their brand, go to R04_AP1049.
Else, go to Box R04_APR23.

<b>PATH ID: R04_AP1049</b>
You said that your brand was not listed. What is it?
1 _____ GO TO BOX R04_APR23
-8 DON'T KNOW GO TO BOX R04_APR23
-7 REFUSED GO TO BOX R04_APR23
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected "Something else" for their brand.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1070</b>
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?
Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else". ]
1    Something else
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AP1048_BRAND.
IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "do" AND "usually".
ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".
ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, DISPLAY "did" AND "usually".
ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

<b>BOX ID:</b> <b>R04_APR28</b>
If current, experimental current, recent former, or former 30 day pipe smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04_AP1071.
Else, go to Box R04_APR23.

<b>PATH ID:</b> <b>R04_AP1071</b>
You said that the type of [BRANDFILL]s that you [smoke/smoked] is not listed. What type is it?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AP1048_BRAND.
IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "smoke".
ELSE, DISPLAY "smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR23**

If respondent has a regular brand, go to R04\_AP1051.  
Else, go to Box R04\_APR25.

**PATH ID: R04\_AP1051**

About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW GO TO BOX R04\_APR25
- 7 REFUSED GO TO BOX R04\_APR25

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who have a regular brand.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

**PATH ID: R04\_AP1051\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand of pipe tobacco for [R04\_AP1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AP1051
- 2 NEXT GO TO BOX R04\_APR25

ASK: IF (R04\_AP1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AP1051\_UN = 3.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1051\_LC2**

The computer recorded "0" for how long you [have been smoking /smoked] your regular brand of pipe tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AP1051

2 NEXT

GO TO BOX R04\_APR25

ASK: IF R04\_AP1051\_NN = 0.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

**BOX ID: R04\_APR25**

Current, experimental current, and former 30 day users who smoked a pipe today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and a valid product, go to R04\_AP0104.

Else, go to Box R04\_APD01.

**PATH ID: R04\_AP0104**

You said earlier that you last smoked a pipe [TIME OF LAST USE].

Think about the very last bowl of pipe tobacco you smoked.

Was the brand [NEQBRAND]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and former 30 day pipe smokers who have smoked a pipe in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AP0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

IF R04\_AP0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

IF R04\_AP0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

IF R04\_AP0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AP1070\_PRODUCT.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APD01**

Randomize order of R04\_AP1060 through R04\_AP1064.

Display question R04\_AP1060, R04\_AP1085, R04\_AP1062, R04\_AP1075, R04\_AP1063, R04\_AP1064 on one screen. Show the intro/transition text from R04\_AP1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH ID: R04\_AP1060**

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "apply to you", "smoke", AND "is".

ELSE, DISPLAY "applied to you when you used to smoke pipes", "smoked", AND "was".

**PATH ID: R04\_AP1085**

I [can/could] smoke pipes at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1062</b>
It might [be/have been] less harmful to me than smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY “be”.
ELSE, DISPLAY “have been”.

<b>PATH ID:</b> <b>R04_AP1075</b>
It might [be/have been] less harmful to people around me than smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY “be”.
ELSE, DISPLAY “have been”.

<b>PATH ID:</b> <b>R04_AP1063</b>
Pipe tobacco [comes/came] in flavors I [like/liked].
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY “comes” AND “like”.
ELSE, DISPLAY “came” AND “liked”.

<b>BOX ID:</b> <b>R04_APR26</b>
Current, experimental current or recent former cigarette smokers, go to R04_AP1064.
Else, go to R04_AP1139.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1064**

Smoking a pipe helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who are also current, experimental current or recent former cigarette smokers.

**BOX ID: R04\_APR27**

Current, experimental current, recent former, and former 30 day pipe smokers who are also current or recent former cigarette smokers, go to R04\_AP1080.

Else, go to R04\_AP1139.

**PATH ID: R04\_AP1080**

[Do/Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a pipe.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "is",  
ELSE, DISPLAY "was".

Display scale for the R04\_AP1139-1141 series.

**PATH ID: R04\_AP1140**

While smoking a pipe, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "feel".  
ELSE, DISPLAY "felt".

Display scale for the R04\_AP1139-1141 series.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1141**

I [smoke/smoked] a pipe much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "smoke" AND "am".

ELSE, DISPLAY "smoked" AND "was".

Display scale for the R04\_AP1139-1141 series.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## HOOKAH

**BOX ID: R04\_AHT02**

The next questions are about smoking tobacco in a **hookah**, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe.

People smoke **shisha** or **hookah tobacco** in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

**PATH ID: R04\_AH1090**

Do you own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR13**

Young adult respondents who have ever smoked hookah, go to R04\_AH9041.  
Else, go to Box R04\_AHR04.

**PATH ID: R04\_AH9041**

Does anyone else living in your home own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR04**

New cohort adult respondents who have ever smoked hookah, go to R04\_AH1006\_RS.  
Else, adult respondents who had not smoked hookah 100 or more times in the previous wave, go to R04\_AH1005.  
Else, go to Box R04\_AHR09.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1005</b>
How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.
1    1 to 10
2    11 to 20
3    21 to 50
4    51 to 99
5    100 or more
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing adult respondents who have ever smoked hookah and had not smoked 100 or more times in the previous wave, and new cohort adult respondents who have ever smoked hookah.

<b>BOX ID:</b> <b>R04_AHR09</b>
Aged-up and continuing adult respondents who have ever smoked hookah and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked hookah, go to R04_AH1100.
Else, go to Box R04_AHR10.

<b>PATH ID:</b> <b>R04_AH1100</b>
Have you ever smoked tobacco in a hookah fairly regularly?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing adult respondents who have ever smoked hookah and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked hookah.

<b>BOX ID:</b> <b>R04_AHR10</b>
New baseline respondents that have ever smoked hookah fairly regularly, go to R04_AH1007_NB.
Else, go to Box R04_AHR01.

<b>BOX ID:</b> <b>R04_AHR01</b>
New baseline respondents that are every day users, go to R04_AH1020_NB.
Else, go to Box R04_AHR11.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR11**

Aged-up and continuing adult respondents who initiated hookah smoking since the previous wave, and new cohort adult respondents who have ever smoked hookah, go to R04\_AH1008.  
Else, go to Box R04\_AHR27.

**PATH ID: R04\_AH1008**

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_AHR27 |
| 3  | I don't know | GO TO BOX R04_AHR27 |
| -8 | DON'T KNOW   | GO TO BOX R04_AHR27 |
| -7 | REFUSED      | GO TO BOX R04_AHR27 |

ASK: Aged-up and continuing adult respondents who initiated hookah smoking since the previous wave, and new cohort adult respondents who have ever smoked hookah.

**PATH ID: R04\_AH1011**

Which flavor did you first start smoking? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated hookah smoking with flavored shisha.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AHR27**

If respondent does not smoke hookah every day but smoked hookah in the past 12 months, go to R04\_AH9003.  
Else, go to Box R04\_AHV01.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9003**

Which of the following choices best describes your hookah smoking? Usually I smoke tobacco in a hookah...

- 1 Every day
- 2 Weekly
- 3 Monthly
- 4 Every couple of months
- 5 About once a year
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not smoke hookah every day but smoked hookah in the past 12 months.

**BOX ID: R04\_AHV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_HOOK\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked a hookah fairly regularly and smokes monthly or more frequently.

**R04\_HOOK\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and now smoke hookah every day or some days or weekly or monthly or in the past 30 days.

**R04\_HOOK\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and did not smoke in the past 12 months or now smokes not at all.

**R04\_HOOK\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former hookah smokers at the previous wave and aged-up adult respondents who ever smoked hookah at the previous wave, who have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated hookah smoking since the previous wave, who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_HOOK\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former hookah smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a hookah and have smoked fairly regularly, who have not smoked in the past 12 months.

**R04\_THIRTY\_DAY\_USER\_HOOK = 1** Adult respondents who have smoked a hookah within the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AHR50</b>
New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former hookah smokers, go to R04_AH1025_RS. Else, go to Box R04_AHR24.

<b>BOX ID:</b> <b>R04_AHR24</b>
Current, experimental current, past 30 day or recent former hookah smokers, go to R04_AH9011. Else, go to Box R04_AHV03.

<b>PATH ID:</b> <b>R04_AH9011</b>
Where [do/did] you usually smoke hookah? Choose all that apply.
<ul style="list-style-type: none"> <li>1 In your home</li> <li>2 In someone else's home</li> <li>3 In a hookah bar or hookah café</li> <li>4 In a dance club or lounge</li> <li>5 Somewhere else (SPECIFY)</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
ASK: Current, experimental current, past 30 day or recent former hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY “do”. ELSE, DISPLAY “did”.
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: “Please type your answer using the computer keyboard.”

<b>PATH ID:</b> <b>R04_AH9012</b>
[Do/Did] you usually share a hookah with others when you [smoke/smoked]?
<ul style="list-style-type: none"> <li>1 Yes</li> <li>2 No</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul>
GO TO R04_AH9014
GO TO R04_AH9014
GO TO R04_AH9014
ASK: Current, experimental current, past 30 day or recent former hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY “Do” AND “smoke”. ELSE, DISPLAY “Did” AND “smoked”.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH9013</b>
How many people [do/did] you usually share a hookah with?
1   1 other person
2   2 other people
3   3 other people
4   4 or more other people
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers who share hookah with others.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do". ELSE, DISPLAY "did".

<b>PATH ID:</b> <b>R04_AH9014</b>
On average, how long [is/was] one hookah session for you[ and the people you share/d it with]?
1   Less than 30 minutes
2   More than 30 minutes up to 1 hour
3   1 to 2 hours
4   More than 2 hours
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers.
DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 1, DISPLAY "is" AND " and the people you share it with". IF R04_AH9012 != 1, DO NOT DISPLAY " and the people you share it with". IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 1, DISPLAY "was" AND " and the people you shared it with"; IF R04_AH9012 != 1, DO NOT DISPLAY " and the people you shared it with".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9015**

On average, when you [smoke/smoked/share a/shared a] hookah, how many times [is/was] the hookah refilled with tobacco during a session?

- 1 0 times
- 2 1 time
- 3 2 to 3 times
- 4 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH9012 = 1, DISPLAY "share a" AND "is". IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH9012 = 2, DISPLAY "smoke" AND "is". IF R04\_HOOK\_USER\_STATUS = 4 AND R04\_AH9012 = 1, DISPLAY "shared a" AND "was". IF R04\_HOOK\_USER\_STATUS = 4 AND R04\_AH9012 = 2, DISPLAY "smoked" AND "was".

**PATH ID: R04\_AH9016**

How often [do/did] you personally set up the hookah?

- 1 Every time
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never, someone else always [set/sets] it up for me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2, OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "do" AND "sets". ELSE, DISPLAY "did" AND "set".

**PATH ID: R04\_AH9043**

When you [smoke/smoked] hookah, [did/does] your shisha usually contain tobacco?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day, and recent former hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2, OR R04\_THIRTY\_DAY\_USER\_HOOK = 1 DISPLAY "smoke" AND "does". IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "smoked" AND "did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9042**

Have you ever used another liquid besides water in the bowl of the hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

**BOX ID: R04\_AHV03**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_CURRENT\_HOOK\_USE = 1 (Every day user)** Adult respondents who have ever smoked a hookah fairly regularly and now smoke every day.

**R04\_CURRENT\_HOOK\_USE = 2 (Some day user)** Adult respondents who have ever smoked a hookah fairly regularly and now smoke some days.

**BOX ID: R04\_AHR12**

If respondent smoked hookah monthly, go to R04\_AH9004.

Else, if respondent smoked hookah weekly, go to R04\_AH9005.

Else, if respondent smokes hookah every day, go to R04\_AH9006.

Else, go to Box R04\_AHR25.

**PATH ID: R04\_AH9004**

On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

- 1 |\_|\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AHR25

GO TO BOX R04\_AHR25

ASK: Adult respondents who smoke hookah monthly.

**PATH ID: R04\_AH9004\_LC1**

The computer recorded that, on average, you smoke tobacco in a hookah [R04\_AH9004] times in a month. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK
- 2 NEXT

GO TO R04\_AH9004

GO TO BOX R04\_AHR25

ASK: IF R04\_AH9004 > 100.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9005**

On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO BOX R04\_AHR25

-7 REFUSED

GO TO BOX R04\_AHR25

ASK: Adult respondents who smoke hookah weekly.

**PATH ID: R04\_AH9005\_LC1**

The computer recorded that, on average, you smoke tobacco in a hookah [R04\_AH9005] times in a week. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AH9005

2 NEXT

GO TO BOX R04\_AHR25

ASK: IF R04\_AH9005 > 15.

**PATH ID: R04\_AH9006**

On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO BOX R04\_AHR25

-7 REFUSED

GO TO BOX R04\_AHR25

ASK: Adult respondents who smoke hookah every day.

**PATH ID: R04\_AH9006\_LC1**

The computer recorded that, on average, you smoke tobacco in a hookah [R04\_AH9006] times each day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AH9006

2 NEXT

GO TO BOX R04\_AHR25

ASK: IF R04\_AH9006 > 2.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR25**

Current, experimental current, and past 30 day hookah smokers, go to R04\_AH1024.  
Else, go to Box R04\_AHR02.

**PATH ID: R04\_AH1024**

[On the days that you smoke hookah, what/What] time of day do you typically take your first puff of tobacco from a hookah?

- |    |                                |                     |
|----|--------------------------------|---------------------|
| 1  | After 6 AM but before noon     | GO TO BOX R04_AHR02 |
| 2  | Between noon and 6 PM          | GO TO BOX R04_AHR02 |
| 3  | After 6 PM but before midnight | GO TO BOX R04_AHR02 |
| 4  | Between midnight and 6 AM      | GO TO BOX R04_AHR02 |
| -8 | DON'T KNOW                     |                     |
| -7 | REFUSED                        |                     |

ASK: Current, experimental current, and past 30 day hookah smokers.

DISPLAY: IF R04\_CURRENT\_HOOK\_USE = 1, DISPLAY "What". ELSE, DISPLAY "On the days that you smoke hookah, what".

**PATH ID: R04\_AH1092**

[On the days that you smoke hookah, would/Would] you say you typically take your first puff of tobacco from a hookah within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who did not know or refused to report what time of day they smoke hookah.

DISPLAY: IF R04\_CURRENT\_HOOK\_USE = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke hookah, would".

**BOX ID: R04\_AHR02**

If respondent smoked hookah in the past 30 days, go to R04\_AH0100.  
Else, go to Box R04\_AHR23.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AH0100</b>	
When did you last smoke tobacco in a hookah?		
1	In the past hour	GO TO R04_AH0103
2	Sometime today	
3	Yesterday	
4	Day before yesterday	
5	Three or more days ago	GO TO R04_AH1130
-8	DON'T KNOW	GO TO R04_AH1130
-7	REFUSED	GO TO R04_AH1130
ASK: Adult respondents who have smoked hookah in the past 30 days.		

<b>PATH ID:</b>	<b>R04_AH0102</b>	
When you last smoked tobacco in a hookah [FILL BASED ON R04_AH0100], was it...		
1	Between midnight and 6AM	
2	After 6AM but before noon	
3	Between noon and 6PM	
4	After 6PM but before midnight	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have smoked hookah today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: FOR [FILL BASED ON R04_AH0100]:		
IF R04_AH0100 = 2, DISPLAY "today".		
IF R04_AH0100 = 3, DISPLAY "yesterday".		
IF R04_AH0100 = 4, DISPLAY "the day before yesterday".		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AH0103</b>	
How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R04_AH0100]?	
1   _   _   _	
-8 DON'T KNOW	GO TO R04_AH1130
-7 REFUSED	GO TO R04_AH1130
ASK: Adult respondents who have smoked hookah in the past hour, today, yesterday or the day before yesterday.	
DISPLAY: IF R04_AH0100 = 1, 2, DISPLAY “have” AND “taken”.	
IF R04_AH0100 = 3, 4, DISPLAY “did” AND “take”.	
FOR [FILL BASED ON R04_AH0100]:	
IF R04_AH0100 = 1, 2, DISPLAY “today”.	
IF R04_AH0100 = 3, DISPLAY “yesterday”.	
IF R04_AH0100 = 4, DISPLAY “the day before yesterday”.	

<b>PATH ID: R04_AH0103_LC1</b>	
The computer recorded that you took [R04_AH0103] puffs from a hookah [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AH0103
2 NEXT	GO TO R04_AH1130
ASK: IF R04_AH0103 > 50 OR R04_AH0103 = 11, 22, 33, 44.	
DISPLAY: IF R04_AH0100 = 1, 2, DISPLAY “today”.	
IF R04_AH0100 = 3, DISPLAY “yesterday”.	
IF R04_AH0100 = 4, DISPLAY “the day before yesterday”.	

<b>PATH ID: R04_AH1130</b>	
In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1 Yes	
2 No	GO TO BOX R04_AHR23
3 I don't know	GO TO BOX R04_AHR23
-8 DON'T KNOW	GO TO BOX R04_AHR23
-7 REFUSED	GO TO BOX R04_AHR23
ASK: Adult respondents who have smoked hookah in the past 30 days.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1131**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked flavored shisha in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AH1147**

On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoked flavored shisha in the past 30 days.

DISPLAY: UNDERLINE "flavored".

**BOX ID: R04\_AHR23**

Current, experimental current, and past 30 day hookah smokers go to R04\_AH1030.

Else, recent former hookah smokers, go to R04\_AH1047.

Else, go to Box R04\_AHR19.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1030**

The next questions ask about your experience buying shisha or hookah tobacco.

How do you usually buy shisha or hookah tobacco for yourself?

- |  |                  |
|--|------------------|
| 1 In person (such as at a store or hookah bar) |                  |
| 2 From the internet                            | GO TO R04_AH1047 |
| 3 By telephone                                 | GO TO R04_AH1047 |
| 4 I do not buy my own shisha or hookah tobacco | GO TO R04_AH1047 |
| -8 DON'T KNOW                                  | GO TO R04_AH1047 |
| -7 REFUSED                                     | GO TO R04_AH1047 |

ASK: Current, experimental current, and past 30 day hookah smokers.

**PATH ID: R04\_AH1032**

Do you usually buy shisha or hookah tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who usually buy shisha tobacco in person.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1033**

Where do you buy your shisha or hookah tobacco most of the time?

- 1 A hookah bar or cafe
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who usually buy shisha tobacco in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AH1047**

[Do/Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Do" AND "smoke". ELSE, DISPLAY "Did" AND "smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AH1050</b>		
<p>[[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?</p>			
	1 Yes		
	2 No		GO TO R04_AH1945
	3 I don't know		GO TO R04_AH1945
	-8 DON'T KNOW		GO TO R04_AH1945
	-7 REFUSED		GO TO R04_AH1945
<p>ASK: Current, experimental current, recent former, and past 30 day hookah smokers.</p>			
<p>DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Is", "your regular brand" AND "smoke". IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".</p>			
<p>ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Was", "your regular brand" AND "smoked".</p>			
<p>ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".</p>			

<b>PATH ID:</b>	<b>R04_AH1012</b>		
<p>Which flavor [is/was] it? Choose all that apply.</p>			
	1 Menthol or mint		
	2 Clove or spice		
	3 Fruit		
	4 Chocolate		
	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)		
	6 Candy or other sweets		
	7 Some other flavor (SPECIFY)		
	-8 DON'T KNOW		
	-7 REFUSED		
<p>ASK: Current, experimental current, recent former, and past 30 day hookah smokers whose regular brand or last brand of shisha smoked was flavored.</p>			
<p>DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "is". ELSE, DISPLAY "was".</p>			
<p>IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."</p>			

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1945</b>
Do you know the <u>name of the brand</u> of shisha or hookah tobacco you [usually smoke/usually smoked/last smoked]?
1    Yes
2    No
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_AH1047 = 1 AND R04_HOOK_USER_STATUS = 1, 2, DISPLAY “usually smoke”.
IF R04_AH1047 = 1 AND R04_HOOK_USER_STATUS != 1, 2, DISPLAY “usually smoked”.
IF R04_AH1047 = 2, -8, -7, DISPLAY “last smoked”.
UNDERLINE "name of the brand".

<b>BOX ID:</b> <b>R04_AHR26</b>
Respondents who know the name of their brand, go to R04_AH1048_BRAND.
Else, respondents who have a regular brand, go to R04_AH1051.
Else, go to Box R04_AHD01.

<b>PATH ID:</b> <b>R04_AH1048</b>
What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?
Please select it from the choices below by touching the screen. [ If you do not see it below, touch the button marked “NEXT”./If you do not see it below, touch the box marked “Something else.” ]
1    Something else
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: “If you do not see it below, touch the button marked “NEXT”.
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: “If you do not see it below, touch the box marked “Something else.”
IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY “do” AND “usually”.
IF ((R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY “did” AND “last”.
ELSE, IF R04_AH1047 = 1, DISPLAY “did” AND “usually”.
ELSE, IF R04_AH1047 = 2, -8, -7, DISPLAY “did” AND “last”.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR17**

If respondent selects an image for their brand, go to R04\_AH1070\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AH1049.  
 Else, go to Box R04\_AHR22.

**PATH ID: R04\_AH1049**

You said that your brand was not listed. What is it?

1	_____	GO TO BOX R04_AHR20
-8	DON'T KNOW	GO TO BOX R04_AHR20
-7	REFUSED	GO TO BOX R04_AHR20

ASK: Current, experimental current, recent former, past 30 day hookah smokers who selected "Something else" for their brand.

**PATH ID: R04\_AH1070**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?  
 Please select it from the choices below by touching the screen. [ If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else" . ]

1	Something else	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who selected a brand image.  
 DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".  
 IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."  
 FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AH1048\_BRAND.  
 IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 1, DISPLAY "do" AND "usually".  
 IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".  
 ELSE, IF R04\_AH1047 = 1, DISPLAY "did" AND "usually".  
 ELSE, IF R04\_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_AHR18**

If current, experimental current, recent former, or past 30 day hookah smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AH1071.  
 Else, go to Box R04\_AHR20.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1071</b>
You said that the type of [BRANDFILL]s that you [smoke/smoked] is not listed. What type is it?
1    _____
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AH1048_BRAND.
IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "smoke".
ELSE, DISPLAY "smoked".

<b>BOX ID:</b> <b>R04_AHR20</b>
If respondent selected a brand in R04_AH1048_BRAND or wrote in a brand in R04_AH1049, go to R04_AH9108.
Else, go to Box R04_AHR22.

<b>PATH ID:</b> <b>R04_AH9108</b>
Does this brand of shisha contain tobacco?
1    Yes
2    No
3    I don't know
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers who selected a brand in R04_AH1048 or who wrote a brand in to R04_AH1049.

<b>BOX ID:</b> <b>R04_AHR22</b>
Current, experimental current, past 30 day or recent former hookah smokers who have a regular brand of shisha or hookah tobacco, go to R04_AH1051.
Else, go to Box R04_AHR19.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1051**

About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AHR19

-7 REFUSED

GO TO BOX R04\_AHR19

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who have a regular brand.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

**PATH ID: R04\_AH1051\_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand of shisha or hookah tobacco for [R04\_AH1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AH1051

2 NEXT

GO TO BOX R04\_AHR19

ASK: IF R04\_AH1051\_NN > R04\_ACHIEVEDAGE AND R04\_AH1051\_UN = 3.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "have been smoking".

IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "smoked".

**PATH ID: R04\_AH1051\_LC2**

The computer recorded "0" for how long you [have been smoking/ smoked] your regular brand of shisha or hookah tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AH1051

2 NEXT

GO TO BOX R04\_AHR19

ASK: IF R04\_AH1051\_NN = 0.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "have been smoking".

IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "smoked".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR19**

Current, experimental current, and past 30 day hookah smokers who smoked hookah today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand in R04\_AH1048 and valid product in R04\_AH1070, go to R04\_AH0104.

Else, if respondent is a current, experimental current, recent former, or past 30 day user, go to Box R04\_AHD01.

Else, go to next section.

**PATH ID: R04\_AH0104**

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who have smoked hookah in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AH0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

IF R04\_AH0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

IF R04\_AH0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

IF R04\_AH0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AH1070\_PRODUCT.

**BOX ID: R04\_AHD01**

Randomize order of R04\_AH1060 through R04\_AH1073.

Display question R04\_AH1060, R04\_AH1085, R04\_AH1062, R04\_AH1075, R04\_AH1063, R04\_AH1064, R04\_AH1073 on one screen. Show the intro/transition text from R04\_AH1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1060**

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "apply to you", "smoke" AND "is". ELSE, DISPLAY "applied to you when you used to smoke hookah", "smoked" AND "was".

**PATH ID: R04\_AH1085**

I [can/could] smoke hookah at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't".

**PATH ID: R04\_AH1062**

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "be". ELSE, DISPLAY "have been".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1075</b>
It might [be/have been] less harmful to people around me than smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY “be”. ELSE, DISPLAY “have been”.

<b>PATH ID:</b> <b>R04_AH1063</b>
Shisha or hookah tobacco [comes/came] in flavors I [like/liked].
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY “comes” AND “like”. ELSE, DISPLAY “came” and “liked”.

<b>BOX ID:</b> <b>R04_AHR15</b>
Current, experimental current, past 30 day, or recent former hookah smokers who are also current, experimental current or recent former cigarette smokers, go to R04_AH1064.
Else, go to R04_AH1073.

<b>PATH ID:</b> <b>R04_AH1064</b>
Smoking hookah helps people quit smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who are also current, experimental current or recent former cigarette smokers.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1073</b>
Smoking hookah is part of my cultural tradition.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

<b>BOX ID:</b> <b>R04_AHR16</b>
Current, experimental current, past 30 day, and recent former hookah smokers who also are current, experimental current, or recent former cigarette smokers, go to R04_AH1080.
Else, go to R04_AH1139.

<b>PATH ID:</b> <b>R04_AH1080</b>
[Do/Did] you smoke hookah as a way of cutting down on your cigarette smoking?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who are also current, experimental current or recent former cigarette smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking hookah.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "is",

ELSE, DISPLAY "was".

Display scale for the R04\_AH1139-1141 series.

**PATH ID: R04\_AH1140**

While smoking hookah, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "feel",

ELSE, DISPLAY "felt".

Display scale for the R04\_AH1139-1141 series.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1141**

I [smoke/smoked] hookah much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "smoke" AND "am",

ELSE, DISPLAY "smoked" AND "was".

Display scale for the R04\_AH1139-1141 series.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## SNUS

<b>BOX ID:</b> <b>R04_AUR08</b>
Aged-up and continuing adult respondents who were a former user, had used 100 or more snus pouches and had used fairly regularly as of the previous wave; and at the current wave has not used in the past 12 months or now uses not at all, go to Box R04_AUV02. Else, continue with Box R04_AUT02.

<b>BOX ID:</b> <b>R04_AUT02</b>
IF RESPONDENT ONLY USES SNUS (R04_EVER_NEVER_SNUS = 1 AND R04_EVER_NEVER_SMKLS = 2), DISPLAY THE FOLLOWING TRANSITION TEXT: The next questions ask about <b>snus</b> , a type of smokeless tobacco that comes loose or in a small pouch that you put under your lip. You do not have to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.  Please think about your use of <b>snus</b> as you answer these questions.  [SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]  IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04_EVER_NEVER_SNUS = 1 AND R04_EVER_NEVER_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT: The next questions ask about <b>snus</b> , a type of smokeless tobacco that comes loose or in a small pouch that you put under your lip. You do not have to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.  Please think about your use of <b>snus</b> as you answer these questions. There will be a separate section later about other types of smokeless tobacco products.  [SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]

<b>BOX ID:</b> <b>R04_AUR07</b>
New cohort adult respondents who have ever used snus, go to R04_AU1006_RS. Else, aged-up and continuing adult respondents who have ever used snus (and had not used 100 or more in the previous wave), go to R04_AU1005. Else, aged-up and continuing adult respondents who have ever used snus and had never used fairly regularly in the previous wave, go to R04_AU1100. Else, go to Box R04_AUV02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1005</b>
How many times have you used snus in your entire life?
1    1 to 10
2    11 to 20
3    21 to 50
4    51 to 99
5    100 or more
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing adult respondents who have ever used snus and had not used 100 or more pouches in the previous wave, and new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR10</b>
Aged-up and continuing adult respondents who have ever used snus and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever used snus, go to R04_AU1100. Else, go to Box R04_AUV02.

<b>PATH ID:</b> <b>R04_AU1100</b>
Have you ever used snus fairly regularly?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing adult respondents who have ever used snus and had never used fairly regularly in the previous wave and new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR11</b>
New baseline adult respondents that have ever used fairly regularly, go to R04_AU1007_NB. Else, go to Box R04_AUV02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AUV02</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_SNUS_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever used snus fairly regularly and now use every day or some days.
<b>R04_SNUS_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever used snus and have never used fairly regularly, and now use every day or some days.
<b>R04_SNUS_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever used snus and have never used fairly regularly and did not use in the past 12 months or now uses not at all.
<b>R04_SNUS_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former snus users at the previous wave and aged-up adult respondents who ever used snus at the previous wave, who have ever used snus fairly regularly, and did not use snus in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated snus use since the previous wave, who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all.
<b>R04_SNUS_USER_STATUS = 5 (Long-term former user)</b> Adult respondents who were former snus users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used snus and have ever used snus fairly regularly, who have not used snus in the past 12 months..
<b>R04_CURRENT_SNUS_USE = 1 (Every day user)</b> Adult respondents who have ever used snus fairly regularly and now use every day.
<b>R04_CURRENT_SNUS_USE = 2 (Some day user)</b> Adult respondents who have ever used snus fairly regularly and now use some days.
<b>R04_FORMER_THIRTYDAY_USER_SNUS = 1</b> Adult respondents who are experimental former, recent former, or long-term former snus users who used in the past 30 days.

<b>BOX ID:</b> <b>R04_AUR02</b>
New baseline respondents that are every day snus users, go to R04_AU1020_NB. Else, go to Box R04_AUR12.

<b>BOX ID:</b> <b>R04_AUR12</b>
Aged-up and continuing adult respondents who initiated snus use since the previous wave, and new cohort adult respondents who have ever used snus, go to R04_AU1008. Else, go to Box R04_AUR50.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1008**

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_AUR50 |
| 3  | I don't know | GO TO BOX R04_AUR50 |
| -8 | DON'T KNOW   | GO TO BOX R04_AUR50 |
| -7 | REFUSED      | GO TO BOX R04_AUR50 |

ASK: Aged-up and continuing adult respondents who initiated snus use since the previous wave, and new cohort adult respondents who have ever used snus.

**PATH ID: R04\_AU1011**

Which flavor did you first start using? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated snus use with flavored snus.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AUR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former snus users, go to R04\_AU1025\_RS.

Else, go to Box R04\_AUR09.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AUR09
Every day snus users, go to R04_AU1021. Else, some day and experimental current snus users, and former or experimental former users who have used in the past 30 days, go to R04_AU1022. Else, recent former snus users, go to R04_AU1047. Else, experimental former and long-term former snus users, go to next section.

<b>PATH ID:</b> R04_AU1021
On average, about how many times do you now use snus each day?  1  __ __  -8 DON'T KNOW GO TO R04_AU1024 -7 REFUSED GO TO R04_AU1024  ASK: Every day snus users.

<b>PATH ID:</b> R04_AU1021_LC1
The computer recorded that on average, you now use snus [R04_AU1021] times a day. Is that correct?  If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.  1 BACK GO TO R04_AU1021 2 NEXT GO TO R04_AU1024  ASK: IF R04_AU1021 > 20.

<b>PATH ID:</b> R04_AU1022
On how many of the past 30 days did you use snus?  1  __ __  DAYS -8 DON'T KNOW -7 REFUSED  ASK: Some day and experimental current snus users who have used in the past 30 days, and former 30 day snus users. DISPLAY: DISPLAY 'DAYS' AS A TITLE.

<b>BOX ID:</b> R04_AUR13
If respondent enters "0" for R04_AU1022 and is a some day or experimental current snus user, go to R04_AU9029. Else, if respondent enters "0" for R04_AU1022 and is a former 30 day user of snus, go to Box R04_AUR26. Else, go to R04_AU1023.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU9029</b>	
About how long has it been since you last used snus?	
1	__ __  DAYS
2	__ __  MONTHS
3	__ __  YEARS
-8	DON'T KNOW GO TO BOX R04_AUR26
-7	REFUSED GO TO BOX R04_AUR26
ASK: Some day and experimental current snus users who have not used in the past 30 days.	

<b>PATH ID: R04_AU9029_LC1</b>	
The computer recorded that you used snus [R04_AU9029] [days/months/years] ago.	
If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK GO TO R04_AU9029
2	NEXT GO TO BOX R04_AUR26
ASK: IF (R04_AU9029_NN < 30 AND R04_AU9029_UN = 1) OR (R04_AU9029_NN < 1 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > 18 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > (R04_ACHIEVEDAGE - 10) AND R04_AU9029_UN = 3).	
DISPLAY: IF R04_AU9029_UN = 1, DISPLAY "days".	
ELSE, IF R04_AU9029_UN = 2, DISPLAY "months".	
ELSE, IF R04_AU9029_UN = 3, DISPLAY "years".	

<b>PATH ID: R04_AU1023</b>	
On average, on those [FILL NUMBER OF DAYS FROM R04_AU1022 days/days you used], how many times did you usually use snus each day?	
1	__ __
-8	DON'T KNOW GO TO BOX R04_AUR26
-7	REFUSED GO TO BOX R04_AUR26
ASK: Some day, experimental current, and former thirty day snus users who have used at least one day in past 30 days.	
DISPLAY: IF R04_AU1022 = 1, -8, -7, DISPLAY "days you used".	
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AU1022 AND "days" (EX. "2 days").	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1023\_LC1**

The computer recorded that on the days you used in the past 30 days, you used snus [R04\_AU1023] times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1023

2 NEXT

GO TO BOX R04\_AUR26

ASK: IF R04\_AU1023 > 20.

**BOX ID: R04\_AUR26**

Current and experimental current snus users, go to R04\_AU1024.

Else, former 30 day snus users, go to R04\_AU1024\_30D.

Else, go to next section.

**PATH ID: R04\_AU1024**

[On the days that you use snus, how/How] soon after you wake up do you typically use your first snus product of the day? Please enter the number of minutes or hours.

1 |\_\_|\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AU1092

-7 REFUSED

GO TO R04\_AU1092

ASK: Current and experimental current snus users.

DISPLAY: IF R04\_CURRENT\_SNUS\_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you use snus, how".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1024_LC1</b>	
The computer recorded that you typically use your first snus product [R04_AU1024_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AU1024
2 NEXT	GO TO BOX R04_AUR28
ASK: IF [R04_CURRENT_SNUS_USE = 1 AND ((R04_AU1024_NN > 60 AND R04_AU1024_UN = 1) OR (R04_AU1024_NN > 4 AND R04_AU1024_UN = 2))] OR [(R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2) AND ((R04_AU1024_NN > 60 AND R04_AU1024_UN = 1) OR (R04_AU1024_NN > 12 AND R04_AU1024_UN = 2))].	
DISPLAY: IF R04_AU1024_UN = 1, DISPLAY "minutes".	
ELSE, IF R04_AU1024_UN = 2 DISPLAY "hours".	

<b>PATH ID: R04_AU1024_LC2</b>	
The computer recorded "0" for how soon you typically use your first snus product after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AU1024
2 NEXT	GO TO BOX R04_AUR28
ASK: IF R04_AU1024_NN = 0.	

<b>PATH ID: R04_AU1092</b>	
[On the days that you use snus, would/Would] you say you use your first snus product of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R04_AUR28
2 No	GO TO BOX R04_AUR28
3 It varies	GO TO BOX R04_AUR28
-8 DON'T KNOW	GO TO BOX R04_AUR28
-7 REFUSED	GO TO BOX R04_AUR28
ASK: Current and experimental current snus users who did not know or refused to report how soon after waking up they first use snus.	
DISPLAY: IF R04_CURRENT_SNUS_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you use snus, would".	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1024_30D</b>	
On the days that you used snus, how soon after you woke up did you typically use your first snus product of the day? Please enter the number of minutes or hours.	
1	_ _ _ _  Minutes after waking
2	_ _ _ _  Hours after waking
-8	DON'T KNOW GO TO R04_AU1092_30D
-7	REFUSED GO TO R04_AU1092_30D
ASK: Former 30 day snus users.	

<b>PATH ID: R04_AU1024_30D_LC1</b>	
The computer recorded that you typically used your first snus product [R04_AU1024_30D_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK GO TO R04_AU1024_30D
2	NEXT GO TO BOX R04_AUR28
ASK: IF (R04_AU1024_30D_NN > 60 AND R04_AU1024_30D_UN = 1) OR (R04_AU1024_30D_NN > 12 AND R04_AU1024_30D_UN = 2).	
DISPLAY: IF R04_AU1024_30D_UN = 1, DISPLAY "minutes".	
ELSE, IF R04_AU1024_30D_UN = 2, DISPLAY "hours".	

<b>PATH ID: R04_AU1024_30D_LC2</b>	
The computer recorded "0" for how soon after waking you typically used your first snus product.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK GO TO R04_AU1024_30D
2	NEXT GO TO BOX R04_AUR28
ASK: IF R04_AU1024_30D_NN = 0.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1092\_30D**

On the days that you used snus, would you say you used your first snus product of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day snus users who did not know or refused to report how soon after they woke up they first used snus.

**BOX ID: R04\_AUR28**

Adult respondents who have used snus in the past 30 days, go to R04\_AU0100.  
Else, go to R04\_AU9041.

**PATH ID: R04\_AU0100**

When did you last use snus?

- |                          |                  |
|--------------------------|------------------|
| 1 In the past hour       | GO TO R04_AU0103 |
| 2 Sometime today         |                  |
| 3 Yesterday              |                  |
| 4 Day before yesterday   |                  |
| 5 Three or more days ago | GO TO R04_AU1130 |
| -8 DON'T KNOW            | GO TO R04_AU1130 |
| -7 REFUSED               | GO TO R04_AU1130 |

ASK: Adult respondents who have used snus in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU0102**

When you last used snus [FILL BASED ON R04\_AU0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used snus today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AU0100]:

IF R04\_AU0100 = 2, DISPLAY "today".

IF R04\_AU0100 = 3, DISPLAY "yesterday".

IF R04\_AU0100 = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AU0103**

How many times [have/did] you [used/use] snus [FILL BASED ON R04\_AU0100]?

1 |\_\_|\_\_|\_\_|

-8 DON'T KNOW

-7 REFUSED

GO TO R04\_AU1130

GO TO R04\_AU1130

ASK: Adult respondents who have used snus in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AU0100 = 1, 2, DISPLAY "have" AND "used".

ELSE, IF R04\_AU0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R04\_AU0100]:

IF R04\_AU0100 = 1, 2, DISPLAY "today".

ELSE, IF R04\_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R04\_AU0100 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU0103_LC1</b>	
The computer recorded that you used snus [R04_AU0103] times [today/yesterday/the day before yesterday]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AU0103
2    NEXT	GO TO R04_AU1130
ASK: IF R04_AU0103 > 20 OR R04_AU0103 = 11.	
DISPLAY: IF R04_AU0100 = 1, 2, DISPLAY "today".	
ELSE, IF R04_AU0100 = 3, DISPLAY "yesterday".	
ELSE, IF R04_AU0100 = 4, DISPLAY "the day before yesterday".	

<b>PATH ID:</b> <b>R04_AU1130</b>	
In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1    Yes	
2    No	GO TO R04_AU9041
3    I don't know	GO TO R04_AU9041
-8   DON'T KNOW	GO TO R04_AU9041
-7   REFUSED	GO TO R04_AU9041
ASK: Adult respondents who have used snus in the past 30 days.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1131**

Which flavors have you used in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored snus in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AU1147**

On the days you used snus in the past 30 days, how often did you use flavored snus?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored snus in the past 30 days.

DISPLAY: UNDERLINE "flavored".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU9041**

What type of snus [do you use/have you used]?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- |                                    |                  |
|------------------------------------|------------------|
| 1 Snus pouches                     | GO TO R04_AU1030 |
| 2 Loose snus                       | GO TO R04_AU1030 |
| 3 Both snus pouches and loose snus |                  |
| -8 DON'T KNOW                      | GO TO R04_AU1030 |
| -7 REFUSED                         | GO TO R04_AU1030 |

ASK: Current, experimental current, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do you use".

ELSE, DISPLAY "have you used".

**PATH ID: R04\_AU9042**

You mentioned you have used both snus pouches and loose snus. Which type of snus [do/did] you use most often?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- 1 Snus pouches
- 2 Loose snus
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who have used both snus pouches and loose snus.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1030**

The next questions ask about your experience buying snus. [Please think about the type of snus you use most often when answering these questions.

]How [do/did] you usually buy snus for yourself?

- |    |                          |                  |
|----|--------------------------|------------------|
| 1  | In person                |                  |
| 2  | From the internet        | GO TO R04_AU1042 |
| 3  | By telephone             | GO TO R04_AU1042 |
| 4  | I do not buy my own snus | GO TO R04_AU1047 |
| -8 | DON'T KNOW               | GO TO R04_AU1047 |
| -7 | REFUSED                  | GO TO R04_AU1047 |

ASK: Current, experimental current, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF R04\_AU9041 = 3, DISPLAY "Please think about the type of snus you use most often when answering these questions."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AU1032**

[Do/Did] you usually buy snus...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who usually buy snus in person.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1033**

Where [do/did] you buy your snus most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who usually buy snus in person.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AU1042**

How much [do you usually/did you] pay for a container of snus?

1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents

-8 DON'T KNOW

GO TO BOX R04\_AUR52

-7 REFUSED

GO TO BOX R04\_AUR52

ASK: Current, experimental current, and former 30 day snus users who usually buy their own snus.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do you usually".

ELSE, DISPLAY "did you",

DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH ID: R04\_AU1042\_LC1**

The computer recorded that you paid \$[R04\_AU1042\_D].[R04\_AU1042\_C] for a container of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1042

2 NEXT

GO TO BOX R04\_AUR52

ASK: IF R04\_AU1042\_D > 6 OR R04\_AU1042\_D < 1.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR52**

Current, experimental current, and former 30 day users who buy their own snus and usually use pouched snus, go to R04\_AU9001.  
Else, go to R04\_AU1047.

**PATH ID: R04\_AU9001**

How many pouches [are/were] in the container of snus that you usually [buy/bought]?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AU1047

-7 REFUSED

GO TO R04\_AU1047

ASK: Current, experimental current, and former 30 day users who buy their own snus and usually use pouched snus.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "are" AND "buy".

ELSE, DISPLAY "were" AND "bought".

**PATH ID: R04\_AU9001\_LC1**

The computer recorded that there are [R04\_AU9001] pouches in the container you bought.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU9001

2 NEXT

GO TO R04\_AU9002

ASK: IF R04\_AU9001 > 50 OR R04\_AU9001 < 5.

**PATH ID: R04\_AU9002**

About how many days [does/did] it take you to use up a container this size?

1 |\_\_|\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AU1047

-7 REFUSED

GO TO R04\_AU1047

ASK: Current, experimental current, and former 30 day snus users who provided the number of pouches in the container of snus they usually buy.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "does".

ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU9002_LC1</b>	
The computer recorded that it took you [R04_AU9002] days to use up a container of snus.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AU9002
2 NEXT	GO TO R04_AU1047
ASK: IF R04_AU9002 > (R04_AU9001*7) OR R04_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.	

<b>PATH ID: R04_AU1047</b>	
[Do/Did] you have a regular brand of snus that you usually [use/used]?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current, experimental current, recent former, and former 30 day snus users.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".	
ELSE, DISPLAY "Did" AND "used".	

<b>PATH ID: R04_AU1050</b>	
[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1 Yes	
2 No	GO TO R04_AU1945
3 I don't know	GO TO R04_AU1945
-8 DON'T KNOW	GO TO R04_AU1945
-7 REFUSED	GO TO R04_AU1945
ASK: Current, experimental current, recent former, and former 30 day snus users.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use".	
ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".	
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used".	
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1012**

Which flavor [is/was] it? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former and former 30 day snus users whose regular brand or last brand of snus used was flavored.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AU1047 = 1, DISPLAY "is".

ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AU1945**

Do you know the name of the brand of snus you [usually use/usually used/last used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former and former 30 day snus users.

DISPLAY: UNDERLINE "name of the brand".

IF R04\_AU1047 = 1 AND R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "usually use".

ELSE, IF R04\_AU1047 = 1 AND R04\_SNUS\_USER\_STATUS != 1, 2, DISPLAY "usually used".

ELSE, IF R04\_AU1047 = 2, -8, -7, DISPLAY "last used".

**BOX ID: R04\_AUR27**

Respondents who know the name of their brand, go to R04\_AU1048\_BRAND.

Else, respondents who have a regular brand, go to R04\_AU1051.

Else, go to Box R04\_AUD03.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1048</b>
<p>What brand of snus [do/did] you [usually/last] use?</p> <p>Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]</p> <ul style="list-style-type: none"> <li>1 Something else</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Current, experimental current, recent former, and former 30 day snus users who know the brand name.</p> <p>DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."</p> <p>IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "do" AND "usually".</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "did" AND "usually".</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".</p>

<b>BOX ID: R04_AUR16</b>
<p>If respondent selects an image for their brand, go to R04_AU1070_PRODUCT.</p> <p>Else, if respondent selects "Something else" for their brand, go to R04_AU1049.</p> <p>Else, go to Box R04_AUR25.</p>

<b>PATH ID: R04_AU1049</b>						
<p>You said that your brand was not listed. What is it?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px; padding-left: 20px;">1 _____</td> <td style="text-align: right; padding-right: 20px;">GO TO BOX R04_AUR25</td> </tr> <tr> <td style="padding-left: 20px;">-8 DON'T KNOW</td> <td style="text-align: right; padding-right: 20px;">GO TO BOX R04_AUR25</td> </tr> <tr> <td style="padding-left: 20px;">-7 REFUSED</td> <td style="text-align: right; padding-right: 20px;">GO TO BOX R04_AUR25</td> </tr> </table> <p>ASK: Current, experimental current, recent former, and former 30 day snus users who selected "Something else" for their brand.</p>	1 _____	GO TO BOX R04_AUR25	-8 DON'T KNOW	GO TO BOX R04_AUR25	-7 REFUSED	GO TO BOX R04_AUR25
1 _____	GO TO BOX R04_AUR25					
-8 DON'T KNOW	GO TO BOX R04_AUR25					
-7 REFUSED	GO TO BOX R04_AUR25					

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1070</b>
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?
Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]
1    Something else
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AU1048_BRAND.
IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "do" AND "usually".
ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "did" AND "usually".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

<b>BOX ID:</b> <b>R04_AUR17</b>
If current, experimental current, recent former, or former 30 day snus user who selected a brand image, but selected "Something else" for their subbrand, go to R04_AU1071.
Else, go to Box R04_AUR25.

<b>PATH ID:</b> <b>R04_AU1071</b>
You said that the type of [BRANDFILL]s that you [use/used] is not listed. What type is it?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AU1048_BRAND.
IF R04_CURRENT_USER_SNUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "use".
ELSE, DISPLAY "used".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR25**

Current, experimental current, recent former, and former 30 day snus users who have a regular brand of snus, go to R04\_AU1051.  
Else, go to Box R04\_AUR18.

**PATH ID: R04\_AU1051**

About how long [did you use/have you been using] your regular brand of snus?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO BOX R04\_AUR18

-7 REFUSED

GO TO BOX R04\_AUR18

ASK: Current, experimental current, recent former, and former 30 day snus users who have a regular brand.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

**PATH ID: R04\_AU1051\_LC1**

The computer recorded that you [have been using/used] your regular brand of snus for [R04\_AU1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1051

2 NEXT

GO TO BOX R04\_AUR18

ASK: IF R04\_AU1051\_NN > R04\_ACHIEVEDAGE AND R04\_AU1051\_UN = 3.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1051\_LC2**

The computer recorded "0" for how long you [have been using/used] your regular brand of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AU1051

2 NEXT

GO TO BOX R04\_AUR18

ASK: IF R04\_AU1051\_NN = 0.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

**BOX ID: R04\_AUR18**

Current, experimental current, and former 30 day snus users who used snus today, yesterday, or the day before yesterday and who know the name of their brand and selected a valid brand and a valid product, go to R04\_AU0104.

Else, go to Box R04\_AUD03.

**PATH ID: R04\_AU0104**

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who have used snus in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AU0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04\_AU0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04\_AU0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R04\_AU0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AU1070\_PRODUCT.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUD03**

Randomize order of R04\_AU1060 through R04\_AU1076.

Display question R04\_AU1060, R04\_AU1085, R04\_AU1062, R04\_AU1075, R04\_AU1063, R04\_AU1064, R04\_AU1065, R04\_AU1067, R04\_AU1076 on one screen. Show the intro/transition text from R04\_AU1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

**PATH ID: R04\_AU1060**

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY “apply to you”, “use” AND “is”.

ELSE, DISPLAY “applied to you when you used to use snus”, “used” AND “was”.

**PATH ID: R04\_AU1085**

I [can/could] use snus at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY “can” AND “isn't”.

ELSE, DISPLAY “could” AND “wasn't”.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1062</b>
It might [be/have been] less harmful to me than smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

<b>PATH ID:</b> <b>R04_AU1075</b>
It might [be/have been] less harmful to people around me than smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

<b>PATH ID:</b> <b>R04_AU1063</b>
Snus [comes/came] in flavors I [like/liked].
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

<b>BOX ID:</b> <b>R04_AUR19</b>
Current, experimental current, recent former, and former 30 day snus users who are also current, experimental current, or recent former cigarette smokers, go to R04_AU1064.
Else, go to R04_AU1065.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1064</b>
Using snus helps people quit smoking cigarettes.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who are also current, experimental current or recent former cigarette smokers.

<b>PATH ID:</b> <b>R04_AU1065</b>
Snus doesn't smell.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.

<b>PATH ID:</b> <b>R04_AU1067</b>
Snus [is/was] more acceptable to non-tobacco users.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

<b>PATH ID:</b> <b>R04_AU1076</b>
No one [can/could] tell when I [am/was] using snus.
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "can" AND "am".
ELSE, DISPLAY "could" AND "was".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR20**

Current, experimental current, and former 30 day snus users who are also current or experimental current cigarette smokers, go to R04\_AU1086.

Else, recent former snus users who are current cigarette smokers, go to R04\_AU1080.

Else, current, experimental current, recent former, and former 30 day snus users who are recent former cigarette smokers, go to R04\_AU1080.

Else, go to R04\_AU1139.

**PATH ID: R04\_AU1086**

In the past 30 days have you used snus at times when or in places where you could not smoke cigarettes?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AU1080 |
| -8 | DON'T KNOW | GO TO R04_AU1080 |
| -7 | REFUSED    | GO TO R04_AU1080 |

ASK: Current, experimental current, and former 30 day snus users who are also current or experimental current cigarette smokers.

**PATH ID: R04\_AU1087**

How often [do/did] you use snus at times when or in places where you could not smoke regular cigarettes?

- |    |            |
|----|------------|
| 1  | Every day  |
| 2  | Some days  |
| 3  | Rarely     |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Current, experimental current, and former 30 day snus users who used snus at times when or in places where they could not smoke cigarettes.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do",

ELSE, IF R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1, DISPLAY "did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1080**

[Do/Did] you use snus as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH ID: R04\_AU1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using snus.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04\_AU1139-1141 SERIES.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1140</b>
While using snus, I [feel/felt] more confident with other people. 1 Not true of me at all 2 3 4 Very true of me -8 DON'T KNOW -7 REFUSED ASK: Current, experimental current, recent former, and former 30 day snus users. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "feel". ELSE, DISPLAY "felt". DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

<b>PATH ID: R04_AU1141</b>
I [use/used] snus much more when I [am/was] with other people. 1 Not true of me at all 2 3 4 Very true of me -8 DON'T KNOW -7 REFUSED ASK: Current, experimental current, recent former, and former 30 day snus users. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "use" AND "am". ELSE, DISPLAY "used" AND "was". DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## **SMOKELESS TOBACCO**

**BOX ID: R04\_ASR08**

Aged-up and continuing adult respondents who were a former user, had used smokeless tobacco 100 or more times and had used fairly regularly as of the previous wave, and at the current wave has not used in the past 12 months or now uses not at all, go to Box R04\_ASV02.  
Else, continue with Box R04\_AST02.

**BOX ID: R04\_AST02**

IF RESPONDENT USES ONLY SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 2 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

The next questions ask about **smokeless tobacco** which you put in your mouth and chew, suck or spit.

There are many types of smokeless tobacco products such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman and Levi Garrett, but there are many others.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

You just answered questions about snus. The next questions are about your use of other types of **smokeless tobacco** products which you put in your mouth and chew, suck or spit.

There are many types of smokeless tobacco such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman and Levi Garrett, but there are many others.

The questions will use the phrase “**smokeless tobacco**” to refer to these products. Please think about your use of smokeless tobacco products, not including snus, as you answer these questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR07**

New cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1006\_RS.

Else, aged-up and continuing adult respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times in the previous wave, go to R04\_AS1005.

Else, aged-up and continuing adult respondents who have ever used smokeless tobacco and had never used fairly regularly in the previous wave, go to R04\_AS1100.

Else, go to Box R04\_ASV02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1005**

How many times have you used smokeless tobacco in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used smokeless tobacco and had not used 100 or more times in the previous wave, and new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR10**

Aged up and continuing adult respondents who have ever used smokeless tobacco and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1100.

Else, go to Box R04\_ASV02.

**PATH ID: R04\_AS1100**

Have you ever used smokeless tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used smokeless tobacco and had never used fairly regularly in the previous wave and new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR11**

New baseline adult respondents that have ever used smokeless tobacco fairly regularly, go to R04\_AS1007\_NB.

Else, go to Box R04\_ASV02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ASV02</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_SMKLS_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use every day or some days.
<b>R04_SMKLS_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever used smokeless tobacco and have never used fairly regularly, and now use every day or some days.
<b>R04_SMKLS_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever used smokeless tobacco and have never used fairly regularly and did not use in the past 12 months or now uses not at all.
<b>R04_SMKLS_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former smokeless tobacco users at the previous wave and aged-up adult respondents who ever used smokeless tobacco at the previous wave, who have ever used smokeless tobacco fairly regularly, and did not use smokeless tobacco in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since the previous wave, who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all.
<b>R04_SMKLS_USER_STATUS = 5 (Long-term former user)</b> Adult respondents who were former smokeless tobacco users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, who have not used smokeless tobacco in the past 12 months.
<b>R04_CURRENT_SMKLS_USE = 1 (Every day user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use every day.
<b>R04_CURRENT_SMKLS_USE = 2 (Some day user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use some days.
<b>R04_FORMER_THIRTYDAY_USER_SMKLS = 1</b> Adult respondents who are experimental former, recent former, or long-term former smokeless tobacco users who used in the past 30 days.

<b>BOX ID:</b> <b>R04_ASR02</b>
New baseline respondents that are every day smokeless tobacco users, go to R04_AS1020_NB. Else, go to Box R04_ASR12.

<b>BOX ID:</b> <b>R04_ASR12</b>
Aged-up and continuing adult respondents who initiated smokeless tobacco use since the previous wave, and new cohort adult respondents who have ever used smokeless tobacco, go to R04_AS1008. Else, go to Box R04_ASR50.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1008**

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_ASR50 |
| 3  | I don't know | GO TO BOX R04_ASR50 |
| -8 | DON'T KNOW   | GO TO BOX R04_ASR50 |
| -7 | REFUSED      | GO TO BOX R04_ASR50 |

ASK: Aged-up and continuing adult respondents who initiated smokeless tobacco use since the previous wave, and new cohort adult respondents who have ever used smokeless tobacco.

**PATH ID: R04\_AS1011**

Which flavor did you first start using? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated smokeless tobacco use with flavored smokeless tobacco.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_ASR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former smokeless tobacco users, go to R04\_AS1025\_RS.

Else, go to Box R04\_ASR09.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR09**

Every day smokeless tobacco users, go to R04\_AS1021.

Else, some day or experimental current smokeless tobacco users, and former or experimental former users who have used in the past 30 days, go to R04\_AS1022.

Else, if recent former smokeless tobacco users, go to R04\_AS1047.

Else, experimental former and long-term former smokeless tobacco users, go to next section.

**PATH ID: R04\_AS1021**

On average, about how many times do you now use smokeless tobacco each day?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AS1024

-7 REFUSED

GO TO R04\_AS1024

ASK: Every day smokeless tobacco users.

**PATH ID: R04\_AS1021\_LC1**

The computer recorded that on average, you now use smokeless tobacco [R04\_AS1021] times a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1021

2 NEXT

GO TO R04\_AS1024

ASK: IF R04\_AS1021 > 20.

**PATH ID: R04\_AS1022**

On how many of the past 30 days did you use smokeless tobacco?

1 |\_\_|\_\_| DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Some day and experimental current smokeless users who have used in the past 30 days, and former 30 day smokeless tobacco users.

DISPLAY: DISPLAY 'DAYS' AS A TITLE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR13**

If respondent enters "0" for R04\_AS1022 and is a some day or experimental current smokeless tobacco user, go to R04\_AS9029.  
 Else, if respondent enters "0" for R04\_AS1022 and is a former 30 day user of smokeless tobacco, go to Box R04\_ASR26.  
 Else, go to R04\_AS1023.

**PATH ID: R04\_AS9029**

About how long has it been since you last used smokeless tobacco?

1 |\_\_|\_\_| DAYS  
 2 |\_\_|\_\_| MONTHS  
 3 |\_\_|\_\_| YEARS  
 -8 DON'T KNOW GO TO BOX R04\_ASR26  
 -7 REFUSED GO TO BOX R04\_ASR26

ASK: Some day and experimental current smokeless tobacco users who have not used in the past 30 days.

**PATH ID: R04\_AS9029\_LC1**

The computer recorded that you used smokeless tobacco [R04\_AS9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04\_AS9029  
 2 NEXT GO TO BOX R04\_ASR26

ASK: IF (R04\_AS9029\_NN <30 AND R04\_AS9029\_UN = 1) OR (R04\_AS9029\_NN <1 AND R04\_AS9029\_UN = 2) OR (R04\_AS9029\_NN > 18 AND R04\_AS9029\_UN = 2) OR (R04\_AS9029\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AS9029\_UN = 3).

DISPLAY: IF R04\_AS9029 REPORTED IN DAYS, DISPLAY "days".  
 ELSE, IF R04\_AS9029 REPORTED IN MONTHS DISPLAY "months".  
 ELSE, IF R04\_AS9029 REPORTED IN YEARS, DISPLAY "years".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1023</b>	
On average, on those [FILL NUMBER OF DAYS FROM R04_AS1022 days/days you used], how many times did you usually use smokeless tobacco each day?	
1  __ __	
-8 DON'T KNOW	GO TO BOX R04_ASR26
-7 REFUSED	GO TO BOX R04_ASR26
ASK: Some day, experimental current, and former thirty day smokeless tobacco users who have used at least one day in past 30 days.	
DISPLAY: IF R04_AS1022 = 1, -8, -7, DISPLAY "days you used".	
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AS1022 AND "days" (EX. "2 days").	

<b>PATH ID: R04_AS1023_LC1</b>	
The computer recorded that on the days you used in the past 30 days, you used smokeless tobacco [R04_AS1023] times a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1023
2 NEXT	GO TO BOX R04_ASR26
ASK: IF R04_AS1023 > 20.	

<b>BOX ID: R04_ASR26</b>	
Current and experimental current smokeless tobacco users, go to R04_AS1024.	
Else, former 30 day smokeless tobacco users, go to R04_AS1024_30D.	
Else, go to next section.	

<b>PATH ID: R04_AS1024</b>	
[On the days that you use smokeless tobacco, how/How] soon after you wake up do you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.	
1  __ __ __  Minutes after waking	
2  __ __ __  Hours after waking	
-8 DON'T KNOW	GO TO R04_AS1092
-7 REFUSED	GO TO R04_AS1092
ASK: Current and experimental current smokeless tobacco users.	
DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "How".	
ELSE, DISPLAY "On the days that you use smokeless tobacco, how".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1024_LC1</b>	
The computer recorded that you typically use your first smokeless tobacco product [R04_AS1024_NN] [hours/minutes] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1024
2 NEXT	GO TO BOX R04_ASR28
ASK: IF [R04_CURRENT_SMKLS_USE = 1 AND ((R04_AS1024_NN > 60 AND R04_AS1024_NN = 1) OR (R04_AS1024_NN > 4 AND R04_AS1024_NN = 2))] OR [(R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2) AND ((R04_AS1024_NN > 60 AND R04_AS1024_UN = 1) OR (R04_AS1024_NN > 12 AND R04_AS1024_UN = 2))].	
DISPLAY: IF R04_AS1024_UN = 1, DISPLAY "minutes".	
ELSE, IF R04_AS1024_UN = 2 DISPLAY "hours".	

<b>PATH ID: R04_AS1024_LC2</b>	
The computer recorded "0" for how soon you typically use your first smokeless tobacco product after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1024
2 NEXT	GO TO BOX R04_ASR28
ASK: IF R04_AS1024_NN = 0.	

<b>PATH ID: R04_AS1092</b>	
[On the days that you use smokeless tobacco, would/Would] you say you use your first smokeless tobacco product of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R04_ASR28
2 No	GO TO BOX R04_ASR28
3 It varies	GO TO BOX R04_ASR28
-8 DON'T KNOW	GO TO BOX R04_ASR28
-7 REFUSED	GO TO BOX R04_ASR28
ASK: Current and experimental current smokeless tobacco users who did not know or refused to report how soon after waking up they first use smokeless tobacco.	
DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you use smokeless tobacco, would".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1024\_30D**

On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

1 |\_\_|\_\_|\_\_| Minutes after waking

2 |\_\_|\_\_|\_\_| Hours after waking

-8 DON'T KNOW

GO TO R04\_AS1092\_30D

-7 REFUSED

GO TO R04\_AS1092\_30D

ASK: Former 30 day smokeless tobacco users.

**PATH ID: R04\_AS1024\_30D\_LC1**

The computer recorded that you typically used your first smokeless tobacco product [R04\_AS1024\_30D\_NN] [hours/minutes] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1024\_30D

2 NEXT

GO TO BOX R04\_ASR28

ASK: IF (R04\_AS1024\_30D\_NN > 60 AND R04\_AS1024\_30D\_UN = 1) OR (R04\_AS1024\_30D\_NN > 12 AND R04\_AS1024\_30D\_UN = 2).

DISPLAY: IF R04\_AS1024\_30D\_UN = 1, DISPLAY "minutes".

ELSE, IF R04\_AS1024\_30D\_UN = 2, DISPLAY "hours".

**PATH ID: R04\_AS1024\_30D\_LC2**

The computer recorded "0" for how soon after waking you typically used your first smokeless tobacco product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1024\_30D

2 NEXT

GO TO BOX R04\_ASR28

ASK: IF R04\_AS1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1092\_30D**

On the days that you used smokeless tobacco, would you say you used your first smokeless tobacco product of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day smokeless tobacco users who did not know or refused to report how soon after they woke up they first used smokeless tobacco.

**BOX ID: R04\_ASR28**

Adult respondents who have used smokeless tobacco in the past 30 days, go to R04\_AS0100.  
Else, go to R04\_AS9041.

**PATH ID: R04\_AS0100**

When did you last use smokeless tobacco [not including snus]?

- |                          |                  |
|--------------------------|------------------|
| 1 In the past hour       | GO TO R04_AS0103 |
| 2 Sometime today         |                  |
| 3 Yesterday              |                  |
| 4 Day before yesterday   |                  |
| 5 Three or more days ago | GO TO R04_AS1130 |
| -8 DON'T KNOW            | GO TO R04_AS1130 |
| -7 REFUSED               | GO TO R04_AS1130 |

ASK: Adult respondents who used smokeless tobacco in the past 30 days.

DISPLAY: IF R04\_EVER\_NEVER\_SNUS = 1, DISPLAY "not including snus".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH  
Adult Questionnaire – Extended Interview  
Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS0102</b>
<p>When you last used smokeless tobacco [not including snus] [FILL BASED ON R04_AS0100], was it...</p> <ul style="list-style-type: none"> <li>1   Between midnight and 6AM</li> <li>2   After 6AM but before noon</li> <li>3   Between noon and 6PM</li> <li>4   After 6PM but before midnight</li> <li>-8  DON'T KNOW</li> <li>-7  REFUSED</li> </ul> <p>ASK: Adult respondents who have used smokeless tobacco today, yesterday, or the day before yesterday, but not in the past hour.          DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".          ELSE, DO NOT DISPLAY THIS TEXT.          FOR [FILL BASED ON R04_AS0100]:          IF R04_AS0100 = 2, DISPLAY "today".          ELSE, IF R04_AS0100 = 3, DISPLAY "yesterday".          ELSE, IF R04_AS0100 = 4, DISPLAY "the day before yesterday".</p>

<b>PATH ID:</b> <b>R04_AS0103</b>
<p>How many times [have/did] you [used/use] smokeless tobacco [not including snus] [FILL BASED ON R04_AS0100]?</p> <ul style="list-style-type: none"> <li>1    _ _ _ </li> <li>-8  DON'T KNOW                             GO TO R04_AS1130</li> <li>-7  REFUSED                                 GO TO R04_AS1130</li> </ul> <p>ASK: Adult respondents who have used smokeless tobacco in the past hour, today, yesterday, or the day before yesterday.          DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".          ELSE, DO NOT DISPLAY THIS TEXT.          IF R04_AS0100 = 1, 2, DISPLAY "have" AND "used".          ELSE, IF R04_AS0100 = 3, 4, DISPLAY "did" AND "use".          FOR [FILL BASED ON R04_AS0100]:          IF R04_AS0100 = 1, 2, DISPLAY "today".          ELSE, IF R04_AS0100 = 3, DISPLAY "yesterday".          ELSE, IF R04_AS0100 = 4, DISPLAY "the day before yesterday".</p>



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS0103\_LC1**

The computer recorded that you used smokeless tobacco [R04\_AS0103] times [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |        |                  |
|--------|------------------|
| 1 BACK | GO TO R04_AS0103 |
| 2 NEXT | GO TO R04_AS1130 |

ASK: IF R04\_AS0103 > 20 OR R04\_AS0103 = 11.

DISPLAY: IF R04\_AS0100 = 1, 2, DISPLAY "today".

ELSE, IF R04\_AS0100 = 3, DISPLAY "yesterday".

ELSE, IF R04\_AS0100 = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AS1130**

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- |                |                  |
|----------------|------------------|
| 1 Yes          |                  |
| 2 No           | GO TO R04_AS9041 |
| 3 I don't know | GO TO R04_AS9041 |
| -8 DON'T KNOW  | GO TO R04_AS9041 |
| -7 REFUSED     | GO TO R04_AS9041 |

ASK: Adult respondents who have used smokeless tobacco in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1131**

Which flavors have you used in the past 30 days? Choose all that apply.

- 1 Menthol or mint
- 2 Wintergreen, spearmint or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored smokeless tobacco in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AS1147**

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored smokeless tobacco in the past 30 days.

DISPLAY: UNDERLINE "flavored".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS9041**

What type of smokeless tobacco [do you use/have you used]?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- |    |  |                  |
|----|--|------------------|
| 1  | Loose smokeless tobacco (such as dip, spit or chewing tobacco) | GO TO R04_AS1030 |
| 2  | Smokeless tobacco pouches (not including snus)                 | GO TO R04_AS1030 |
| 3  | Both loose and pouched smokeless tobacco                       |                  |
| -8 | DON'T KNOW   | GO TO R04_AS1030 |
| -7 | REFUSED  | GO TO R04_AS1030 |

ASK: Current, experimental current, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do you use".

ELSE, DISPLAY "have you used".

**PATH ID: R04\_AS9042**

You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco [do/did] you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- |    |  |  |
|----|--|--|
| 1  | Loose smokeless tobacco (such as dip, spit or chewing tobacco) |  |
| 2  | Smokeless tobacco pouches (not including snus)                 |  |
| -8 | DON'T KNOW   |  |
| -7 | REFUSED  |  |

ASK: Current, experimental current, and former 30 day smokeless tobacco users who have used both loose and pouched smokeless tobacco.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1030**

The next questions ask about your experience buying smokeless tobacco. [Please think of the type of smokeless tobacco you use most often when answering these questions.

]How [do/did] you usually buy smokeless tobacco for yourself?

- |    |                                       |                  |
|----|---------------------------------------|------------------|
| 1  | In person                             |                  |
| 2  | From the internet                     | GO TO R04_AS1042 |
| 3  | By telephone                          | GO TO R04_AS1042 |
| 4  | I do not buy my own smokeless tobacco | GO TO R04_AS1047 |
| -8 | DON'T KNOW                            | GO TO R04_AS1047 |
| -7 | REFUSED                               | GO TO R04_AS1047 |

ASK: Current, experimental current, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF R04\_AS9041 = 3, DISPLAY "Please think of the type of smokeless tobacco you use most often when answering these questions."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AS1032**

[Do/Did] you usually buy smokeless tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy smokeless tobacco in person.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1033**

Where [do/did] you buy your smokeless tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy smokeless tobacco in person.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1 OR 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AS1042**

How much [do you usually/did you] pay for a container of smokeless tobacco?

- 1 \$ |\_\_|\_\_|\_\_| Dollars . |\_\_|\_\_| Cents
- 8 DON'T KNOW GO TO BOX R04\_ASR52
- 7 REFUSED GO TO BOX R04\_ASR52

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy their own smokeless tobacco.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "do you usually".

ELSE, DISPLAY "did you".

DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1042\_LC1**

The computer recorded that you paid \$[R04\_AS1042\_D].[R04\_AS1042\_C] for a container of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1042

2 NEXT

GO TO BOX R04\_ASR52

ASK: IF R04\_AS1042\_D > 6 OR R04\_AS1042\_D < 1.

**BOX ID: R04\_ASR52**

Current, experimental current, and former 30 day users who buy their own smokeless tobacco and usually use pouched smokeless tobacco, go to R04\_AS9001.

Else, go to R04\_AS1047.

**PATH ID: R04\_AS9001**

How many pouches [are/were] in the container of smokeless tobacco that you usually [buy/bought]?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AS1047

-7 REFUSED

GO TO R04\_AS1047

ASK: Current, experimental current, and former 30 day users who buy their own smokeless tobacco and usually use pouched smokeless tobacco.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "are" AND "buy".

ELSE, DISPLAY "were" and "bought".

**PATH ID: R04\_AS9001\_LC1**

The computer recorded that there are [R04\_AS9001] pouches in the container you bought.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS9001

2 NEXT

GO TO R04\_AS9002

ASK: IF R04\_AS9001 > 50 OR R04\_AS9001 < 5.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS9002</b>	
About how many days [does/did] it take you to use up a container this size?		
1	_ _ _ _	
-8	DON'T KNOW	GO TO R04_AS1047
-7	REFUSED	GO TO R04_AS1047
ASK: Current, experimental current, and former 30 day pouched smokeless tobacco users who provided the number of pouches in the container they usually buy.		
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "does".		
ELSE, DISPLAY "did".		

<b>PATH ID:</b>	<b>R04_AS9002_LC1</b>	
The computer recorded that it took you [R04_AU9002] days to use up a container of smokeless tobacco.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AS9002
2	NEXT	GO TO R04_AS1047
ASK: IF R04_AS9002 > (R04_AS9001*7) OR R04_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.		

<b>PATH ID:</b>	<b>R04_AS1047</b>
[Do/Did] you have a regular brand of smokeless tobacco that you usually [use/used]?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.	
DISPLAY: R04_SMKLS_USER_STATUS = 1 OR 2, DISPLAY "Do" AND "use".	
ELSE, DISPLAY "Did" AND "used".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1050</b>	
<p>[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?</p>		
1	Yes	
2	No	GO TO R04_AS1945
3	I don't know	GO TO R04_AS1945
-8	DON'T KNOW	GO TO R04_AS1945
-7	REFUSED	GO TO R04_AS1945
<p>ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.</p> <p>DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use".</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".</p> <p>ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used".</p> <p>ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".</p>		

<b>PATH ID:</b>	<b>R04_AS1012</b>	
<p>Which flavor [is/was] it? Choose all that apply.</p>		
1	Menthol or mint	
2	Wintergreen, spearmint or frost	
3	Clove or spice	
4	Fruit	
5	Chocolate	
6	An alcoholic drink (such as wine, cognac, margarita or other cocktails)	
7	Candy or other sweets	
8	Some other flavor (SPECIFY)	
-8	DON'T KNOW	
-7	REFUSED	
<p>ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.</p> <p>DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "is".</p> <p>ELSE, DISPLAY "was".</p> <p>IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."</p>		



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1945</b>
Do you know the <u>name of the brand</u> of smokeless tobacco you [usually use/usually used/last used]?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former or past 30 day smokeless tobacco users.
DISPLAY: UNDERLINE "name of the brand".
IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "usually use".
ELSE, IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS != 1, 2, DISPLAY "usually used".
ELSE, IF R04_AS1047 = 2, -8, -7, DISPLAY "last used".

<b>BOX ID:</b> <b>R04_ASR27</b>
Respondents who know the name of their brand, go to R04_AS1048_BRAND.
Else, respondents who have a regular brand, go to R04_AS1051.
Else, go to Box R04_ASD03.

<b>PATH ID:</b> <b>R04_AS1048</b>
What brand of smokeless tobacco [do/did] you [usually/last] use?
Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else."]
1    Something else
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."
IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "do" AND "usually".
ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "did" AND "usually".
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR16**

If respondent selects an image for their brand, go to R04\_AS1070\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AS1049.  
 Else, go to Box R04\_ASR25.

**PATH ID: R04\_AS1049**

You said that your brand was not listed. What is it?

1	_____	GO TO BOX R04_ASR25
-8	DON'T KNOW	GO TO BOX R04_ASR25
-7	REFUSED	GO TO BOX R04_ASR25

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected "Something else" for their brand.

**PATH ID: R04\_AS1070**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

1	Something else	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AS1048\_BRAND.

IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04\_SMKLS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04\_SMKLS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

**BOX ID: R04\_ASR17**

If current, experimental current, recent former, or former 30 day smokeless tobacco user who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AS1071.  
 Else, go to Box R04\_ASR25.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1071**

You said that the type of [BRANDFILL]s that you [use/used] is not listed. What type is it?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected a brand image, but selected "Something else" for their subbrand image.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AS1048\_BRAND.

IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 1, DISPLAY "use".

ELSE, DISPLAY "used".

**BOX ID: R04\_ASR25**

Current, experimental current, recent former, and former 30 day smokeless tobacco users who have a regular brand of smokeless tobacco, go to R04\_AS1051.

Else, go to Box R04\_ASR18.

**PATH ID: R04\_AS1051**

About how long [did you use/have you been using] your regular brand of smokeless tobacco?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW GO TO BOX R04\_ASR18
- 7 REFUSED GO TO BOX R04\_ASR18

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who have a regular brand.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1051\_LC1**

The computer recorded that you [have been using/used] your regular brand of smokeless tobacco for [R04\_AS1051\_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1051

2 NEXT

GO TO BOX R04\_ASR18

ASK: IF (R04\_AS1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AS1051\_UN = 3.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

**PATH ID: R04\_AS1051\_LC2**

The computer recorded "0" for how long you [have been using/used] your regular brand of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AS1051

2 NEXT

GO TO BOX R04\_ASR18

ASK: IF R04\_AS1051\_NN = 0.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

**BOX ID: R04\_ASR18**

Current, experimental current, and former 30 day smokeless tobacco users who used smokeless tobacco today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and a valid product, go to R04\_AS0104.

Else, go to Box R04\_ASD03.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS0104**

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who have used smokeless tobacco in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AS0100 = 1, FILL [TIME OF LAST USE] WITH “in the past hour”.

ELSE, IF R04\_AS0100 = 2, FILL [TIME OF LAST USE] WITH “sometime today”.

ELSE, IF R04\_AS0100 = 3, FILL [TIME OF LAST USE] WITH “yesterday”.

ELSE, IF R04\_AS0100 = 4, FILL [TIME OF LAST USE] WITH “the day before yesterday”.

FILL [NEQBRAND] WITH RESPONSE TO R04\_AS1070\_PRODUCT.

**BOX ID: R04\_ASD03**

Randomize order of R04\_AS1060 through R04\_AS1067.

Display question R04\_AS1060, R04\_AS1085, R04\_AS1062, R04\_AS1075, R04\_AS1063, R04\_AS1064, R04\_AS1065, R04\_AS1067 on one screen. Show the intro/transition text from R04\_AS1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1060**

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".

ELSE, DISPLAY "applied to you when you used to use smokeless tobacco", "used" AND "was".

**PATH ID: R04\_AS1085**

I [can/could] use smokeless tobacco at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

**PATH ID: R04\_AS1062**

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1075</b>
It might [be/have been] less harmful to people around me than smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

<b>PATH ID:</b> <b>R04_AS1063</b>
Smokeless tobacco [comes/came] in flavors I [like/liked].
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

<b>BOX ID:</b> <b>R04_ASR19</b>
Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current, experimental current or recent former cigarette smokers, go to R04_AS1064.
Else, go to R04_AS1065.

<b>PATH ID:</b> <b>R04_AS1064</b>
Using smokeless tobacco helps people quit smoking cigarettes.
1   Yes
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current, experimental current or recent former cigarette smokers.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1065</b>
Smokeless tobacco doesn't smell.
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

<b>PATH ID: R04_AS1067</b>
Smokeless tobacco [is/was] more acceptable to non-tobacco users.
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

<b>BOX ID: R04_ASR20</b>
Current, experimental current, and former 30 day smokeless tobacco users who are also current or experimental current cigarette smokers, go to R04_AS1086.
Else, recent former smokeless tobacco users who are current cigarette smokers, go to R04_AS1080.
Else, current, experimental current, recent former, and former 30 day smokeless tobacco users who are recent former cigarette smokers, go to R04_AS1080.
Else, go to R04_AS1139.

<b>PATH ID: R04_AS1086</b>	
In the past 30 days have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	GO TO R04_AS1080 GO TO R04_AS1080 GO TO R04_AS1080
ASK: Current, experimental current, and former 30 day smokeless tobacco users, who are also current or experimental current cigarette smokers.	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1087**

How often [do/did] you use smokeless tobacco at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who used smokeless tobacco at times when or in places where they could not smoke cigarettes.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

**PATH ID: R04\_AS1080**

[Do/Did] you use smokeless tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using smokeless tobacco.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2 DISPLAY "is",

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH ID: R04\_AS1140**

While using smokeless tobacco, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1141**

I [use/used] smokeless tobacco much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**NEW PRODUCT - PLACEHOLDER**

<b>BOX ID:</b> <b>R04_AZV01</b>
CREATE THE FOLLOWING VARIABLE AND SET = 2: R04_NEW_PRODUCT_SECTION.

<b>BOX ID:</b> <b>R04_AZR01</b>
If R04_NEW_PRODUCT_SECTION = 1, continue with R04_AZ1005. Else, go to Box R04_ANV01.

<b>PATH ID:</b> <b>R04_AZ1005</b>
How many [ <i>units of tobacco product</i> ] have you [smoked/used] in your entire life?  1    1 or more [units] but never a whole one 2    1 to 10 3    11 to 20 4    21 to 50 5    51 to 99 6    100 or more -8    DON'T KNOW -7    REFUSED  ASK: All adult respondents (if the new product section is active).

<b>PATH ID:</b> <b>R04_AZ1008</b>
When you first started [smoking/using] [ <i>tobacco product</i> ], were they flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?  1    Yes 2    No 3    I don't know -8    DON'T KNOW -7    REFUSED  ASK: Adult respondents who have ever used [ <i>tobacco product</i> ].

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AZ1011**

Which flavor did you first start using? Choose all that apply.

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used flavored [tobacco product].

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AZ9029**

About how long has it been since you last took a [insert usage term] from a [tobacco product]?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used [tobacco product].

**PATH ID: R04\_AZ1100**

Have you ever [smoked/used] a [tobacco product] fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used [tobacco product].

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**POLYUSE**

<b>BOX ID:</b>	<b>R04_ANV01</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):	
<b>R04_CURRENT_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses every day or some days.	
<b>R04_SOME_DAY_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses some days.	
<b>R04_EVERY_DAY_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses every day.	
<b>R04_TOBACCO_PRODUCT_LIST</b> = A list of all the tobacco products the respondent currently uses.	
<b>R04_EVER_NEVER_TOBACCO = 1 (Ever)</b> Adult respondents who have ever used any tobacco product.	
<b>R04_EVER_NEVER_TOBACCO = 2 (Never)</b> Adult respondents who have never used any tobacco product.	
<b>R04_TOBACCO_USER_STATUS = 1 (Current)</b> Adult respondents that currently use at least one tobacco product.	
<b>R04_TOBACCO_USER_STATUS = 2 (Experimental current)</b> Adult respondents who are an experimental current user of at least one tobacco product, and not a current established user of any other product.	
<b>R04_TOBACCO_USER_STATUS = 3 (Experimental former)</b> Adult respondents who are an experimental former user of at least one tobacco product, and not a current established user of any other product.	
<b>R04_TOBACCO_USER_STATUS = 4 (Recent former)</b> Adult respondents who are a recent former users of any tobacco product (including e-products), and are not current users of any other tobacco products (including e-products).	
<b>R04_TOBACCO_USER_STATUS = 5 (Long-term former)</b> Adult respondents who are long-term former established users of a tobacco product (including e-products), and are not current, experimental current, or recent former users of any other tobacco products (including e-products).	

<b>BOX ID:</b>	<b>R04_ANR11</b>
If NOT a current user of tobacco, go to the next section.	
Else, respondents who are some day users of more than one tobacco product and are not every day users of any products, go to R04_AY0005.	
Else, go to Box R04_ANV02.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AY0005**

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Which of the following best describes how often you use these?

- 1 I use at least one of these every day
- 2 There are some days I don't use [either/any] of these
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are some day users of more than one tobacco product and are not every day users of any products.

DISPLAY: IF R04\_SOME\_DAY\_PRODUCT\_COUNT = 2, DISPLAY "either".  
ELSE, DISPLAY "any".

**BOX ID: R04\_ANV02**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_CURRENT\_TOBACCO\_USE = 1 (Every day user)** Adult respondents who are an every day user of any one tobacco product or use more than one product and use at least one of them each day.

**R04\_CURRENT\_TOBACCO\_USE = 2 (Some day user)** Adult respondents who are some day users of at least one tobacco product and do not use tobacco every day.

**BOX ID: R04\_ANR12**

If every day user of tobacco who uses more than one tobacco product, go to R04\_AY0010.  
Else, go to R04\_ANV03.

**PATH ID: R04\_AY0010**

You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?

- 1 Minutes \_\_\_\_\_
- 2 Hours \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AY0015

GO TO R04\_AY0015

ASK: Every day users of tobacco who use more than one tobacco product.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AY0010_LC1</b>	
The computer recorded that you first use a tobacco product [R04_AY0010] [hours/minutes] after waking. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AY0010
2 NEXT	GO TO BOX R04_ANV03
ASK: IF (R04_AY0010_NN > 60 AND R04_AY0010_UN = 1) OR (R04_AY0010_NN > 4 AND R04_AY0010_UN = 2).	
DISPLAY: IF R04_AY0010_UN = 2, DISPLAY "hours".	
IF R04_AY0010_UN = 1, DISPLAY "minutes".	

<b>PATH ID: R04_AY0015</b>	
Would you say you have your first tobacco product within the first 30 minutes after you wake up?	
1 Yes	
2 No	
3 It varies	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Every day users of tobacco who did not know or refused to report how soon after waking up they use tobacco.	

<b>BOX ID: R04_ANV03</b>	
CREATE AN ARRAY <b>USEPROD</b> WITH 9 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT USER OF THE SPECIFIC TOBACCO TYPE.	
<b>USEPROD(1-9)</b> : Current users of: (1) cigarettes; (2) electronic nicotine products; (3) traditional cigars; (4) cigarillos; (5) filtered cigars; (6) pipes; (7) hookahs; (8) snus; (9) smokeless tobacco.	
DISPLAY: Display all products bold with lowercase letters.	
If [USEPROD(1-9)] is a list and R04_CURRENT_PRODUCT_COUNT = 2, separate with "and".	
If [USEPROD(1-9)] is a list and R04_CURRENT_PRODUCT_COUNT > 2, separate with commas with ", and" preceding last product.	

<b>BOX ID: R04_ANR38</b>	
If the respondent is a current established user of every tobacco product, go to the next section.	
Else, go to R04_AX0306.	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0306**

Have you considered using any of the following products in addition to **[USEPROD(1-9)]**? Choose all that apply.

- 1 I have not considered using additional products
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipes
- 8 Hookahs
- 9 Snus
- 10 [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product. This question asks the respondent if they have considered using any products they are not current established users of, in addition to the products they are current established users of. If the respondent is a current established user of every tobacco type, resulting in no options presented, do not ask this question.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04\_SNUS\_USER\_STATUS = 1 AND R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0307**

Have you considered switching from **[USEPROD(1-9)]** to any of the following products? Choose all that apply.

- 1 I have not considered switching to another product
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipes
- 8 Hookahs
- 9 Snus
- 10 [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product. This question asks about switching from each product the respondent is a current established user of to any of the products they are not current established users of. If the respondent is a current established user of every tobacco product, resulting in no options presented, do not ask this question.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04\_SNUS\_USER\_STATUS = 1 AND R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**NICOTINE DEPENDENCE**

<b>BOX ID:</b> R04_ANV04
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_EXPERIMENTAL_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses experimentally.
<b>R04_RECENT_FORMER_PRODUCT_COUNT</b> = Number of tobacco products used in the past 12 months, but not currently used.
<b>R04_TOBXEPROD_USER_STATUS = 1</b> (Current tobacco user excluding e-products) Adult respondents who are current users of at least one tobacco product other than electronic nicotine products. The respondent may have any e-product user status.
<b>R04_TOBXEPROD_USER_STATUS = 2</b> (Experimental current tobacco user excluding e-products) Adult respondents who are experimental current users of any tobacco product other than electronic nicotine products, and are not current or recent former users of any tobacco products. The respondent may have any e-product user status.
<b>R04_TOBXEPROD_USER_STATUS = 3</b> (Experimental former tobacco user excluding e-products) Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products. The respondent may have any e-product user status.
<b>R04_TOBXEPROD_USER_STATUS = 4</b> (Recent former tobacco user excluding e-products) Adult respondents who are recent former users of any tobacco product other than electronic nicotine products, and are not current users of any tobacco products other than electronic nicotine products. The respondent may have any e-product user status.
<b>R04_NDSKIP</b> = Type of product use -- polyusers or multiple product users: <u>R04_NDSKIP = 0</u> (Respondents who are current or new former users of only one product. Or respondents who are experimental current users of only one product and who are not current or new former users of any products. If R04_NDSKIP = 0, only the e-product ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.) <u>R04_NDSKIP = 1</u> (Respondents who are current or new former users of two or more products, where none of those products is/was e-products. Or respondents who are experimental current users of two or more products, where none of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.) <u>R04_NDSKIP = 2</u> (Respondents who are current or new former users of three or more products, where one of those products is/was e-products. Or respondents who are experimental current users of three or more products, where one of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 2, both ND modules will be asked, first the e-product ND module and second the tobacco ND module with fills tailored to their tobacco use overall.) <u>R04_NDSKIP = 3</u> (Respondents who are current or new former users of two products, where one of those products is/was e-products. Or respondents who are experimental current users of two products, where one of those products is e-products, and who are not current or new former users of any products. If R04_NDSKIP = 3, both ND modules will be asked, first the e-product ND module and second the tobacco ND module with fills tailored to their other specific product.)
<b>R04_GROUP</b> = IF R04_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: NC, NG, NL, NF, NP, NH, NU, NS, ND.
<b>R04_VALID_TIME_LASTUSED = 1</b> Respondent is a new former user of a product answered

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

R04\_A\*1009 with a valid response (excluding e-products).

**R04\_VALID\_TIME\_LASTUSED = 2** Respondent is a new former user of a product did not answer R04\_A\*1009 with a valid response (excluding e-products).

**BOX ID: R04\_ANR02**

**If current user or recent former user of tobacco** go through the Nicotine Dependence e-product and tobacco modules according to the following conditions:

**Condition a:** Respondents who currently use or formerly used in the past 12 months only one product. Condition **a** will be asked the questions in either the e-product module or the tobacco module (not both), with fills tailored to their specific product.

**Condition b:** Respondents who currently use or formerly used in the past 12 months more than one product, where one of those products is/was an electronic nicotine product. Condition **b** will respond to the questions in both modules; the e-product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their other specific product.

**Condition c:** Respondents who currently use or formerly used in the past 12 months two or more products, where none of those products is an e-product. Condition **c** will respond to the questions in the tobacco module only, with fills tailored to their tobacco use overall.

**Condition d:** Respondents who currently use or formerly used in the past 12 months three or more products, where one of those products is/was an e-product. Condition **d** will respond to the questions in both modules; the e-product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their tobacco use overall.

Else, if **experimental current user of only electronic nicotine products and not a current or former user of any product**, go to R04\_AN0330\_12ME and go through the e-product module once according to condition a.

Else, if **experimental current user of only one product and not a current or former user of any product**, go to R04\_AN0330\_12M and go through the tobacco module once according to condition a.

Else, if **experimental current user of more than one product and not a current or former user of any product**, go through the section according to conditions a, b, c, or d.

Else, if **experimental former user of electronic nicotine products and not a current, former, or experimental current user of any product**, go to R04\_AX0006E.

Else, if **experimental former user of any other tobacco product and not a current, former, or experimental current user of any product**, go to R04\_AX0006.

Else, go to Box R04\_ART01.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AND01**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R04\_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "smoke cigarettes"

IF NG=YES, FILL WITH "smoke traditional cigars"

IF NL=YES, FILL WITH "smoke cigarillos"

IF NF=YES, FILL WITH "smoke filtered cigars"

IF NP=YES, FILL WITH "smoke a pipe"

IF NH=YES, FILL WITH "smoke hookah"

IF NU=YES, FILL WITH "use snus"

IF NS=YES, FILL WITH "use smokeless tobacco"

IF R04\_NDSKIP = 1, 2 FILL WITH "use tobacco"

**BOX ID: R04\_AND05**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarettes"

IF NG=YES FILL WITH "traditional cigars"

IF NL=YES FILL WITH "cigarillos"

IF NF=YES FILL WITH "filtered cigars"

IF NP=YES FILL WITH "pipe tobacco"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus"

IF NS=YES FILL WITH "smokeless tobacco"

IF R04\_NDSKIP = 1, 2 FILL WITH "tobacco"

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AND06**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH “smoking cigarettes”

IF NG=YES FILL WITH “smoking traditional cigars”

IF NL=YES FILL WITH “smoking cigarillos”

IF NF=YES FILL WITH “smoking filtered cigars”

IF NP=YES FILL WITH “smoking a pipe”

IF NH=YES FILL WITH “smoking hookah”

IF NU=YES FILL WITH “using snus”

IF NS=YES FILL WITH “using smokeless tobacco”

IF R04\_NDSKIP = 1, 2 FILL WITH “using tobacco”

**BOX ID: R04\_AND07**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH “cigarette smoking”

IF NG=YES FILL WITH “traditional cigar smoking”

IF NL=YES FILL WITH “cigarillo smoking ”

IF NF=YES FILL WITH “filtered cigar smoking”

IF NP=YES FILL WITH “pipe smoking”

IF NH=YES FILL WITH “hookah smoking”

IF NU=YES FILL WITH “snus use”

IF NS=YES FILL WITH “smokeless tobacco use”

IF R04\_NDSKIP = 1, 2 FILL WITH “tobacco use”

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ANR17</b>
Respondents who are current or recent former users of e-products, go to Box R04_ANT01E. Else, respondents who are current or recent former users of tobacco (excluding e-products), go to Box R04_ANR37. Else, respondents who are experimental current users of e-products who use more than one e-product, go to Box R04_ANT01E. Else, respondents who are experimental current users of e-products, go to Box R04_ANR22. Else, respondents who are experimental current users of tobacco who use more than one product (excluding e-products), go to Box R04_ANR37. Else, respondents who are experimental current users of tobacco (excluding e-products), go to Box R04_ANR26. Else, respondents who are experimental former users of e-products, go to R04_AX0006E. Else, respondents who are experimental former users of tobacco (excluding e-products), go to R04_AX0006. Else, go to Box R04_ART01.

<b>BOX ID:</b> <b>R04_ANT01E</b>
<b>IF R04_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:</b> The next questions ask about your experience with electronic nicotine products.
<b>IF R04_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:</b> The next questions ask about your experience with electronic nicotine products. Please think only about electronic nicotine products as you answer these questions. We will ask you questions about [ND FILL2] later.
<b>IF R04_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:</b> The next questions ask about your experience with electronic nicotine products.

<b>BOX ID:</b> <b>R04_ANR22</b>
Respondents who are current e-product users, recent former e-product users, or experimental current e-product users who use more than one e-product, go to R04_AN0010E. Else, go to R04_AN0330_12ME.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0010E**

Do you consider yourself addicted to electronic nicotine products?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0015E**

Do you ever have strong cravings to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0020E**

Have you ever felt like you really needed to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0055E**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**BOX ID: R04\_AND02E**

Randomize order of items R04\_AN0025E - R04\_AN0100E.

**PATH ID: R04\_AN0025E**

I frequently crave electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0030E**

[My urges keep getting stronger if I don't/I still have urges to] use electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".  
ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "I still have urges to".

**PATH ID: R04\_AN0035E**

Electronic nicotine products control me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0045E</b>
[My electronic nicotine product use is out of control./My urge to use electronic nicotine products is out of control.]
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "My electronic nicotine product use is out of control."
IF R04_EPROD_USER_STATUS = 4, DISPLAY "My urge to use electronic nicotine products is out of control."

<b>PATH ID:</b> <b>R04_AN0060E</b>
I usually want to use electronic nicotine products right after I wake up.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0065E**

I can only go a couple of hours without [using/wanting to use] electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY “using”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY “wanting to use”.

**PATH ID: R04\_AN0050E**

[I frequently use/I find myself almost using] electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY “I frequently use”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY “I find myself almost using”.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0070E</b>
Using electronic nicotine products [really helps/would really help] me feel better if I've been feeling down.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "really helps".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "would really help".

<b>PATH ID:</b> <b>R04_AN0075E</b>
Using electronic nicotine products helps me think better.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

<b>BOX ID:</b> <b>R04_ANR23</b>
If respondent is only completing the e-product module of Nicotine Dependence, go to R04_AN0255E.
Else, if the respondent is completing both the e-product and the tobacco modules, go to R04_AN0080E.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0255E**

Most of the people I spend time with use tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0080E**

I [would ]feel alone without my electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "would".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, NO DISPLAY.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0085E</b>
[I would find it really hard to stop using/I find it really hard to not use] electronic nicotine products.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it really hard to stop using".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I find it really hard to not use".

<b>PATH ID:</b> <b>R04_AN0090E</b>
[I would find it hard to stop using electronic nicotine products for a week./I would find it hard to not use electronic nicotine products for another week.]
1    Not true of me at all
2
3
4
5    Extremely true of me
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop using electronic nicotine products for a week.".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not use electronic nicotine products for another week.".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0095E**

[After not using electronic nicotine products for a while, I need/I would like] to use electronic nicotine products in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "After not using electronic nicotine products for a while, I need".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "I would like".

**PATH ID: R04\_AN0100E**

[After not using electronic nicotine products for a while, I need/I feel like I need] to use electronic nicotine products in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "After not using electronic nicotine products for a while, I need".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "I feel like I need".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0110E**

Do you believe that using electronic nicotine products [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY “is causing” AND “making”.

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY “caused” AND “made”.

**PATH ID: R04\_AN0813E**

In the past 12 months, did you find it difficult to keep from using electronic nicotine products in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0812E**

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because electronic nicotine product use was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**BOX ID: R04\_ANR30**

Current e-product users, go to R04\_AN0105E.

Recent former e-product users, go to Box R04\_ANV06E.

Experimental current e-product users, to to R04\_AN0330\_12ME.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0105E**

In the past 12 months, have you tried to quit using electronic nicotine products completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users.

**PATH ID: R04\_AN0334E**

In the past 12 months, have you tried to quit by gradually cutting back on using electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users.

**BOX ID: R04\_ANV06E**

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1** (12 month quit attempter) Adult respondents who have quit or attempted to quit e-products in the past 12 months

**R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 2** (12 month reducers) Adult respondents who have cut down their e-product use in the past 12 months, but have not tried to quit.

**BOX ID: R04\_ANR31**

Twelve month quit attempters, go to R04\_AN0115E.

Else, go to Box R04\_ANR25.

**PATH ID: R04\_AN0115E**

In total, how many times in the past 12 months have you tried to quit electronic nicotine products completely?

- 0 I did not try to quit in the past 12 months
- 1 |\_\_|\_\_|\_\_|
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_ANR24

GO TO BOX R04\_ANR24

ASK: Current and recent former e-product users who are twelve month quit attempters.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0115E_LC1</b>	
The computer recorded that you have tried to completely quit electronic nicotine products [R04_AN0115E] times in the past 12 months.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AN0115E
2   NEXT	GO TO BOX R04_ANR24
ASK: IF R04_AN0115E > 50.	

<b>PATH ID:</b> <b>R04_AN0115E_LC2</b>	
The computer recorded that you have not tried to completely quit in the past 12 months.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1   BACK	GO TO R04_AN0115E
2   NEXT	
ASK: IF R04_AN0115E = 0.	

<b>BOX ID:</b> <b>R04_ANR24</b>	
Respondents who did not try to quit in the past 12 months, go to R04_AN0330_12ME.	
Else, current users, go to R04_AN0120E.	
Else, recent former users who provided a valid response in R04_AV1009, go to R04_AN0257E.	
Else, recent former users who did not provide a valid response in R04_AV1009, go to R04_AN0145E.	

<b>PATH ID:</b> <b>R04_AN0120E</b>	
In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit?	
1   Yes	
2   No	GO TO R04_AN0130E
-8   DON'T KNOW	GO TO R04_AN0130E
-7   REFUSED	GO TO R04_AN0130E
ASK: Current e-product users who have tried to quit completely in the past 12 months.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0125E**

In the past 12 months, how many times have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

- 1 1 time
- 2 2-3 times
- 3 4 or more times
- 8 DON'T KNOW GO TO R04\_AN0256E
- 7 REFUSED GO TO R04\_AN0256E

ASK: Current e-product users who have tried to stop for one day or longer.

**PATH ID: R04\_AN0125E\_LC1**

The computer recorded that you have stopped using electronic nicotine products for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AN0125E
- 2 NEXT GO TO R04\_AN0130E

ASK: IF R04\_AN0125E > R04\_AN0115E.

**PATH ID: R04\_AN0256E**

Would you say that in the past 12 months it was more than 3 times that you have stopped using electronic nicotine products for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users who did not know or refused to report the number of quit attempt times.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0130E</b>	
The last time you stopped using electronic nicotine products in the past 12 months because you were trying to quit, how long did you stop for?		
1	_ _ _ _  Minutes	
2	_ _ _ _  Hours	
3	_ _ _ _  Days	
4	_ _ _ _  Weeks	
5	_ _ _ _  Months	
-8	DON'T KNOW	GO TO R04_AN0300E
-7	REFUSED	GO TO R04_AN0300E
ASK: Current e-product users who have tried to quit completely in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AN0130E_LC1</b>	
The computer recorded the last time you tried to quit electronic nicotine products in the past 12 months that you stopped for [R04_AN0130E_NN] [days/weeks/months].		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AN0130E
2	NEXT	GO TO R04_AN0135E
ASK: IF (R04_AN0130E_NN > 366 AND R04_AN0130E_UN = 3) OR (R04_AN0130E_NN > 52 AND R04_AN0130E_UN = 4) OR (R04_AN0130E_NN > 12 AND R04_AN0130E_UN = 5).		
DISPLAY: IF R04_AN0130E_UN = 3, DISPLAY "days".		
ELSE, IF R04_AN0130E_UN = 4, DISPLAY "weeks".		
ELSE, IF R04_AN0130E_UN = 5, DISPLAY "months".		

<b>PATH ID:</b>	<b>R04_AN0300E</b>	
Was it more than a week, a week, or less than a week?		
1	More than one week	GO TO BOX R04_ANR25
2	One week	GO TO BOX R04_ANR25
3	Less than one week	GO TO BOX R04_ANR25
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Current e-product users who did not know or refused to report the duration for the last quit attempt.		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0135E</b>
When was the approximate end date of this last quit attempt that lasted [enter duration from R04_AN0130E]?
1  __ __  MONTH  __ __  DAY  __ __ __ __  YEAR
-8 DON'T KNOW
-7 REFUSED
ASK: Current e-product users who provided a duration for the last quit attempt.
GO TO R04_AN0140E
GO TO R04_AN0140E

<b>PATH ID:</b> <b>R04_AN0135E_LC1</b>
The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135E]. That date is in the future. Is that end date still correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
ASK: IF R04_AN0135E > TODAY'S DATE.
GO TO R04_AN0135E
GO TO R04_AN0140E

<b>PATH ID:</b> <b>R04_AN0135E_LC2</b>
The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135E]. That was longer than 12 months ago. Is that end date still correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
2 NEXT
ASK: IF R04_AN0135E < (TODAY'S DATE - 12 MONTHS).
GO TO R04_AN0135E
GO TO R04_AN0140E

<b>PATH ID:</b> <b>R04_AN0135E_LC3</b>
Please enter four numbers for the year.
1 BACK
ASK: IF R04_AN0135E (YEARS) IS < 4 DIGITS.
GO TO R04_AN0135E

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0140E</b>		
In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without using electronic nicotine products because you were trying to quit?		
1	Yes	GO TO BOX R04_ANR25
2	No	GO TO R04_AN0145E
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Current e-product users who provided a duration for the last quit attempt.		
DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R04_AN0130E (ex. "45 days")		

<b>PATH ID: R04_AN0257E</b>		
You previously mentioned that you stopped using electronic nicotine products [ENTER LENGTH OF TIME SINCE LAST USE IN R04_AV1009] ago. Is this the longest you have gone without using electronic nicotine products in the past 12 months?		
1	Yes	GO TO BOX R04_ANR25
2	No	GO TO R04_AN0145E
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Recent former e-product users who provided a valid response in R04_AV1009.		
DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R04_AV1009_NN/UN] with time entered (ex. "45 days") in corresponding R04_AV1009 item.		

<b>PATH ID: R04_AN0145E</b>		
In the past 12 months, what was the longest time you stopped using electronic nicotine products because you were trying to quit?		
1	_ _ _ _  Minutes	
2	_ _ _ _  Hours	
3	_ _ _ _  Days	
4	_ _ _ _  Weeks	
5	_ _ _ _  Months	
-8	DON'T KNOW	GO TO R04_AN0305E
-7	REFUSED	GO TO R04_AN0305E
ASK: Current and recent former e-product users who said their last quit attempt was not their longest in the past 12 months and recent former e-product users who did not provide a valid response in R04_AV1009.		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0145E\_LC1**

The computer recorded that you stopped using electronic nicotine products for [R04\_AN0145E] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0145E   |
| 2 | NEXT | GO TO BOX R04_ANR25 |

ASK: IF (R04\_AN0145E\_NN > 366 AND R04\_AN0145E\_UN = 3) OR (R04\_AN0145E\_NN > 52 AND R04\_AN0145E\_UN = 4) OR (R04\_AN0145E\_NN > 12 AND R04\_AN0145E\_UN = 5).

DISPLAY: IF R04\_AN0145E\_UN = 3, DISPLAY "days".

ELSE, IF R04\_AN0145E\_UN = 4, DISPLAY "weeks"

ELSE, IF R04\_AN0145E\_UN = 5, DISPLAY "months".

**PATH ID: R04\_AN0305E**

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who did not know or refused to report the duration for their longest quit in the past 12 months.

**BOX ID: R04\_ANR25**

Twelve month quit attempters, go to R04\_AN0210E.

Else, current, experimental current, and recent former e-product users, go to R04\_AN0330\_12ME.

Else, go to Box R04\_ANR32.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0210E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0215E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0225E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

- 1 I did not use a different tobacco product to help me quit
- 2 Cigarettes
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipe tobacco
- 8 Hookah
- 9 Snus
- 10 Smokeless tobacco, like dip, chew, or snuff
- 11 Dissolvable tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0330\_12ME**

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current e-product users.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR32**

Current and recent former e-product users who are past 12 month quit attempters and used NRTs in the past 12 months, go to R04\_AN0150E.

Else, current e-product users who cut down instead of quitting and experimental current e-product users who used NRTs in the past 12 months, go to R04\_AN0811E.

Else, respondents who used NRTs in the past 12 months, go to R04\_AN0307E.

Else, go to R04\_AN0331\_12ME.

**PATH ID: R04\_AN0150E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

1 Yes

2 No GO TO BOX R04\_ANR39

-8 DON'T KNOW GO TO BOX R04\_ANR39

-7 REFUSED GO TO BOX R04\_ANR39

ASK: Current and recent former e-product users who attempted to quit in the past 12 months and have used NRTs in the past 12 months.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0155E**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit using electronic nicotine products completely?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months.

DISPLAY: UNDERLINE "completely".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0811E**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your electronic nicotine product use?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months, and current e-product users who are twelve month reducers, and experimental current e-product users, who have used NRT.

**BOX ID: R04\_ANR39**

If respondent is only completing Nicotine Dependence for electronic nicotine products and used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill, go to R04\_AN0336E.

Else, go to Box R04\_ANR33.

**PATH ID: R04\_AN0336E**

What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 To stop using completely
- 2 To reduce the amount you use
- 3 To cope with times when you could not or were not allowed to use
- 4 Some other reason (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current and recent former e-product users who have used NRT in the past 12 months and are only completing Nicotine Dependence for electronic nicotine products.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_ANR33**

Current e-product users who are twelve month reducers and experimental current e-product users, go to R04\_AN0307E.

Else, twelve month quit attempters who used NRTs when they tried to quit, go to R04\_AN0160E.

Else, twelve month quit attempters, go to R04\_AN0170E.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0160E**

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

- 1 Nicotine patch
- 2 Nicotine gum
- 3 Nicotine inhaler
- 4 Nicotine nasal spray
- 5 Nicotine lozenge or pill
- 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AN0170E

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months.  
DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit using electronic nicotine products".  
ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "the last time you tried to quit using electronic nicotine products".  
ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit using electronic nicotine products".  
ELSE, DISPLAY "the last time you tried to quit using electronic nicotine products".

**PATH ID: R04\_AN0165E**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| WEEKS
- 3 |\_\_|\_\_| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who used a listed NRT to help them quit.  
DISPLAY: IF R04\_AN0125E = 1, DISPLAY "during the time you tried to quit".  
ELSE, IF R04\_AN0125E > 1 OR R04\_AN0256E = 1, DISPLAY "during the last time you tried to quit".  
ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND "completely".  
ELSE, DISPLAY "during the last time you tried to quit".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0170E	
Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1 Yes	
2 No	GO TO R04_AN0307E
-8 DON'T KNOW	GO TO R04_AN0307E
-7 REFUSED	GO TO R04_AN0307E
ASK: Current and recent former e-product users who attempted to quit in the past 12 months and have used NRTs in the past 12 months.	

<b>PATH ID:</b> R04_AN0251E	
About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1  __ __  DAYS	
2  __ __  MONTHS	
3  __ __  YEARS	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and recent former e-product users who attempted to quit in the past 12 months who are currently using NRTs.	

<b>PATH ID:</b> R04_AN0251E_LC1	
The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill to help you quit for [R04_AN0251E_NN] [days/months/years].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AN0251E
2 NEXT	GO TO R04_AN0307E
ASK: IF (R04_AN0251E_NN > 99 AND R04_AN0251E_UN = 1) OR (R04_AN0251E_NN > 60 AND R04_AN0251E_UN = 2) OR (R04_AN0251E_NN > 5 AND R04_AN0251E_UN = 3).	
DISPLAY: IF R04_AN0251E_UN = 1, DISPLAY "days".	
IF R04_AN0251E_UN = 2, DISPLAY "months".	
IF R04_AN0251E_UN = 3, DISPLAY "years".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0251E\_LC2**

The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to help you quit.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AN0251E

2 NEXT

ASK: IF R04\_AN0251E = 0.

**PATH ID: R04\_AN0307E**

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

1 In the past hour

GO TO R04\_AN0309E

2 Sometime today

3 Yesterday

4 Day before yesterday

5 Three or more days ago

GO TO R04\_AN0175E

-8 DON'T KNOW

GO TO R04\_AN0331\_12ME

-7 REFUSED

GO TO R04\_AN0331\_12ME

ASK: Current, recent former, and experimental current e-product users who have used NRTs in the past 12 months.

**PATH ID: R04\_AN0308E**

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04\_AN0307E], was it...

1 Between midnight and 6AM

2 After 6AM but before noon

3 Between noon and 6PM

4 After 6PM but before midnight

-8 DON'T KNOW

-7 REFUSED

ASK: Current, recent former, and experimental current e-product users who have used NRT today, yesterday or the day before yesterday.

DISPLAY: [FILL BASED ON R04\_AN0307E]:

IF R04\_AN0307E = 2, DISPLAY "sometime today".

IF R04\_AN0307E = 3, DISPLAY "yesterday".

IF R04\_AN0307E = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0309E</b>
When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307E], how many did you use?
1  __ __
-8 DON'T KNOW GO TO R04_AN0331_12ME
-7 REFUSED GO TO R04_AN0331_12ME
ASK: Current, recent former, and experimental current e-product users who have used NRT in the past hour, today, yesterday or the day before yesterday.
DISPLAY: [FILL BASED ON R04_AN0307E]:
IF R04_AN0307E = 1, 2, DISPLAY "today".
IF R04_AN0307E = 3, DISPLAY "yesterday".
IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309E_LC1</b>
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04_AN0309E] times. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0309E
2 NEXT GO TO R04_AN0331_12ME
ASK: IF R04_AN0309E > 5.
DISPLAY: IF R04_AN0307E = 1, 2, DISPLAY "today".
IF R04_AN0307E = 3, DISPLAY "yesterday".
IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309E_LC2</b>
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK Go to R04_AN0309E
2 NEXT GO TO R04_AN0331_12ME
ASK: IF R04_AN0309E = 0.
DISPLAY: IF R04_AN0307E = 1, 2, DISPLAY "today".
IF R04_AN0307E = 3, DISPLAY "yesterday".
IF R04_AN0307E = 4, DISPLAY "the day before yesterday".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0175E**

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

GO TO R04\_AN0331\_12ME

-7 REFUSED

GO TO R04\_AN0331\_12ME

ASK: Current, recent former, and experimental current e-product users who have used NRT three or more days ago.

**PATH ID: R04\_AN0175E\_LC1**

The computer recorded that you stopped using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill [R04\_AN0175E\_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AN0175E

2 NEXT

ASK: IF ((R04\_AN0175E\_NN > 31 OR R04\_AN0175E\_NN < 3) AND R04\_AN0175E\_UN = 1) OR (R04\_AN0175E\_NN > 12 AND R04\_AN0175E\_UN = 2) OR (R04\_AN0175E\_NN > 1 AND R04\_AN0175E\_UN = 3).

DISPLAY: IF R04\_AN0175E\_UN = 1, DISPLAY "days".

IF R04\_AN0175E\_UN = 2, DISPLAY "months".

IF R04\_AN0175E\_UN = 3, DISPLAY "years".

**PATH ID: R04\_AN0331\_12ME**

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, recent former, and experimental current e-product users.

**BOX ID: R04\_ANR34**

Current and recent former e-product users who are past 12 month quit attempters and used prescription drugs in the past 12 months, go to R04\_AN0180E.

Else, if respondent used prescription drugs in the past 12 months, go to R04\_AN0327E.

Else, go to Box R04\_ANR35.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0180E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- |    |            |                   |
|----|------------|-------------------|
| 1  | Yes        |                   |
| 2  | No         | GO TO R04_AN0327E |
| -8 | DON'T KNOW | GO TO R04_AN0327E |
| -7 | REFUSED    | GO TO R04_AN0327E |

ASK: Current and recent former e-product users who attempted to quit in the past year and have used a prescription drug to help them.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0185E**

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit using electronic nicotine products completely?

- |    |            |
|----|------------|
| 1  | Yes        |
| 2  | No         |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0190E**

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

- 1 Chantix or varenicline
- 2 Wellbutrin, Zyban, or bupropion
- 3 None of the above
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AN0200E

ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit using electronic nicotine products".

ELSE, IF (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "the last time you tried to quit using electronic nicotine products".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "when you quit using electronic nicotine products".

ELSE, DISPLAY "the last time you tried to quit using electronic nicotine products".

**PATH ID: R04\_AN0195E**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| WEEKS
- 3 |\_\_|\_\_| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year who used a listed prescription drug to help them.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "during the time you tried to quit".

ELSE, IF (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "during the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4 DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0200E</b>	
Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?		
1	Yes	
2	No	GO TO R04_AN0327E
-8	DON'T KNOW	GO TO R04_AN0327E
-7	REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.		

<b>PATH ID:</b>	<b>R04_AN0252E</b>	
About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?		
1	_ _ _  DAYS	
2	_ _ _  MONTHS	
3	_ _ _  YEARS	
-8	DON'T KNOW	GO TO R04_AN0327E
-7	REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them and are currently using a prescription drug.		

<b>PATH ID:</b>	<b>R04_AN0252E_LC1</b>	
The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R04_AN0252E_NN] [months/years].		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AN0252E
2	NEXT	GO TO R04_AN0327E
ASK: IF (R04_AN0252E_NN > 60 AND R04_AN0252E_UN = 2) OR (R04_AN0252E_NN > 5 AND R04_AN0252E_UN = 3).		
DISPLAY: IF R04_AN0252E_UN = 2, DISPLAY "months".		
IF R04_AN0252E_UN = 3, DISPLAY "years".		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0252E_LC2
The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK <span style="float: right;">GO TO R04_AN0252E</span>
2 NEXT
ASK: IF R04_AN0252E = 0.

<b>PATH ID:</b> R04_AN0327E
When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?
1 In the past hour <span style="float: right;">GO TO R04_AN0329E</span>
2 Sometime today
3 Yesterday
4 Day before yesterday
5 Three or more days ago <span style="float: right;">GO TO R04_AN0205E</span>
-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ANR35</span>
-7 REFUSED <span style="float: right;">GO TO BOX R04_ANR35</span>
ASK: Current, recent former, and experimental current e-product users who have used a prescription drug in the past 12 months.

<b>PATH ID:</b> R04_AN0328E
When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327E], was it...
1 Between midnight and 6AM
2 After 6AM but before noon
3 Between noon and 6PM
4 After 6PM but before midnight
-8 DON'T KNOW
-7 REFUSED
ASK: Current, recent former, and experimental current e-product users who have used a prescription drug today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0327E]:
IF R04_AN0327E = 4, DISPLAY "the day before yesterday".
ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327E, MAKING FIRST LETTER LOWERCASE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0329E**

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327E], how many did you take?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO BOX R04\_ANR35

-7 REFUSED

GO TO BOX R04\_ANR35

ASK: Current, recent former, and experimental current e-product users who have used a prescription drug in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0327E]:

IF R04\_AN0327E = 1, 2, DISPLAY "today".

ELSE, IF R04\_AN0327E = 3, DISPLAY "yesterday".

ELSE, IF R04\_AN0327E = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AN0329E\_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04\_AN0329E] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AN0329E

2 NEXT

GO TO BOX R04\_ANR35

ASK: IF R04\_AN0329E = 0 OR R04\_AN0329E > 5.

DISPLAY: IF R04\_AN0327E = 1, 2, DISPLAY "today".

IF R04\_AN0327E = 3, DISPLAY "yesterday".

IF R04\_AN0327E = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AN0205E**

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 |\_\_|\_\_| DAYS

2 |\_\_|\_\_| MONTHS

3 |\_\_|\_\_| YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Current, recent former, and experimental current e-product users who used prescription drugs three or more days ago.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0205E_LC1</b>
The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04_AN0205E_NN] [days/months/years] ago. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1    BACK <span style="float: right;">GO TO R04_AN0205E</span>
2    NEXT
ASK: IF (R04_AN0205E_NN > 31 AND R04_AN0205E_UN = 1) OR (R04_AN0205E_NN > 12 AND R04_AN0205E_UN = 2) OR (R04_AN0205E_NN > 1 AND R04_AN0250E_UN = 3).
DISPLAY: IF R04_AN0205E_UN = 1, DISPLAY "days".
IF R04_AN0205E_UN = 2, DISPLAY "months".
IF R04_AN0205E_UN = 3, DISPLAY "years".

<b>BOX ID:</b> <b>R04_ANR35</b>
If recent former e-product user, or current e-product user who attempted to quit or cut down in the past 12 months, go to Box R04_AND03E.
Else, if current e-product user, go to R04_AN0230E.
Else, if experimental current e-product user, go to R04_AX0006E.
Else, go to Box R04_ANR37.

<b>BOX ID:</b> <b>R04_AND03E</b>
Display question R04_AN0804E, R04_AN0805E, R04_AN0806E, R04_AN0807E, R04_AN0808E, R04_AN0809E, R04_AN0810E, on one screen. Show the transition text and question stem from R04_AN0804E first, then show each item with the yes/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0804E**

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel depressed?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "you quit".

ELSE, IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 2, DISPLAY "cutting down on".

**BOX ID: R04\_AND04E**

Randomize order of R04\_AN0805E - R04\_AN0809E.

**PATH ID: R04\_AN0805E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0806E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0807E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0808E**

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0809E</b>
Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you... Feel anxious or nervous? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED  ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

<b>PATH ID: R04_AN0810E</b>
Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you... Feel more restless than usual? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED  ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

<b>BOX ID: R04_ANR36</b>
If current e-product user, go to R04_AN0230E. Else, go to R04_AX0006E.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0230E**

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting electronic nicotine product use? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users.

**PATH ID: R04\_AN0235E**

Do you plan to ever quit using electronic nicotine products for good?

- 1 Yes
- 2 No GO TO R04\_AX0006E
- 8 DON'T KNOW GO TO R04\_AX0006E
- 7 REFUSED GO TO R04\_AX0006E

ASK: Current e-product users.

**PATH ID: R04\_AN0240E**

When do you plan to quit electronic nicotine products for good?

- 1 In the next 7 days
- 2 In the next 30 days
- 3 In the next 6 months
- 4 In the next year GO TO R04\_AX0006E
- 5 More than one year from now GO TO R04\_AX0006E
- 8 DON'T KNOW GO TO R04\_AX0006E
- 7 REFUSED GO TO R04\_AX0006E

ASK: Current e-product users who say they plan to quit for good.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0245E**

If you did try to quit using electronic nicotine products altogether in the next 6 months, how likely do you think you would be to succeed?

- 1 Not at all likely
- 2 A little likely
- 3 Somewhat likely
- 4 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users who have some interest in quitting in the next 6 months.

**PATH ID: R04\_AX0006E**

If you had to do it over again, would you have ever started using electronic nicotine products?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former e-product users.

**BOX ID: R04\_ANR37**

If respondent is only completing Nicotine Dependence for electronic nicotine products, go to Box R04\_ART01.

Else, if respondent is an experimental former tobacco user (excluding e-products) and is not a current, experimental current, or recent former user of any products, go to R04\_AX0006.

Else, if respondent is an experimental current tobacco user who only uses one product (excluding e-products), go to Box R04\_ANR26.

Else, go to Box R04\_ANT01.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANT01**

**IF R04\_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with [ND FILL2].

**IF R04\_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:**

Now we would like to ask about your experience with [NDFILL2]. Please think only about [NDFILL2] as you answer these questions.

**IF R04\_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with tobacco products. You said that you have used the following tobacco products: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT. IF R04\_TOBACCO\_USER\_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 1, 4. IF R04\_TOBACCO\_USER\_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 2. IF PRODUCT COUNT = 2, SEPARATE WITH 'and'. IF PRODUCT COUNT > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT].

Please think about [both/all] of these products together as you answer the next series of questions.

[IF PRODUCT COUNT = 2, DISPLAY "both"; IF PRODUCT COUNT > 2, DISPLAY "all".]

**IF R04\_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:**

Now we would like to ask about your experience with tobacco products. You said that you have used the following tobacco products, in addition to electronic nicotine products: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT EXCLUDING EPRODUCTS. IF R04\_TOBACCO\_USER\_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 1, 4, EXCLUDING EPRODUCTS. IF R04\_TOBACCO\_USER\_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 2, EXCLUDING EPRODUCTS. IF PRODUCT COUNT EXCLUDING EPRODUCTS = 2, SEPARATE WITH 'and'. IF PRODUCT COUNT EXCLUDING EPRODUCTS > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT].

Please think about [both | all] of these products together as you answer the next series of questions.

[IF PRODUCT COUNT = 2, DISPLAY "both"; IF PRODUCT COUNT > 2, DISPLAY "all".]

**BOX ID: R04\_ANR26**

Respondents who are current or recent former users of tobacco (excluding e-products), or experimental current tobacco users who use more than one product (excluding e-products), go to R04\_AN0010.

Else, go to Box R04\_ANR04.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0010**

Do you consider yourself addicted to [ND FILL2]?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH ID: R04\_AN0015**

Do you ever have strong cravings to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH ID: R04\_AN0020**

Have you ever felt like you really needed to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0055**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**BOX ID: R04\_AND02**

Randomize order of items R04\_AN0025 - R04\_AN0100.

**PATH ID: R04\_AN0025**

I frequently crave [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0030</b>
[My urges keep getting stronger if I don't/I still have urges to] [ND FILL1].
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DONT KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I still have urges to".

<b>PATH ID:</b> <b>R04_AN0035</b>
[FILL AS SHOWN BELOW] me.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DONT KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_NDSKIP = 0, 3:
IF NC=YES FILL WITH "Cigarettes control"
IF NG=YES FILL WITH "Traditional cigars control"
IF NL=YES FILL WITH "Cigarillos control"
IF NF=YES FILL WITH "Filtered cigars control"
IF NP=YES FILL WITH "Pipe smoking controls"
IF NH=YES FILL WITH "Hookah smoking controls"
IF NU=YES FILL WITH "Snus controls"
IF NS=YES FILL WITH "Smokeless tobacco controls"
IF R04_NDSKIP = 1, 2 fill with "Tobacco controls"



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0045**

[[My [ND FILL4] is out of control./My urge to [ND FILL1] is out of control.]]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "My [ND FILL4] is out of control."

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "My urge to [ND FILL1] is out of control."

**PATH ID: R04\_AN0060**

I usually want to [ND FILL1] right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0065**

I can only go a couple of hours without [[ND FILL3]/wanting to [ND FILL1]].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY “[ND FILL3]”.

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY “wanting to [ND FILL1]”.

**PATH ID: R04\_AN0050**

[I frequently [ND FILL1]/I find myself almost [ND FILL3]] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY “I frequently [ND FILL1]”.

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY “I find myself almost [ND FILL3]”.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0070</b>
[ND FILL3] [really helps/would really help] me feel better if I've been feeling down.
1 Not true of me at all
2
3
4
5 Extremely true of me
-8 DON'T KNOW
-7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "really helps".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "would really help".

<b>PATH ID: R04_AN0075</b>
[ND FILL3] helps me think better.
1 Not true of me at all
2
3
4
5 Extremely true of me
-8 DON'T KNOW
-7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

<b>PATH ID: R04_AN0255</b>
Most of the people I spend time with use tobacco.
1 Not true of me at all
2
3
4
5 Extremely true of me
-8 DON'T KNOW
-7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0080**

I [would ]feel alone without my [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "would".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, NO DISPLAY.

**PATH ID: R04\_AN0085**

[I would find it really hard to stop [ND FILL3]./I find it really hard to not [ND FILL 1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "I would find it really hard to stop [ND FILL3].".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "I find it really hard to not [ND FILL 1].".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0090</b>
[I would find it hard to stop [ND FILL3] for a week./I would find it hard to not [ND FILL1] for another week.]
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop [ND FILL3] for a week."
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not [ND FILL1] for another week."

<b>PATH ID:</b> <b>R04_AN0095</b>
[After not [ND FILL3] for a while, I need/I would like] to [ND FILL1] in order to feel less restless and irritable.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I would like".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0100</b>
[After not [ND FILL3] for a while, I need/I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.
1    Not true of me at all
2
3
4
5    Extremely true of me
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I feel like I need".

<b>PATH ID:</b> <b>R04_AN0110</b>
Do you believe that [ND FILL3] [is causing/caused] a health problem or [making/made] it worse?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "causing" AND "making".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "caused" AND "made".

<b>PATH ID:</b> <b>R04_AN0813</b>
In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was not permitted?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0812**

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**BOX ID: R04\_ANR19**

Current tobacco users (excluding e-products), go to R04\_AN0105.

Else, recent former tobacco users (excluding e-products), go to Box R04\_ANV06.

Else, experimental current tobacco users (excluding e-products), go to Box R04\_ANR04.

**PATH ID: R04\_AN0105**

In the past 12 months, have you tried to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0334**

In the past 12 months, have you tried to quit by gradually cutting back on [ND FILL3]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANV06**

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_TWELVEMONTHQUIT\_STATUS = 1** (12 month quit attempter) Adult respondents who have quit or attempted to quit tobacco (excluding e-products) in the past 12 months

**R04\_TWELVEMONTHQUIT\_STATUS = 2** (12 month reducer) Adult respondents who have cut down their tobacco use (excluding e-products) in the past 12 months.

**BOX ID: R04\_ANR03**

Twelve month quit attempters, go to R04\_AN0115.

Else, go to Box R04\_ANR04.

**PATH ID: R04\_AN0115**

In total, how many times in the past 12 months have you tried to quit [ND FILL2] completely?

0 I did not try to quit in the past 12 months

1 |\_\_|\_\_|\_\_|

-8 DON'T KNOW

GO TO BOX R04\_ANR27

-7 REFUSED

GO TO BOX R04\_ANR27

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters.

**PATH ID: R04\_AN0115\_LC1**

The computer recorded that you have tried to completely quit [ND FILL2] [R04\_AN0115] times in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AN0115

2 NEXT

GO TO BOX R04\_ANR27

ASK: IF R04\_AN0115 > 50.

**PATH ID: R04\_AN0115\_LC2**

The computer recorded that you have not tried to completely quit in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AN0115

2 NEXT

ASK: IF R04\_AN0115 = 0.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR27**

If respondent did not try to quit in the past 12 months, go to Box R04\_ANR04.  
Else, current users, go to R04\_AN0120.  
Else, recent former users who provided a valid response in R04\_A\*1009, go to R04\_AN0257.  
Else, recent former users who did not provide a valid response in R04\_A\*1009, go to R04\_AN0145.

**PATH ID: R04\_AN0120**

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AN0130 |
| -8 | DON'T KNOW | GO TO R04_AN0130 |
| -7 | REFUSED    | GO TO R04_AN0130 |

ASK: Current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months.

**PATH ID: R04\_AN0125**

In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- |    |                 |                  |
|----|-----------------|------------------|
| 1  | 1 time          |                  |
| 2  | 2-3 times       |                  |
| 3  | 4 or more times |                  |
| -8 | DON'T KNOW      | GO TO R04_AN0256 |
| -7 | REFUSED         | GO TO R04_AN0256 |

ASK: Current tobacco users (excluding e-products) who have tried to stop for one day or longer.

**PATH ID: R04\_AN0125\_LC1**

The computer recorded that you have stopped [ND FILL3] for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0125 |
| 2 | NEXT | GO TO R04_AN0130 |

ASK: IF R04\_AN0125 > R04\_AN0115.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0256**

Would you say that in the past 12 months it was more than 3 times that you have stopped [NDFILL3] for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products) who did not know or refused to report the number of quit attempt times.

**PATH ID: R04\_AN0130**

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

- 1 |\_\_|\_\_|\_\_| Minutes
- 2 |\_\_|\_\_|\_\_| Hours
- 3 |\_\_|\_\_|\_\_| Days
- 4 |\_\_|\_\_|\_\_| Weeks
- 5 |\_\_|\_\_|\_\_| Months
- 8 DON'T KNOW
- 7 REFUSED

GO TO R04\_AN0300

GO TO R04\_AN0300

ASK: Current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months.

**PATH ID: R04\_AN0130\_LC1**

The computer recorded the last time you tried to quit [ND FILL3] in the past 12 months that you stopped for [R04\_AN0130\_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04\_AN0130
- 2 NEXT GO TO R04\_AN0135

ASK: IF (R04\_AN0130\_NN > 366 AND R04\_AN0130\_UN = 3) OR (R04\_AN0130\_NN > 52 AND R04\_AN0130\_UN = 4) OR (R04\_AN0130\_NN > 12 AND R04\_AN0130\_UN = 5).

DISPLAY: IF R04\_AN0130 REPORTED IN DAYS, DISPLAY "days".

ELSE, IF R04\_AN0130 REPORTED IN MONTHS DISPLAY "weeks".

ELSE, IF R04\_AN0130 REPORTED IN WEEKS, DISPLAY "months".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0300**

Was it more than a week, a week, or less than a week?

- |    |                    |                  |
|----|--------------------|------------------|
| 1  | More than one week | GO TO R04_AN0210 |
| 2  | One week           | GO TO R04_AN0210 |
| 3  | Less than one week | GO TO R04_AN0210 |
| -8 | DON'T KNOW         | GO TO R04_AN0210 |
| -7 | REFUSED            | GO TO R04_AN0210 |

ASK: Current tobacco users (excluding e-products) who did not provide a duration for the last quit attempt.

**PATH ID: R04\_AN0135**

When was the approximate end date of this last quit attempt that lasted [enter duration from R04\_AN0130]?

- |    |                                   |                  |
|----|-----------------------------------|------------------|
| 1  | _ _  MONTH  _ _  DAY  _ _ _  YEAR |                  |
| -8 | DON'T KNOW                        | GO TO R04_AN0140 |
| -7 | REFUSED                           | GO TO R04_AN0140 |

ASK: Current tobacco users (excluding e-products) who provided a duration for the last quit attempt.

**PATH ID: R04\_AN0135\_LC1**

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04\_AN0135]. That date is in the future. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0135 |
| 2 | NEXT | GO TO R04_AN0140 |

ASK: IF R04\_AN0135 > TODAY'S DATE.

**PATH ID: R04\_AN0135\_LC2**

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04\_AN0135]. That was longer than 12 months ago. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0135 |
| 2 | NEXT | GO TO R04_AN0140 |

ASK: IF R04\_AN0135 < (TODAY'S DATE - 12 MONTHS).

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0135_LC3</b>	
Please enter four numbers for the year.	
1 BACK	GO TO R04_AN0135
ASK: IF R04_AN0135 (YEARS) IS < 4 DIGITS.	

<b>PATH ID: R04_AN0140</b>	
In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?	
1 Yes	GO TO BOX R04_ANR28
2 No	GO TO R04_AN0145
-8 DON'T KNOW	GO TO BOX R04_ANR28
-7 REFUSED	GO TO BOX R04_ANR28
ASK: Current tobacco users (excluding e-products) who provided a duration for the last quit attempt.	
DISPLAY: Fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R04_AN0130 (ex. "45 days")	

<b>PATH ID: R04_AN0257</b>	
You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R04_A*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months?	
1 Yes	GO TO BOX R04_ANR28
2 No	GO TO R04_AN0145
-8 DON'T KNOW	GO TO BOX R04_ANR28
-7 REFUSED	GO TO BOX R04_ANR28
ASK: Recent former tobacco users (excluding e-products) who provided a valid response in R04_A*1009.	
DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R04_A*1009] with time entered (ex. "45 days") in corresponding R04_A*1009 item by product:	
IF R04_NDSKIP=0, 3:	
NC=R04_AC1009 NP=R04_AP1009	
NG=R04_AG1009 NH=R04_AH1009	
NL=R04_AG1009 NU=R04_AU1009	
NF=R04_AG1009 NS=R04_AS1009	
IF R04_NDSKIP = 1, 2:	
Use longest time period among R04_AC1009, R04_AG1009, R04_AP1009, R04_AH1009, R04_AU1009, R04_AS1009.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0145</b>		
In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?		
1	_ _ _ _  Minutes	
2	_ _ _ _  Hours	
3	_ _ _ _  Days	
4	_ _ _ _  Weeks	
5	_ _ _ _  Months	
-8	DON'T KNOW	GO TO R04_AN0305
-7	REFUSED	GO TO R04_AN0305
ASK: Current and recent former tobacco users (excluding e-products) who said their last quit attempt was not their longest in the past 12 months and recent former tobacco users (excluding e-products) who did not provide a valid response in R04_A*1009.		

<b>PATH ID: R04_AN0145_LC1</b>		
The computer recorded that you stopped [ND FILL3] for [R04_AN0145_NN] [days/weeks/months].		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AN0145
2	NEXT	GO TO BOX R04_ANR28
ASK: IF (R04_AN0145_NN > 366 AND R04_AN0145_UN = 3) OR (R04_AN0145_NN > 52 AND R04_AN0145_UN = 4) OR (R04_AN0145_NN > 12 AND R04_AN0145_UN = 5).		
DISPLAY: IF R04_AN0145_UN = 3, DISPLAY "days".		
ELSE, IF R04_AN0145_UN = 4, DISPLAY "weeks".		
ELSE, IF R04_AN0145_UN = 5, DISPLAY "months".		

<b>PATH ID: R04_AN0305</b>	
Was it more than a week, a week, or less than a week?	
1	More than one week
2	One week
3	Less than one week
-8	DON'T KNOW
-7	REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who did not know or refused to report the duration for their longest quit in the past 12 months.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR28**

Twelve month quit attempters, go to R04\_AN0210.  
Else, go to Box R04\_ANR04.

**PATH ID: R04\_AN0210**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY “the time you tried to quit”.

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY “the last time you tried to quit”.

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY “when you quit”.

ELSE, DISPLAY “the last time you tried to quit”.

UNDERLINE "past 12 months".

**PATH ID: R04\_AN0215**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY “the time you tried to quit”.

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY “the last time you tried to quit”.

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY “when you quit”.

ELSE, DISPLAY “the last time you tried to quit”.

UNDERLINE "past 12 months".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0225**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

- 1 I did not use a different tobacco product to help me quit
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipe tobacco
- 8 Hookah
- 9 Snus
- 10 Smokeless tobacco, like dip, chew, or snuff
- 11 Dissolvable tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

**BOX ID: R04\_ANR04**

**If R04\_NDSKIP = 0, 1:**

Go to R04\_AN0330\_12M.

**If R04\_NDSKIP = 2, 3:**

Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year and already reported using NRT in the past 12 months, go to R04\_AN0150.

Else, current tobacco users (excluding e-products) who are twelve month reducers and already reported using NRT in the past 12 months, go to R04\_AN0811.

Else, experimental current tobacco users (excluding e-products) who already reported using NRT in the past 12 months, go to R04\_AN0811.

Else, respondents who already reported using NRT in the past 12 months, go to R04\_AN0336.

Else, go to Box R04\_ANR29.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0330\_12M**

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and recent former tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users.

**BOX ID: R04\_ANR15**

Twelve month quit attempters who used NRT in the past 12 months, go to R04\_AN0150.

Else, twelve month reducers who used NRT in the past 12 months, go to R04\_AN0811.

Else, experimental current tobacco users (excluding e-products) who used NRT in the past 12 months, go to R04\_AN0811.

Else, respondents who have used NRT in the past 12 months, go to R04\_AN0336.

Else, go to Box R04\_ANR29.

**PATH ID: R04\_AN0150**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No GO TO R04\_AN0336
- 8 DON'T KNOW GO TO R04\_AN0336
- 7 REFUSED GO TO R04\_AN0336

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used NRT in the past 12 months.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0155**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users who used NRT to help them quit in the past 12 months.

DISPLAY: UNDERLINE "completely".

**PATH ID: R04\_AN0811**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users who used NRT to help them quit in the past 12 months and twelve month reducers and experimental current tobacco users, who have ever used NRT.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0336**

What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 To stop [smoking/using] completely
- 2 To reduce the amount you [smoke/use]
- 3 To cope with times when you could not or were not allowed to [smoke/use]
- 4 Some other reason (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current and recent former tobacco users (including ENDS and tobacco dual use) who have used NRT in the past 12 months.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 4 OR R04\_GTRAD\_USER\_STATUS = 1, 4 OR R04\_GRILLO\_USER\_STATUS = 1, 4 OR R04\_GFILTR\_USER\_STATUS = 1, 4 OR R04\_PIPE\_USER\_STATUS = 1, 4 OR R04\_HOOK\_USER\_STATUS = 1, 4, DISPLAY "smoking", "smoke" AND "smoke", IN RESPONSE OPTIONS.

ELSE, IF R04\_SNUS\_USER\_STATUS = 1, 4, OR R04\_SMKLS\_USER\_STATUS = 1, 4, DISPLAY "using", "use" AND "use" IN RESPONSE OPTIONS.

ELSE, IF R04\_CIG\_USER\_STATUS = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_HOOK\_USER\_STATUS = 2, DISPLAY "smoking", "smoke" AND "smoke", IN RESPONSE OPTIONS.

ELSE, DISPLAY "using", "use" AND "use" IN RESPONSE OPTIONS.

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_ANR05**

Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used NRT in the past 12 months who did not use NRT to help them quit, go to Box R04\_ANR06.

Else, current tobacco users who are twelve month reducers and experimental current tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users, go to R04\_AN0307.

Else, current tobacco users who are twelve month reducers and experimental current tobacco users (excluding e-products), go to Box R04\_ANR29.

Else, go to R04\_AN0160.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0160**

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

- 1 Nicotine patch
- 2 Nicotine gum
- 3 Nicotine inhaler
- 4 Nicotine nasal spray
- 5 Nicotine lozenge or pill
- 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_ANR06

ASK: Current and recent former tobacco users (excluding e-products) who used NRT to help them quit in the past 12 months.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

**PATH ID: R04\_AN0165**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| WEEKS
- 3 |\_\_|\_\_| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who used a listed NRT to help them quit.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

**BOX ID: R04\_ANR06**

If R04\_NDSKIP = 0 OR 1, go to R04\_AN0170

Else, if R04\_NDSKIP = 2, 3, go to Box R04\_ANR29.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0170</b>	
Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1    Yes	
2    No	GO TO R04_AN0307
-8   DON'T KNOW	GO TO R04_AN0307
-7   REFUSED	GO TO R04_AN0307
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months, and are not recent former or current ENDS users, and have used NRT in the past 12 months.	

<b>PATH ID:</b> <b>R04_AN0251</b>	
About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1     __ __  DAYS	
2     __ __  MONTHS	
3     __ __  YEARS	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months, who are not recent former or current ENDS users, who are currently using NRT.	

<b>PATH ID:</b> <b>R04_AN0251_LC1</b>	
The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill to help you quit for [R04_AN0251_NN] [days/months/years].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AN0251
2    NEXT	GO TO R04_AN0307
ASK: IF (R04_AN0251_NN > 99 AND R04_AN0251_UN = 1) OR (R04_AN0251_NN > 60 AND R04_AN0251_UN = 2) AND (R04_AN0251_NN > 5 AND R04_AN0251_UN = 3).	
DISPLAY: IF R04_AN0251_UN = 1, DISPLAY "days".	
ELSE, IF R04_AN0251_UN = 2, DISPLAY "months".	
ELSE, IF R04_AN0251_UN = 3, DISPLAY "years".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0251_LC2</b>
The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to help you quit.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1    BACK
2    NEXT
GO TO R04_AN0251
ASK: IF R04_AN0251 = 0.

<b>PATH ID:</b> <b>R04_AN0307</b>
When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?
1    In the past hour
2    Sometime today
3    Yesterday
4    Day before yesterday
5    Three or more days ago
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AN0309
GO TO R04_AN0175
GO TO R04_AN0331_12M
GO TO R04_AN0331_12M
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT in the past 12 months.

<b>PATH ID:</b> <b>R04_AN0308</b>
When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307], was it...
1    Between midnight and 6AM
2    After 6AM but before noon
3    Between noon and 6PM
4    After 6PM but before midnight
-8   DON'T KNOW
-7   REFUSED
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0307]:
IF R04_AN0307 = 2, DISPLAY "sometime today".
IF R04_AN0307 = 3, DISPLAY "yesterday".
IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0309</b>
When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307], how many did you use?
1  __ __
-8 DON'T KNOW GO TO R04_AN0331_12M
-7 REFUSED GO TO R04_AN0331_12M
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT in the past hour, today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0307]:
IF R04_AN0307 = 1, 2, DISPLAY "today".
IF R04_AN0307 = 3, DISPLAY "yesterday".
IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309_LC1</b>
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04_AN0309] times. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0309
2 NEXT GO TO R04_AN0331_12M
ASK: IF R04_AN0309 > 5.
DISPLAY: IF R04_AN0307 = 1, 2, DISPLAY "today".
IF R04_AN0307 = 3, DISPLAY "yesterday".
IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

<b>PATH ID: R04_AN0309_LC2</b>
The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0309
2 NEXT GO TO R04_AN0331_12M
ASK: IF R04_AN0309 = 0.
DISPLAY: IF R04_AN0307 = 1, 2, DISPLAY "today".
IF R04_AN0307 = 3, DISPLAY "yesterday".
IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0175</b>
How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?
1  __ __  DAYS
2  __ __  MONTHS
3  __ __  YEARS
-8 DON'T KNOW GO TO R04_AN0331_12M
-7 REFUSED GO TO R04_AN0331_12M
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT three or more days ago.

<b>PATH ID: R04_AN0175_LC1</b>
The computer recorded that you stopped using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill [R04_AN0175_NN] [days/months/years] ago. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0175
2 NEXT
ASK: IF ((R04_AN0175_NN > 31 OR R04_AN0175_NN < 3) AND R04_AN0175_UN = 1) OR (R04_AN0175_NN > 12 AND R04_AN0175_UN = 2) OR (R04_AN0175_NN > 1 AND R04_AN0175_UN = 3).
DISPLAY: IF R04_AN0175_UN = 1, DISPLAY "days".
ELSE, IF R04_AN0175_UN = 2, DISPLAY "months".
ELSE, IF R04_AN0175_UN = 3, DISPLAY "years".

<b>BOX ID: R04_ANR29</b>
<b>If R04_NDSKIP = 0 or 1:</b> Go to R04_AN0331_12M.
<b>If R04_NDSKIP = 2 or 3:</b> Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year and already reported using prescription drugs in the past 12 months, go to R04_AN0180. Else, go to Box R04_ANR18.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0331_12M</b>
In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and recent former tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users.

<b>BOX ID:</b> <b>R04_ANR07</b>
Twelve month quit attempters who used a prescription drug in the past twelve months, go to R04_AN0180.
Else, current, recent former, and experimental current tobacco users (excluding e-products) who used a prescription drug in the past twelve months, go to R04_AN0327.
Else, go to Box R04_ANR18.

<b>PATH ID:</b> <b>R04_AN0180</b>
Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the <u>past 12 months</u> , did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ANR08
GO TO BOX R04_ANR08
GO TO BOX R04_ANR08
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used a prescription drug to stop smoking.
DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit".
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "the last time you tried to quit".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".
ELSE, DISPLAY "the last time you tried to quit".
UNDERLINE "past 12 months".

<b>PATH ID:</b> <b>R04_AN0185</b>
Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] completely?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0190**

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

- 1 Chantix or varenicline
- 2 Wellbutrin, Zyban, or bupropion
- 3 None of the above
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_ANR08

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

**PATH ID: R04\_AN0195**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| WEEKS
- 3 |\_\_|\_\_| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a listed prescription drug to help them.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ANR08</b>
<b>If R04_NDSKIP = 0 OR 1:</b> If the respondents attempted to quit in the past year and used a prescription drug to help them, go to R04_AN0200. Else, if the respondent used a prescription drug in the past 12 months, go to R04_AN0327.
<b>If R04_NDSKIP = 2 OR 3:</b> Go to Box R04_ANR18.

<b>PATH ID:</b> <b>R04_AN0200</b>
Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AN0327
GO TO R04_AN0327
GO TO R04_AN0327
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them, who are not recent former or current ENDS users.

<b>PATH ID:</b> <b>R04_AN0252</b>
About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?
1     __ __  DAYS
2     __ __  MONTHS
3     __ __  YEARS
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AN0327
GO TO R04_AN0327
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them and are currently using a prescription drug, who are not recent former or current ENDS users.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0328**

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used a prescription drug today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0327]:

IF R04\_AN0327 = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04\_AN0327, MAKING FIRST LETTER LOWERCASE.

**PATH ID: R04\_AN0329**

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327], how many did you take?

1 |\_\_|\_\_|

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_ANR18

GO TO BOX R04\_ANR18

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used a prescription drug in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0327]:

IF R04\_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R04\_AN0327 = 3, DISPLAY "yesterday".

ELSE, IF R04\_AN0327 = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0329\_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04\_AN0329] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0329    |
| 2 | NEXT | GO TO BOX R04_ANR18 |

ASK: IF R04\_AN0329 = 0 OR IF R04\_AN0329 > 5.

DISPLAY: IF R04\_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R04\_AN0327 = 3, DISPLAY "yesterday".

ELSE, IF R04\_AN0327 = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AN0205**

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, who used prescription drugs three or more days ago.

**PATH ID: R04\_AN0205\_LC1**

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04\_AN0205] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0205 |
| 2 | NEXT |                  |

ASK: IF (R04\_AN0205\_NN > 31 AND R04\_AN0205\_UN = 1) OR (R04\_AN0205\_NN > 12 AND R04\_AN0205\_UN = 2) OR (R04\_AN0205\_NN > 1 AND R04\_AN0205\_UN = 3).

DISPLAY: IF R04\_AN0205\_UN = 1, DISPLAY "days".

ELSE, IF R04\_AN0205\_UN = 2, DISPLAY "months".

ELSE, IF R04\_AN0205\_UN = 3, DISPLAY "years".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR18**

Current and recent former tobacco users (excluding e-products) who attempted to quit or cut down in the past 12 months, go to Box R04\_AND03.  
Else, current tobacco users (excluding e-products), go to R04\_AN0230.  
Else, experimental current tobacco users (excluding e-products), go to R04\_AX0006.  
Else, go to Box R04\_ART01.

**BOX ID: R04\_AND03**

Display question R04\_AN0804, R04\_AN0805, R04\_AN0806, R04\_AN0807, R04\_AN0808, R04\_AN0809, R04\_AN0810, on one screen. Show the transition text and question stem from R04\_AN0804 first, then show each item with the yes/no responses. As each item is answered, show the next one.

**PATH ID: R04\_AN0804**

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Feel depressed?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.  
DISPLAY: IF R04\_AN0125 = 1, DISPLAY "the time you tried to quit".  
ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1, DISPLAY "the last time you tried to quit".  
ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "you quit".  
ELSE, IF R04\_TWELVEMONTHQUIT\_STATUS = 2, DISPLAY "cutting down on".

**BOX ID: R04\_AND04**

Randomize order of R04\_AN0805 - R04\_AN0809.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0805</b>
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Have difficulty falling asleep or staying asleep?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID: R04_AN0806</b>
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Have difficulty concentrating?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID: R04_AN0807</b>
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Eat more than usual or gain weight?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID: R04_AN0808</b>
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Become easily irritated, angry, or frustrated?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0809**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH ID: R04\_AN0810**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...  
Feel more restless than usual?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**BOX ID: R04\_ANR21**

Current tobacco users (excluding e-products), go to R04\_AN0230.  
Else, go to R04\_AX0006.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0230**

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0235**

Do you plan to ever quit [ND FILL3] for good?

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AX0006  
GO TO R04\_AX0006  
GO TO R04\_AX0006

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0240**

When do you plan to quit [ND FILL3] for good?

- 1 In the next 7 days
  - 2 In the next 30 days
  - 3 In the next 6 months
  - 4 In the next year
  - 5 More than one year from now
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AX0006  
GO TO R04\_AX0006  
GO TO R04\_AX0006  
GO TO R04\_AX0006

ASK: Current tobacco users (excluding e-products) who say they plan to quit for good.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0245**

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

- 1 Not at all likely
- 2 A little likely
- 3 Somewhat likely
- 4 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products) who have some interest in quitting in the next 6 months.

**PATH ID: R04\_AX0006**

If you had to do it over again, would you have ever started using tobacco[ (not including e-cigarettes or electronic nicotine products)]?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former tobacco users (excluding e-products).

DISPLAY: IF R04\_NDSKIP = 2, 3, DISPLAY " (not including e-cigarettes or electronic nicotine products)".

ELSE, DO NOT DISPLAY.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## PACKAGING AND HEALTH WARNINGS

**BOX ID: R04\_ART01**

The next questions ask about things you may have seen or read about tobacco products.

**PATH ID: R04\_AR0141**

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AR0142**

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR01**

If current user of roll-your-own cigarettes, go to R04\_AR0095.  
Else, go to R04\_AR0005.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0095**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current cigarette smokers who buy roll-your-own tobacco.

**PATH ID: R04\_AR0005**

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR03**

Current and experimental current cigarette smokers who have noticed health warnings on cigarette packs, go to R04\_AR0202.

Else, experimental former, recent former, and long-term former cigarette smokers who have noticed health warnings on cigarette packs, go to R04\_AR0040.

Else, respondents who have never smoked cigarettes and have noticed the health warnings on cigarette packs, go to R04\_AR0055.

Else, go to R04\_AR0110.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0202**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed the health warnings in the past 30 days.

**PATH ID: R04\_AR0010**

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0015**

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AR0025</b>
<p>How believable do you consider the health warnings on cigarette packs to be?</p> <ul style="list-style-type: none"> <li>1 Not at all believable</li> <li>2 A little believable</li> <li>3 Somewhat believable</li> <li>4 Very believable</li> <li>5 Extremely believable</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.</p>

<b>PATH ID:</b> <b>R04_AR0035</b>
<p>To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?</p> <ul style="list-style-type: none"> <li>1 Not at all</li> <li>2 A little</li> <li>3 Somewhat</li> <li>4 A lot</li> <li>-8 DON'T KNOW</li> <li>-7 REFUSED</li> </ul> <p>ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.</p>

<b>PATH ID:</b> <b>R04_AR0040</b>												
<p>To what extent, if at all, do the health warnings on cigarette packs make you [more likely to quit smoking/more likely to not start smoking again]?</p> <table style="width: 100%; border: none;"> <tr> <td style="padding-left: 20px;">1 Not at all</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">2 A little</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">3 Somewhat</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">4 A lot</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> <tr> <td style="padding-left: 20px;">-7 REFUSED</td> <td style="text-align: right;">GO TO R04_AR0110</td> </tr> </table> <p>ASK: Current, experimental current, experimental former, recent former and long-term former cigarette smokers, who have noticed health warnings in the past 30 days.</p> <p>DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".  ELSE, DISPLAY "more likely to not start smoking again".</p>	1 Not at all	GO TO R04_AR0110	2 A little	GO TO R04_AR0110	3 Somewhat	GO TO R04_AR0110	4 A lot	GO TO R04_AR0110	-8 DON'T KNOW	GO TO R04_AR0110	-7 REFUSED	GO TO R04_AR0110
1 Not at all	GO TO R04_AR0110											
2 A little	GO TO R04_AR0110											
3 Somewhat	GO TO R04_AR0110											
4 A lot	GO TO R04_AR0110											
-8 DON'T KNOW	GO TO R04_AR0110											
-7 REFUSED	GO TO R04_AR0110											

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0055**

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0110**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR06**

Current and experimental current e-product users who have noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products in the past 30 days, go to R04\_AR0222.  
Else, go to R04\_AR0115.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0222**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0226**

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0115**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ARR07**

Current and experimental current traditional cigar smokers who have noticed health warnings on packages of traditional cigars in the past 30 days, go to R04\_AR0229.  
Else, go to R04\_AR0120.

**PATH ID: R04\_AR0229**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current traditional cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0233**

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current traditional cigar smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0120**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR08**

Current and experimental current cigarillo smokers who have noticed health warnings on packages of cigarillos in the past 30 days, go to R04\_AR0236.

Else, go to R04\_AR0125.

**PATH ID: R04\_AR0236**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarillo smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0240**

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarillo smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0125**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR09**

Current and experimental current filtered cigar smokers who have noticed health warnings on packages of filtered cigars in the past 30 days, go to R04\_AR0243.  
Else, go to R04\_AR0130.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0243**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current filtered cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0247**

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current filtered cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0130**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPES AND PIPE TOBACCO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0135**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_APR35**

Current and experimental current hookah users who have noticed health warnings on packages of shisha or hookah tobacco in the past 30 days, go to R04\_AR0250.

Else, go to R04\_AR0206.

**PATH ID: R04\_AR0250**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current hookah smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0254**

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current hookah smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0206**

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR04**

Current and experimental current snus users who have noticed health warnings on snus containers, go to R04\_AR0207.

Else, experimental former, recent former, and long-term former snus users who have noticed health warnings, go to R04\_AR0212.

Else, go to R04\_AR0060.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0207**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0208**

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0209**

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0210**

How believable do you consider the health warnings on snus containers to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0211**

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0212**

To what extent, if at all, do the health warnings on snus containers make you [more likely to quit using snus/ more likely to not start using snus again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, recent former and long-term former snus users, who have noticed health warnings in the past 30 days.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "more likely to quit using snus".

ELSE, DISPLAY "more likely to not start using snus again".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0060**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, chew and moist snuff?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR05**

Current and experimental current smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco, go to R04\_AR0205.

Else, experimental former, recent former, and long-term former smokeless tobacco users who have noticed health warnings, go to R04\_AR0090.

Else, go to Box R04\_AXT03.

**PATH ID: R04\_AR0205**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0065**

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0070**

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0075**

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0085**

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0090**

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you [more likely to quit using smokeless tobacco products/ more likely to not start using smokeless tobacco products again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, recent former and long-term former smokeless tobacco users, who have noticed health warnings in the past 30 days.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "more likely to quit using smokeless tobacco products".

ELSE, DISPLAY "more likely to not start using smokeless tobacco products again".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## **RISK PERCEPTIONS AND ATTITUDES**

**BOX ID: R04\_AXT03**

The next questions ask about your opinions on using tobacco, including e-cigarettes and other electronic nicotine products.

**PATH ID: R04\_AX0722**

How harmful do you think nicotine is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AN0250**

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0723**

Do you think a tobacco product described as **additive-free** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "additive-free".

**PATH ID: R04\_AX0724**

Do you think a tobacco product described as **organic** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "organic".

**BOX ID: R04\_AXR10**

If current or experimental current user of tobacco, go to R04\_AX0004.  
Else, go to R04\_AC9050.

**PATH ID: R04\_AX0004**

In the past 30 days, how often did you think about the harm your tobacco use might be doing to you?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current users of tobacco.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9050**

How harmful do you think cigarettes are to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC1149**

How harmful do you think the nicotine in cigarettes is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

**PATH ID: R04\_AC9046**

In your opinion, do you think that some types of cigarettes are less harmful to a person's health than other types?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR78**

New baseline respondents, go to R04\_AC9040\_NB.

Else, go to R04\_AC9047.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9047**

In your opinion, do you think that cigarettes with lower amounts of nicotine are less harmful, about the same, or more harmful to a person's health than regular cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9051**

In your opinion, do you think that cigarettes with lower amounts of nicotine are less addictive, about the same, or more addictive than regular cigarettes?

- 1 Less addictive
- 2 About the same
- 3 More addictive
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR11**

If current or experimental current user of cigarettes, go to R04\_AC9055.  
Else, go to R04\_AC1170.

**PATH ID: R04\_AC9055**

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current users of cigarettes.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1170**

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC1110**

How harmful do you think today's cigarettes are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9120**

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AE9050**

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AV1149**

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

**PATH ID: R04\_AV1170**

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1669</b>	
In the past 12 months, have you seen any <u>e-cigarettes or other electronic nicotine products</u> that claim to be less harmful?	
1    Yes	
2    No	GO TO R04_AE1099
-8   DON'T KNOW	GO TO R04_AE1099
-7   REFUSED	GO TO R04_AE1099
ASK: All adult respondents.	
DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".	

<b>PATH ID:</b> <b>R04_AV1670</b>	
How likely is it that you will use one of these <u>e-cigarettes or other electronic nicotine products</u> that claim to be less harmful in the next 30 days?	
1    Very likely	
2    Somewhat likely	
3    Somewhat unlikely	
4    Very unlikely	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who have seen an e-product that claims to be less harmful.	
DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".	

<b>PATH ID:</b> <b>R04_AE1099</b>	
Is using <u>e-cigarettes or other electronic nicotine products</u> less harmful, about the same, or more harmful than smoking <u>cigarettes</u> ?	
1    Less harmful	
2    About the same	
3    More harmful	
-8   DON'T KNOW	
-7   REFUSED	
ASK: All adult respondents.	
DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products" AND "cigarettes".	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1148**

Some e-cigarettes and other electronic nicotine products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts or other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "menthol", "mint", "tobacco-flavored" AND "unflavored".

**PATH ID: R04\_AV1152**

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "flavored", "other than menthol or mint", "tobacco-flavored" AND "unflavored".

**PATH ID: R04\_AG9050**

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9060**

How much do you think people harm themselves when they smoke traditional cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1099**

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "traditional cigars" AND "cigarettes".

**PATH ID: R04\_AG9054**

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9061**

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1106**

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "cigarillos" AND "cigarettes".

**PATH ID: R04\_AG9055**

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9062**

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1107**

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "filtered cigars" AND "cigarettes".

**PATH ID: R04\_AG1110**

How harmful do you think today's traditional cigars, cigarillos or filtered cigars are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1170</b>
How much do you think people harm themselves when they smoke pipe tobacco some days but not every day?
[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]
1 No harm 2 A little harm 3 Some harm 4 A lot of harm -8 DON'T KNOW -7 REFUSED
ASK: All adult respondents.

<b>PATH ID: R04_AP1099</b>
Is smoking <u>pipes filled with tobacco</u> less harmful, about the same, or more harmful than smoking <u>cigarettes</u> ?
1 Less harmful 2 About the same 3 More harmful -8 DON'T KNOW -7 REFUSED
ASK: All adult respondents. DISPLAY: UNDERLINE "pipes filled with tobacco" AND "cigarettes".

<b>PATH ID: R04_AH9050</b>
How harmful do you think shisha or hookah tobacco is to health?
[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]
1 Not at all harmful 2 Slightly harmful 3 Somewhat harmful 4 Very harmful 5 Extremely harmful -8 DON'T KNOW -7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH9044</b>
How harmful is it to be around people who are smoking shisha or hookah tobacco?
1 Not at all harmful
2 Slightly harmful
3 Somewhat harmful
4 Very harmful
5 Extremely harmful
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AH1170</b>
How much do you think people harm themselves when they smoke hookah on some days but not every day?
1 No harm
2 A little harm
3 Some harm
4 A lot of harm
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AH1099</b>
Is smoking <u>tobacco in a hookah</u> less harmful, about the same, or more harmful than smoking <u>cigarettes</u> ?
1 Less harmful
2 About the same
3 More harmful
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "tobacco in a hookah" AND "cigarettes".



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU9050**

How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AU1105**

Is using snus less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "cigarettes".

**PATH ID: R04\_AU1170**

How much do you think people harm themselves when they use snus on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1669**

In the past 12 months, have you seen any snus products that claim to be less harmful?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AU9040 |
| -8 | DON'T KNOW | GO TO R04_AU9040 |
| -7 | REFUSED    | GO TO R04_AU9040 |

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus products".

**PATH ID: R04\_AU1670**

How likely is it that you will use one of these snus products that claim to be less harmful in the next 30 days?

- |    |                   |
|----|-------------------|
| 1  | Very likely       |
| 2  | Somewhat likely   |
| 3  | Somewhat unlikely |
| 4  | Very unlikely     |
| -8 | DON'T KNOW        |
| -7 | REFUSED           |

ASK: Adult respondents who have seen snus products that claim to be less harmful.

DISPLAY: UNDERLINE "snus products".

**PATH ID: R04\_AU9040**

Is using snus less harmful, about the same, or more harmful than other types of smokeless tobacco products (such as dip, spit or chew)?

- |    |                |
|----|----------------|
| 1  | Less harmful   |
| 2  | About the same |
| 3  | More harmful   |
| -8 | DON'T KNOW     |
| -7 | REFUSED        |

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "other types of smokeless tobacco products".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1110**

How harmful do you think today's snus products are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AS9050**

How harmful do you think other smokeless tobacco products (such as dip, spit or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AS1170**

How much do you think people harm themselves when they use other smokeless tobacco products (such as dip, spit or chew) on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1669**

In the past 12 months, have you seen any smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AS1105 |
| -8 | DON'T KNOW | GO TO R04_AS1105 |
| -7 | REFUSED    | GO TO R04_AS1105 |

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco products".

**PATH ID: R04\_AS1670**

How likely is it that you will use one of these smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful.

DISPLAY: UNDERLINE "smokeless tobacco products".

**PATH ID: R04\_AS1105**

Is using smokeless tobacco (such as dip, spit or chew) less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco" AND "cigarettes".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1110**

How harmful do you think today's smokeless tobacco products (such as dip, spit or chew) are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0759**

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill.

How harmful do you think the nicotine in these products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

**PATH ID: R04\_AV9055**

Do you think using e-cigarettes and other electronic nicotine products is less harmful, about the same, or more harmful than using a nicotine patch, gum, or lozenge?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACD02**

Display question R04\_AC9060, R04\_AC9065, R04\_AC9070, R04\_AC9075, R04\_AC9043, R04\_AC9080, R04\_AC9085, R04\_AC9090, R04\_AC9044, R04\_AC9100, R04\_AC9105, R04\_AC9110, R04\_AC9115 on one screen (if size allows) using the expanded WVB stem-leaf screen. Show the intro/transition text from R04\_AC9060 first, then show each item with responses. As each item is answered, show the next one.

**PATH ID: R04\_AC9060**

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

stroke in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents. (Note - The list of health effects should include the diseases that are featured on the new health warnings if/when they come on cigarette packs, thus these current questions are subject to change based on this future information.)

**PATH ID: R04\_AC9065**

lung cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9070</b>
heart disease in smokers.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9075</b>
blindness in smokers.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC9043</b>
diabetes in smokers.
1 Strongly agree
2 Agree
3 Neither agree nor disagree
4 Disagree
5 Strongly disagree
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9080**

poor circulation (also called peripheral vascular disease) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9085**

bladder cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9090**

mouth cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9044**

liver cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9100**

lung disease (such as emphysema) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9105**

lung disease in non-smokers from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9110**

heart attack in non-smokers from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9115**

harm to fetuses (or unborn children) during pregnancy from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**MEDIA USE**

**BOX ID: R04\_AXT04**

The next questions ask about your TV, radio, internet and cell phone use.

**PATH ID: R04\_AX0494**

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekday".

**PATH ID: R04\_AX0495**

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekend".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0060**

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekday".

**PATH ID: R04\_AX0061**

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekend".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0062**

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AXR12 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR12 |
| -7 | REFUSED    | GO TO BOX R04_AXR12 |

ASK: All adult respondents.

**PATH ID: R04\_AX0317**

About how often do you visit your social media accounts?

- |    |                      |                     |
|----|----------------------|---------------------|
| 1  | More than once a day |                     |
| 2  | About once a day     |                     |
| 3  | 3-5 days a week      |                     |
| 4  | 1-2 days a week      |                     |
| 5  | Every few weeks      |                     |
| 6  | Less often           |                     |
| 7  | Never                | GO TO BOX R04_AXR12 |
| -8 | DON'T KNOW           |                     |
| -7 | REFUSED              |                     |

ASK: Adult respondents who have a social media account.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0686**

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

- 0 I have not liked or followed any brands on social media sites
- 1 Camel
- 2 Marlboro
- 3 Newport
- 4 American Spirit
- 5 Vuse
- 6 Blu
- 7 Logic
- 8 MarkTen
- 9 NJOY
- 10 eGo
- 11 iTaste
- 12 Black & Mild
- 13 Swisher Sweets
- 14 Dutch Masters
- 15 Phillies Blunts
- 16 Zig Zag
- 17 Skoal
- 18 Redman
- 19 Grizzly
- 20 Copenhagen
- 21 Some other brand (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a social media account (excluding those who never visit their social media account).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AXR12**

Adult respondents who have ever used tobacco or e-products and have spent time on the internet, go to R04\_AX0505.

Else, go to Box R04\_AXT05.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0505**

Have you ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes or other electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco or e-product who report spending time on the internet.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## **SECONDHAND SMOKE EXPOSURE**

**BOX ID: R04\_AXT05**

The next questions ask about tobacco use at your workplace and your home.

**PATH ID: R04\_AM0014**

Which best describes your current job or paid employment status?

- 1 Work full-time at least 35 hours per week
- 2 Work part-time 15 to 34 hours per week
- 3 Work part-time less than 15 hours per week
- 4 I don't currently work for pay GO TO BOX R04\_AXR117
- 8 DON'T KNOW GO TO BOX R04\_AXR117
- 7 REFUSED GO TO BOX R04\_AXR117

ASK: All adult respondents.

**PATH ID: R04\_AX0064**

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

- 1 Indoors
- 2 Outdoors
- 3 In a vehicle
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0747**

How recently did someone use e-cigarettes or other electronic nicotine products around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**PATH ID: R04\_AX0065**

How recently did someone smoke around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**BOX ID: R04\_AXR117**

New baseline adult respondents, go to R04\_AR0144\_NB.  
Else, go to R04\_AX0690.

**PATH ID: R04\_AX0690**

Do you currently live alone?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR15**

Respondents aged 25 or older who did not already complete a parent interview, go to R04\_AX0691.  
Else, go to Box R04\_AXR16.

**PATH ID: R04\_AX0691**

In what type of living space do you currently live?

- 1 Single Family Home
- 2 Duplex
- 3 Double or Multi-Family Home
- 4 Condominium
- 5 Townhouse
- 6 Apartment Building
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents aged 25 or older who did not already complete a parent interview.

**BOX ID: R04\_AXR16**

Adult respondents who do not live alone, or did not know or refused to report whether they live alone, go to R04\_AX0066.  
Else, go to Box R04\_AXR105.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0066**

Not including yourself, does anyone who lives with you now do any of the following? Choose all that apply.

- 1 Smoke cigarettes
- 2 Use e-cigarettes or other electronic nicotine products
- 3 Use snus
- 4 Use other types of smokeless tobacco such as dip, spit or chew
- 5 Smoke traditional cigars, cigarillos, or filtered cigars
- 6 Smoke hookah
- 7 Smoke pipe tobacco
- 8 Use any other form of tobacco
- 9 No one who lives with me now uses any form of tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not live alone.

DISPLAY: UNDERLINE "now".

**BOX ID: R04\_AXR105**

Adult respondents who already completed a parent interview, go to R04\_AX0068.

Else, go to R04\_AR1045.

**PATH ID: R04\_AR1045**

These next few questions ask about rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "inside" IN BOTH PARAGRAPHS.

UNDERLINE "burned".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR1051**

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "inside".

**PATH ID: R04\_AR1050**

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "not" AND "inside".

**PATH ID: R04\_AX0068**

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.

- 1 |\_|\_|\_|\_| Number of hours
- 8 DON'T KNOW GO TO R04\_AX0008
- 7 REFUSED GO TO R04\_AX0008

ASK: All adult respondents.

DISPLAY: UNDERLINE "others".

IF R04\_CIG\_USER\_STATUS = 1, 2, 3 OR R04\_GTRAD\_USER\_STATUS = 1, 2, 3 OR  
R04\_GRILLO\_USER\_STATUS = 1, 2, 3 OR R04\_GFILTR\_USER\_STATUS = 1, 2, 3 OR  
R04\_PIPE\_USER\_STATUS = 1, 2, 3 OR R04\_HOOK\_USER\_STATUS = 1, 2, 3, DISPLAY ", whether  
or not you were smoking yourself".

DISPLAY "Number of hours" AS A TITLE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0068\_LC1**

[There are 168 hours in a week. ]You said that, during the last seven days, you were in close contact with others while they were smoking for [R04\_AX0068\_NN] hours.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0068

2 NEXT

GO TO R04\_AX0008

ASK: IF R04\_AX0068 > 120 OR R04\_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999.

DISPLAY: IF R04\_AX0068 > 168, DISPLAY "There are 168 hours in a week."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**SOCIAL NORMS, PEER AND FAMILY INFLUENCES**

<b>PATH ID:</b> <b>R04_AX0008</b>
In general, do you think most people disapprove of smoking <b>cigarettes</b> ?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.
DISPLAY: BOLD "cigarettes".

<b>PATH ID:</b> <b>R04_AX0012</b>
In general, do you think most people disapprove of using <b>e-cigarettes or other electronic nicotine products</b> ?
1    Definitely yes
2    Probably yes
3    Probably not
4    Definitely not
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.
DISPLAY: BOLD "e-cigarettes or other electronic nicotine products".

<b>BOX ID:</b> <b>R04_AXR80</b>
Young adult respondents and current, experimental current, experimental former, and recent former tobacco users, go to R04_AX0071.
Else, go to R04_AX0741.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0071</b>
Thinking about the <u>people who are important to you</u> , how would you describe their views on using <b>tobacco in general</b> ?
1    Very positive
2    Positive
3    Neither positive nor negative
4    Negative
5    Very negative
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents and all current, experimental current, experimental former, and recent former tobacco users.
DISPLAY: UNDERLINE "people who are important to you"; BOLD "tobacco in general".

<b>BOX ID:</b> <b>R04_AXR05</b>
Young adult respondents, go to Box R04_AXD89.
Else, go to R04_AX0741.

<b>BOX ID:</b> <b>R04_AXD89</b>
Display questions R04_AC1143 through R04_AS1143 using the expanded WVB stem-leaf screen. The introduction text from R04_AC1143 is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AC1143</b>
Thinking about the <u>people who are important to you</u> , how would you describe <b>their</b> views on....
Smoking cigarettes
1    Very positive
2    Positive
3    Neither positive nor negative
4    Negative
5    Very negative
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents.
DISPLAY: UNDERLINE "people who are important to you"; BOLD "their".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1143**

Using e-cigarettes or other electronic nicotine products

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH ID: R04\_AG1143**

Smoking traditional cigars, cigarillos, or filtered cigars

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH ID: R04\_AP1143**

Smoking pipe tobacco

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1143</b>
Smoking shisha or hookah tobacco
1   Very positive
2   Positive
3   Neither positive nor negative
4   Negative
5   Very negative
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AU1143</b>
Using snus
1   Very positive
2   Positive
3   Neither positive nor negative
4   Negative
5   Very negative
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AS1143</b>
Using other types of smokeless tobacco (such as dip, spit, or chew)
1   Very positive
2   Positive
3   Neither positive nor negative
4   Negative
5   Very negative
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0741**

Thinking about the people who are important to you, do any of them use any of the following products?  
Choose all that apply.

- 1 Cigarettes
- 2 E-cigarettes or other electronic nicotine products
- 3 Traditional cigars
- 4 Cigarillos
- 5 Filtered cigars
- 6 Pipe tobacco
- 7 Shisha or hookah tobacco
- 8 Snus
- 9 Other types of smokeless tobacco (such as dip, spit or chew)
- 10 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "people who are important to you"

**BOX ID: R04\_AXR02**

If current or recent former tobacco user, go to R04\_AX0742.

Else, if current experimental or former experimental tobacco user, go to R04\_AX0743.

Else, go to Box R04\_AXT01.

**PATH ID: R04\_AX0742**

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about quitting?

- |               |                     |
|---------------|---------------------|
| 1 Not at all  | GO TO BOX R04_AXT01 |
| 2 Somewhat    | GO TO BOX R04_AXT01 |
| 3 Very much   | GO TO BOX R04_AXT01 |
| -8 DON'T KNOW | GO TO BOX R04_AXT01 |
| -7 REFUSED    | GO TO BOX R04_AXT01 |

ASK: Current and recent former tobacco users.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, DISPLAY "has" AND "led".

ELSE, IF R04\_TOBACCO\_USER\_STATUS = 4, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0743**

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about not using?

- 1 Not at all
- 2 Somewhat
- 3 Very much
- 8 DON'T KNOW
- 7 REFUSED

ASK: Experimental current and experimental former tobacco users.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 2, DISPLAY "has" AND "led".

ELSE, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**HEALTH**

**BOX ID: R04\_AXT01**

The next questions ask about some basic medical information that is important for the study.

**BOX ID: R04\_AMD05**

Display questions R04\_AX0090 through R04\_AX0088 using the expanded WVB stem-leaf screen. The introduction text from R04\_AX0090 is the stem. Show all leaves on the screen at once.

**PATH ID: R04\_AX0090**

In general, how would you rate your...

physical health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0091**

mental health, which includes stress, depression, and problems with emotions?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0088</b>
overall health?
1   Excellent
2   Very good
3   Good
4   Fair
5   Poor
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AMD06</b>
Display questions R04_AX0090_12M through R04_AX0088_12M using the expanded WVB stem-leaf screen. The introduction text from R04_AX0090_12M is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AX0090_12M</b>
Compared with 12 months ago, would you say...
your physical health is now...
1   Better
2   Worse
3   About the same
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0091_12M</b>
your mental health is now...
1   Better
2   Worse
3   About the same
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0088_12M</b>
your overall health is now...
1 Better
2 Worse
3 About the same
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID: R04_AX0185</b>
In general, would you say your quality of life is...
1 Excellent
2 Very good
3 Good
4 Fair
5 Poor
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID: R04_AX0185_12M</b>
Compared with 12 months ago, would you say your quality of life is now...
1 Better,
2 Worse, or
3 About the same?
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0092</b>
In general, how satisfied are you with your social activities and relationships?
1 Extremely satisfied
2 Very satisfied
3 Moderately satisfied
4 A little satisfied
5 Not at all satisfied
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
<b>PATH ID: R04_AX0092_12M</b>
Compared with 12 months ago, would you say your social activities and relationships are now...
1 Better,
2 Worse, or
3 About the same?
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID: R04_AX0313</b>
The next questions ask about your height and weight. Do you want to answer these questions in...
1 Feet and pounds, or
2 Meters and kilograms
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AX0316
ASK: All adult respondents.

<b>PATH ID: R04_AX0679</b>
About how tall are you without shoes?
1  _ _  Feet
2  _ _  Inches
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AX0109
GO TO R04_AX0109
ASK: Adult respondents who prefer to answer in feet or did not choose a system of measurement.
DISPLAY: DISPLAY "Feet" AND "Inches" AS TITLES.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0679_LC1</b>
The computer recorded that you are [R04_AX0679_FT] feet [and R04_AX0679_IN inches] tall.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0679
2 NEXT	GO TO R04_AX0109
ASK: IF R04_AX0679_FT < 5 OR (R04_AX0679_FT = 6 AND R04_AX0679_IN > 0) OR R04_AX0679_FT > 6.	
DISPLAY: IF R04_AX0679_FT > 0 AND R04_AX0679_IN = 0, DISPLAY "[R04_AX0679_FT] feet". ELSE, IF R04_AX0679_FT > 0 AND R04_AX0679_IN > 0, DISPLAY "[R04_AX0679_FT] feet and R04_AX0679_IN inches".	

<b>PATH ID:</b>	<b>R04_AX0316</b>
About how tall are you without shoes?	
1  _ _ . _ _  Meters	
-8 DON'T KNOW	GO TO R04_AX0312
-7 REFUSED	GO TO R04_AX0312
ASK: Adult respondents who prefer to answer in meters.	
DISPLAY: DISPLAY "Meters" AS A TITLE.	

<b>PATH ID:</b>	<b>R04_AX0316_LC1</b>
The computer recorded that you are [R04_AX0316] meters tall.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0316
2 NEXT	GO TO R04_AX0312
ASK: IF R04_AX0316 < 1.5 OR R04_AX0316 > 1.8.	

<b>PATH ID:</b>	<b>R04_AX0109</b>
About how much do you weigh without clothes or shoes?	
1  _ _ _  Pounds	
-8 DON'T KNOW	GO TO R04_AX0241
-7 REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to answer in pounds or did not choose a system of measurement.	
DISPLAY: DISPLAY "Pounds" AS A TITLE.	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0109_LC1</b>	
The computer recorded that you weigh [R04_AX0109] pounds.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AX0109
2    NEXT	GO TO R04_AX0241
ASK: IF R04_AX0109 < 125 OR R04_AX0109 > 240.	

<b>PATH ID:</b> <b>R04_AX0312</b>	
About how much do you weigh without clothes or shoes?	
1     _ _ _  Kilograms	
-8   DON'T KNOW	GO TO R04_AX0241
-7   REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to answer in kilograms.	
DISPLAY: DISPLAY "Kilograms" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AX0312_LC1</b>	
The computer recorded that you weigh [R04_AX0312] kilograms.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1    BACK	GO TO R04_AX0312
2    NEXT	GO TO R04_AX0241
ASK: IF R04_AX0312 < 56.7 OR R04_AX0312 > 108.9.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0241**

In a typical week, how many days do you do any physical activity or exercise of at least moderate intensity, such as brisk walking, bicycling or swimming at a regular pace?

- |    |                 |                  |
|----|-----------------|------------------|
| 0  | None            | GO TO R04_AX0243 |
| 1  | 1 day per week  |                  |
| 2  | 2 days per week |                  |
| 3  | 3 days per week |                  |
| 4  | 4 days per week |                  |
| 5  | 5 days per week |                  |
| 6  | 6 days per week |                  |
| 7  | 7 days per week |                  |
| -8 | DON'T KNOW      | GO TO R04_AX0243 |
| -7 | REFUSED         | GO TO R04_AX0243 |

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

**PATH ID: R04\_AX0242**

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

- |    |                |                  |
|----|----------------|------------------|
| 1  | __ __  Hours   |                  |
| 2  | __ __  Minutes |                  |
| -8 | DON'T KNOW     | GO TO R04_AX0243 |
| -7 | REFUSED        | GO TO R04_AX0243 |

ASK: Adult respondents who indicate they do any physical activity of moderate intensity.

**PATH ID: R04\_AX0242\_LC1**

The computer recorded [R04\_AX0242\_NN] [hours/minutes] for how long you typically do any physical activity or exercise of at least moderate intensity on the days you do these activities. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AX0242 |
| 2 | NEXT | GO TO R04_AX0243 |

ASK: IF (R04\_AX0242\_NN > 8 AND R04\_AX0242\_UN = 1) OR (R04\_AX0242\_NN > 200 AND R04\_AX0242\_UN = 2) .

DISPLAY: IF R04\_AX0242\_UN = 1, DISPLAY "hours".

ELSE, IF R04\_AX0242\_UN = 2, DISPLAY "minutes".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0243**

In a typical week, outside of your job or work around the house, how many days do you do physical activities specifically designed to strengthen your muscles such as lifting weights or circuit training? Do not include cardio exercise such as walking, biking, or swimming.

- 0 None
- 1 1 day per week
- 2 2 days per week
- 3 3 days per week
- 4 4 days per week
- 5 5 days per week
- 6 6 days per week
- 7 7 days per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

**PATH ID: R04\_AX0100**

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

- 0 No pain
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Worst pain imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0101**

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Very severe
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

**PATH ID: R04\_AX0103**

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

**PATH ID: R04\_AX0102**

In general, please rate how well you carry out your usual social activities and roles. This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0001**

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse or other health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "past 12 months".

**PATH ID: R04\_AX0002**

In the past 12 months, have you seen a dentist?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0302**

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR18**

If respondent has been to an emergency room or urgent health center for a health problem of their own, go to R04\_AX0155.

Else, if respondent is a current, experimental current, experimental former, or recent former tobacco user that saw a doctor or dentist in the past 12 months, go to R04\_AX0003.

Else, if ever user of tobacco, go to R04\_AX0104.

Else, if new baseline go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0155**

In the past 12 months, how many times have you visited an emergency room or urgent care center for a health problem of your own?

1 |\_|\_|\_|\_|\_|\_|

-8 DON'T KNOW

GO TO BOX R04\_AXR19

-7 REFUSED

GO TO BOX R04\_AXR19

ASK: Adult respondents who visited an emergency room or urgent care center in the past 12 months.

**PATH ID: R04\_AX0155\_LC1**

The computer recorded that you have visited an emergency room or urgent care center [R04\_AX0155] times in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0155

2 NEXT

GO TO BOX R04\_AXR19

ASK: IF R04\_AX0155 > 15.

**PATH ID: R04\_AX0155\_LC2**

The computer recorded "0" for the number of times you have visited an emergency room or urgent care center in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04\_AX0155

2 NEXT

ASK: IF R04\_AX0155 = 0.

**BOX ID: R04\_AXR19**

If respondent is a current, experimental current, experimental former, or new former tobacco user that saw a doctor or dentist in the past 12 months, go to R04\_AX0003.

Else, if ever user of tobacco, go to R04\_AX0104.

Else, if new baseline go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0003**

In the past 12 months, did any medical doctor, dentist or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former tobacco users that saw a medical doctor or dentist in the past 12 months.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, 3, 4, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AX0104**

To what extent, if at all, has [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] damaged your health?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R04\_EVER\_NEVER\_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products", ELSE DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0105**

To what extent, if at all, are you worried that [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] will damage your health in the future?

- 1 Not at all worried
- 2 A little worried
- 3 Moderately worried
- 4 Very worried
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R04\_EVER\_NEVER\_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products", ELSE DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AXR20**

New baseline respondents, go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0093**

[The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or ]broken limbs[, or pregnancy].

]To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents and new baseline adult respondents who said they had serious difficulty walking or climbing stairs.

DISPLAY: IF R04\_ADULTTYPE = 1, DISPLAY INTRODUCTORY TEXT "The next set of questions asks about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or ]broken limbs[, or pregnancy]."

IF FEMALE (R03\_GENDER != 1 AND R04\_AM0004\_RS != 1), DISPLAY ", or pregnancy".

IF MALE (R03\_GENDER = 1 OR R04\_AM0004\_RS = 1), DISPLAY "or " (AND DO NOT DISPLAY ", or pregnancy").

IF R04\_ADULTTYPE = 2, 3, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

**PATH ID: R04\_AX0094**

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR21**

New baseline respondents, go to R04\_AX0188\_NB.

Else, go to R04\_AX0095.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0095**

To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents, and new baseline adult respondents who say they have difficulty dressing or bathing.

**PATH ID: R04\_AX0097**

Does your health limit you in any of the following activities? Choose all that apply.

- 1 Lifting 10 pounds
- 2 Walking up 10 steps
- 3 Walking 3 blocks
- 4 Walking 1 mile
- 5 Standing 20 minutes
- 6 Bending or stooping
- 7 Reaching overhead
- 8 Using fingers to grasp
- 9 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR22**

New baseline respondents, go to R04\_AX0187\_NB.

Else, continuing respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04\_AX0111\_12M.

Else, go to Box R04\_AXR82.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR23**

If new baseline adult has had high blood pressure, go to R04\_AX0114\_NB.  
Else, if aged-up adult reported having high blood pressure in a previous wave, go to R04\_AX0744.  
Else, if new baseline adult has had high cholesterol, go to R04\_AX0115\_NB.  
Else, if aged-up adult reported having high cholesterol in a previous wave, go to R04\_AX0746.  
Else, if new baseline adult has had congestive heart failure, go to R04\_AX0116\_NB.  
Else, if new baseline adult has had a stroke, go to R04\_AX0117\_NB.  
Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.  
Else, if new baseline adult has had some other heart condition, go to R04\_AX0219.  
Else, if new baseline adult has not had any heart condition, go to Box R04\_AXR115.

**PATH ID: R04\_AX0111\_12M**

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

- 1 High blood pressure
- 2 High cholesterol
- 3 Congestive heart failure
- 4 A stroke
- 5 A heart attack (also called myocardial infarction) or needed bypass surgery
- 6 Some other heart condition
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

**BOX ID: R04\_AXR82**

If respondent has ever had high blood pressure, go to R04\_AX0744.  
Else, if respondent has ever had high cholesterol, go to R04\_AX0160\_12M.  
Else, if respondent has ever had a stroke, go to R04\_AX0745.  
Else, if respondent has ever had any heart condition, go to R04\_AX0219.  
Else, if respondent has not had any heart condition, go to Box R04\_AXR115.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0744**

[In the past, you told us you had high blood pressure.

]In the past 12 months, has your high blood pressure been under control?

- 1 Yes
- 2 No
- 3 I have never had high blood pressure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have high blood pressure.

DISPLAY: IF RESPONDENT REPORTED HAVING HIGH BLOOD PRESSURE IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_HIGH\_BLOOD\_PRESSURE = 1 AND R04\_AX0111\_NB\_01 != 1 AND R04\_AX0111\_12M\_01 != 1], DISPLAY "In the past, you told us you had high blood pressure." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

**BOX ID: R04\_AXR24**

If new baseline adult has had high cholesterol, go to R04\_AX0115\_NB.

Else, if aged-up adult reported having high cholesterol in a previous wave, go to R04\_AX0746.

Else, if continuing adult has ever had high cholesterol, go to R04\_AX0160\_12M.

Else, if new baseline adult has had congestive heart failure, go to R04\_AX0116\_NB.

Else, if new baseline adult has had a stroke, go to R04\_AX0117\_NB.

Else, if continuing adult respondent has ever had a stroke, go to R04\_AX0745.

Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.

Else, if respondent has ever had any heart condition, go to R04\_AX0219.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0160_12M</b>
[In the past, you told us you had high cholesterol.
]In the past 12 months, have you taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?
1 Yes
2 No
3 I have never had high cholesterol <span style="float: right;">GO TO BOX R04_AXR26</span>
-8 DON'T KNOW
-7 REFUSED
ASK: Continuing adult respondents who have ever had high cholesterol.
DISPLAY: IF CONTINUING RESPONDENT REPORTED HAVING HIGH CHOLESTEROL IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R04_ADULTTYPE = 1 AND R03_HIGH_CHOLESTEROL = 1 AND R04_AX0111_12M_02 != 1], DISPLAY "In the past, you told us you had high cholesterol." AND DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

<b>PATH ID: R04_AX0746</b>
[In the past, you told us you had high cholesterol.
]In the past 12 months, has your high cholesterol been under control?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have ever been told they have high cholesterol.
DISPLAY: IF AGED UP ADULT RESPONDENT REPORTED HAVING HIGH CHOLESTEROL IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R04_ADULTTYPE = 2 AND R03_HIGH_CHOLESTEROL = 1 AND R04_AX0111_NB_02 != 1], DISPLAY "In the past, you told us you had high cholesterol."
ELSE, DO NOT DISPLAY THIS TEXT.

<b>BOX ID: R04_AXR26</b>
If new baseline adult has had congestive heart failure, go to R04_AX0116_NB.
Else, if new baseline adult has had a stroke, go to R04_AX0117_NB.
Else, if continuing adult respondent has ever had a stroke, go to R04_AX0745.
Else, if new baseline adult has had a heart attack, go to R04_AX0112_NB.
Else, if respondent has ever had any heart condition, go to R04_AX0219.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AXR28</b>
If new baseline adult has had a stroke, go to R04_AX0117_NB. Else, if continuing adult respondent has ever had a stroke, go to R04_AX0745. Else, if new baseline adult has had a heart attack, go to R04_AX0112_NB. Else, if respondent has had some other heart condition, go to R04_AX0219.

<b>PATH ID:</b> <b>R04_AX0745</b>
[In the past, you told us you had a stroke.  ]Do you have any permanent disability as a result of the stroke?  1    Yes 2    No 3    I have never had a stroke -8    DON'T KNOW -7    REFUSED  ASK: Adult respondents who have ever been told they have had a stroke. DISPLAY: IF RESPONDENT REPORTED HAVING A STROKE IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE, [R03_STROKE = 1 AND R04_AX0111_NB_04 != 1 AND R04_AX0111_12M_04 != 1], DISPLAY "In the past, you told us you had a stroke." AND DISPLAY OPTION 3. ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 3.

<b>BOX ID:</b> <b>R04_AXR30</b>
If new baseline adult has had a heart attack, go to R04_AX0112_NB. Else, if respondent has ever had any other heart condition, go to R04_AX0219.

<b>PATH ID:</b> <b>R04_AX0219</b>
In the past 12 months, did you take any [other] heart or blood pressure medications regularly? (Taken regularly means according to a health care provider's instructions.)  1    Yes 2    No -8    DON'T KNOW -7    REFUSED  ASK: Adult respondents who have been told they had any type of heart condition. DISPLAY: IF R04_AX0160_NB = 1 OR R04_AX0160_12M = 1, DISPLAY "other ". ELSE, DO NOT DISPLAY.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AXD04
DISPLAY INSTRUCTION: For R04_AX0159, display a column on the right with a “Yes” and “No” option for each response category.

<b>PATH ID:</b> R04_AX0159
What type of heart or blood pressure medications do you regularly take? <ol style="list-style-type: none"><li>1 Calcium Channel Blocker – for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular)</li><li>2 Beta Blocker – for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)</li><li>3 Angiotensin Receptor Blocker – for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar)</li><li>4 Ace Inhibitor – for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)</li><li>5 Diuretic – for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide)</li><li>6 Digoxin (Lanoxin)</li><li>7 Methyldopa (Aldomet) or Hydralazine (Apresoline)</li><li>8 Other antiarrhythmics</li><li>9 Some other heart or blood pressure medication</li><li>-8 DON'T KNOW</li><li>-7 REFUSED</li></ol> ASK: Adult respondents who took heart or blood pressure medications in the past 12 months.

<b>BOX ID:</b> R04_AXR115
New baseline adult respondents, go to R04_AX0046_NB. Else, continuing adult respondents, go to R04_AX0047_12M.

<b>PATH ID:</b> R04_AX0047_12M
Have you had wheezing or whistling in the chest in the <u>past 12 months</u> ? <ol style="list-style-type: none"><li>1 Yes</li><li>2 No GO TO R04_AX0052</li><li>-8 DON'T KNOW GO TO R04_AX0052</li><li>-7 REFUSED GO TO R04_AX0052</li></ol> ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, and continuing adult respondents. DISPLAY: UNDERLINE "past 12 months".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0048</b>
How many attacks of wheezing have you had in the past 12 months?
1 None
2 1 to 3
3 4 to 12
4 More than 12
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

<b>PATH ID: R04_AX0049</b>
In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?
1 Never woken with wheezing
2 Less than one night per week
3 One or more nights per week
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

<b>PATH ID: R04_AX0050</b>
In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

<b>PATH ID: R04_AX0052</b>
In the past 12 months, has your chest sounded wheezy during or after exercise?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0053</b>
A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXR31</b>
New baseline adult respondents, go to R04_AX0119_NB.
Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04_AX0119_12M.
Else, go to Box R04_AXR63.

<b>BOX ID:</b> <b>R04_AXR32</b>
If new baseline adult has had COPD, go to R04_AX0120_NB.
Else, if new baseline adult has had chronic bronchitis, go to R04_AX0121_NB.
Else, if new baseline adult has had emphysema, go to R04_AX0123_NB.
Else, if new baseline adult has had asthma, go to R04_AX0124_NB.
Else, new baseline adults go to Box R04_AXV09.

<b>PATH ID:</b> <b>R04_AX0119_12M</b>
In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.
1    COPD
2    Chronic bronchitis
3    Emphysema
4    Asthma
5    Some other lung or respiratory condition
6    None of the above
-8   DONT' KNOW
-7   REFUSED
ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR63**

Continuing adults who have ever had COPD, go to R04\_AX0733.  
Else, go to Box R04\_AXV09.

**PATH ID: R04\_AX0733**

[In the past, you told us you had COPD.

]Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

- |    |                       |                     |
|----|-----------------------|---------------------|
| 1  | Yes                   |                     |
| 2  | No                    | GO TO BOX R04_AXV09 |
| 3  | I have never had COPD | GO TO BOX R04_AXV09 |
| -8 | DON'T KNOW            | GO TO BOX R04_AXV09 |
| -7 | REFUSED               | GO TO BOX R04_AXV09 |

ASK: Adult respondents who have COPD.

DISPLAY: IF RESPONDENT REPORTED HAVING COPD IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_COPD = 1 AND R04\_AX0119\_NB\_01 != 1 AND R04\_AX0119\_12M\_01 != 1], DISPLAY "In the past, you told us you had COPD." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY TRANSITION TEXT AND SUPPRESS OPTION 3.

**BOX ID: R04\_AXD15**

BOX – DISPLAY INSTRUCTIONS

For R04\_AX0734, display a "Yes" and "No" column with options for each response category.

**PATH ID: R04\_AX0734**

Do you ever...

- 1 have to walk slower than people your age on level ground because of breathlessness?
  - 2 have to stop for breath when walking at your own pace on level ground?
  - 3 have to stop for breath after walking about 100 yards (or after a few minutes) on level ground?
  - 4 get too breathless to leave the house or breathless on dressing or undressing?
- 8 DON'T KNOW  
-7 REFUSED

ASK: Adult respondents who have COPD and report shortness of breath.

**BOX ID: R04\_AXV09**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

**R04\_ADULT\_COPD** = Adult respondents who have ever had COPD.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR09**

If respondent has ever had COPD, go to R04\_AX0735.  
Else, go to Box R04\_AXR33.

**PATH ID: R04\_AX0735**

In the past 2 weeks, on how many days or nights have you been troubled by shortness of breath?

- 1 None
- 2 1 to 2 days or nights
- 3 3 to 6 days or nights
- 4 7 to 13 days or nights
- 5 Every day or night
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have COPD.

DISPLAY: UNDERLINE "past 2 weeks".

**PATH ID: R04\_AX0736**

In the past 5 years, have you been admitted to a hospital, emergency room or urgent care center due to COPD?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have COPD.

DISPLAY: UNDERLINE "past 5 years".

**PATH ID: R04\_AX0737**

In the past 5 years, have you been intubated (had a tube inserted to assist with breathing) because of your COPD?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have COPD.

DISPLAY: UNDERLINE "past 5 years".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR33**

If new baseline adult has had chronic bronchitis, go to R04\_AX0121\_NB.  
Else, if new baseline adult has had emphysema, go to R04\_AX0123\_NB.  
Else, if new baseline adult reported asthma as of the previous wave, go to R04\_AX0124\_NB.  
Else, if new baseline adult has had asthma, go to R04\_AX0227.  
Else, if continuing adult has had asthma, go to R04\_AX0227.  
Else, go to Box R04\_AXV03.

**BOX ID: R04\_AXR35**

If new baseline adult has had emphysema, go to R04\_AX0123\_NB.  
Else, if new baseline adult reported asthma as of the previous wave, go to R04\_AX0124\_NB.  
Else, if new baseline adult has had asthma, go to R04\_AX0227.  
Else, if continuing adult has had asthma, go to R04\_AX0227.  
Else, go to Box R04\_AXV03.

**BOX ID: R04\_AXR37**

If new baseline adult reported asthma as of the previous wave, go to R04\_AX0124\_NB.  
Else, if new baseline adult has had asthma, go to R04\_AX0227.  
Else, if continuing adult has had asthma, go to R04\_AX0227.  
Else, go to Box R04\_AXV03.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0227**

[In the past, you told us you had asthma.

]In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school or at home?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 6 I have never had asthma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: IF RESPONDENT REPORTED HAVING ASTHMA IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_ASTHMA = 1 AND R04\_AX0119\_NB\_04 != 1 AND R04\_AX0119\_12M\_04 != 1], DISPLAY "In the past, you told us you had asthma." AND DISPLAY OPTION 6.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 6.

**BOX ID: R04\_AXV03**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_ADULT\_ASTHMA** = Adult respondents who have ever had asthma

**BOX ID: R04\_AXR08**

If respondent has ever had asthma, go to R04\_AX0228.

Else, if respondent has ever had COPD, go to R04\_AX0283.

Else, go to R04\_AX0726.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0228**

In the past 30 days, how often have you had shortness of breath?

- 1 More than once a day
- 2 Once a day
- 3 3-6 times a week
- 4 Once or twice a week
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: UNDERLINE "past 30 days".

**PATH ID: R04\_AX0229**

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

- 1 4 or more nights a week
- 2 2 or 3 nights
- 3 Once a week
- 4 Once or twice
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

**PATH ID: R04\_AX0283**

In the past 12 months, did you take any medications regularly for COPD or asthma? (Taken regularly means according to a health care provider's instructions.)

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_AXR07  
GO TO BOX R04\_AXR07  
GO TO BOX R04\_AXR07

ASK: Adult respondents who have had asthma or COPD.

DISPLAY: UNDERLINE "past 12 months".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXD05**

DISPLAY INSTRUCTION: For R04\_AX0128, display as a stem and leaf question. For each leaf, display a yes/no response.

**PATH ID: R04\_AX0128**

In the past 12 months, which of the following medications did you regularly take for COPD or asthma?

- 1 Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)
- 2 Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)
- 3 Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)
- 5 Oxygen therapy
- 6 Some other COPD or asthma medication
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who took medication regularly for COPD or asthma in the past 12 months.

**BOX ID: R04\_AXR07**

If respondent has COPD and took medications regularly, go to R04\_AX0749.  
Else if respondent has COPD and did not say they took medications regularly, go to R04\_AX0751.  
Else, if respondent has asthma, go to R04\_AX0125.  
Else, go to R04\_AX0726.

**PATH ID: R04\_AX0749**

In the past 2 weeks, which of the following medications did you regularly take for COPD? Choose all that apply.

- 1 Quick relief inhaler - for example: albuterol ((ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)
- 2 Long-acting inhaler – for example: salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)
- 3 Inhaled corticosteroid, such as – for example: beclomethasone (Qvar), fluticasone (Flovent), budesonide (Pulmicort) or mometasone (Asmanex)
- 4 Some other COPD medication
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who took medication regularly for COPD in the past 12 months.

DISPLAY: UNDERLINE "past 2 weeks".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0751**

Are you currently using home oxygen therapy (day or night) for your COPD?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have COPD.

**PATH ID: R04\_AX0750**

In the past 12 months, how many times have you been on antibiotics for a lung-related infection such as bronchitis or pneumonia?

- 1 |\_|\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR97

GO TO BOX R04\_AXR97

ASK: Adult respondents who have COPD.

DISPLAY: UNDERLINE "past 12 months".

**PATH ID: R04\_AX0750\_LC1**

The computer recorded that you have been on antibiotics for a lung-related infection [R04\_AX0750] times in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK
- 2 NEXT

GO TO R04\_AX0750

GO TO BOX R04\_AXR97

ASK: IF R04\_AX0750 > 50.

**BOX ID: R04\_AXR97**

If respondent has asthma, go to R04\_AX0125.

Else, go to R04\_AX0726.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0125</b>	
In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack? Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).	
1 Yes	
2 No	GO TO R04_AX0127
-8 DON'T KNOW	GO TO R04_AX0127
-7 REFUSED	GO TO R04_AX0127
ASK: Adult respondents who have asthma.	
<b>PATH ID: R04_AX0126</b>	
In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?	
1  _ _ _ _	
-8 DON'T KNOW	GO TO R04_AX0127
-7 REFUSED	GO TO R04_AX0127
ASK: Adult respondents who had an asthma attack in the past 12 months that needed an oral or injected steroid medication.	

<b>PATH ID: R04_AX0126_LC1</b>	
The computer recorded that you had [R04_AX0126] asthma attacks in the past 12 months. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0126
2 NEXT	GO TO R04_AX0127
ASK: IF R04_AX0126 > 100.	

<b>PATH ID: R04_AX0126_LC2</b>	
The computer recorded "0" for the number of asthma attacks you had in the past 12 months. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0126
2 NEXT	GO TO R04_AX0127
ASK: IF R04_AX0126 = 0.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0127</b>	
In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?		
1	Yes	
2	No	GO TO R04_AX0230
-8	DON'T KNOW	GO TO R04_AX0230
-7	REFUSED	GO TO R04_AX0230
ASK: Adult respondents who have asthma.		

<b>PATH ID:</b>	<b>R04_AX0282</b>	
In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?		
1	_ _ _ _	
-8	DON'T KNOW	GO TO R04_AX0230
-7	REFUSED	GO TO R04_AX0230
ASK: Adult respondents who have gone to emergency room for asthma in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AX0282_LC1</b>	
The computer recorded that you have visited an emergency room or urgent care center [R04_AX0282] times in the past 12 months because of asthma. Is that correct?		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AX0282
2	NEXT	GO TO R04_AX0230
ASK: IF R04_AX0282 > 20.		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0230**

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

- 1 3 or more times per day
- 2 1 or 2 times per day
- 3 2 or 3 times per week
- 4 Once a week or less
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: UNDERLINE "In the past 30 days".

**PATH ID: R04\_AX0231**

How would you rate your asthma control during the past 30 days?

- 1 Not controlled at all
- 2 Poorly controlled
- 3 Somewhat controlled
- 4 Well controlled
- 5 Completely controlled
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

**PATH ID: R04\_AX0726**

Overall, how would you rate the health of your teeth and gums?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR98**

New baseline respondents, go to R04\_AX0693\_NB.

Else, continuing respondents, go to R04\_AX0693\_12M.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0693\_12M**

In the past 12 months, have you observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

**PATH ID: R04\_AX0694\_12M**

In the past 12 months, have you had any teeth become loose on their own, without an injury?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

**PATH ID: R04\_AX0695\_12M**

In the past 12 months, how many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.

- 1 |\_\_|\_\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

**PATH ID: R04\_AX0725**

How many times do you brush your teeth in one day?

- 2 I do not brush my teeth every day
- 1 |\_\_|\_\_| Times
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: DISPLAY "Times" AS A TITLE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0696**

Aside from brushing your teeth with a toothbrush, in the last seven days, how many times did you use dental floss or any other device to clean between your teeth?

- 1 |\_\_|\_\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR99**

New baseline respondents, go to R04\_AX0760\_NB.

Else, continuing respondents who have seen a dentist in the past 12 months, go to R04\_AX0760\_12M.

Else, go to Box R04\_AXR100.

**PATH ID: R04\_AX0760\_12M**

In the past 12 months, have you had your teeth cleaned by a dentist, hygienist, or other health professional?

- 1 Yes
- 2 No GO TO BOX R04\_AXR100
- 8 DON'T KNOW GO TO BOX R04\_AXR100
- 7 REFUSED GO TO BOX R04\_AXR100

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

**PATH ID: R04\_AX0729**

How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional? (If it was earlier today, enter 1 day)

- 1 |\_\_|\_\_| DAYS
- 2 |\_\_|\_\_| MONTHS
- 3 |\_\_|\_\_| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have had their teeth cleaned.

**BOX ID: R04\_AXR100**

New baseline respondents, go to R04\_AX0727\_NB.

Else, continuing respondents who have seen a dentist in the past 12 months, go to R04\_AX0727\_12M.

Else, go to Box R04\_AXR25.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0727\_12M**

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

**PATH ID: R04\_AX0129\_12M**

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have gum disease?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

**PATH ID: R04\_AX0132\_12M**

In the past 12 months, have you been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_AXR25  
GO TO BOX R04\_AXR25  
GO TO BOX R04\_AXR25

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

**PATH ID: R04\_AX0719**

Does your oral lesion require treatment?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have reported having pre-cancerous oral lesions.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR25**

New baseline respondents go to R04\_AX0281\_NB.  
Else, continuing respondents go to R04\_AX0281\_12M.

**PATH ID: R04\_AX0281\_12M**

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

**BOX ID: R04\_AXR83**

If respondent has ever had diabetes, go to R04\_AX0721.  
Else, go to Box R04\_AXR27.

**PATH ID: R04\_AX0721**

[In the past, you told us you had diabetes.

]What type of diabetes do you have?

- 1 Type 1
- 2 Type 2
- 3 I don't know
- 4 I have never had diabetes
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR27

ASK: Adult respondents who have ever been told they have diabetes.

DISPLAY: IF RESPONDENT REPORTED HAVING DIABETES IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_DIABETES = 1 AND R04\_AX0281\_NB != 1 AND R04\_AX0281\_12M != 1], DISPLAY "In the past, you told us you had diabetes." AND DISPLAY OPTION 4.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 4.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0697**

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

- 1 Insulin
- 2 Diabetic pills
- 3 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have diabetes and did not recant their diabetes diagnosis.

**BOX ID: R04\_AXR27**

New baseline respondents, go to Box R04\_AXD19.

Else, continuing respondents who have seen a doctor in the past 12 months, go to Box R04\_AXD20.

Else, go to Box R04\_AXR42.

**BOX ID: R04\_AXD19**

Display questions R04\_AX0141\_NB, R04\_AX0147\_NB, R04\_AX0151\_NB, and R04\_AX0144\_NB on one screen. Show the transition text and question stem from R04\_AX0141\_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.

**BOX ID: R04\_AXR29**

New baseline respondents who have had an ulcer, go to R04\_AX0143\_NB.

Else, new baseline respondents who have had stomach or gastrointestinal bleeding, go to R04\_AX0148\_NB.

Else, new baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.

Else, new baseline respondents who have had cancer, go to R04\_AX0145.

Else, new baseline respondents go to Box R04\_AXR40.

**BOX ID: R04\_AXD20**

Display questions R04\_AX0141\_12M, R04\_AX0147\_12M, R04\_AX0151\_12M, and R04\_AX0144\_12M on one screen. Show the transition text and question stem from R04\_AX0141\_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0141\_12M**

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had...

An ulcer? Include stomach, duodenal or peptic ulcers.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a doctor in the past 12 months.

**PATH ID: R04\_AX0147\_12M**

Stomach or other gastro-intestinal bleeding?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a doctor in the past 12 months.

**PATH ID: R04\_AX0151\_12M**

A cataract or glaucoma?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a doctor in the past 12 months.

**PATH ID: R04\_AX0144\_12M**

Cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a doctor in the past 12 months.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR42**

Continuing adults who have ever had an ulcer, go to R04\_AX0698.  
Else, continuing adults who have had cancer in the past 12 months, go to R04\_AX0145.  
Else, continuing adults who have ever had cancer, go to R04\_AX0705.  
Else, continuing adults go to Box R04\_AXR40.

**PATH ID: R04\_AX0698**

[In the past, you told us you had an ulcer.

]Have you taken any medication for an ulcer in the past 30 days?

- |    |                           |                     |
|----|---------------------------|---------------------|
| 1  | Yes                       |                     |
| 2  | No                        | GO TO R04_AX0699    |
| 3  | I have never had an ulcer | GO TO BOX R04_AXR34 |
| -8 | DON'T KNOW                | GO TO R04_AX0699    |
| -7 | REFUSED                   | GO TO R04_AX0699    |

ASK: Adult respondents who have ever been told they have ulcers.

DISPLAY: IF RESPONDENT REPORTED HAVING ULCERS IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_ULCER = 1 AND R04\_AX0141\_NB != 1 AND R04\_AX0141\_12M != 1], DISPLAY "In the past, you told us you had an ulcer." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 3.

**PATH ID: R04\_AX0738**

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

- 1 Over the counter antacids
- 2 Prescription medications
- 3 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken medications for ulcers in the past 30 days.

**PATH ID: R04\_AX0699**

Have you been tested for a bacterial infection, called H. Pylori, in your stomach?

- |    |              |                     |
|----|--------------|---------------------|
| 1  | Yes          |                     |
| 2  | No           | GO TO BOX R04_AXR34 |
| 3  | I don't know | GO TO BOX R04_AXR34 |
| -8 | DON'T KNOW   | GO TO BOX R04_AXR34 |
| -7 | REFUSED      | GO TO BOX R04_AXR34 |

ASK: Adult respondents who have ever been told they have ulcers.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0739**

Did you test positive for H. Pylori?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have been tested for H. Pylori.

**BOX ID: R04\_AXR34**

New baseline respondents who have had stomach or gastrointestinal bleeding, go to R04\_AX0148\_NB.  
Else, new baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.  
Else, new baseline respondents who have had cancer, go to R04\_AX0145.  
Else, new baseline respondents go to Box R04\_AXR40.  
Else, continuing adults who have had cancer in the past 12 months, go to R04\_AX0145.  
Else, continuing adults who have ever had cancer, go to R04\_AX0705.  
Else, continuing adults go to Box R04\_AXR40.

**BOX ID: R04\_AXR36**

New baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.  
Else, new baseline respondents who have had cancer in the past 12 months, go to R04\_AX0145.  
Else, continuing adults who have ever had cancer, go to R04\_AX0705.  
Else, go to Box R04\_AXR40.

**BOX ID: R04\_AXR39**

New baseline respondents who have had cancer, go to R04\_AX0145.  
Else, new baseline respondents go to Box R04\_AXR40.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0145**

What kind of cancer were you told that you had? Choose all that apply.

[If you do not see the kind below, touch the button marked "NEXT". If you do not see the kind below, touch the box marked "OTHER".]

- 1 BLADDER
- 2 BLOOD
- 3 BONE
- 4 BRAIN
- 5 BREAST
- 6 CERVIX (CERVICAL)
- 7 COLON
- 8 ESOPHAGUS (ESOPHAGEAL)
- 9 GALLBLADDER
- 10 KIDNEY
- 11 LARYNX/WINDPIPE
- 12 LEUKEMIA
- 13 LIVER
- 14 LUNG
- 15 LYMPHOMA/HODGKIN'S DISEASE
- 17 MOUTH/TONGUE/LIP
- 18 NERVOUS SYSTEM
- 19 OVARY (OVARIAN)
- 20 PANCREAS (PANCREATIC)
- 21 PROSTATE
- 22 RECTUM (RECTAL)
- 16 SKIN (MELANOMA)
- 23 SKIN (NON-MELANOMA)
- 24 SKIN (DON'T KNOW WHAT KIND)
- 25 SOFT TISSUE (MUSCLE OR FAT)
- 26 STOMACH
- 27 TESTIS (TESTICULAR)
- 28 THROAT
- 29 THYROID
- 30 UTERUS (UTERINE)
- 31 OTHER
- 8 DON'T KNOW
- 7 REFUSED

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

ASK: Adult respondents who have had cancer.

DISPLAY: IF SCREENS 1-3 DISPLAY: If you do not see the kind below, touch the button marked "NEXT".

IF LAST SCREEN DISPLAY: If you do not see the kind below, touch the box marked "OTHER".

**BOX ID: R04\_AXR41**

If new baseline respondent, go to Box R04\_AXR46.

Else, go to Box R04\_AXR40.

**BOX ID: R04\_AXR46**

PROGRAM: CREATE LOOP:

Repeat R04\_AX0146\_NB[01/.../\_31] through R04\_AX0265\_NB[01/.../\_31] for each type of cancer the respondent reports they had in R04\_AX0145. (This loop is only asked of new baseline adults who reported ever having cancer.)

**BOX ID: R04\_AXR47**

END NEW BASELINE CANCER LOOP:

If the respondent has loops to complete for other types of cancer, return to Box R04\_AXR46 and loop through the subsection for any other types of cancer the respondent has had.

Else, if the respondent has no more remaining loops to complete, go to Box R04\_AXR40.

**PATH ID: R04\_AX0705**

In the past, you told us you had cancer.

Are you in remission for cancer?

- 1 Yes
- 2 No
- 3 I have never had cancer
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR40

ASK: Continuing adult respondents who have ever been diagnosed with cancer, but were not told they had cancer in the past 12 months.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0748</b>
In the past, you told us you had cancer.
Have you had a recurrence of cancer?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Continuing adult respondents who have ever been diagnosed with cancer, but were not told they had cancer in the past 12 months and did not recant their cancer diagnosis.

<b>BOX ID:</b> <b>R04_AXR40</b>
New baseline adult respondents, go to Box R04_AXD25.
Else, continuing adults who are aged 40 or older and who have seen a doctor in the past 12 months, go to Box R04_AXD21.
Else, go to R04_AX0756.

<b>BOX ID:</b> <b>R04_AXD25</b>
Display questions R04_AX0149_NB, R04_AX0196_NB, and R04_AX0400_NB on one screen. Show the transition text and question stem from R04_AX0149_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.

<b>BOX ID:</b> <b>R04_AXR86</b>
If new baseline respondent has been diagnosed with osteoporosis, go to R04_AX0150_NB.
Else, if new baseline respondent has been diagnosed with fragile bones, go to R04_AX0198_NB.
Else, go to Box R04_AXR88.

<b>BOX ID:</b> <b>R04_AXD21</b>
Display questions R04_AX0149_12M, R04_AX0196_12M, and R04_AX0400_12M on one screen. Show the transition text and question stem from R04_AX0149_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0149_12M</b>
In the past 12 months, have you been told by a doctor, nurse or other health professional that you have...
Osteoporosis, sometimes called thin or brittle bones?
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Continuing adult respondents aged 40 and older who have seen a doctor in the past 12 months.

<b>PATH ID:</b> <b>R04_AX0196_12M</b>
Had a bone fracture because you have fragile bones?
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Continuing adult respondents aged 40 and older who have seen a doctor in the past 12 months.

<b>PATH ID:</b> <b>R04_AX0400_12M</b>
Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.
1    Yes
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Continuing adult respondents aged 40 and older who have seen a doctor in the past 12 months.

<b>BOX ID:</b> <b>R04_AXR17</b>
If respondent aged 40 or older has been diagnosed with fragile bones, go to R04_AX0701. Else, if respondent aged 40 or older has been diagnosed with osteoporosis, go to R04_AX0700. Else, go to R04_AX0702.

<b>BOX ID:</b> <b>R04_AXR87</b>
If new baseline respondent has been diagnosed with fragile bones, go to R04_AX0198_NB. Else, go to R04_AX0700.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0701**

In the past 12 months, have you been told by a doctor, nurse or other health professional that the healing time for a fracture was longer than expected?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have been diagnosed with fragile bones.

**PATH ID: R04\_AX0700**

Have you ever taken any prednisone or cortisone pills nearly every day for a month or longer?  
Prednisone and cortisone are types of steroids.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have been diagnosed with osteoporosis or fragile bones.

**BOX ID: R04\_AXR88**

Adult respondents who are aged 40 or older, go to R04\_AX0702.  
Else, go to R04\_AX0756.

**PATH ID: R04\_AX0702**

Have you ever been told by a doctor, nurse or other health professional that you have macular degeneration?

- 1 Yes
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AX0756  
GO TO R04\_AX0756  
GO TO R04\_AX0756

ASK: Adult respondents aged 40 and older.





**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0757**

How old were you when a doctor, therapist, or other mental health professional first told you that you had schizophrenia, schizoaffective disorder or psychosis?

- |    |                    |                     |
|----|--------------------|---------------------|
| 1  | _ _ _ _  Years old | GO TO BOX R04_AXR14 |
| -8 | DON'T KNOW         |                     |
| -7 | REFUSED            |                     |

ASK: Adult respondents who have ever been told they have schizophrenia/psychosis.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AX0758**

When you were first told you had schizophrenia, schizoaffective disorder or psychosis, were you...

- |    |                         |                     |
|----|-------------------------|---------------------|
| 1  | Less than 18 years old, | GO TO BOX R04_AXR14 |
| 2  | 18 to 24 years old,     | GO TO BOX R04_AXR14 |
| 3  | 25 to 34 years old,     | GO TO BOX R04_AXR14 |
| 4  | 35 to 44 years old,     | GO TO BOX R04_AXR14 |
| 5  | 45 to 54 years old, or  | GO TO BOX R04_AXR14 |
| 6  | 55 years old or older?  | GO TO BOX R04_AXR14 |
| -8 | DON'T KNOW              | GO TO BOX R04_AXR14 |
| -7 | REFUSED                 | GO TO BOX R04_AXR14 |

ASK: Adult respondents who did not know or refused to report the age they were told they have schizophrenia/psychosis.

**PATH ID: R04\_AX0761**

Has a doctor, therapist, or other mental health professional ever told you that you had a psychotic illness or episode?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AXR14 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR14 |
| -7 | REFUSED    | GO TO BOX R04_AXR14 |

ASK: Adult respondents who have not been diagnosed with schizophrenia, schizoaffective disorder or psychosis.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0762**

How old were you when a doctor, therapist, or other mental health professional first told you that you had a psychotic illness or episode?

1 |\_\_|\_\_|\_\_| Years old

GO TO BOX R04\_AXR14

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever been told they had a psychotic illness or episode.

DISPLAY: DISPLAY "Years old" AS A TITLE.

**PATH ID: R04\_AX0772**

When you were first told you had a psychotic illness or episode were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who did not know or refused to report the age they were told they had a psychotic illness or episode.

**BOX ID: R04\_AXR14**

Adult male respondents aged 20 years old or older, go to R04\_AX0730.

Else, go to Box R04\_AXD06.

**PATH ID: R04\_AX0730**

Many men experience problems with sexual intercourse. How would you describe your ability to get and keep an erection adequate for satisfactory intercourse? Would you say that you are...

1 Always able or almost always able to get and keep an erection

2 Usually able to get and keep an erection

3 Sometimes able to get and keep an erection

4 Never able to get and keep an erection

-8 DON'T KNOW

-7 REFUSED

ASK: Adult male respondents aged 20 years old or older.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AXD06
DISPLAY INSTRUCTION: For R04_AX0158, display a 'Yes' and 'No' column with options for each response category.

<b>PATH ID:</b> R04_AX0158
In the past 12 months, did you take any of the following medications, even once?  1 Aspirin 2 Tylenol (acetaminophen) 3 Cox-2 inhibitors, for example: Celebrex 4 Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve -8 DON'T KNOW -7 REFUSED  ASK: All adult respondents.

<b>BOX ID:</b> R04_AXR43
If respondent uses aspirin, go to R04_AX0156. Else, if respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH. Else, go to Box R04_AXR102.

<b>PATH ID:</b> R04_AX0156
On average, in the past 12 months, how frequently did you take <u>aspirin</u> ? Please <u>do not</u> count other pain relievers such as ibuprofen and Tylenol.  1 Never 2 Less than once a month 3 1-3 days per month 4 Weekly 5 Daily -8 DON'T KNOW -7 REFUSED  ASK: Adult respondents who report taking aspirin. DISPLAY: UNDERLINE "aspirin" AND "do not".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR44**

If respondent has taken aspirin in the past 12 months, go to R04\_AX0157.  
Else, if respondent is not a current, experimental current, or recent former tobacco user, go to R04\_AN0330\_12MH.  
Else, go to Box R04\_AXR102.

**PATH ID: R04\_AX0157**

What type of aspirin do you usually take?

- 1 Baby aspirin (162 mg or less)
- 2 Regular or extra strength aspirin
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken aspirin in the past 12 months.

**BOX ID: R04\_AXR45**

If respondent is not a current, experimental current, or recent former tobacco user, go to R04\_AN0330\_12MH.  
Else, go to Box R04\_AXR102.

**PATH ID: R04\_AN0330\_12MH**

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No GO TO R04\_AN0331\_12MH
- 8 DON'T KNOW GO TO R04\_AN0331\_12MH
- 7 REFUSED GO TO R04\_AN0331\_12MH

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users.

**PATH ID: R04\_AN0307H**

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 In the past hour GO TO R04\_AN0309H
- 2 Sometime today
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago GO TO R04\_AN0331\_12MH
- 8 DON'T KNOW GO TO R04\_AN0331\_12MH
- 7 REFUSED GO TO R04\_AN0331\_12MH

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT in the past 12 months.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0308H**

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04\_AN0307H], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0307H]:

IF R04\_AN0307H = 2, DISPLAY "sometime today".

ELSE, IF R04\_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R04\_AN0307H = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AN0309H**

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04\_AN0307H], how many did you use?

- 1 |\_\_|\_\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0307H]:

IF R04\_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R04\_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R04\_AN0307H = 4, DISPLAY "the day before yesterday".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0309H\_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04\_AN0309H] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AN0309H     |
| 2 | NEXT | GO TO R04_AN0331_12MH |

ASK: IF R04\_AN0309H > 5.

DISPLAY: IF R04\_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R04\_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R04\_AN0307H = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AN0309H\_LC2**

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AN0309H     |
| 2 | NEXT | GO TO R04_AN0331_12MH |

ASK: IF R04\_AN0309H = 0.

DISPLAY: IF R04\_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R04\_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R04\_AN0307H = 4, DISPLAY "the day before yesterday".

**PATH ID: R04\_AN0331\_12MH**

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- |    |            |                      |
|----|------------|----------------------|
| 1  | Yes        |                      |
| 2  | No         | GO TO BOX R04_AXR102 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR102 |
| -7 | REFUSED    | GO TO BOX R04_AXR102 |

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0327H</b>	
When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
1   In the past hour	GO TO R04_AN0329H
2   Sometime today	
3   Yesterday	
4   Day before yesterday	
5   Three or more days ago	GO TO BOX R04_AXR102
-8   DON'T KNOW	GO TO BOX R04_AXR102
-7   REFUSED	GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug in the past 12 months.	

<b>PATH ID:</b> <b>R04_AN0328H</b>	
When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327H], was it...	
1   Between midnight and 6AM	
2   After 6AM but before noon	
3   Between noon and 6PM	
4   After 6PM but before midnight	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug today, yesterday or the day before yesterday.	
DISPLAY: FOR [FILL BASED ON R04_AN0327H]:	
IF R04_AN0327H = 4, DISPLAY "the day before yesterday".	
ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327H, MAKING FIRST LETTER LOWERCASE.	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0329H
When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327H], how many did you take?
1  __ __
-8 DON'T KNOW GO TO BOX R04_AXR102
-7 REFUSED GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug in the past hour, today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0327H]:
IF R04_AN0327H = 1, 2, DISPLAY "today".
ELSE, IF R04_AN0327H = 3, DISPLAY "yesterday".
ELSE, IF R04_AN0327H = 4, DISPLAY "the day before yesterday".

<b>PATH ID:</b> R04_AN0329H_LC1
The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04_AN0329H] times.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AN0329H
2 NEXT GO TO BOX R04_AXR102
ASK: IF R04_AN0329H = 0 OR IF R04_AN0329H > 5.
DISPLAY: IF R04_AN0327H = 1, 2, DISPLAY "today".
ELSE, IF R04_AN0327H = 3, DISPLAY "yesterday".
ELSE, IF R04_AN0327H = 4, DISPLAY "the day before yesterday".

<b>BOX ID:</b> R04_AXR102
New cohort adult female respondents, go to R04_AX0134_RS.
Else, aged-up and continuing adult female respondents who are less than 50 years old, go to R04_AX0134_12M.
Else, go to R04_AX0488.

<b>BOX ID:</b> R04_AXR121
New cohort adult respondents who have been pregnant, but have not had a live birth or did not know or refused to report how many of their pregnancies resulted in a live birth, go to Box R04_AXR52.
Else, new cohort adult respondents who have had a live birth, go to R04_AX0300_RS.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR52**

New cohort adult female respondents who have been pregnant, go to R04\_AX0136.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0134\_12M**

The next questions are about your pregnancy history.

In the past 12 months, have you been pregnant? Please include a current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult female respondents who are less than 50 years old.

**BOX ID: R04\_AXR53**

If aged-up or continuing adult female respondent has been pregnant in the past 12 months, go to R04\_AX0136.

Else, if respondent was pregnant at the previous wave, and reports not being pregnant in the past 12 months, go to R04\_AX0135\_12M.

Else, if respondent was not pregnant at the previous wave, and reports not being pregnant in the past 12 months, go to R04\_AX0488.

**PATH ID: R04\_AX0136**

Are you pregnant now?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant, and aged-up and continuing adult female respondents who have been pregnant sometime in the past 12 months.

**BOX ID: R04\_AXR54**

If respondent is currently pregnant, go to R04\_AX0137.

Else, if new cohort adult female respondent who is not currently pregnant, go to Box R04\_AXR118.

Else, if aged-up and continuing adult female respondent who has been pregnant sometime in the past 12 months and is not currently pregnant, go to R04\_AX0135\_12M.

Else, go to R04\_AX0488.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0135_12M</b>
What was the outcome of your last pregnancy?  1 Live birth 2 Miscarriage 3 Abortion 4 Ectopic or tubal pregnancy 5 Stillbirth 6 None of the above -8 DON'T KNOW -7 REFUSED
ASK: Aged-up and continuing adult female respondents who were pregnant during the previous wave, or who became pregnant in the past 12 months but are not currently pregnant during the current wave.

<b>BOX ID:</b> <b>R04_AXR55</b>
If pregnancy resulted in live birth, go to R04_AX0300_12M. Else, go to R04_AX0340.

<b>PATH ID:</b> <b>R04_AX0300_12M</b>
For your last pregnancy, did any of the following occur? Choose all that apply.  1 Preterm birth (birth of baby less than 37 weeks gestational age) 2 Baby with low birth weight (less than 5 pounds 8 ounces) 3 Baby with birth defects 4 Placenta Previa 5 Placenta Abruption 6 Pre-eclampsia 7 None of the above -8 DON'T KNOW -7 REFUSED
ASK: Adult female respondents whose last pregnancy resulted in a live birth.

<b>BOX ID:</b> <b>R04_AXR56</b>
If pregnancy resulted in preterm birth, low birth weight or birth defects, go to R04_AX0299. Else, go to R04_AX0340.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0299</b>
Does your child have any developmental delays?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult female respondents who previously reported having a preterm birth or having babies with low birth weight or birth defects.

<b>BOX ID:</b> <b>R04_AXR57</b>
If pregnancy resulted in birth defects, go to R04_AX0706. Else, go to R04_AX0340.

<b>PATH ID:</b> <b>R04_AX0706</b>
Was your child born with a cleft lip or a cleft palate?
1    Yes
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult female respondents who previously reported having a baby with birth defects.

<b>BOX ID:</b> <b>R04_AXR119</b>
New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, go to R04_AX0340. Else, go to R04_AX0488.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0340**

During the 3 months before your [most recent / current] pregnancy, how many alcoholic drinks did you have in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0341**

During the last 3 months of your [most recent / current] pregnancy, how many alcoholic drinks [did you have/have you had] in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "did you have". ELSE, DISPLAY "most recent" AND "have you had".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXV05**

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_PASTUSE\_CIGS** - Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarette smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarettes.

**R04\_PASTUSE\_EPRODS** - Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 and new baseline adult respondents who have ever used electronic nicotine products.

**R04\_PASTUSE\_GTRAD** - Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former traditional cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked traditional cigars.

**R04\_PASTUSE\_GRILLO** - Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarillo smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarillos.

**R04\_PASTUSE\_GFILTR** - Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former filtered cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked filtered cigars.

**R04\_PASTUSE\_PIPE** - Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former pipe smokers in Wave 3 and new baseline adult respondents who have ever smoked pipe tobacco.

**R04\_PASTUSE\_HOOK** - Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former hookah smokers in Wave 3 and new baseline adult respondents who have ever smoked hookah.

**R04\_PASTUSE\_SNUS** - Continuing adult respondents who used snus in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former snus users in Wave 3 and new baseline adult respondents who have ever used snus.

**R04\_PASTUSE\_SMKLS** - Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former smokeless tobacco users in Wave 3 and new baseline adult respondents who have ever used smokeless tobacco.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR60**

If respondent has smoked cigarettes, go to R04\_AX0342.  
Else, If respondent has used e-products, go to R04\_AX0344.  
Else, if respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0342**

During the 3 months before your [most recent / current] pregnancy, how many cigarettes did you smoke on an average day? A pack usually has 20 cigarettes in it.

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarettes.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0343**

During the last 3 months of your [most recent / current] pregnancy, how many cigarettes [did you smoke/have you smoked] on an average day?

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarettes.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**BOX ID: R04\_AXR89**

If respondent has used e-products, go to R04\_AX0344.

Else, if respondent has smoked traditional cigars, go to R04\_AX0346.

Else, if respondent has smoked cigarillos, go to R04\_AX0348.

Else, if respondent has smoked filtered cigars, go to R04\_AX0350.

Else, if respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0344**

During the 3 months before your [most recent / current] pregnancy, how often did you use e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used e-products.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH ID: R04\_AX0345**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used e-products.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you used". ELSE, DISPLAY "most recent" AND "did you use".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR90**

If respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0346**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked traditional cigars.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0347**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked traditional cigars.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**BOX ID: R04\_AXR91**

If respondent has smoked cigarillos, go to R04\_AX0348.

Else, if respondent has smoked filtered cigars, go to R04\_AX0350.

Else, if respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0348**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarillos.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH ID: R04\_AX0349**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarillos.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR92**

If respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0350**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked filtered cigars.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0351**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked filtered cigars.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**BOX ID: R04\_AXR93**

If respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0352**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked a pipe.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH ID: R04\_AX0353**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked a pipe.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR94**

If respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0354**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked hookah.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0355**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked hookah.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, DISPLAY "most recent" AND "did you smoke".

**BOX ID: R04\_AXR95**

If respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH ID: R04\_AX0356**

During the 3 months before your [most recent / current] pregnancy, how often did you use snus?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used snus.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0357**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] snus?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used snus.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you used". ELSE, DISPLAY "most recent" AND "did you use".

**BOX ID: R04\_AXR96**

If respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0358**

During the 3 months before your [most recent / current] pregnancy, how often did you use [other types of ]smokeless tobacco (such as dip, spit, or chew)?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used smokeless tobacco.

DISPLAY: UNDERLINE "before".

IF R04\_AX0136 = 1, DISPLAY "current". ELSE, DISPLAY "most recent".

IF R04\_PASTUSE\_SNUS = 1, DISPLAY "other types of ". ELSE, DO NOT DISPLAY.

**PATH ID: R04\_AX0359**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] smokeless tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used smokeless tobacco.

DISPLAY: UNDERLINE "last".

IF R04\_AX0136 = 1, DISPLAY "current" AND "have you used". ELSE, DISPLAY "most recent" AND "did you use".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0488**

The next questions are about common psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.

1 NEXT

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant".

**BOX ID: R04\_AXD91**

Display questions R04\_AX0161 through R04\_AX0164 using the expanded WVB stem-leaf screen. The introduction text from R04\_AX0161 is the stem. As each question is answered, show the next one.

**PATH ID: R04\_AX0161**

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant problems".

**PATH ID: R04\_AX0162**

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0163</b>
feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0164</b>
becoming very distressed and upset when something reminded you of the past?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXD92</b>
Display questions R04_AX0165 through R04_AX0251 using the expanded WVB stem-leaf screen. The introduction text from R04_AX0165 is the stem. As each question is answered, show the next one.

<b>PATH ID:</b> <b>R04_AX0165</b>
When was the last time that you did any of the following things <u>two or more times</u> ...
lied or conned to get things you wanted or to avoid having to do something?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "two or more times".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0166**

had a hard time paying attention at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0167**

had a hard time listening to instructions at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0168**

were a bully or threatened other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0169</b>
started physical fights with other people?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0250</b>
felt restless or the need to run around or climb on things?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0251</b>
gave answers before the other person finished asking the question?
1 Past month
2 2 to 12 months ago
3 Over a year ago
4 Never
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXR103</b>
New cohort adult respondents, go to R04_AX0084_RS.
Else, go to R04_AX0084_12M.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0084\_12M**

[The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.]

In the past 12 months, have you used any alcohol, including small tastes or sips?

- |    |            |                      |
|----|------------|----------------------|
| 1  | Yes        |                      |
| 2  | No         | GO TO BOX R04_AXR120 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR120 |
| -7 | REFUSED    | GO TO BOX R04_AXR120 |

ASK: Aged-up and continuing respondents and new cohort adult respondents who report ever having used alcohol.

DISPLAY: IF R04\_ADULTTYPE = 1, 2 DISPLAY "The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private." ELSE, DO NOT DISPLAY.

**PATH ID: R04\_AX0673**

Have you used alcohol within the past 30 days?

- |    |            |                      |
|----|------------|----------------------|
| 1  | Yes        |                      |
| 2  | No         | GO TO BOX R04_AXR120 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR120 |
| -7 | REFUSED    | GO TO BOX R04_AXR120 |

ASK: Adult respondents who have used alcohol in the past 12 months.

DISPLAY: UNDERLINE "past 30 days".

**PATH ID: R04\_AX0075**

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- |    |             |
|----|-------------|
| 1  | __ __  DAYS |
| -8 | DON'T KNOW  |
| -7 | REFUSED     |

ASK: Adult respondents who have used alcohol in the past 30 days.

**BOX ID: R04\_AXR48**

If respondent drank on at least one of the past 30 days or did not know or refused to report on how many of the past 30 days they drank, go to R04\_AX0076.

Else, go to Box R04\_AXR120.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0076</b>
On average, on those [days that you drank in the past 30 days / NUMBER OF DAYS FROM R04_AX0075 days], how many alcoholic drinks did you usually have each day?
Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.
1  __ __
-8 DON'T KNOW GO TO BOX R04_AXR120
-7 REFUSED GO TO BOX R04_AXR120
ASK: Adult respondents who drank alcohol on one or more days in the past 30 days. DISPLAY: IF R04_AX0075 = 1, -8, -7, DISPLAY "days that you drank in the past 30 days". IF R04_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R04_AX0075 AND "days".

<b>PATH ID: R04_AX0076_LC1</b>
The computer recorded that you usually drank [R04_AX0076] alcoholic beverages on the days that you drank during the last 30 days. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AX0076
2 NEXT GO TO BOX R04_AXR120
ASK: IF R04_AX0076 > 30.

<b>BOX ID: R04_AXR120</b>
New cohort adult respondents who did not previously report smoking a blunt, smoking marijuana from a hookah, or using marijuana in an e-product, go to R04_AX0085_RS. Else, new cohort adult respondents who have previously reported ever using marijuana, go to R04_AX0079_RS. Else, go to Box R04_AXR49.

<b>BOX ID: R04_AXR49</b>
If respondent has smoked a blunt in the past 12 months, go to R04_AX0675. Else, go to R04_AX0085_12M.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0085\_12M**

In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?

- 1 Yes
- 2 No GO TO BOX R04\_AXR106
- 8 DON'T KNOW GO TO BOX R04\_AXR106
- 7 REFUSED GO TO BOX R04\_AXR106

ASK: Aged-up and continuing adult respondents who did not previously report smoking a blunt in the past 12 months, and new cohort adults who have ever used marijuana and did not previously report smoking a blunt in the past 12 months.

**PATH ID: R04\_AX0675**

Have you used marijuana, hash, THC, grass, pot or weed within the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used marijuana in the past 12 months.

DISPLAY: UNDERLINE "past 30 days".

**BOX ID: R04\_AXR106**

New cohort adult respondents, go to Box R04\_AXD90.

Else, go to Box R04\_AXD07.

**BOX ID: R04\_AXD90**

DISPLAY INSTRUCTION:

For R04\_AX0089\_RS and R04\_AX0220\_RS, display each question with a "Yes" and "No" column with options for each response category.

**BOX ID: R04\_AXR104**

Items R04\_AX0082\_RS[\_01/.../\_05] and R04\_AX0272\_RS[\_01/.../\_05] are asked for each substance reported in R04\_AX0089\_RS[\_01/\_02] and R04\_AX0220\_RS[\_01/\_02/\_03]. If respondent uses more than one substance, repeat items in a loop.

Else, if no substances reported, go to Box R04\_AXV04.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXD07**

DISPLAY INSTRUCTION:

For R04\_AX0089\_12M and R04\_AX0220\_12M, display a “Yes” and “No” column with options for each response category.

**BOX ID: R04\_AXR122**

New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers and aged-up and continuing adult respondents, go to R04\_AX0089\_12M.

Else, new cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, go to R04\_AX0220\_12M.

**PATH ID: R04\_AX0089\_12M**

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

- 1 Ritalin® or Adderall®
- 2 Painkillers, sedatives, or tranquilizers
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers and aged-up and continuing adult respondents.

DISPLAY: UNDERLINE "not" AND "only".

**BOX ID: R04\_AXR123**

New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs and aged-up and continuing adult respondents, go to R04\_AX0220\_12M.

Else, go to Box R04\_AXR06.

**PATH ID: R04\_AX0220\_12M**

In the past 12 months, have you used any of the following substances?

- 1 Cocaine or crack
- 2 Stimulants like methamphetamine or speed
- 3 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs and aged-up and continuing adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR06**

Repeat R04\_AX0676[\_01/.../\_05] up to five times for each substance reported in R04\_AX0089\_12M and R04\_AX0220\_12M.

Else, if no substances reported, go to Box R04\_AXV04.

**PATH ID: R04\_AX0676**

Have you used [SUBSTANCEFILL] within the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used a substance in the past 12 months.

DISPLAY: UNDERLINE "past 30 days".

FOR [SUBSTANCEFILL]:

IF R04\_AX0089\_12M\_01 = 1, DISPLAY "Ritalin® or Adderall®".

IF R04\_AX0089\_12M\_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".

IF R04\_AX0220\_12M\_01 = 1, DISPLAY "cocaine or crack".

IF R04\_AX0220\_12M\_02 = 1, DISPLAY "stimulants like methamphetamine or speed".

IF R04\_AX0220\_12M\_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

**BOX ID: R04\_AXR50**

If more than one substance is selected in R04\_AX0089\_12M or R04\_AX0220\_12M, go back to box R04\_AXR06, until R04\_AX0676 has been asked about for all selected substances.

Else, go to Box R04\_AXV04.

**BOX ID: R04\_AXV04**

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_EVER\_USER\_ALC** = Has ever used alcohol

**R04\_EVER\_USER\_MJ** = Has ever used marijuana

**R04\_EVER\_USER\_RIT** = Has ever used Ritalin® or Adderall®

**R04\_EVER\_USER\_PK** = Has ever used painkillers, sedatives, or tranquilizers

**R04\_EVER\_USER\_COC** = Has ever used cocaine or crack

**R04\_EVER\_USER\_STIM** = Has ever used stimulants

**R04\_EVER\_USER\_OTH** = Has ever used other drugs like heroin, inhalants, solvents, or hallucinogens

**R04\_SUBSTANCE\_COUNT** = Count of the number of substances ever used

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR03**

If respondent has ever used at least one substance, go to R04\_AX0170.  
Else, go to Box R04\_AXT06.

**PATH ID: R04\_AX0170**

When was the last time that...

You used alcohol or other drugs weekly or more often?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**BOX ID: R04\_AXR04**

If respondent used alcohol or other drugs weekly or more often and reports ever using two or more substances, go to R04\_AX0175.  
Else, go to R04\_AX0171.

**PATH ID: R04\_AX0175**

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

- 1 Alcohol
- 2 Marijuana, hash, THC, or grass, pot, or weed
- 3 Ritalin® or Adderall®
- 4 Painkillers, sedatives, or tranquilizers
- 5 Cocaine or crack
- 6 Stimulants like methamphetamine or speed
- 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used alcohol or other drugs weekly or more often and report ever using two or more substances.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0171**

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0172**

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0173**

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0193**

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0174**

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0194**

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR51**

If respondent ever used two or more substances and reported any problems due to drug or alcohol use, go to R04\_AX0176.  
Else, go to Box R04\_AXT06.

**PATH ID: R04\_AX0176**

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

- 1 Alcohol
- 2 Marijuana, hash, THC, grass, pot, or weed
- 3 Ritalin® or Adderall®
- 4 Painkillers, sedatives, or tranquilizers
- 5 Cocaine or crack
- 6 Stimulants like methamphetamine or speed
- 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used 2 or more substances and who indicated alcohol or drugs caused problems for them.

**BOX ID: R04\_AXT06**

The next questions ask about your relatives, including your father, mother, brothers or sisters, sons or daughters, both living and deceased.

**BOX ID: R04\_AXR79**

New baseline adult respondents, go to Box R04\_AXD13.  
Else, continuing adult respondents, go to Box R04\_AXD14.

**BOX ID: R04\_AXD13**

DISPLAY INSTRUCTION:

For R04\_AX0689\_NB, display a 'Yes' and 'No' column with options for each response category.

**BOX ID: R04\_AXR84**

If a relative of the respondent has had a heart attack or needed bypass surgery, go to R04\_AX0195.  
Else, go to R04\_AX0707.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXD14**

DISPLAY INSTRUCTION:

For R04\_AX0689\_12M, display a 'Yes' and 'No' column with options for each response category.

**PATH ID: R04\_AX0689\_12M**

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

- 1 Asthma
- 2 High blood pressure
- 3 High cholesterol
- 4 A heart attack or needed bypass surgery
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

**BOX ID: R04\_AXR85**

If a relative of the respondent has had a heart attack or needed bypass surgery, go to R04\_AX0195. Else, go to R04\_AX0707.

**PATH ID: R04\_AX0195**

Were they told they had a heart attack or needed bypass surgery before the age of 50?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose close relative has had a heart attack or needed bypass surgery.

DISPLAY: UNDERLINE "before the age of 50".

**PATH ID: R04\_AX0707**

Have any of your close biological or blood relatives used any tobacco products? By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus or other types of smokeless tobacco (such as dip, spit or chew), and dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0731**

Have any of your close biological or blood relatives ever been an alcoholic or problem drinker? By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0732**

Have any of your close biological or blood relatives ever had problems with drugs? By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR101**

New baseline respondents, go to R04\_AX0401\_NB.  
Else, go to Box R04\_AXT02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**MARKETING, ADVERTISING AND PROMOTION**

**BOX ID: R04\_AXT02**

The next questions ask about tobacco advertising that you may have seen or received.

**PATH ID: R04\_AX0708**

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

- 1 Cigarettes
- 2 E-cigarettes or other electronic nicotine products (including e-liquid)
- 3 Cigars
- 4 Shisha or hookah tobacco
- 5 Snus
- 6 Other types of smokeless tobacco (such as dip, spit or chew)
- 7 Some other type of tobacco product
- 8 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0178**

In the past 30 days, have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXV10**

CREATE DERIVED VARIABLE:

R04\_REGULAR\_BRAND  
R04\_NO\_REGULAR\_BRAND

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR64**

Adult respondents who are current tobacco users who have a regular brand, go to R04\_AX0715.  
Else, go to Box R04\_AXR67.

**PATH ID: R04\_AX0715**

In the past 30 days, have you bought a brand of tobacco product other than your usual brand?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Yes        |                     |
| 2  | No         | GO TO BOX R04_AXR67 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR67 |
| -7 | REFUSED    | GO TO BOX R04_AXR67 |

ASK: Current tobacco users who have a regular brand.

**PATH ID: R04\_AX0716**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH ID: R04\_AX0210**

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AX0717 |
| -8 | DON'T KNOW | GO TO R04_AX0717 |
| -7 | REFUSED    | GO TO R04_AX0717 |

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0211</b>
In the past 30 days, has this happened just once or twice, a few times, or quite regularly?
1    Once or twice
2    A few times
3    Quite regularly
-8    DON'T KNOW
-7    REFUSED
ASK: Current tobacco users who have a regular brand and bought a different brand because it was on display.

<b>PATH ID:</b> <b>R04_AX0717</b>
In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed it was on sale or there was a deal like 2-for-1?
1    Yes
2    No
-8    DON'T KNOW
-7    REFUSED
GO TO BOX R04_AXR67
GO TO BOX R04_AXR67
GO TO BOX R04_AXR67
ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

<b>PATH ID:</b> <b>R04_AX0718</b>
In the past 30 days, has this happened just once or twice, a few times, or quite regularly?
1    Once or twice
2    A few times
3    Quite regularly
-8    DON'T KNOW
-7    REFUSED
ASK: Current tobacco users who have a regular brand and bought a different brand because of a sale or promotion.

<b>BOX ID:</b> <b>R04_AXR67</b>
Young adult respondents who are current or experimental current tobacco users and do not have a regular brand (this includes polyusers who reported not having a regular brand for any product, even if they reported a regular brand for another product), go to R04_AX0209.
Else, experimental former, recent former, and long-term former tobacco users, go to R04_AX0212.
Else, go to R04_AX0678.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0209**

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        | GO TO R04_AX0678 |
| 2  | No         | GO TO R04_AX0678 |
| -8 | DON'T KNOW | GO TO R04_AX0678 |
| -7 | REFUSED    | GO TO R04_AX0678 |

ASK: Young adult respondents who are current or experimental current tobacco users who do not have a regular brand. This includes polyusers who reported not having a regular brand for any product, even if they reported a regular brand for another product.

**PATH ID: R04\_AX0212**

Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AX0678 |
| -8 | DON'T KNOW | GO TO R04_AX0678 |
| -7 | REFUSED    | GO TO R04_AX0678 |

ASK: Adult respondents who are experimental former, recent former, or long-term former tobacco users of tobacco.

**PATH ID: R04\_AX0213**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- |    |                 |
|----|-----------------|
| 1  | Once or twice   |
| 2  | A few times     |
| 3  | Quite regularly |
| -8 | DON'T KNOW      |
| -7 | REFUSED         |

ASK: Adult respondents who are experimental former, recent former, or long-term former tobacco users of tobacco who had the urge to buy tobacco when seeing a display.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0678**

In the past 30 days, have you gotten a free sample of an **e-cigarette or other electronic nicotine product** (including e-liquid)?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarette or other electronic nicotine product".

**PATH ID: R04\_AX0203**

In the past 30 days, have you noticed **e-cigarettes or other electronic nicotine products** being advertised in any of the following places? Choose all that apply.

- 1 I have not seen any advertisements in the past 30 days
- 2 At gas stations, convenience stores, or other retail stores
- 3 On billboards
- 4 In newspapers or magazines
- 5 On radio
- 6 On television
- 7 At events like fairs, festivals, or sporting events
- 8 At nightclubs, bars, or music concerts
- 9 On websites or social media sites
- 10 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarettes or other electronic nicotine products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AX0709**

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0677**

In the past 30 days, have you noticed **cigarettes or other tobacco products** (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

- 1 I haven't seen any advertisements in the past 30 days
- 2 At gas stations, convenience stores, or other retail stores
- 3 On billboards
- 4 In newspapers or magazines
- 5 On radio
- 6 On television
- 7 At events like fairs, festivals, or sporting events
- 8 At nightclubs, bars, or music concerts
- 9 On websites or social media sites
- 10 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "cigarettes or other tobacco products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AXR66**

Young adult respondents, go to R04\_AX0710.

Else, go to R04\_AX0777.

**PATH ID: R04\_AX0710**

Do you have a favorite tobacco advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0777**

In the past 12 months, how often did you see an anti-tobacco advertising campaign?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## **ADDITIONAL DEMOGRAPHICS**

**BOX ID: R04\_AMT01**

Finally, we have a few additional questions about you, your work, education and health insurance.

**BOX ID: R04\_AMR01**

If respondent currently does not work for pay, go to R04\_AM0017.  
Else, go to Box R04\_AMR17.

**PATH ID: R04\_AM0017**

Are you currently...

- 1 Looking for paid work
- 2 A student not looking for paid work
- 3 A homemaker or caregiver not looking for paid work
- 4 Retired
- 5 Unable to work for physical or mental health reasons
- 6 Unable to work due to other reasons
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently work for pay.

**BOX ID: R04\_AMR17**

Adult respondents who already completed a parent interview, go to R04\_AM0019.  
Else, go to R04\_AM0018.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AM0018</b>	
What is the highest grade or level of school you have completed?	
1 Less than high school	
2 Some high school, no diploma	
3 GED	GO TO R04_AM0019
4 High school graduate—diploma	GO TO R04_AM0019
5 Some college but no degree	GO TO R04_AM0019
6 Associate degree—occupational/vocational	GO TO R04_AM0019
7 Associate degree—academic program	GO TO R04_AM0019
8 Bachelor’s degree (ex: BA, AB, BS)	GO TO R04_AM0019
9 Master’s degree (ex: MA, MS, MEng, MEd, MSW)	GO TO R04_AM0019
10 Professional school degree (ex: MD, DDS, DVM, JD)	GO TO R04_AM0019
11 Doctorate degree (ex: PhD, EdD)	GO TO R04_AM0019
-8 DON'T KNOW	GO TO R04_AM0019
-7 REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview.	

<b>PATH ID: R04_AM0067</b>	
Are you currently enrolled in high school?	
1 Yes	
2 No	GO TO R04_AM0019
-8 DON'T KNOW	GO TO R04_AM0019
-7 REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than or some high school.	

<b>PATH ID: R04_AM0068</b>	
What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.	
6 9th	
7 10th	
8 11th	
9 12th	
12 I am home-schooled	
13 My school does not separate students into grades	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who did not already complete a parent interview who are currently enrolled in high school.	

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0019**

Are you [also ]currently enrolled in a degree program?

- |    |            |                  |
|----|------------|------------------|
| 1  | Yes        |                  |
| 2  | No         | GO TO R04_AM0015 |
| -8 | DON'T KNOW | GO TO R04_AM0015 |
| -7 | REFUSED    | GO TO R04_AM0015 |

ASK: All adult respondents.

DISPLAY: IF R04\_AM0067 = 1, DISPLAY "also".

ELSE, DO NOT DISPLAY THIS FILL.

**PATH ID: R04\_AM0020**

Which type of degree program are you currently enrolled in?

- 1 Technical/vocational program
- 2 2-year degree program
- 3 4-year degree program
- 4 Graduate/professional program
- 5 Other type of degree program (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are currently enrolled in a degree program.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**PATH ID: R04\_AM0015**

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity or telephone bills?

- 1 Yes
- 2 No
- 7 Not applicable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0039**

In the past 12 months, have you received assistance or income from any federal, state or local programs, such as food stamps, welfare, cash aid, unemployment benefits, housing assistance, child care, or Medicaid?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR16**

Adult respondents who already completed a parent interview, go to Box R04\_ALR05.  
Else, go to R04\_AM0030.

**PATH ID: R04\_AM0030**

Which of the following categories best describes your total **household** income in the past 12 months?

This is the total income before taxes of all persons in your household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- |    |                        |                  |
|----|------------------------|------------------|
| 1  | Less than \$10,000     | GO TO R04_AL0040 |
| 2  | \$10,000 to \$14,999   | GO TO R04_AL0040 |
| 3  | \$15,000 to \$24,999   | GO TO R04_AL0040 |
| 4  | \$25,000 to \$34,999   | GO TO R04_AL0040 |
| 5  | \$35,000 to \$49,999   | GO TO R04_AL0040 |
| 6  | \$50,000 to \$74,999   | GO TO R04_AL0040 |
| 7  | \$75,000 to \$99,999   | GO TO R04_AL0040 |
| 8  | \$100,000 to \$149,999 | GO TO R04_AL0040 |
| 9  | \$150,000 to \$199,999 | GO TO R04_AL0040 |
| 10 | \$200,000 or more      | GO TO R04_AL0040 |
| -8 | DON'T KNOW             |                  |
| -7 | REFUSED                |                  |

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: BOLD AND UNDERLINE "household". UNDERLINE "all persons in your household combined".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0031</b>
Is your total household income during the past 12 months above or below \$50,000?
1 Above \$50,000
2 Below \$50,000
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income.

<b>PATH ID:</b> <b>R04_AL0040</b>
Do you own or rent your home?
(Ownership includes having a mortgage or loan.)
1 Own
2 Rent
3 Something else
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>BOX ID:</b> <b>R04_ALR05</b>
Young adult respondents, go to R04_AM0042.
Else, go to Box R04_AMR02.

<b>PATH ID:</b> <b>R04_AM0042</b>	
Where do you currently live? If you live in more than one place throughout the year, please answer for where you are <u>currently</u> staying.	
1 Apartment, condo or house	
2 In a dorm or other campus housing	GO TO R04_AM0040
3 In a fraternity or sorority house	GO TO R04_AM0040
4 Someplace else	GO TO R04_AM0040
-8 DON'T KNOW	
-7 REFUSED	
ASK: Young adult respondents.	
DISPLAY: UNDERLINE SECOND INSTANCE OF "currently".	



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0041**

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

- 1 Parents or guardians
- 2 Friends or other roommates
- 3 A spouse or romantic partner
- 4 My children
- 5 Another relative or family friend
- 6 On my own
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

DISPLAY: UNDERLINE SECOND INSTANCE OF "currently".

**PATH ID: R04\_AM0040**

Think of this ladder as representing where people stand in the United States.

At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs.

At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job.

Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.

[SHOW IMAGE OF LADDER]

- 1 10
- 2 9
- 3 8
- 4 7
- 5 6
- 6 5
- 7 4
- 8 3
- 9 2
- 10 1
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0033**

The next questions ask about your parents. Please think about your parents or parental figures (step-parents, foster parents, guardians, etc.) who you lived with most of the time when you were 17 years old and younger.

What is the highest grade or level of school that your **mother**, **step-mother** or **mother-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, MEd, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

DISPLAY: UNDERLINE THE FIRST OCCURRENCE OF "parents". BOLD "mother", "step-mother", AND "mother-figure".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0034**

What is the highest grade or level of school that your **father**, **step-father** or **father-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, MEd, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

DISPLAY: BOLD "father", "step-father", AND "father-figure".

**BOX ID: R04\_AMR04**

Young adult respondents who do not live with their parents, go to R04\_AM0036.

Else, go to Box R04\_AMR02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0036**

Which of the following categories best describes your parents' total household income in the past 12 months?

This is the total income before taxes of all persons in your parents' household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- |    |                        |                     |
|----|------------------------|---------------------|
| 1  | Less than \$10,000     | GO TO BOX R04_AMR02 |
| 2  | \$10,000 to \$14,999   | GO TO BOX R04_AMR02 |
| 3  | \$15,000 to \$24,999   | GO TO BOX R04_AMR02 |
| 4  | \$25,000 to \$34,999   | GO TO BOX R04_AMR02 |
| 5  | \$35,000 to \$49,999   | GO TO BOX R04_AMR02 |
| 6  | \$50,000 to \$74,999   | GO TO BOX R04_AMR02 |
| 7  | \$75,000 to \$99,999   | GO TO BOX R04_AMR02 |
| 8  | \$100,000 to \$149,999 | GO TO BOX R04_AMR02 |
| 9  | \$150,000 to \$199,999 | GO TO BOX R04_AMR02 |
| 10 | \$200,000 or more      | GO TO BOX R04_AMR02 |
| -8 | DON'T KNOW             |                     |
| -7 | REFUSED                |                     |

ASK: Young adult respondents who do not live with their parents.

DISPLAY: UNDERLINE "parents' total household income" AND "all persons in your parents' household combined".

**PATH ID: R04\_AM0037**

Is your parents' total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who did not know or refused to report their parents' household income.

DISPLAY: UNDERLINE "parents".

**BOX ID: R04\_AMR02**

New baseline adult respondents who have been on active military duty, go to R04\_AM0012\_NB.

Continuing adult respondents who have been on active duty but were not enrolled in VA health care at any previous wave, go to R04\_AM00012\_12M.

Else, go to Box R04\_AMD02.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0012\_12M**

In the past 12 months, have you been enrolled in VA health care?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have been on active duty who were not enrolled in VA health care in the previous wave.

**BOX ID: R04\_AMD02**

BOX – DISPLAY INSTRUCTIONS

For R04\_AM0026, DISPLAY A “Yes” AND “No” COLUMN WITH OPTION FOR EACH RESPONSE CATEGORY.

**PATH ID: R04\_AM0026**

Are you currently covered by any of the following types of health insurance or health coverage plans?

- 1 Insurance through a current or former employer or union (of yourself, a spouse or other family member)
- 2 Insurance purchased directly from an insurance company (by yourself, a spouse or other family member)
- 3 Medicare, for people 65 and older, or people with certain disabilities
- 4 Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability
- 5 VA Health Care
- 6 TRICARE or other military health care
- 7 Indian Health Service
- 8 Any other type of health insurance or health coverage plan
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0021**

The next question asks about your level of sexual attraction to BOTH males and females.

Please consider the response choices carefully, as it is important that you understand them and are as honest as you can be in your answer.

To whom have you felt sexually attracted, even if you did not take any action based on feeling attracted?

- 1 Only to females, never to males
- 2 Mostly to females, and at least once to a male
- 3 About equally often to females and to males
- 4 Mostly to males, and at least once to a female
- 5 Only to males, never to females
- 6 I have never felt sexually attracted to anyone at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: FOR MALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN THE SPECIFIED ORDER. FOR FEMALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN REVERSE ORDER, WHERE RESPONSE OPTION 5 IS PRESENTED FIRST, OPTION 4 SECOND, ETC. IF SEX IS UNKNOWN, DEFAULT TO ORDER SHOWN FOR MALE RESPONDENTS.

**PATH ID: R04\_AM0063**

Do you consider yourself to be...

- 1 Straight
- 2 Lesbian or gay
- 3 Bisexual
- 4 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0061**

Some people describe themselves as transgender when they experience a different gender identity from their sex at birth. For example, a person born into a male body, but who feels female or lives as a woman would be transgender.

Do you consider yourself to be transgender?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR06**

If respondent is transgender, go to R04\_AM0062.

Else, go to R04\_AX0769.

**PATH ID: R04\_AM0062**

Do you consider yourself to be male-to-female, female-to-male, or non-conforming?

- 1 Yes, Transgender, male to female
- 2 Yes, Transgender, female to male
- 3 Yes, Transgender, gender nonconforming
- 4 No
- 5 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are transgender.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0769**

In the future, the PATH questionnaire may be available to take online on your personal desktop, laptop, or tablet. Due to its length, the questionnaire will not be available on smart phones.

You would be able to complete the questionnaire at your convenience, without an interviewer present. The incentive would arrive in the mail a few days after the questionnaire is completed.

How interested would you be in taking the PATH questionnaire online on your personal desktop, laptop, or tablet?

- |    |                       |                     |
|----|-----------------------|---------------------|
| 1  | Very interested       | GO TO BOX R04_AMR07 |
| 2  | Somewhat interested   | GO TO BOX R04_AMR07 |
| 3  | Not at all interested |                     |
| 4  | Unsure                | GO TO BOX R04_AMR07 |
| -8 | DON'T KNOW            | GO TO BOX R04_AMR07 |
| -7 | REFUSED               | GO TO BOX R04_AMR07 |

ASK: All adult respondents.

**PATH ID: R04\_AX0770**

Why not? Choose all that apply.

- 1 I do not have a personal desktop, laptop, or tablet with internet access
- 2 I am concerned about technical difficulties
- 3 I prefer to have an interviewer present
- 4 I am concerned about the confidentiality of my information
- 5 I am concerned that I might not receive my incentive
- 6 Other (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who would not be interested in doing PATH questionnaires online in the future.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

**BOX ID: R04\_AMR07**

Current and experimental current tobacco users, go to R04\_AX0214.

Else, go to R04\_AL3000.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0214</b>
Finally, we would like to scan the barcode on any tobacco products that you have right now for your own use[, including your [EPRODFILL2]]. Researchers will use this information to learn about the different types of products that people are using.
We are only interested in the products that you have used or intend to use soon.
Our interviewer will do the scanning for you. The interviewer will also ask you a couple of questions about the products we are scanning. Other people in your home might see the products as you hand them to the interviewer or hear the questions we ask you about the products.
Is it OK to scan your tobacco products now?
1   Yes
2   No
-7  REFUSED
GO TO R04_AL3000
GO TO R04_AL3000
ASK: Current and experimental current tobacco users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY “, including your [EPRODFILL2]”.
ELSE, DO NOT DISPLAY THIS TEXT.

<b>PATH ID:</b> <b>R04_AX0215</b>
Thank you. Please hand the computer to the interviewer. Then get any tobacco products you have right now for your own use[, including your [EPRODFILL2],] and give them to the interviewer. The interviewer will give them right back to you.
-7  REFUSED
ASK: Current and experimental current tobacco users who agree to scanning.
DISPLAY: IF R04_EPROD_USER_STATUS = 1 , 2, DISPLAY “, including your [EPRODFILL2]”.
ELSE, DO NOT DISPLAY THIS TEXT.

<b>PATH ID:</b> <b>R04_AL3004</b>
The interviewer must now enter the Monitor Password into the computer.
Monitor Password: _____
ASK: Current and experimental current tobacco users who agree to scanning.

<b>BOX ID:</b> <b>R04_ALR13</b>
When the interviewer enters the monitor password, go to R04_AX0218.
Else, if the interviewer enters the password incorrectly, go to R04_ERR_AL3004.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_ERR\_AL3004**

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R04\_AL3004

ASK: If interviewer entered monitor password incorrectly.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## PRODUCT BARCODE SCANNING MODULE

<b>PATH ID:</b> <b>R04_AX0218</b>
HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN?
ENTER A NUMBER BETWEEN 0 AND 10.
1     _ _
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR81</b>
If respondent gave no products to scan, go to R04_AL3009.
Else, go to R04_AX0217_1.

<b>PATH ID:</b> <b>R04_AL3009</b>
THE RESPONDENT GAVE YOU ZERO PRODUCTS TO SCAN.
IF THIS IS CORRECT, PRESS THE NEXT BUTTON TO CONTINUE. IF THIS IS INCORRECT, GO BACK AND MAKE A CORRECTION.
1    BACK
2    NEXT
GO TO R04_AX0218
GO TO R04_AX0217_1
ASK: If respondent gave no products to scan.
DISPLAY: Display Interviewer instruction in blue font.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_1**

THIS IS PRODUCT BARCODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR68**

If R04\_AX0217\_1 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_1.

**PATH ID: R04\_AX0233\_1**

Think about the very last time you used this type of product. Was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_2**

THIS IS PRODUCT BARCODE SCAN #2.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR69**

If R04\_AX0217\_2 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_2.

**PATH ID: R04\_AX0233\_2**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0217_3</b>
THIS IS PRODUCT BARCODE SCAN #3.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER “X” IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER “Y” IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR70</b>
If R04_AX0217_3 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_3.

<b>PATH ID:</b> <b>R04_AX0233_3</b>
The last time you used this type of product, was it from this specific package or container?
1 YES
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_4**

THIS IS PRODUCT BARCODE SCAN #4.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR71**

If R04\_AX0217\_4 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_4.

**PATH ID: R04\_AX0233\_4**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0217_5</b>
THIS IS PRODUCT BARCODE SCAN #5.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER “X” IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER “Y” IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR72</b>
If R04_AX0217_5 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_5.

<b>PATH ID:</b> <b>R04_AX0233_5</b>
The last time you used this type of product, was it from this specific package or container?
1 YES
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_6**

THIS IS PRODUCT BARCODE SCAN #6.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR73**

If R04\_AX0217\_6 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_6.

**PATH ID: R04\_AX0233\_6**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0217_7</b>
THIS IS PRODUCT BARCODE SCAN #7.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER “X” IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER “Y” IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR74</b>
If R04_AX0217_7 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_7.

<b>PATH ID:</b> <b>R04_AX0233_7</b>
The last time you used this type of product, was it from this specific package or container?
1 YES
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_8**

THIS IS PRODUCT BARCODE SCAN #8.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR75**

If R04\_AX0217\_8 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_8.

**PATH ID: R04\_AX0233\_8**

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0217_9</b>
THIS IS PRODUCT BARCODE SCAN #9.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER “X” IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER “Y” IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> <b>R04_AXR76</b>
If R04_AX0217_9 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_9.

<b>PATH ID:</b> <b>R04_AX0233_9</b>
The last time you used this type of product, was it from this specific package or container?
1 YES
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0217_10</b>
<p>THIS IS PRODUCT BARCODE SCAN #10.</p> <p>SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.</p> <p>SCAN EACH BARCODE TWICE.</p> <p>IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER “X” IN BOTH FIELDS.</p> <p>IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER “Y” IN BOTH FIELDS.</p> <p>WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.</p> <p>1 [FIRST SCAN] 2 [SECOND SCAN]</p> <p>ASK: Current and experimental current tobacco users who agreed to scanning. DISPLAY: Display Interviewer instruction in blue font.</p>

<b>BOX ID: R04_AXR77</b>
<p>If R04_AX0217_10 is left blank, go to R04_AL3006. Else, go to R04_AX0233_10.</p>

<b>PATH ID: R04_AX0233_10</b>								
<p>The last time you used this type of product, was it from this specific package or container?</p> <table><tr><td>1 YES</td><td>GO TO R04_AL3006</td></tr><tr><td>2 NO</td><td>GO TO R04_AL3006</td></tr><tr><td>-8 DON'T KNOW</td><td>GO TO R04_AL3006</td></tr><tr><td>-7 REFUSED</td><td>GO TO R04_AL3006</td></tr></table> <p>ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.</p>	1 YES	GO TO R04_AL3006	2 NO	GO TO R04_AL3006	-8 DON'T KNOW	GO TO R04_AL3006	-7 REFUSED	GO TO R04_AL3006
1 YES	GO TO R04_AL3006							
2 NO	GO TO R04_AL3006							
-8 DON'T KNOW	GO TO R04_AL3006							
-7 REFUSED	GO TO R04_AL3006							

<b>PATH ID: R04_AL3000</b>
<p>You have finished this part of the questionnaire. Please hand the computer to the interviewer.</p> <p>ASK: Adult respondents who are not current or experimental current tobacco users or who did not consent to barcode scanning.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL3003**

Monitor Password: \_\_\_\_\_

The interviewer must now enter the Monitor Password into the computer.

ASK: Adult respondents who are not current or experimental current tobacco users or who did not consent to barcode scanning.

**BOX ID: R04\_ALR12**

When the interviewer enters the monitor password, go to R04\_AL3007.

Else, if the interviewer enters the password incorrectly, go to R04\_ERR\_AL3003.

**PATH ID: R04\_ERR\_AL3003**

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R04\_AL3003

ASK: If interviewer entered monitor password incorrectly.

**PATH ID: R04\_AL3007**

[DO NOT SCAN BARCODES FOR THIS RESPONDENT.]

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

1 PRESS 1 TO CONTINUE

GO TO BOX R04\_ALV03

ASK: Adult respondents who are not current or experimental current tobacco users and respondents who DID NOT agree to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**PATH ID: R04\_AL3006**

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Current and experimental current tobacco users for whom scanning is complete.

DISPLAY: Display Interviewer instruction in blue font.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

## CONTACT INFORMATION

<b>BOX ID:</b> <b>R04_ALV03</b>
PROGRAM: Adult respondent has completed the adult questionnaire.

<b>BOX ID:</b> <b>R04_ALR01</b>
Obtain contact information 1 time for adult respondent. If adult respondent is same respondent on parent interview and contact information was obtained on parent interview, go to R04_AL3005 to end interview. Else, proceed with contact information section.

<b>PATH ID:</b> <b>R04_AL0041</b>
Since your continued participation in the PATH Study is important to the study's success, I'd like to take a brief moment to confirm your contact information for my records. We'll only use this information to contact you about your participation in the study.  <b>PRESS 1 TO CONTINUE.</b>  1    CONTINUE  ASK: Adult respondents who have not already provided contact information in another completed interview. DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>BOX ID:</b> <b>R04_ALR02</b>
Adult respondents who have a valid Wave 4 physical address, go to R04_AL0001. Else, go to R04_AL0037.





**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0003**

Can I please have your mailing address?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not receive mail at their physical address.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0035**

Do you have a second home where you live during the year?

- 1 YES
- 2 NO GO TO BOX R04\_ALR03
- 8 DON'T KNOW GO TO BOX R04\_ALR03
- 7 REFUSED GO TO BOX R04\_ALR03

ASK: Adult respondents who have not already provided contact information in another completed interview.

**PATH ID: R04\_AL0036**

What is the address of the second home?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a second home.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_ALR03
Adult respondents who have a valid telephone number on file, go to R04_AL0004_12M. Else, go to R04_AL0004.

<b>PATH ID:</b> R04_AL0004_12M
I have your telephone number as [(XXX) XXX-XXXX].
Is that correct?
1 YES GO TO R04_AL0038
2 NO
-8 DON'T KNOW
-7 REFUSED GO TO R04_AL0012
ASK: Adult respondents who have a valid telephone number on file.

<b>PATH ID:</b> R04_AL0004
What is the best telephone number to reach you?
ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.
1 AREA CODE AND PHONE NUMBER
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who need to correct their telephone number, who don't know if the telephone number provided is correct, or who do not have a valid telephone number on file.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>BOX ID:</b> R04_ALR14
Adult respondents who provided their telephone number, go to R04_AL0038. Else, adult respondents who did not provide, did not know, or refused to report a valid telephone number, go to R04_AL0012.

<b>PATH ID:</b> R04_AL0038
Is this a cell phone number?
1 YES GO TO R04_ALR04
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who confirmed or provided their telephone number.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0032**

May we contact you by text message at this number?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who said their telephone number is a cell phone or did not know or refused to report whether it is a cell phone.

**BOX ID: R04\_ALR04**

Adult respondents who have a valid second telephone number on file, go to R04\_AL0005.  
Else, go to R04\_AL0006.

**PATH ID: R04\_AL0005**

I have your second telephone number as [(XXX) XXX-XXXX].

Is that correct?

- 1 YES GO TO R04\_AL0039
- 2 NO
- 8 DON'T KNOW GO TO R04\_AL0012
- 7 REFUSED GO TO R04\_AL0012

ASK: Adult respondents who have a valid second telephone number on file.

**PATH ID: R04\_AL0006**

What is a second telephone number where you can be reached?

**ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.**

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who need to correct their second telephone number or who do not have a valid second telephone number on file.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ALR15</b>
Adult respondents who provided their second phone number, go to R04_AL0039. Else, adult respondents who did not provide, did not know, or refused to report a valid second phone number, go to R04_AL0012.

<b>PATH ID:</b> <b>R04_AL0039</b>
Is this a cell phone number?
1    YES
2    NO
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AL0012
ASK: Adult respondents who confirmed or provided their second phone number.

<b>PATH ID:</b> <b>R04_AL0033</b>
May we contact you by text message at this number?
1    YES
2    NO
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who said their second number is a cell phone or did not know or refused to report whether it is a cell phone.

<b>PATH ID:</b> <b>R04_AL0012</b>
Can you please give me your e-mail address?
 <b>VERIFY ALL SPELLING AND PUNCTUATION. RECORD TEXT BEFORE @ SYMBOL IN THE EMAIL NAME FIELD. TEXT AFTER THE @ SYMBOL IS ENTERED IN THE EMAIL PROVIDER FIELD.</b>
1    EMAIL NAME
2    EMAIL PROVIDER
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have not already provided contact information in another completed interview.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ALR09**

If more than one mode of contact information is provided, go to R04\_AL0017.  
Else, go to R04\_AL0018.

**PATH ID: R04\_AL0017**

What is the best way to reach you?

- 1 PHONE
- 2 TEXT MESSAGE
- 3 E-MAIL
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided more than one mode of contact information.

**PATH ID: R04\_AL0018**

Do you anticipate moving or relocating either permanently or temporarily in the next 12 months?

- 1 YES
- 2 NO GO TO R04\_AL0020
- 3 MAYBE
- 8 DON'T KNOW GO TO R04\_AL0020
- 7 REFUSED GO TO R04\_AL0020

ASK: Adult respondents who have not already provided contact information in another completed interview.

**PATH ID: R04\_AL0019**

Can you tell me more about your plans to move?

**IF NEEDED:** [For example, your new street address or the city or state to which you plan to move?]

**PROBE FOR AND RECORD ANY KNOWN INFORMATION.**

- 1 [TEXT FIELD]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who plan to move in the next 12 months.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0020**

Since we would like to interview you again, it is important that we are able to contact you in about a year. In case we cannot reach you, is there a relative or friend who does not live in this household, who will know how to reach you?

**IF NEEDED:** [Rest assured, we will only use this information if we have lost contact with you.]

What is the person's name?

**VERIFY ALL SPELLING.**

**IF SP IS UNABLE TO PROVIDE A FIRST NAME MARK AS DON'T KNOW / REFUSED.**

- 1 FIRST NAME
- 2 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE AND BOLD "FIRST NAME".

**BOX ID: R04\_ALR10**

If FIRST NAME is don't know or refused, go to R04\_AL3005.  
Else, go to R04\_AL0022.

**PATH ID: R04\_AL0022**

What is their address?

**VERIFY ALL SPELLING.**

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0023**

What is their telephone number?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0021**

How are they related to you?

- 1 HUSBAND/WIFE
- 2 FATHER/MOTHER (INCLUDING IN-LAWS)
- 4 GRANDPARENT
- 5 SON/DAUGHTER (INCLUDING IN-LAWS)
- 7 GRANDCHILD
- 8 BROTHER/SISTER (INCLUDING IN-LAWS)
- 13 FRIEND/NEIGHBOR
- 91 OTHER RELATIVE (SPECIFY)
- 92 OTHER NON-RELATIVE (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

**PATH ID: R04\_AL0025**

Could you provide me with the name of a second relative or friend who will know how to reach you?

VERIFY ALL SPELLING.

IF SP IS UNABLE TO PROVIDE A **FIRST NAME** MARK AS DON'T KNOW / REFUSED.

- 1 FIRST NAME
- 2 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE AND BOLD "FIRST NAME".

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ALR11**

If FIRST NAME is don't know or refused, go to R04\_AL3005.  
Else, go to R04\_AL0027

**PATH ID: R04\_AL0027**

What is their address?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0028**

What is their telephone number?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0026**

How are they related to you?

- 1 HUSBAND/WIFE
- 2 FATHER/MOTHER (INCLUDING IN-LAWS)
- 4 GRANDPARENT
- 5 SON/DAUGHTER (INCLUDING IN-LAWS)
- 7 GRANDCHILD
- 8 BROTHER/SISTER (INCLUDING IN-LAWS)
- 13 FRIEND/NEIGHBOR
- 91 OTHER RELATIVE (SPECIFY)
- 92 OTHER NON-RELATIVE (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

**PATH ID: R04\_AL3005**

[THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION.]

If you do move or change your phone numbers please update your contact information on the PATH Study website or by calling our toll free number. Each year you may receive a \$5 thank you on your debit card for updating your contact information.

Thank you for taking the time to answer these questions.

ENTER 1 TO CONTINUE.

- 1 CONTINUE

ASK: All adult respondents.

DISPLAY: IF THE RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION IN ANOTHER COMPLETED INTERVIEW (R04\_CONTACTFLAG\_LD=1), DISPLAY: "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**BOX ID: R04\_ALV02**

Contact information was provided by Adult respondent, set R04\_CONTACTFLAG.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_LCAD01**

INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?

1 ENGLISH

END INTERVIEW AND RETURN TO IMS

2 SPANISH

END INTERVIEW AND RETURN TO IMS

ASK: All adult respondents (asked of Interviewer).

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**APPENDIX: USER GROUPS**

Variable Name	Variable Description	User Group Definition
<b>CIGARETTES</b>		
Ever or Never users - Cigarettes R04_EVER_NEVER_CIGS	(1) Ever user = Adult respondents who have ever smoked a cigarette and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a cigarette.	IF (R03_EVER_NEVER_CIGS = 1 OR R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R04_AC1002_RS = 1 OR R04_AC1003 = 1 OR R04_AC1003 = 2) AND R04_AC1010 != 3, THEN R04_EVER_NEVER_CIGS = 1. ELSE, IF R04_EVER_NEVER_CIGS != 1, THEN R04_EVER_NEVER_CIGS = 2.
Initiators - Cigarettes R04_INIT_CIGS_ADULT	(1) Initiator = Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette. (2) Non-initiator = Adult respondents who did not initiate cigarette use between Waves or new cohort adult respondent who have not ever smoked a cigarette.	IF R03_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_CIGS = 1, THEN R04_INIT_CIGS_ADULT = 1. ELSE, R04_INIT_CIGS_ADULT = 2.
Cigarette user status R04_CIG_USER_STATUS	(1) Current user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing	IF (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND (R04_AC1003 = 1 OR R04_AC1003 = 2), THEN R04_CIG_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6 AND (R04_AC1003 = 1 OR R04_AC1003 = 2), THEN R04_CIG_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3) AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6, THEN R04_CIG_USER_STATUS = 3. ELSE, IF (R03_CIG_USER_STATUS = 1 OR R03_CIG_USER_STATUS = 2 OR R03_CIG_USER_STATUS = 3 OR (R04_INIT_CIGS_ADULT = 1 AND

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>adult respondents who were current, experimental current, or experimental former cigarette smokers at the previous wave and aged-up adult respondents who ever smoked cigarettes at the previous wave, who have ever smoked cigarettes fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since the previous wave, who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged up and continuing adult respondents who were former cigarette smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a cigarette and have smoked at least 100 cigarettes in their entire life, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AC1009_NN &lt;= 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN &lt;=12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN &lt;= 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 4. ELSE, IF (R03_CIG_USER_STATUS = 4 OR R03_CIG_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND ((R04_AC1009_NN &gt; 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN &gt; 12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN &gt; 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 5. ELSE, R04_CIG_USER_STATUS = 8.</p>
<p>Every day or Some day use - Cigarettes  R04_CURRENT_CIG_USE</p>	<p>(1) Every day user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day.</p> <p>(2) Some day user = Adult respondents who have smoked at least 100</p>	<p>IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 1, THEN R04_CURRENT_CIG_USE = 1. ELSE, IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 2, THEN R04_CURRENT_CIG_USE = 2.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	cigarettes in their entire life, and currently smokes some days. (8) Unknown / missing = Unknown or missing	ELSE, R04_CURRENT_CIG_USE = 8.
Former but Past 30 Day Users - Cigarettes R04_FORMER_THIRTYDAY_USER_CIGS	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former smokers who have smoked any cigarettes in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former smokers who have NOT smoked any cigarettes in the past 30 days.	IF (R04_CIG_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AC1009_NN <= 30 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN = 1 AND R04_AC1009_UN = 2) OR R04_AC1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_CIGS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_CIGS = 2.
<b>ELECTRONIC NICOTINE PRODUCTS</b>		
Ever or Never users - Electronic nicotine products R04_EVER_NEVER_EPRODS	(1) Ever user = Adult respondents who have ever used any electronic nicotine product and did not recant prior use. (2) Never user = Adult respondents who have not ever used any electronic nicotine product.	IF (R03_EVER_NEVER_EPRODS = 1 OR R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR (R04_AV1001_RS = 1 AND R04_AV1002_RS = 1) OR R04_AV1003 = 1 OR R04_AV1003 = 2) AND R04_AV1010 != 3, THEN R04_EVER_NEVER_EPRODS = 1. ELSE, IF R04_EVER_NEVER_EPRODS != 1, THEN R04_EVER_NEVER_EPRODS = 2.
Initiator - E-Products R04_INIT_EPRODS_ADULT	(1) Initiator = Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product. (2) Non-initiator = Adult respondents who did not initiate e-product use between Waves or new cohort adult respondents who have not ever used an e-product.	IF R03_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_EPRODS = 1, THEN R04_INIT_EPRODS_ADULT = 1. ELSE, R04_INIT_EPRODS_ADULT = 2.
E-product user status R04_EPROD_USER_STATUS	(1) Current user = Adult respondents who have ever used electronic nicotine	IF (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND (R04_AV1003 = 1 OR

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>products fairly regularly, and currently use them every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former e-product users at the previous wave and aged-up adult respondents who ever used e-products at the previous wave, who have ever used e-products fairly regularly, and did not use e-products in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated e-product use since the previous wave, who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all.</p> <p>(5) Long-term former user = Aged up and continuing adult respondents who were former e-product users at the previous wave and did not use in the</p>	<p>R04_AV1003 = 2) , THEN  R04_EPROD_USER_STATUS = 1.  ELSE, IF R04_EVER_NEVER_EPRODS = 1  AND R03_REGUSE_EPROD != 1 AND  R04_AV1100 != 1 AND (R04_AV1003 = 1 OR  R04_AV1003 = 2), THEN  R04_EPROD_USER_STATUS = 2.  ELSE, IF R04_EVER_NEVER_EPRODS = 1  AND (R04_AV1002_12M = 2 OR R04_AV1003  = 3) AND R03_REGUSE_EPROD != 1 AND  R04_AV1100 != 1, THEN  R04_EPROD_USER_STATUS = 3.  ELSE, IF (R03_EPROD_USER_STATUS = 1  OR R03_EPROD_USER_STATUS = 2 OR  R03_EPROD_USER_STATUS = 3 OR  (R04_ADULTTYPE != 3 AND  R04_INIT_EPRODS_ADULT = 1) OR  (R04_ADULTTYPE = 2 AND  R03_EVER_NEVER_EPRODS = 1) OR  (R04_ADULTTYPE = 3 AND ((R04_AV1009_NN  &lt;= 365 AND R04_AV1009_UN = 1) OR  (R04_AV1009_NN &lt;= 12 AND  R04_AV1009_UN = 2) OR (R04_AV1009_NN  &lt;= 1 AND R04_AV1009_UN = 3)))) AND  (R03_REGUSE_EPROD = 1 OR R04_AV1100 =  1) AND R04_EVER_NEVER_EPRODS = 1 AND  (R04_AV1002_12M = 2 OR R04_AV1003 = 3),  THEN R04_EPROD_USER_STATUS = 4.  ELSE, IF (R03_EPROD_USER_STATUS = 4  OR R03_EPROD_USER_STATUS = 5 OR  (R04_ADULTTYPE = 3 AND R04_AV1100 = 1  AND ((R04_AV1009_NN &gt; 365 AND  R04_AV1009_UN = 1) OR (R04_AV1009_NN &gt;  12 AND R04_AV1009_UN = 2) OR  (R04_AV1009_NN &gt; 1 AND R04_AV1009_UN =  3)))) AND R04_EVER_NEVER_EPRODS = 1</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	past 12 months or now uses not at all, and new cohort adult respondents who have ever used and e-product and have used fairly regularly, who have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 5. ELSE, R04_EPROD_USER_STATUS = 8.
Every day or Some day use - Electronic nicotine products R04_CURRENT_EPROD_USE	(1) Every day user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day. (2) Some day user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days. (8) Unknown / missing = Unknown or missing	IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 1, THEN CURRENT_EPROD_USE = 1. ELSE, IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 2, THEN CURRENT_EPROD_USE = 2. ELSE, R04_CURRENT_EPROD_USE = 8.
Former but Past 30 Day Users – Electronic nicotine products R04_FORMER_THIRTYDAY_USER_EPROD	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former users who have used any electronic nicotine products in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former users who have NOT used any electronic nicotine products in the past 30 days.	IF R04_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AV1009_NN <= 30 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN = 1 AND R04_AV1009_UN = 2) OR R04_AV1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_EPROD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_EPROD = 2.
<b>CIGARS</b>		
Ever or Never users - Traditional cigars R04_EVER_NEVER_GTRAD	(1) Ever user = Adult respondents who have ever smoked a traditional cigar and did not recant prior use. (2) Never user = Adult respondents who	IF (R03_EVER_NEVER_GTRAD = 1 OR R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1 AND

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	have not ever smoked a traditional cigar.	R04_AG9003_RS = 1) OR R04_AG1003TC = 1 OR R04_AG1003TC = 2) AND R04_AG1010TC != 3, THEN R04_EVER_NEVER_GTRAD = 1. ELSE, IF R04_EVER_NEVER_GTRAD != 1, THEN R04_EVER_NEVER_GTRAD = 2.
Ever or Never users - Cigarillos R04_EVER_NEVER_GRILLO	(1) Ever user = Adult respondents who have ever smoked a cigarillo and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a cigarillo.	IF (R03_EVER_NEVER_GRILLO = 1 OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1 AND R04_AG9004_RS = 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1)) OR R04_AG1003CG = 1 OR R04_AG1003CG = 2) AND R04_AG1010CG != 3, THEN R04_EVER_NEVER_GRILLO = 1. ELSE, IF R04_EVER_NEVER_GRILLO != 1, THEN R04_EVER_NEVER_GRILLO = 2.
Ever or Never users - Filtered cigars R04_EVER_NEVER_GFILTR	(1) Ever user = Adult respondents who have ever smoked a filtered cigar and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a filtered cigar.	IF (R03_EVER_NEVER_GFILTR = 1 OR R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1 AND R04_AG9004_RS = 1 AND R04_AG9009_RS_02 = 1) OR R04_AG1003FC = 1 OR R04_AG1003FC = 2) AND R04_AG1010FC != 3, THEN R04_EVER_NEVER_GFILTR = 1. ELSE, IF R04_EVER_NEVER_GFILTR != 1, THEN R04_EVER_NEVER_GFILTR = 2.
Initiators – Traditional Cigars R04_INIT_GTRAD_ADULT	(1) Initiator = Adult respondents who initiated traditional cigar use between	IF R03_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	Waves or new cohort adult respondents who have ever smoked a traditional cigar. (2) Non-initiator = Adult respondents who did not initiate traditional cigar use between Waves or new cohort adult respondents who have not ever smoked a traditional cigar.	R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_INIT_GTRAD_ADULT = 1. ELSE, R04_INIT_GTRAD_ADULT = 2.
Initiators – Cigarillos R04_INIT_GRILLO_ADULT	(1) Initiator = Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo. (2) Non-initiator = Adult respondents who did not initiate cigarillo use between Waves or new cohort adult respondents who have not ever smoked a cigarillo.	IF R03_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_INIT_GRILLO_ADULT = 1. ELSE, R04_INIT_GRILLO_ADULT = 2.
Initiators – Filtered Cigars R04_INIT_GFILTR_ADULT	(1) Initiator = Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who ever smoked a filtered cigar. (2) Non-initiator = Adult respondents who did not initiate filtered cigar use between Waves or new cohort adult respondents who have not ever smoked a filtered cigar.	IF R03_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_INIT_GFILTR_ADULT = 1. ELSE, R04_INIT_GFILTR_ADULT = 2.
Past 12 Month Blunt-Only Users – Traditional Cigars R04_12MBLUNT_ONLY_BTRAD	(1) Past 12 month blunt-only smoker = Adult respondents who smoke traditional cigars as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke traditional cigars as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_01 = 1 AND R04_AG9106_01 = 1, THEN R04_12MBLUNT_ONLY_BTRAD = 1. ELSE, R04_12MBLUNT_ONLY_BTRAD = 2.
Past 12 Month Blunt-Only Users – Cigarillos R04_12MBLUNT_ONLY_BRILLO	(1) Past 12 month blunt-only smoker = Adult respondents who smoke cigarillos	IF R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_12MBLUNT_ONLY_BRILLO =

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke cigarillos as blunts everytime when smoked in the past 12 months.	1. ELSE, R04_12MBLUNT_ONLY_BRILLO = 2.
Past 12 Month Blunt-Only Users – Filtered Cigars R04_12MBLUNT_ONLY_BFILTR	(1) Past 12 month blunt-only smoker = Adult respondents who smoke filtered cigars as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke filtered cigars as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_12MBLUNT_ONLY_BFILTR = 1. ELSE, R04_12MBLUNT_ONLY_BFILTR = 2.
Initiators – Blunt-only Traditional Cigars R04_INIT_BLUNT_BTRAD_ADULT	(1) Initiator = Adult respondents who initiated smoking traditional cigars as blunts between Waves or or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking traditional cigars as blunts between Waves or or new cohort adult respondents who have not ever used traditional cigars as blunts.	IF R03_EVER_NEVER_BTRAD != 1 AND (R04_AG1095_01 = 1 AND R04_AG9106_01 = 1), THEN R04_INIT_BLUNT_BTRAD_ADULT = 1. ELSE, R04_INIT_BLUNT_BTRAD_ADULT = 2.
Initiators – Blunt-only Cigarillos R04_INIT_BLUNT_BRILLO_ADULT	(1) Initiator = Adult respondents who initiated smoking cigarillos as blunts between Waves or or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking cigarillos as blunts between Waves or or new cohort	IF R03_EVER_NEVER_BRILLO != 1 AND R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_INIT_BLUNT_BRILLO_ADULT = 1. ELSE, R04_INIT_BLUNT_BRILLO_ADULT = 2.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	adult respondents who have not ever used cigarillos as blunts.	
Initiators – Blunt-only Filtered Cigars R04_INIT_BLUNT_BFILTR_ADULT	(1) Initiator = Adult respondents who initiated smoking filtered cigars as blunts between Waves or or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking filtered cigars as blunts between Waves or or new cohort adult respondents who have not ever used filtered cigars as blunts.	IF R03_EVER_NEVER_BFILTR != 1 AND R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_INIT_BLUNT_BFILTR_ADULT = 1. ELSE, R04_INIT_BLUNT_BFILTR_ADULT = 2.
Traditional cigar user status R04_GTRAD_USER_STATUS	(1) Current user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked traditional cigars fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former traditional cigar smokers at the previous wave and aged-up adult respondents who ever smoked traditional cigars at the previous wave, who have ever smoked traditional cigars	IF (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG1003TC = 1 OR R04_AG1003TC = 2), THEN R04_GTRAD_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG1003TC = 1 OR R04_AG1003TC = 2), THEN R04_GTRAD_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3), THEN R04_GTRAD_USER_STATUS = 3. ELSE, IF (R03_GTRAD_USER_STATUS = 1 OR R03_GTRAD_USER_STATUS = 2 OR R03_GTRAD_USER_STATUS = 3 OR (R04_INIT_GTRAD_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AG1009TC_NN <= 365 AND

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since the previous wave, who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN &lt;= 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN &lt;= 1 AND R04_AG1009TC_UN = 3)))) AND (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1, THEN R04_GTRAD_USER_STATUS = 4. ELSE, IF (R03_GTRAD_USER_STATUS = 4 OR R03_GTRAD_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100TC = 1 AND ((R04_AG1009TC_NN &gt; 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN &gt; 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN &gt; 1 AND R04_AG1009TC_UN = 3)))) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1, THEN R04_GTRAD_USER_STATUS = 5. ELSE, R04_GTRAD_USER_STATUS = 8.</p>
<p>Cigarillo user status R04_GRILLO_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never smoked cigarillos fairly regularly, and currently smokes every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never smoked cigarillos fairly regularly, and did not smoke in the past 12 months or currently</p>	<p>IF (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND (R04_AG1003CG = 1 OR R04_AG1003CG = 2), THEN R04_GRILLO_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND (R04_AG1003CG = 1 OR R04_AG1003CG = 2), THEN R04_GRILLO_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>smokes not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former cigarillo smokers at the previous wave and aged-up adult respondents who ever smoked cigarillos at the previous wave, who have ever smoked cigarillos fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since the previous wave, who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former cigarillo traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre>((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3), THEN R04_GRILLO_USER_STATUS = 3. ELSE, IF (R03_GRILLO_USER_STATUS = 1 OR R03_GRILLO_USER_STATUS = 2 OR R03_GRILLO_USER_STATUS = 3 OR (R04_INIT_GRILLO_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009CG_NN &lt;= 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN &lt;= 12 AND R04_AG1009CG_UN = 2) OR R04_AG1009CG_NN &lt;= 1 AND R04_AG1009CG_UN = 3)))) AND (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1, THEN R04_GRILLO_USER_STATUS = 4. ELSE, IF (R03_GRILLO_USER_STATUS = 4 OR R03_GRILLO_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100CG = 1 AND ((R04_AG1009CG_NN &gt; 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN &gt; 12 AND R04_AG1009CG_UN = 2) OR (R04_AG1009CG_NN &gt; 1 AND</pre>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		R04_AG1009CG_UN = 3)))) AND (((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1, THEN R04_GRILLO_USER_STATUS = 5. ELSE, R04_GRILLO_USER_STATUS = 8.
Filtered cigar user status R04_GFILTR_USER_STATUS	(1) Current user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked filtered cigars fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former filtered cigar smokers at the previous wave and aged-up adult respondents who ever smoked filtered cigars at the previous wave, who have ever smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated filtered smoking since the previous wave, who	IF (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND (R04_AG1003FC = 1 OR R04_AG1003FC = 2), THEN R04_GFILTR_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND (R04_AG1003FC = 1 OR R04_AG1003FC = 2), THEN R04_GFILTR_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3), THEN R04_GFILTR_USER_STATUS = 3. ELSE, IF (R03_GFILTR_USER_STATUS = 1 OR R03_GFILTR_USER_STATUS = 2 OR R03_GFILTR_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_GFILTR_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009FC_NN <= 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN <= 12 AND

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.            (5) Long-term former user = Aged-up and continuing adult respondents who were former filtered cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, who did not smoke in the past 12 months.            (8) Unknown / missing = Unknown or missing</p>	<p>R04_AG1009FC_UN = 2) OR            R04_AG1009FC_NN &lt;= 1 AND            R04_AG1009FC_UN = 3)))) AND            (R03_REGUSE_GFILTR = 1 OR            R04_AG1100FC = 1) AND            ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR            R04_AG1003FC = 3) AND            R04_EVER_NEVER_GFILTR = 1, THEN            R04_GFILTR_USER_STATUS = 4.            ELSE, IF (R03_GFILTR_USER_STATUS = 4            OR R03_GFILTR_USER_STATUS = 5 OR            (R04_ADULTTYPE = 3 AND R04_AG1100FC = 1 AND ((R04_AG1009FC_NN &gt; 365 AND            R04_AG1009FC_UN = 1) OR            (R04_AG1009FC_NN &gt; 12 AND            R04_AG1009FC_UN = 2) OR            (R04_AG1009FC_NN &gt; 1 AND            R04_AG1009FC_UN = 3)))) AND            ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR            R04_AG1003FC = 3) AND            R04_EVER_NEVER_GFILTR = 1, THEN            R04_GFILTR_USER_STATUS = 5.            ELSE, R04_GFILTR_USER_STATUS = 8.</p>
<p>Every day or Some day use - Traditional cigars            R04_CURRENT_GTRAD_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day.            (2) Some day user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes some days.            (8) Unknown / missing = Unknown or missing</p>	<p>IF R04_GTRAD_USER_STATUS = 1 AND            R04_AG1003TC = 1, THEN            R04_CURRENT_GTRAD_USE = 1.            ELSE, IF R04_GTRAD_USER_STATUS = 1            AND R04_AG1003TC = 2, THEN            R04_CURRENT_GTRAD_USE = 2.            ELSE, R04_CURRENT_GTRAD_USE = 8.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Every day or Some day use - Cigarillos R04_CURRENT_GRILLO_USE	(1) Every day user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day. (2) Some day user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 1, THEN R04_CURRENT_GRILLO_USE = 1. ELSE, IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 2, THEN R04_CURRENT_GRILLO_USE = 2. ELSE, R04_CURRENT_GRILLO_USE = 8.
Every day or Some day use - Filtered cigars R04_CURRENT_GFILTR_USE	(1) Every day user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day. (2) Some day user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 1, THEN R04_CURRENT_GFILTR_USE = 1. ELSE, IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 2, THEN R04_CURRENT_GFILTR_USE = 2. ELSE, R04_CURRENT_GFILTR_USE = 8.
Former but Past 30 Day Users – Traditional Cigars R04_FORMER_THIRTYDAY_USER_GTRAD	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former traditional cigar smokers in Wave 4 who have smoked any traditional cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former traditional cigar smokers in Wave 4 who have smoked any traditional cigars in the past 30 days.	IF ((R04_GTRAD_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AG1009TC_NN <= 30 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN = 1 AND R04_AG1009TC_UN = 2) OR R04_AG9030 = 1)) AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_FORMER_THIRTYDAY_USER_GTRAD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GTRAD = 2.
Former but Past 30 Day Users – Cigarillos	(1) Former 30 day user = Adult respondents who are experimental	IF ((R04_GRILLO_USER_STATUS = 3, 4, 5) AND (((1 <= R04_AG1009CG_NN <= 30 AND



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
R04_FORMER_THIRTYDAY_USER_GRILLO	former, recent former, or long-term former cigarillo smokers in Wave 4 who have smoked any cigarillos in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former cigarillo smokers in Wave 4 who have smoked any cigarillos in the past 30 days.	R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN = 1 AND R04_AG1009CG_UN = 2)) OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1)) AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_FORMER_THIRTYDAY_USER_GRILLO = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GRILLO = 2.
Former but Past 30 Day Users – Filtered Cigars R04_FORMER_THIRTYDAY_USER_GFILTR	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former filtered cigar smokers in Wave 4 who have smoked any filtered cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former filtered cigar smokers in Wave 4 who have smoked any filtered cigars in the past 30 days.	IF ((R04_GFILTR_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AG1009FC_NN <= 30 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN = 1 AND R04_AG1009FC_UN = 2) OR R04_AG9049_02 = 1)) AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_FORMER_THIRTYDAY_USER_GFILTR = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GFILTR = 2.
<b>PIPES</b>		
Ever or Never users - Pipes R04_EVER_NEVER_PIPE	(1) Ever user = Adult respondents who have ever smoked a pipe and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a pipe.	IF (R03_EVER_NEVER_PIPE = 1 OR R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR (R04_AP1001_RS = 1 AND R04_AP1002_RS = 1) OR R04_AP1003 = 1 OR R04_AP1003 = 2) AND R04_AP1010 != 3, THEN R04_EVER_NEVER_PIPE = 1. ELSE, IF R04_EVER_NEVER_PIPE != 1, THEN R04_EVER_NEVER_PIPE = 2.
Initiators - Pipes R04_INIT_PIPE_ADULT	(1) Initiator = Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have	IF R03_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_PIPE = 1, THEN R04_INIT_PIPE_ADULT = 1.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	ever smoked a pipe. (2) Non-initiator = Adult respondents who did not initiate pipe use between Waves or new cohort adult respondents who have not ever smoked a pipe.	ELSE, R04_INIT_PIPE_ADULT = 2.
Pipe user status R04_PIPE_USER_STATUS	(1) Current user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked a pipe fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked a pipe fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former pipe smokers at the previous wave and aged-up adult respondents who ever smoked a pipe at the previous wave, who have ever smoked a pipe fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated pipe smoking since the previous wave, who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at	IF (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND (R04_AP1003 = 1 OR R04_AP1003 = 2), THEN R04_PIPE_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1 AND (R04_AP1003 = 1 OR R04_AP1003 = 2), THEN R04_PIPE_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3) AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1, THEN R04_PIPE_USER_STATUS = 3. ELSE, IF (R03_PIPE_USER_STATUS = 1 OR R03_PIPE_USER_STATUS = 2 OR R03_PIPE_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AP1009_NN <= 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN <= 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN <= 1 AND R04_AP1009_UN = 3)))) AND (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN R04_PIPE_USER_STATUS = 4. ELSE, IF (R03_PIPE_USER_STATUS = 4 OR R03_PIPE_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AP1100 = 1

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>all.            (5) Long-term former user = Aged up and continuing adult respondents who were former pipe smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked fairly regularly, who have not smoked in the past 12 months.            (8) Unknown / missing = Unknown or missing</p>	<p>AND ((R04_AP1009_NN &gt; 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN &gt; 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN &gt; 1 AND R04_AP1009_UN = 3))) AND R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN R04_PIPE_USER_STATUS = 5. ELSE, R04_PIPE_USER_STATUS = 8.</p>
<p>Every day or Some day use - Pipes            R04_CURRENT_PIPE_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day.            (2) Some day user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes some days.            (8) Unknown / missing = Unknown or missing</p>	<p>IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 1, THEN R04_CURRENT_PIPE_USE = 1. ELSE, IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 2, THEN R04_CURRENT_PIPE_USE = 2. ELSE, R04_CURRENT_PIPE_USE = 8.</p>
<p>Former but Past 30 Day Users – Pipes            R04_FORMER_THIRTYDAY_USER_PIPE</p>	<p>(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former pipe smokers in Wave 4 who have smoked any pipe tobacco in the past 30 days.            (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former pipe smokers in Wave 4 who have smoked any pipe tobacco in the past 30 days.</p>	<p>IF (R04_PIPE_USER_STATUS = 3, 4, 5 AND (1 &lt;= R04_AP1009_NN &lt;= 30 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN = 1 AND R04_AP1009_UN = 2) OR R04_AP1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_PIPE = 1. ELSE, R04_FORMER_THIRTYDAY_USER_PIPE = 2.</p>
<b>HOOKAH</b>		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Ever or Never users - Hookah R04_EVER_NEVER_HOOK	(1) Ever user = Adult respondents who have ever smoked hookah and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked hookah.	IF (R03_EVER_NEVER_HOOK = 1 OR R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR (R04_AH1001_RS = 1 AND R04_AH1002_RS = 1) OR R04_AH1003 = 1 OR R04_AH1003 = 2) AND R04_AH1010 != 3, THEN R04_EVER_NEVER_HOOK = 1. ELSE, IF R04_EVER_NEVER_HOOK != 1, THEN R04_EVER_NEVER_HOOK = 2.
Initiators - Hookah R04_INIT_HOOK_ADULT	(1) Initiator = Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah. (2) Non-initiator = Adult respondents who did not initiate hookah use between Waves or new cohort adult respondents who have not ever smoked a hookah.	IF R03_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_HOOK = 1, THEN R04_INIT_HOOK_ADULT = 1. ELSE, R04_INIT_HOOK_ADULT = 2.
Hookah user status R04_HOOK_USER_STATUS	(1) Current user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes monthly or more frequently. (2) Experimental current user = Adult respondents who have never smoked hookah fairly regularly, and currently smokes hookah every day, some days, weekly, monthly or in the past 30 days. (3) Experimental former user = Adult respondents who have never smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former hookah smokers at the previous wave and aged-up adult respondents	IF (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND (R04_AH1003 = 1 OR R04_AH1003 = 2 OR R04_AH9003 = 1 OR R04_AH9003 = 2 OR R04_AH9003 = 3), THEN R04_HOOK_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 != 1 AND (R04_AH1003 = 1 OR R04_AH1003 = 2 OR R04_AH9003 = 1 OR R04_AH9003 = 2 OR R04_AH9003 = 3 OR (R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2) OR R04_AH1004 = 1), THEN R04_HOOK_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3) AND R04_AH1100 != 1 AND R03_REGUSE_HOOK != 1, THEN R04_HOOK_USER_STATUS = 3.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>who ever smoked hookah at the previous wave, who have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated hookah smoking since the previous wave, who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former hookah smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a hookah and have smoked fairly regularly, who have not smoked in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>ELSE, IF (R03_HOOK_USER_STATUS = 1 OR R03_HOOK_USER_STATUS = 2 OR R03_HOOK_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_HOOK_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AH1009_NN &lt;= 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN &lt;= 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN &lt;= 1 AND R04_AH1009_UN = 3)))) AND (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 4.</p> <p>ELSE, IF (R03_HOOK_USER_STATUS = 4 OR R03_HOOK_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AH1100 = 1 AND ((R04_AH1009_NN &gt; 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN &gt; 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN &gt; 1 AND R04_AH1009_UN = 3)))) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 5.</p> <p>ELSE, R04_HOOK_USER_STATUS = 8.</p>
<p>Every day or Some day use - Hookah  R04_CURRENT_HOOK_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes every day.</p> <p>(2) Some day user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes some days.</p> <p>(8) Unknown / missing = Unknown or</p>	<p>IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 1 OR R04_AH9003 = 1), THEN R04_CURRENT_HOOK_USE = 1.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 2 OR R04_AH9003 = 2 OR 3) THEN R04_CURRENT_HOOK_USE = 2.</p> <p>ELSE, R04_CURRENT_HOOK_USE = 8.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	missing	
Past 30 Day Users - Hookah R04_THIRTY_DAY_USER_HOOK	(1) Past 30 day user = Adult respondents who have smoked hookah in the past 30 days. (2) Not a past 30 day user = Adult respondents who have not smoked hookah in the past 30 days.	IF ((1 <= R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2)) OR R04_AH1004 = 1, THEN R04_THIRTY_DAY_USER_HOOK = 1. ELSE, R04_THIRTY_DAY_USER_HOOK = 2.
<b>SNUS</b>		
Ever or Never users - Snus R04_EVER_NEVER_SNUS	(1) Ever user = Adult respondents who have ever used snus and did not recant prior use. (2) Never user = Adult respondents who have not ever used snus.	IF (R03_EVER_NEVER_SNUS = 1 OR R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR (R04_AU1001_RS = 1 AND R04_AU1002_RS = 1) OR R04_AU1003 = 1 OR R04_AU1003 = 2) AND R04_AU1010 != 3, THEN R04_EVER_NEVER_SNUS = 1. ELSE, IF R04_EVER_NEVER_SNUS != 1, THEN R04_EVER_NEVER_SNUS = 2.
Initiators – Snus R04_INIT_SNUS_ADULT	(1) Initiator = Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus. (2) Non-initiator = Adult respondents who did not initiate snus use between Waves or new cohort adult respondents who have not ever used snus.	IF R03_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SNUS = 1, THEN R04_INIT_SNUS_ADULT = 1. ELSE, R04_INIT_SNUS_ADULT = 2.
Snus user status R04_SNUS_USER_STATUS	(1) Current user = Adult respondents who have ever used snus fairly regularly, and currently uses it every day or some days. (2) Experimental current user = Adult respondents who have never used snus fairly regularly, and currently uses it every day or some days. (3) Experimental former user = Adult respondents who have never used snus	IF (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND (R04_AU1003 = 1 OR R04_AU1003 = 2), THEN R04_SNUS_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1 AND (R04_AU1003 = 1 OR R04_AU1003 = 2), THEN R04_SNUS_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3) AND R03_REGUSE_SNUS != 1 AND

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>fairly regularly, and did not use it in the past 12 months or currently uses it not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former snus users at the previous wave and aged-up adult respondents who ever used snus at the previous wave, who have ever used snus fairly regularly, and did not use snus in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated snus use since the previous wave, who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all.</p> <p>(5) Long-term former user = Adult respondents who were former snus users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used snus and have ever used snus fairly regularly, who have not used snus in the past 12 months..</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>R04_AU1100 != 1, THEN  R04_SNUS_USER_STATUS = 3.  ELSE, IF (R03_SNUS_USER_STATUS = 1 OR  R03_SNUS_USER_STATUS = 2 OR  R03_SNUS_USER_STATUS = 3 OR  (R04_ADULTTYPE != 3 AND  R04_INIT_SNUS_ADULT = 1) OR  (R04_ADULTTYPE = 2 AND  R03_EVER_NEVER_SNUS = 1) OR  (R04_ADULTTYPE = 3 AND ((R04_AU1009_NN  &lt;= 365 AND R04_AU1009_UN = 1) OR  (R04_AU1009_NN &lt;= 12 AND  R04_AU1009_UN = 2) OR (R04_AU1009_NN  &lt;= 1 AND R04_AU1009_UN = 3)))) AND  (R03_REGUSE_SNUS = 1 OR R04_AU1100 =  1) AND R04_EVER_NEVER_SNUS = 1 AND  (R04_AU1002_12M = 2 OR R04_AU1003 = 3),  THEN R04_SNUS_USER_STATUS = 4.  ELSE, IF (R03_SNUS_USER_STATUS = 4 OR  R03_SNUS_USER_STATUS = 5 OR  (R04_ADULTTYPE = 3 AND R04_AU1100 = 1  AND ((R04_AU1009_NN &gt; 365 AND  R04_AU1009_UN = 1) OR (R04_AU1009_NN &gt;  12 AND R04_AU1009_UN = 2) OR  (R04_AU1009_NN &gt; 1 AND R04_AU1009_UN =  3)))) AND R04_EVER_NEVER_SNUS = 1 AND  (R04_AU1002_12M = 2 OR R04_AU1003 = 3),  THEN R04_SNUS_USER_STATUS = 5.  ELSE, R04_SNUS_USER_STATUS = 8.</p>
<p>Every day or Some day use - Snus  R04_CURRENT_SNUS_USE</p>	<p>(1) Every day user = Adult respondents who have ever used snus fairly regularly, and currently uses it every day.</p>	<p>IF R04_SNUS_USER_STATUS = 1 AND  R04_AU1003 = 1, THEN  R04_CURRENT_SNUS_USE = 1.  ELSE, IF R04_SNUS_USER_STATUS = 1 AND</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	(2) Some day user = Adult respondents who have ever used snus fairly regularly, and currently uses it some days. (8) Unknown / missing = Unknown or missing	R04_AU1003 = 2, THEN R04_CURRENT_SNUS_USE = 2. ELSE, R04_CURRENT_SNUS_USE = 8.
Former but Past 30 Day Users – Snus R04_FORMER_THIRTYDAY_USER_SNUS	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former snus users in Wave 4 who have used any snus in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former snus users in Wave 4 who have used any snus in the past 30 days.	IF (R04_SNUS_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AU1009_NN <= 30 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN = 1 AND R03_AU1009_UN = 2) OR R04_AU1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_SNUS = 2.
<b>SMOKELESS TOBACCO</b>		
Ever or Never users - Smokeless tobacco R04_EVER_NEVER_SMKLS	(1) Ever user = Adult respondents who have ever used smokeless tobacco and did not recant prior use. (2) Never user = Adult respondents who have not ever used smokeless tobacco.	IF (R03_EVER_NEVER_SMKLS = 1 OR R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR (R04_AS1001_RS = 1 AND R04_AS1002_RS = 1) OR R04_AS1003 = 1 OR R04_AS1003 = 2) AND R04_AS1010 != 3, THEN R04_EVER_NEVER_SMKLS = 1. ELSE, IF R04_EVER_NEVER_SMKLS != 1, THEN R04_EVER_NEVER_SMKLS = 2.
Initiators – Smokeless Tobacco R04_INIT_SMKLS_ADULT	(1) Initiator = Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco. (2) Non-initiator = Adult respondents who did not initiate smokeless tobacco use between Waves or new cohort adult respondents who have not ever used	IF R03_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_SMKLS = 1, THEN R04_INIT_SMKLS_ADULT = 1. ELSE, R04_INIT_SMKLS_ADULT = 2.



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Smokeless tobacco user status R04_SMKLS_USER_STATUS	<p>smokeless tobacco.</p> <p>(1) Current user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never used smokeless tobacco fairly regularly, and currently uses it every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never used smokeless tobacco fairly regularly, and did not use it in the past 12 months or currently uses it not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former smokeless tobacco users at the previous wave and aged-up adult respondents who ever used smokeless tobacco at the previous wave, who have ever used smokeless tobacco fairly regularly, and did not use smokeless tobacco in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since the previous wave, who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all.</p>	<p>IF (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND (R04_AS1003 = 1 OR R04_AS1003 = 2), THEN  R04_SMKLS_USER_STATUS = 1.  ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1 AND (R04_AS1003 = 1 OR R04_AS1003 = 2), THEN R04_SMKLS_USER_STATUS = 2.  ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3) AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1, THEN  R04_SMKLS_USER_STATUS = 3.  ELSE, IF (R03_SMKLS_USER_STATUS = 1 OR R03_SMKLS_USER_STATUS = 2 OR R03_SMKLS_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SMKLS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AS1009_NN &lt;= 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN &lt;= 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN &lt;= 1 AND R04_AS1009_UN = 3)))) AND (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 4.  ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_SMKLS_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AS1100 = 1 AND ((R04_AS1009_NN &gt; 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN &gt; 12 AND R04_AS1009_UN = 2) OR</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>(5) Long-term former user = Adult respondents who were former smokeless tobacco users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, who have not used smokeless tobacco in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>(R04_AS1009_NN &gt; 1 AND R04_AS1009_UN = 3))) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 5. ELSE, R04_SMKLS_USER_STATUS = 8.</p>
<p>Every day or Some day use - Smokeless tobacco  R04_CURRENT_SMKLS_USE</p>	<p>(1) Every day user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day.</p> <p>(2) Some day user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it some days.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 1, THEN  R04_CURRENT_SMKLS_USE = 1.  ELSE, IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 2, THEN  R04_CURRENT_SMKLS_USE = 2.  ELSE, R04_CURRENT_SMKLS_USE = 8.</p>
<p>Former but Past 30 Day Users – Smokeless Tobacco  R04_FORMER_THIRTYDAY_USER_SMKLS</p>	<p>(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former smokeless tobacco users in Wave 4 who have used any smokeless tobacco in the past 30 days.</p> <p>(2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former smokeless tobacco users in Wave 4 who have used any smokeless tobacco in the past 30 days.</p>	<p>IF (R04_SMKLS_USER_STATUS = 3, 4, 5) AND ((1 &lt;= R04_AS1009_NN &lt;= 30 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN = 1 AND R04_AS1009_UN = 2) OR R04_AS1004 = 1), THEN  R04_FORMER_THIRTYDAY_USER_SMKLS = 1.  ELSE,  R04_FORMER_THIRTYDAY_USER_SMKLS = 2.</p>
<b>DISSOLVABLE TOBACCO</b>		

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Ever or Never users - Dissolvable tobacco R04_EVER_NEVER DISSBL	(1) Ever user = Adult respondents who have ever used dissolvable tobacco. (2) Never user = Adult respondents who have not ever used dissolvable tobacco.	IF (R04_AD1001_RS = 1 AND R04_AD1002_RS = 1) OR R03_EVER_NEVER DISSBL = 1 OR R04_AD1002_12M = 1, THEN R04_EVER_NEVER DISSBL = 1. ELSE, IF R04_EVER_NEVER DISSBL != 1, THEN R04_EVER_NEVER DISSBL = 2.
<b>TOBACCO (GENERAL)</b>		
Ever Users - Tobacco R04_EVER_NEVER TOBACCO	(1) Ever user = Adult respondents who have ever used any tobacco product(s). (2) Never user = Adult respondents who have never used any tobacco product(s).	IF R04_EVER_NEVER_CIGS = 1 OR R04_EVER_NEVER_EPRODS = 1 OR R04_EVER_NEVER_GTRAD = 1 OR R04_EVER_NEVER_GRILLO = 1 OR R04_EVER_NEVER_GFILTR = 1 OR R04_EVER_NEVER_PIPE = 1 OR R04_EVER_NEVER_HOOK = 1 OR R04_EVER_NEVER_SMKLS = 1 OR R04_EVER_NEVER_SNUS = 1 OR R04_EVER_NEVER DISSBL = 1, THEN R04_EVER_NEVER TOBACCO = 1. ELSE, R04_EVER_NEVER TOBACCO = 2.
Tobacco user status R04_TOBACCO_USER_STATUS	(1) Current user = Adult respondents who are current users of at least one tobacco product (including electronic nicotine products). (2) Experimental current user = Adult respondents who are experimental current users of any tobacco product (including e-products), and are not current or recent former users of any other tobacco products (including e-products). (3) Experimental former user = Adult respondents who are experimental former users of any tobacco product	IF (R04_CIG_USER_STATUS = 1 OR R04_EPROD_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR R04_GRILLO_USER_STATUS = 1 OR R04_GFILTR_USER_STATUS = 1 OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1 OR R04_SNUS_USER_STATUS = 1), THEN R04_TOBACCO_USER_STATUS = 1. ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_EPROD_USER_STATUS = 4 OR R04_GTRAD_USER_STATUS = 4 OR R04_GRILLO_USER_STATUS = 4 OR

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>(including e-products), and are not current, experimental current, recent former, or long-term former users of any other tobacco products (including e-products).</p> <p>(4) Recent former user = Adult respondents who are recent former users of any tobacco product (including e-products), and are not current users of any other tobacco products (including e-products).</p> <p>(5) Long-term former user = Adult respondents who are long-term former established users of a tobacco product (including e-products), and are not current user, experimental current, or recent former users of any other tobacco products (including e-products).</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>R04_GFILTR_USER_STATUS = 4 OR  R04_PIPE_USER_STATUS = 4 OR  R04_HOOK_USER_STATUS = 4 OR  R04_SMKLS_USER_STATUS = 4 OR  R04_SNUS_USER_STATUS = 4), THEN  R04_TOBACCO_USER_STATUS = 4.  ELSE, IF (R04_CIG_USER_STATUS = 2 OR  R04_EPROD_USER_STATUS = 2 OR  R04_GTRAD_USER_STATUS = 2 OR  R04_GRILLO_USER_STATUS = 2 OR  R04_GFILTR_USER_STATUS = 2 OR  R04_PIPE_USER_STATUS = 2 OR  R04_HOOK_USER_STATUS = 2 OR  R04_SMKLS_USER_STATUS = 2 OR  R04_SNUS_USER_STATUS = 2), THEN  R04_TOBACCO_USER_STATUS = 2.  ELSE, IF (R03_CIG_USER_STATUS = 5 OR  R03_EPROD_USER_STATUS = 5 OR  R03_GTRAD_USER_STATUS = 5 OR  R03_GRILLO_USER_STATUS = 5 OR  R03_GFILTR_USER_STATUS = 5 OR  R03_PIPE_USER_STATUS = 5 OR  R03_HOOK_USER_STATUS = 5 OR  R03_SMKLS_USER_STATUS = 5 OR  R03_SNUS_USER_STATUS = 5), THEN  R04_TOBACCO_USER_STATUS = 5.  ELSE, IF (R04_CIG_USER_STATUS = 3 OR  R04_EPROD_USER_STATUS = 3 OR  R04_GTRAD_USER_STATUS = 3 OR  R04_GRILLO_USER_STATUS = 3 OR  R04_GFILTR_USER_STATUS = 3 OR  R04_PIPE_USER_STATUS = 3 OR  R04_HOOK_USER_STATUS = 3 OR  R04_SMKLS_USER_STATUS = 3 OR  R04_SNUS_USER_STATUS = 3), THEN  R04_TOBACCO_USER_STATUS = 3.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Tobacco user status (excluding e-products) R04_TOBXEPROD_USER_STATUS	(1) Current user = Adult respondents who are current users of at least one tobacco product other than electronic nicotine products. (2) Experimental current user = Adult respondents who are experimental current users of any tobacco product other than electronic nicotine products, and are not current or recent former users of any tobacco products. (3) Experimental former user = Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products. (4) Recent former user = Adult respondents who are recent former users of any tobacco product other than electronic nicotine products, and are not current users of any tobacco products other than electronic nicotine products. (5) Long-term former user = Adult respondents who are long-term former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products other than electronic nicotine products. (8) Unknown / missing = Unknown or missing	ELSE, R04_TOBACCO_USER_STATUS = 8.  IF (R04_CIG_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR R04_GRILLO_USER_STATUS = 1 OR R04_GFILTR_USER_STATUS = 1 OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1 OR R04_SNUS_USER_STATUS = 1), THEN R04_TOBXEPROD_USER_STATUS = 1. ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_GTRAD_USER_STATUS = 4 OR R04_GRILLO_USER_STATUS = 4 OR R04_GFILTR_USER_STATUS = 4 OR R04_PIPE_USER_STATUS = 4 OR R04_HOOK_USER_STATUS = 4 OR R04_SMKLS_USER_STATUS = 4 OR R04_SNUS_USER_STATUS = 4), THEN R04_TOBXEPROD_USER_STATUS = 4. ELSE, IF (R04_CIG_USER_STATUS = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_SNUS_USER_STATUS = 2), THEN R04_TOBXEPROD_USER_STATUS = 2. ELSE, IF (R04_CIG_USER_STATUS = 5 OR R04_GTRAD_USER_STATUS = 5 OR R04_GRILLO_USER_STATUS = 5 OR R04_GFILTR_USER_STATUS = 5 OR R04_PIPE_USER_STATUS = 5 OR R04_HOOK_USER_STATUS = 5 OR R04_SMKLS_USER_STATUS = 5 OR R04_SNUS_USER_STATUS = 5), THEN

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		R04_TOBXEPROD_USER_STATUS = 5. ELSE, IF (R04_CIG_USER_STATUS = 3 OR R04_GTRAD_USER_STATUS = 3 OR R04_GRILLO_USER_STATUS = 3 OR R04_GFILTR_USER_STATUS = 3 OR R04_PIPE_USER_STATUS = 3 OR R04_HOOK_USER_STATUS = 3 OR R04_SMKLS_USER_STATUS = 3 OR R04_SNUS_USER_STATUS = 3), THEN R04_TOBXEPROD_USER_STATUS = 3. ELSE, R04_TOBXEPROD_USER_STATUS = 8.
Every day or Some day use - tobacco R04_CURRENT_TOBACCO_USE	(1) Every day user = Adult respondents who are every day users of at least one tobacco product, or who are someday users of multiple products and use at least one each day. (2) Some day user = Adult respondents who are some day users of at least one tobacco product. (8) Unknown / missing = Unknown or missing	IF (R04_CURRENT_CIG_USE = 1 OR R04_CURRENT_EPROD_USE = 1 OR R04_CURRENT_GTRAD_USE = 1 OR R04_CURRENT_GRILLO_USE = 1 OR R04_CURRENT_GFILTR_USE = 1 OR R04_CURRENT_PIPE_USE = 1 OR R04_CURRENT_HOOK_USE = 1 OR R04_CURRENT_SMKLS_USE = 1 OR R04_CURRENT_SNUS_USE = 1) OR R04_AY0005 = 1, THEN R04_CURRENT_TOBACCO_USE = 1. ELSE, IF R04_CURRENT_CIG_USE = 2 OR R04_CURRENT_EPROD_USE = 2 OR R04_CURRENT_GTRAD_USE = 2 OR R04_CURRENT_GRILLO_USE = 2 OR R04_CURRENT_GFILTR_USE = 2 OR R04_CURRENT_PIPE_USE = 2 OR R04_CURRENT_HOOK_USE = 2 OR R04_CURRENT_SMKLS_USE = 2 OR R04_CURRENT_SNUS_USE = 2, THEN R04_CURRENT_TOBACCO_USE = 2. ELSE, R04_CURRENT_TOBACCO_USE = 8.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

**APPENDIX: DERIVED VARIABLES**

Variable Name	Variable Description	Variable Definition
R04_CIGSPERDAY	Estimate of cigarettes smoked per day when actual number is DK/RF.	IF R04_AC1090 = 1, THEN R04_CIGSPERDAY2 = “more than 20 cigarettes each day”. IF R04_AC1090 = 2, THEN R04_CIGSPERDAY2 = “about 20 cigarettes each day”. IF R04_AC1090 = 3, THEN R04_CIGSPERDAY2 = “less than 20 cigarettes each day”.
R04_PCKSPERDAY	Number of packs smoked per day.	IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 2, THEN R04_PCKSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 2, THEN R04_PCKSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND R04_AC9003_UN = 2, THEN R04_PCKSPERDAY = R04_AC9003_NN.
R04_EPRODCOUNT	Number of electronic nicotine products used.	R04_EPRODCOUNT = 0 IF R04_AV9035_01 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_02 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_03 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_04 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_05 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1.
R04_EDEVICETYPE	E-product device type.	IF R04_AV9005 = 2, -8 OR -7 AND R04_AV9008 = 2, -8 OR -7 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 2, -8 OR -7, THEN

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_EDEVICETYPE = 1 (Disposable).</p> <p>ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 2, -8 OR -7, THEN R04_EDEVICETYPE = 2 (Non-Refillable Cartridge).</p> <p>ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 != 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 3 (Refillable Cartridge).</p> <p>ELSE, IF R04_AV9005 = 1 AND R04_AV9038 = 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 4 (Refillable Tank System).</p> <p>ELSE, IF R04_AV9005 = 1, 2, -8 OR -7 AND R04_AV9008 = 2, -8 OR -7 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 5 (Refillable Mod System).</p> <p>ELSE, R04_EDEVICETYPE = 6 (Unknown).</p>
CIGARLOOP1	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06.</p> <p>GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts everytime when smoked in the past 12 months.</p> <p>GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts everytime when smoked in the past 12 months.</p> <p>GFILTR = Adult respondents who</p>	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06.</p> <p>GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD.</p> <p>GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO.</p> <p>GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO NOT ASK ITEM</p>



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO NOT ASK ITEM R04_AG1010.</p> <p>BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.</p> <p>BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.</p>	<p>R04_AG1010.</p> <p>BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.</p> <p>BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.</p> <p>BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.</p>
CIGARLOOP2	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080.</p> <p>GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts everyt</p>	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080.</p> <p>GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD.</p> <p>GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>ime when smoked in the past 12 months.</p> <p>GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months.</p> <p>GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1071, R04_AG1049, R04_AG1050, R04_AG1012, and R04_AGR04</p> <p>BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12</p>	<p>R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO.</p> <p>GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1049, R04_AG1071, R04_AG1050, R04_AG1012, and R04_AGR04</p> <p>BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.</p> <p>BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.</p> <p>BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>months.</p> <p>BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.</p>	
R04_TOBACCO_PRODUCT_LIST	<p>A list of all the tobacco products the respondent currently uses.</p> <p>DISPLAY: For [TOBACCO PRODUCT LIST] embedded in the question text, display the product names in lowercase letters. If [TOBACCO PRODUCT LIST] has two products, connect the products with "and". If [TOBACCO PRODUCT LIST] has three or more products, connect the products with commas and include "and" before the final product in the list.</p>	<p>If R04_CIG_USER_STATUS = 1, include "cigarettes".</p> <p>If R04_EPROD_USER_STATUS = 1, include "electronic nicotine products".</p> <p>If R04_GTRAD_USER_STATUS= 1, include "traditional cigars" in the list.</p> <p>If R04_GRILLO_USER_STATUS = 1, include "cigarillos" in the list.</p> <p>If R04_GFILTR_USER_STATUS= 1, include "filtered cigars" in the list.</p> <p>If R04_PIPE_USER_STATUS = 1, include "a pipe" in the list.</p> <p>If R04_HOOK_USER_STATUS = 1, include "hookah" in the list.</p> <p>If R04_SNUS_USER_STATUS = 1, include "snus" in the list.</p> <p>If R04_SMKLS_USER_STATUS = 1, include "smokeless tobacco" in the list.</p>
R04_CURRENT_PRODUCT_COUNT	<p>Number of tobacco products the respondent currently uses every day or some days.</p>	<p>0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT &gt;1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.</p>
R04_EVERY_DAY_PRODUCT_COUNT	<p>Number of tobacco products the respondent currently uses every day.</p>	<p>0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH,</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses somedays.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_EXPERIMENTAL_PRODUCT_COUNT	Number of tobacco products the respondent currently uses experimentally.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_RECENT_FORMER_PRODUCT_COUNT	Number of tobacco products the respondent is a recent former user of.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A RECENT FORMER USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_NDSKIP	Type of product use -- polyusers or multiple product users	R04_NDSKIP: IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R04_EPROD_USER_STATUS != 1, 4, THEN R04_NDSKIP = 1. ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 3)

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>AND R04_EPROD_USER_STATUS = 1, 4, THEN  R04_NDSKIP = 2.</p> <p>ELSE, IF (R04_CURRENT_PRODUCT_COUNT +  R04_RECENT_FORMER_PRODUCT_COUNT = 2)  AND R04_EPROD_USER_STATUS = 1, 4, THEN  R04_NDSKIP = 3.</p> <p>ELSE, IF R04_CURRENT_PRODUCT_COUNT +  R04_RECENT_FORMER_PRODUCT_COUNT = 1,  THEN R04_NDSKIP = 0.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT  &gt;= 2 AND R04_TOBACCO_USER_STATUS = 2 AND  R04_EPROD_USER_STATUS != 2, THEN  R04_NDSKIP = 1.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT  &gt;= 3 AND R04_TOBACCO_USER_STATUS = 2 AND  R04_EPROD_USER_STATUS = 2, THEN  R04_NDSKIP = 2.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT  = 2 AND R04_TOBACCO_USER_STATUS = 2 AND  R04_EPROD_USER_STATUS = 2, THEN  R04_NDSKIP = 3.</p> <p>ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT  = 1 AND R04_TOBACCO_USER_STATUS = 2, THEN  R04_NDSKIP = 0.</p>
R04_GROUP	Type of product use -- single product users	<p>IF R04_NDSKIP = 0:</p> <p>IF (R04_CIG_USER_STATUS = 1 OR 4) AND  (R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NF.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF R04_PIPE_USER_STATUS = 1 OR 4 AND  (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 1 OR 4 AND  (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN</p>



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_SNUS_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4), THEN  R04_GROUP = NS.</p> <p>ELSE, IF R04_CIG_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4) THEN  R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4) THEN  R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4) THEN  R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4) THEN  R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 2 AND  (R04_TOBACCO_USER_STATUS != 1 AND  R04_TOBACCO_USER_STATUS != 4) THEN</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NS.</p> <p>IF R04_NDSKIP = 3:</p> <p>IF (R04_CIG_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NC.</p> <p>ELSE, IF (R04_GTRAD_USER_STATUS = 1 OR 4</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NG.</p> <p>ELSE, IF (R04_GRILLO_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NL.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF (R04_GFILTR_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NF.</p> <p>ELSE, IF (R04_PIPE_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NP.</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF (R04_HOOK_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NH.</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GROUP = NU.</p> <p>ELSE, IF (R04_SMKLS_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4), THEN R04_GROUP = NS.</p> <p>ELSE, IF R04_CIG_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND</p>

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>(R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NS.</p>



**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
R04_VALID_TIME_LASTUSED	Respondent is a recent former user of a product answered R04_A*1009 with a valid response (excluding e-products).	IF (R04_CIG_USER_STATUS = 4 AND R04_AC1009_NN > 0) OR (R04_AG1009TC_NN > 0 AND R04_GTRAD_USER_STATUS = 4) OR (R04_GRILLO_USER_STATUS = 4 AND R04_AG1009CG_NN > 0) OR (R04_GFILTR_USER_STATUS = 4 AND R04_AG1009FC_NN > 0) OR (R03_HOOK_USER_STATUS = 4 AND R04_AH1009_NN > 0) OR (R04_PIPE_USER_STATUS = 4 AND R04_AP1009_NN > 0) OR (R04_SNUS_USER_STATUS = 4 AND R04_AU1009_NN > 0) OR (R04_SMKLS_USER_STATUS = 4 AND R04_AS1009_NN > 0), THEN R04_VALID_TIME_LASTUSED = 1. ELSE, R04_VALID_TIME_LASTUSED = 2.
Twelve month quit status (e-products) R04_TWELVEMONTHQUIT_STATUS_EPROD	(1) 12 month quit attempter = Adult respondents who have quit or attempted to quit e-products in the past 12 months. (2) 12 month reducer = Adult respondents who have cut down their e-product use in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R04_AN0105E = 1 OR R04_EPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 1. ELSE, IF R04_AN0334E = 1, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS_EPROD = 8.
Twelve month quit status (excluding e-products) R04_TWELVEMONTHQUIT_STATUS	(1) 12 month quit attempter = Adult respondents who have quit or attempted to quit tobacco (excluding e-products) in the past 12 months.	IF R04_AN0105 = 1 OR R04_TOBXEPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS = 1. ELSE, IF R04_AN0334 = 1, THEN R04_TWELVEMONTHQUIT_STATUS = 2.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	(2) 12 month reducer = Adult respondents who have cut down their tobacco use (excluding e-products) in the past 12 months. (8) Unknown / missing = Unknown or missing	ELSE, R04_TWELVEMONTHQUIT_STATUS = 8.
R04_ADULT_COPD	Adult respondents who have ever had COPD.	IF (R04_AX0119_NB_01 = 1 OR R04_AX0119_12M_01 = 1 OR R03_COPD = 1) AND R04_AX0733 != 3, THEN R04_ADULT_COPD = 1. ELSE, R04_ADULT_COPD = 2.
R04_ADULT_ASTHMA	(1) Asthma = Adult respondent who ever had asthma. (2) No asthma = Adult respondent who never had asthma.	IF (R03_ASTHMA = 1 OR R04_AX0119_NB_04 = 1 OR R04_AX0119_12M_04 = 1) AND R04_AX0227 != 6, THEN R04_ADULT_ASTHMA = 1 ELSE, R04_ADULT_ASTHMA = 2.
R04_EVER_USER_ALC	Adult respondent has ever used alcohol.	IF R04_AX0084_RS = 1 OR R04_AX0084_12M = 1 OR R03_EVER_USER_ALCOHOL = 1, THEN R04_EVER_USER_ALC = 1. ELSE, R04_EVER_USER_ALC = 2.
R04_EVER_USER_MJ	Adult respondent has ever used marijuana.	IF R04_AG9107 = 1 OR R04_AG9105_RS = 1 OR R04_AX0085_12M = 1 OR R04_AX0085_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1 OR R03_EVER_USER_MARIJUANA = 1, THEN R04_EVER_USER_MJ = 1. ELSE, R04_EVER_USER_MJ = 2.
R04_EVER_USER_RIT	Adult respondent has ever used Ritalin® or Adderall®.	IF R04_AX0089_12M_01 = 1 OR R04_AX0089_RS_01 = 1 OR R03_EVER_USER_RITALIN = 1, THEN R04_EVER_USER_RIT = 1. ELSE, R04_EVER_USER_RIT = 2.
R04_EVER_USER_PK	Adult respondent has ever used painkillers, sedatives, or	IF R04_AX0089_12M_02 = 1 OR R04_AX0089_RS_02 = 1 OR

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	tranquilizers.	R03_EVER_USER_PAINKILLERS = 1, THEN R04_EVER_USER_PK = 1. ELSE, R04_EVER_USER_PK = 2.
R04_EVER_USER_COC	Adult respondent has ever used cocaine or crack.	IF R04_AX0220_12M_01 = 1 OR R04_AX0220_RS_01 = 1 OR R03_EVER_USER_COCAINE = 1, THEN R04_EVER_USER_COC = 1. ELSE, R04_EVER_USER_COC = 2.
R04_EVER_USER_STIM	Adult respondent has ever used stimulants like methamphetamine or speed.	IF R04_AX0220_12M_02 = 1 OR R04_AX0220_RS_02 = 1 OR R03_EVER_USER_STIMULANTS = 1, THEN R04_EVER_USER_STIM = 1. ELSE, R04_EVER_USER_STIM = 2.
R04_EVER_USER_OTH	Adult respondent has ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R04_AX0220_12M_03 = 1 OR R04_AX0220_RS_03 = 1 OR R03_EVER_USER_OTHERDRUG = 1, THEN R04_EVER_USER_OTH = 1. ELSE R04_EVER_USER_OTH = 2.
R04_SUBSTANCE_COUNT	Number of substances the respondent has ever used.	R04_SUBSTANCE_COUNT = 0;  IF R04_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;  IF R04_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;  IF R04_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;  IF R04_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		IF R04_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;
R04_PASTUSE_CIGS	Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current, experimental former, or new former cigarette smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarettes.	IF (R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R03_CIG_USER_STATUS = 1,2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_CIGS = 1)) AND R04_AC1010 != 3, THEN R04_PASTUSE_CIGS = 1. ELSE, R04_PASTUSE_CIGS = 2.
R04_PASTUSE_EPRODS	Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 and new baseline adult respondents who have ever used electronic nicotine products.	IF (R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR R03_ECIG_USER_STATUS = 1, 2, 3, 4) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_ADULTTYPE = 2, 3)) AND R04_AV1010 != 3, THEN R04_PASTUSE_EPRODS = 1. ELSE, R04_PASTUSE_EPRODS = 2.
R04_PASTUSE_GTRAD	Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former traditional cigar smokers in Wave 3 and new baseline adult	IF (R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR R03_GTRAD_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD = 1)) AND R04_AG1010TC != 3, THEN R04_PASTUSE_GTRAD = 1.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	respondents who have ever smoked traditional cigars.	ELSE, R04_PASTUSE_GTRAD = 2.
R04_PASTUSE_GRILLO	Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarillo smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarillos.	IF (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR R03_GRILLO_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GRILLO = 1)) AND R04_AG1010CG != 3, THEN R04_PASTUSE_GRILLO = 1. ELSE, R04_PASTUSE_GRILLO = 2.
R04_PASTUSE_GFILTR	Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former filtered cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked filtered cigars.	IF (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR R03_GFILTR_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR = 1)) AND R04_AG1010FC != 3, THEN R04_PASTUSE_GFILTR = 1. ELSE, R04_PASTUSE_GFILTR = 2.
R04_PASTUSE_PIPE	Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former pipe smokers in Wave 3 and new baseline adult respondents who have ever smoked pipe tobacco.	IF (R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR R03_PIPE_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_PIPE = 1)) AND R04_AP1010 != 3, THEN R04_PASTUSE_PIPE = 1. ELSE, R04_PASTUSE_PIPE = 2.
R04_PASTUSE_HOOK	Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former	IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR R03_HOOK_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_HOOK = 1)) AND R04_AH1010 != 3, THEN R04_PASTUSE_HOOK = 1.

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	hookah smokers in Wave 3 and new baseline adult respondents who have ever smoked hookah.	ELSE, R04_PASTUSE_HOOK = 2.
R04_PASTUSE_SNUS	Continuing adult respondents who used snus in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former snus users in Wave 3 and new baseline adult respondents who have ever used snus.	IF (R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR R03_SNUS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SNUS = 1)) AND R04_AU1010 != 3, THEN R04_PASTUSE_SNUS = 1. ELSE, R04_PASTUSE_SNUS = 2.
R04_PASTUSE_SMKLS	Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former smokeless tobacco users in Wave 3 and new baseline adult respondents who have ever used smokeless tobacco.	IF (R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR R03_SMKLS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS = 1)) AND R04_AS1010 != 3, THEN R04_PASTUSE_SMKLS = 1. ELSE, R04_PASTUSE_SMKLS = 2.
R04_REGULAR_BRAND	Adult respondent has a regular brand of any tobacco product.	IF R04_AC1047MC = 1 OR R04_AC1047RY = 1 OR R04_AV1047 = 1 OR R04_AG1047TC = 1 OR R04_AG1047CG = 1 OR R04_AG1047FC = 1 OR R04_AP1047 = 1 OR R04_AH1047 = 1 OR R04_AU1047 = 1 OR R04_AS1047 = 1, THEN R04_REGULAR_BRAND = 1. ELSE, R04_REGULAR_BRAND = 2.
R04_NO_REGULAR_BRAND	Adult respondent uses a tobacco product and does not have a regular brand of that tobacco product.	IF (R04_AC1047MC = 2, -8, -7 OR R04_AC1047RY = 2, -8, -7 OR R04_AV1047 = 2, -8, -7 OR R04_AG1047TC = 2, -8, -7 OR R04_AG1047CG = 2, -8, -7 OR R04_AG1047FC = 2, -8, -7 OR R04_AP1047 = 2, -8, -7 OR R04_AH1047 = 2, -8, -7 OR R04_AS1047 = 2, -8, -7 OR R04_AU1047 = 2, -8,

**PATH**  
**Adult Questionnaire – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		-7), THEN R04_NO_REGULAR_BRAND = 1. ELSE, R04_NO_REGULAR_BRAND = 2.

## **Adult Questionnaire (Spanish) – Extended Interview**

---



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**Table of Contents**

---

INTRODUCTORY DEMOGRAPHICS .....	1
TOBACCO USE .....	9
CIGARETTE .....	54
ELECTRONIC NICOTINE PRODUCTS .....	90
CIGAR .....	133
PIPE .....	192
HOOKAH .....	216
SNUS .....	242
SMOKELESS TOBACCO .....	270
NEW PRODUCT - PLACEHOLDER .....	300
POLYUSE .....	302
NICOTINE DEPENDENCE .....	307
PACKAGING AND HEALTH WARNINGS .....	388
RISK PERCEPTIONS AND ATTITUDES .....	405
MEDIA USE .....	428
SECONDHAND SMOKE EXPOSURE .....	433
SOCIAL NORMS, PEER AND FAMILY INFLUENCES .....	439
HEALTH .....	445
MARKETING, ADVERTISING AND PROMOTION .....	534
ADDITIONAL DEMOGRAPHICS .....	541
PRODUCT BARCODE SCANNING MODULE .....	556
CONTACT INFORMATION .....	568
APPENDIX: USER GROUPS .....	580
APPENDIX: DERIVED VARIABLES .....	609

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>SECTION</b>	<b># OF QUESTIONS</b>
Introductory Demographics	9
Tobacco Use	69
Cigarette	55
Electronic Nicotine Products	77
Cigar	75
Pipe	41
Hookah	51
Snus	51
Smokeless Tobacco	50
New Product - Placeholder	5
Polyuse	5
Nicotine Dependence	148
Packaging and Health Warnings	41
Risk Perceptions and Attitudes	66
Media Use	8
Secondhand Smoke Exposure	11
Social Norms, Peer and Family Influences	13
Health	180
Marketing, Advertising and Promotion	17
Additional Demographics	27
Product Barcode Scanning	26
Contact Information	28

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Número de control de la OMB: 0925-0664

Fecha de vencimiento: XX/XX/XXXX

Se calcula que el tiempo para esta recolección de información es de 60 minutos por cuestionario, incluyendo el tiempo necesario para revisar las instrucciones, buscar fuentes de datos existentes, reunir y mantener los datos necesarios y completar y revisar la recolección de información. Ninguna agencia puede realizar ni patrocinar una recolección de información, y ninguna persona está obligada a responder a dicha recolección de información, a menos que esta muestre un número de control vigente de la OMB. Envíe sus comentarios respecto a este cálculo de tiempo o a otro aspecto de esta recolección de información, incluyendo sugerencias de cómo reducir este cálculo de tiempo a: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0664). No devuelva el cuestionario contestado a esta dirección.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## INTRODUCTORY DEMOGRAPHICS

**BOX ID:** R04\_AMV02

PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.

**R03\_CIG\_USER\_STATUS** - Wave 3 cigarette user status (current, experimental current, experimental former, new former, still former)

**R03\_ECIG\_USER\_STATUS** - Wave 3 e-cigarette user status (current, experimental current, experimental former, new former, still former)

**R03\_GTRAD\_USER\_STATUS** - Wave 3 traditional cigar user status (current, experimental current, experimental former, new former, still former)

**R03\_GRILLO\_USER\_STATUS** - Wave 3 cigarillo user status (current, experimental current, experimental former, new former, still former)

**R03\_GFILTR\_USER\_STATUS** - Wave 3 filtered cigar user status (current, experimental current, experimental former, new former, still former)

**R03\_PIPE\_USER\_STATUS** - Wave 3 pipe user status (current, experimental current, experimental former, new former, still former)

**R03\_HOOK\_USER\_STATUS** - Wave 3 hookah user status (current, experimental current, experimental former, new former, still former)

**R03\_SNUS\_USER\_STATUS** - Wave 3 snus user status (current, experimental current, experimental former, new former, still former)

**R03\_SMKLS\_USER\_STATUS** - Wave 3 smokeless tobacco user status (current, experimental current, experimental former, new former, still former)

**R03\_TOBACCO\_USER\_STATUS** - Wave 3 tobacco user status (current, experimental current, experimental former, new former, still former)

**R03\_EVER\_NEVER\_CIGS** - Wave 3 ever or never user of cigarettes

**R03\_EVER\_NEVER\_EPRODS** - Wave 3 ever or never user of e-products

**R03\_EVER\_NEVER\_GTRAD** - Wave 3 ever or never user of traditional cigars

**R03\_EVER\_NEVER\_GRILLO** - Wave 3 ever or never user of cigarillos

**R03\_EVER\_NEVER\_GFILTR** - Wave 3 ever or never user of filtered cigars

**R03\_EVER\_NEVER\_BTRAD** - Wave 3 ever or never user of traditional cigars as blunts

**R03\_EVER\_NEVER\_BRILLO** - Wave 3 ever or never user of cigarillos as blunts

**R03\_EVER\_NEVER\_BFILTR** - Wave 3 ever or never user of filtered cigars as blunts

**R03\_EVER\_NEVER\_PIPE** - Wave 3 ever or never user of pipes

**R03\_EVER\_NEVER\_HOOK** - Wave 3 ever or never user of hookah

**R03\_EVER\_NEVER\_SNUS** - Wave 3 ever or never user of snus

**R03\_EVER\_NEVER\_SMKLS** - Wave 3 ever or never user of smokeless tobacco

**R03\_EVER\_NEVER\_DISSBL** - Wave 3 ever or never user of dissolvable tobacco

**R03\_NUMLIFE\_CIGS** - The respondent reported smoking 100+ cigarettes in their lifetime at any previous wave.

**R03\_NUMLIFE\_EPROD** - The respondent reported using e-cigarettes 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_GTRAD** - The respondent reported smoking 100+ traditional cigars in their lifetime at any previous wave.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**R03\_NUMLIFE\_GRILLO** - The respondent reported smoking 100+ cigarillos in their lifetime at any previous wave.

**R03\_NUMLIFE\_GFILTR** - The respondent reported smoking 100+ filtered cigars in their lifetime at any previous wave.

**R03\_NUMLIFE\_PIPE** - The respondent reported smoking a pipe 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_HOOK** - The respondent reported smoking hookah 100+ times in their lifetime at any previous wave.

**R03\_NUMLIFE\_SNUS** - The respondent reported using 100+ snus pouches in their lifetime at any previous wave.

**R03\_NUMLIFE\_SMKLS** - The respondent reported using smokeless tobacco 100+ times in their lifetime at any previous wave.

**R03\_REGUSE\_CIGS** - The respondent reported smoking cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_EPROD** - The respondent reported using e-cigarettes fairly regularly at any previous wave.

**R03\_REGUSE\_GTRAD** - The respondent reported smoking traditional cigars fairly regularly at any previous wave.

**R03\_REGUSE\_GRILLO** - The respondent reported smoking cigarillos fairly regularly at any previous wave.

**R03\_REGUSE\_GFILTR** - The respondent reported smoking filtered cigars fairly regularly at any previous wave.

**R03\_REGUSE\_PIPE** - The respondent reported smoking a pipe fairly regularly at any previous wave.

**R03\_REGUSE\_HOOK** - The respondent reported smoking hookah fairly regularly at any previous wave.

**R03\_REGUSE\_SNUS** - The respondent reported using snus fairly regularly at any previous wave.

**R03\_REGUSE\_SMKLS** - The respondent reported using smokeless tobacco fairly regularly at any previous wave.

**R03\_GENDER** - Respondent's reported gender

**R03\_PREGNANT** - Respondent reported being pregnant at Wave 3.

**R03\_VA\_HEALTHCARE** - Respondent reported being enrolled in VA health care in any previous wave.

**R03\_ASTHMA** - Respondent reported being diagnosed with asthma in any previous wave.

**R03\_HIGH\_CHOLESTEROL** - Respondent reported being diagnosed with high cholesterol in any previous wave.

**R03\_HIGH\_BLOOD\_PRESSURE** - Respondent reported being diagnosed with high blood pressure in any previous wave.

**R03\_STROKE** - Respondent reported having had a stroke in any previous wave.

**R03\_ANY\_HEART\_CONDITION** - Respondent reported being diagnosed with any heart condition in any previous wave.

**R03\_CANCER** - Respondent reported being diagnosed with cancer in any previous wave.

**R03\_ULCER** - Respondent reported being diagnosed with an ulcer in any previous wave.

**R03\_COPD** - Respondent reported being diagnosed with COPD in any previous wave.

**R03\_DIABETES** - Respondent reported being diagnosed with diabetes in any previous wave.

**R03\_EVER\_USER\_ALCOHOL** - Respondent reported ever using alcohol in any previous wave.

**R03\_EVER\_USER\_MARIJUANA** - Respondent reported ever using marijuana in any previous wave.

**R03\_EVER\_USER\_RITALIN** - Respondent reported ever using ritalin in any previous wave.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**R03\_EVER\_USER\_PAINKILLERS** - Respondent reported ever using painkillers in any previous wave.  
**R03\_EVER\_USER\_COCAINE** - Respondent reported ever using cocaine in any previous wave.  
**R03\_EVER\_USER\_STIMULANTS** - Respondent reported ever using stimulants in any previous wave.  
**R03\_EVER\_USER\_OTHERDRUG** - Respondent reported ever using other drugs in any previous wave.  
**R03\_USCITIZEN** – Respondent reported US citizenship in any previous wave.

**R04\_CONTACTFLAG\_LD** - Adult respondent or parent/guardian of youth respondent has provided contact information.  
**R04\_LINKED\_ADDRESS** - Respondents' best address from IMS.  
**R04\_VTBESTSPPHONE** - Respondents' best phone number from IMS.  
**R04\_PHONE2** - Respondents' second phone number from IMS.  
**R04\_PARENT\_COMPLETE\_LD** - Adult respondent has completed a parent survey about a youth or shadow youth respondent.

**BOX ID: R04\_AMD04**

**Note** - In the following specifications, "!=" represents "not equal to".

**Note** - References to the various respondent types are as follows:

**"New cohort adult respondents"** = Adult respondents who are new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.

**"Aged-up adult respondents"** = Adult respondents whose last completed interview in a previous wave was in the Youth cohort, and have now aged-up into the Adult cohort. This is their first interview in the Adult cohort, but not their first interview in the PATH Study.

**"New baseline adult respondents"** = Adult respondents where this is their first interview in the Adult cohort. Includes both the "New cohort adult" AND "Aged-up adult" respondents.

**"Continuing adult respondents"** = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study.

**"All adult respondents"** = All adult respondents in the Adult cohort.

**BOX ID: R04\_AMR03**

New cohort adult respondents, go to R04\_AM0004\_RS.

Else, adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.

Else, go to R04\_AM0007.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AMR12**

Adult respondents who are not also a Wave 4 parent respondent, go to R04\_AT0047.  
Else, go to R04\_AM0007.

**PATH ID: R04\_AT0047**

¿Cuál es su estado civil?

- 1 Actualmente casado
- 2 Viudo
- 3 Divorciado
- 4 Separado
- 5 Nunca se ha casado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH ID: R04\_AM0007**

¿Ha prestado alguna vez servicio militar en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos?

Nota: El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares, como por ejemplo la Guerra de Iraq.

- 1 Sí. Actualmente está en servicio activo
- 2 Sí. Estuvo en servicio activo en el pasado pero no actualmente
- 3 No. Únicamente en entrenamiento para la Reserva o la Guardia Nacional
- 4 No. Nunca ha prestado el servicio militar
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR11**

New cohort adult respondents who are currently on active duty, go to R04\_AM0008\_RS.

Else, aged-up adult respondents who are currently on active duty or new baseline adult respondents who have been on active duty in the past, go to R04\_AM0011\_NB.

Else, go to Box R04\_AMR08.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AMR08</b>
New cohort adult respondents who are currently on active duty, go to R04_AM0009_RS. Else, go to Box R04_AMR09.

<b>BOX ID:</b> <b>R04_AMR09</b>
New cohort adult respondents aged 20 to 35 who have ever served in the military but are not currently on active duty or don't know or refused to report if they are currently on active duty, go to R04_AM0074_RS. Else, go to Box R04_AMR13.

<b>BOX ID:</b> <b>R04_AMR13</b>
Adult respondents who already completed a parent interview, go to Box R04_AMR10. Else, new baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, go to R04_AM0069. Else, go to R04_AM0065.

<b>PATH ID:</b> <b>R04_AM0069</b>
¿Es usted ciudadano estadounidense?  1    Sí. Nació en Estados Unidos 2    Sí. Nació en Puerto Rico, Guam, las Islas Vírgenes de los Estados Unidos o las Islas Marianas del Norte 3    Sí. Nació en el extranjero de padres ciudadanos estadounidenses 4    Sí. Es ciudadano estadounidense por naturalización 5    No. No es ciudadano estadounidense -8   DON'T KNOW -7   REFUSED  ASK: New baseline adult respondents, and continuing adult respondents who did not report US citizenship in a previous wave, who did not already complete a parent interview.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AM0065</b>	
Aproximadamente, ¿cuántos años lleva viviendo en Estados Unidos? (Si lleva menos de un año viviendo en Estados Unidos, anote 1.)	
1 He vivido en Estados Unidos toda mi vida	GO TO BOX R04_AMR10
2  __ __ __  AÑOS	
-8 DON'T KNOW	GO TO BOX R04_AMR10
-7 REFUSED	GO TO BOX R04_AMR10
ASK: Adult respondents who did not already complete a parent interview.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "He vivido en Estados Unidos toda mi vida" ON RIGHT. DISPLAY "AÑOS" AS A TITLE.	

<b>PATH ID: R04_AM0065_LC1</b>	
La computadora registró que usted lleva viviendo en Estados Unidos [R04_AM0065] años. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AM0065
2 NEXT	GO TO BOX R04_AMR10
ASK: IF R04_AM0065 > R04_ACHIEVEDAGE.	

<b>BOX ID: R04_AMR10</b>
New cohort adult respondents not currently on active duty, go to R04_AM0075_RS. Else, go to Box R04_AMR15.

<b>BOX ID: R04_AMR15</b>
Adult respondents who already completed a parent interview, go to Box R04_ACT02. Else, go to Box R04_AMD03.

<b>BOX ID: R04_AMD03</b>
Display questions R04_AM0066 through R04_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R04_AM0066 is the stem. Show all leaves on the screen at once.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0066**

¿Qué tan bien...

habla usted inglés?

- 1 Muy bien
- 2 Bien
- 3 No muy bien
- 4 Nada en absoluto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH ID: R04\_AM0070**

lee usted en inglés?

- 1 Muy bien
- 2 Bien
- 3 No muy bien
- 4 Nada en absoluto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH ID: R04\_AM0073**

escribe usted en inglés?

- 1 Muy bien
- 2 Bien
- 3 No muy bien
- 4 Nada en absoluto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0071</b>
¿Habla en su casa un idioma diferente al inglés?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
GO TO BOX R04_ACT02
ASK: Adult respondents who did not already complete a parent interview.

<b>PATH ID:</b> <b>R04_AM0072</b>
¿Qué otros idiomas habla en casa? Escoja todas las opciones que correspondan.
1   Español
2   Chino
3   Tagalo
4   Vietnamita
5   Francés
6   Coreano
7   Alemán
8   Árabe
9   Ruso
10  Otro idioma (ESPECIFIQUE)
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who did not already complete a parent interview and speak another language at home.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## **TOBACCO USE**

**BOX ID: R04\_ACT02**

Las siguientes preguntas son acerca de su experiencia con **cigarrillos**.

**BOX ID: R04\_ACR50**

If new cohort adult respondent, go to R04\_AC1002\_RS.  
Else, go to R04\_AC1004.

**PATH ID: R04\_AC1004**

En los últimos 30 días, ¿ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?

- 1 Sí GO TO BOX R04\_ACR14
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarette.

**PATH ID: R04\_AC1002\_12M**

En los últimos 12 meses, ¿ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not smoked a cigarette in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarette).

**BOX ID: R04\_ACR14**

Adult respondents who have never smoked cigarettes in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were experimental former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_ACV04.

Else, adult respondents who were former cigarette smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AC1010.

Else, adult respondents who did not smoke in the past 12 months, go to R04\_AC1009.

Else, go to R04\_AC1003.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1003</b>		
¿Actualmente fuma cigarrillos...?		
1	Todos los días	GO TO BOX R04_ACV04
2	Algunos días	GO TO BOX R04_ACV04
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_ACV04
-7	REFUSED	GO TO BOX R04_ACV04
ASK: Adult respondents who have smoked a cigarette in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a cigarette.		

<b>PATH ID: R04_AC1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un cigarrillo? (Si fue más temprano hoy, anote un día.)		
1	__ __  DÍAS	
2	__ __  MESES	
3	__ __  AÑOS	
-8	DON'T KNOW	GO TO R04_AC1010
-7	REFUSED	GO TO R04_AC1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current cigarette smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a cigarette, but did not smoke in the past 12 months.		

<b>PATH ID: R04_AC1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó un cigarrillo.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AC1009
2	NEXT	GO TO R04_AC1010
ASK: IF R04_AC1009_NN = 0. DISPLAY: IF R04_AC1009_UN = 1, DISPLAY "días", IF R04_AC1009_UN = 2, DISPLAY "meses", IF R04_AC1009_UN = 3, DISPLAY "años".		



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1103</b>
Alguna vez, ¿ha sentido curiosidad por fumar un cigarrillo?
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have never smoked a cigarette.

<b>PATH ID:</b> <b>R04_AC1206</b>
¿Cree que fumará un cigarrillo el próximo año?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have never smoked a cigarette or have not reported smoking a cigarette in the past 12 months.

<b>BOX ID:</b> <b>R04_ACR17</b>
Adult respondents who have never smoked a cigarette, go to R04_AC1104. Else, go to Box R04_ACR48.

<b>PATH ID:</b> <b>R04_AC1104</b>
¿Cree que probará un cigarrillo pronto?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have never smoked a cigarette.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACR48**

Young adult respondents who have never smoked a cigarette, go to R04\_AC1205.  
Else, go to Box R04\_AVT01.

**PATH ID: R04\_AC1205**

¿Si uno de sus mejores amigos le ofreciera un cigarrillo, lo fumaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

**BOX ID: R04\_AVT01**

Las siguientes preguntas son acerca de **productos electrónicos con nicotina**, tales como cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.

Estos productos funcionan con batería y producen vapor o aerosol en vez de humo. Algunos productos electrónicos con nicotina se pueden comprar como productos desechables que se usan una sola vez, mientras que otros se compran como productos reusables que vienen con cartuchos o un sistema de tanque. Normalmente usan un líquido con nicotina llamado "líquido electrónico", aunque la cantidad de nicotina puede variar y es posible que algunos no contengan nada de nicotina.

Algunas marcas conocidas son Vuse, Blu, Logic, MarkTen, NJOY, eGo y iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

**BOX ID: R04\_AVR49**

New cohort adult respondents, go to R04\_AV1001\_RS.  
Else, go to R04\_AV1004.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1004**

En los últimos 30 días, ¿ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AVR04

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used an e-product.

**PATH ID: R04\_AV1002\_12M**

En los últimos 12 meses, ¿ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not used an e-product in the past 30 days (excluding new cohort adult respondents who have not ever used an e-product).

**BOX ID: R04\_AVR04**

Adult respondents who have never used e-products in all previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04\_AVV02.

Else, adult respondents who were experimental former e-product users in the previous wave and did not use e-products in the past 12 months, go to Box R04\_AVV02.

Else, adult respondents who were former e-product users in the previous wave and did not use e-products in the past 12 months, go to R04\_AV1010.

Else, adult respondents who did not use e-products in the past 12 months, go to R04\_AV1009.

Else, go to R04\_AV1003.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV1003</b>	
¿Actualmente fuma productos electrónicos con nicotina...?		
1	Todos los días	GO TO BOX R04_AVV02
2	Algunos días	GO TO BOX R04_AVV02
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AVV02
-7	REFUSED	GO TO BOX R04_AVV02
ASK: Adult respondents who have used an e-product in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used an e-product.		

<b>PATH ID:</b>	<b>R04_AV1009</b>	
¿Aproximadamente cuánto tiempo hace desde que tomó su última probadita de un producto electrónico con nicotina? (Si fue más temprano hoy, anote un día).		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AV1010
-7	REFUSED	GO TO R04_AV1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current e-product users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used an e-product, but did not use in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AV1009_LC1</b>	
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que le dio una probadita a un producto electrónico con nicotina.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AV1009
2	NEXT	GO TO R04_AV1010
ASK: IF R04_AV1009_NN = 0. DISPLAY: IF R04_AV1009_UN = 1, DISPLAY "días", IF R04_AV1009_UN = 2, DISPLAY "meses", IF R04_AV1009_UN = 3, DISPLAY "años".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1009_LC2
La computadora registró que han pasado [R04_AV1009_NN] años desde la última vez que le dio una probadita a un producto electrónico con nicotina. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AV1009
2 NEXT GO TO R04_AV1010
ASK: IF (R04_AV1009_NN > R04_ACHIEVEDAGE) AND R04_AV1009_UN = 3.

<b>PATH ID:</b> R04_AV1010
¿Ha dejado de fumar productos electrónicos con nicotina por completo?
1 Sí
2 No
3 En toda mi vida nunca he fumado un producto electrónico con nicotina, ni siquiera una o dos veces
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use e-products not at all; and adult respondents who have ever used an e-product, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_EPROD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> R04_AW02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_EPRODS = 1 (Ever user)</b> Adult respondents who have ever used any electronic nicotine products and did not recant prior use.
<b>R04_EVER_NEVER_EPRODS = 2 (Never user)</b> Adult respondents who have not ever used any electronic nicotine products.
<b>R04_INIT_EPRODS_ADULT = 1 (Initiator)</b> Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product.

<b>BOX ID:</b> R04_AVR18
New cohort adult respondents who did not say they have heard of an e-product, go to Box R04_AGR52.
Else, young adult respondents who have heard of but never used an e-product, go to R04_AV1103.
Else, young adult respondents who have heard of but not used e-products in the past 12 months, go to R04_AV1206.
Else, go to Box R04_AVR16.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1103**

¿Ha sentido curiosidad alguna vez por fumar un producto electrónico con nicotina? (Los productos electrónicos con nicotina incluyen cigarrillos electrónicos, puros electrónicos, pipas electrónicas, hookahs electrónicas, vaporizadores personales de fumar y plumas hookah.)

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**PATH ID: R04\_AV1206**

¿Cree que fumará un producto electrónico con nicotina en el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product or have not reported using an e-product in the past 12 months.

**BOX ID: R04\_AVR16**

Adult respondents who have heard of but never used e-products, go to R04\_AV1104.  
Else, go to Box R04\_AVR48.

**PATH ID: R04\_AV1104**

¿Cree que probará un producto electrónico con nicotina pronto?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used an e-product.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR48**

Young adult respondents who have heard of but never used e-products, go to R04\_AV1105.  
Else, go to Box R04\_AGR52.

**PATH ID: R04\_AV1105**

¿Si uno de sus mejores amigos le ofreciera un producto electrónico con nicotina, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used an e-product.

**BOX ID: R04\_AGR52**

New cohort adult respondents, go to Box R04\_AGT06.  
Else, go to R04\_AGT01.

**BOX ID: R04\_AGT06**

Las siguientes preguntas son acerca de **puros tradicionales** o "grandes", **puritos** y **puros con filtro**. Ya que a estos productos se les conocen por distintos nombres, use las siguientes descripciones y fotos para identificarlos.

Los **puros tradicionales** o "grandes" contienen tabaco envuelto en una hoja de tabaco. Algunas marcas conocidas de puros son Macanudo, Romeo y Julieta, Arturo Fuente y Cohiba, pero hay muchas más.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**BOX ID: R04\_AGT05**

Los **puritos** y los **puros con filtro** son más pequeños que los puros tradicionales. Normalmente son de color café. Algunos son del mismo tamaño que los cigarrillos y otros vienen con boquillas o filtros. Algunas marcas conocidas son Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts y Winchester.

[SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS]

**BOX ID: R04\_AGD04**

For R04\_AG9002\_RS, display as a stem and leaf question. For each leaf, display a sí/no response.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AGR57</b>
New cohort adult respondents who have heard of traditional cigars, go to R04_AG9003_RS. Else, new cohort adult respondents who have heard of cigarillos or filtered cigars, go to R04_AG9004_RS. Else, new cohort adult respondents who have heard of cigars, but did not know or refused to report which types of cigar they have heard of, go to R04_AG9003_RS. Else, go to Box R04_AGR56.

<b>BOX ID:</b> <b>R04_AGR56</b>
New cohort adult respondents who have heard of cigarillos or filtered cigars, or have heard of cigars, but did not know or refused to report which types of cigars they have heard of, go to R04_AG9004_RS. Else, go to Box R04_AGR54.

<b>BOX ID:</b> <b>R04_AGR54</b>
New cohort adult respondents who have ever smoked a traditional cigar, go to R04_AG9030. Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04_AG9031. Else, go to Box R04_AGR53.

<b>BOX ID:</b> <b>R04_AGT01</b>
Las siguientes preguntas son acerca de <b>puros tradicionales</b> o "grandes", <b>puritos</b> y <b>puros con filtro</b> . Ya que a estos productos se les conocen por distintos nombres, use las siguientes descripciones y fotos para identificarlos.  Los <b>puros tradicionales</b> o "grandes" contienen tabaco envuelto en una hoja de tabaco. Algunas marcas conocidas de puros son Macanudo, Romeo y Julieta, Arturo Fuente y Cohiba, pero hay muchas más.  [SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

<b>PATH ID:</b> <b>R04_AG9030</b>	
En los últimos 30 días, ¿ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?  [SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]	
1    Sí	GO TO BOX R04_AGR55
2    No	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a traditional cigar.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9003\_12M**

En los últimos 12 meses, ¿ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not smoked a traditional cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a traditional cigar).

**BOX ID: R04\_AGR55**

Continuing and aged-up adult respondents, go to Box R04\_AGT02.

Else, new cohort adult respondents who have ever smoked a cigarillo or filtered cigar, go to R04\_AG9031.

Else, go to Box R04\_AGR53.

**BOX ID: R04\_AGT02**

Los **puritos** y los **puros con filtro** son más pequeños que los puros tradicionales. Normalmente son de color café. Algunos son del mismo tamaño que los cigarrillos y otros vienen con filtros o con boquillas de plástico o madera. Algunas marcas conocidas son Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag y Cheyenne.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

**PATH ID: R04\_AG9031**

En los últimos 30 días, ¿ha fumado un purito o un puro con filtro, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- 1 Sí
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AG9004\_12M  
GO TO R04\_AG9004\_12M  
GO TO R04\_AG9004\_12M

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a cigarillo or filtered cigar.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9049**

¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

Los que ...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- 1 tienen una boquilla de plástico o madera
- 2 tienen un filtro (como un filtro de cigarrillo)
- 3 no tienen una boquilla ni un filtro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days.

**BOX ID: R04\_AGR18**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip, go to R04\_AG9051.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04\_AG9052.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9051**

En los últimos 12 meses, ¿ha fumado de los que tienen una boquilla de plástico o de madera, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a tip.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR19**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter, go to R04\_AG9052.

Else, adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter., go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9052**

En los últimos 12 meses, ¿ha fumado de los que tienen filtro (como el filtro de un cigarillo), incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind with a filter.

**BOX ID: R04\_AGR20**

Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter, go to R04\_AG9053.

Else, go to Box R04\_AGR53.

**PATH ID: R04\_AG9053**

En los últimos 12 meses, ¿ha fumado de los que no tienen filtro, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

- |               |                     |
|---------------|---------------------|
| 1 Sí          | GO TO BOX R04_AGR53 |
| 2 No          | GO TO BOX R04_AGR53 |
| -8 DON'T KNOW | GO TO BOX R04_AGR53 |
| -7 REFUSED    | GO TO BOX R04_AGR53 |

ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, but not the kind without a tip or filter.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9004_12M</b>
En los últimos 12 meses, ¿ha fumado un purito o un puro con filtro, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AGR53
GO TO BOX R04_AGR53
GO TO BOX R04_AGR53
ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days (excluding new cohort adult respondents who have not ever smoked a cigarillo or filtered cigar).

<b>PATH ID:</b> <b>R04_AG9009_12M</b>
¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado en los últimos 12 meses? Escoja todas las opciones que correspondan.
Los que ...
[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]
1    tienen una boquilla de plástico o madera
2    tienen un filtro (como un filtro de cigarrillo)
3    no tienen una boquilla ni un filtro
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 12 months, but not in the past 30 days.

<b>BOX ID:</b> <b>R04_AGR53</b>
New cohort adult respondents who did not say they had heard of cigars, go to Box R04_APT01. Else, new cohort adult respondents who have heard of cigars, go to R04_AG9105_RS. Else, go to R04_AG9107.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9107**

[A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt".

]En los últimos 12 meses, ¿ha fumado parte o todo un puro tradicional, purito o puro con filtro con marihuana? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AGV01 |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a blunt.

DISPLAY: IF R04\_ADULTTYPE = 1, 2, DISPLAY "A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt"." ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1095**

¿Cuál de los siguientes se parecen al tipo de puro que normalmente fuma como si fuera un "toque o blunt"? Escoja todas las opciones que correspondan.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

- |    |            |                     |
|----|------------|---------------------|
| 1  | Grupo 1    |                     |
| 2  | Grupo 2    |                     |
| 3  | Grupo 3    |                     |
| -8 | DON'T KNOW | GO TO BOX R04_AGV01 |
| -7 | REFUSED    | GO TO BOX R04_AGV01 |

ASK: Adult respondents who have smoked a blunt in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9106**

Ahora piense en los últimos 12 meses cuando fumó el tipo de puro que se muestra a continuación.

En los últimos 12 meses, ¿con qué frecuencia reemplazó el tabaco por marihuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Siempre
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past 12 months. (This question is repeated for each cigar type identified in R04\_AG1095.)

**BOX ID: R04\_AGV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_12MBLUNT\_ONLY\_BTRAD** = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BRILLO** = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

**R04\_12MBLUNT\_ONLY\_BFILTR** = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

**R04\_INIT\_BLUNT\_BTRAD\_ADULT** = Adult respondents who initiated smoking traditional cigars as blunts between Waves or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BRILLO\_ADULT** = Adult respondents who initiated smoking cigarillos as blunts between Waves or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months.

**R04\_INIT\_BLUNT\_BFILTR\_ADULT** = Adult respondents who initiated smoking filtered cigars as blunts between Waves or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AGD02
PROGRAM: CREATE [CIGARFILL]
If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "puro tradicional".
If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "purito".
If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "puro con filtro".

<b>BOX ID:</b> R04_AGR09
PROGRAM: CREATE CIGARLOOP1 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:
<b>For Cigars (non-blunt):</b> Repeat Box R04_AGR05 through Box R04_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. (This excludes any type of cigar the respondent has smoked as a blunt every time in the past 12 months.)
<b>For Cigars as Blunt-Only:</b> Blunt-only cigar smokers will be asked Box R04_AGR05 through Box R04_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.

<b>BOX ID:</b> R04_AGT04
DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.
Las siguientes preguntas son acerca de [CIGARFILL]s, como los que se muestran a continuación.
Cuando conteste estas preguntas, por favor piense ÚNICAMENTE en su consumo de [CIGARFILL]s[ cuando los fumó como si fueran " <b>toques o blunts</b> ".
[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:] Más adelante habrá otra sección acerca de otras clases de puros.
[SHOW GENERIC IMAGE OF CIGARFILL].

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR05**

Adult respondents who never smoked any cigar type and has not smoked blunts in the past 12 months, go to Box R04\_APT01.

Else, adult respondents who were experimental former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to Box R04\_AGR06.

Else, adult respondents who were former traditional cigar/cigarillo/filtered cigar smokers in the previous wave and did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04\_AG1010[TC/CG/FC].

Else, adult respondents who did not smoke traditional cigars/cigarillos/filtered cigars in the past 12 months, go to R04\_AG1009[TC/CG/FC].

Else, adult respondents who smoked a (non-blunt) traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R04\_AG1003[TC/CG/FC]

Else, adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months, go to R04\_AG1003[TJ/GJ/FJ].

Else, go to Box R04\_APT01.

**PATH ID: R04\_AG1003**

¿Actualmente fuma [[CIGARFILL]s/ como si fueran "toques o blunts"]...

1	Todos los días	GO TO BOX R04_AGR06
2	Algunos días	GO TO BOX R04_AGR06
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AGR06
-7	REFUSED	GO TO BOX R04_AGR06

ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a traditional cigar/cigarillo/filtered cigar; and adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar as a blunt every time in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fueran "toques o blunts"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009**

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un [[CIGARFILL]]/ como si fuera un "toque" o "blunt"? (Si fue más temprano hoy, anote un día.)

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_AGR32

-7 REFUSED

GO TO BOX R04\_AGR32

ASK: Adult respondents who smoked traditional cigars/cigarillos/filtered cigars or blunts in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current traditional cigar/cigarillo/filtered cigar smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009TC\_LC1**

La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puros tradicionales [como si fuera un "toque o blunt"].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG1009TC

2 NEXT

GO TO BOX R04\_AGR32

ASK: IF R04\_AG1009TC\_NN = 0.

DISPLAY: IF R04\_AG1009TC\_UN = 1, DISPLAY "días".

IF R04\_AG1009TC\_UN = 2, DISPLAY "meses".

IF R04\_AG1009TC\_UN = 3, DISPLAY "años".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1009TC\_LC2**

La computadora registró que han pasado [R04\_AG1009TC\_NN] años desde la última vez que fumó puros tradicionales [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009TC  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF (R04\_AG1009TC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009TC\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009CG\_LC1**

La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puritos [como si fuera un "toque o blunt"].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009CG  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF R04\_AG1009CG\_NN = 0.

DISPLAY: IF R04\_AG1009CG\_UN = 1, DISPLAY "días".

IF R04\_AG1009CG\_UN = 2, DISPLAY "meses".

IF R04\_AG1009CG\_UN = 3, DISPLAY "años".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AG1009CG\_LC2**

La computadora registró que han pasado [R04\_AG1009CG\_NN] años desde la última vez que fumó puritos [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1009CG  |
| 2 | NEXT | GO TO BOX R04_AGR32 |

ASK: IF (R04\_AG1009CG\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1009CG\_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1009FC_LC1
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó puros con filtro [como si fuera un "toque o blunt"].
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1009FC
2 NEXT GO TO BOX R04_AGR32
ASK: IF R04_AG1009FC_NN = 0.
DISPLAY: IF R04_AG1009FC_UN = 1, DISPLAY "días".
IF R04_AG1009FC_UN = 2, DISPLAY "meses".
IF R04_AG1009FC_UN = 3, DISPLAY "años".
IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

<b>PATH ID:</b> R04_AG1009FC_LC2
La computadora registró que han pasado [R04_AG1009FC_NN] años desde la última vez que fumó puros con filtro [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1009FC
2 NEXT GO TO BOX R04_AGR32
ASK: IF (R04_AG1009FC_NN > R04_ACHIEVEDAGE) AND R04_AG1009FC_UN = 3.
DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

<b>BOX ID:</b> R04_AGR32
If adult respondent is answering loop series about blunt use, go to Box R04_AGR06. Else, go to R04_AG1010[TC/CG/FC].

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1010</b>
¿Ha dejado de fumar [CIGARFILL]s por completo?
1    Sí
2    No
3    En toda mi vida nunca he fumado un [CIGARFILL], ni siquiera una o dos probaditas
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who smoked traditional cigar/cigarillos/filtered cigars in the past 12 months, but currently smoke not at all; and adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: FOR R04_AG1010TC: DISPLAY OPTION 3 IF R03_GTRAD_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.
FOR R04_AG1010CG: DISPLAY OPTION 3 IF R03_GRILLO_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.
FOR R04_AG1010FC: DISPLAY OPTION 3 IF R03_GFILTR_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> <b>R04_AGR06</b>
If LOOP = GTRAD and respondent has ever smoked cigarillos or filtered cigars, or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if LOOP = GRILLO and respondent has ever smoked filtered cigars or smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if LOOP = GFILTR and respondent smoked blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if LOOP = BTRAD and respondent smoked cigarillos as blunts or filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if LOOP = BRILLO and respondent smoked filtered cigars as blunts in the past 12 months, go back to Box R04_AGR05 and complete for the next product.
Else, if all loops complete, go to Box R04_AGV04.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV04**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_GTRAD = 1 (Ever user)** Adult respondents who have ever smoked a traditional cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GTRAD = 2 (Never user)** Adult respondents who have not ever smoked a traditional cigar.

**R04\_EVER\_NEVER\_GRILLO = 1 (Ever user)** Adult respondents who have ever smoked a cigarillo and did not recant prior use.

**R04\_EVER\_NEVER\_GRILLO = 2 (Never user)** Adult respondents who have not ever smoked a cigarillo.

**R04\_EVER\_NEVER\_GFILTR = 1 (Ever user)** Adult respondents who have ever smoked a filtered cigar and did not recant prior use.

**R04\_EVER\_NEVER\_GFILTR = 2 (Never user)** Adult respondents who have not ever smoked a filtered cigar.

**R04\_INIT\_GTRAD\_ADULT = 1 (Initiator)** Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar.

**R04\_INIT\_GRILLO\_ADULT = 1 (Initiator)** Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo.

**R04\_INIT\_GFILTR\_ADULT = 1 (Initiator)** Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who have ever smoked a filtered cigar.

**BOX ID: R04\_APT01**

Las siguientes preguntas son acerca de fumar tabaco en **pipa**.

Hay muchas clases diferentes de pipas. Todas tienen una cánula y una cazoleta donde se pone el tabaco. La foto a continuación es de una pipa tradicional.

[SHOW GENERIC IMAGE OF PIPE]

**BOX ID: R04\_APR33**

New cohort adult respondents, go to R04\_AP1001\_RS.

Else, go to R04\_AP1004.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1004</b>
En los últimos 30 días, ¿ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF PIPE]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_APR05
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked a pipe.

<b>PATH ID:</b> <b>R04_AP1002_12M</b>
En los últimos 12 meses, ¿ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?
[SHOW GENERIC IMAGE OF PIPE]
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have not smoked a pipe in the past 30 days (excluding new cohort adult respondents who have not ever smoked a pipe).

<b>BOX ID:</b> <b>R04_APR05</b>
Adult respondents who have never smoked a pipe in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04_APV02.
Else, adult respondents who were experimental former pipe smokers in the previous wave and did not smoke in the past 12 months, go to Box R04_APV02.
Else, adult respondents who were former pipe smokers in the previous wave and did not smoke in the past 12 months, go to R04_AP1010.
Else, adult respondents who have not smoked in the past 12 months, go to R04_AP1009.
Else, go to R04_AP1003.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1003</b>		
¿Actualmente fuma una pipa con tabaco...?		
1	Todos los días	GO TO BOX R04_APV02
2	Algunos días	GO TO BOX R04_APV02
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_APV02
-7	REFUSED	GO TO BOX R04_APV02
ASK: Adult respondents who have smoked a pipe in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked a pipe.		

<b>PATH ID: R04_AP1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó una pipa con tabaco? (Si fue más temprano hoy, anote un día).		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AP1010
-7	REFUSED	GO TO R04_AP1010
ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current pipe smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked a pipe, but did not smoke in the past 12 months.		

<b>PATH ID: R04_AP1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó una pipa.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AP1009
2	NEXT	GO TO R04_AP1010
ASK: IF R04_AP1009_NN = 0.		
DISPLAY: IF R04_AP1009_UN = 1, DISPLAY "días",		
IF R04_AP1009_UN = 2, DISPLAY "meses",		
IF R04_AP1009_UN = 3, DISPLAY "años".		



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHT01**

Las siguientes preguntas son acerca de fumar tabaco en una **hookah**, que es un tipo de pipa de agua. También se conoce como narguile. De ahora en adelante usaremos la palabra "hookah" para referirnos a la pipa de agua o narguile.

Hay muchos tipos de hookahs. La gente normalmente fuma hookahs en grupo en bares o cafés de hookahs. La foto a continuación es de una hookah tradicional.

[SHOW GENERIC IMAGE OF HOOKAH]

**BOX ID: R04\_AHR49**

If new cohort adult respondent, go to R04\_AH1001\_RS.

Else, go to R04\_AH1004.

**PATH ID: R04\_AH1004**

En los últimos 30 días, ¿ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF HOOKAH]

1 Sí

GO TO BOX R04\_AHR06

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever smoked hookah.

**PATH ID: R04\_AH1002\_12M**

En los últimos 12 meses, ¿ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF HOOKAH]

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not smoked hookah in the past 30 days (excluding new cohort adult respondents who have not ever smoked hookah).

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR06**

Adult respondents who have never smoked hookah in all previous waves and did not smoke in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, go to Box R04\_AHV02.

Else, adult respondents who were experimental former hookah smokers in the previous wave and did not smoke in the past 12 months, go to Box R04\_AHV02.

Else, adult respondents who were former hookah smokers in the previous wave and did not smoke in the past 12 months, go to R04\_AH1010.

Else, adult respondents who have not smoked in the past 12 months, go to R04\_AH1009.

Else, go to R04\_AH1003.

**PATH ID: R04\_AH1003**

¿Actualmente fuma tabaco en una hookah...?

1	Todos los días	GO TO BOX R04_AHV02
2	Algunos días	GO TO BOX R04_AHV02
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AHV02
-7	REFUSED	GO TO BOX R04_AHV02

ASK: Adult respondents who have smoked hookah in the past 12 months or did not know or refused to report whether they smoked in the past 12 months, but have ever smoked hookah.

**PATH ID: R04\_AH1009**

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó tabaco en una hookah? (Si fue más temprano hoy, anote un día)

1	__ __  DÍAS	
2	__ __  MESES	
3	__ __  AÑOS	
-8	DON'T KNOW	GO TO R04_AH1010
-7	REFUSED	GO TO R04_AH1010

ASK: Adult respondents who smoked in the past 12 months, but currently smoke not at all; and aged-up and continuing adult respondents who were current or experimental current hookah smokers in the previous wave, but did not smoke in the past 12 months; and new cohort adult respondents who have ever smoked hookah, but did not smoke in the past 12 months.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH1009_LC1
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que fumó tabaco en una hookah.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AH1009
2 NEXT GO TO R04_AH1010
ASK: IF R04_AH1009_NN = 0.
DISPLAY: IF R04_AH1009_UN = 1, DISPLAY "días",
IF R04_AH1009_UN = 2, DISPLAY "meses",
IF R04_AH1009_UN = 3, DISPLAY "años".

<b>PATH ID:</b> R04_AH1009_LC2
La computadora registró que han pasado [R04_AH1009_NN] años desde la última vez que fumó tabaco en una hookah. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AH1009
2 NEXT GO TO R04_AH1010
ASK: IF (R04_AH1009_NN > R04_ACHIEVEDAGE) AND R04_AH1009_UN = 3.

<b>PATH ID:</b> R04_AH1010
¿Ha dejado de fumar tabaco en una hookah por completo?
1 Sí
2 No
3 En toda mi vida nunca he fumado una hookah, ni siquiera una o dos probaditas
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who smoked in the past 12 months, but currently smoke hookah not at all; and adult respondents who have ever smoked hookah, but did not smoke in the past 12 months (excluding respondents who were experimental former smokers in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_HOOK_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHV02**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_HOOK = 1 (Ever user)** Adult respondents who have ever smoked a hookah and did not recant prior use.

**R04\_EVER\_NEVER\_HOOK = 2 (Never user)** Adult respondents who have not ever smoked hookah.

**R04\_INIT\_HOOK\_ADULT = 1 (Initiator)** Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah.

**BOX ID: R04\_AHR03**

New cohort adult respondents who did not say they had heard of a hookah, go to Box R04\_AST01.

Else, young adult respondents who have heard of but never smoked hookah, go to R04\_AH1103.

Else, young adults who have heard of but not smoked hookah in the past 12 months, go to R04\_AH1206.

Else, go to Box R04\_AHR08.

**PATH ID: R04\_AH1103**

Alguna vez, ¿ha sentido curiosidad por fumar tabaco en una hookah?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH ID: R04\_AH1206**

¿Cree que fumará tabaco en una hookah el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never smoked hookah or have not reported smoking hookah in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR08**

Adult respondents who have heard of but never smoked hookah, go to R04\_AH1104.  
Else, go to Box R04\_AHR48.

**PATH ID: R04\_AH1104**

¿Cree que probará fumar tabaco en una hookah pronto?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never smoked hookah.

**BOX ID: R04\_AHR48**

Young adult respondents who have heard of but never smoked hookah, go to R04\_AH1205.  
Else, go to R04\_AH9031.

**PATH ID: R04\_AH1205**

¿Si uno de sus mejores amigos le ofreciera fumar en hookah, la probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never smoked hookah.

**PATH ID: R04\_AH9031**

¿Alguna vez ha fumado marihuana de una hookah? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9040**

¿Alguna vez ha fumado shisha aromática o sin tabaco en una hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever heard of hookah.

**BOX ID: R04\_AST01**

El tabaco que no se fuma es tabaco que se pone en la boca. El tabaco que no se fuma puede venir suelto o empaclado en bolsitas que se ponen bajo el labio. Cuando se consume tabaco que no se fuma, la persona con frecuencia lo mastica, lo chupa o lo escupe, aunque con algunas clases de tabaco que no se fuma no es necesario hacer eso.

Hay muchas clases diferentes de tabaco que no se fuma que se conocen por distintos nombres, así que por favor use las descripciones y las fotos para entender qué tipo de producto es.

[SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO]

**BOX ID: R04\_AUT03**

El **snus** es una clase de tabaco que no se fuma. Por lo general, el snus viene en bolsitas pero también hay snus que se vende suelto. Normalmente, al consumir la mayoría de clases de tabaco que no se fuma, la persona lo escupe, pero con el snus no es necesario hacerlo. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus.

Piense en el **snus** cuando conteste estas preguntas. Más adelante habrá otra sección acerca de las otras clases de productos de tabaco que no se fuma (como el dip, el tabaco de mascar y las bolsitas de tabaco que no se fuma.)

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

**BOX ID: R04\_AUR49**

New cohort adult respondents, go to R04\_AU1001\_RS.  
Else, go to R04\_AU1004.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1004</b>	
En los últimos 30 días, ¿ha consumido snus, incluso si solo fueron una o dos veces?	
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]	
1   Sí	GO TO BOX R04_AUR22
2   No	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used snus.	

<b>PATH ID:</b> <b>R04_AU1002_12M</b>	
En los últimos 12 meses, ¿ha consumido snus, incluso si solo fueron una o dos veces?	
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]	
1   Sí	
2   No	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Adult respondents who have not used snus in the past 30 days (excluding new cohort adult respondents who have not ever used snus).	

<b>BOX ID:</b> <b>R04_AUR22</b>
Adult respondents who have never used snus in all previous waves and did not use snus in the past 12 months or did not know or refused to report whether they used snus in the past 12 months, go to Box R04_AUV03.
Else, adult respondents who were experimental former snus users in the previous wave and did not use snus in the past 12 months, go to Box R04_AUV03.
Else, adult respondents were former snus users in the previous wave and did not use snus in the past 12 months, go to R04_AU1010.
Else, adult respondents who have not used snus in the past 12 months, go to R04_AU1009.
Else, go to R04_AU1003.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AU1003</b>		
¿Actualmente consume snus ...?		
1	Todos los días	GO TO BOX R04_AUV03
2	Algunos días	GO TO BOX R04_AUV03
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_AUV03
-7	REFUSED	GO TO BOX R04_AUV03
ASK: Adult respondents who have used snus in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used snus.		

<b>PATH ID: R04_AU1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que consumió snus? (Si fue más temprano hoy, anote un día.)		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AU1010
-7	REFUSED	GO TO R04_AU1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current snus users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used snus, but did not use in the past 12 months.		

<b>PATH ID: R04_AU1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que consumió snus.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AU1009
2	NEXT	GO TO R04_AU1010
ASK: IF R04_AU1009_NN = 0. DISPLAY: IF R04_AU1009_UN = 1, DISPLAY "días", IF R04_AU1009_UN = 2, DISPLAY "meses", IF R04_AU1009_UN = 3, DISPLAY "años".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU1009_LC2
La computadora registró que han pasado [R04_AU1009_NN] años desde la última vez que consumió snus. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU1009
2 NEXT GO TO R04_AU1010
ASK: IF (R04_AU1009_NN > R04_ACHIEVEDAGE) AND R04_AU1009_UN = 3.

<b>PATH ID:</b> R04_AU1010
¿Ha dejado de consumir snus por completo?
1 Sí
2 No
3 En toda mi vida nunca he consumido snus, ni siquiera una o dos veces
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who used in the past 12 months, but currently use snus not at all; and adult respondents who have ever used snus, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).
DISPLAY: DISPLAY OPTION 3 IF R03_SNUS_USER_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

<b>BOX ID:</b> R04_AUV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_EVER_NEVER_SNUS = 1 (Ever user)</b> Adult respondents who have ever used snus and did not recant prior use.
<b>R04_EVER_NEVER_SNUS = 2 (Never user)</b> Adult respondents who have not ever used snus.
<b>R04_INIT_SNUS_ADULT = 1 (Initiator)</b> Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> R04_AUR06
New cohort adult respondents who did not say they have heard of snus, go to Box R04_AST03.
Else, young adult respondents who have heard of but never used snus, go to R04_AU1103.
Else, young adult respondents who heard of but never used snus or have not used snus in the past 12 months, go to R04_AU1206.
Else, go to Box R04_AUR24.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1103</b>
Alguna vez, ¿ha sentido curiosidad por consumir snus?
1    Mucha
2    Algo
3    Muy poca
4    Nada
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used snus.

<b>PATH ID:</b> <b>R04_AU1206</b>
¿Cree que consumirá snus el próximo año?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Young adult respondents who have heard of but never used snus or have not reported using snus in the past 12 months.

<b>BOX ID:</b> <b>R04_AUR24</b>
Adult respondents who have heard of but never used snus, go to R04_AU1104. Else, go to Box R04_AUR48.

<b>PATH ID:</b> <b>R04_AU1104</b>
¿Cree que probará snus pronto?
1    Definitivamente sí
2    Probablemente sí
3    Probablemente no
4    Definitivamente no
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have heard of but never used snus.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR48**

Young adult respondents who have heard of but never used snus, go to R04\_AU1205.  
Else, go to Box R04\_AST03.

**PATH ID: R04\_AU1205**

¿Si uno de sus mejores amigos le ofreciera snus, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used snus.

**BOX ID: R04\_AST03**

Las siguientes preguntas son acerca del **tabaco que no se fuma**, sin incluir el snus.

El tabaco que no se fuma es una clase de tabaco que se pone en la boca y se mastica, se chupa o se escupe. Puede venir suelto o en bolsitas que se ponen en la boca. Hay muchas clases de tabaco que no se fuma, como por ejemplo el dip, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly, Redman y Levi Garrett.

Por favor **no** incluya el snus cuando conteste las siguientes preguntas.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR49**

New cohort adult respondents, go to R04\_AS1001\_RS.  
Else, go to R04\_AS1004.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1004**

En los últimos 30 días, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar, incluso solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

- 1 Sí GO TO BOX R04\_ASR29
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used smokeless tobacco.

**PATH ID: R04\_AS1002\_12M**

En los últimos 12 meses, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar, incluso solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not used smokeless tobacco in the past 30 days (excluding new cohort adult respondents who have not ever used smokeless tobacco).

**BOX ID: R04\_ASR29**

Adult respondents who have never used smokeless tobacco in previous waves and did not use in the past 12 months or did not know or refused to report whether they used in the past 12 months, go to Box R04\_ASV03.

Else, adult respondents who were experimental former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to Box R04\_ASV03.

Else, adult respondents who were former smokeless tobacco users in the previous wave and did not use in the past 12 months, go to R04\_AS1010.

Else, adult respondents who have not used smokeless tobacco in the past 12 months, go to R04\_AS1009.

Else, go to R04\_AS1003.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AS1003</b>		
¿Actualmente consume tabaco que no se fuma...?		
1	Todos los días	GO TO BOX R04_ASV03
2	Algunos días	GO TO BOX R04_ASV03
3	Nunca	
-8	DON'T KNOW	GO TO BOX R04_ASV03
-7	REFUSED	GO TO BOX R04_ASV03
ASK: Adult respondents who have used smokeless tobacco in the past 12 months or did not know or refused to report whether they used in the past 12 months, but have ever used smokeless tobacco.		

<b>PATH ID: R04_AS1009</b>		
¿Aproximadamente cuánto tiempo hace desde la última vez que consumió tabaco que no se fuma? (Si fue más temprano hoy, anote un día.)		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AS1010
-7	REFUSED	GO TO R04_AS1010
ASK: Adult respondents who used in the past 12 months, but currently use not at all; and aged-up and continuing adult respondents who were current or experimental current smokeless tobacco users in the previous wave, but did not use in the past 12 months; and new cohort adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months.		

<b>PATH ID: R04_AS1009_LC1</b>		
La computadora registró que han pasado "cero" [días/meses/años] desde la última vez que consumió tabaco que no se fuma.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AS1009
2	NEXT	GO TO R04_AS1010
ASK: IF R04_AS1009_NN = 0.		
DISPLAY: IF R04_AS1009_UN = 1, DISPLAY "días",		
IF R04_AS1009_UN = 2, DISPLAY "meses",		
IF R04_AS1009_UN = 3, DISPLAY "años".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1009\_LC2**

La computadora registró que han pasado [R04\_AS1009\_NN] años desde la última vez que consumió tabaco que no se fuma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |        |                  |
|--------|------------------|
| 1 BACK | GO TO R04_AS1009 |
| 2 NEXT | GO TO R04_AS1010 |

ASK: IF (R04\_AS1009\_NN > R04\_ACHIEVEDAGE) AND R04\_AS1009\_UN = 3.

**PATH ID: R04\_AS1010**

¿Ha dejado de consumir tabaco que no se fuma por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he consumido tabaco que no se fuma, ni siquiera una o dos veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used in the past 12 months, but currently use smokeless tobacco not at all; and adult respondents who have ever used smokeless tobacco, but did not use in the past 12 months (excluding respondents who were experimental former users in the previous wave).

DISPLAY: DISPLAY OPTION 3 IF R03\_SMKLS\_USER\_STATUS = 4, 5. ELSE, DO NOT DISPLAY THIS OPTION.

**BOX ID: R04\_ASV03**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER\_SMKLS = 1 (Ever user)** Adult respondents who have ever used smokeless tobacco and did not recant prior use.

**R04\_EVER\_NEVER\_SMKLS = 2 (Never user)** Adult respondents who have not ever used smokeless tobacco.

**R04\_INIT\_USER\_SMKLS = 1 (Initiator)** Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult respondents who have ever used smokeless tobacco.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR06**

New cohort adult respondents who did not say they have heard of smokeless tobacco, go to Box R04\_ADT01.

Else, young adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1103.

Else, young adult respondents who have heard of but not used smokeless tobacco in the past 12 months, go to R04\_AS1206.

Else, go to Box R04\_ASR24.

**PATH ID: R04\_AS1103**

Alguna vez, ¿ha sentido curiosidad por consumir tabaco que no se fuma?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco.

**PATH ID: R04\_AS1206**

¿Cree que consumirá tabaco que no se fuma el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco or have not reported using smokeless tobacco in the past 12 months.

**BOX ID: R04\_ASR24**

Adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1104.

Else, go to Box R04\_ASR48.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1104**

¿Cree que probará consumir tabaco que no se fuma pronto?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have heard of but never used smokeless tobacco.

**BOX ID: R04\_ASR48**

Young adult respondents who have heard of but never used smokeless tobacco, go to R04\_AS1205.  
Else, go to Box R04\_ADT01.

**PATH ID: R04\_AS1205**

¿Si uno de sus mejores amigos le ofreciera tabaco que no se fuma, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have heard of but never used smokeless tobacco.

**BOX ID: R04\_ADT01**

La siguiente pregunta es acerca de otro producto de tabaco llamado **tabaco que se disuelve**. Los productos de tabaco que se disuelve no se fuman - están hechos de tabaco finamente molido y con sabor añadido que se disuelve en la boca.

Los productos de tabaco que se disuelve vienen en gran variedad de formas incluyendo pastillitas, palillos y tiritas. Algunas marcas conocidas son Ariva, Stonewall o Orbs, Sticks o Strips de Camel.

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

**BOX ID: R04\_ADR01**

New cohort adult respondents, go to R04\_AD1001\_RS.  
Else, go to R04\_AD1002\_12M.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AD1002\_12M**

En los últimos 12 meses, ¿ha consumido tabaco que se disuelve, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents, and new cohort adult respondents who have ever used dissolvable tobacco.

**BOX ID: R04\_ADV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_EVER\_NEVER DISSBL = 1 (Ever user)** Adult respondents who have ever used dissolvable tobacco.

**R04\_EVER\_NEVER DISSBL = 2 (Never user)** Adult respondents who have not ever used dissolvable tobacco.

**BOX ID: R04\_AXR124**

New cohort adult respondents, go to R04\_TOBCONF.

Else, aged-up and continuing adult respondents, go to R04\_AZ1002.

**PATH ID: R04\_AZ1002**

Usted acaba de contestar preguntas acerca de cigarrillos, productos electrónicos con nicotina, puros tradicionales, puritos, puros con filtro, pipas, hookahs, snus, tabaco que no se fuma y tabaco que se disuelve.

Aparte de estos productos, ¿ha consumido alguna vez algún otro producto de tabaco? No incluya productos con nicotina tales como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras.

- 1 Sí (ESPECIFIQUE)
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR125**

New cohort adult respondents, go to R04\_GATE.  
Else, aged-up and continuing adult respondents, go to next section.

**BOX ID: R04\_AXR01**

PROGRAM: **Run second stage sampling algorithm for new cohort adult respondents only.**

New cohort adult respondents that are not sampled and thus screened out of the PATH Study, go to R04\_AL3002\_RS.

Else, sampled new cohort adult respondents and all other adult respondents will then be routed through the remainder of the questionnaire as follows:

For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

**BOX ID: R04\_AXV11**

PROGRAM: SET DISPOSITION CODES

New cohort adult respondents that are screened out after the Phase 2 Screener, set disposition code to CPX.

New cohort adult respondents that report active military duty, set disposition code to CAM.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## **CIGARETTE**

**BOX ID: R04\_ACR13**

Aged-up and continuing adult respondents who were a former user, had smoked 100 or more cigarettes and had smoked fairly regularly as of the previous wave; and at the current wave has not smoked in the past 12 months or now smokes not at all, go to Box R04\_ACV01.

Else, go to Box R04\_ACT01.

**BOX ID: R04\_ACT01**

Las siguientes preguntas son acerca de su experiencia con **cigarrillos**.

**BOX ID: R04\_ACR11**

New cohort adult respondents who have ever smoked a cigarette, go to R04\_AC1006\_RS.

Else, aged-up and continuing adult respondents who had not smoked 100 or more cigarettes as of the previous wave, go to R04\_AC1005.

Else, aged-up and continuing adult respondents who had never smoked fairly regularly as of the previous wave, go to R04\_AC1100.

Else, go to Box R04\_ACV01.

**PATH ID: R04\_AC1005**

¿Cuántos cigarrillos ha fumado en toda su vida? Una cajetilla normalmente contiene 20 cigarrillos.

- 1 Una o más probaditas, pero nunca un cigarrillo completo
- 2 1 a 10 cigarrillos (aproximadamente media cajetilla en total)
- 3 11 a 20 cigarrillos (aproximadamente de media a una cajetilla)
- 4 21 a 50 cigarrillos (más de una pero menos de 3 cajetillas)
- 5 51 a 99 cigarrillos (más de 2 cajetillas y media pero menos de 5 cajetillas)
- 6 100 o más cigarrillos (5 cajetillas o más)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes in the previous wave, and new cohort adult respondents who have ever smoked a cigarette.

**BOX ID: R04\_ACR53**

Aged-up and continuing adult respondents who have smoked 100 or more cigarettes in their lifetime and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked 100 or more cigarettes, go to R04\_AC1100.

Else, go to Box R04\_ACV01.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1100**

¿Alguna vez ha fumado cigarrillos de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have smoked 100 or more cigarettes in their lifetime and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked 100 or more cigarettes.

**BOX ID: R04\_ACR19**

New baseline respondents that have ever smoked fairly regularly, but had never smoked fairly regularly in the previous wave, go to R04\_AC1007\_NB.

Else, go to Box R04\_ACV01.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ACV01</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_CIG_USER_STATUS = 1 (Current user)</b> Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke every day or some days.
<b>R04_CIG_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever smoked a cigarette and have not smoked more than 100 cigarettes in lifetime, and now smoke every day or some days.
<b>R04_CIG_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever smoked a cigarette and have not smoked more than 100 cigarettes in lifetime, and did not smoke in the past 12 months or now smokes not at all.
<b>R04_CIG_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former cigarette smokers at the previous wave and aged-up adult respondents who ever smoked cigarettes at the previous wave, who have ever smoked cigarettes fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since the previous wave, who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all.
<b>R04_CIG_USER_STATUS = 5 (Long-term former user)</b> Aged up and continuing adult respondents who were former cigarette smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a cigarette and have smoked at least 100 cigarettes in their entire life, who did not smoke in the past 12 months.
<b>R04_CURRENT_CIG_USE = 1 (Every day user)</b> Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke every day.
<b>R04_CURRENT_CIG_USE = 2 (Some day user)</b> Adult respondents who have smoked more than 100 cigarettes in lifetime, and now smoke some days.
<b>R04_FORMER_THIRTYDAY_USER_CIGS = 1</b> Adult respondents who are experimental former, recent former, or long-term former cigarette smokers who smoked in the past 30 days.

<b>BOX ID:</b> <b>R04_ACR01</b>
New baseline respondents that are every day cigarette smokers, go to R04_AC1020_NB. Else, aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette, go to R04_AC1008. Else, go to Box R04_ACR42.

<b>BOX ID:</b> <b>R04_ACR21</b>
Aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette, go to R04_AC1008. Else, go to Box R04_ACR22.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1008**

La primera vez que comenzó a fumar cigarrillos, ¿comenzó con cigarrillos mentolados o con sabor a menta?

- 1 Sí
- 2 No
- 3 No sé
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who initiated cigarette smoking since the previous wave, and new cohort adult respondents who have ever smoked a cigarette.

**BOX ID: R04\_ACR22**

Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette, go to R04\_AC9904.

Else, go to Box R04\_ACR42.

**PATH ID: R04\_AC9904**

¿Qué tantas sensaciones agradables sintió la primera vez que fumó un cigarrillo?

- 1 Nada
- 2 Muy pocas
- 3 Algo
- 4 Muchas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.

DISPLAY: UNDERLINE "agradables" IN THE QUESTION TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9905</b>
¿Qué tantas sensaciones <u>desagradables</u> sintió la primera vez que fumó un cigarrillo?
1    Nada
2    Muy pocas
3    Algo
4    Muchas
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette. DISPLAY: UNDERLINE "desagradables" IN THE QUESTION TEXT.

<b>PATH ID:</b> <b>R04_AC9906</b>
¿Qué tantas náuseas tuvo la primera vez que fumó un cigarrillo?
1    Nada
2    Muy pocas
3    Algo
4    Muchas
-8    DON'T KNOW
-7    REFUSED
ASK: Aged-up and continuing young adult respondents who initiated cigarette smoking since the previous wave, and new cohort young adult respondents who have ever smoked a cigarette.

<b>BOX ID:</b> <b>R04_ACR42</b>
Aged-up and continuing adult respondents who have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who have ever smoked cigarettes fairly regularly, go to R04_AC9002. Else, go to Box R04_ACR23.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9002</b>
Aproximadamente, ¿cuánto tiempo hace [que fuma/que fumaba] habitualmente? No incluya periodos en los que haya dejado de fumar temporalmente.
1    __ __  Meses
2    __ __  Años
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACR23
GO TO BOX R04_ACR23
ASK: Aged-up and continuing adult respondents who have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who have ever smoked cigarettes fairly regularly.
DISPLAY: IF R04_CIG_USER_STATUS = 1, DISPLAY "que fuma". ELSE DISPLAY "que fumaba".

<b>PATH ID:</b> <b>R04_AC9002_LC1</b>
La computadora registró que usted ha fumado de manera habitual por [R04_AC9002] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AC9002
GO TO R04_AC9002_LC2
ASK: IF R04_AC9002_NN > R04_ACHIEVEDAGE AND R04_AC9002_UN = 2.

<b>PATH ID:</b> <b>R04_AC9002_LC2</b>
La computadora registró que usted anotó [R04_AC9002] años. Esta pregunta es acerca de cuánto tiempo lleva usted fumando de manera habitual, no acerca de cuándo comenzó a fumar.
Por favor verifique la cantidad de años que anotó.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AC9002
GO TO BOX R04_ACR23
ASK: IF (R04_AC9002_UN = 2 AND R04_AC9002_NN > (R04_ACHIEVEDAGE - 10)) OR (R04_AC9002_NN > 60 AND R04_AC9002_UN = 2).

<b>BOX ID:</b> <b>R04_ACR23</b>
Aged-up and continuing adult respondents who are recent former cigarette smokers that have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who are former cigarette smokers who have ever smoked cigarettes fairly regularly, go to R04_AC9003.
Else, go to Box R04_ACR51.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9003</b>	
En promedio, aproximadamente, ¿cuántos cigarrillos fumaba usted al día cuando fumaba habitualmente? Una cajetilla normalmente contiene 20 cigarrillos.	
1	_ _ _ _  Cigarrillos al día
2	_ _ _ _  Cajetillas al día
-8	DON'T KNOW <span style="float: right;">GO TO BOX R04_ACR51</span>
-7	REFUSED <span style="float: right;">GO TO BOX R04_ACR51</span>
ASK: Aged-up and continuing adult respondents who are recent former cigarette smokers that have ever smoked cigarettes fairly regularly (and had not smoked fairly regularly as of the previous wave), and new cohort adult respondents who are former cigarette smokers who have ever smoked cigarettes fairly regularly,	

<b>PATH ID: R04_AC9003_LC1</b>	
La computadora registró que en promedio usted fumaba [R04_AC9003] [cigarrillos/cajetillas] cada día cuando fumaba de manera habitual.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1	BACK <span style="float: right;">GO TO R04_AC9003</span>
2	NEXT <span style="float: right;">GO TO BOX R04_ACR51</span>
ASK: IF (R04_AC9003_NN > 40 AND R04_AC9003_UN = 1) OR R04_AC9003_NN = 11, 22, 33 OR (R04_AC9003_NN > 2 AND R04_AC9003_UN = 2).	
DISPLAY: IF R04_AC9003_UN = 1, DISPLAY "cigarrillos". IF R04_AC9003_UN = 2, DISPLAY "cajetillas".	

<b>BOX ID: R04_ACR51</b>	
New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former cigarette smokers, go to R04_AC1025_RS.	
Else, go to Box R04_ACR04.	

<b>BOX ID: R04_ACR04</b>	
Every day cigarette smokers, go to R04_AC1021.	
Some day and experimental current cigarette smokers, and former or experimental former cigarette smokers who have smoked in the past 30 days, go to R04_AC1022.	
Else, if recent former smoker, go to R04_AC1047MC.	
Else, if experimental former or long-term former smoker, go to next section.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1021</b>	
En promedio, ¿aproximadamente, cuántos cigarrillos fuma usted cada día actualmente? Una cajetilla normalmente contiene 20 cigarrillos.	
1  __ __  Cigarrillos al día	
2  __ __  Cajetillas al día	
-8 DON'T KNOW	GO TO R04_AC1090
-7 REFUSED	GO TO R04_AC1090
ASK: Every day cigarette smokers.	

<b>PATH ID: R04_AC1021_LC1</b>	
La computadora registró que actualmente usted fuma [R04_AC1021] [cigarrillos/cajetillas] cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1021
2 NEXT	GO TO BOX R04_ACV03
ASK: IF (R04_AC1021_NN > 40 AND R04_AC1021_UN = 1) OR R04_AC1021_NN = 11, 22, 33 OR (R04_AC1021_NN > 2 AND R04_AC1021_UN = 2).	
DISPLAY: IF R04_AC1021 REPORTED IN CIGARETTES, DISPLAY "cigarrillos".	
ELSE, IF R04_AC1021 REPORTED IN PACKS, DISPLAY "cajetillas".	

<b>PATH ID: R04_AC1090</b>	
¿Diría que en promedio, actualmente fuma más de 20 cigarrillos, unos 20 cigarrillos o menos de 20 cigarrillos cada día?	
1 Más de 20 cigarrillos cada día	GO TO BOX R04_ACV03
2 Unos 20 cigarrillos cada día	GO TO BOX R04_ACV03
3 Menos de 20 cigarrillos cada día	GO TO BOX R04_ACV03
-8 DON'T KNOW	GO TO BOX R04_ACV03
-7 REFUSED	GO TO BOX R04_ACV03
ASK: Every day cigarette smokers who did not know or refused to report how many cigarettes they smoke each day.	



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1022</b>
¿Durante cuántos de los últimos 30 días fumó usted cigarrillos?
1     __ __  DÍAS
-8   DON'T KNOW
-7   REFUSED
ASK: Some day and experimental current cigarette smokers who have smoked in the past 30 days, and former 30 day cigarette smokers.
DISPLAY: DISPLAY "DÍAS" AS TITLE.

<b>BOX ID:</b> <b>R04_ACR25</b>
If respondent enters "0" for R04_AC1022 and is a some day or experimental current user of cigarettes, go to R04_AC9029.
Else, if respondent enters "0" for R04_AC1022 and is a former 30 day user of cigarettes, go to Box R04_ACV03.
Else, go to R04_AC1023.

<b>PATH ID:</b> <b>R04_AC9029</b>
¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un cigarrillo?
1     __ __  DÍAS
2     __ __  MESES
3     __ __  AÑOS
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACV03
GO TO BOX R04_ACV03
ASK: Some day and experimental current cigarette smokers who have not smoked in the past 30 days.

<b>PATH ID:</b> <b>R04_AC9029_LC1</b>
La computadora registró que la última vez que fumó un cigarrillo fue hace [R04_AC9029] [días/meses/años].
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK
2    NEXT
GO TO R04_AC9029
GO TO BOX R04_ACV03
ASK: IF (R04_AC9029_NN < 30 AND R04_AC9029_UN = 1) OR (R04_AC9029_NN < 1 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN > 18 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN > (R04_ACHIEVEDAGE - 10) AND R04_AC9029 = 3).
DISPLAY: IF R04_AC9029_UN = 1, DISPLAY "días",
ELSE, IF R04_AC9029_UN = 2, DISPLAY "meses".
ELSE, IF R04_AC9029_UN = 3, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1023</b>
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AC1022 días/días en que fumó], ¿cuántos cigarrillos fumó usualmente cada día? Una cajetilla normalmente contiene 20 cigarrillos.
1    __ __  Cigarrillos al día
2    __ __  Cajetillas al día
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_ACV03
GO TO BOX R04_ACV03
ASK: Some day, experimental current, and former thirty day cigarette smokers who have smoked at least one day in past 30 days.
DISPLAY: IF R04_AC1022 = 1, -8, -7, DISPLAY "días en que fumó".
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AC1022 AND "días" (EX. "2 días").

<b>PATH ID:</b> <b>R04_AC1023_LC1</b>
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AC1023] [cigarrillos/cajetillas] cada día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AC1023
GO TO BOX R04_ACV03
ASK: IF (R04_AC1023_NN > 40 AND R04_AC1023_UN = 1) OR R04_AC1023_NN = 0, 11, 22, 33 OR (R04_AC1023_NN > 2 AND R04_AC1023_UN = 2).
DISPLAY: IF R04_AC1023_UN = 1, DISPLAY "cigarrillos".
IF R04_AC1023_UN = 2, DISPLAY "cajetillas".

<b>BOX ID:</b> <b>R04_ACV03</b>
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_CIGSPERDAY</b> = Number of cigarettes smoked per day.
<b>R04_PCKSPERDAY</b> = Number of packs smoked per day.
<b>R04_CIGSPERDAY2</b> = Estimate of cigarettes smoked per day when actual number is DK/RF.

<b>BOX ID:</b> <b>R04_ACR05</b>
New baseline and initiating current cigarette smokers who have ever smoked fairly regularly and provided the number of cigarettes/packs smoked per day, go to R04_AC9004.
Else, new baseline and initiating every day cigarette smokers who have ever smoked fairly regularly and provided the average number of cigarettes per day, go to R04_AC9009.
Else, go to Box R04_ACR41.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9004</b>	
Usted mencionó que fuma [#] [cigarrillo[s]/cajetilla[s]] al día[ en los días en que fuma]. ¿Ha fumado aproximadamente esta cantidad de [cigarrillos/cajetillas] al día desde que comenzó a fumar habitualmente?	
1 Sí	GO TO BOX R04_ACR41
2 No	GO TO R04_AC9005
-8 DON'T KNOW	GO TO R04_AC9005
-7 REFUSED	GO TO R04_AC9005
ASK: New baseline and initiating current cigarette smokers who have ever smoked fairly regularly and provided the number of cigarettes/packs smoked per day.	
DISPLAY: AUTOFILL [#] WITH R04_CIGSPERDAY OR R04_PCKSPERDAY.	
IF R04_CIGSPERDAY = 1, DISPLAY "cigarrillo".	
IF R04_CIGSPERDAY > 1, DISPLAY "cigarrillos".	
IF R04_PCKSPERDAY = 1, DISPLAY "cajetilla".	
IF R04_PCKSPERDAY>1, DISPLAY "cajetillas".	
IF R04_CURRENT_CIG_USE = 2, DISPLAY " en los días en que fuma".	
ELSE, DO NOT DISPLAY THIS TEXT	

<b>PATH ID: R04_AC9009</b>	
Usted mencionó que fuma [R04_CIGSPERDAY2]. Aproximadamente, ¿ha fumado esta cantidad de cigarrillos al día desde que comenzó a fumar habitualmente?	
1 Sí	GO TO BOX R04_ACR41
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline and initiating every day cigarette smokers who have ever smoked fairly regularly and reported an average number of cigarettes smoked per day.	
DISPLAY: IF R04_AC1090 = 1, FILL R04_CIGSPERDAY2 WITH "más de 20 cigarrillos cada día". IF R04_AC1090 = 2, FILL WITH "unos 20 cigarrillos cada día". IF R04_AC1090 = 3, FILL WITH "menos de 20 cigarrillos cada día".	

<b>PATH ID: R04_AC9005</b>	
En promedio, aproximadamente, ¿cuántos cigarrillos fumaba al día cuando fumó habitualmente en el pasado?	
1  __ __  Cigarrillos al día	
2  __ __  Cajetillas al día	
-8 DON'T KNOW	GO TO BOX R04_ACR41
-7 REFUSED	GO TO BOX R04_ACR41
ASK: New baseline and initiating every day cigarette smokers who report smoking a different amount now than in the past.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9005\_LC1**

La computadora registró que cuando fumaba de manera habitual anteriormente, usted fumaba [R04\_AC9005\_NN] [cigarrillos/cajetillas] cada día. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC9005    |
| 2 | NEXT | GO TO BOX R04_ACR41 |

ASK: IF (R04\_AC9005\_NN > 40 AND R04\_AC9005\_UN = 1) OR (R04\_AC9005\_NN = 11, 22, 33 AND R04\_AC9005\_UN = 1) OR (R04\_AC9005\_NN > 2 AND R04\_AC9005\_UN = 2).

DISPLAY: IF R04\_AC9005\_UN = 1, DISPLAY "cigarrillos".

ELSE, IF R04\_AC9005\_UN = 2, DISPLAY "cajetillas".

**BOX ID: R04\_ACR41**

Current and experimental current cigarette smokers, go to R04\_AC9022.

Else, former 30 day cigarette smokers, go to R04\_AC1024\_30D.

Else, go to the next section.

**PATH ID: R04\_AC9022**

¿Se considera usted fumador?

- |    |            |
|----|------------|
| 1  | Sí         |
| 2  | No         |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Current and experimental current cigarette smokers.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1024_LC1</b>	
La computadora registró que usted normalmente fuma su primer cigarrillo del día [R04_AC1024_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1024
2 NEXT	GO TO R04_AC9052
ASK: IF [R04_CURRENT_CIG_USE = 1 AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 4 AND R04_AC1024_UN = 2))] OR [(R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 12 AND R04_AC1024_UN = 2))].	
DISPLAY: IF R04_AC1024_UN = 2, DISPLAY "horas".	
ELSE, IF R04_AC1024_UN = 1, DISPLAY "minutos".	

<b>PATH ID: R04_AC1024_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer cigarrillo del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1024
2 NEXT	GO TO R04_AC9052
ASK: IF R04_AC1024_NN = 0.	

<b>PATH ID: R04_AC1092</b>	
[En los días en que fuma, ¿diría/¿Diría] usted que fuma su primer cigarrillo del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO R04_AC9052
2 No	GO TO R04_AC9052
3 Depende	GO TO R04_AC9052
-8 DON'T KNOW	GO TO R04_AC9052
-7 REFUSED	GO TO R04_AC9052
ASK: Current and experimental current cigarette smokers who did not know or refused to report how soon they smoke a cigarette after waking up.	
DISPLAY: IF R04_CURRENT_CIG_USE = 1, DISPLAY "¿Diría".	
ELSE, DISPLAY "En los días en que fuma, ¿diría".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1024\_30D**

En los días en que fumaba, ¿qué tan pronto después de que se despertaba se fumaba típicamente su primer cigarrillo del día? Anote los minutos o las horas.

1 |\_\_|\_\_| Minutos después de despertarse

2 |\_\_|\_\_| Horas después de despertarse

-8 DON'T KNOW

GO TO R04\_AC1092\_30D

-7 REFUSED

GO TO R04\_AC1092\_30D

ASK: Former 30 day cigarette smokers.

**PATH ID: R04\_AC1024\_30D\_LC1**

La computadora registró que usted normalmente fumaba su primer cigarrillo del día [R04\_AC1024\_30D\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1024\_30D

2 NEXT

GO TO R04\_AC9048

ASK: IF (R04\_AC1024\_30D\_NN > 60 AND R04\_AC1024\_30D\_UN = 1) OR (R04\_AC1024\_30D\_NN > 12 AND R04\_AC1024\_30D\_UN = 2).

DISPLAY: IF R04\_AC1024\_30D\_UN = 2, DISPLAY "horas".

ELSE, IF R04\_AC1024\_30D\_UN = 1, DISPLAY "minutos".

**PATH ID: R04\_AC1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasaba hasta que usted fumaba su primer cigarrillo del día.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC1024\_30D

2 NEXT

GO TO R04\_AC9048

ASK: IF R04\_AC1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1092_30D</b>	
En los días en que fumaba, ¿diría usted que fumaba su primer cigarrillo del día durante los primeros 30 minutos después de despertarse?	
1    Sí	GO TO R04_AC9048
2    No	GO TO R04_AC9048
3    Depende	GO TO R04_AC9048
-8    DON'T KNOW	GO TO R04_AC9048
-7    REFUSED	GO TO R04_AC9048
ASK: Former 30 day cigarette smokers who did not know or refused to report how soon they smoked a cigarette after waking up.	

<b>PATH ID:</b> <b>R04_AC9052</b>	
¿Qué cigarrillo detestaría más tener que dejar de fumar?	
1    El primero del día	
2    Todos los demás	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Current and experimental current cigarette smokers.	

<b>PATH ID:</b> <b>R04_AC9053</b>	
¿Fuma con más frecuencia durante las primeras horas después de despertarse que durante el resto del día?	
1    Sí	
2    No	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Current and experimental current cigarette smokers.	

<b>PATH ID:</b> <b>R04_AC9054</b>	
¿Fuma incluso cuando está tan enfermo que debe pasar la mayor parte del día en cama?	
1    Sí	
2    No	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Current and experimental current cigarette smokers.	



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9048</b>
Cuando [fuma/fumaba] cigarrillos, ¿[fuma/fumaba] normalmente cigarrillos que ya vienen listos para fumar o [fuma/fumaba] cigarrillos que uno mismo arma?
1   Cigarrillos que ya vienen listos para fumar
2   Cigarrillos que uno mismo arma
3   Tanto cigarrillos que ya vienen listos para fumar como cigarrillos que uno mismo arma
4   No sé
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day cigarette smokers.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "fuma", "fuma", AND "fuma".
ELSE, IF R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "fumaba", "fumaba", AND "fumaba".

<b>BOX ID:</b> <b>R04_ACR36</b>
If respondent usually smokes both manufactured and roll-your-own cigarettes, create and repeat R04_AC0100[MC/RY] to R04_AC1051[MC/RY] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second.
If R04_AC9048 = 1, 4, -8, -7, loop through R04_AC0100MC to R04_AC1051MC only once, following the display instructions for manufactured cigarettes.
If R04_AC9048 = 2, loop through R04_AC0100RY to R04_AC1051RY only once, following the display instructions for roll-your-own cigarettes.

<b>BOX ID:</b> <b>R04_ACR45</b>
Adult respondents who did not smoke cigarettes in the past 30 days, go to R04_AC1030[MC/RY]. Else, go to R04_AC0100[MC/RY].

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AC0100</b>	
	¿Cuándo fue la última vez que fumó un [cigarrillo/cigarrillo que uno mismo arma]?	
	1 Hace menos de una hora	GO TO R04_AC0103[MC/R Y]
	2 Hoy	
	3 Ayer	
	4 Hace dos días	
	5 Hace tres o más días	GO TO R04_AC1130[MC/R Y]
	-8 DON'T KNOW	GO TO R04_AC1130[MC/R Y]
	-7 REFUSED	GO TO R04_AC1130[MC/R Y]
	ASK: Adult respondents who have smoked a cigarette in the past 30 days.	
	DISPLAY: IF R04_AC9048 = 2, DISPLAY "cigarrillo que uno mismo arma".	
	ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillo" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "cigarrillo que uno mismo arma" THE SECOND TIME.	
	ELSE, DISPLAY "cigarrillo".	

<b>PATH ID:</b>	<b>R04_AC0102</b>	
	La última vez que fumó un [cigarrillo/cigarrillo que uno mismo arma] [FILL BASED ON R04_AC0100[MC/R Y]], ¿fue...?	
	1 Entre la medianoche y las 6 de la mañana	
	2 Entre las 6 de la mañana y el mediodía	
	3 Entre el mediodía y las 6 de la tarde	
	4 Entre las 6 de la tarde y la medianoche	
	-8 DON'T KNOW	
	-7 REFUSED	
	ASK: Adult respondents who have smoked a cigarette today, yesterday or the day before yesterday, but not in the past hour.	
	DISPLAY: IF R04_AC9048 = 2, DISPLAY "cigarrillo que uno mismo arma". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillo" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "cigarrillo que uno mismo arma" THE SECOND TIME. ELSE, DISPLAY "cigarrillo".	
	FOR [FILL BASED ON R04_AC0100]:	
	IF R04_AC0100[MC/R Y] = 2, DISPLAY "hoy".	
	IF R04_AC0100[MC/R Y] = 3, DISPLAY "ayer".	
	IF R04_AC0100[MC/R Y] = 4, DISPLAY "hace dos días".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC0103**

¿Cuántos [cigarrillos/cigarrillos que uno mismo arma] [ha fumado/fumó] [FILL BASED ON R04\_AC0100]? [Una cajetilla normalmente contiene 20 cigarrillos.]

1 |\_\_|\_\_| Cantidad de cigarrillos

-8 DON'T KNOW

GO TO R04\_AC1130[MC/R Y]

-7 REFUSED

GO TO R04\_AC1130[MC/R Y]

ASK: Adult respondents who have smoked a cigarette in the past hour, today, yesterday or the day before yesterday.

DISPLAY: DISPLAY "Cantidad de cigarrillos" AS A TITLE.

IF R04\_AC9048 = 1, 4, -8, -7, DISPLAY "cigarrillos" AND "Una cajetilla normalmente contiene 20 cigarrillos."

ELSE, IF R04\_AC9048 = 2, DISPLAY "cigarrillos que uno mismo arma".

ELSE, IF R04\_AC9048 = 3, DISPLAY "cigarrillos" AND "Una cajetilla normalmente contiene 20 cigarrillos." THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "cigarrillos que uno mismo arma" THE SECOND TIME.

IF R04\_AC0100[MC/R Y] = 1, 2, DISPLAY "ha fumado".

IF R04\_AC0100[MC/R Y] = 3, 4, DISPLAY, "fumó".

FOR [FILL BASED ON R04\_AC0100]:

IF R04\_AC0100[MC/R Y] = 1, 2, DISPLAY "hoy".

IF R04\_AC0100[MC/R Y] = 3, DISPLAY "ayer".

IF R04\_AC0100[MC/R Y] = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AC0103\_LC1**

La computadora registró que usted fumó [R04\_AC0103] cigarrillos [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AC0103[MC/R Y]

2 NEXT

GO TO R04\_AC1130[MC/R Y]

ASK: IF R04\_AC0103[MC/R Y]\_NN > 60 OR R04\_AC0103[MC/R Y]\_NN = 11, 22, 33, 44, 55.

DISPLAY: IF R04\_AC0100[MC/R Y] = 1, 2, DISPLAY "hoy".

IF R04\_AC0100[MC/R Y] = 3, DISPLAY "ayer".

IF R04\_AC0100[MC/R Y] = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1130</b>
<p>En los últimos 30 días, ¿tenía [alguno de los cigarrillos/el tabaco para armar sus propios cigarrillos] que fumó sabor a mentol o menta?</p> <p style="margin-left: 40px;">1    Sí</p> <p style="margin-left: 40px;">2    No</p> <p style="margin-left: 40px;">3    No sé</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Adult respondents who have smoked a cigarette in the past 30 days.</p> <p>DISPLAY: IF R04_AC9048 = 2, DISPLAY "el tabaco para armar sus propios cigarrillos". ELSE, IF R04_AC9048 = 3, DISPLAY "alguno de los cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "el tabaco para armar sus propios cigarrillos" THE SECOND TIME. ELSE, DISPLAY "alguno de los cigarrillos".</p>

<b>PATH ID:</b> <b>R04_AC1030</b>																		
<p>Las siguientes preguntas son acerca de su experiencia al comprar cigarrillos.</p> <p>Normalmente, ¿cómo [compra/compraba] [cigarrillos/un paquete de tabaco para armar sus propios cigarrillos] para usted mismo?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 40px;">1</td> <td style="width: 60%;">En persona</td> <td style="width: 40%;"></td> </tr> <tr> <td>2</td> <td>En Internet</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td>3</td> <td>Por teléfono</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td>4</td> <td>No compro [mis cigarrillos/mi tabaco para cigarrillos]</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R04_ACR07</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R04_ACR07</td> </tr> </table> <p>ASK: Current, experimental current, and former 30 day cigarette smokers.</p> <p>DISPLAY: IF R04_AC9048 = 2, DISPLAY "un paquete de tabaco para armar sus propios cigarrillos" IN QUESTION TEXT, AND "mi tabaco para cigarrillos" IN RESPONSE OPTION 4.</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" IN QUESTION TEXT AND "mis cigarrillos" IN RESPONSE OPTION 4 THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "un paquete de tabaco para armar sus propios cigarrillos" IN QUESTION TEXT, AND "mi tabaco para cigarrillos" IN RESPONSE OPTION 4 THE SECOND TIME.</p> <p>ELSE, DISPLAY "cigarrillos" IN QUESTION TEXT AND "mis cigarrillos" IN RESPONSE OPTION 4.</p> <p>IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".</p>	1	En persona		2	En Internet	GO TO BOX R04_ACR07	3	Por teléfono	GO TO BOX R04_ACR07	4	No compro [mis cigarrillos/mi tabaco para cigarrillos]	GO TO BOX R04_ACR07	-8	DON'T KNOW	GO TO BOX R04_ACR07	-7	REFUSED	GO TO BOX R04_ACR07
1	En persona																	
2	En Internet	GO TO BOX R04_ACR07																
3	Por teléfono	GO TO BOX R04_ACR07																
4	No compro [mis cigarrillos/mi tabaco para cigarrillos]	GO TO BOX R04_ACR07																
-8	DON'T KNOW	GO TO BOX R04_ACR07																
-7	REFUSED	GO TO BOX R04_ACR07																

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1032**

Normalmente, [compra/compraba] [cigarrillos/tabaco para armar sus propios cigarrillos]...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually buy cigarettes in person.

DISPLAY: IF R04\_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos". ELSE, IF R04\_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME. ELSE, DISPLAY "cigarrillos".  
IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1033**

¿Dónde [compra/compraba] [sus cigarrillos/su tabaco para armar sus propios cigarrillos] la mayoría del tiempo?

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda en una reserva indígena
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually buy cigarettes in person.

DISPLAY: IF R04\_AC9048 = 2, DISPLAY "su tabaco para armar sus propios cigarrillos".

ELSE, IF R04\_AC9048 = 3, DISPLAY "sus cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "su tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "sus cigarrillos".

IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "compra".

ELSE, DISPLAY "compraba".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_ACR07**

Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarette tobacco and usually buy in person, over the telephone or internet, go to R04\_AC9049.

Else, current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes and usually buy in person, over the telephone or internet, go to R04\_AC1039.

Else, go to R04\_AC1047[MC/RV].

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC9049</b>	
¿Cuánto paga normalmente por un paquete de tabaco para armar sus propios cigarrillos?	
1 \$  __ __ __  Dólares .  __ __  Centavos	
-8 DON'T KNOW	GO TO R04_AC1047RY
-7 REFUSED	GO TO R04_AC1047RY
ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarette tobacco and usually buy in person, over the telephone or internet.	
DISPLAY: DISPLAY"\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.	

<b>PATH ID: R04_AC9049_LC1</b>	
La computadora registró que usted normalmente paga \$[R04_AC9049_D].[R04_AC9049_C] por un paquete de tabaco para armar sus propios cigarrillos. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC9049RY
2 NEXT	GO TO R04_AC1047RY
ASK: IF R04_AC9049_D > 30.	

<b>PATH ID: R04_AC1039</b>	
¿Usualmente compra sus cigarrillos en cartón, en cajetilla o sueltos?	
1 Cartón	
2 Cajetilla	GO TO R04_AC1042MC
3 Suetos	GO TO R04_AC1043MC
-8 DON'T KNOW	GO TO R04_AC1047MC
-7 REFUSED	GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes and usually buy in person, over the telephone or internet.	

<b>PATH ID: R04_AC1040</b>	
¿Cuántas cajetillas de cigarrillos vienen en el cartón que normalmente compra?	
1  __ __	
-8 DON'T KNOW	GO TO R04_AC1041MC
-7 REFUSED	GO TO R04_AC1041MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the carton.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC1040_LC1
Un cartón de cigarrillos normalmente contiene 10 cajetillas, pero no siempre. La computadora registró que hay [R04_AC1040 cajetilla/R04_AC1040 cajetillas] de cigarrillos en el cartón que usted normalmente compra.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1040
2 NEXT GO TO R04_AC1041
ASK: IF R04_AC1040 != 10.
DISPLAY: IF R04_AC1040 = 1, DISPLAY "[R04_AC1040] cajetilla".
ELSE, DISPLAY "[R04_AC1040] cajetillas".

<b>PATH ID:</b> R04_AC1041
¿Cuánto paga normalmente por un cartón de cigarrillos?
1 \$  __ __ __  Dólares .  __ __  Centavos
-8 DON'T KNOW GO TO R04_AC1047MC
-7 REFUSED GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the carton.
DISPLAY: DISPLAY"\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID:</b> R04_AC1041_LC1
La computadora registró que usted normalmente paga \$[R04_AC1041] por un cartón de cigarrillos. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1041
2 NEXT GO TO R04_AC1047MC
ASK: IF R04_AC1041_D > 125 OR (R04_AC1041_D = 125 AND R04_AC1041_C > 00) OR R04_AC1041_D < 25.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC1042
¿Cuánto paga normalmente por una cajetilla de cigarrillos?
1 \$  __ __ __  Dólares .  __ __  Centavos
-8 DON'T KNOW GO TO R04_AC1047MC
-7 REFUSED GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes by the pack.
DISPLAY: Display "\$" as left label; "Dólares" and "Centavos" as titles.

<b>PATH ID:</b> R04_AC1042_LC1
La computadora registró que usted normalmente paga \$[R04_AC1042_D].[R04_AC1042_C] por una cajetilla de cigarrillos. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1042
2 NEXT GO TO R04_AC1047MC
ASK: IF R04_AC1042_D > 15 OR (R04_AC1042_D = 15 AND R04_AC1042_C > 00) OR R04_AC1042_D < 3 OR (R04_AC1042_D = 3 AND R04_AC1042_C < 99).

<b>PATH ID:</b> R04_AC1043
¿Cuánto paga normalmente por un cigarrillo suelto?
1 \$  __ __ __  Dólares .  __ __  Centavos
-8 DON'T KNOW GO TO R04_AC1047MC
-7 REFUSED GO TO R04_AC1047MC
ASK: Current, experimental current, and former 30 day cigarette smokers who usually purchase manufactured cigarettes as single cigarettes.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID:</b> R04_AC1043_LC1
La computadora registró que usted normalmente paga \$[R04_AC1043_D].[R04_AC1043_C] por un cigarrillo suelto. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1043
2 NEXT GO TO R04_AC1047MC
ASK: IF R04_AC1043_D > 3 OR (R04_AC1043_D = 3 AND R04_AC1043_C > 00) OR (R04_AC1043_D = 0 AND R04_AC1043_C < 50).

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1047</b>												
¿[Tiene/Tenía] una marca habitual de [cigarrillos/tabaco para armar sus propios cigarrillos] que normalmente [fuma/fumaba]?												
<table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1</td> <td style="padding-left: 10px;">Sí</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">2</td> <td style="padding-left: 10px;">No</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-8</td> <td style="padding-left: 10px;">DON'T KNOW</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-7</td> <td style="padding-left: 10px;">REFUSED</td> <td></td> </tr> </table>	1	Sí		2	No		-8	DON'T KNOW		-7	REFUSED	
1	Sí											
2	No											
-8	DON'T KNOW											
-7	REFUSED											
<p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers.          DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "Tiene" AND "fuma".          ELSE, IF R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "Tenía" AND "fumaba".          IF R04_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".          ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.          ELSE, DISPLAY "cigarrillos".</p>												

<b>BOX ID:</b> <b>R04_ACR29</b>
<p>Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes; and recent former cigarette smokers, go to R04_AC1050.          Else, respondents who smoke roll-your-own cigarettes, go to R04_AC9150.</p>

<b>PATH ID:</b> <b>R04_AC1050</b>															
¿[Su marca habitual/La última marca] que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol o menta?															
<table style="width: 100%; border: none;"> <tr> <td style="padding-left: 40px;">1</td> <td style="padding-left: 10px;">Sí</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">2</td> <td style="padding-left: 10px;">No</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">3</td> <td style="padding-left: 10px;">No sé</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">-8</td> <td style="padding-left: 10px;">DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> <tr> <td style="padding-left: 40px;">-7</td> <td style="padding-left: 10px;">REFUSED</td> <td style="text-align: right;">GO TO R04_AC1945MC</td> </tr> </table>	1	Sí	GO TO R04_AC1945MC	2	No	GO TO R04_AC1945MC	3	No sé	GO TO R04_AC1945MC	-8	DON'T KNOW	GO TO R04_AC1945MC	-7	REFUSED	GO TO R04_AC1945MC
1	Sí	GO TO R04_AC1945MC													
2	No	GO TO R04_AC1945MC													
3	No sé	GO TO R04_AC1945MC													
-8	DON'T KNOW	GO TO R04_AC1945MC													
-7	REFUSED	GO TO R04_AC1945MC													
<p>ASK: Current, experimental current, and former 30 day cigarette smokers who smoke manufactured cigarettes; and recent former cigarette smokers.          DISPLAY: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 1, DISPLAY "Su marca habitual" AND "fuma" AND "tiene".          IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".          ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1, DISPLAY "Su marca habitual" AND "fumaba" AND "tenía".          ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".</p>															

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9150</b>
¿[Su marca habitual/La última marca] de tabaco para armar sus propios cigarrillos [que fumaba], ¿[tiene/tenía] sabor a mentol o menta?
1    Sí
2    No
3    No sé
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke roll-your-own cigarettes.
DISPLAY: IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 1, DISPLAY "Su marca habitual" AND "tiene".
IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 2, -8, -7), DISPLAY, "La última marca" AND "tenía" AND "que fumaba".
ELSE, IF R04_AC1047RY = 1, DISPLAY "Su marca habitual" AND "tenía".
ELSE, IF R04_AC1047RY = 2, -8, -7, DISPLAY "La última marca" AND "tenía" and "que fumaba".

<b>PATH ID:</b> <b>R04_AC1945</b>
¿Sabe el <u>nombre de la marca</u> de [cigarrillos/tabaco para armar sus propios cigarrillos] que [fuma normalmente/fumó normalmente/fumó la última vez]?
1    Sí
2    No
-8   DONT KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day cigarette smokers.
DISPLAY: IF R04_AC1047[MC/Ry] = 1 AND R04_CIG_USER_STATUS = 1, 2, DISPLAY "fuma normalmente".
ELSE, IF R04_AC1047[MC/Ry] = 1 AND R04_CIG_USER_STATUS != 1, 2, DISPLAY "fumó normalmente".
ELSE, IF R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó la última vez".
IF R04_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.
ELSE, DISPLAY "cigarrillos".
UNDERLINE "nombre de la marca".

<b>BOX ID:</b> <b>R04_ACR44</b>
Respondents who know the name of their brand, go to R04_AC1048[MC/Ry]_BRAND.
Else, respondents who have a regular brand, go to R04_AC1051[MC/Ry].
Else, go to Box R04_ACR43.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1048</b>
<p>¿Qué marca [son los cigarrillos/es el tabaco para armar sus propios cigarrillos] que usted [fuma/fumó] [usualmente/la última vez]?</p> <p>Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]</p> <p style="margin-left: 40px;">1    Otra</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who know the brand name.</p> <p>DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"."</p> <p>IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."</p> <p>IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 1, DISPLAY "fuma" AND "usualmente".</p> <p>ELSE, IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS =1) AND R04_AC1047[MC/R Y] = 1, DISPLAY "fumó" AND "usualmente".</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS =1) AND R04_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".</p> <p>IF R04_AC9048 = 2, DISPLAY "es el tabaco para armar sus propios cigarrillos".</p> <p>ELSE, IF R04_AC9048 = 3, DISPLAY "son los cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "es el tabaco para armar sus propios cigarrillos" THE SECOND TIME.</p> <p>ELSE, DISPLAY "son los cigarrillos".</p>

<b>BOX ID:</b> <b>R04_ACR30</b>
<p>If respondent selects an image for their brand, go to R04_AC1070[MC/R Y]_PRODUCT.</p> <p>Else, if respondent selects "Something else" for their brand, go to R04_AC1049[MC/R Y].</p> <p>Else, go to Box R04_ACR33.</p>

<b>PATH ID:</b> <b>R04_AC1049</b>						
<p>Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 40%; padding-left: 40px;">1    _____</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> <tr> <td style="padding-left: 40px;">-8   DON'T KNOW</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> <tr> <td style="padding-left: 40px;">-7   REFUSED</td> <td style="padding-left: 20px;">GO TO BOX R04_ACR33</td> </tr> </table> <p>ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected "Something else" for their brand.</p>	1    _____	GO TO BOX R04_ACR33	-8   DON'T KNOW	GO TO BOX R04_ACR33	-7   REFUSED	GO TO BOX R04_ACR33
1    _____	GO TO BOX R04_ACR33					
-8   DON'T KNOW	GO TO BOX R04_ACR33					
-7   REFUSED	GO TO BOX R04_ACR33					

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1070**

Usted seleccionó [CIGBRANDFILL/RYOBRANDFILL] como su marca. ¿Qué clase de [CIGBRANDFILL/RYOBRANDFILL] [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]

- 1 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected a brand image.

DISPLAY: IF R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04\_AC1048MC\_BRAND.

ELSE, IF R04\_AC9048 = 2 OR (R04\_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04\_AC1048RY\_BRAND.

IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."

IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1047[MC/Ry] = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF (R04\_CIG\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047[MC/Ry] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF (R04\_CIG\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

**BOX ID: R04\_ACR31**

If current, experimental current, recent former, or former 30 day cigarette smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AC1071[MC/Ry].

Else, go to Box R04\_ACR33.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC1071</b>
Usted dijo que el tipo de [CIGBRANDFILL/RYOBRANDFILL] que usted [fuma/fumaba] no está en las opciones. ¿Qué tipo es?
1      _____
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: IF R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04_AC1048MC_BRAND.
IF R04_AC9048 = 2 OR (R04_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04_AC1048RY_BRAND.
IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] = 1, DISPLAY "fuma".
ELSE, IF (R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/R Y] != 1) OR R04_CIG_USER_STATUS = 4, DISPLAY "fumaba".

<b>BOX ID:</b> <b>R04_ACR33</b>
Current, experimental current, recent former, and former 30 day cigarette smokers who have a regular brand, go to R04_AC1051[MC/R Y].
Else, go to Box R04_ACR43.

<b>PATH ID:</b> <b>R04_AC1051</b>
Aproximadamente, ¿cuánto tiempo [lleva fumando/fumó] su marca habitual de [cigarrillos/ tabaco para armar sus propios cigarrillos]?
1     __ __  DÍAS
2     __ __  MESES
3     __ __  AÑOS
-8    DON'T KNOW
-7    REFUSED
GO TO BOX R04_ACR43
GO TO BOX R04_ACR43
ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who have a regular brand.
DISPLAY: IF R04_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME. ELSE, DISPLAY "cigarrillos".
IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AC1051_LC1
La computadora registró que usted [lleva fumando/fumó] su marca habitual por [R04_AC1051MC_NN] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1051MC
2 NEXT GO TO BOX R04_ACR43
ASK: IF (R04_AC1051MC_NN > R04_ACHIEVEDAGE) AND R04_AC1051MC_UN = 3.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

<b>PATH ID:</b> R04_AC1051_LC2
La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de cigarrillos.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1051MC
2 NEXT GO TO BOX R04_ACR43
ASK: IF R04_AC1051MC_NN = 0.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

<b>PATH ID:</b> R04_AC1051RY_LC1
La computadora registró que usted [lleva fumando/fumó] su marca habitual por [R04_AC1051RY_NN] años. Son más años de los que usted tiene actualmente.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AC1051RY
2 NEXT GO TO BOX R04_ACR09
ASK: IF R04_AC1051RY_NN > R04_ACHIEVEDAGE AND R04_AC1051RY_UN = 3.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AC1051RY_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de cigarrillos.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AC1051RY
2 NEXT	GO TO BOX R04_ACR09
ASK: IF R04_AC1051RY_NN = 0.	
DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "lleva fumando".	
ELSE, DISPLAY "fumó".	

<b>BOX ID: R04_ACR43</b>
Adult respondents who usually smoke both manufactured and roll-your-own cigarettes, go back to R04_AC0100RY and loop through series for roll-your-own cigarettes.
Else, go to Box R04_ACR09.

<b>BOX ID: R04_ACR09</b>
Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand, go to Box R04_ACD01.
Else, if current, experimental current, new former or former 30 day cigarette smoker, who does not have a regular brand and usually smokes manufactured cigarettes, go to R04_AC9019.
Else, go to Box R04_ACR35.

<b>BOX ID: R04_ACD01</b>
Randomize order of R04_AC9010 through R04_AC9015.
Display question R04_AC9010, R04_AC9011, R04_AC9014, R04_AC9015, on one screen. Show the intro/transition text from R04_AC9010 first, then show each item with a S/N response. As each item is answered, show the next one.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9010**

[Las siguientes preguntas son acerca de su marca habitual de cigarrillos. Al contestar estas preguntas, piense por favor en la marca de sus cigarrillos que ya vienen listos para fumar. ]Al seleccionar su marca habitual de cigarrillos [cuando fumaba], ¿basó su decisión en parte en alguno de los siguientes criterios?

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2, DISPLAY "Es".

ELSE, DISPLAY "cuando fumaba" AND "Era".

IF R04\_CIG\_USER\_STATUS = 1 AND R04\_AC9048 = 3, DISPLAY TRANSITION TEXT: "Las siguientes preguntas son acerca de su marca habitual de cigarrillos. Al contestar estas preguntas, piense por favor en la marca de sus cigarrillos que ya vienen listos para fumar."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AC9011**

Los niveles de alquitrán y nicotina.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH ID: R04\_AC9014**

El sabor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9015**

Como manera para ayudarle a dejar el hábito de fumar.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who usually smoke manufactured cigarettes who have a regular brand; and recent former cigarette smokers who have a regular brand.

**PATH ID: R04\_AC9019**

¿Cree que la marca de cigarrillos que [normalmente fuma/normalmente fumaba/fumó por última vez] podría ser menos dañina, igual de dañina o más dañina en comparación con otras marcas de cigarrillos?

- 1 Menos dañina
- 2 Igual de dañina
- 3 Más dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day cigarette smokers who usually smoke manufactured cigarettes.

DISPLAY: IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1047MC = 1, DISPLAY "normalmente fuma".

ELSE, IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1047MC = 2, -8, -7, DISPLAY "fumó por última vez".

ELSE, IF R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 1, DISPLAY "normalmente fumaba".

ELSE, IF R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 2, -8, -7, DISPLAY "fumó por última vez".

**BOX ID: R04\_ACR35**

Adult respondents who are a current smoker of BOTH manufactured and roll-your-own cigarettes, who know the name of their brands and selected a valid brand and product for both, and smoked today, yesterday, or the day before yesterday, go to R04\_AC0105.

Else, if NEQBRAND is missing in either loop for manufactured or RYO cigarettes or respondents who have smoked a cigarette today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand AND valid product AND are users of either manufactured OR roll-your-own cigarettes, but not both, go to R04\_AC0104.

Else, go to the next section.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC0105</b>															
Anteriormente dijo que fumó un cigarrillo [TIME OF LAST USE]. Piense en el último cigarrillo que fumó. ¿Era (un)...															
<table style="width: 100%; border: none;"> <tr> <td style="width: 10%; text-align: center;">1</td> <td style="width: 70%;">[NEQBRAND]</td> <td style="width: 20%; text-align: right;">GO TO NEXT SECTION</td> </tr> <tr> <td style="text-align: center;">2</td> <td>[NEQBRAND]</td> <td style="text-align: right;">GO TO NEXT SECTION</td> </tr> <tr> <td style="text-align: center;">3</td> <td>Alguna otra marca</td> <td style="text-align: right;">GO TO NEXT SECTION</td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO NEXT SECTION</td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO NEXT SECTION</td> </tr> </table>	1	[NEQBRAND]	GO TO NEXT SECTION	2	[NEQBRAND]	GO TO NEXT SECTION	3	Alguna otra marca	GO TO NEXT SECTION	-8	DON'T KNOW	GO TO NEXT SECTION	-7	REFUSED	GO TO NEXT SECTION
1	[NEQBRAND]	GO TO NEXT SECTION													
2	[NEQBRAND]	GO TO NEXT SECTION													
3	Alguna otra marca	GO TO NEXT SECTION													
-8	DON'T KNOW	GO TO NEXT SECTION													
-7	REFUSED	GO TO NEXT SECTION													
<p>ASK: Current, experimental current, and former 30 day cigarette smokers who have smoked a cigarette today, yesterday or the day before yesterday who know the name of their brands AND selected a valid brand and valid product AND are users of both RYO and manufactured cigarettes. (If NEQBRAND is missing in either loop for manufactured or RYO cigarettes, default to asking R04_AC0104 at the end of the cigarette section instead of R04_AC0105.)</p> <p>DISPLAY: IF R04_AC0100MC = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".  ELSE, IF R04_AC0100RY = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".  ELSE, IF R04_AC0100MC = 2, FILL [TIME OF LAST USE] WITH "hoy".  ELSE, IF R04_AC0100RY = 2, FILL [TIME OF LAST USE] WITH "hoy".  ELSE, IF R04_AC0100MC = 3, FILL [TIME OF LAST USE] WITH "ayer".  ELSE, IF R04_AC0100RY = 3, FILL [TIME OF LAST USE] WITH "ayer".  ELSE, IF R04_AC0100MC = 4, FILL [TIME OF LAST USE] WITH "hace dos días".  ELSE, IF R04_AC0100RY = 4, FILL [TIME OF LAST USE] WITH "hace dos días".  FILL [NEQBRAND] WITH R04_AC1070MC_PRODUCT RESPONSE CODE 1 FOR MANUFACTURED.  FILL [NEQBRAND] WITH R04_AC1070RY_PRODUCT RESPONSE CODE 2 FOR ROLL-YOUR-OWN.</p>															

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC0104**

Tengo una pregunta más acerca de [su marca habitual / la última marca] de cigarrillos [ que fumó].

Anteriormente dijo que fumó un cigarrillo [TIME OF LAST USE].

Piense en el último cigarrillo que fumó. ¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day cigarette smokers who have smoked a cigarette in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product AND are users of either manufactured OR roll-your-own cigarettes, but not both OR are users of both, but only provided a valid brand AND valid product for one type of cigarette.

DISPLAY: UNDERLINE "su marca habitual" AND "la última marca" IN THE QUESTION TEXT.

IF R04\_AC1047[MC/R Y] = 1, DISPLAY "su marca habitual".

ELSE, IF R04\_AC1047[MC/R Y] = 2, -8, -7, DISPLAY "la última marca" AND "que fumó".

IF R04\_AC0100[MC/R Y] = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R04\_AC0100[MC/R Y] = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R04\_AC0100[MC/R Y] = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE IF R04\_AC0100[MC/R Y] = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH R04\_AC1070[MC/R Y]\_PRODUCT RESPONSE.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## **ELECTRONIC NICOTINE PRODUCTS**

**BOX ID: R04\_AVT02**

Las siguientes preguntas son acerca de **productos electrónicos con nicotina**.

Algunos productos electrónicos con nicotina se pueden comprar como productos desechables que se usan una sola vez, mientras que otros se compran como productos reusables que vienen con cartucho o sistema de tanque. Algunas personas vuelven a llenar sus productos electrónicos con nicotina con un líquido de nicotina que a veces se conoce como "líquido electrónico" o "jugo electrónico".

Los productos electrónicos desechables con nicotina, los cartuchos para productos electrónicos con nicotina y el líquido electrónico en distintos sabores y concentraciones de nicotina. Algunas marcas conocidas son Vuse, Blu, Logic, MarkTen, NJOY, eGo y iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS].

**PATH ID: R04\_AV1090**

¿Tiene usted un producto electrónico con nicotina?

- |    |            |                  |
|----|------------|------------------|
| 1  | Sí         |                  |
| 2  | No         | GO TO R04_AV9041 |
| -8 | DON'T KNOW | GO TO R04_AV9041 |
| -7 | REFUSED    | GO TO R04_AV9041 |

ASK: Adult respondents who have ever used an e-product.

**PATH ID: R04\_AV9945**

¿Sabe el nombre de la marca de producto electrónico con nicotina que usted tiene?

- |    |            |                  |
|----|------------|------------------|
| 1  | Sí         |                  |
| 2  | No         | GO TO R04_AV9004 |
| -8 | DON'T KNOW | GO TO R04_AV9004 |
| -7 | REFUSED    | GO TO R04_AV9004 |

ASK: Adult respondents who own an e-product.

DISPLAY: UNDERLINE "nombre de la marca".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9002**

¿Cuál es la marca del producto electrónico con nicotina que usted tiene? (Si usted tiene más de un producto electrónico con nicotina, conteste la pregunta pensando en el producto que usa con **más frecuencia**.)

Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". / Si no ve la opción a continuación, toque la casilla que dice "Otra".]

- 1 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product and know the brand name.

DISPLAY: [If multiple screens] Display: Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

[If single screen OR last screen of multiple screens] Display: Si no ve la opción a continuación, toque la casilla que dice "Otra".

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

**BOLD AND UNDERLINE "más frecuencia".**

**BOX ID: R04\_AVR36**

Adult respondents who own an e-product and know the brand name and select "Something else" in R04\_AV9002, go to R04\_AV9003.

Else, go to R04\_AV9004.

**PATH ID: R04\_AV9003**

Usted dijo que la marca del producto electrónico con nicotina que usted tiene no aparece en las opciones. ¿Qué marca es?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product and know the brand name and did not select an image of the brand they own.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9004**

¿Aproximadamente cuánto pagó por su producto electrónico con nicotina? No incluya el costo de accesorios o cartuchos adicionales, a menos que hayan estado incluidos con el producto.

(Si usted tiene más de un producto electrónico con nicotina, conteste la pregunta pensando en el producto que usa con **más frecuencia.**)

- 1 Menos de \$10
- 2 \$10 a \$20
- 3 \$21 a \$100
- 4 Más de \$100
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who own an e-product.

DISPLAY: BOLD AND UNDERLINE "más frecuencia".

**PATH ID: R04\_AV9041**

¿Alguna otra persona que viva en su casa tiene un producto electrónico con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR20**

New cohort adult respondents who have ever used an e-product, go to R04\_AV1006\_RS.

Else, aged-up and continuing adult respondents who have ever used an e-product and had not used e-products 100 or more times in the previous wave, go to R04\_AV1005.

Else, aged-up and continuing adult respondents who have ever used an e-product and had never used e-products fairly regularly in the previous wave, go to R04\_AV1100.

Else, go to Box R04\_AVR22.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1005**

¿Cuántas veces ha fumado un producto electrónico con nicotina en toda su vida?

- 1 Una vez, incluso si solo fueron unas probaditas
- 2 2 a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used an e-product and had not used 100 or more times in the previous wave, and new cohort adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR21**

Aged-up and continuing adult respondents who have ever used an e-product and had never used e-products fairly regularly in the previous wave, and new cohort adult respondents who have ever used e-products, go to R04\_AV1100.

Else, go to Box R04\_AVV01.

**PATH ID: R04\_AV1100**

¿Alguna vez ha fumado productos electrónicos con nicotina habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used an e-product (and had never used fairly regularly in the previous wave), and new cohort adult respondents who have ever used an e-product.

**BOX ID: R04\_AVR22**

New baseline respondents that have ever used e-products fairly regularly but had never used fairly regularly in the previous wave, go to R04\_AV1007\_NB.

Else, go to Box R04\_AVV01.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AVV01
PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_EPROD_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days. <b>R04_EPROD_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days. <b>R04_EPROD_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all. <b>R04_EPROD_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former e-product users at the previous wave and aged-up adult respondents who ever used e-products at the previous wave, who have ever used e-products fairly regularly, and did not use e-products in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated e-product use since the previous wave, who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all. <b>R04_EPROD_USER_STATUS = 5 (Long-term former user)</b> Aged up and continuing adult respondents who were former e-product users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used and e-product and have used fairly regularly, who have not used in the past 12 months.  <b>R04_CURRENT_EPROD_USE = 1 (Every day user)</b> Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day. <b>R04_CURRENT_EPROD_USE = 2 (Some day user)</b> Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days.  <b>R04_FORMER_THIRTYDAY_USER_EPROD = 1</b> Adult respondents who are experimental former, recent former, or long-term former users who have used any electronic nicotine products in the past 30 days.

<b>BOX ID:</b> R04_AVR02
New baseline respondents that are every day e-product users, go to R04_AV1020_NB. Else, aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondent who have ever used an e-product, go to R04_AV1011. Else, aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months, go to R04_AV9035. Else, go to Box R04_AVR52.

<b>BOX ID:</b> R04_AVR23
Aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondents who have ever used an e-product, go to R04_AV1011. Else, go to R04_AV9035.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1011**

La primera vez que comenzó a fumar productos electrónicos con nicotina, ¿qué sabor fumaba? Escoja todas las opciones que correspondan.

- 1 Sabor a tabaco
- 2 Mentol o menta
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 8 Caramelos u otros sabores dulces
- 9 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who initiated e-product use since the previous wave and new cohort adult respondents who have ever used an e-product.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AV9035**

¿Cuál de los siguientes tipos de productos electrónicos con nicotina ha fumado? Escoja todas las opciones que correspondan.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- 1 Cigarrillo electrónico, incluyendo un vaporizador personal de fumar
- 2 Puro electrónico
- 3 Pipa electrónica
- 4 Hookah electrónica, incluyendo una pluma hookah
- 5 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months and new cohort adult respondents who have ever used e-products.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR56**

If the only device type selected is "Something else" or the respondent did not know or refused to report which device types they have used, go to Box R04\_AVR59.

Else, repeat R04\_AV9060 for each device type selected, except "Something else".  
When all loops complete, go to Box R04\_AVV04.

**PATH ID: R04\_AV9060**

¿[Fuma/Fumaba] más de una clase de [FILL WITH DEVICE TYPE SELECTED IN R04\_AV9035]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have used e-products in the past 30 days or past 12 months and new cohort adult respondents who have ever used e-products and selected a type of e-product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Fuma".

ELSE, IF R04\_EPROD\_USER\_STATUS = 3, 4, 5, DISPLAY "Fumaba".

FOR R04\_AV9060\_01, DISPLAY "cigarrillo electrónico".

FOR R04\_AV9060\_02, DISPLAY "puro electrónico".

FOR R04\_AV9060\_03, DISPLAY "pipa electrónica".

FOR R04\_AV9060\_04, DISPLAY "hookah electrónica".

**BOX ID: R04\_AVR60**

If there are remaining device types, go back to Box R04\_AVR56 and complete loop for all remaining device types.

Else, if all loops are complete, go to Box R04\_AVV04.

**BOX ID: R04\_AVV04**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

**R04\_EPRODCOUNT** = The number of electronic nicotine products used.

**BOX ID: R04\_AVR58**

If the respondent uses more than one type of electronic nicotine product go to R04\_AV9044.

Else, go to Box R04\_AVR59.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9044**

Usted mencionó que ha fumado más de un tipo de producto electrónico con nicotina.

¿Qué tipo de producto electrónico con nicotina [fuma/fumaba] con **más frecuencia**?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- 1 Cigarrillo electrónico, incluyendo un vaporizador personal de fumar
- 2 Puro electrónico
- 3 Pipa electrónica
- 4 Hookah electrónica, incluyendo una pluma hookah
- 5 Otro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used more than one e-product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

BOLD AND UNDERLINE "más frecuencia".

**BOX ID: R04\_AVR59**

Current, experimental current, recent former, or former 30 day e-product users, go to R04\_AV9040.

Else, go to Box R04\_AVR12.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9040**

Por favor mire esta imagen. ¿Cuál grupo se parece más al producto electrónico con nicotina que usted [fuma/fumaba] con **más frecuencia**?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

- 1 Grupo 1
- 2 Grupo 2
- 3 Grupo 3
- 4 Grupo 4
- 5 Grupo 5
- 6 Grupo 6
- 7 Ninguno de los anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

BOLD AND UNDERLINE "más frecuencia".

**BOX ID: R04\_AVD05**

Display questions R04\_AV9005 through R04\_AV9009 using stem-leaf screen. The introduction text from R04\_AV9009 is the stem.

**PATH ID: R04\_AV9005**

Para las siguientes preguntas, piense en el producto electrónico con nicotina que usted [fuma/fumaba] con **más frecuencia**.

¿[Es/Era] recargable?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fuma" AND "Es".

ELSE, DISPLAY "fumaba" AND "Era".

BOLD AND UNDERLINE "más frecuencia".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9038</b>
¿[Funciona/Funcionaba] con un sistema de tanque?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Funciona".
ELSE, DISPLAY "Funcionaba".

<b>PATH ID:</b> <b>R04_AV9008</b>
¿[Funciona/Funcionaba] con cartuchos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Funciona".
ELSE, DISPLAY "Funcionaba".

<b>PATH ID:</b> <b>R04_AV9009</b>
¿Se [puede/podía] volver a llenar con líquido electrónico?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "puede".
ELSE, DISPLAY "podía".

<b>BOX ID:</b> <b>R04_AVR57</b>
Adult respondents who use refillable e-products, go to R04_AV9046.
Else, go to Box R04_AVV03.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9046</b>
¿Con qué frecuencia [llena/volvía a llenar] su producto electrónico con nicotina con líquido electrónico?
1   Por lo menos una vez al día
2   Una vez cada dos días
3   Una vez a la semana
4   Algunas veces al mes
5   Una vez al mes
6   Algunas veces al año
7   Una vez al año
8   Nunca
-8  DON'T KNOW
-7  REFUSED
GO TO BOX R04_AVR30
ASK: Current, experimental current, recent former, or former 30 day e-product users that use refillable e-products.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "llena".
ELSE, DISPLAY "volvía a llenar".

<b>PATH ID:</b> <b>R04_AV9036</b>
¿Quién lo [llena/llenaba] con líquido electrónico?
1   Yo mismo lo [lleno/llenaba]
2   Lo [lleno/llenaba] en un bar de fumadores
3   Lo [compro/compraba] lleno
4   Lo [lleno/llenaba] de otra manera
-8  DON'T KNOW
-7  REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users who use refillable e-products and have refilled them before.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "llena" IN QUESTION TEXT AND "lleno", "lleno", "compro", AND "lleno" IN RESPONSE OPTIONS.
ELSE, DISPLAY "llenaba" IN QUESTION TEXT AND "llenaba", "llenaba", "compraba", AND "llenaba" IN RESPONSE OPTIONS.

<b>BOX ID:</b> <b>R04_AVR30</b>
Current, experimental current, recent former, or former 30 day e-product users that use a refillable tank system, go to R04_AV9045.
Else, go to Box R04_AVV03.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9045</b>
¿Cuántos mililitros de líquido electrónico [caben/cabían] en su tanque?  1     _ _  -2   No sé -8   DON'T KNOW -7   REFUSED  ASK: Current, experimental current, recent former, or former 30 day e-product users that use a refillable tank system. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "caben". ELSE, DISPLAY "cabían".

<b>BOX ID:</b> <b>R04_AW03</b>
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):  <b>R04_EDEVICETYPE</b> = (E-Product device type): <b>R04_EDEVICETYPE</b> = 1 (Disposable E-Product Users). <b>R04_EDEVICETYPE</b> = 2 (Non-Refillable Cartridge E-Product Users). <b>R04_EDEVICETYPE</b> = 3 (Refillable Cartridge E-Product Users). <b>R04_EDEVICETYPE</b> = 4 (Refillable Tank System E-Product Users). <b>R04_EDEVICETYPE</b> = 5 (Refillable Mod System E-Product Users). <b>R04_EDEVICETYPE</b> = 6 (Unknown E-Product User Type).



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AVT04</b>
PROGRAM - CREATE [EPRODFILL1-3]:
<b>EPRODFILL1:</b> R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL1 = "productos electrónicos con nicotina". R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "cartuchos electrónicos con nicotina". R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL1 = "mililitros de líquido electrónico".
<b>EPRODFILL2:</b> R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL2 = "productos electrónicos con nicotina". R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "cartuchos electrónicos con nicotina". R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL2 = "líquido electrónico".
<b>EPRODFILL3:</b> R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL3 = "producto electrónico con nicotina". R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "cartucho electrónico con nicotina". R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL3 = "líquido electrónico".

<b>PATH ID:</b> <b>R04_AV9010</b>
Piense en el [EPRODFILL3] que [fuma/fumaba] con <b><u>más frecuencia</u></b> .
¿[Contiene/Contenía] nicotina?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AVR12
GO TO BOX R04_AVR12
GO TO BOX R04_AVR12
ASK: Current, experimental current, recent former, or former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS =1, 2, DISPLAY "fuma"and "Contiene".
ELSE, DISPLAY "fumaba" AND "Contenía".
BOLD AND UNDERLINE "más frecuencia".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV9006</b>
¿Qué concentración de nicotina [fuma/fumaba] normalmente?
1 No sé la concentración
2 0mg o 0%
3 1-6mg o 0.1-0.6%
4 7-12mg o 0.7-1.2%
5 13-17mg o 1.3-1.7%
6 18-24mg o 1.8-2.4%
7 25-39mg o 2.5-3.9%
8 40+mg o 4.0+%
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users whose e-products contain nicotine.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fuma".
ELSE, DISPLAY "fumaba".

<b>BOX ID:</b> <b>R04_AVR12</b>
Every day e-product users, go to R04_AV1021.
Else, some day, experimental current, or former 30 day e-product users, go to R04_AV1022.
Else, new cohort adult respondents who are experimental former, recent former, or long-term former e-product users go to R04_AV1025_RS.
Else, recent former smokers who did not use an e-product in the past 30 days, go to R04_AV1047.
Else, go to R04_AV9042.

<b>PATH ID:</b> <b>R04_AV1021</b>
En promedio, ¿aproximadamente cuántos [EPRODFILL1] fuma cada día actualmente?
-2 Menos de 1 cada día      GO TO R04_AV1026
1  __ __
-8 DON'T KNOW      GO TO R04_AV1026
-7 REFUSED      GO TO R04_AV1026
ASK: Every day e-product users.
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de 1 cada día" ON RIGHT.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1021_LC1</b>	
La computadora registró que actualmente usted fuma [R04_AV1021] [EPRODFILL1] cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AV1021
2    NEXT	GO TO R04_AV1026
ASK: IF R04_AV1021 > 1.	

<b>PATH ID:</b> <b>R04_AV1022</b>
¿Durante cuántos de los últimos 30 días fumó usted un producto electrónico con nicotina?
1     __ __  DÍAS
-8    DON'T KNOW
-7    REFUSED
ASK: Some day, experimental current, and former 30 day e-product users.
DISPLAY: DISPLAY "DÍAS" AS A TITLE.

<b>BOX ID:</b> <b>R04_AVR42</b>
If respondent enters "0" for R04_AV1022 and is a some day or experimental current e-product user, go to R04_AV9029.
Else, if respondent enters "0" for R04_AV1022 and is a former 30 day user of e-products, go to Box R04_AVR32.
Else, go to R04_AV1026.

<b>PATH ID:</b> <b>R04_AV9029</b>	
¿Aproximadamente cuánto tiempo hace desde que tomó su última probadita de un producto electrónico con nicotina?	
1     __ __  DÍAS	
2     __ __  MESES	
3     __ __  AÑOS	
-8    DON'T KNOW	GO TO BOX R04_AVR32
-7    REFUSED	GO TO BOX R04_AVR32
ASK: Some day and experimental current e-product users who have not used in the past 30 days.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV9029\_LC1**

La computadora registró que la última probadita que usted le dio a un producto electrónico con nicotina fue hace [R04\_AV9029] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV9029    |
| 2 | NEXT | GO TO BOX R04_AVR32 |

ASK: IF (R04\_AV9029\_NN < 30 AND R04\_AV9029\_UN = 1) OR ((R04\_AV9029\_NN < 1 OR R04\_AV9029\_NN > 18) AND R04\_AV9029\_UN = 2) OR ((R04\_AV9029\_NN > (R04\_ACHIEVEDAGE - 10)) AND R04\_AV9029\_UN = 3).

DISPLAY: IF R04\_AV9029\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AV9029\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AV9029\_UN = 3, DISPLAY "años".

**PATH ID: R04\_AV1026**

En promedio, en los días en que fuma, ¿cuántas veces fuma su producto electrónico con nicotina cada día, ya sea que le dé una probadita o varias?

- |    |            |                  |
|----|------------|------------------|
| 1  | _ _ _ _    |                  |
| -8 | DON'T KNOW | GO TO R04_AV1027 |
| -7 | REFUSED    | GO TO R04_AV1027 |

ASK: Every day e-product users or some day, experimental current, and former 30 day e-product users who have used in the past 30 days.

**PATH ID: R04\_AV1026\_LC1**

La computadora registró que en los días en que ha fumado, usted fumó su producto electrónico con nicotina [R04\_AV1026] [vez / veces] cada día, en promedio.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AV1026 |
| 2 | NEXT | GO TO R04_AV1027 |

ASK: IF R04\_AV1026 > 50 OR R04\_AV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R04\_AV1026 = 1, DISPLAY "vez".

ELSE, DISPLAY "veces".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1027
Cada vez que fumó su producto electrónico con nicotina, ¿aproximadamente cuántas probaditas le dio?
1  __ __ __
-8 DON'T KNOW GO TO BOX R04_AVR32
-7 REFUSED GO TO BOX R04_AVR32
ASK: Every day e-product users or some day, experimental current, and former 30 day e-product users who have used in the past 30 days.

<b>PATH ID:</b> R04_AV1027_LC1
La computadora registró que usted le dio [R04_AV1027] [probadita/probaditas] a su producto electrónico con nicotina cada vez que lo fumó, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AV1027
2 NEXT GO TO BOX R04_AVR32
ASK: IF R04_AV1027 > 50 OR R04_AV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.
DISPLAY: IF R04_AV1027 = 1, DISPLAY "probadita".
ELSE, DISPLAY "probaditas".

<b>BOX ID:</b> R04_AVR32
Current and experimental current e-product users, go to R04_AV1024.
Else, former 30 day e-product users, go to R04_AV1024_30D.
Else, new cohort adult respondents who are experimental former, recent former, or long-term former e-product users, go to R04_AV1025_RS.
Else, recent former smokers who did not use an e-product in the past 30 days, go to R04_AV1047.
Else, go to R04_AV9042.

<b>PATH ID:</b> R04_AV1024
[En los días en que fuma un producto electrónico con nicotina, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primera probadita del día? Anote los minutos o las horas.
1  __ __  Minutos después de despertarse
2  __ __  Horas después de despertarse
-8 DON'T KNOW GO TO R04_AV1092
-7 REFUSED GO TO R04_AV1092
ASK: Current and experimental current e-product users.
DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "¿Qué".
ELSE, DISPLAY "En los días en que fuma un producto electrónico con nicotina, ¿qué".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1024_LC1</b>	
La computadora registró que usted normalmente le da su primera probadita a un producto electrónico con nicotina [R04_AV1024_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AV1024
2 NEXT	GO TO BOX R04_AVR52
ASK: IF [R04_CURRENT_EPROD_USE = 1 AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 4 AND R04_AV1024_UN = 2))] OR [(R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 12 AND R04_AV1024_UN = 2))].	
DISPLAY: IF R04_AV1024_UN = 1, DISPLAY "minutos".	
IF R04_AV1024_UN = 2, DISPLAY "horas".	

<b>PATH ID: R04_AV1024_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted toma su primera probadita de un producto electrónico con nicotina del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AV1024
2 NEXT	GO TO BOX R04_AVR52
ASK: IF R04_AV1024 = 0.	

<b>PATH ID: R04_AV1092</b>	
(En los días en que fuma productos electrónicos con nicotina, ¿diría/¿Diría) que fuma su primera probadita del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO BOX R04_AVR52
2 No	GO TO BOX R04_AVR52
3 Depende	GO TO BOX R04_AVR52
-8 DON'T KNOW	GO TO BOX R04_AVR52
-7 REFUSED	GO TO BOX R04_AVR52
ASK: Current and experimental current e-product users who did not know or refused to report how soon after waking up they took their first puff from an e-product.	
DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "¿Diría".	
ELSE, DISPLAY "En los días en que fuma productos electrónicos con nicotina, ¿diría".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1024_30D</b>	
En los días en que fumó productos electrónicos con nicotina, ¿qué tan pronto después de que se despertó fumó normalmente su primera probadita del día? Anote los minutos o las horas.	
1    __ __  Minutos después de despertarse	
2    __ __  Horas después de despertarse	
-8   DON'T KNOW	GO TO R04_AV1092_30D
-7   REFUSED	GO TO R04_AV1092_30D
ASK: Former 30 day e-product users.	

<b>PATH ID:</b> <b>R04_AV1024_30D_LC1</b>	
La computadora registró que usted normalmente le da su primera probadita a un producto electrónico con nicotina [R04_AV1024_30D_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AV1024_30D
2   NEXT	GO TO BOX R04_AVR52
ASK: IF (R04_AV1024_30D_NN > 60 AND R04_AV1024_30D_UN = 1) OR (R04_AV1024_30D_NN > 12 AND R04_AV1024_30D_UN = 2).	
DISPLAY: IF R04_AV1024_30D_UN = 1, DISPLAY "minutos".	
IF R04_AV1024_30D_UN = 2, DISPLAY "horas".	

<b>PATH ID:</b> <b>R04_AV1024_30D_LC2</b>	
La computadora registró "cero" para la cantidad de tiempo que normalmente pasó hasta que usted toma su primera probadita de un producto electrónico con nicotina del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AV1024_30D
2   NEXT	GO TO BOX R04_AVR52
ASK: IF R04_AV1024_30D = 0.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1092_30D</b>
En los días en que fumó productos electrónicos con nicotina, ¿diría que fumó su primera probadita del día durante los primeros 30 minutos después de despertarse?
1    Sí
2    No
3    Depende
-8   DONT KNOW
-7   REFUSED
ASK: Former 30 day e-product users who did not know or refused to report how soon after waking up they took their first puff from an e-product.

<b>BOX ID:</b> <b>R04_AVR52</b>
New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former e-product users, go to R04_AV1025_RS. Else, go to Box R04_AVR46.

<b>BOX ID:</b> <b>R04_AVR46</b>
Adult respondents who used e-products in the past 30 days, go to R04_AV0100. Else, current, experimental current, and former 30 day e-product users, go to R04_AV1030. Else, recent former e-product users, go to R04_AV1047. Else, go to R04_AV9042.

<b>PATH ID:</b> <b>R04_AV0100</b>
¿Cuándo fue la última vez que fumó un producto electrónico con nicotina?
1    Hace menos de una hora      GO TO R04_AV0103
2    Hoy
3    Ayer
4    Hace dos días
5    Hace tres o más días      GO TO R04_AV1131
-8   DONT KNOW      GO TO R04_AV1131
-7   REFUSED      GO TO R04_AV1131
ASK: Adult respondents who used e-products in the past 30 days.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV0102</b>
La última vez que fumó un producto electrónico con nicotina [FILL BASED ON R04_AV0100], ¿fue...?
1    Entre la medianoche y las 6 de la mañana
2    Entre las 6 de la mañana y el mediodía
3    Entre el mediodía y las 6 de la tarde
4    Entre las 6 de la tarde y la medianoche
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have used an e-product today, yesterday or the day before yesterday, but not in the past hour.
DISPLAY: FOR [FILL BASED ON R04_AV0100]:
IF R04_AV0100 = 2, DISPLAY "hoy".
IF R04_AV0100 = 3, DISPLAY "ayer".
IF R04_AV0100 = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> <b>R04_AV0103</b>
¿Cuántas probaditas le [ha dado/dio] a un producto electrónico con nicotina [FILL BASED ON R04_AV0100]?
1     _ _ _
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have used an e-product in the past hour, today, yesterday or the day before yesterday.
DISPLAY: IF R04_AV0100 = 1, 2, DISPLAY "ha dado".
IF R04_AV0100 = 3, 4, DISPLAY "dio".
FOR [FILL BASED ON R04_AV0100]:
IF R04_AV0100 = 1, 2, DISPLAY "hoy".
IF R04_AV0100 = 3, DISPLAY "ayer".
IF R04_AV0100 = 4, DISPLAY "hace dos días".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1147**

En los últimos 30 días, en los días en que fumó un producto electrónico con nicotina, ¿con qué frecuencia tenía sabor a mentol o menta?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used menthol or mint flavored e-products in the past 30 days.

**BOX ID: R04\_AVR55**

Adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days, go to R04\_AV1157.

Else, go to R04\_AV1030.

**PATH ID: R04\_AV1157**

En los últimos 30 días, en los días en que fumó un producto electrónico con nicotina, ¿con qué frecuencia tenía sabor a clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored e-products (other than menthol/mint or tobacco-flavored) in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1030</b>
Las siguientes preguntas son acerca de su experiencia al comprar [EPRODFILL2].
¿Cómo [compra/compraba] normalmente [EPRODFILL2] para usted?
1   En persona
2   En Internet
3   Por teléfono
4   No compro mis [EPRODFILL2]
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AVR05
GO TO BOX R04_AVR05
GO TO R04_AV1047
GO TO R04_AV1047
GO TO R04_AV1047
ASK: Current, experimental current, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "compra".
ELSE, DISPLAY "compraba".

<b>PATH ID:</b> <b>R04_AV1032</b>
Normalmente, ¿[compra/compraba] [EPRODFILL2]...
1   En su propio estado
2   En otro estado
3   Fuera de Estados Unidos
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day e-product users who usually buy e-products in person.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, display "compra".
ELSE, DISPLAY "compraba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1033</b>
¿Dónde [compra/compraba] sus [EPRODFILL2] la mayoría del tiempo?
12 Un bar de fumadores
1 Un kiosco en un centro comercial
2 Una tienda de conveniencia o estación de gasolina
3 Un supermercado, tienda de comestibles o farmacia
4 Una tienda mayorista como Sam's o Costco
5 Una tienda especializada o un almacén de tabaco o una tabaquería
6 Una tienda libre de impuestos o un economato militar
7 Un bar, restaurante, casino o una taberna
8 Un amigo o familiar
9 Un mercadillo o mercado de pulgas
10 Una tienda de licores
11 En otra parte (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day e-product users who usually buy e-products in person.
DISPLAY: IF R04_EPROD_USERS_STATUS = 1, 2, display "compra".
ELSE, DISPLAY "compraba".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>BOX ID:</b> <b>R04_AVR05</b>
Disposable e-product users and e-product users of undetermined type that buy their own e-products, go to R04_AV1136.
Else, refillable cartridge, tank system, and mod system e-product users that buy their own e-products, go to R04_AV1041.
Else, non-refillable cartridge e-product users that buy their own e-products, go to R04_AV1039.
Else, go to R04_AV1047.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AV1136</b>	
¿[Compra/Compraba] normalmente [EPRODFILL1] por caja o paquete o como [EPRODFILL1] sueltos?	
1 Caja o paquete	
2 [EPRODFILL1] sueltos	GO TO R04_AV1034
-8 DON'T KNOW	GO TO R04_AV1047
-7 REFUSED	GO TO R04_AV1047
ASK: Current, experimental current or former 30 day disposable e-product users who usually buy their own e-products in person, on the internet or by telephone.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Compra".	
ELSE, DISPLAY "Compraba".	

<b>PATH ID: R04_AV1137</b>	
¿Cuántos [EPRODFILL1] [vienen/venían] en la caja o paquete que normalmente [compra/compraba]?	
1  __ __	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone in a box or pack.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "vienen" and "compra".	
ELSE, DISPLAY "venían" and "compraba".	

<b>PATH ID: R04_AV1138</b>	
¿Cuánto [paga/pagaba] normalmente por una caja o paquete de [EPRODFILL1]?	
1 \$  __ __ __  Dólares .  __ __  Centavos	GO TO R04_AV1047
-8 DON'T KNOW	GO TO R04_AV1047
-7 REFUSED	GO TO R04_AV1047
ASK: Current, experimental current or former 30 day disposable e-product users and e-product users of undetermined types who buy disposable e-products in person, on the internet or by telephone in a box or pack.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "paga".	
ELSE, DISPLAY "pagaba".	
DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.	







**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1042
¿Cuánto [paga/pagaba] normalmente por una caja o paquete de [EPRODFILL1]?
1 \$  __ __ __  Dólares .  __ __  Centavos
-8 DON'T KNOW GO TO R04_AV1047
-7 REFUSED GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone in a box or pack.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "paga".
ELSE, DISPLAY "pagaba".
DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID:</b> R04_AV1042_LC1
La computadora registró que usted pagaba \$[R04_AV1042_D].[R04_AV1042_C] por una caja o paquete de [EPRODFILL1]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AV1042
2 NEXT GO TO R04_AV1047
ASK: IF R04_AV1042_D > 50.

<b>PATH ID:</b> R04_AV1043
¿Cuánto [paga/pagaba] normalmente por un [EPRODFILL3] suelto?
1 \$  __ __ __  Dólares .  __ __  Centavos
-8 DON'T KNOW GO TO R04_AV1047
-7 REFUSED GO TO R04_AV1047
ASK: Current, experimental current or former 30 day non-refillable cartridge e-product users who buy e-cartridges in person, on the internet or by telephone as single e-cartridges.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "paga".
ELSE, DISPLAY "pagaba".
DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1043\_LC1**

La computadora registró que usted pagaba \$[R04\_AV1043\_D].[R04\_AV1043\_C] por un [EPRODFILL3] suelto. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AV1043

2 NEXT

GO TO R04\_AV1047

ASK: IF R04\_AV1043\_D > 50.

**PATH ID: R04\_AV1047**

¿[Tiene /Tenía] una marca habitual de [EPRODFILL2] que normalmente [fuma/fumaba]?

1 Sí

2 No

3 No sé

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Tiene" AND "fuma".

ELSE, DISPLAY "Tenía" AND "fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1012</b>
¿Qué sabor [es/era] [su marca habitual/la última marca que fumó]? Escoja todas las opciones que correspondan.
1    Sabor a tabaco
2    Mentol o menta
3    Clavo de olor o especias
4    Fruta
5    Chocolate
6    Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
7    Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
8    Caramelos u otros sabores dulces
9    Otro sabor (ESPECIFIQUE)
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, or former 30 day e-product users.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."
IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "es" AND "su marca habitual".
ELSE, IF R04_AV1047 = 1, DISPLAY "era" AND "su marca habitual".
IF R04_AV1047 = 2, 3, -8, -7 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "era" AND "la última marca que fumó".
ELSE IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "era" AND "la última marca que fumó".

<b>PATH ID:</b> <b>R04_AV1945</b>
¿Sabe el <u>nombre de la marca</u> de [EPRODFILL2] que usted [fuma normalmente/fumó normalmente/fumó la última vez]?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, past 30 day or recent former e-product users.
DISPLAY: IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fuma normalmente".
IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS != 1, 2, DISPLAY "fumó normalmente".
IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "fumó la última vez".
UNDERLINE "nombre de la marca".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR45**

Current, experimental current, recent former, and former 30 day e-product users who know the brand name, go to R04\_AV1048\_BRAND.

Else, current, experimental current, recent former, and former 30 day e-product users who have a regular brand, go to R04\_AV1051.

Else, go to Box R04\_AVD02.

**PATH ID: R04\_AV1048**

¿Qué marca de [EPRODFILL2] [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". I Si no ve la opción a continuación, toque la casilla que dice "Otra".]

- 1 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users who know the brand name.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra."."

IF R04\_AV1047 = 1 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fuma" AND "normalmente".

ELSE, IF R04\_AV1047 = 1, DISPLAY "fumó" AND "normalmente".

IF R04\_AV1047 = 2, 3, -8, -7 AND R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fumó" AND "la última vez".

ELSE IF R04\_AV1047 = 2, 3, -8, -7, DISPLAY "fumó" AND "la última vez".

**BOX ID: R04\_AVR33**

Current, experimental current, recent former or former 30 day e-product users who selected "Something else" for their brand, go to R04\_AV1049.

Else, current, experimental current, recent former or former 30 day e-product users that have a regular brand, go to R04\_AV1051.

Else, go to Box R04\_AVR44.

**PATH ID: R04\_AV1049**

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

- 1 \_\_\_\_\_
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former or former 30 day e-product users who selected "Something else" for their brand.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR43**

Current, experimental current, recent former, or former 30 day e-product users who have a regular brand, go to R04\_AV1051.  
Else, go to Box R04\_AVR44.

**PATH ID: R04\_AV1051**

Aproximadamente, ¿cuánto tiempo [fumó/lleva fumando] su marca habitual de [EPRODFILL2]?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, or former 30 day e-product users who have a regular brand.

DISPLAY: R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

**PATH ID: R04\_AV1051\_LC1**

La computadora registró que usted lleva fumando su marca habitual de [EPRODFILL2] por [R04\_AV1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AV1051
- 2 NEXT GO TO BOX R04\_AVR44

ASK: IF (R04\_AV1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AV1051\_UN = 3..

**PATH ID: R04\_AV1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted lleva fumando su marca habitual de [EPRODFILL3].

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AV1051
- 2 NEXT GO TO BOX R04\_AVR44

ASK: IF R04\_AV1051 = 0.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV1051_LC3
La computadora registró que usted lleva fumando su marca habitual de [EPRODFILL2] por [R04_AV1051_NN] años.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AV1051
2 NEXT GO TO BOX R04_AVR44
ASK: IF R04_AV1051_NN > (Today's date - 2010) AND R04_AV1051_UN = 3.

<b>BOX ID:</b> R04_AVR44
Current, experimental current, or former 30 day e-product users who have used an e-product today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand, go to R04_AV0104.
Else, go to Box R04_AVD02.

<b>PATH ID:</b> R04_AV0104
Usted dijo anteriormente que la última vez que fumó un producto electrónico con nicotina fue [TIME OF LAST USE].
Piense en la última probadita que tomó.
¿Era la marca [NEQBRAND]?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, or former 30 day e-product users who have used an e-product in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand.
DISPLAY: IF R04_AV0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".
IF R04_AV0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".
IF R04_AV0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".
IF R04_AV0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".
FILL [NEQBRAND] WITH SELECTION MADE IN R04_AV1048_BRAND.

<b>BOX ID:</b> R04_AVD02
Randomize order of R04_AV1060 through R04_AV1067.
Display question R04_AV1060, R04_AV1085, R04_AV1062, R04_AV1075, R04_AV1063, R04_AV1064, R04_AV1065, R04_AV1066, and R04_AV1067 on one screen. Show the intro/transition text from R04_AV1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1060**

Las siguientes preguntas son acerca de las razones por las que la gente fuma productos electrónicos con nicotina. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba productos electrónicos con nicotina].

[Fumo/Fumaba] productos electrónicos con nicotina porque...

[Son/Eran] económicos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "aplican a usted", "Fumo" AND "Son".

ELSE, DISPLAY "aplicaban a usted cuando fumaba productos electrónicos con nicotina", "Fumaba" AND "Eran".

**PATH ID: R04\_AV1085**

[Puedo/Podía] fumar productos electrónicos con nicotina en ocasiones o en lugares donde no se [permite/ permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

**PATH ID: R04\_AV1062**

Podrían [ser/haber sido] menos dañinos para mí que los cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "ser".

ELSE, DISPLAY "haber sido".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1075</b>
Podrían [ser/haber sido] menos dañinos que los cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AV1063</b>
El líquido electrónico [viene/venía] en sabores que me [gustan/gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "viene" and "gustan".
IF R04_EPROD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "venía" AND "gustaban".

<b>BOX ID:</b> <b>R04_AVR34</b>
Current, experimental current, recent former, and former 30 day e-product users who are also current, experimental current, or recent former cigarette smokers, go to R04_AV1064.
Else, go to R04_AV1065.

<b>PATH ID:</b> <b>R04_AV1064</b>
Fumar productos electrónicos con nicotina le ayuda a la gente a dejar de fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users who are also current, experimental current, or recent former cigarette smokers.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1065</b>
Los productos electrónicos con nicotina no tienen olor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.

<b>PATH ID:</b> <b>R04_AV1066</b>
Fumar un producto electrónico con nicotina [se siente/se sentía] como fumar un cigarrillo tradicional.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "se siente".
ELSE, DISPLAY "se sentía".

<b>PATH ID:</b> <b>R04_AV1067</b>
Los productos electrónicos con nicotina [son/eran] más aceptables por las personas que no consumen tabaco.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "son".
ELSE, DISPLAY "eran".

<b>BOX ID:</b> <b>R04_AVR35</b>
Current, experimental current, and former 30 day e-product users who are also current or experimental current cigarette smokers, go to R04_AV1086.
Else, go to Box R04_AVR51.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV1086</b>	
En los últimos 30 días, ¿ha fumado un producto electrónico con nicotina en ocasiones o en lugares en donde no se podía fumar cigarrillos tradicionales?		
1	Sí	
2	No	GO TO BOX R04_AVR51
-8	DON'T KNOW	GO TO BOX R04_AVR51
-7	REFUSED	GO TO BOX R04_AVR51
ASK: Current, experimental current, and former 30 day e-product users who are also current or experimental current cigarette smokers.		

<b>PATH ID:</b>	<b>R04_AV1087</b>	
¿Con qué frecuencia [fuma/fumaba] productos electrónicos con nicotina en ocasiones o en lugares donde no se puede fumar cigarrillos tradicionales?		
1	Todos los días	
2	Algunos días	
3	Rara vez	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current and experimental current cigarette smokers who have used e-products at times when or in places where they could not smoke regular cigarettes.		
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "fuma".		
ELSE, IF R04_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "fumaba".		

<b>BOX ID:</b>	<b>R04_AVR51</b>
Current and experimental current e-product users who are also current or experimental current cigarette smokers, go to R04_AV9054.	
Else, go to Box R04_AVR54.	

<b>PATH ID:</b>	<b>R04_AV9054</b>	
En los días en que fuma cigarrillos y productos electrónicos con nicotina, ¿fuma usted...?		
1	Menos cigarrillos que lo habitual	
2	La misma cantidad de cigarrillos	
3	Más cigarrillos que lo habitual	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current and experimental current e-product users who are also current or experimental current cigarette users.		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AVR54**

Current, experimental current, recent former, and former 30 day e-product users who are also current or recent former cigarette users, go to R04\_AV1080.  
Else, go to R04\_AV1139.

**PATH ID: R04\_AV1080**

¿[Fuma/Fumaba] productos electrónicos con nicotina como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users who are also current or recent former cigarette users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, display "Fuma".

ELSE, DISPLAY "Fumaba".

**PATH ID: R04\_AV1139**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando fumo un producto electrónico con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day e-product users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Es".

ELSE, DISPLAY "Era".

DISPLAY SCALE FOR THE R04\_AV1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1140</b>
Al fumar un producto electrónico con nicotina, me [siento/sentía] más seguro con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "siento".
ELSE, DISPLAY "sentía".
DISPLAY SCALE FOR THE R04_AV1139-1141 SERIES.

<b>PATH ID:</b> <b>R04_AV1141</b>
[Fumo/Fumaba] productos electrónicos con nicotina mucho más cuando [estoy/estaba] con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day e-product users.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Fumo" AND "estoy".
ELSE, DISPLAY "Fumaba" AND "estaba".
DISPLAY SCALE FOR THE R04_AV1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AV9042	
¿Alguna vez ha consumido marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís en un <u>producto electrónico</u> como un cigarrillo electrónico, una hookah electrónica, un vaporizador personales de fumar o una pluma hookah?	
(Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)	
1 Sí	
2 No	GO TO BOX R04_AGR03
-8 DON'T KNOW	GO TO BOX R04_AGR03
-7 REFUSED	GO TO BOX R04_AGR03
ASK: Adult respondents who have ever used an e-product.	
DISPLAY: UNDERLINE "producto electrónico".	

<b>PATH ID:</b> R04_AV9106	
Cuando fumó un producto electrónico, ¿con qué frecuencia lo usó para fumar marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís?	
1 Siempre	
2 Casi siempre	
3 A veces	
4 Rara vez	
5 Nunca	GO TO NEXT SECTION
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have ever used e-products to smoke marijuana.	

<b>PATH ID:</b> R04_AM0100	
¿Cuándo fue la última vez que consumió marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís en un <u>producto electrónico</u> como un cigarrillo electrónico, una hookah electrónica, un vaporizador personales de fumar o una pluma hookah?	
1 Hace menos de una hora	GO TO R04_AM0103
2 Hoy	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO BOX R04_AGR03
-8 DON'T KNOW	GO TO BOX R04_AGR03
-7 REFUSED	GO TO BOX R04_AGR03
ASK: Adult respondents who have ever used e-products to smoke marijuana.	
DISPLAY: UNDERLINE "producto electrónico".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0102**

La última vez que consumió marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís en un producto electrónico [FILL BASED ON R04\_AM0100], ¿fue...

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used marijuana in an e-product today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AM0100]:

IF R04\_AM0100 = 2, DISPLAY "hoy".

IF R04\_AM0100 = 3, DISPLAY "ayer".

IF R04\_AM0100 = 4, DISPLAY "hace dos días".

UNDERLINE "producto electrónico".

**PATH ID: R04\_AM0103**

¿Cuántas probaditas de marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís le [ha dado/dio] a un producto electrónico [FILL BASED ON R04\_AM0100]?

1 |\_|\_|\_|

-8 DON'T KNOW

GO TO BOX R04\_AGR03

-7 REFUSED

GO TO BOX R04\_AGR03

ASK: Adult respondents who have used marijuana in an e-product in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AM0100 = 1, 2, DISPLAY "ha dado".

IF R04\_AM0100 = 3, 4, DISPLAY "dio".

FOR [FILL BASED ON R04\_AM0100]:

IF R04\_AM0100 = 1, 2, DISPLAY "hoy".

IF R04\_AM0100 = 3, DISPLAY "ayer".

IF R04\_AM0100 = 4, DISPLAY "hace dos días".

UNDERLINE "producto electrónico".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0103\_LC1**

La computadora registró que usted le dio [R04\_AM0103] probaditas de marihuana, concentrados de marihuana, cera de marihuana, THC o aceites de hachís de un producto electrónico [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AM0103

2 NEXT

ASK: IF R04\_AM0103 > 200 OR R04\_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R04\_AM0100 = 1 OR 2, DISPLAY "hoy".

IF R04\_AM0100 = 3, DISPLAY "ayer".

IF R04\_AM0100 = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**CIGAR**

<b>BOX ID:</b> <b>R04_AGR03</b>
PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:
 Blunt/Cigar Loops If the respondent has smoked cigars as blunts-only, R04_AJ1008[TC/CG/FC] through R04_AJ1071[TC/CG/FC] are repeated in a loop for each cigar type as blunts. See Box R04_AJT03 for transition text shown at the start of each loop. After all blunt loops are complete, items from R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R04_AGT03 for transition text shown at the start of each loop.  If the respondent has smoked cigars (as non-blunt) types, R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated in a loop for each cigar type. See Box R04_AGT03 for transition text shown at the start of each loop.  If the respondent only smoked traditional cigars, cigarillos, or filtered cigars as blunts, go to Box R04_AJT03.  Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R04_AGR10. [CIGARFILL] If traditional cigar/blunt smoker, [CIGARFILL] = "puro". If cigarillo/blunt smoker, [CIGARFILL] = "purito". If filtered cigar/blunt smoker, [CIGARFILL] = "puro con filtro".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJT03**

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=BTRAD (Traditional Cigars as blunts-only):

Las siguientes preguntas son acerca de los puros tradicionales o "grandes" que se fumaron como si fueran "toques o blunts".

Los puros tradicionales o "grandes" contienen tabaco envuelto en una hoja de tabaco. A veces las personas sacan el tabaco de un puro tradicional y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt". Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puros tradicionales cuando los fumó como si fueran toques o blunts, como los que se muestran a continuación. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] Más adelante habrá otra sección acerca de otras clases de toques o blunts.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=BRILLO (Cigarillos as blunts-only):

Las siguientes preguntas son acerca de los puritos que se fumaron como si fueran toques o blunts.

Los puritos son puros de tamaño mediano y a veces vienen con boquillas de plástico o madera. [A veces las personas sacan el tabaco de un purito y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt".] Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puritos cuando los fumó como si fueran toques o blunts, como los que se muestran a continuación. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] Más adelante habrá otra sección acerca de otras clases de toques o blunts.

[SHOW GENERIC IMAGE OF CIGARILLO]

IF LOOP=BFILTR (Filtered Cigars as blunts-only):

Las siguientes preguntas son acerca de los puros con filtro que se fumaron como si fueran "toques o blunts".

Los puros con filtro normalmente son de color café y tienen un filtro como el de un cigarrillo. [A veces las personas sacan el tabaco de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt".] Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puros con filtro cuando los fumó como si fueran toques o blunts, como los que se muestran a continuación.

[SHOW GENERIC IMAGE OF FILTERED CIGAR]

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AJR10</b>
If loop = BTRAD and respondent initiated traditional cigar blunt use since the previous wave, go to R04_AJ1008TC. Else, if loop = BTRAD, go to R04_AJ9030TC.
If loop = BRILLO and respondent initiated cigarillo blunt use since the previous wave, go to R04_AJ1008CG. Else, if loop = BRILLO, go to R04_AJ9030CG.
If loop = BFILTR and respondent initiated filtered cigar blunt use since the previous wave, go to R04_AJ1008FC. Else, if loop = BFILTR, go to R04_AJ9030FC.

<b>PATH ID:</b> <b>R04_AJ1008</b>	
La primera vez que comenzó a fumar [CIGARFILL]s como si fueran toques o blunts, ¿fumó toques o blunts con sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?	
1    Sí	
2    No	GO TO R04_AJ9030[TC/CG/FC]
3    No sé	GO TO R04_AJ9030[TC/CG/FC]
-8    DON'T KNOW	GO TO R04_AJ9030[TC/CG/FC]
-7    REFUSED	GO TO R04_AJ9030[TC/CG/FC]
ASK: Aged-up and continuing adult respondents who initiated blunt smoking since the previous wave, and new cohort adult respondents who have ever smoked a blunt.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1011</b>
¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.
1    Mentol o menta
2    Clavo de olor o especias
3    Fruta
4    Chocolate
5    Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
6    Caramelos u otros sabores dulces
7    Otro sabor (ESPECIFIQUE)
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who initiated blunt smoking with flavored cigars.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>PATH ID:</b> <b>R04_AJ9030</b>
En los últimos 30 días, ¿ha fumado un [CIGARFILL] como si fuera un toque o blunt, incluso si solo fueron una o dos probaditas?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AJ9029[TC/CG/FC]
GO TO R04_AJ9029[TC/CG/FC]
GO TO R04_AJ9029[TC/CG/FC]
ASK: Adult respondents who have smoked cigars as blunts every time in the past 12 months.

<b>PATH ID:</b> <b>R04_AJ1022</b>
¿Durante cuántos de los últimos 30 días fumó [CIGARFILL]s como si fueran toques o blunts?
1    I__I__I DÍAS
-8   DON'T KNOW
-7   REFUSED
ASK: Blunt smokers who have smoked a blunt in the past 30 days.
DISPLAY: DISPLAY "DÍAS" AS A TITLE.

<b>BOX ID:</b> <b>R04_AJR11</b>
If respondent enters "0" to R04_AJ1022[TC/CG/FC], go to R04_AJ9029[TC/CG/FC].
Else, if respondent smoked blunts in the past 30 days, go to R04_AJ1023[TC/CG/FC].

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AJ9029
Aproximadamente, ¿cuánto tiempo hace desde la última vez que fumó un [CIGARFILL] como si fuera un toque o blunt?
1  __ __  DÍAS
2  __ __  MESES
3  __ __  AÑOS
-8 DON'T KNOW GO TO R04_AJ1030[TC/CG/FC]
-7 REFUSED GO TO R04_AJ1030[TC/CG/FC]
ASK: Blunt smokers who have not smoked a blunt in the past 30 days.

<b>PATH ID:</b> R04_AJ9029TC_LC1
La computadora registró que la última vez que usted fumó puros tradicionales como si fueran toques o blunts fue hace [R04_AJ9029TC_NN] [días/meses/años].
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AJ9029TC
2 NEXT GO TO R04_AJ1030TC
ASK: IF (R04_AJ9029TC_NN < 30 AND R04_AJ9029TC_UN = 1) OR (R04_AJ9029TC_NN < 1 AND R04_AJ9029TC_UN = 2) OR (R04_AJ9029TC_NN > 18 AND R04_AJ9029TC_UN = 2) OR (R04_AJ9029TC_NN > (R04_ACHIEVEDAGE - 10) AND R04_AJ9029TC_UN = 3).
DISPLAY: IF R04_AJ9029TC_UN = 1, DISPLAY "días".
ELSE, IF R04_AJ9029TC_UN = 2, DISPLAY "meses".
ELSE, IF R04_AJ9029TC_UN = 3, DISPLAY "años".

<b>PATH ID:</b> R04_AJ9029CG_LC1
La computadora registró que la última vez que usted fumó puritos como si fueran toques o blunts fue hace [R04_AJ9029CG_NN] [días/meses/años].
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AJ9029CG
2 NEXT GO TO R04_AJ1030CG
ASK: IF (R04_AJ9029CG_NN < 30 AND R04_AJ9029CG_UN = 1) OR (R04_AJ9029CG_NN < 1 AND R04_AJ9029CG_UN = 2) OR (R04_AJ9029CG_NN > 18 AND R04_AJ9029CG_UN = 2) OR (R04_AJ9029CG_NN > (R04_ACHIEVEDAGE - 10) AND R04_AJ9029CG_UN = 3).
DISPLAY: IF R04_AJ9029CG_UN = 1, DISPLAY "días".
ELSE, IF R04_AJ9029CG_UN = 2, DISPLAY "meses".
ELSE, IF R04_AJ9029CG_UN = 3, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ9029FC_LC1</b>	
La computadora registró que la última vez que usted fumó puros con filtro como si fueran toques o blunts fue hace [R04_AJ9029FC_NN] [días/meses/años].	
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ9029FC
2 NEXT	GO TO R04_AJ1030FC
ASK: IF (R04_AJ9029FC_NN < 30 AND R04_AJ9029FC_UN = 1) OR (R04_AJ9029FC_NN < 1 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > 18 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > (R04_ACHIEVEDAGE - 10) AND R04_AJ9029FC_UN = 3).	
DISPLAY: IF R04_AJ9029FC_UN = 1, DISPLAY "días".	
ELSE, IF R04_AJ9029FC_UN = 2, DISPLAY "meses".	
ELSE, IF R04_AJ9029FC_UN = 3, DISPLAY "años".	

<b>PATH ID: R04_AJ1023</b>	
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AJ1022[TC/CG/FC] días/días en que fumó], ¿cuántos [CIGARFILL]s normalmente fumó cada día como si fueran toques o blunts?	
1 Menos de 1 cada día	
2  __ __	
-8 DON'T KNOW	GO TO R04_AJ9012[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ9012[TC/CG/FC]
ASK: Blunt smokers who have smoked blunts on at least one day in the past 30 days.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de 1 cada día" ON RIGHT.	
FOR R04_AJ1023[TC/CG/FC]: IF R04_AJ1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "días en que fumó".	
ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R04_AJ1022[TC/CG/FC].	

<b>PATH ID: R04_AJ1023TC_LC1</b>	
La computadora registró que en los días en que fumó puros tradicionales como si fueran toques o blunts en los últimos 30 días, usted fumó [R04_AJ1023TC_NN] puros tradicionales como si fueran toques o blunts, cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AJ1023TC
2 NEXT	GO TO R04_AJ9012TC
ASK: IF R04_AJ1023TC_NN > 20.	



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ0102**

La última vez que fumó un [CIGARFILL] como si fuera un toque o blunt [FILL BASED ON R04\_AJ0100[TC/CG/FC]], ¿fue...

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt today, yesterday or the day before yesterday, but not in the past hour.

DISPLAY: FOR [FILL BASED ON R04\_AJ0100[TC/CG/FC]]:

IF R04\_AJ0100[TC/CG/FC] = 2, DISPLAY "hoy".

IF R04\_AJ0100[TC/CG/FC] = 3, DISPLAY "ayer".

IF R04\_AJ0100[TC/CG/FC] = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AJ0103**

¿Cuántos [CIGARFILL]s [ha fumado/fumó] como si fuera un "toque" o "blunt" [FILL BASED ON R04\_AJ0100[TC/CG/FC]]? (Si fumó menos de 1, anote 1).

- 1 |\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a blunt in the past hour, today, yesterday or the day before yesterday.

DISPLAY: IF R04\_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "ha fumado".

IF R04\_AJ0100[TC/CG/FC] = 3, 4, DISPLAY "fumó".

FOR [FILL BASED ON R04\_AJ0100[TC/CG/FC]]:

IF R04\_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "hoy".

IF R04\_AJ0100[TC/CG/FC] = 3, DISPLAY "ayer".

IF R04\_AJ0100[TC/CG/FC] = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ0103TC_LC1</b>
La computadora registró que usted fumó [R04_AJ0103TC_NN] puros tradicionales como si fueran toques o blunts [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AJ0103TC</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1130TC</span>
ASK: IF R04_AJ0103TC_NN > 15 OR R04_AJ0103TC_NN = 11.
DISPLAY: IF R04_AJ0100TC = 1, 2, DISPLAY "hoy".
IF R04_AJ0100TC = 3, DISPLAY "ayer".
IF R04_AJ0100TC = 4, DISPLAY "hace dos días".

<b>PATH ID: R04_AJ0103CG_LC1</b>
La computadora registró que usted fumó [R04_AJ0103CG_NN] puritos como si fueran toques o blunts [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AJ0103CG</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1130CG</span>
ASK: IF R04_AJ0103CG_NN > 15 OR R04_AJ0103CG_NN = 11.
DISPLAY: IF R04_AJ0100CG = 1, 2, DISPLAY "hoy".
IF R04_AJ0100CG = 3, DISPLAY "ayer".
IF R04_AJ0100CG = 4, DISPLAY "hace dos días".

<b>PATH ID: R04_AJ0103FC_LC1</b>
La computadora registró que usted fumó [R04_AJ0103FC_NN] puros con filtro como si fueran toques o blunts [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AJ0103FC</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1130FC</span>
ASK: IF R04_AJ0103FC_NN > 15 OR R04_AJ0103FC_NN = 11.
DISPLAY: IF R04_AJ0100FC = 1, 2, DISPLAY "hoy".
IF R04_AJ0100FC = 3, DISPLAY "ayer".
IF R04_AJ0100FC = 4, DISPLAY "hace dos días".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1130**

En los últimos 30 días, ¿tenía alguno de los [CIGARFILL]s que fumó como si fueran toques o blunts sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?

- |    |            |                            |
|----|------------|----------------------------|
| 1  | Sí         |                            |
| 2  | No         | GO TO R04_AJ1030[TC/CG/FC] |
| 3  | No sé      | GO TO R04_AJ1030[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R04_AJ1030[TC/CG/FC] |
| -7 | REFUSED    | GO TO R04_AJ1030[TC/CG/FC] |

ASK: Blunt smokers who have smoked a blunt in the past 30 days.

**PATH ID: R04\_AJ1131**

¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who have smoked flavored cigars as blunts in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AJ1147
En los días en que fumó [CIGARFILL]s como si fueran toques o blunts en los últimos 30 días, ¿con qué frecuencia fumó [CIGARFILL]s <u>con sabor</u> ?
1 Todo el tiempo
2 Casi siempre
3 A veces
4 Rara vez
5 Nunca
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who have smoked flavored cigars as blunts in the past 30 days.
DISPLAY: UNDERLINE "con sabor".

<b>PATH ID:</b> R04_AJ1030	
Normalmente, ¿cómo compra [CIGARFILL]s para usted mismo cuando los fuma como si fueran toques o blunts?	
1 En persona (en una tienda o bar de fumadores)	
2 En Internet	GO TO R04_AJ1039[TC/CG/FC]
3 Por teléfono	GO TO R04_AJ1039[TC/CG/FC]
4 No compro mis propios [CIGARFILL]s para fumar toques o blunts	GO TO R04_AJ1047[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AJ1047[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ1047[TC/CG/FC]
ASK: Blunt smokers who have smoked a blunt in the past 12 months.	

<b>PATH ID:</b> R04_AJ1032
Normalmente, ¿compra [CIGARFILL]s para fumar toques o blunts...?
1 En su propio estado
2 En otro estado
3 Fuera de Estados Unidos
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who usually buy cigars for blunts in person.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AJ1033**

¿Dónde compra sus [CIGARFILL]s para fumar toques o blunts la mayoría del tiempo?

- 1 Un bar de fumadores
- 2 Una tienda de conveniencia o estación de gasolina
- 3 Un supermercado, tienda de comestibles o farmacia
- 4 Una tienda mayorista como Sam's o Costco
- 5 Una tienda especializada o un almacén de tabaco o una tabaquería
- 6 Una tienda libre de impuestos o un economato militar
- 7 Un bar, restaurante, casino o una taberna
- 8 Un amigo o familiar
- 9 Un mercadillo o mercado de pulgas
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who usually buy cigars for blunts in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AJ1039**

¿Compra normalmente [CIGARFILL]s para fumar toques o blunts por caja o paquete o como [CIGARFILL]s sueltos?

- 1 Caja o paquete
- 2 [CIGARFILL]s sueltos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Blunt smokers who buy cigars for blunts in person.

**BOX ID: R04\_AJR34**

Respondents who buy cigars for blunts by the box or pack, go to R04\_AJ1040[TC/CG/FC].

Else, respondents who buy single cigars for blunts, go to R04\_AJ1043[TC/CG/FC].

Else, go to R04\_AJ1047[TC/CG/FC].

**PATH  
Adult Questionnaire (Spanish) – Extended Interview  
Wave 4 (version 4.0)**

<b>PATH ID: R04_AJ1040</b>
¿Cuántos [CIGARFILL]s vienen en la caja o paquete que usted normalmente compra para fumar toques o blunts?
1  _ _ _ _
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who buy cigars for blunts by the box.

<b>PATH ID: R04_AJ1040TC_LC1</b>
La computadora registró que vienen [R04_AJ1040TC_NN] puros tradicionales en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AJ1040TC</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1042TC</span>
ASK: IF R04_AJ1040TC_NN > 50.

<b>PATH ID: R04_AJ1040CG_LC1</b>
La computadora registró que vienen [R04_AJ1040CG_NN] puritos en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AJ1040CG</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1042CG</span>
ASK: IF R04_AJ1040CG_NN > 20.

<b>PATH ID: R04_AJ1040FC_LC1</b>
La computadora registró que vienen [R04_AJ1040FC_NN] puros con filtro en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AJ1040FC</span>
2 NEXT <span style="float: right;">GO TO R04_AJ1042FC</span>
ASK: IF R04_AJ1040FC_NN > 100.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AJ1042
¿Cuánto paga normalmente por una caja o paquete de [CIGARFILL]s para fumar toques o blunts?
1 \$  __ __ __  Dólares .  __ __  Centavos
-8 DON'T KNOW GO TO R04_AJ1047[TC/CG/FC]
-7 REFUSED GO TO R04_AJ1047[TC/CG/FC]
ASK: Blunt smokers who buy cigars for blunts by the box.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID:</b> R04_AJ1042TC_LC1
La computadora registró que usted paga normalmente \$[R04_AJ1042TC_D].[R04_AJ1042TC_C] por una caja de puros tradicionales para fumar toques o blunts. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AJ1042TC
2 NEXT GO TO R04_AJ1047TC
ASK: IF R04_AJ1042TC_D > 300 OR R04_AJ1042TC_D < 10.

<b>PATH ID:</b> R04_AJ1042CG_LC1
La computadora registró que usted paga normalmente \$[R04_AJ1042CG_D].[R04_AJ1042CG_C] por una caja de puritos para fumar toques o blunts. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AJ1042CG
2 NEXT GO TO R04_AJ1047CG
ASK: IF R04_AJ1042CG_D > 11 OR R04_AJ1042CG_D < 1.

<b>PATH ID:</b> R04_AJ1042FC_LC1
La computadora registró que usted paga normalmente \$[R04_AJ1042FC_D].[R04_AJ1042FC_C] por una caja de puros con filtro para fumar toques o blunts. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AJ1042FC
2 NEXT GO TO R04_AJ1047FC
ASK: IF R04_AJ1042FC_D > 100 OR R04_AJ1042FC_D < 1.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:       R04_AJ1043</b>
¿Cuánto paga normalmente por un [CIGARFILL] suelto para fumar un toque o blunt?  1  \$  __ __ __ __  Dólares .  __ __  Centavos -8  DON'T KNOW -7  REFUSED  ASK: Blunt smokers who buy single cigars for blunts. DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID:       R04_AJ1043TC_LC1</b>
La computadora registró que usted paga normalmente \$[R04_AJ1043TC_D].[R04_AJ1043TC_C] por un puro tradicional suelto para fumar como si fuera un toque o blunt. ¿Es correcto?  Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.  1  BACK                                       GO TO R04_AJ1043TC 2  NEXT                                      GO TO R04_AJ1047TC  ASK: IF R04_AJ1043TC_D > 15 OR R04_AJ1043TC_D < 1.

<b>PATH ID:       R04_AJ1043CG_LC1</b>
La computadora registró que usted paga normalmente \$[R04_AJ1043CG_D].[R04_AJ1043CG_C] por un purito suelto para fumar como si fuera un toque o blunt. ¿Es correcto?  Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.  1  BACK                                       GO TO R04_AJ1043CG 2  NEXT                                      GO TO R04_AJ1047CG  ASK: IF R04_AJ1043CG_D > 3 OR (R04_AJ1043CG_D = 0 AND R04_AJ1043CG_C < 50).

<b>PATH ID:       R04_AJ1043FC_LC1</b>
La computadora registró que usted paga normalmente \$[R04_AJ1043FC_D].[R04_AJ1043FC_C] por un puro con filtro suelto para fumar como si fuera un toque o blunt. ¿Es correcto?  Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.  1  BACK                                       GO TO R04_AJ1043FC 2  NEXT                                      GO TO R04_AJ1047FC  ASK: IF R04_AJ1043FC_D > 3 OR (R04_AJ1043FC_D = 0 AND R04_AJ1043FC_C < 50).

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AJ1047
¿Tiene una marca habitual de [CIGARFILL]s que normalmente fuma como si fueran toques o blunts?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers who have smoked a blunt in the past 12 months.

<b>PATH ID:</b> R04_AJ1050
[Su marca habitual/La última marca] que [fuma/fumaba] como si fueran toques o blunts, ¿[tiene/tenía] sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?
1 Sí
2 No
3 No sé
-8 DON'T KNOW
-7 REFUSED
GO TO R04_AJ1945[TC/CG/FC]
GO TO R04_AJ1945[TC/CG/FC]
GO TO R04_AJ1945[TC/CG/FC]
GO TO R04_AJ1945[TC/CG/FC]
ASK: Blunt smokers who have smoked a blunt in the past 12 months.
DISPLAY: IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "tenía", "La última marca" AND "fumaba".
ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "tiene", "Su marca habitual" AND "fuma".

<b>PATH ID:</b> R04_AJ1012
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.
1 Mentol o menta
2 Clavo de olor o especias
3 Fruta
4 Chocolate
5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
6 Caramelos u otros sabores dulces
7 Otro sabor (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Blunt smokers whose regular brand or last brand of cigar smoked was flavored.
DISPLAY: IF R04_AJ1047[TC/CG/FC] = 1 DISPLAY "es". ELSE, DISPLAY "era".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1945</b>
¿Sabe el <u>nombre de la marca</u> de [CIGARFILL]s que usted [fuma normalmente/fumó la última vez] como si fueran toques o blunts?  1    Sí 2    No -8   DON'T KNOW -7   REFUSED  ASK: Blunt smokers who have smoked a blunt in the past 12 months. DISPLAY: IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma normalmente". IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó la última vez". UNDERLINE "nombre de la marca".

<b>BOX ID:</b> <b>R04_AJR33</b>
Respondents who know the name of their brand, go to R04_AJ1048[TC/CG/FC]_BRAND. Else, go to Box R04_AJR04.

<b>PATH ID:</b> <b>R04_AJ1048</b>
¿Qué marca de [CIGARFILL] que [fuma/fumó] [normalmente/la última vez] como si fueran toques o blunts? Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra".]  1    Otra -8   DON'T KNOW -7   REFUSED  ASK: Blunt smokers who have smoked a blunt in the past 12 months and know the brand name. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: Si no ve la opción a continuación, toque la casilla que dice "Otra". IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez". ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma" AND "normalmente".

<b>BOX ID:</b> <b>R04_AJR01</b>
If respondent selects a brand, go to R04_AJ1070[TC/CG/FC]_PRODUCT. Else, if respondent selects "Something else", go to R04_AJ1049[TC/CG/FC]. Else, go to Box R04_AJR04.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AJ1049</b>	
Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?	
1      _____	GO TO BOX R04_AJR04
-8    DON'T KNOW	GO TO BOX R04_AJR04
-7    REFUSED	GO TO BOX R04_AJR04
ASK: Blunt smokers who selected "Something else" for their brand.	

<b>PATH ID:</b> <b>R04_AJ1070</b>	
Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez] como si fuera un toque o blunt? Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra".]	
1    Otra	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Blunt smokers who selected a brand image.	
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"." IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"." FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	
IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez". ELSE, IF R04_AJ1047[TC/CG/FC] = 1 , DISPLAY "fuma" AND "normalmente".	

<b>BOX ID:</b> <b>R04_AJR02</b>	
If respondent selects "Something else" for their subbrand image, go to R04_AJ1071[TC/CG/FC]. Else, go to Box R04_AJR04.	

<b>PATH ID:</b> <b>R04_AJ1071</b>	
Usted dijo que el tipo de [BRANDFILL] que usted fuma como si fueran toques o blunts no está en las opciones. ¿Qué tipo es?	
1      _____	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Blunt smokers who selected a brand image, but selected "Something else" for their subbrand image.	
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AJR04**

END BLUNT LOOP:

If respondent has loops to complete for blunt-only cigar types, return to Box R04\_AJT03 and loop through subsections for any other blunt-only cigar types.

Else, if respondent has loops to complete for non-blunt cigar types, go to Box R04\_AGR10.

Else, if respondent has no more remaining loops to complete, go to next section.

**BOX ID: R04\_AGR10**

If respondent was a former user and had smoked 100 or more traditional cigars/cigarillos/filtered cigars and had smoked fairly regularly at the previous wave and has not smoked in the last 12 months or currently smokes not at all or is an ever user and switched to blunt-only use, go to Box R04\_AGV02.

Else, continue with Box R04\_AGT03.

**BOX ID: R04\_AGT03**

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD (Traditional Cigars):

Las siguientes preguntas son acerca de los puros tradicionales o "grandes".

Los puros tradicionales o "grandes" contienen tabaco envuelto en una hoja de tabaco.

Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puros tradicionales como los que se muestran a continuación. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] Más adelante habrá otra sección acerca de otras clases de puros.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=GRILLO (Cigarillos):

Las siguientes preguntas son acerca de los puritos.

Los puritos son puros de tamaño mediano y a veces vienen con boquillas de plástico o madera.

Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puritos como los que se muestran a continuación. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] Más adelante habrá otra sección acerca de otras clases de puros.

[SHOW GENERIC IMAGE OF CIGARILLO].

IF LOOP=GFILTR (Filtered Cigars):

Las siguientes preguntas son acerca de los puros con filtro.

Los puros con filtro normalmente son de color café y tienen un filtro como el de un cigarrillo. Cuando conteste estas preguntas, por favor piense únicamente en su consumo de puros con filtro como los que se muestran a continuación.

[SHOW GENERIC IMAGE OF FILTERED CIGAR].

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR01**

New cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04\_AG1006[TC/CG/FC]\_RS.

Else, aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars (and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in the previous wave), and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R04\_AG1005[TC/CG/FC].

Else, aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had never smoked fairly regularly in the previous wave, go to R04\_AG1100[TC/CG/FC].

Else, go to Box R04\_AGR12.

**PATH ID: R04\_AG1005**

¿Cuántos [CIGARFILL]s ha fumado en toda su vida?

- 1 Una o más probaditas pero nunca uno entero
- 2 1 a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in the previous wave, and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

**BOX ID: R04\_AGR26**

Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars (and had never smoked fairly regularly in the previous wave), and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R04\_AG1100[TC/CG/FC].

Else, go to Box R04\_AGV02.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1100**

¿Alguna vez ha fumado [CIGARFILL]s de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

**BOX ID: R04\_AGR12**

New baseline adult respondents who smoke fairly regularly, go to R04\_AG1007[TC/CG/FC]\_NB.  
Else, go to Box R04\_AGV02.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGV02**

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**IF LOOP = GTRAD, THEN DEFINE:**

**R04\_GTRAD\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke every day or some days.

**R04\_GTRAD\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a traditional cigar and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GTRAD\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a traditional cigar and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GTRAD\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former traditional cigar smokers at the previous wave and aged-up adult respondents who ever smoked traditional cigars at the previous wave, who have ever smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since the previous wave, who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GTRAD\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GTRAD\_USE = 1 (Every day user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke every day.

**R04\_CURRENT\_GTRAD\_USE = 2 (Some day user)** Adult respondents who have ever smoked traditional cigars fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1** Adult respondents who are experimental former, recent former, or long-term former traditional cigar smokers who smoked in the past 30 days.

**IF LOOP = GRILLO, THEN DEFINE:**

**R04\_GRILLO\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke every day or some days.

**R04\_GRILLO\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a cigarillo and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GRILLO\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a cigarillo and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GRILLO\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former cigarillo smokers at the previous wave and aged-up adult respondents who ever smoked cigarillos at the previous wave, who have ever smoked cigarillos fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since the previous wave, who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GRILLO\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

respondents who were former cigarillo traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GRILLO\_USE = 1 (Every day user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke every day.

**R04\_CURRENT\_GRILLO\_USE = 2 (Some day user)** Adult respondents who have ever smoked cigarillos fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1** Adult respondents who are experimental former, recent former, or long-term former cigarillo smokers who smoked in the past 30 days.

**IF LOOP = GFILTR, THEN DEFINE:**

**R04\_GFILTR\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke every day or some days.

**R04\_GFILTR\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a filtered cigar and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_GFILTR\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a filtered cigar and have never smoked fairly regularly and did not smoke in the past 12 months or now smoke not at all.

**R04\_GFILTR\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former filtered cigar smokers at the previous wave and aged-up adult respondents who ever smoked filtered cigars at the previous wave, who have ever smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated filtered smoking since the previous wave, who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_GFILTR\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former filtered cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, who did not smoke in the past 12 months.

**R04\_CURRENT\_GFILTR\_USE = 1 (Every day user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke every day.

**R04\_CURRENT\_GFILTR\_USE = 2 (Some day user)** Adult respondents who have ever smoked filtered cigars fairly regularly and now smoke some days

**R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1** Adult respondents who are experimental former, recent former, or long-term former filtered cigar smokers who smoked in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR02**

If new baseline adult respondent and every day traditional cigar/cigarillo/filtered cigar user, go to R04\_AG1020[TC/CG/FC]\_NB.

Else, if aged-up and continuing adult respondent who initiated traditional cigar/cigarillo/filtered cigar use since the previous wave, or new cohort adult respondent who has ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04\_AG1008[TC/CG/FC].

Else, if every day traditional cigar/cigarillo/filtered cigar user, go to R04\_AG1021[TC/CG/FC].

Else, if someday, experimental current, former or experimental former traditional cigar/cigarillo/filtered cigar user who has smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days, go to R04\_AG1022[TC/CG/FC].

Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04\_AG9040[TC/CG/FC].

Else, go to Box R04\_AGR04.

**BOX ID: R04\_AGR27**

Aged-up and continuing adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars since the previous wave, and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04\_AG1008[TC/CG/FC].

Else, go to Box R04\_AGR11.

**PATH ID: R04\_AG1008**

La primera vez que comenzó a fumar [CIGARFILL]s, ¿fumó [CIGARFILL]s con sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?

1	Sí	
2	No	GO TO BOX R04_AGR59
3	No sé	GO TO BOX R04_AGR59
-8	DON'T KNOW	GO TO BOX R04_AGR59
-7	REFUSED	GO TO BOX R04_AGR59

ASK: Aged-up and continuing adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since the previous wave, and new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1011
¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.
1 Mentol o menta
2 Clavo de olor o especias
3 Fruta
4 Chocolate
5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
6 Caramelos u otros sabores dulces
7 Otro sabor (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>BOX ID:</b> R04_AGR59
If current, experimental current, former experimental, recent former, or long-term former new cohort adult respondent, go to R04_AG1025[TC/CG/FC]_RS.
Else, go to Box R04_AGR11.

<b>BOX ID:</b> R04_AGR11
If every day traditional cigar/cigarillo/filtered cigar user, go to R04_AG1021[TC/CG/FC].
Else, if some day, experimental current, former or experimental former traditional cigar/cigarillo/filtered cigar user who has smoked in the past 30 days, go to R04_AG1022[TC/CG/FC].
Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04_AG9040[TC/CG/FC].
Else, go to Box R04_AGR04.

<b>PATH ID:</b> R04_AG1021
En promedio, aproximadamente, ¿cuántos [CIGARFILL]s fuma cada día actualmente?
-2 Menos de 1 cada día GO TO R04_AG1024[TC/CG/FC]
1  __ __
-8 DON'T KNOW GO TO R04_AG1024[TC/CG/FC]
-7 REFUSED GO TO R04_AG1024[TC/CG/FC]
ASK: Every day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: DISPLAY AS A NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de 1 cada día" ON RIGHT.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1021TC_LC1
La computadora registró que actualmente usted fuma [R04_AG1021TC] puros tradicionales cada día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1021TC
2 NEXT GO TO R04_AG1024TC
ASK: IF R04_AG1021TC > 20.

<b>PATH ID:</b> R04_AG1021CG_LC1
La computadora registró que actualmente usted fuma [R04_AG1021CG] puritos cada día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1021CG
2 NEXT GO TO R04_AG1024CG
ASK: IF R04_AG1021CG > 20.

<b>PATH ID:</b> R04_AG1021FC_LC1
La computadora registró que actualmente usted fuma [R04_AG1021FC] puros con filtro cada día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1021FC
2 NEXT GO TO R04_AG1024FC
ASK: IF R04_AG1021FC > 20.

<b>PATH ID:</b> R04_AG1022
¿Durante cuántos de los últimos 30 días fumó usted [CIGARFILL]s?
1  __ __  DÍAS
-8 DON'T KNOW
-7 REFUSED
ASK: Some day and experimental current traditional cigar/cigarillo/filtered cigar smokers who have smoked in the past 30 days, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: DISPLAY "DÍAS" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR13**

If respondent enters "0" for R04\_AG1022[TC/CG/FC] and is a some day or experimental current traditional cigar/cigarillo/filtered cigar smoker, go to R04\_AG9029[TC/CG/FC].  
Else, if respondent enters "0" for R04\_AG1022[TC/CG/FC] and is a former 30 day user, go to Box R04\_AGR30.  
Else, go to R04\_AG1023[TC/CG/FC].

**PATH ID: R04\_AG9029**

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó [CIGARFILL]s?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_AGR30

-7 REFUSED

GO TO BOX R04\_AGR30

ASK: Some day and experimental current traditional cigar/cigarillo/filtered cigar smokers who have not smoked in the past 30 days.

**PATH ID: R04\_AG9029TC\_LC1**

La computadora registró que la última vez que usted fumó puros tradicionales fue hace [R04\_AG9029TC\_NN] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AG9029TC

2 NEXT

GO TO BOX R04\_AGR30

ASK: IF (R04\_AG9029TC\_NN < 30 AND R04\_AG9029TC\_UN = 1) OR (R04\_AG9029TC\_NN < 1 AND R04\_AG9029TC\_UN = 2) OR (R04\_AG9029TC\_NN > 18 AND R04\_AG9029TC\_UN = 2) OR (R04\_AG9029TC\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029TC\_UN = 3).

DISPLAY: IF R04\_AG9029TC\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AG9029TC\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AG9029TC\_UN = 3, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9029CG\_LC1**

La computadora registró que la última vez que usted fumó puritos fue hace [R04\_AG9029CG\_NN] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG9029CG  |
| 2 | NEXT | GO TO BOX R04_AGR30 |

ASK: IF (R04\_AG9029CG\_NN < 30 AND R04\_AG9029CG\_UN = 1) OR (R04\_AG9029CG\_NN < 1 AND R04\_AG9029CG\_UN = 2) OR (R04\_AG9029CG\_NN > 18 AND R04\_AG9029CG\_UN = 2) OR (R04\_AG9029CG\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029CG\_UN = 3).

DISPLAY: IF R04\_AG9029CG\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AG9029CG\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AG9029CG\_UN = 3, DISPLAY "años".

**PATH ID: R04\_AG9029FC\_LC1**

La computadora registró que la última vez que usted fumó puros con filtro fue hace [R04\_AG9029FC\_NN] días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG9029FC  |
| 2 | NEXT | GO TO BOX R04_AGR30 |

ASK: IF (R04\_AG9029FC\_NN < 30 AND R04\_AG9029FC\_UN = 1) OR (R04\_AG9029FC\_NN < 1 AND R04\_AG9029FC\_UN = 2) OR (R04\_AG9029FC\_NN > 18 AND R04\_AG9029FC\_UN = 2) OR (R04\_AG9029FC\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AG9029FC\_UN = 3).

DISPLAY: IF R04\_AG9029FC\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AG9029FC\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AG9029FC\_UN = 3, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1023</b>	
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AG1022 días/días en que fumó], ¿cuántos [CIGARFILL]s normalmente fumó cada día?	
-2 Menos de 1 cada día	
1  __ __	
-8 DON'T KNOW	GO TO BOX R04_AGR30
-7 REFUSED	GO TO BOX R04_AGR30
ASK: Some day, experimental current, and former thirty day traditional cigar/cigarillo/filtered cigar smokers who have smoked at least one day in past 30 days.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de 1 cada día" ON RIGHT.	
IF R04_AG1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "días en que fumó". ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R04_AG1022[TC/CG/FC].	

<b>PATH ID: R04_AG1023TC_LC1</b>	
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AG1023TC] puros tradicionales cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1023TC
2 NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023TC > 20.	

<b>PATH ID: R04_AG1023CG_LC1</b>	
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AG1023CG] puritos cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1023CG
2 NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023CG > 20.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1023FC_LC1</b>	
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AG1023FC] puros con filtro cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1023FC
2 NEXT	GO TO BOX R04_AGR30
ASK: IF R04_AG1023FC > 20.	

<b>BOX ID: R04_AGR30</b>
Current and experimental current traditional cigar/cigarillo/filtered cigar users, go to R04_AG1024[TC/CG/FC].
Else, if former 30 day traditional cigar/cigarillo/filtered cigar user, go to R04_AG1024[TC/CG/FC]_30D.
Else, if recent former traditional cigar/cigarillo/filtered cigar user, go to R04_AG9040[TC/CG/FC].
Else, go to next section.

<b>PATH ID: R04_AG1024</b>	
[En los días en que fuma [CIGARFILL]s, ¿qué/¿Qué tan pronto después de que se despierta fuma normalmente su primer [CIGARFILL] del día? Anote los minutos o las horas.	
1  __ __  Minutos después de despertarse	
2  __ __  Horas después de despertarse	
-8 DON'T KNOW	GO TO R04_AG1092[TC/CG/FC]
-7 REFUSED	GO TO R04_AG1092[TC/CG/FC]
ASK: Current and experimental current traditional cigar/cigarillo/filtered cigar smokers.	
DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "Qué". ELSE, DISPLAY "En los días en que fuma [CIGARFILL]s, ¿qué".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1024TC\_LC1**

La computadora registró que usted normalmente fuma su primer puro tradicional del día [R04\_AG1024TC\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R04_AG1024TC
2 NEXT	GO TO BOX R04_AGR34

ASK: IF (R04\_CURRENT\_GTRAD\_USE = 1 AND (R04\_AG1024TC\_NN > 60 AND R04\_AG1024TC\_UN = 1) OR (R04\_AG1024TC\_NN > 4 AND R04\_AG1024TC\_UN = 2)) OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2) AND (R04\_AG1024TC\_NN > 60 AND R04\_AG1024TC\_UN = 1) OR (R04\_AG1024TC\_NN > 12 AND R04\_AG1024TC\_UN = 2)).

DISPLAY: IF R04\_AG1024TC\_UN = 2, DISPLAY "horas". IF R04\_AG1024TC\_UN = 1, DISPLAY "minutos".

**PATH ID: R04\_AG1024TC\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer puro tradicional del día.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R04_AG1024TC
2 NEXT	GO TO BOX R04_AGR34

ASK: IF R04\_AG1024TC\_NN = 0.

**PATH ID: R04\_AG1024CG\_LC1**

La computadora registró que usted normalmente fuma su primer purito del día [R04\_AG1024CG\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R04_AG1024CG
2 NEXT	GO TO BOX R04_AGR34

ASK: IF (R04\_CURRENT\_GRILLO\_USE = 1 AND (R04\_AG1024CG\_NN > 60 AND R04\_AG1024CG\_UN = 1) OR (R04\_AG1024CG\_NN > 4 AND R04\_AG1024CG\_UN = 2)) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2) AND (R04\_AG1024CG\_NN > 60 AND R04\_AG1024CG\_UN = 1) OR (R04\_AG1024CG\_NN > 12 AND R04\_AG1024CG\_UN = 2)).

DISPLAY: IF R04\_AG1024TC\_UN = 2, DISPLAY "horas". IF R04\_AG1024TC\_UN = 1, DISPLAY "minutos".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1024CG_LC2
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer purito del día.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1024CG
2 NEXT GO TO BOX R04_AGR34
ASK: IF R04_AG1024CG_NN = 0.

<b>PATH ID:</b> R04_AG1024FC_LC1
La computadora registró que usted normalmente fuma su primer puro con filtro del día [R04_AG1024FC_NN] [horas/minutos] después de despertarse. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1024FC
2 NEXT GO TO BOX R04_AGR34
ASK: IF (R04_CURRENT_GFILTR_USE = 1 AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 4 AND R04_AG1024FC_UN = 2)) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2) AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 12 AND R04_AG1024FC_UN = 2)).
DISPLAY: IF R04_AG1024TC_UN = 2, DISPLAY "horas". IF R04_AG1024TC_UN = 1, DISPLAY "minutos".

<b>PATH ID:</b> R04_AG1024FC_LC2
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer puro con filtro del día.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1024FC
2 NEXT GO TO BOX R04_AGR34
ASK: IF R04_AG1024FC_NN = 0.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1092</b>	
[En los días en que fuma [CIGARFILL]s, ¿diría/¿Diría] usted que fuma su primer [CIGARFILL] del día durante los primeros 30 minutos después de despertarse?	
1 Sí	GO TO BOX R04_AGR34
2 No	GO TO BOX R04_AGR34
3 Depende	GO TO BOX R04_AGR34
-8 DON'T KNOW	GO TO BOX R04_AGR34
-7 REFUSED	GO TO BOX R04_AGR34
ASK: Current and experimental current traditional cigar/cigarillo/filtered cigar smokers who did not know or refused to report how soon they smoke a traditional cigar/cigarillo/filtered cigar after waking up.	
DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "¿Diría". ELSE, DISPLAY "En los días en que fuma [CIGARFILL]s, ¿diría".	

<b>PATH ID: R04_AG1024_30D</b>	
[En los días en que fumaba [CIGARFILL]s, ¿qué tan pronto después de que se despertaba fumaba normalmente su primer [CIGARFILL] del día? Anote los minutos o las horas.	
1  __ __  Minutos después de despertarse	
2  __ __  Horas después de despertarse	
-8 DON'T KNOW	GO TO R04_AG1092[TC/CG/FC]_30D
-7 REFUSED	GO TO R04_AG1092[TC/CG/FC]_30D
ASK: Former 30 day traditional cigar/cigarillo/filtered cigar smokers.	

<b>PATH ID: R04_AG1024TC_30D_LC1</b>	
La computadora registró que usted normalmente fumaba su primer puro tradicional del día [R04_AG1024TC_30D_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1024TC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_AG1024TC_30D_NN AND > 60 AND R04_AG1024TC_30D_UN = 1) OR (R04_AG1024TC_30D > 12 AND R04_AG1024TC_30D_UN = 2).	
DISPLAY: IF R04_AG1024TC_30D_UN = 2, DISPLAY "horas". IF R04_AG1024TC_30D_UN = 1, DISPLAY "minutos".	



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1024TC_30D_LC2</b>	
La computadora registró "0" para la cantidad de tiempo que normalmente pasaba hasta que usted fumaba su primer puro tradicional del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1024TC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024TC_30D_NN = 0.	

<b>PATH ID: R04_AG1024CG_30D_LC1</b>	
La computadora registró que usted normalmente fumaba su primer purito del día [R04_AG1024CG_30D_NN] [horas/minutos] después de despertarse. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1024CG_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF (R04_AG1024CG_30D_NN AND > 60 AND R04_AG1024CG_30D_UN = 1) OR (R04_AG1024CG_30D > 12 AND R04_AG1024CG_30D_UN = 2).	
DISPLAY: IF R04_AG1024CG_30D_UN = 2, DISPLAY "horas". IF R04_AG1024CG_30D_UN = 1, DISPLAY "minutos".	

<b>PATH ID: R04_AG1024CG_30D_LC2</b>	
La computadora registró "0" para la cantidad de tiempo que normalmente pasaba hasta que usted fumaba su primer purito del día.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AG1024FC_30D
2 NEXT	GO TO BOX R04_AGR34
ASK: IF R04_AG1024CG_30D_NN = 0.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AG1024FC_30D_LC1</b>
La computadora registró que usted normalmente fumaba su primer puro con filtro del día [R04_AG1024FC_30D_NN] [horas/minutos] después de despertarse. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1024FC_30D
2 NEXT GO TO BOX R04_AGR34
ASK: IF (R04_AG1024FC_30D_NN AND > 60 AND R04_AG1024FC_30D_UN = 1) OR (R04_AG1024FC_30D > 12 AND R04_AG1024FC_30D_UN = 2).
DISPLAY: IF R04_AG1024FC_30D_UN = 2, DISPLAY "horas". IF R04_AG1024FC_30D_UN = 1, DISPLAY "minutos".

<b>PATH ID: R04_AG1024FC_30D_LC2</b>
La computadora registró "0" para la cantidad de tiempo que normalmente pasaba hasta que usted fumaba su primer puro con filtro del día.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1024FC_30D
2 NEXT GO TO BOX R04_AGR34
ASK: IF R04_AG1024FC_30D_NN = 0.

<b>PATH ID: R04_AG1092_30D</b>
En los días en que fumaba [CIGARFILL]s, ¿diría usted que fumaba su primer [CIGARFILL] del día durante los primeros 30 minutos después de despertarse?
1 Sí
2 No
3 Depende
-8 DON'T KNOW
-7 REFUSED
ASK: Former 30 day traditional cigar/cigarillo/filtered cigar smokers who did not know or refused to report how soon they smoked a traditional cigar/cigarillo/filtered cigar after waking up.

<b>BOX ID: R04_AGR34</b>
If respondent did not smoke traditional cigars/cigarillos/filtered cigars in the past 30 days, go to R04_AG1030[TC/CG/FC]. Else, go to R04_AG0100[TC/CG/FC].

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AG0100</b>	
¿Cuándo fue la última vez que fumó un [CIGARFILL]?		
1	Hace menos de una hora	GO TO R04_AG0103[TC/CG/FC]
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R04_AG1130[TC/CG/FC]
-8	DON'T KNOW	GO TO R04_AG1130[TC/CG/FC]
-7	REFUSED	GO TO R04_AG1130[TC/CG/FC]
ASK: Adult respondents who have smoked traditional cigars/cigarillos/filtered cigars in the past 30 days.		

<b>PATH ID:</b>	<b>R04_AG0102</b>	
La última vez que fumó un [[CIGARFILL] [FILL BASED ON R04_AG0100[TC/CG/FC]], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: FOR [FILL BASED ON R04_AG0100[TC/CG/FC]],		
IF R04_AG0100[TC/CG/FC] = 2, DISPLAY "hoy";		
IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "ayer";		
IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "hace dos días".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG0103
¿Cuántos [CIGARFILL]s [ha fumado/fumó] [FILL BASED ON R04_AG0100][TC/CG/FC]]? (Si fumó menos de 1, anote 1).
1  _ _ _
-8 DON'T KNOW GO TO R04_AG1130[TC/CG/FC]
-7 REFUSED GO TO R04_AG1130[TC/CG/FC]
ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday.
DISPLAY: IF (R04_AG0100[TC/CG/FC] = 1, 2, DISPLAY "ha fumado".
ELSE, IF R04_AG0100[TC/CG/FC] = 3, 4, DISPLAY "fumó".
FOR [FILL BASED ON R04_AG0100[TC/CG/FC]],
IF R04_AG0100[TC/CG/FC] = 1, 2, DISPLAY "hoy";
ELSE, IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "ayer";
ELSE, IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AG0103TC_LC1
La computadora registró que usted fumó [R04_AG0103TC] puros tradicionales [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG0103TC
2 NEXT GO TO R04_AG1130TC
ASK: IF R04_AG0103TC > 15 OR R04_AG0103TC = 11.
DISPLAY: IF R04_AG0100TC = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AG0100TC = 3, DISPLAY "ayer".
ELSE, IF R04_AG0100TC = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AG0103CG_LC1
La computadora registró que usted fumó [R04_AG0103CG] puritos [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG0103CG
2 NEXT GO TO R04_AG1130CG
ASK: IF R04_AG0103CG > 15 OR R04_AG0103CG = 11.
DISPLAY: IF R04_AG0100CG = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AG0100CG = 3, DISPLAY "ayer".
ELSE, IF R04_AG0100CG = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG0103FC_LC1
La computadora registró que usted fumó [R04_AG0103FC] puros con filtro [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG0103FC
2 NEXT GO TO R04_AG1130FC
ASK: IF R04_AG0103FC > 15 OR R04_AG0103FC = 11.
DISPLAY: IF R04_AG0100FC = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AG0100FC = 3, DISPLAY "ayer".
ELSE, IF R04_AG0100FC = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AG1130
En los últimos 30 días, ¿tenía alguno de los [CIGARFILL]s que fumó sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?
1 Sí
2 No GO TO R04_AG1030[TC/CG/FC]
3 No sé GO TO R04_AG1030[TC/CG/FC]
-8 DON'T KNOW GO TO R04_AG1030[TC/CG/FC]
-7 REFUSED GO TO R04_AG1030[TC/CG/FC]
ASK: Adult respondents who have smoked traditional cigars/cigarillos/filtered cigars in the past 30 days.

<b>PATH ID:</b> R04_AG1131
¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.
1 Mentol o menta
2 Clavo de olor o especias
3 Fruta
4 Chocolate
5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
6 Caramelos u otros sabores dulces
7 Otro sabor (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1147</b>
En los días en que fumó [CIGARFILL]s en los últimos 30 días, ¿con qué frecuencia fumó [CIGARFILL]s <u>con sabor</u> ?
1    Todo el tiempo
2    Casi siempre
3    A veces
4    Rara vez
5    Nunca
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.
DISPLAY: UNDERLINE "con sabor".

<b>PATH ID:</b> <b>R04_AG1030</b>
Las siguientes preguntas son acerca de su experiencia al comprar [CIGARFILL]s.
Normalmente, ¿cómo [compra/compraba] sus [CIGARFILL]s?
1    En persona (en una tienda o bar de fumadores)
2    En Internet
3    Por teléfono
4    No compro mis propios [CIGARFILL]s
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AG1039[TC/CG/FC]
GO TO R04_AG1039[TC/CG/FC]
GO TO R04_AG9040[TC/CG/FC]
GO TO R04_AG9040[TC/CG/FC]
GO TO R04_AG9040[TC/CG/FC]
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2) DISPLAY "compra". ELSE, DISPLAY "compraba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1032
Normalmente, ¿[compra/compraba] [CIGARFILL]s...?
1 En su propio estado
2 En otro estado
3 Fuera de Estados Unidos
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who usually buy traditional cigars/cigarillos/filtered cigars in person.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2) DISPLAY "compra". ELSE, DISPLAY "compraba".

<b>PATH ID:</b> R04_AG1033
¿Dónde [compra/compraba] sus [CIGARFILL]s la mayoría del tiempo?
1 Un bar de fumadores
2 Una tienda de conveniencia o estación de gasolina
3 Un supermercado, tienda de comestibles o farmacia
4 Una tienda mayorista como Sam's o Costco
5 Una tienda especializada o un almacén de tabaco o una tabaquería
6 Una tienda libre de impuestos o un economato militar
7 Un bar, restaurante, casino o una taberna
8 Un amigo o familiar
9 Un mercadillo o mercado de pulgas
10 Una tienda de licores
11 En otra parte (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillos/filtered cigars smokers who usually buy traditional cigars/cigarillos/filtered cigars in person.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."
IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "compra".
ELSE, DISPLAY "compraba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1039</b>
¿{Compra normalmente [CIGARFILL]s/Compró los últimos [CIGARFILL]s que fumó} por caja o paquete o como [CIGARFILL]s sueltos?
1   Caja o paquete
2   [CIGARFILL]s sueltos
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who buy their own traditional cigars/cigarillos/filtered cigars.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Compra normalmente [CIGARFILL]s". ELSE, DISPLAY "Compró los últimos [CIGARFILL]s que fumó".

<b>BOX ID:</b> <b>R04_AGR58</b>
Respondents who buy traditional cigars/cigarillos/filtered cigars by the box or pack, go to R04_AG1040[TC/CG/FC].
Else, respondents who buy single traditional cigars/cigarillos/filtered cigars, go to R04_AG1043[TC/CG/FC].
Else, go to R04_AG9040[TC/CG/FC].

<b>PATH ID:</b> <b>R04_AG1040</b>
¿Cuántos [CIGARFILL]s [vienen/venían] en la caja o paquete que [compra normalmente/compraba]?
1    _ _ _ _
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who buy traditional cigars/cigarillos/filtered cigars by the box.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "vienen" and "compra normalmente".
ELSE, DISPLAY "venían" AND "compraba".







**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AG1042FC_LC1
La computadora registró que usted [normalmente paga/pagaba] \$[R04_AG1042FC_D].[R04_AG1042FC_C] por una caja de puros con filtro. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1042FC
2 NEXT GO TO R04_AG9040FC
ASK: IF R04_AG1042FC_D > 100 OR R04_AG1042FC_D < 1.
DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "normalmente paga".
ELSE, DISPLAY "pagaba".

<b>PATH ID:</b> R04_AG1043
¿[Cuánto paga normalmente por un [CIGARFILL] suelto?/Cuánto pagó por el último [CIGARFILL] suelto que fumó?]
1 \$ I ___ I ___ I ___ I Dólares . I ___ I ___ I Centavos
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigars smokers who buy single traditional cigars/cigarillos/filtered cigars.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.
IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Cuánto paga normalmente por un [CIGARFILL] suelto?".
ELSE, DISPLAY "Cuánto pagó por el último [CIGARFILL] suelto que fumó?".

<b>PATH ID:</b> R04_AG1043TC_LC1
La computadora registró que usted [normalmente paga/pagaba] \$[R04_AG1043TC_D].[R04_AG1043TC_C] por un puro tradicional suelto. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AG1043TC
2 NEXT GO TO R04_AG9040TC
ASK: IF R04_AG1043TC_D > 15 OR R04_AG1043TC_D < 1.
DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "normalmente paga".
ELSE, DISPLAY "pagaba".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9040**

Por favor mire esta imagen. ¿Qué grupo se parece más al [CIGARFILL] que usted [fuma normalmente/fumó la última vez]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

- 1 Grupo 1
- 2 Grupo 2
- 3 Grupo 3
- 4 Grupo 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "fuma normalmente".

ELSE, DISPLAY "fumó la última vez".

**PATH ID: R04\_AG1047**

¿[Tiene/Tenía] una marca habitual de [[CIGARFILL]s] que normalmente [fuma/fumaba]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "Tiene", "fuma" AND "[CIGARFILL]s".

ELSE, DISPLAY "Tenía", "fumaba" AND "[CIGARFILL]s".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AG1050</b>	
¿[Tiene/Tenia] [su marca habitual/la última marca] que [fuma/fumó] sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?		
1	Sí	
2	No	GO TO R04_AG1945[TC/CG/FC]
3	No sé	GO TO R04_AG1945[TC/CG/FC]
-8	DON'T KNOW	GO TO R04_AG1945[TC/CG/FC]
-7	REFUSED	GO TO R04_AG1945[TC/CG/FC]
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.		
DISPLAY: IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Tenía", "su marca habitual" AND "fuma".		
ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Tenía", "la última marca" AND "fumó".		
ELSE, IF ((LOOP = GTRAD AND (R04_GTRAD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1)) OR (LOOP = GRILLO AND (R04_GRILLO_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1)) OR (LOOP = GFILTR AND (R04_GFILTR_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1))) AND R04_AG1047[TC/CG/FC] = 1, DISPLAY "Tenía", "su marca habitual" AND "fumó".		
ELSE, IF ((LOOP = GTRAD AND (R04_GTRAD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1)) OR (LOOP = GRILLO AND (R04_GRILLO_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1)) OR (LOOP = GFILTR AND (R04_GFILTR_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1))) AND R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Tenía", "la última marca" AND "fumó".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG1012**

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

DISPLAY: IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "es".

ELSE, DISPLAY "era".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AG1945**

¿Sabe el nombre de la marca de [CIGARFILL]s que [fuma normalmente/fumó normalmente/fumó la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "fuma normalmente".

IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS != 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS != 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS != 1, 2)), DISPLAY "fumó normalmente".

IF R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó la última vez".

UNDERLINE "nombre de la marca".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR33**

Respondents who know the name of their brand, go to R04\_AG1048[TC/CG/FC]\_BRAND.  
 Else, respondents who have a regular brand, go to R04\_AG1051[TC/CG/FC].  
 Else, go to Box R04\_AGD03.

**PATH ID: R04\_AG1048**

¿Qué marca de [CIGARFILL] [fuma/fumó] [normalmente/la última vez]? Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]

1 Otra  
 -8 DON'T KNOW  
 -7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who know the brand name.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra.".

IF R04\_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2)), DISPLAY "fuma" AND "normalmente".

ELSE, IF R04\_AG1047[TC/CG/FC] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R04\_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

**BOX ID: R04\_AGR16**

If respondent selects an image for their brand, go to R04\_AG1070[TC/CG/FC]\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AG1049[TC/CG/FC].  
 Else, go to Box R04\_AGR31.

**PATH ID: R04\_AG1049**

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

1 \_\_\_\_\_ GO TO BOX R04\_AGR31[TC/CG/FC]  
 -8 DON'T KNOW GO TO BOX R04\_AGR31[TC/CG/FC]  
 -7 REFUSED GO TO BOX R04\_AGR31[TC/CG/FC]

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected "Something else" for their brand.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1070</b>
Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]? Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"/Si no ve la opción a continuación, toque la casilla que dice "Otra".]
1    Otra
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"."
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AG1048[TC/CG/FC]_BRAND.
IF R04_AG1047[TC/CG/FC] = 1 AND (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "fuma" AND "normalmente".
ELSE, IF R04_AG1047[TC/CG/FC] = 1, DISPLAY "fumó" AND "normalmente".
ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

<b>BOX ID:</b> <b>R04_AGR17</b>
If the respondent selected a brand image, but selected "Something else" for their subbrand, go to R04_AG1071[TC/CG/FC].
Else, go to Box R04_AGR31.

<b>PATH ID:</b> <b>R04_AG1071</b>
Usted dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba][ como si fueran toques o blunts] no está en las opciones. ¿Qué tipo es?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AG1048[TC/CG/FC]_BRAND.
IF ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)) AND R04_AG1047[TC/CG/FC] = 1, DISPLAY "fuma".
ELSE, DISPLAY "fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR31**

If the respondent has a regular brand, go to R04\_AG1051[TC/CG/FC].  
Else, go to Box R04\_AGR29.

**PATH ID: R04\_AG1051**

Aproximadamente, ¿cuánto tiempo [llevó/lleva] fumando su marca habitual de [CIGARFILL]?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who have a regular brand.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "lleva".

ELSE, DISPLAY "llevó".

**PATH ID: R04\_AG1051TC\_LC1**

La computadora registró que usted [lleva fumando/fumó] su marca habitual de puros tradicionales por [R04\_AG1051TC\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AG1051TC
- 2 NEXT GO TO BOX R04\_AGR29

ASK: IF (R04\_AG1051TC\_NN > R04\_ACHIEVEDAGE) AND R04\_AG1051TC\_UN = 3.

DISPLAY: IF R04\_GTRAD\_USER\_STATUS = 1, 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumaba".





**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG0104**

Usted dijo anteriormente que fumó un [CIGARFILL] [TIME OF LAST USE].

Piense en el último [CIGARFILL] que fumó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

IF R04\_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "hoy".

IF R04\_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "ayer".

IF R04\_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AG1070[TC/CG/FC]\_PRODUCT.

**BOX ID: R04\_AG03**

Randomize order of R04\_AG1060[TC/CG/FC] through R04\_AG1066[TC/CG/FC].

Display question R04\_AG1060[TC/CG/FC], R04\_AG1085[TC/CG/FC], R04\_AG1062[TC/CG/FC], R04\_AG1075[TC/CG/FC], R04\_AG1063[TC/CG/FC], R04\_AG1064[TC/CG/FC], R04\_AG1066[TC/CG/FC] on one screen. Show the intro/transition text from R04\_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1060</b>
Las siguientes preguntas son acerca de las razones por las que la gente fuma [CIGARFILL]s. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba [CIGARFILL]s].
[Fumo/Fumaba] [CIGARFILL]s porque...
[Son/Eran] económicos.
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "aplican a usted", "Fumo" AND "Son".
ELSE, DISPLAY "aplicaban a usted cuando fumaba [CIGARFILL]", "Fumaba" AND "Eran".

<b>PATH ID:</b> <b>R04_AG1085</b>
[Puedo/Podía] fumar [CIGARFILL]s en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.
1    Sí
2    No
-8   DONT' KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Puedo" AND "permite".
ELSE, DISPLAY "Podía" AND "permitía".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1062</b>
Podrían [ser/haber sido] menos dañinos para mí que fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AG1075</b>
Podrían [ser/haber sido] menos dañinos que fumar cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AG1063</b>
Los [CIGARFILL]s [vienen/venían] en sabores que me [gustan/gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "vienen" AND "gustan".
ELSE, DISPLAY "venía" AND "gustaban".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AGR15**

Current, experimental current, and recent former cigarette smokers, go to R04\_AG1064[TC/CG/FC].  
Else, go to R04\_AG1066[TC/CG/FC].

**PATH ID: R04\_AG1064**

Fumar [CIGARFILL]s le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who are also current, experimental current or recent former cigarette users.

**PATH ID: R04\_AG1066**

Fumar [CIGARFILL] [se siente/se sentía] como si estuviese fumando un cigarrillo tradicional.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.

DISPLAY: IF (LOOP = GTRAD AND R04\_GTRAD\_USER\_STATUS = 1, 2) OR (LOOP = GRILLO AND R04\_GRILLO\_USER\_STATUS = 1, 2) OR (LOOP = GFILTR AND R04\_GFILTR\_USER\_STATUS = 1, 2), DISPLAY "se siente".

ELSE, DISPLAY "se sentía".

**BOX ID: R04\_AGR28**

Current and recent former cigarette smokers, go to R04\_AG1080[TC/CG/FC].  
Else, go to R04\_AG1139[TC/CG/FC].



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1080</b>
¿[Fuma/Fumaba] [CIGARFILL]s como manera de disminuir su consumo de cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers who are also current or recent former cigarette smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Fuma".
ELSE, DISPLAY "Fumaba".

<b>PATH ID:</b> <b>R04_AG1139</b>
Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.
[Es/Era] más fácil hablar y llevarse bien con otras personas cuando fumo un [CIGARFILL].
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Es",
ELSE, DISPLAY "Era".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG1140</b>
Al fumar un [CIGARFILL], me [siento/sentía] más seguro con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "siento",
ELSE, DISPLAY "sentía".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

<b>PATH ID:</b> <b>R04_AG1141</b>
[Fumo/Fumaba] [CIGARFILL]s mucho más cuando [estoy/estaba] con otras personas.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day traditional cigar/cigarillo/filtered cigar smokers.
DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Fumo" AND "estoy",
ELSE, DISPLAY "Fumaba" AND "estaba".
Display scale for the R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] series.

<b>BOX ID:</b> <b>R04_AGR04</b>
END CIGAR LOOP:
If respondent has remaining loops to complete for multiple non-blunt cigar types, return to Box R04_AGR10 and repeat section.
Else, if respondent has no more remaining loops to complete, go to next section.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PIPE**

**BOX ID: R04\_APR04**

In the previous wave, if the respondent was a former user, had smoked 100 or more bowls of pipe tobacco and had smoked fairly regularly; and at the current wave has not smoked in the past 12 months or now smokes not at all, go to Box R04\_APV01.

Else, continue with Box R04\_APT02.

**BOX ID: R04\_APT02**

Las siguientes preguntas son acerca de fumar tabaco en **pipa**.

Las pipas vienen en distintos tamaños y formas. Todas tienen una cánula y una cazoleta donde se pone el tabaco. El tabaco para pipas normalmente se vende suelto en paquetes o latas. En la siguiente sección, solo le vamos a preguntar sobre el consumo de pipas con tabaco. La imagen a continuación muestra una pipa tradicional y tabaco para pipa.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

**BOX ID: R04\_APR03**

New cohort adult respondents who have ever smoked a pipe, go to R04\_AP1006\_RS

Else, adult respondents who had not smoked 100 or more bowls of pipe tobacco in the previous wave, go to R04\_AP1005.

Else, go to Box R04\_APR08.

**PATH ID: R04\_AP1005**

¿Cuántas cazoletas con tabaco se ha fumado en toda su vida?

- 1 Una o más probaditas pero nunca una entera
- 2 Una a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco in the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR08**

Aged-up and continuing adult respondents who have ever smoked a pipe and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1100.

Else, go to Box R04\_APV01.

**PATH ID: R04\_AP1100**

¿Alguna vez ha fumado de manera habitual una pipa con tabaco?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked a pipe and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**BOX ID: R04\_APR09**

New baseline respondents that have ever smoked fairly regularly, but had never smoked fairly regularly in a previous wave, go to R04\_AP1007\_NB.

Else, go to Box R04\_APV01.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_PIPE\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke every day or some days.

**R04\_PIPE\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a pipe and have never smoked fairly regularly, and now smoke every day or some days.

**R04\_PIPE\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a pipe and have never smoked fairly regularly and did not smoke in the past 12 months or now smokes not at all.

**R04\_PIPE\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former pipe smokers at the previous wave and aged-up adult respondents who ever smoked a pipe at the previous wave, who have ever smoked a pipe fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated pipe smoking since the previous wave, who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_PIPE\_USER\_STATUS = 5 (Long-term former user)** Aged up and continuing adult respondents who were former pipe smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked fairly regularly, who have not smoked in the past 12 months.

**R04\_CURRENT\_PIPE\_USE = 1 (Every day user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke every day.

**R04\_CURRENT\_PIPE\_USE = 2 (Some day user)** Adult respondents who have ever smoked a pipe fairly regularly and now smoke some days.

**R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1** Adult respondents who are experimental former, recent former, or long-term former pipe smokers who smoked in the past 30 days.

**BOX ID: R04\_APR01**

New baseline respondents that are every day pipe smokers, go to R04\_AP1020\_NB.

Else, aged-up and continuing adult respondents who have initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1008.

Else, if every day pipe smoker, go to R04\_AP1021.

Else, if some day, experimental current, or former 30 day pipe smoker, go to R04\_AP1022.

Else, if recent former pipe user, go to R04\_AP1047.

Else, if long-term former pipe user or experimental former pipe user, go to next section.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR12**

Aged-up and continuing adult respondents who have initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe, go to R04\_AP1008.  
Else, go to Box R04\_APR13.

**PATH ID: R04\_AP1008**

La primera vez que comenzó a fumar una pipa con tabaco, ¿comenzó con tabaco para pipas con sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_APR34 |
| 3  | No sé      | GO TO BOX R04_APR34 |
| -8 | DON'T KNOW | GO TO BOX R04_APR34 |
| -7 | REFUSED    | GO TO BOX R04_APR34 |

ASK: Aged-up and continuing adult respondents who initiated pipe smoking since the previous wave, and new cohort adult respondents who have ever smoked a pipe.

**PATH ID: R04\_AP1011**

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated pipe smoking with flavored tobacco.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_APR34**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former pipe smokers, go to R04\_AP1025\_RS.  
Else, go to Box R04\_APR13.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_APR13
If every day pipe user, go to R04_AP1021. Else, if some day or experimental current user pipe, or former user who smoked in the past 30 days, go to R04_AP1022. Else, go to the next section.

<b>PATH ID:</b> R04_AP1021
En promedio, aproximadamente, ¿cuántas cazoletas con tabaco fuma cada día actualmente?
-2 Menos de una cada día GO TO R04_AP1024
1  __ __
-8 DON'T KNOW GO TO R04_AP1024
-7 REFUSED GO TO R04_AP1024
ASK: Every day pipe smokers. DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Menos de una cada día" ON RIGHT.

<b>PATH ID:</b> R04_AP1021_LC1
La computadora registró que usted fuma actualmente [R04_AP1021] cazoletas con tabaco para pipas cada día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AP1021
2 NEXT GO TO R04_AP1024
ASK: IF R04_AP1021 > 10.

<b>PATH ID:</b> R04_AP1022
¿Durante cuántos de los últimos 30 días fumó usted una pipa con tabaco?
1  __ __  DÍAS
-8 DON'T KNOW
-7 REFUSED
ASK: Some day and experimental current pipe smokers who have smoked in the past 30 days, and former 30 day pipe smokers. DISPLAY: DISPLAY "DÍAS" AS TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR15**

If respondent enters "0" for R04\_AP1022 and is a some day or experimental current pipe smoker, go to R04\_AP9029.

Else, if respondent enters "0" for R04\_AP1022 and is a former 30 day user of pipe tobacco, go to Box R04\_APR29.

Else, go to R04\_AP1023.

**PATH ID: R04\_AP9029**

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó una pipa con tabaco?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_APR29

-7 REFUSED

GO TO BOX R04\_APR29

ASK: Some day and experimental current pipe smokers who have not smoked in the past 30 days.

**PATH ID: R04\_AP9029\_LC1**

La computadora registró que la última vez que fumó en pipa fue hace [R04\_AP9029]  
[días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP9029

2 NEXT

GO TO BOX R04\_APR29

ASK: IF (R04\_AP9029\_NN <30 AND R04\_AP9029\_UN = 1) OR (R04\_AP9029\_NN <1 AND R04\_AP9029\_UN = 2) OR (R04\_AP9029\_NN > 18 AND R04\_AP9029\_UN = 2) OR (R04\_AP9029\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AP9029\_UN = 3).

DISPLAY: IF R04\_AP9029 REPORTED IN DAYS, DISPLAY "días". IF R04\_AP9029 REPORTED IN MONTHS, DISPLAY "meses". IF R04\_AP9029 REPORTED IN YEARS, DISPLAY "años".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AP1023</b>	
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AP1022 días/días en que fumó], ¿cuántas cazoletas con tabaco normalmente fumó cada día?	
-2 Menos de una cada día	GO TO BOX R04_APR29
1  __ __	
-8 DON'T KNOW	GO TO BOX R04_APR29
-7 REFUSED	GO TO BOX R04_APR29
ASK: Some day, experimental current, and former thirty day pipe smokers who have smoked at least one day in past 30 days.	
DISPLAY: IF R04_AP1022 = 1, -8, -7, DISPLAY "días en que fumó". ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R04_AP1022. DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL: "Menos de una cada día" ON RIGHT.	

<b>PATH ID: R04_AP1023_LC1</b>	
La computadora registró que en los días en que ha fumado en los últimos 30 días, usted fumó [R04_AP1023] cazoletas con tabaco para pipas cada día, en promedio.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AP1023
2 NEXT	GO TO BOX R04_APR29
ASK: IF R04_AP1023 > 10.	

<b>BOX ID: R04_APR29</b>	
Current and experimental current pipe smokers, go to R04_AP1024.	
Else, former 30 day pipe smokers, go to R04_AP1024_30D.	
Else, recent former pipe smokers, go to R04_AP1047.	
Else, go to next section.	

<b>PATH ID: R04_AP1024</b>	
[En los días en que fuma pipa con tabaco, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primera probadita? Anote los minutos o las horas.	
1  __ __ __  Minutos después de despertarse	
2  __ __ __  Horas después de despertarse	
-8 DON'T KNOW	GO TO R04_AP1092
-7 REFUSED	GO TO R04_AP1092
ASK: Current and experimental current pipe smokers.	
DISPLAY: IF R04_CURRENT_PIPE_USE = 1, DISPLAY "¿Qué".	
ELSE, DISPLAY "En los días en que fuma pipa con tabaco, ¿qué".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1024_LC1</b>				
<p>La computadora registró que usted normalmente fuma en pipa su primera cazoleta del día [R04_AP1024] [horas/minutos] después de despertarse. ¿Es correcto?</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1   BACK</td> <td style="text-align: right;">GO TO R04_AP1024</td> </tr> <tr> <td>2   NEXT</td> <td style="text-align: right;">GO TO BOX R04_APR31</td> </tr> </table> <p>ASK: IF [R04_CURRENT_PIPE_USE = 1 AND ((R04_AP1024_NN &gt; 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN &gt; 4 AND R04_AP1024_UN = 2))] OR [(R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2) AND ((R04_AP1024_NN &gt; 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN &gt; 12 AND R04_AP1024_UN = 2))].</p> <p>DISPLAY: IF R04_AP1024 REPORTED IN HOURS, DISPLAY "horas". IF R04_AP1024 REPORTED IN MINUTES DISPLAY "minutos".</p>	1   BACK	GO TO R04_AP1024	2   NEXT	GO TO BOX R04_APR31
1   BACK	GO TO R04_AP1024			
2   NEXT	GO TO BOX R04_APR31			

<b>PATH ID:</b> <b>R04_AP1024_LC2</b>				
<p>La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted toma su primera probadita de una pipa del día.</p> <p>Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1   BACK</td> <td style="text-align: right;">GO TO R04_AP1024</td> </tr> <tr> <td>2   NEXT</td> <td style="text-align: right;">GO TO BOX R04_APR31</td> </tr> </table> <p>ASK: IF R04_AP1024_NN = 0.</p>	1   BACK	GO TO R04_AP1024	2   NEXT	GO TO BOX R04_APR31
1   BACK	GO TO R04_AP1024			
2   NEXT	GO TO BOX R04_APR31			

<b>PATH ID:</b> <b>R04_AP1092</b>										
<p>[En los días en que fuma pipa con tabaco, ¿diría/¿Diría] usted que fuma su primera probadita de una pipa durante los primeros 30 minutos después de despertarse?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 150px;">1   Sí</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> <tr> <td>2   No</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> <tr> <td>3   Depende</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> <tr> <td>-8   DON'T KNOW</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> <tr> <td>-7   REFUSED</td> <td style="text-align: right;">GO TO R04_AP0100</td> </tr> </table> <p>ASK: Current and experimental current pipe smokers who did not know or refused to report how soon they smoke a pipe after waking up.</p> <p>DISPLAY: IF R04_CURRENT_PIPE_USE = 1, DISPLAY "¿Diría". ELSE, DISPLAY "En los días en que fuma pipa con tabaco, ¿diría".</p>	1   Sí	GO TO R04_AP0100	2   No	GO TO R04_AP0100	3   Depende	GO TO R04_AP0100	-8   DON'T KNOW	GO TO R04_AP0100	-7   REFUSED	GO TO R04_AP0100
1   Sí	GO TO R04_AP0100									
2   No	GO TO R04_AP0100									
3   Depende	GO TO R04_AP0100									
-8   DON'T KNOW	GO TO R04_AP0100									
-7   REFUSED	GO TO R04_AP0100									

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1024\_30D**

En los días en que fumaba pipas con tabaco, ¿qué tan pronto después de que se despertaba fumaba normalmente su primera probadita de una pipa? Anote los minutos o las horas.

1 |\_\_|\_\_|\_\_| Minutos después de despertarse

2 |\_\_|\_\_|\_\_| Horas después de despertarse

-8 DON'T KNOW

GO TO R04\_AP1092\_30D

-7 REFUSED

GO TO R04\_AP1092\_30D

ASK: Former 30 day pipe smokers.

**PATH ID: R04\_AP1024\_30D\_LC1**

La computadora registró que usted normalmente fumaba su primera cazoleta de pipa del día [R04\_AP1024\_30D] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1024\_30D

2 NEXT

GO TO R04\_AP0100

ASK: IF (R04\_AP1024\_30D\_NN > 60 AND R04\_AP1024\_30D\_UN = 1) OR (R04\_AP1024\_30D\_NN > 12 AND R04\_AP1024\_30D\_UN = 2).

DISPLAY: IF R04\_AP1024\_30D REPORTED IN HOURS, DISPLAY "horas". IF R04\_AP1024\_30D REPORTED IN MINUTES DISPLAY "minutos".

**PATH ID: R04\_AP1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasó hasta que usted tomó su primera probadita de una pipa después de despertarse.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AP1024\_30D

2 NEXT

GO TO R04\_AP0100

ASK: IF R04\_AP1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1092\_30D**

En los días en que fumaba pipas con tabaco, ¿diría usted que fumaba su primera probadita de una pipa durante los primeros 30 minutos después de que se despertaba?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day pipe smokers who did not know or refused to report how soon they smoked a pipe after waking up.

**BOX ID: R04\_APR31**

Adult respondents who have smoked a pipe in the past 30 days, go to R04\_AP0100.  
Else, go to R04\_AP1030.

**PATH ID: R04\_AP0100**

¿Cuándo fue la última vez que fumó pipa con tabaco?

- |    |                        |                  |
|----|------------------------|------------------|
| 1  | Hace menos de una hora | GO TO R04_AP0103 |
| 2  | Hoy                    |                  |
| 3  | Ayer                   |                  |
| 4  | Hace dos días          |                  |
| 5  | Hace tres o más días   | GO TO R04_AP1130 |
| -8 | DON'T KNOW             | GO TO R04_AP1130 |
| -7 | REFUSED                | GO TO R04_AP1130 |

ASK: Adult respondents who have smoked a pipe in the past 30 days.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AP0103_LC1
La computadora registró que usted fumó [R04_AP0103] cazoletas con tabaco para pipas [hoy/ayer/hace dos días]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AP0103
2 NEXT GO TO R04_AP1130
ASK: IF R04_AP0103 > 10.
DISPLAY: IF R04_AP0100 = 1, 2, DISPLAY "hoy".
IF R04_AP0100 = 3, DISPLAY "ayer".
IF R04_AP0100 = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AP1130
En los últimos 30 días, ¿tenía el tabaco para pipa que fumó sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?
1 Sí
2 No GO TO R04_AP1030
3 No sé GO TO R04_AP1030
-8 DON'T KNOW GO TO R04_AP1030
-7 REFUSED GO TO R04_AP1030
ASK: Adult respondents who have smoked a pipe in the past 30 days.

<b>PATH ID:</b> R04_AP1131
¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.
1 Mentol o menta
2 Clavo de olor o especias
3 Fruta
4 Chocolate
5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
6 Caramelos u otros sabores dulces
7 Otro sabor (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have smoked a pipe with flavored tobacco in the past 30 days.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1030</b>	
Las siguientes preguntas son acerca de su experiencia al comprar tabaco para pipas.	
¿Cómo [compra/compraba] normalmente tabaco para pipas para usted?	
1    En persona	
2    En Internet	GO TO R04_AP1034
3    Por teléfono	GO TO R04_AP1034
4    No me compro mi propio tabaco para pipa	GO TO R04_AP1047
-8   DON'T KNOW	GO TO R04_AP1047
-7   REFUSED	GO TO R04_AP1047
ASK: Current, experimental current, and former 30 day pipe smokers.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".	

<b>PATH ID:</b> <b>R04_AP1032</b>	
Normalmente, ¿[compra/compraba] tabaco para pipa...?	
1    En su propio estado	
2    En otro estado	
3    Fuera de Estados Unidos	
-8   DON'T KNOW	
-7   REFUSED	
ASK: Current, experimental current, and former 30 day pipe smokers who usually buy pipe tobacco in person.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1033</b>
¿Dónde [compra/compraba] su tabaco para pipa la mayoría del tiempo?
1    Una tienda de conveniencia o estación de gasolina
2    Un supermercado, tienda de comestibles o farmacia
3    Una tienda mayorista como Sam's o Costco
4    Una tienda especializada o un almacén de tabaco o una tabaquería
5    Una tienda libre de impuestos o un economato militar
6    Un bar, restaurante, casino o una taberna
7    Un amigo o familiar
8    Un mercadillo o mercado de pulgas
9    Una tienda de licores
10    En otra parte (ESPECIFIQUE)
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day pipe smokers who usually buy pipe tobacco in person.
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."
IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".

<b>PATH ID:</b> <b>R04_AP1034</b>
¿Cuánto [paga/pagaba] normalmente por una bolsa de tabaco para pipas?
1    \$  __ __ __  Dólares .  __ __  Centavos
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day pipe smokers who usually buy their own pipe tobacco in person, from the internet, or by telephone.
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.
IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "compra". ELSE, DISPLAY "compraba".

<b>PATH ID:</b> <b>R04_AP1034_LC1</b>
La computadora registró que usted pagaba \$[R04_AP1034_D].[R04_AP1034_C] por una bolsa de tabaco para pipas. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK
2    NEXT
GO TO R04_AP1034
GO TO R04_AP1047
ASK: IF R04_AP1034_D > 50.





**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AP1012
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.  1 Mentol o menta 2 Clavo de olor o especias 3 Fruta 4 Chocolate 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel) 6 Caramelos u otros sabores dulces 7 Otro sabor (ESPECIFIQUE) -8 DON'T KNOW -7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored. DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "es". IF R04_PIPE_USER_STATUS = 4 OR R04_AP1047 = 2, -8, -7 OR R04_FÖRMER_THIRTYDAY_USER_PIPE = 1, DISPLAY "era". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>PATH ID:</b> R04_AP1945
¿Sabe el <u>nombre de la marca</u> de tabaco para pipas que [fuma normalmente/fumó normalmente/fumó la última vez]?  1 Sí 2 No -8 DON'T KNOW -7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers. DISPLAY: IF R04_AP1047 = 1 AND R04_PIPE_USER_STATUS = 1 2, DISPLAY "fuma normalmente". IF R04_AP1047 = 1 AND R04_PIPE_USER_STATUS != 1 2, DISPLAY "fumó normalmente". IF R04_AP1047 = 2, -8, -7, DISPLAY "fumó la última vez". Underline "nombre de la marca".

<b>BOX ID:</b> R04_APR30
Respondents who know the name of their brand, go to R04_AP1048_BRAND. Else, respondents who have a regular brand, go to R04_AP1051. Else, go to Box R04_APD01.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1048</b>
¿Qué marca de tabaco para pipa [fuma/fumó] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra". ]
1    Otra
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "fuma" AND "normalmente".
ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".
ELSE, IF R04_AP1047 = 1, DISPLAY "fumó" AND "normalmente".
ELSE, IF R04_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

<b>BOX ID:</b> <b>R04_APR22</b>
If respondent selects an image for their brand, go to R04_AP1070_PRODUCT.
Else, if respondent selects "Something else" for their brand, go to R04_AP1049.
Else, go to Box R04_APR23.

<b>PATH ID:</b> <b>R04_AP1049</b>
Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?
1    _____      GO TO BOX R04_APR23
-8   DON'T KNOW      GO TO BOX R04_APR23
-7   REFUSED      GO TO BOX R04_APR23
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected "Something else" for their brand.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1070</b>
Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra". ]
1    Otra
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AP1048_BRAND.
IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "fuma" AND "normalmente".
ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".
ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, DISPLAY "fumó" AND "normalmente".
ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

<b>BOX ID:</b> <b>R04_APR28</b>
If current, experimental current, recent former, or former 30 day pipe smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04_AP1071.
Else, go to Box R04_APR23.

<b>PATH ID:</b> <b>R04_AP1071</b>
Usted dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba] no está en las opciones. ¿Qué tipo es?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AP1048_BRAND.
IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "fuma".
ELSE, DISPLAY "fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR23**

If respondent has a regular brand, go to R04\_AP1051.  
Else, go to Box R04\_APR25.

**PATH ID: R04\_AP1051**

Aproximadamente, ¿cuánto tiempo [llevó/lleva] fumando su marca habitual de tabaco para pipa?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW GO TO BOX R04\_APR25
- 7 REFUSED GO TO BOX R04\_APR25

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who have a regular brand.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "lleva".

ELSE, DISPLAY "llevó".

**PATH ID: R04\_AP1051\_LC1**

La computadora registró que usted [lleva fumando/fumó] su marca habitual de tabaco para pipas por [R04\_AP1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AP1051
- 2 NEXT GO TO BOX R04\_APR25

ASK: IF (R04\_AP1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AP1051\_UN = 3.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

**PATH ID: R04\_AP1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de tabaco para pipas.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R04\_AP1051
- 2 NEXT GO TO BOX R04\_APR25

ASK: IF R04\_AP1051\_NN = 0.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1 OR 2, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_APR25**

Current, experimental current, and former 30 day users who smoked a pipe today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and a valid product, go to R04\_AP0104.

Else, go to Box R04\_APD01.

**PATH ID: R04\_AP0104**

Anteriormente usted dijo que la última vez que fumó una pipa fue [TIME OF LAST USE].

Piense en la última cazoleta que fumó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day pipe smokers who have smoked a pipe in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AP0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

IF R04\_AP0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

IF R04\_AP0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

IF R04\_AP0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AP1070\_PRODUCT.

**BOX ID: R04\_APD01**

Randomize order of R04\_AP1060 through R04\_AP1064.

Display question R04\_AP1060, R04\_AP1085, R04\_AP1062, R04\_AP1075, R04\_AP1063, R04\_AP1064 on one screen. Show the intro/transition text from R04\_AP1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1060**

Las siguientes preguntas son acerca de las razones por las que la gente fuma en pipas. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba en pipas].

[Fumo/Fumaba] una pipa con tabaco porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "aplican a usted", "Fumo", AND "Es".

ELSE, DISPLAY "aplicaban a usted cuando fumaba en pipas", "Fumaba", AND "Era".

**PATH ID: R04\_AP1085**

[Puedo/Podía] fumar en pipa en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

**PATH ID: R04\_AP1062**

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "ser".

ELSE, DISPLAY "haber sido".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AP1075</b>
Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AP1063</b>
El tabaco para pipa [viene/venía] en sabores que me [gustan /gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers.
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "viene" AND "gustan".
ELSE, DISPLAY "venía" AND "gustaban".

<b>BOX ID:</b> <b>R04_APR26</b>
Current, experimental current or recent former cigarette smokers, go to R04_AP1064.
Else, go to R04_AP1139.

<b>PATH ID:</b> <b>R04_AP1064</b>
Fumar en pipa ayuda a las personas a dejar de fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day pipe smokers who are also current, experimental current or recent former cigarette smokers.

<b>BOX ID:</b> <b>R04_APR27</b>
Current, experimental current, recent former, and former 30 day pipe smokers who are also current or recent former cigarette smokers, go to R04_AP1080.
Else, go to R04_AP1139.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1080**

¿[Fuma/Fumaba] pipas con tabaco como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Fuma".

ELSE, DISPLAY "Fumaba".

**PATH ID: R04\_AP1139**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando fumo en pipa.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Es",

ELSE, DISPLAY "Era".

Display scale for the R04\_AP1139-1141 series.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1140**

Al fumar en pipa, me [siento/sentía] más seguro con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "siento".

ELSE, DISPLAY "sentía".

Display scale for the R04\_AP1139-1141 series.

**PATH ID: R04\_AP1141**

[Fumo/Fumaba] una pipa mucho más cuando [estoy/estaba] con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day pipe smokers.

DISPLAY: IF R04\_PIPE\_USER\_STATUS = 1, 2 DISPLAY "Fumo" AND "estoy".

ELSE, DISPLAY "Fumaba" AND "estaba".

Display scale for the R04\_AP1139-1141 series.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## HOOKAH

**BOX ID: R04\_AHT02**

Las siguientes preguntas son acerca de fumar tabaco en una **hookah**, que es un tipo de pipa de agua. También se conoce como "narguile". De ahora en adelante usaremos la palabra "hookah" para referirnos a la pipa de agua o narguile.

La gente fuma **shishas** o **el tabaco para hookahs** en una hookah. La shisha viene en distintos sabores. Algunos tipos de shisha contienen tabaco y otros no.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

**PATH ID: R04\_AH1090**

¿Tiene su propia hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR13**

Young adult respondents who have ever smoked hookah, go to R04\_AH9041.  
Else, go to Box R04\_AHR04.

**PATH ID: R04\_AH9041**

¿Alguna otra persona que viva en su casa tiene una hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR04**

New cohort adult respondents who have ever smoked hookah, go to R04\_AH1006\_RS.  
Else, adult respondents who had not smoked hookah 100 or more times in the previous wave, go to R04\_AH1005.  
Else, go to Box R04\_AHR09.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1005**

¿Cuántas veces ha fumado tabaco en una hookah en toda su vida? Cuento cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.

- 1 Una a 10
- 2 11 a 20
- 3 21 a 50
- 4 51 a 99
- 5 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked hookah and had not smoked 100 or more times in the previous wave, and new cohort adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR09**

Aged-up and continuing adult respondents who have ever smoked hookah and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked hookah, go to R04\_AH1100.

Else, go to Box R04\_AHR10.

**PATH ID: R04\_AH1100**

¿Alguna vez ha fumado tabaco en una hookah habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever smoked hookah and had never smoked fairly regularly in the previous wave, and new cohort adult respondents who have ever smoked hookah.

**BOX ID: R04\_AHR10**

New baseline respondents that have ever smoked hookah fairly regularly, go to R04\_AH1007\_NB.

Else, go to Box R04\_AHR01.

**BOX ID: R04\_AHR01**

New baseline respondents that are every day users, go to R04\_AH1020\_NB.

Else, go to Box R04\_AHR11.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR11**

Aged-up and continuing adult respondents who initiated hookah smoking since the previous wave, and new cohort adult respondents who have ever smoked hookah, go to R04\_AH1008.  
Else, go to Box R04\_AHR27.

**PATH ID: R04\_AH1008**

La primera vez que comenzó a fumar en hookah, ¿fumó shisha o tabaco para hookah con sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otro sabor dulce?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AHR27 |
| 3  | No sé      | GO TO BOX R04_AHR27 |
| -8 | DON'T KNOW | GO TO BOX R04_AHR27 |
| -7 | REFUSED    | GO TO BOX R04_AHR27 |

ASK: Aged-up and continuing adult respondents who initiated hookah smoking since the previous wave, and new cohort adult respondents who have ever smoked hookah.

**PATH ID: R04\_AH1011**

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated hookah smoking with flavored shisha.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AHR27**

If respondent does not smoke hookah every day but smoked hookah in the past 12 months, go to R04\_AH9003.  
Else, go to Box R04\_AHV01.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9003**

¿Cuál de las siguientes opciones describe mejor su hábito de fumar en hookah? Normalmente, fumo tabaco en una hookah...

- 1 Todos los días
- 2 Semanalmente
- 3 Mensualmente
- 4 Una vez cada dos meses
- 5 Una vez al año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not smoke hookah every day but smoked hookah in the past 12 months.

**BOX ID: R04\_AHV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

**R04\_HOOK\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever smoked a hookah fairly regularly and smokes monthly or more frequently.

**R04\_HOOK\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and now smoke hookah every day or some days or weekly or monthly or in the past 30 days.

**R04\_HOOK\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and did not smoke in the past 12 months or now smokes not at all.

**R04\_HOOK\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former hookah smokers at the previous wave and aged-up adult respondents who ever smoked hookah at the previous wave, who have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated hookah smoking since the previous wave, who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all.

**R04\_HOOK\_USER\_STATUS = 5 (Long-term former user)** Aged-up and continuing adult respondents who were former hookah smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a hookah and have smoked fairly regularly, who have not smoked in the past 12 months.

**R04\_THIRTY\_DAY\_USER\_HOOK = 1** Adult respondents who have smoked a hookah within the past 30 days.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9013**

Normalmente, ¿con cuántas personas [comparte/compartía] una hookah?

- 1 Una persona
- 2 2 personas
- 3 3 personas
- 4 4 personas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers who share hookah with others.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1 ,  
DISPLAY "comparte". ELSE, DISPLAY "compartía".

**PATH ID: R04\_AH9014**

Aproximadamente, ¿cuánto tiempo [dura/duraba] una sesión de hookah para usted[ y para las personas que [la comparten/la compartían] con usted]?

- 1 Menos de 30 minutos
- 2 Más de 30 minutos a una hora
- 3 Una a 2 horas
- 4 Más de 2 horas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, past 30 day or recent former hookah smokers.

DISPLAY: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND  
R04\_AH9012 = 1, DISPLAY "dura" AND "y para las personas que la comparten". IF R04\_AH9012 != 1,  
DO NOT DISPLAY " y para las personas que la comparten". IF R04\_HOOK\_USER\_STATUS = 4 AND  
R04\_AH9012 = 1, DISPLAY "duraba" AND "y para las personas que la compartían"; IF R04\_AH9012 !=  
1, DO NOT DISPLAY "y para las personas que la compartían".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH9015
Aproximadamente, cuando [fuma/fumaba/comparte/compartía] una hookah, ¿cuántas veces se [vuelve/volvía] a llenar la hookah con tabaco durante una sesión?
1 Ninguna
2 Una vez
3 2 a 3 veces
4 4 veces o más
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers. DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 1, DISPLAY "comparte" AND "vuelve". IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 2, DISPLAY "fuma" AND "vuelve". IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 1, DISPLAY "compartía" AND "volvía". IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 2, DISPLAY "fumaba" AND "volvía".

<b>PATH ID:</b> R04_AH9016
¿Con qué frecuencia [prepara/preparaba] usted mismo la hookah?
1 Siempre
2 Casi siempre
3 A veces
4 Rara vez
5 Nunca, otra persona siempre me la [preparaba   prepara]
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "prepara" AND "prepara". ELSE, DISPLAY "preparaba" AND "preparaba".

<b>PATH ID:</b> R04_AH9043
Cuando [fuma/fumaba] en hookah, ¿[tiene/tenía] normalmente tabaco la shisha?
1 Sí
2 No
3 No sé
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, past 30 day, and recent former hookah smokers. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2, OR R04_THIRTY_DAY_USER_HOOK = 1 DISPLAY "fuma" AND "tiene". IF R04_HOOK_USER_STATUS = 4, DISPLAY "fumaba" AND "tenía".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH9042
¿Alguna vez ha usado otro líquido aparte de agua en la base de la hookah?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers.

<b>BOX ID:</b> R04_AHV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
<b>R04_CURRENT_HOOK_USE = 1 (Every day user)</b> Adult respondents who have ever smoked a hookah fairly regularly and now smoke every day.
<b>R04_CURRENT_HOOK_USE = 2 (Some day user)</b> Adult respondents who have ever smoked a hookah fairly regularly and now smoke some days.

<b>BOX ID:</b> R04_AHR12
If respondent smoked hookah monthly, go to R04_AH9004. Else, if respondent smoked hookah weekly, go to R04_AH9005. Else, if respondent smokes hookah every day, go to R04_AH9006. Else, go to Box R04_AHR25.

<b>PATH ID:</b> R04_AH9004
En promedio, aproximadamente, ¿cuántas veces fuma en hookah en un mes? Cuenté cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.
1  __  __  __
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AHR25
GO TO BOX R04_AHR25
ASK: Adult respondents who smoke hookah monthly.

<b>PATH ID:</b> R04_AH9004_LC1
La computadora registró que, en promedio, usted fuma tabaco en hookah [R04_AH9004] veces al mes. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK
2 NEXT
GO TO R04_AH9004
GO TO BOX R04_AHR25
ASK: IF R04_AH9004 > 100.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH9005</b>	
En promedio, aproximadamente, ¿cuántas veces fuma en hookah en una semana? Cuento cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.	
1    _ _	
-8   DON'T KNOW	GO TO BOX R04_AHR25
-7   REFUSED	GO TO BOX R04_AHR25
ASK: Adult respondents who smoke hookah weekly.	

<b>PATH ID:</b> <b>R04_AH9005_LC1</b>	
La computadora registró que, en promedio, usted fuma tabaco en hookah [R04_AH9005] veces a la semana. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AH9005
2   NEXT	GO TO BOX R04_AHR25
ASK: IF R04_AH9005 > 15.	

<b>PATH ID:</b> <b>R04_AH9006</b>	
En promedio, aproximadamente, ¿cuántas veces fuma en hookah cada día? Cuento cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.	
1    _ _	
-8   DON'T KNOW	GO TO BOX R04_AHR25
-7   REFUSED	GO TO BOX R04_AHR25
ASK: Adult respondents who smoke hookah every day.	

<b>PATH ID:</b> <b>R04_AH9006_LC1</b>	
La computadora registró que, en promedio, usted fuma tabaco en hookah [R04_AH9006] veces al día. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AH9006
2   NEXT	GO TO BOX R04_AHR25
ASK: IF R04_AH9006 > 2.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR25**

Current, experimental current, and past 30 day hookah smokers, go to R04\_AH1024.  
Else, go to Box R04\_AHR02.

**PATH ID: R04\_AH1024**

[En los días en que fuma en hookah, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primera probadita de tabaco en una hookah?

- |    |  |                     |
|----|--|---------------------|
| 1  | Entre las 6 de la mañana y el mediodía   | GO TO BOX R04_AHR02 |
| 2  | Entre el mediodía y las 6 de la tarde    | GO TO BOX R04_AHR02 |
| 3  | Entre las 6 de la tarde y la medianoche  | GO TO BOX R04_AHR02 |
| 4  | Entre la medianoche y las 6 de la mañana | GO TO BOX R04_AHR02 |
| -8 | DON'T KNOW                               |                     |
| -7 | REFUSED                                  |                     |

ASK: Current, experimental current, and past 30 day hookah smokers.

DISPLAY: IF R04\_CURRENT\_HOOK\_USE = 1, DISPLAY "¿Qué". ELSE, DISPLAY "En los días en que fuma en hookah, ¿qué".

**PATH ID: R04\_AH1092**

[En los días en que fuma en hookah, ¿diría/¿Diría] que fuma su primera probadita de tabaco en una hookah durante los primeros 30 minutos después de despertarse?

- |    |            |
|----|------------|
| 1  | Sí         |
| 2  | No         |
| 3  | Depende    |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Current, experimental current, and past 30 day hookah smokers who did not know or refused to report what time of day they smoke hookah.

DISPLAY: IF R04\_CURRENT\_HOOK\_USE = 1, DISPLAY "¿Diría". ELSE, DISPLAY "En los días en que fuma en hookah, ¿diría".

**BOX ID: R04\_AHR02**

If respondent smoked hookah in the past 30 days, go to R04\_AH0100.  
Else, go to Box R04\_AHR23.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AH0100</b>	
¿Cuándo fue la última vez que fumó tabaco en una hookah?		
1	Hace menos de una hora	GO TO R04_AH0103
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R04_AH1130
-8	DON'T KNOW	GO TO R04_AH1130
-7	REFUSED	GO TO R04_AH1130
ASK: Adult respondents who have smoked hookah in the past 30 days.		

<b>PATH ID:</b>	<b>R04_AH0102</b>	
La última vez que fumó tabaco en una hookah [FILL BASED ON R04_AH0100], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have smoked hookah today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: FOR [FILL BASED ON R04_AH0100]:		
IF R04_AH0100 = 2, DISPLAY "hoy".		
IF R04_AH0100 = 3, DISPLAY "ayer".		
IF R04_AH0100 = 4, DISPLAY "hace dos días".		



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1131**

¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked flavored shisha in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AH1147**

En los días en que fumó shisha o tabaco para hookah en los últimos 30 días, ¿con qué frecuencia fumó shisha o tabaco para hookah con sabor?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoked flavored shisha in the past 30 days.

DISPLAY: UNDERLINE "con sabor".

**BOX ID: R04\_AHR23**

Current, experimental current, and past 30 day hookah smokers go to R04\_AH1030.

Else, recent former hookah smokers, go to R04\_AH1047.

Else, go to Box R04\_AHR19.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1030</b>
Las siguientes preguntas son acerca de su experiencia al comprar shisha o tabaco para hookah.
Normalmente, ¿cómo compra shisha o tabaco para hookah para usted?
1    En persona (en una tienda o bar de hookah)
2    En Internet
3    Por teléfono
4    No compro mi propia shisha o tabaco para hookah
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and past 30 day hookah smokers.

<b>PATH ID:</b> <b>R04_AH1032</b>
Normalmente, ¿compra shisha o tabaco para hookah...?
1    En su propio estado
2    En otro estado
3    Fuera de Estados Unidos
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and past 30 day hookah smokers who usually buy shisha tobacco in person.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1033**

¿Dónde compra su tabaco para hookah o shisha la mayoría del tiempo?

- 1 Un bar o café de hookah
- 2 Una tienda de conveniencia o estación de gasolina
- 3 Un supermercado, tienda de comestibles o farmacia
- 4 Una tienda mayorista como Sam's o Costco
- 5 Una tienda especializada o un almacén de tabaco o una tabaquería
- 6 Una tienda libre de impuestos o un economato militar
- 7 Un bar, restaurante, casino o una taberna
- 8 Un amigo o familiar
- 9 Un mercadillo o mercado de pulgas
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who usually buy shisha tobacco in person.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AH1047**

¿[Tiene/Tenía] una marca habitual de shisha o tabaco para hookah que normalmente [fuma/fumaba]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Tiene" AND "fuma". ELSE, DISPLAY "Tenía" AND "fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AH1050</b>		
[Su marca habitual/La última marca] que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?			
	1	Sí	
	2	No	GO TO R04_AH1945
	3	No sé	GO TO R04_AH1945
	-8	DON'T KNOW	GO TO R04_AH1945
	-7	REFUSED	GO TO R04_AH1945
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.			
DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Su marca habitual" AND "fuma" AND "tiene". IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".			
ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Su marca habitual", "fumaba" AND "tenía".			
ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "La última marca", "fumaba" AND "tenía".			

<b>PATH ID:</b>	<b>R04_AH1012</b>		
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.			
	1	Mentol o menta	
	2	Clavo de olor o especias	
	3	Fruta	
	4	Chocolate	
	5	Una bebida alcohólica (como vino, brandy, margarita u otro coctel)	
	6	Caramelos u otros sabores dulces	
	7	Otro sabor (ESPECIFIQUE)	
	-8	DON'T KNOW	
	-7	REFUSED	
ASK: Current, experimental current, recent former, and past 30 day hookah smokers whose regular brand or last brand of shisha smoked was flavored.			
DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Es". ELSE, DISPLAY "Era".			
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."			

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH1945
¿Sabe el <u>nombre de la marca</u> de shisha o tabaco para hookah que [fuma normalmente/fumó normalmente/fumó la última vez]?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_AH1047 = 1 AND R04_HOOK_USER_STATUS = 1, 2, DISPLAY "fuma normalmente".
IF R04_AH1047 = 1 AND R04_HOOK_USER_STATUS != 1, 2, DISPLAY "fumó normalmente".
IF R04_AH1047 = 2, -8, -7, DISPLAY "fumó la última vez".
UNDERLINE "nombre de la marca".

<b>BOX ID:</b> R04_AHR26
Respondents who know the name of their brand, go to R04_AH1048_BRAND.
Else, respondents who have a regular brand, go to R04_AH1051.
Else, go to Box R04_AHD01.

<b>PATH ID:</b> R04_AH1048
¿Qué marca de shisha o tabaco para hookah [fuma/fumó] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [ Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". /Si no ve la opción a continuación, toque la casilla que dice "Otra". ]
1 Otra
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".
IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "fuma" AND "normalmente".
IF ((R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".
ELSE, IF R04_AH1047 = 1, DISPLAY "fumó" AND "normalmente".
ELSE, IF R04_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR17**

If respondent selects an image for their brand, go to R04\_AH1070\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AH1049.  
 Else, go to Box R04\_AHR22.

**PATH ID: R04\_AH1049**

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

1	_____	GO TO BOX R04_AHR20
-8	DON'T KNOW	GO TO BOX R04_AHR20
-7	REFUSED	GO TO BOX R04_AHR20

ASK: Current, experimental current, recent former, past 30 day hookah smokers who selected "Something else" for their brand.

**PATH ID: R04\_AH1070**

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación tocando la pantalla. [ Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra". ]

1	Otra	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AH1048\_BRAND.

IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R04\_AH1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R04\_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

**BOX ID: R04\_AHR18**

If current, experimental current, recent former, or past 30 day hookah smoker who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AH1071.  
 Else, go to Box R04\_AHR20.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1071</b>
Usted dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba] no está en las opciones. ¿Qué tipo es?
1    _____
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AH1048_BRAND.
IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "fuma".
ELSE, DISPLAY "fumaba".

<b>BOX ID:</b> <b>R04_AHR20</b>
If respondent selected a brand in R04_AH1048_BRAND or wrote in a brand in R04_AH1049, go to R04_AH9108.
Else, go to Box R04_AHR22.

<b>PATH ID:</b> <b>R04_AH9108</b>
¿Contiene tabaco esta marca de shisha?
1    Sí
2    No
3    No sé
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, past 30 day or recent former hookah smokers who selected a brand in R04_AH1048 or who wrote a brand in to R04_AH1049.

<b>BOX ID:</b> <b>R04_AHR22</b>
Current, experimental current, past 30 day or recent former hookah smokers who have a regular brand of shisha or hookah tobacco, go to R04_AH1051.
Else, go to Box R04_AHR19.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1051**

Aproximadamente, ¿cuánto tiempo [llevó/lleva] fumando su marca habitual de shisha o tabaco para hookah?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_AHR19

-7 REFUSED

GO TO BOX R04\_AHR19

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who have a regular brand.

DISPLAY: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1), DISPLAY "lleva".

ELSE, DISPLAY "llevó".

**PATH ID: R04\_AH1051\_LC1**

La computadora registró que usted [lleva fumando/fumó] su marca habitual de shisha o tabaco para hookah por [R04\_AH1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AH1051

2 NEXT

GO TO BOX R04\_AHR19

ASK: IF R04\_AH1051\_NN > R04\_ACHIEVEDAGE AND R04\_AH1051\_UN = 3.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "lleva fumando".

IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "fumó".

**PATH ID: R04\_AH1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de shisha o tabaco para hookah.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AH1051

2 NEXT

GO TO BOX R04\_AHR19

ASK: IF R04\_AH1051\_NN = 0.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "lleva fumando".

IF R04\_HOOK\_USER\_STATUS = 4, DISPLAY "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AHR19**

Current, experimental current, and past 30 day hookah smokers who smoked hookah today, yesterday or the day before yesterday who know the name of their brand and selected a valid brand in R04\_AH1048 and valid product in R04\_AH1070, go to R04\_AH0104.

Else, if respondent is a current, experimental current, recent former, or past 30 day user, go to Box R04\_AHD01.

Else, go to next section.

**PATH ID: R04\_AH0104**

Anteriormente usted dijo que la última vez que fumó en una hookah fue [TIME OF LAST USE].

Piense en la última probadita que tomó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and past 30 day hookah smokers who have smoked hookah in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AH0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

IF R04\_AH0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

IF R04\_AH0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

IF R04\_AH0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AH1070.

**BOX ID: R04\_AHD01**

Randomize order of R04\_AH1060 through R04\_AH1073.

Display question R04\_AH1060, R04\_AH1085, R04\_AH1062, R04\_AH1075, R04\_AH1063, R04\_AH1064, R04\_AH1073 on one screen. Show the intro/transition text from R04\_AH1060 first, then show each item with responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AH1060
Las siguientes preguntas son acerca de las razones por las que la gente fuma en una hookah. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba en hookah].
[Fumo/Fumaba] en hookah porque...
[Es/Era] económico.
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "aplican a usted", "Fumo" AND "Es". ELSE, DISPLAY "aplicaban a usted cuando fumaba en hookah", "Fumaba" AND "Era".

<b>PATH ID:</b> R04_AH1085
[Puedo/Podía] fumar en hookah en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Puedo" AND "permite". ELSE, DISPLAY "Podía" AND "permitía".

<b>PATH ID:</b> R04_AH1062
Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "ser". ELSE, DISPLAY "haber sido".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1075**

Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "ser". ELSE, DISPLAY "haber sido".

**PATH ID: R04\_AH1063**

La shisha o el tabaco para hookah [viene/venía] en sabores que me [gustan/gustaban].

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "viene" AND "gustan". ELSE, DISPLAY "venía" AND "gustaban".

**BOX ID: R04\_AHR15**

Current, experimental current, past 30 day, or recent former hookah smokers who are also current, experimental current or recent former cigarette smokers, go to R04\_AH1064.

Else, go to R04\_AH1073.

**PATH ID: R04\_AH1064**

Fumar en una hookah le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers who are also current, experimental current or recent former cigarette smokers.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1073</b>
Fumar en hookah es parte de mi tradición cultural.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

<b>BOX ID:</b> <b>R04_AHR16</b>
Current, experimental current, past 30 day, and recent former hookah smokers who also are current, experimental current, or recent former cigarette smokers, go to R04_AH1080.
Else, go to R04_AH1139.

<b>PATH ID:</b> <b>R04_AH1080</b>
¿[Fuma/Fumaba] en hookah como manera de disminuir su consumo de cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and past 30 day hookah smokers who are also current, experimental current or recent former cigarette smokers.
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Fuma". ELSE, DISPLAY "Fumaba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1139**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando fumo en hookah.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Es",

ELSE, DISPLAY "Era".

Display scale for the R04\_AH1139-1141 series.

**PATH ID: R04\_AH1140**

Al fumar en hookah, me [siento/sentía] más seguro con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "siento",

ELSE, DISPLAY "sentía".

Display scale for the R04\_AH1139-1141 series.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH1141**

[Fumo/Fumaba] hookah mucho más cuando [estoy/estaba] con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and past 30 day hookah smokers.

DISPLAY: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1, DISPLAY "Fumo" AND "estoy",

ELSE, DISPLAY "Fumaba" AND "estaba".

Display scale for the R04\_AH1139-1141 series.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**SNUS**

**BOX ID: R04\_AUR08**

Aged-up and continuing adult respondents who were a former user, had used 100 or more snus pouches and had used fairly regularly as of the previous wave; and at the current wave has not used in the past 12 months or now uses not at all, go to Box R04\_AUV02.

Else, continue with Box R04\_AUT02.

**BOX ID: R04\_AUT02**

IF RESPONDENT ONLY USES SNUS (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 2), DISPLAY THE FOLLOWING TRANSITION TEXT:

Las siguientes preguntas son acerca del **snus**, una clase de tabaco que no se fuma que viene en una bolsita o saquito que se pone bajo el labio. No es necesario escupir cuando se consume snus. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus.

Piense en su consumo de **snus** cuando conteste estas preguntas.

[SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

Las siguientes preguntas son acerca del **snus**, una clase de tabaco que no se fuma que viene en una bolsita o saquito que se pone bajo el labio. No es necesario escupir cuando se consume snus. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus.

Piense en su consumo de **snus** cuando conteste estas preguntas. Más adelante habrá otra sección acerca de las otras clases de productos de tabaco que no se fuma.

[SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]

**BOX ID: R04\_AUR07**

New cohort adult respondents who have ever used snus, go to R04\_AU1006\_RS.

Else, aged-up and continuing adult respondents who have ever used snus (and had not used 100 or more in the previous wave), go to R04\_AU1005.

Else, aged-up and continuing adult respondents who have ever used snus and had never used fairly regularly in the previous wave, go to R04\_AU1100.

Else, go to Box R04\_AUV02.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1005</b>
¿Cuántas veces ha consumido snus en toda su vida?
1   Una a 10
2   11 a 20
3   21 a 50
4   51 a 99
5   100 o más
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult respondents who have ever used snus and had not used 100 or more pouches in the previous wave, and new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR10</b>
Aged-up and continuing adult respondents who have ever used snus and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever used snus, go to R04_AU1100. Else, go to Box R04_AUV02.

<b>PATH ID:</b> <b>R04_AU1100</b>
¿Alguna vez ha consumido snus habitualmente?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult respondents who have ever used snus and had never used fairly regularly in the previous wave and new cohort adult respondents who have ever used snus.

<b>BOX ID:</b> <b>R04_AUR11</b>
New baseline adult respondents that have ever used fairly regularly, go to R04_AU1007_NB. Else, go to Box R04_AUV02.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUV02**

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_SNUS\_USER\_STATUS = 1 (Current user)** Adult respondents who have ever used snus fairly regularly and now use every day or some days.

**R04\_SNUS\_USER\_STATUS = 2 (Experimental current user)** Adult respondents who have ever used snus and have never used fairly regularly, and now use every day or some days.

**R04\_SNUS\_USER\_STATUS = 3 (Experimental former user)** Adult respondents who have ever used snus and have never used fairly regularly and did not use in the past 12 months or now uses not at all.

**R04\_SNUS\_USER\_STATUS = 4 (Recent former user)** Continuing adult respondents who were current, experimental current, or experimental former snus users at the previous wave and aged-up adult respondents who ever used snus at the previous wave, who have ever used snus fairly regularly, and did not use snus in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated snus use since the previous wave, who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all.

**R04\_SNUS\_USER\_STATUS = 5 (Long-term former user)** Adult respondents who were former snus users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used snus and have ever used snus fairly regularly, who have not used snus in the past 12 months..

**R04\_CURRENT\_SNUS\_USE = 1 (Every day user)** Adult respondents who have ever used snus fairly regularly and now use every day.

**R04\_CURRENT\_SNUS\_USE = 2 (Some day user)** Adult respondents who have ever used snus fairly regularly and now use some days.

**R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1** Adult respondents who are experimental former, recent former, or long-term former snus users who used in the past 30 days.

**BOX ID: R04\_AUR02**

New baseline respondents that are every day snus users, go to R04\_AU1020\_NB.  
Else, go to Box R04\_AUR12.

**BOX ID: R04\_AUR12**

Aged-up and continuing adult respondents who initiated snus use since the previous wave, and new cohort adult respondents who have ever used snus, go to R04\_AU1008.  
Else, go to Box R04\_AUR50.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1008**

La primera vez que comenzó a consumir snus, ¿consumió snus con sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otro sabor dulce?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AUR50 |
| 3  | No sé      | GO TO BOX R04_AUR50 |
| -8 | DON'T KNOW | GO TO BOX R04_AUR50 |
| -7 | REFUSED    | GO TO BOX R04_AUR50 |

ASK: Aged-up and continuing adult respondents who initiated snus use since the previous wave, and new cohort adult respondents who have ever used snus.

**PATH ID: R04\_AU1011**

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Wintergreen, hierbabuena o frost
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated snus use with flavored snus.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AUR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former snus users, go to R04\_AU1025\_RS.

Else, go to Box R04\_AUR09.





**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU9029
¿Aproximadamente cuánto tiempo hace desde la última vez que consumió snus?
1  __ __  DÍAS
2  __ __  MESES
3  __ __  AÑOS
-8 DON'T KNOW GO TO BOX R04_AUR26
-7 REFUSED GO TO BOX R04_AUR26
ASK: Some day and experimental current snus users who have not used in the past 30 days.

<b>PATH ID:</b> R04_AU9029_LC1
La computadora registró que usted consumió snus hace [R04_AU9029] [días/meses/años].
Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU9029
2 NEXT GO TO BOX R04_AUR26
ASK: IF (R04_AU9029_NN < 30 AND R04_AU9029_UN = 1) OR (R04_AU9029_NN < 1 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > 18 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > (R04_ACHIEVEDAGE - 10) AND R04_AU9029_UN = 3).
DISPLAY: IF R04_AU9029_UN = 1, DISPLAY "días",
ELSE, IF R04_AU9029_UN = 2, DISPLAY "meses".
ELSE, IF R04_AU9029_UN = 3, DISPLAY "años".

<b>PATH ID:</b> R04_AU1023
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AU1022 días/días en que consumió], ¿cuántas veces consumió normalmente tabaco que no se fuma cada día?
1  __ __
-8 DON'T KNOW GO TO BOX R04_AUR26
-7 REFUSED GO TO BOX R04_AUR26
ASK: Some day, experimental current, and former thirty day snus users who have used at least one day in past 30 days.
DISPLAY: IF R04_AU1022 = 1, -8, -7, DISPLAY "días en que consumió".
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AU1022 AND "días" (EX. "2 días").

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU1023_LC1
La computadora registró que en sus días de consumo en los últimos 30 días, usted consumió snus [R04_AU1023] veces al día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU1023
2 NEXT GO TO BOX R04_AUR26
ASK: IF R04_AU1023 > 20.

<b>BOX ID:</b> R04_AUR26
Current and experimental current snus users, go to R04_AU1024.
Else, former 30 day snus users, go to R04_AU1024_30D.
Else, go to next section.

<b>PATH ID:</b> R04_AU1024
[En los días en que consume snus, ¿qué tan pronto /¿Qué tan pronto] después de que se despierta consume normalmente su primer producto de snus del día? Anote los minutos o las horas.
1  __ __ __  Minutos después de despertarse
2  __ __ __  Horas después de despertarse
-8 DON'T KNOW GO TO R04_AU1092
-7 REFUSED GO TO R04_AU1092
ASK: Current and experimental current snus users.
DISPLAY: IF R04_CURRENT_SNUS_USE = 1, DISPLAY "¿Qué tan pronto".
ELSE, DISPLAY "En los días en que consume snus, ¿qué tan pronto".

<b>PATH ID:</b> R04_AU1024_LC1
La computadora registró que usted normalmente consume su primer producto de snus [R04_AU1024_NN] [horas/minutos] después de despertarse. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU1024
2 NEXT GO TO BOX R04_AUR28
ASK: IF [R04_CURRENT_SNUS_USE = 1 AND ((R04_AU1024_NN > 60 AND R04_AU1024_UN = 1) OR (R04_AU1024_NN > 4 AND R04_AU1024_UN = 2))] OR [(R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2) AND ((R04_AU1024_NN > 60 AND R04_AU1024_UN = 1) OR (R04_AU1024_NN > 12 AND R04_AU1024_UN = 2))].
DISPLAY: IF R04_AU1024_UN = 1, DISPLAY "minutos".
ELSE, IF R04_AU1024_UN = 2 DISPLAY "horas".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU1024_LC2
La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted consume su primer producto de snus después de despertarse.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU1024
2 NEXT GO TO BOX R04_AUR28
ASK: IF R04_AU1024_NN = 0.

<b>PATH ID:</b> R04_AU1092
[En los días en que consume snus, ¿diría/¿Diría] que consume su primer producto de snus del día durante los primeros 30 minutos después de despertarse?
1 Sí GO TO BOX R04_AUR28
2 No GO TO BOX R04_AUR28
3 Depende GO TO BOX R04_AUR28
-8 DON'T KNOW GO TO BOX R04_AUR28
-7 REFUSED GO TO BOX R04_AUR28
ASK: Current and experimental current snus users who did not know or refused to report how soon after waking up they first use snus.
DISPLAY: IF R04_CURRENT_SNUS_USE = 1, DISPLAY "Diría".
ELSE, DISPLAY "En los días en que consume snus, ¿diría".

<b>PATH ID:</b> R04_AU1024_30D
En los días en que consumía snus, ¿qué tan pronto después de que se despertaba consumía normalmente su primer producto de snus del día? Anote los minutos o las horas.
1  __ __ __  Minutos después de despertarse
2  __ __ __  Horas después de despertarse
-8 DON'T KNOW GO TO R04_AU1092_30D
-7 REFUSED GO TO R04_AU1092_30D
ASK: Former 30 day snus users.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1024\_30D\_LC1**

La computadora registró que usted normalmente consumía su primer producto de snus [R04\_AU1024\_30D\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                      |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AU1024_30D |
| 2 | NEXT | GO TO BOX R04_AUR28  |

ASK: IF (R04\_AU1024\_30D\_NN > 60 AND R04\_AU1024\_30D\_UN = 1) OR (R04\_AU1024\_30D\_NN > 12 AND R04\_AU1024\_30D\_UN = 2).

DISPLAY: IF R04\_AU1024\_30D\_UN = 1, DISPLAY "minutos".

ELSE, IF R04\_AU1024\_30D\_UN = 2, DISPLAY "horas".

**PATH ID: R04\_AU1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasó hasta que usted consumió su primer producto de snus después de despertarse.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                      |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AU1024_30D |
| 2 | NEXT | GO TO BOX R04_AUR28  |

ASK: IF R04\_AU1024\_30D\_NN = 0.

**PATH ID: R04\_AU1092\_30D**

En los días en que consumía snus, ¿diría usted que consumía su primer producto de snus del día durante los primeros 30 minutos después de que se despertaba?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day snus users who did not know or refused to report how soon after they woke up they first used snus.

**BOX ID: R04\_AUR28**

Adult respondents who have used snus in the past 30 days, go to R04\_AU0100.

Else, go to R04\_AU9041.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AU0100</b>	
¿Cuándo fue la última vez que consumió snus?		
1	Hace menos de una hora	GO TO R04_AU0103
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R04_AU1130
-8	DON'T KNOW	GO TO R04_AU1130
-7	REFUSED	GO TO R04_AU1130
ASK: Adult respondents who have used snus in the past 30 days.		

<b>PATH ID:</b>	<b>R04_AU0102</b>	
La última vez que consumió snus [FILL BASED ON R04_AU0100], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have used snus today, yesterday or the day before yesterday, but not in the past hour.		
DISPLAY: FOR [FILL BASED ON R04_AU0100]:		
IF R04_AU0100 = 2, DISPLAY "hoy".		
IF R04_AU0100 = 3, DISPLAY "ayer".		
IF R04_AU0100 = 4, DISPLAY "hace dos días".		



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1131**

¿Qué sabores ha consumido en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Wintergreen, hierbabuena o frost
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored snus in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AU1147**

En los días en que consumió snus en los últimos 30 días, ¿con qué frecuencia consumió snus con sabor?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored snus in the past 30 days.

DISPLAY: UNDERLINE "con sabor".





**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1030**

Las siguientes preguntas son acerca de su experiencia al comprar snus. [Piense en el tipo de snus que consume con más frecuencia cuando conteste estas preguntas.

]Cómo [compra/compraba] normalmente snus para usted?

- |    |                          |                  |
|----|--------------------------|------------------|
| 1  | En persona               |                  |
| 2  | En Internet              | GO TO R04_AU1042 |
| 3  | Por teléfono             | GO TO R04_AU1042 |
| 4  | No compro mi propio snus | GO TO R04_AU1047 |
| -8 | DON'T KNOW               | GO TO R04_AU1047 |
| -7 | REFUSED                  | GO TO R04_AU1047 |

ASK: Current, experimental current, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "compra".

ELSE, DISPLAY "compraba".

IF R04\_AU9041 = 3, DISPLAY "Piense en el tipo de snus que consume con más frecuencia cuando conteste estas preguntas".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AU1032**

¿Normalmente [compra/compraba] snus...?

- |    |                         |
|----|-------------------------|
| 1  | En su propio estado     |
| 2  | En otro estado          |
| 3  | Fuera de Estados Unidos |
| -8 | DON'T KNOW              |
| -7 | REFUSED                 |

ASK: Current, experimental current, and former 30 day snus users who usually buy snus in person.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2 DISPLAY "compra".

ELSE, DISPLAY "compraba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU1033
¿Dónde [compra/compraba] snus la mayoría del tiempo?
1 Una tienda de conveniencia o estación de gasolina
2 Un supermercado, tienda de comestibles o farmacia
3 Una tienda mayorista como Sam's o Costco
4 Una tienda especializada o un almacén de tabaco o una tabaquería
5 Una tienda libre de impuestos o un economato militar
6 Un bar, restaurante, casino o una taberna
7 Un amigo o familiar
8 Un mercadillo o mercado de pulgas
9 Una tienda de licores
10 En otra parte (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and former 30 day snus users who usually buy snus in person.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "compra".
ELSE, DISPLAY "compraba".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>PATH ID:</b> R04_AU1042
¿Cuánto [paga normalmente/pagaba] por un envase de snus?
1 \$  __ __ __  Dólares .  __ __  Centavos
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AUR52
GO TO BOX R04_AUR52
ASK: Current, experimental current, and former 30 day snus users who usually buy their own snus.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "paga normalmente".
ELSE, DISPLAY "pagaba",
DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.

<b>PATH ID:</b> R04_AU1042_LC1
La computadora registró que usted pagó \$[R04_AU1042_D].[R04_AU1042_C] por un envase de snus.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK
2 NEXT
GO TO R04_AU1042
GO TO BOX R04_AUR52
ASK: IF R04_AU1042_D > 6 OR R04_AU1042_D < 1.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AUR52
Current, experimental current, and former 30 day users who buy their own snus and usually use pouched snus, go to R04_AU9001. Else, go to R04_AU1047.

<b>PATH ID:</b> R04_AU9001
¿Cuántas bolsitas o saquitos [hay/había] en el envase de snus que usted [compra/compraba] normalmente?  1  __ __  -8 DON'T KNOW GO TO R04_AU1047 -7 REFUSED GO TO R04_AU1047  ASK: Current, experimental current, and former 30 day users who buy their own snus and usually use pouched snus. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "hay" AND "compra". ELSE, DISPLAY "había" and "compraba".

<b>PATH ID:</b> R04_AU9001_LC1
La computadora registró que hay [R04_AU9001] bolsitas en el envase que compró.  Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.  1 BACK GO TO R04_AU9001 2 NEXT GO TO R04_AU9002  ASK: IF R04_AU9001 > 50 OR R04_AU9001 < 5.

<b>PATH ID:</b> R04_AU9002
Aproximadamente, ¿cuántos días le [toma/tomaba] para acabar el envase de este tamaño?  1  __ __ __  -8 DON'T KNOW GO TO R04_AU1047 -7 REFUSED GO TO R04_AU1047  ASK: Current, experimental current, and former 30 day snus users who provided the number of pouches in the container of snus they usually buy. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "toma". ELSE, DISPLAY "tomaba".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AU9002_LC1
La computadora registró que le tomó [R04_AU9002] días para acabar el envase de snus.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AU9002
2 NEXT GO TO R04_AU1047
ASK: IF R04_AU9002 > (R04_AU9001*7) OR R04_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

<b>PATH ID:</b> R04_AU1047
¿[Tiene/Tenía] una marca habitual de snus que [consume/consumía] normalmente?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Tiene" AND "consume".
ELSE, DISPLAY "Tenía" AND "consumía".

<b>PATH ID:</b> R04_AU1050
¿[Su marca habitual/La última marca] que [consume/consumía], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?
1 Sí
2 No GO TO R04_AU1945
3 No sé GO TO R04_AU1945
-8 DON'T KNOW GO TO R04_AU1945
-7 REFUSED GO TO R04_AU1945
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "Su marca habitual" AND "consume" AND "tiene".
ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "Su marca habitual" AND "consumía" AND "tenía".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1012**

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Wintergreen, hierbabuena o frost
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former and former 30 day snus users whose regular brand or last brand of snus used was flavored.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AU1047 = 1, DISPLAY "es".

ELSE, DISPLAY "era".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AU1945**

¿Sabe el nombre de la marca de snus que [consume normalmente/consumió normalmente/consumió la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former and former 30 day snus users.

DISPLAY: UNDERLINE "nombre de la marca".

IF R04\_AU1047 = 1 AND R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "consume normalmente".

ELSE, IF R04\_AU1047 = 1 AND R04\_SNUS\_USER\_STATUS != 1, 2, DISPLAY "consumió normalmente".

ELSE, IF R04\_AU1047 = 2, -8, -7, DISPLAY "consumió la última vez".

**BOX ID: R04\_AUR27**

Respondents who know the name of their brand, go to R04\_AU1048\_BRAND.

Else, respondents who have a regular brand, go to R04\_AU1051.

Else, go to Box R04\_AUD03.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1048</b>
<p>¿Qué marca de snus [consume/consumió] [normalmente/la última vez]?</p> <p>Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]</p> <p style="margin-left: 40px;">1    Otra</p> <p style="margin-left: 40px;">-8   DON'T KNOW</p> <p style="margin-left: 40px;">-7   REFUSED</p> <p>ASK: Current, experimental current, recent former, and former 30 day snus users who know the brand name.</p> <p>DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."</p> <p>IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "consume" AND "normalmente".</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "consumió" AND "normalmente".</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".</p>

<b>BOX ID:</b> <b>R04_AUR16</b>
<p>If respondent selects an image for their brand, go to R04_AU1070_PRODUCT.</p> <p>Else, if respondent selects "Something else" for their brand, go to R04_AU1049.</p> <p>Else, go to Box R04_AUR25.</p>

<b>PATH ID:</b> <b>R04_AU1049</b>									
<p>Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 10%; padding-left: 40px;">1</td> <td style="width: 60%; border-bottom: 1px solid black; padding-left: 10px;"></td> <td style="width: 30%; text-align: right; padding-right: 10px;">GO TO BOX R04_AUR25</td> </tr> <tr> <td style="padding-left: 40px;">-8</td> <td style="padding-left: 10px;">DON'T KNOW</td> <td style="text-align: right; padding-right: 10px;">GO TO BOX R04_AUR25</td> </tr> <tr> <td style="padding-left: 40px;">-7</td> <td style="padding-left: 10px;">REFUSED</td> <td style="text-align: right; padding-right: 10px;">GO TO BOX R04_AUR25</td> </tr> </table> <p>ASK: Current, experimental current, recent former, and former 30 day snus users who selected "Something else" for their brand.</p>	1		GO TO BOX R04_AUR25	-8	DON'T KNOW	GO TO BOX R04_AUR25	-7	REFUSED	GO TO BOX R04_AUR25
1		GO TO BOX R04_AUR25							
-8	DON'T KNOW	GO TO BOX R04_AUR25							
-7	REFUSED	GO TO BOX R04_AUR25							

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1070</b>
Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra".]
1    Otra
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who selected a brand image.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
FILL BRANDFILL WITH BRAND CHOSEN IN R04_AU1048_BRAND.
IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "consume" AND "normalmente".
ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "consumió" AND "normalmente".
ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

<b>BOX ID:</b> <b>R04_AUR17</b>
If current, experimental current, recent former, or former 30 day snus user who selected a brand image, but selected "Something else" for their subbrand, go to R04_AU1071.
Else, go to Box R04_AUR25.

<b>PATH ID:</b> <b>R04_AU1071</b>
Usted dijo que el tipo de [BRANDFILL] que usted [consume/consumía] no está en las opciones. ¿Qué tipo es?
1    _____
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who selected a brand image, but selected "Something else" for their subbrand image.
DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AU1048_BRAND.
IF R04_CURRENT_USER_SNUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "consume".
ELSE, DISPLAY "consumía".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR25**

Current, experimental current, recent former, and former 30 day snus users who have a regular brand of snus, go to R04\_AU1051.  
Else, go to Box R04\_AUR18.

**PATH ID: R04\_AU1051**

Aproximadamente, ¿cuánto tiempo [consumió/lleva consumiendo] su marca habitual de snus?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_AUR18

-7 REFUSED

GO TO BOX R04\_AUR18

ASK: Current, experimental current, recent former, and former 30 day snus users who have a regular brand.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

**PATH ID: R04\_AU1051\_LC1**

La computadora registró que usted [lleva consumiendo/consumió] su marca habitual de snus por [R04\_AU1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AU1051

2 NEXT

GO TO BOX R04\_AUR18

ASK: IF R04\_AU1051\_NN > R04\_ACHIEVEDAGE AND R04\_AU1051\_UN = 3.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "lleva consumiendo".

ELSE DISPLAY "consumió".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva consumiendo/consumió] su marca habitual de snus.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AU1051

2 NEXT

GO TO BOX R04\_AUR18

ASK: IF R04\_AU1051\_NN = 0.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "lleva consumiendo".

ELSE DISPLAY "consumió".

**BOX ID: R04\_AUR18**

Current, experimental current, and former 30 day snus users who used snus today, yesterday, or the day before yesterday and who know the name of their brand and selected a valid brand and a valid product, go to R04\_AU0104.

Else, go to Box R04\_AUD03.

**PATH ID: R04\_AU0104**

Anteriormente usted dijo que la última vez que consumió snus fue [TIME OF LAST USE].

Piense en la última vez que lo consumió.

¿Era la marca [NEQBRAND]?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who have used snus in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.

DISPLAY: IF R04\_AU0100=1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R04\_AU0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R04\_AU0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R04\_AU0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

FILL [NEQBRAND] WITH RESPONSE TO R04\_AU1070\_PRODUCT.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUD03**

Randomize order of R04\_AU1060 through R04\_AU1076.

Display question R04\_AU1060, R04\_AU1085, R04\_AU1062, R04\_AU1075, R04\_AU1063, R04\_AU1064, R04\_AU1065, R04\_AU1067, R04\_AU1076 on one screen. Show the intro/transition text from R04\_AU1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

**PATH ID: R04\_AU1060**

Las siguientes preguntas son acerca de las razones por las que la gente consume snus. Seleccione las razones que [aplican a usted/aplicaban a usted cuando consumía snus].

[Consumo/Consumía] snus porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "aplican a usted", "Consumo" AND "Es".

ELSE, DISPLAY "aplicaban a usted cuando consumía snus", "Comsumía" AND "Era".

**PATH ID: R04\_AU1085**

[Puedo/Podía] consumir snus en ocasiones o en lugares donde no se [permite/ permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2 DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1062</b>
Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AU1075</b>
Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AU1063</b>
El snus [viene/venía] en sabores que me [gustan/gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "viene" AND "gustan".
ELSE, DISPLAY "venían" AND "gustaban".

<b>BOX ID:</b> <b>R04_AUR19</b>
Current, experimental current, recent former, and former 30 day snus users who are also current, experimental current, or recent former cigarette smokers, go to R04_AU1064.
Else, go to R04_AU1065.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1064</b>
Consumir snus le ayuda a la gente a dejar de fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who are also current, experimental current or recent former cigarette smokers.

<b>PATH ID:</b> <b>R04_AU1065</b>
El snus no huele.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.

<b>PATH ID:</b> <b>R04_AU1067</b>
El snus [es/era] más aceptable por personas que no consumen tabaco.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "es".
ELSE, DISPLAY "era".

<b>PATH ID:</b> <b>R04_AU1076</b>
Nadie se [da/daba] cuenta cuando [consumo/consumía] snus.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "da" AND "consumo".
ELSE, DISPLAY "daba" AND "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AUR20**

Current, experimental current, and former 30 day snus users who are also current or experimental current cigarette smokers, go to R04\_AU1086.

Else, recent former snus users who are current cigarette smokers, go to R04\_AU1080.

Else, current, experimental current, recent former, and former 30 day snus users who are recent former cigarette smokers, go to R04\_AU1080.

Else, go to R04\_AU1139.

**PATH ID: R04\_AU1086**

En los últimos 30 días, ¿ha consumido snus en ocasiones o en lugares donde no se podía fumar cigarrillos?

1 Sí

2 No

GO TO R04\_AU1080

-8 DON'T KNOW

GO TO R04\_AU1080

-7 REFUSED

GO TO R04\_AU1080

ASK: Current, experimental current, and former 30 day snus users who are also current or experimental current cigarette smokers.

**PATH ID: R04\_AU1087**

¿Con qué frecuencia [consume/consumía] snus en ocasiones o en lugares donde no puede fumar cigarrillos tradicionales?

1 Todos los días

2 Algunos días

3 Rara vez

-8 DON'T KNOW

-7 REFUSED

ASK: Current, experimental current, and former 30 day snus users who used snus at times when or in places where they could not smoke cigarettes.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "consume",

ELSE, IF R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1, DISPLAY "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AU1080</b>
¿[Consume/Consumía] snus como manera de disminuir su consumo de cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users who are also current or recent former cigarette smokers.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Consume".
ELSE, DISPLAY "Consumía".

<b>PATH ID:</b> <b>R04_AU1139</b>
Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.
[Es/Era] más fácil hablar y llevarse bien con otras personas cuando consumo snus.
1    No es cierto en absoluto
2
3
4    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day snus users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Es".
ELSE, DISPLAY "Era".
DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1140**

Al consumir snus, me [siento/sentía] más seguro con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "siento".

ELSE, DISPLAY "sentía".

DISPLAY SCALE FOR THE R04\_AU1139-1141 SERIES.

**PATH ID: R04\_AU1141**

[Consumo/Consumía] snus mucho más cuando [estoy/estaba] con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day snus users.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "Consumo" AND "estoy".

ELSE, DISPLAY "Consumía" AND "estaba".

DISPLAY SCALE FOR THE R04\_AU1139-1141 SERIES.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## **SMOKELESS TOBACCO**

**BOX ID: R04\_ASR08**

Aged-up and continuing adult respondents who were a former user, had used smokeless tobacco 100 or more times and had used fairly regularly as of the previous wave, and at the current wave has not used in the past 12 months or now uses not at all, go to Box R04\_ASV02.

Else, continue with Box R04\_AST02.

**BOX ID: R04\_AST02**

IF RESPONDENT USES ONLY SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 2 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

Las siguientes preguntas son acerca del **tabaco que no se fuma**, el cual la persona normalmente mastica, chupa o escupe.

Hay muchas clases de productos de tabaco que no se fuma, como por ejemplo el dip, el rapé o tabaco de inhalar, las bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly, Redman y Levi Garrett, pero hay muchas más.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_EVER\_NEVER\_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

Acaba de responder preguntas sobre el snus. Las siguientes preguntas son acerca de su consumo de otros tipos de productos de **tabaco que no se fuma**, los cuales la persona normalmente mastica, chupa o escupe.

Hay muchas clases de tabaco que no se fuma, como por ejemplo el dip, el rapé o tabaco de inhalar, las bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly, Redman y Levi Garrett, pero hay muchas más.

En las preguntas se usará la frase "**tabaco que no se fuma**" para referirse a estos productos. Piense en su consumo de tabaco que no se fuma, sin incluir el snus, cuando conteste estas preguntas.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**BOX ID: R04\_ASR07**

New cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1006\_RS.

Else, aged-up and continuing adult respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times in the previous wave, go to R04\_AS1005.

Else, aged-up and continuing adult respondents who have ever used smokeless tobacco and had never used fairly regularly in the previous wave, go to R04\_AS1100.

Else, go to Box R04\_ASV02.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1005**

¿Cuántas veces ha consumido en toda su vida tabaco que no se fuma?

- 1 Una a 10
- 2 11 a 20
- 3 21 a 50
- 4 51 a 99
- 5 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used smokeless tobacco and had not used 100 or more times in the previous wave, and new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR10**

Aged up and continuing adult respondents who have ever used smokeless tobacco and had not used fairly regularly in the previous wave, and new cohort adult respondents who have ever used smokeless tobacco, go to R04\_AS1100.

Else, go to Box R04\_ASV02.

**PATH ID: R04\_AS1100**

¿Alguna vez ha consumido tabaco que no se fuma habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult respondents who have ever used smokeless tobacco and had never used fairly regularly in the previous wave and new cohort adult respondents who have ever used smokeless tobacco.

**BOX ID: R04\_ASR11**

New baseline adult respondents that have ever used smokeless tobacco fairly regularly, go to R04\_AS1007\_NB.

Else, go to Box R04\_ASV02.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_ASV02
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):  <b>R04_SMKLS_USER_STATUS = 1 (Current user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use every day or some days. <b>R04_SMKLS_USER_STATUS = 2 (Experimental current user)</b> Adult respondents who have ever used smokeless tobacco and have never used fairly regularly, and now use every day or some days. <b>R04_SMKLS_USER_STATUS = 3 (Experimental former user)</b> Adult respondents who have ever used smokeless tobacco and have never used fairly regularly and did not use in the past 12 months or now uses not at all. <b>R04_SMKLS_USER_STATUS = 4 (Recent former user)</b> Continuing adult respondents who were current, experimental current, or experimental former smokeless tobacco users at the previous wave and aged-up adult respondents who ever used smokeless tobacco at the previous wave, who have ever used smokeless tobacco fairly regularly, and did not use smokeless tobacco in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since the previous wave, who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all. <b>R04_SMKLS_USER_STATUS = 5 (Long-term former user)</b> Adult respondents who were former smokeless tobacco users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, who have not used smokeless tobacco in the past 12 months. <b>R04_CURRENT_SMKLS_USE = 1 (Every day user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use every day. <b>R04_CURRENT_SMKLS_USE = 2 (Some day user)</b> Adult respondents who have ever used smokeless tobacco fairly regularly and now use some days. <b>R04_FORMER_THIRTYDAY_USER_SMKLS = 1</b> Adult respondents who are experimental former, recent former, or long-term former smokeless tobacco users who used in the past 30 days.

<b>BOX ID:</b> R04_ASR02
New baseline respondents that are every day smokeless tobacco users, go to R04_AS1020_NB. Else, go to Box R04_ASR12.

<b>BOX ID:</b> R04_ASR12
Aged-up and continuing adult respondents who initiated smokeless tobacco use since the previous wave, and new cohort adult respondents who have ever used smokeless tobacco, go to R04_AS1008. Else, go to Box R04_ASR50.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1008**

La primera vez que comenzó a consumir tabaco que no se fuma, ¿consumió tabaco que no se fuma con sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otro sabor dulce?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_ASR50 |
| 3  | No sé      | GO TO BOX R04_ASR50 |
| -8 | DON'T KNOW | GO TO BOX R04_ASR50 |
| -7 | REFUSED    | GO TO BOX R04_ASR50 |

ASK: Aged-up and continuing adult respondents who initiated smokeless tobacco use since the previous wave, and new cohort adult respondents who have ever used smokeless tobacco.

**PATH ID: R04\_AS1011**

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Wintergreen, hierbabuena o frost
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated smokeless tobacco use with flavored smokeless tobacco.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_ASR50**

New cohort adult respondents who are current, experimental current, experimental former, recent former, or long-term former smokeless tobacco users, go to R04\_AS1025\_RS.

Else, go to Box R04\_ASR09.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR09**

Every day smokeless tobacco users, go to R04\_AS1021.

Else, some day or experimental current smokeless tobacco users, and former or experimental former users who have used in the past 30 days, go to R04\_AS1022.

Else, if recent former smokeless tobacco users, go to R04\_AS1047.

Else, experimental former and long-term former smokeless tobacco users, go to next section.

**PATH ID: R04\_AS1021**

En promedio, ¿aproximadamente cuántas veces consume tabaco que no se fuma cada día actualmente?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AS1024

-7 REFUSED

GO TO R04\_AS1024

ASK: Every day smokeless tobacco users.

**PATH ID: R04\_AS1021\_LC1**

La computadora registró que en promedio actualmente usted consume tabaco que no se fuma [R04\_AS1021] veces al día. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS1021

2 NEXT

GO TO R04\_AS1024

ASK: IF R04\_AS1021 > 20.

**PATH ID: R04\_AS1022**

¿Durante cuántos de los últimos 30 días consumió usted tabaco que no se fuma?

1 |\_\_|\_\_| DÍAS

-8 DON'T KNOW

-7 REFUSED

ASK: Some day and experimental current smokeless users who have used in the past 30 days, and former 30 day smokeless tobacco users.

DISPLAY: DISPLAY "DÍAS" AS A TITLE.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR13**

If respondent enters "0" for R04\_AS1022 and is a some day or experimental current smokeless tobacco user, go to R04\_AS9029.

Else, if respondent enters "0" for R04\_AS1022 and is a former 30 day user of smokeless tobacco, go to Box R04\_ASR26.

Else, go to R04\_AS1023.

**PATH ID: R04\_AS9029**

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió tabaco que no se fuma?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO BOX R04\_ASR26

-7 REFUSED

GO TO BOX R04\_ASR26

ASK: Some day and experimental current smokeless tobacco users who have not used in the past 30 days.

**PATH ID: R04\_AS9029\_LC1**

La computadora registró que la última vez que consumió tabaco que no se fuma fue hace [R04\_AS9029] [días/meses/años].

Si eso es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS9029

2 NEXT

GO TO BOX R04\_ASR26

ASK: IF (R04\_AS9029\_NN <30 AND R04\_AS9029\_UN = 1) OR (R04\_AS9029\_NN <1 AND R04\_AS9029\_UN = 2) OR (R04\_AS9029\_NN > 18 AND R04\_AS9029\_UN = 2) OR (R04\_AS9029\_NN > (R04\_ACHIEVEDAGE - 10) AND R04\_AS9029\_UN = 3).

DISPLAY: IF R04\_AS9029 REPORTED IN DAYS, DISPLAY "días".

IF R04\_AS9029 REPORTED IN MONTHS DISPLAY "meses".

IF R04\_AS9029 REPORTED IN YEARS, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AS1023
En promedio, en esos [FILL NUMBER OF DAYS FROM R04_AS1022 días/días en que consumió], ¿cuántas veces consumió normalmente tabaco que no se fuma cada día?
1  __ __
-8 DON'T KNOW GO TO BOX R04_ASR26
-7 REFUSED GO TO BOX R04_ASR26
ASK: Some day, experimental current, and former thirty day smokeless tobacco users who have used at least one day in past 30 days.
DISPLAY: IF R04_AS1022 = 1, -8, -7, DISPLAY "días en que consumió".
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AS1022 AND days reported in R04_AC1022 and "días" (ex. "2 días").

<b>PATH ID:</b> R04_AS1023_LC1
La computadora registró que en sus días de consumo en los últimos 30 días, usted consumió tabaco que no se fuma [R04_AS1023] veces al día, en promedio.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AS1023
2 NEXT GO TO BOX R04_ASR26
ASK: IF R04_AS1023 > 20.

<b>BOX ID:</b> R04_ASR26
Current and experimental current smokeless tobacco users, go to R04_AS1024.
Else, former 30 day smokeless tobacco users, go to R04_AS1024_30D.
Else, go to next section.

<b>PATH ID:</b> R04_AS1024
[En los días que consume tabaco que no se fuma, ¿qué/¿Qué] tan pronto después de que se despierta consume normalmente su primer producto de tabaco que no se fuma del día? Anote los minutos o las horas.
1  __ __ __  Minutos después de despertarse
2  __ __ __  Horas después de despertarse
-8 DON'T KNOW GO TO R04_AS1092
-7 REFUSED GO TO R04_AS1092
ASK: Current and experimental current smokeless tobacco users.
DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "¿Qué".
ELSE DISPLAY "En los días que consume tabaco que no se fuma, ¿qué".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1024\_LC1**

La computadora registró que usted normalmente consume su primer producto de tabaco que no se fuma [R04\_AS1024\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R04_AS1024
2	NEXT	GO TO BOX R04_ASR28

ASK: IF [R04\_CURRENT\_SMKLS\_USE = 1 AND ((R04\_AS1024\_NN > 60 AND R04\_AS1024\_NN = 1) OR (R04\_AS1024\_NN > 4 AND R04\_AS1024\_NN = 2))] OR [(R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2) AND ((R04\_AS1024\_NN > 60 AND R04\_AS1024\_UN = 1) OR (R04\_AS1024\_NN > 12 AND R04\_AS1024\_UN = 2))].

DISPLAY: IF R04\_AS1024\_UN = 1, DISPLAY "minutos".  
ELSE, IF R04\_AS1024\_UN = 2 DISPLAY "horas".

**PATH ID: R04\_AS1024\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasa hasta que usted consume su primer producto de tabaco que no se fuma del día.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R04_AS1024
2	NEXT	GO TO BOX R04_ASR28

ASK: IF R04\_AS1024\_NN = 0.

**PATH ID: R04\_AS1092**

[En los días en que consume tabaco que no se fuma, ¿diría/¿Diría] usted que consume su primer producto de tabaco que no se fuma del día durante los primeros 30 minutos después de despertarse?

1	Sí	GO TO BOX R04_ASR28
2	No	GO TO BOX R04_ASR28
3	Depende	GO TO BOX R04_ASR28
-8	DON'T KNOW	GO TO BOX R04_ASR28
-7	REFUSED	GO TO BOX R04_ASR28

ASK: Current and experimental current smokeless tobacco users who did not know or refused to report how soon after waking up they first use smokeless tobacco.

DISPLAY: IF R04\_CURRENT\_SMKLS\_USE = 1, DISPLAY "¿Diría".  
ELSE, DISPLAY "En los días en que consume tabaco que no se fuma, ¿diría".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1024\_30D**

En los días en que consumía tabaco que no se fuma, ¿qué tan pronto después de que se despertaba consumía normalmente su primer producto de tabaco que no se fuma del día? Anote los minutos o las horas.

1 |\_\_|\_\_|\_\_| Minutos después de despertarse

2 |\_\_|\_\_|\_\_| Horas después de despertarse

-8 DON'T KNOW

GO TO R04\_AS1092\_30D

-7 REFUSED

GO TO R04\_AS1092\_30D

ASK: Former 30 day smokeless tobacco users.

**PATH ID: R04\_AS1024\_30D\_LC1**

La computadora registró que usted normalmente consumía su primer producto de tabaco que no se fuma [R04\_AS1024\_30D\_NN] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS1024\_30D

2 NEXT

GO TO BOX R04\_ASR28

ASK: IF (R04\_AS1024\_30D\_NN > 60 AND R04\_AS1024\_30D\_UN = 1) OR (R04\_AS1024\_30D\_NN > 12 AND R04\_AS1024\_30D\_UN = 2).

DISPLAY: IF R04\_AS1024\_30D\_UN = 1, DISPLAY "minutos".

ELSE, IF R04\_AS1024\_30D\_UN = 2, DISPLAY "horas".

**PATH ID: R04\_AS1024\_30D\_LC2**

La computadora registró "cero" para la cantidad de tiempo que normalmente pasó hasta que usted consumió su primer producto de tabaco que no se fuma después de despertarse.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS1024\_30D

2 NEXT

GO TO BOX R04\_ASR28

ASK: IF R04\_AS1024\_30D\_NN = 0.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1092\_30D**

En los días en que consumía tabaco que no se fuma, ¿diría usted que consumía su primer producto de tabaco que no se fuma del día durante los primeros 30 minutos después de que se despertaba?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former 30 day smokeless tobacco users who did not know or refused to report how soon after they woke up they first used smokeless tobacco.

**BOX ID: R04\_ASR28**

Adult respondents who have used smokeless tobacco in the past 30 days, go to R04\_AS0100.  
Else, go to R04\_AS9041.

**PATH ID: R04\_AS0100**

¿Cuándo fue la última vez que consumió tabaco que no se fuma [sin incluir snus]?

- |    |                        |                  |
|----|------------------------|------------------|
| 1  | Hace menos de una hora | GO TO R04_AS0103 |
| 2  | Hoy                    |                  |
| 3  | Ayer                   |                  |
| 4  | Hace dos días          |                  |
| 5  | Hace tres o más días   | GO TO R04_AS1130 |
| -8 | DON'T KNOW             | GO TO R04_AS1130 |
| -7 | REFUSED                | GO TO R04_AS1130 |

ASK: Adult respondents who used smokeless tobacco in the past 30 days.  
DISPLAY: IF R04\_EVER\_NEVER\_SNUS = 1, DISPLAY "sin incluir snus".  
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS0102</b>
La última vez que consumió tabaco que no se fuma [FILL BASED ON R04_AS0100] [sin incluir snus], ¿fue...?	
1	Entre la medianoche y las 6 de la mañana
2	Entre las 6 de la mañana y el mediodía
3	Entre el mediodía y las 6 de la tarde
4	Entre las 6 de la tarde y la medianoche
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have used smokeless tobacco today, yesterday, or the day before yesterday, but not in the past hour.	
DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "sin incluir snus".	
ELSE, DO NOT DISPLAY THIS TEXT.	
FOR [FILL BASED ON R04_AS0100]:	
IF R04_AS0100 = 2, DISPLAY "hoy".	
ELSE, IF R04_AS0100 = 3, DISPLAY "ayer".	
ELSE, IF R04_AS0100 = 4, DISPLAY "hace dos días".	

<b>PATH ID:</b>	<b>R04_AS0103</b>	
¿Cuántas veces [ha consumido/consumió] tabaco que no se fuma [FILL BASED ON R04_AS0100] [sin incluir snus]?		
1	_ _ _	
-8	DON'T KNOW	GO TO R04_AS1130
-7	REFUSED	GO TO R04_AS1130
ASK: Adult respondents who have used smokeless tobacco in the past hour, today, yesterday, or the day before yesterday.		
DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "sin incluir snus".		
ELSE, DO NOT DISPLAY THIS TEXT.		
IF R04_AS0100 = 1, 2, DISPLAY "ha consumido".		
ELSE, IF R04_AS0100 = 3, 4, DISPLAY "consumio".		
FOR [FILL BASED ON R04_AS0100]:		
IF R04_AS0100 = 1, 2, DISPLAY "hoy".		
ELSE, IF R04_AS0100 = 3, DISPLAY "ayer".		
ELSE, IF R04_AS0100 = 4, DISPLAY "hace dos días".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS0103_LC1</b>
La computadora registró que usted consumió tabaco que no se fuma [R04_AS0103] veces [hoy/ayer/hace dos días]. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AS0103
2 NEXT	GO TO R04_AS1130
ASK: IF R04_AS0103 > 20 OR R04_AS0103 = 11.	
DISPLAY: IF R04_AS0100 = 1, 2, DISPLAY "hoy".	
ELSE, IF R04_AS0100 = 3, DISPLAY "ayer".	
ELSE, IF R04_AS0100 = 4, DISPLAY "hace dos días".	

<b>PATH ID:</b>	<b>R04_AS1130</b>
En los últimos 30 días, ¿tenía el tabaco que no se fuma que consumió sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?	
1 Sí	
2 No	GO TO R04_AS9041
3 No sé	GO TO R04_AS9041
-8 DON'T KNOW	GO TO R04_AS9041
-7 REFUSED	GO TO R04_AS9041
ASK: Adult respondents who have used smokeless tobacco in the past 30 days.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1131**

¿Qué sabores ha consumido en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Wintergreen, hierbabuena o frost
- 3 Clavo de olor o especias
- 4 Fruta
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored smokeless tobacco in the past 30 days.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AS1147**

En los días en que consumió tabaco que no se fuma en los últimos 30 días, ¿con qué frecuencia consumió tabaco que no se fuma con sabor?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used flavored smokeless tobacco in the past 30 days.

DISPLAY: UNDERLINE "con sabor".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS9041</b>
¿Qué tipo de tabaco que no se fuma [consume/ha consumido]?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]
1    Tabaco que no se fuma suelto (como dip o tabaco de mascar)      GO TO R04_AS1030
2    Bolsitas o saquitos de tabaco que no se fuma (sin incluir snus)      GO TO R04_AS1030
3    Tabaco que no se fuma suelto y bolsitas de tabaco que no se fuma
-8    DON'T KNOW      GO TO R04_AS1030
-7    REFUSED      GO TO R04_AS1030
ASK: Current, experimental current, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "consume".
ELSE, DISPLAY "ha consumido".

<b>PATH ID:</b> <b>R04_AS9042</b>
Usted mencionó que ha consumido tanto tabaco que no se fuma suelto como bolsitas de tabaco que no se fuma. ¿Qué tipo de tabaco que no se fuma [consume/consumía] con más frecuencia?
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]
1    Tabaco que no se fuma suelto (como dip o tabaco de mascar)
2    Bolsitas o saquitos de tabaco que no se fuma (sin incluir snus)
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day smokeless tobacco users who have used both loose and pouched smokeless tobacco.
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "consume".
ELSE, DISPLAY "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1030</b>	
Las siguientes preguntas son acerca de su experiencia al comprar tabaco que no se fuma. [Piense en el tipo de tabaco que no se fuma que consume con más frecuencia cuando conteste estas preguntas.		
]Normalmente, ¿cómo [compra/compraba] tabaco que no se fuma para usted mismo?		
1	En persona	
2	En Internet	GO TO R04_AS1042
3	Por teléfono	GO TO R04_AS1042
4	No compro mi propio tabaco que no se fuma	GO TO R04_AS1047
-8	DON'T KNOW	GO TO R04_AS1047
-7	REFUSED	GO TO R04_AS1047
ASK: Current, experimental current, and former 30 day smokeless tobacco users.		
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "consume".		
ELSE, DISPLAY "consumía".		
IF R04_AS9041 = 3, DISPLAY "Piense en el tipo de tabaco que no se fuma que consume con más frecuencia cuando conteste estas preguntas".		
ELSE, DO NOT DISPLAY THIS TEXT.		

<b>PATH ID:</b>	<b>R04_AS1032</b>	
Normalmente, ¿[compra/compraba] tabaco que no se fuma...?		
1	En su propio estado	
2	En otro estado	
3	Fuera de Estados Unidos	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy smokeless tobacco in person.		
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "compra".		
ELSE, DISPLAY "compraba".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1033**

¿Dónde [compra/compraba] su tabaco que no se fuma la mayoría del tiempo?

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda de licores
- 10 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy smokeless tobacco in person.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1 OR 2, DISPLAY "compra".

ELSE, DISPLAY "compraba".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AS1042**

¿Cuánto [paga normalmente/pagaba] por un envase de tabaco que no se fuma?

- 1 \$ |\_\_|\_\_|\_\_| Dólares . |\_\_|\_\_| Centavos
- 8 DON'T KNOW GO TO BOX R04\_ASR52
- 7 REFUSED GO TO BOX R04\_ASR52

ASK: Current, experimental current, and former 30 day smokeless tobacco users who usually buy their own smokeless tobacco.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "paga normalmente".

ELSE, DISPLAY "pagaba".

DISPLAY "\$" AS LEFT LABEL; "Dólares" AND "Centavos" AS TITLES.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1042\_LC1**

La computadora registró que usted pagaba \$[R04\_AS1042\_D].[R04\_AS1042\_C] por un envase de tabaco que no se fuma.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS1042

2 NEXT

GO TO BOX R04\_ASR52

ASK: IF R04\_AS1042\_D > 6 OR R04\_AS1042\_D < 1.

**BOX ID: R04\_ASR52**

Current, experimental current, and former 30 day users who buy their own smokeless tobacco and usually use pouched smokeless tobacco, go to R04\_AS9001.

Else, go to R04\_AS1047.

**PATH ID: R04\_AS9001**

¿Cuántas bolsitas o saquitos [hay/había] en el envase de tabaco que no se fuma que usted [compra/compraba] normalmente?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AS1047

-7 REFUSED

GO TO R04\_AS1047

ASK: Current, experimental current, and former 30 day users who buy their own smokeless tobacco and usually use pouched smokeless tobacco.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "hay" AND "compra".

ELSE, DISPLAY "había" and "compraba".

**PATH ID: R04\_AS9001\_LC1**

La computadora registró que hay [R04\_AS9001] bolsitas en el envase que compró.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AS9001

2 NEXT

GO TO R04\_AS9002

ASK: IF R04\_AS9001 > 50 OR R04\_AS9001 < 5.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1050</b>		
¿[Su marca habitual/La última marca] que [consume/ consumía], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena o frost, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces?			
	1	Sí	
	2	No	GO TO R04_AS1945
	3	No sé	GO TO R04_AS1945
	-8	DON'T KNOW	GO TO R04_AS1945
	-7	REFUSED	GO TO R04_AS1945
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.			
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "Su marca habitual" AND "consume" AND "tiene".			
ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".			
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "Su marca habitual" AND "consumía" AND "tenía".			
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "La última marca" and "consumía" and "tenía".			

<b>PATH ID:</b>	<b>R04_AS1012</b>		
¿Qué sabor [es/era]? Escoja todas las opciones que correspondan.			
	1	Mentol o menta	
	2	Wintergreen, hierbabuena o frost	
	3	Clavo de olor o especias	
	4	Fruta	
	5	Chocolate	
	6	Una bebida alcohólica (como vino, brandy, margarita u otro coctel)	
	7	Caramelos u otros sabores dulces	
	8	Otro sabor (ESPECIFIQUE)	
	-8	DON'T KNOW	
	-7	REFUSED	
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.			
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "es".			
ELSE, DISPLAY "era".			
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."			

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1945</b>
¿Sabe el <u>nombre de la marca</u> de tabaco que no se fuma que [consume normalmente/consumió normalmente/consumió la última vez]?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former or past 30 day smokeless tobacco users.
DISPLAY: UNDERLINE "nombre de la marca".
IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "consume normalmente".
ELSE, IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS != 1, 2, DISPLAY "consumió normalmente".
ELSE, IF R04_AS1047 = 2, -8, -7, DISPLAY "consumió la última vez".

<b>BOX ID:</b> <b>R04_ASR27</b>
Respondents who know the name of their brand, go to R04_AS1048_BRAND.
Else, respondents who have a regular brand, go to R04_AS1051.
Else, go to Box R04_ASD03.

<b>PATH ID:</b> <b>R04_AS1048</b>
¿Qué marca de tabaco que no se fuma [consume/consumió] [normalmente/la última vez]?
Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra."]
1    Otra
-8   DON'T KNOW
-7   REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who know the brand name.
DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."
IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "consume" AND "normalmente".
ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "consumió" AND "normalmente".
ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR16**

If respondent selects an image for their brand, go to R04\_AS1070\_PRODUCT.  
 Else, if respondent selects "Something else" for their brand, go to R04\_AS1049.  
 Else, go to Box R04\_ASR25.

**PATH ID: R04\_AS1049**

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

1	_____	GO TO BOX R04_ASR25
-8	DON'T KNOW	GO TO BOX R04_ASR25
-7	REFUSED	GO TO BOX R04_ASR25

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected "Something else" for their brand.

**PATH ID: R04\_AS1070**

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?

Seleccione de las opciones a continuación tocando la pantalla. [Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "Otra".]

1	Otra	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected a brand image.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "Si no ve la opción a continuación, toque la casilla que dice "Otra"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AS1048\_BRAND.

IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF (R04\_SMKLS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF (R04\_SMKLS\_USER\_STATUS = 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ASR17**

If current, experimental current, recent former, or former 30 day smokeless tobacco user who selected a brand image, but selected "Something else" for their subbrand, go to R04\_AS1071.  
Else, go to Box R04\_ASR25.

**PATH ID: R04\_AS1071**

Usted dijo que el tipo de [BRANDFILL] que usted [consume/consumía] no está en las opciones. ¿Qué tipo es?

- 1 \_\_\_\_\_  
-8 DON'T KNOW  
-7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who selected a brand image, but selected "Something else" for their subbrand image.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04\_AS1048\_BRAND.

IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1047 = 1, DISPLAY "consume".

ELSE, DISPLAY "consumía".

**BOX ID: R04\_ASR25**

Current, experimental current, recent former, and former 30 day smokeless tobacco users who have a regular brand of smokeless tobacco, go to R04\_AS1051.

Else, go to Box R04\_ASR18.

**PATH ID: R04\_AS1051**

Aproximadamente, ¿cuánto tiempo [llevó/lleva] consumiendo su marca habitual de tabaco que no se fuma?

- 1 |\_\_|\_\_| DÍAS  
2 |\_\_|\_\_| MESES  
3 |\_\_|\_\_| AÑOS  
-8 DON'T KNOW GO TO BOX R04\_ASR18  
-7 REFUSED GO TO BOX R04\_ASR18

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who have a regular brand.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "lleva".

ELSE, DISPLAY "llevó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1051\_LC1**

La computadora registró que usted [lleva consumiendo/consumió] su marca habitual de tabaco que no se fuma por [R04\_AS1051\_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1051    |
| 2 | NEXT | GO TO BOX R04_ASR18 |

ASK: IF (R04\_AS1051\_NN > R04\_ACHIEVEDAGE) AND R04\_AS1051\_UN = 3.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2 DISPLAY "lleva consumiendo".

ELSE DISPLAY "consumió".

**PATH ID: R04\_AS1051\_LC2**

La computadora registró "cero" para la cantidad de tiempo que usted [lleva consumiendo/consumió] su marca habitual de tabaco que no se fuma.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1051    |
| 2 | NEXT | GO TO BOX R04_ASR18 |

ASK: IF R04\_AS1051\_NN = 0.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2 DISPLAY "lleva consumiendo".

ELSE DISPLAY "consumió".

**BOX ID: R04\_ASR18**

Current, experimental current, and former 30 day smokeless tobacco users who used smokeless tobacco today, yesterday, or the day before yesterday who know the name of their brand and selected a valid brand and a valid product, go to R04\_AS0104.

Else, go to Box R04\_ASD03.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS0104</b>
Anteriormente usted dijo que consumió tabaco que no se fuma [TIME OF LAST USE].
Piense en la última vez que lo consumió.
¿Era la marca [NEQBRAND]?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, and former 30 day smokeless tobacco users who have used smokeless tobacco in the past hour, today, yesterday or the day before yesterday who know the name of their brand AND selected a valid brand AND valid product.
DISPLAY: IF R04_AS0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".
ELSE, IF R04_AS0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".
ELSE, IF R04_AS0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".
ELSE, IF R04_AS0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".
FILL [NEQBRAND] WITH RESPONSE TO R04_AS1070_PRODUCT.

<b>BOX ID:</b> <b>R04_ASD03</b>
Randomize order of R04_AS1060 through R04_AS1067.
Display question R04_AS1060, R04_AS1085, R04_AS1062, R04_AS1075, R04_AS1063, R04_AS1064, R04_AS1065, R04_AS1067 on one screen. Show the intro/transition text from R04_AS1060 first, then show each item with a Sí/No response. As each item is answered, show the next one.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1060**

Las siguientes preguntas son acerca de las razones por las que la gente consume tabaco que no se fuma. Seleccione las razones que [aplican a usted/aplicaban a usted cuando consumía tabaco que no se fuma].

[Consumo/Consumía] tabaco que no se fuma porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "aplican a usted", "Consumo" AND "Es".  
ELSE, DISPLAY "aplicaban a usted cuando consumía tabaco que no se fuma", "Consumía" AND "Era".

**PATH ID: R04\_AS1085**

[Puedo/Podía] consumir tabaco que no se fuma en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "Puedo" AND "permite".  
ELSE, DISPLAY "Podía" AND "permitía".

**PATH ID: R04\_AS1062**

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "ser".  
ELSE, DISPLAY "haber sido".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1075</b>
Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

<b>PATH ID:</b> <b>R04_AS1063</b>
El tabaco que no se fuma [viene/venía] en sabores que me [gustan/gustaban].
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "viene" AND "gustan".
ELSE, DISPLAY "venía" AND "gustaban".

<b>BOX ID:</b> <b>R04_ASR19</b>
Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current, experimental current or recent former cigarette smokers, go to R04_AS1064.
Else, go to R04_AS1065.

<b>PATH ID:</b> <b>R04_AS1064</b>
Consumir tabaco que no se fuma le ayuda a la gente a dejar de fumar cigarrillos.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current, experimental current or recent former cigarette smokers.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AS1065</b>
El tabaco que no se fuma no huele.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

<b>PATH ID:</b> <b>R04_AS1067</b>
El tabaco que no se fuma [es/era] más aceptable por personas que no consumen tabaco.
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "es".
ELSE, DISPLAY "era".

<b>BOX ID:</b> <b>R04_ASR20</b>
Current, experimental current, and former 30 day smokeless tobacco users who are also current or experimental current cigarette smokers, go to R04_AS1086.
Else, recent former smokeless tobacco users who are current cigarette smokers, go to R04_AS1080.
Else, current, experimental current, recent former, and former 30 day smokeless tobacco users who are recent former cigarette smokers, go to R04_AS1080.
Else, go to R04_AS1139.

<b>PATH ID:</b> <b>R04_AS1086</b>
En los últimos 30 días, ¿ha consumido tabaco que no se fuma en ocasiones o en lugares donde no se podía fumar cigarrillos?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AS1080
GO TO R04_AS1080
GO TO R04_AS1080
ASK: Current, experimental current, and former 30 day smokeless tobacco users, who are also current or experimental current cigarette smokers.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1087**

¿Con qué frecuencia [consume/consumía] tabaco que no se fuma en ocasiones o en lugares donde no puede fumar cigarrillos tradicionales?

- 1 Todos los días
- 2 Algunos días
- 3 Rara vez
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and former 30 day smokeless tobacco users who used smokeless tobacco at times when or in places where they could not smoke cigarettes.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "consume".

ELSE, DISPLAY "consumía".

**PATH ID: R04\_AS1080**

¿[Consume/Consumía] tabaco que no se fuma como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users who are also current or recent former cigarette smokers.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "consume".

ELSE, DISPLAY "consumía".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1139**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando consumo tabaco que no se fuma.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2 DISPLAY "Es",  
ELSE, DISPLAY "Era".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH ID: R04\_AS1140**

Al consumir tabaco que no se fuma, me [siento/sentía] más seguro con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "siento".  
ELSE, DISPLAY "sentía".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1141**

[Consumo/Consumía] tabaco que no se fuma mucho más cuando [estoy/estaba] con otras personas.

- 1 No es cierto en absoluto
- 2
- 3
- 4 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, recent former, and former 30 day smokeless tobacco users.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "Consumo" AND "estoy".

ELSE, DISPLAY "Consumía" AND "estaba".

DISPLAY SCALE FOR THE R04\_AS1139-1141 SERIES.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## NEW PRODUCT - PLACEHOLDER

**BOX ID:** R04\_AZV01

CREATE THE FOLLOWING VARIABLE AND SET = 2: R04\_NEW\_PRODUCT\_SECTION.

**BOX ID:** R04\_AZR01

If R04\_NEW\_PRODUCT\_SECTION = 1, continue with R04\_AZ1005.

Else, go to Box R04\_ANV01.

**PATH ID:** R04\_AZ1005

¿Cuántos [*units of tobacco product*] ha [fumado/consumido] en toda su vida?

- 1 Una o más [units] pero nunca uno completo
- 2 1 a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents (if the new product section is active).

**PATH ID:** R04\_AZ1008

La primera vez que comenzó a [fumar/consumir] [*tobacco product*], ¿tenían sabor a mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otro sabor dulce?

- 1 Sí
- 2 No GO TO R04\_AZ9029
- 3 No sé GO TO R04\_AZ9029
- 8 DON'T KNOW GO TO R04\_AZ9029
- 7 REFUSED GO TO R04\_AZ9029

ASK: Adult respondents who have ever used [*tobacco product*].

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AZ1011**

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan.

- 1 Mentol o menta
- 2 Clavo de olor o especias
- 3 Fruta
- 4 Chocolate
- 5 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 6 Caramelos u otros sabores dulces
- 7 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used flavored [tobacco product].

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AZ9029**

Aproximadamente, ¿cuánto tiempo hace desde la última vez que le dio [*insert usage term*] a [*tobacco product*]?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used [tobacco product].

**PATH ID: R04\_AZ1100**

Alguna vez, ¿ha [fumado/consumido] [*tobacco product*] de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used [tobacco product].



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**POLYUSE**

<b>BOX ID:</b>	<b>R04_ANV01</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):	
<b>R04_CURRENT_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses every day or some days.	
<b>R04_SOME_DAY_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses some days.	
<b>R04_EVERY_DAY_PRODUCT_COUNT</b> = Number of tobacco products the respondent currently uses every day.	
<b>R04_TOBACCO_PRODUCT_LIST</b> = A list of all the tobacco products the respondent currently uses.	
<b>R04_EVER_NEVER_TOBACCO = 1 (Ever)</b> Adult respondents who have ever used any tobacco product.	
<b>R04_EVER_NEVER_TOBACCO = 2 (Never)</b> Adult respondents who have never used any tobacco product.	
<b>R04_TOBACCO_USER_STATUS = 1 (Current)</b> Adult respondents that currently use at least one tobacco product.	
<b>R04_TOBACCO_USER_STATUS = 2 (Experimental current)</b> Adult respondents who are an experimental current user of at least one tobacco product, and not a current established user of any other product.	
<b>R04_TOBACCO_USER_STATUS = 3 (Experimental former)</b> Adult respondents who are an experimental former user of at least one tobacco product, and not a current established user of any other product.	
<b>R04_TOBACCO_USER_STATUS = 4 (Recent former)</b> Adult respondents who are a recent former users of any tobacco product (including e-products), and are not current users of any other tobacco products (including e-products).	
<b>R04_TOBACCO_USER_STATUS = 5 (Long-term former)</b> Adult respondents who are long-term former established users of a tobacco product (including e-products), and are not current, experimental current, or recent former users of any other tobacco products (including e-products).	

<b>BOX ID:</b>	<b>R04_ANR11</b>
If NOT a current user of tobacco, go to the next section.	
Else, respondents who are some day users of more than one tobacco product and are not every day users of any products, go to R04_AY0005.	
Else, go to Box R04_ANV02.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AY0005</b>
Usted mencionó que consume [TOBACCO PRODUCT LIST] algunos días. ¿Cuáles de las siguientes opciones describe mejor la frecuencia con la que los consume? 1 Consumo por lo menos uno de esos productos cada día 2 Hay días en que no consumo ninguno de esos productos -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day users of more than one tobacco product and are not every day users of any products. DISPLAY: If R04_SOME_DAY_PRODUCT_COUNT = 2, DISPLAY "". Else, display "".

<b>BOX ID:</b> <b>R04_ANV02</b>
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):  <b>R04_CURRENT_TOBACCO_USE = 1 (Every day user)</b> Adult respondents who are an every day user of any one tobacco product or use more than one product and use at least one of them each day. <b>R04_CURRENT_TOBACCO_USE = 2 (Some day user)</b> Adult respondents who are some day users of at least one tobacco product and do not use tobacco every day.

<b>BOX ID:</b> <b>R04_ANR12</b>
If every day user of tobacco who uses more than one tobacco product, go to R04_AY0010. Else, go to R04_ANV03.

<b>PATH ID:</b> <b>R04_AY0010</b>
Usted mencionó que consume [TOBACCO PRODUCT LIST]. ¿Qué tan pronto después de que se despierta consume normalmente alguno de estos productos? 1 Minutos _____ 2 Horas _____ -8 DON'T KNOW      GO TO R04_AY0015 -7 REFUSED      GO TO R04_AY0015 ASK: Every day users of tobacco who use more than one tobacco product.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AY0010\_LC1**

La computadora registró que usted consume su primer producto de tabaco [R04\_AY0010] [horas/minutos] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |        |                     |
|--------|---------------------|
| 1 BACK | GO TO R04_AY0010    |
| 2 NEXT | GO TO BOX R04_ANV03 |

ASK: IF (R04\_AY0010\_NN > 60 AND R04\_AY0010\_UN = 1) OR (R04\_AY0010\_NN > 4 AND R04\_AY0010\_UN = 2).

DISPLAY: IF R04\_AY0010\_UN = 2, DISPLAY "horas".

IF R04\_AY0010\_UN = 1, DISPLAY "minutos".

**PATH ID: R04\_AY0015**

¿Diría que consume su primer producto de tabaco durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Every day users of tobacco who did not know or refused to report how soon after waking up they use tobacco.

**BOX ID: R04\_ANV03**

CREATE AN ARRAY USEPROD WITH 9 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT USER OF THE SPECIFIC TOBACCO TYPE.

**USEPROD(1-9):** Current users of: (1) cigarillos; (2) productos electrónicos con nicotina; (3) puros tradicionales; (4) puritos; (5) puros con filtro; (6) pipas; (7) hookahs; (8) snus; (9) tabaco que no se fuma.

DISPLAY: Display all products bold with lowercase letters.

If [USEPROD(1-9)] is a list and R04\_CURRENT\_PRODUCT\_COUNT = 2, separate with "y".

If [USEPROD(1-9)] is a list and R04\_CURRENT\_PRODUCT\_COUNT > 2, separate with commas with ", y" preceding last product.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR38**

If the respondent is a current established user of every tobacco product, go to the next section.  
Else, go to R04\_AX0306.

**PATH ID: R04\_AX0306**

¿Ha pensado acerca de consumir cualquiera de los siguientes productos además de consumir **[USEPROD(1-9)]**? Escoja todas las opciones que correspondan.

- 1 No he pensado acerca de consumir productos adicionales
- 2 Cigarrillos
- 3 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Pipas
- 8 Hookahs
- 9 Snus
- 10 [Otro tabaco/Tabaco] que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product. This question asks the respondent if they have considered using any products they are not current established users of, in addition to the products they are current established users of. If the respondent is a current established user of every tobacco type, resulting in no options presented, do not ask this question.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04\_SNUS\_USER\_STATUS = 1 AND R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Otro tabaco que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar".

ELSE, IF R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Tabaco que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0307**

¿Ha pensado acerca de cambiar de **[USEPROD(1-9)]** a cualquiera de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 No he pensado acerca de cambiar a otro producto
- 2 Cigarrillos
- 3 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Pipas
- 8 Hookahs
- 9 Snus
- 10 [Otro tabaco/Tabaco] que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product. This question asks about switching from each product the respondent is a current established user of to any of the products they are not current established users of. If the respondent is a current established user of every tobacco product, resulting in no options presented, do not ask this question.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04\_SNUS\_USER\_STATUS = 1 AND R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Otro tabaco que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar".

ELSE, IF R04\_SMKLS\_USER\_STATUS != 1, DISPLAY OPTION 10 AS "Tabaco que no se fuma como tabaco de inhalar o rapé, dip, spit o tabaco de mascar".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## NICOTINE DEPENDENCE

**BOX ID: R04\_ANV04**

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_EXPERIMENTAL\_PRODUCT\_COUNT** = Number of tobacco products the respondent currently uses experimentally.

**R04\_RECENT\_FORMER\_PRODUCT\_COUNT** = Number of tobacco products used in the past 12 months, but not currently used.

**R04\_TOBXEPROD\_USER\_STATUS = 1** (Current tobacco user excluding e-products) Adult respondents who are current users of at least one tobacco product other than electronic nicotine products. The respondent may have any e-product user status.

**R04\_TOBXEPROD\_USER\_STATUS = 2** (Experimental current tobacco user excluding e-products) Adult respondents who are experimental current users of any tobacco product other than electronic nicotine products, and are not current or recent former users of any tobacco products. The respondent may have any e-product user status.

**R04\_TOBXEPROD\_USER\_STATUS = 3** (Experimental former tobacco user excluding e-products) Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products. The respondent may have any e-product user status.

**R04\_TOBXEPROD\_USER\_STATUS = 4** (Recent former tobacco user excluding e-products) Adult respondents who are recent former users of any tobacco product other than electronic nicotine products, and are not current users of any tobacco products other than electronic nicotine products. The respondent may have any e-product user status.

**R04\_NDSKIP** = Type of product use -- polyusers or multiple product users:

R04\_NDSKIP = 0 (Respondents who are current or new former users of only one product. Or respondents who are experimental current users of only one product and who are not current or new former users of any products. If R04\_NDSKIP = 0, only the e-product ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.)

R04\_NDSKIP = 1 (Respondents who are current or new former users of two or more products, where none of those products is/was e-products. Or respondents who are experimental current users of two or more products, where none of those products is e-products, and who are not current or new former users of any products. If R04\_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.)

R04\_NDSKIP = 2 (Respondents who are current or new former users of three or more products, where one of those products is/was e-products. Or respondents who are experimental current users of three or more products, where one of those products is e-products, and who are not current or new former users of any products. If R04\_NDSKIP = 2, both ND modules will be asked, first the e-product ND module and second the tobacco ND module with fills tailored to their tobacco use overall.

R04\_NDSKIP = 3 (Respondents who are current or new former users of two products, where one of those products is/was e-products. Or respondents who are experimental current users of two products, where one of those products is e-products, and who are not current or new former users of any products. If R04\_NDSKIP = 3, both ND modules will be asked, first the e-product ND module and second the tobacco ND module with fills tailored to their other specific product.)

**R04\_GROUP** = IF R04\_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: NC, NG, NL, NF, NP, NH, NU, NS, ND.

**R04\_VALID\_TIME\_LASTUSED = 1** Respondent is a new former user of a product answered

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

R04\_A\*1009 with a valid response (excluding e-products).

**R04\_VALID\_TIME\_LASTUSED = 2** Respondent is a new former user of a product did not answer R04\_A\*1009 with a valid response (excluding e-products).

**BOX ID: R04\_ANR02**

**If current user or recent former user of tobacco** go through the Nicotine Dependence e-product and tobacco modules according to the following conditions:

**Condition a:** Respondents who currently use or formerly used in the past 12 months only one product. Condition **a** will be asked the questions in either the e-product module or the tobacco module (not both), with fills tailored to their specific product.

**Condition b:** Respondents who currently use or formerly used in the past 12 months more than one product, where one of those products is/was an electronic nicotine product. Condition **b** will respond to the questions in both modules; the e-product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their other specific product.

**Condition c:** Respondents who currently use or formerly used in the past 12 months two or more products, where none of those products is an e-product. Condition **c** will respond to the questions in the tobacco module only, with fills tailored to their tobacco use overall.

**Condition d:** Respondents who currently use or formerly used in the past 12 months three or more products, where one of those products is/was an e-product. Condition **d** will respond to the questions in both modules; the e-product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their tobacco use overall.

Else, if **experimental current user of only electronic nicotine products and not a current or former user of any product**, go to R04\_AN0330\_12ME and go through the e-product module once according to condition a.

Else, if **experimental current user of only one product and not a current or former user of any product**, go to R04\_AN0330\_12M and go through the tobacco module once according to condition a.

Else, if **experimental current user of more than one product and not a current or former user of any product**, go through the section according to conditions a, b, c, or d.

Else, if **experimental former user of electronic nicotine products and not a current, former, or experimental current user of any product**, go to R04\_AX0006E.

Else, if **experimental former user of any other tobacco product and not a current, former, or experimental current user of any product**, go to R04\_AX0006.

Else, go to Box R04\_ART01.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AND01**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R04\_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "fumar cigarrillos"

IF NG=YES, FILL WITH "fumar puros tradicionales"

IF NL=YES, FILL WITH "fumar puritos"

IF NF=YES, FILL WITH "fumar puros con filtro"

IF NP=YES, FILL WITH "fumar una pipa"

IF NH=YES, FILL WITH "fumar en hookah"

IF NU=YES, FILL WITH "consumir snus"

IF NS=YES, FILL WITH "consumir tabaco que no se fuma"

IF R04\_NDSKIP = 1, 2 FILL WITH "consumir tabaco"

**BOX ID: R04\_AND05**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarrillos"

IF NG=YES FILL WITH "puros tradicionales"

IF NL=YES FILL WITH "puritos"

IF NF=YES FILL WITH "puros con filtro"

IF NP=YES FILL WITH "tabaco para pipa"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus"

IF NS=YES FILL WITH "tabaco que no se fuma"

IF R04\_NDSKIP = 1, 2 FILL WITH "tabaco"

**BOX ID: R04\_AND06**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "fumar cigarrillos"

IF NG=YES FILL WITH "fumar puros tradicionales"

IF NL=YES FILL WITH "fumar puritos"

IF NF=YES FILL WITH "fumar puros con filtro"

IF NP=YES FILL WITH "fumar en pipa"

IF NH=YES FILL WITH "fumar en hookah"

IF NU=YES FILL WITH "consumir snus"

IF NS=YES FILL WITH "consumir tabaco que no se fuma"

IF R04\_NDSKIP = 1, 2 FILL WITH "consumir tabaco"



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AND07**

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "consumo de cigarrillos"

IF NG=YES FILL WITH "consumo de puros tradicionales"

IF NL=YES FILL WITH "consumo de puritos "

IF NF=YES FILL WITH "consumo de puros con filtro"

IF NP=YES FILL WITH "consumo de pipa"

IF NH=YES FILL WITH "consumo de hookah"

IF NU=YES FILL WITH "consumo de snus"

IF NS=YES FILL WITH "consumo de tabaco que no se fuma"

IF R04\_NDSKIP = 1, 2 FILL WITH "consumo de tabaco"

**BOX ID: R04\_ANR17**

Respondents who are current or recent former users of e-products, go to Box R04\_ANT01E.

Else, respondents who are current or recent former users of tobacco (excluding e-products), go to Box R04\_ANR37.

Else, respondents who are experimental current users of e-products who use more than one e-product, go to Box R04\_ANT01E.

Else, respondents who are experimental current users of e-products, go to Box R04\_ANR22.

Else, respondents who are experimental current users of tobacco who use more than one product (excluding e-products), go to Box R04\_ANR37.

Else, respondents who are experimental current users of tobacco (excluding e-products), go to Box R04\_ANR26.

Else, respondents who are experimental former users of e-products, go to R04\_AX0006E.

Else, respondents who are experimental former users of tobacco (excluding e-products), go to R04\_AX0006.

Else, go to Box R04\_ART01.

**BOX ID: R04\_ANT01E**

**IF R04\_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina.

**IF R04\_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina. Piense únicamente acerca de productos electrónicos con nicotina cuando conteste estas preguntas. Más adelante le haremos preguntas acerca de [ND FILL2].

**IF R04\_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR22**

Respondents who are current e-product users, recent former e-product users, or experimental current e-product users who use more than one e-product, go to R04\_AN0010E.  
Else, go to R04\_AN0330\_12ME.

**PATH ID: R04\_AN0010E**

¿Se considera adicto a los productos electrónicos con nicotina?

- 1 Para nada
- 2 Sí, un poco adicto
- 3 Sí, muy adicto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0015E**

¿Alguna vez siente un fuerte deseo de fumar productos electrónicos con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0020E**

¿Alguna vez ha sentido que necesitaba fumar productos electrónicos con nicotina mucho?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0055E**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 5 = es muy cierto.

Me doy cuenta que estoy tratando de agarrar productos electrónicos con nicotina sin pensármelo.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**BOX ID: R04\_AND02E**

Randomize order of items R04\_AN0025E - R04\_AN0100E.

**PATH ID: R04\_AN0025E**

Con frecuencia tengo un fuerte deseo de fumar productos electrónicos con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0030E</b>
[Mis deseos se vuelven más fuertes si no puedo/Sigo sintiendo deseos de] fumar productos electrónicos con nicotina.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Mis deseos se vuelven más fuertes si no puedo".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "Sigo sintiendo deseos de".

<b>PATH ID:</b> <b>R04_AN0035E</b>
Los productos electrónicos con nicotina me controlan.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0045E</b>
[Mi consumo de productos electrónicos con nicotina está fuera de control./Mi deseo de fumar productos electrónicos con nicotina está fuera de control.]	
1	No es cierto en absoluto
2	
3	
4	
5	Es muy cierto
-8	DON'T KNOW
-7	REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Mi consumo de productos electrónicos con nicotina está fuera de control."	
IF R04_EPROD_USER_STATUS = 4, DISPLAY "Mi deseo de fumar productos electrónicos con nicotina está fuera de control."	

<b>PATH ID:</b>	<b>R04_AN0060E</b>
Normalmente quiero fumar productos electrónicos con nicotina justo después de despertarme.	
1	No es cierto en absoluto
2	
3	
4	
5	Es muy cierto
-8	DON'T KNOW
-7	REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0065E**

No me puedo aguantar más de un par de horas sin [fumar/querer fumar] productos electrónicos con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "fumar".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "querer fumar".

**PATH ID: R04\_AN0050E**

[Con frecuencia me gusta fumar/Cuando me doy cuenta casi me pongo a fumar] productos electrónicos con nicotina sin pensarlo.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Con frecuencia me gusta fumar".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "Cuando me doy cuenta casi me pongo a fumar".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0070E</b>
Fumar productos electrónicos con nicotina me [ayuda/ayudaría] mucho a sentirme mejor cuando estoy triste.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DONT' KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "ayuda".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "ayudaría".

<b>PATH ID:</b> <b>R04_AN0075E</b>
Fumar productos electrónicos con nicotina me ayuda a pensar mejor.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DONT' KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

<b>BOX ID:</b> <b>R04_ANR23</b>
If respondent is only completing the e-product module of Nicotine Dependence, go to R04_AN0255E.
Else, if the respondent is completing both the e-product and the tobacco modules, go to R04_AN0080E.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0255E**

Consume tabaco la mayoría de la gente con la que paso el tiempo.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

**PATH ID: R04\_AN0080E**

Me [sentiría/siento] solo sin mis productos electrónicos con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "sentiría".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "siento".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0085E**

[Se me haría muy difícil dejar de/Se me haría muy difícil no] fumar productos electrónicos con nicotina.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Se me haría muy difícil dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "Se me haría muy difícil no".

**PATH ID: R04\_AN0090E**

[Se me haría difícil dejar de fumar productos electrónicos con nicotina por una semana./Se me haría difícil no fumar productos electrónicos con nicotina por otra semana.]

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY "Se me haría difícil dejar de fumar productos electrónicos con nicotina por una semana.".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "Se me haría difícil no fumar productos electrónicos con nicotina por otra semana.".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0095E</b>
[Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito/Me gustaría] fumar productos electrónicos con nicotina para poder sentirme menos inquieto e irritable.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "Me gustaría".

<b>PATH ID:</b> <b>R04_AN0100E</b>
[Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito/Siento que necesito] fumar productos electrónicos con nicotina para evitar sentir alguna molestia.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "Siento que necesito".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0110E</b>
¿Cree que fumar productos electrónicos con nicotina le [está ocasionando/ocasionó] un problema de salud o lo [está empeorando/empeoró]?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "está ocasionando" AND "está empeorando".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "ocasionó" AND "empeoró".

<b>PATH ID:</b> <b>R04_AN0813E</b>
En los últimos 12 meses, ¿le fue difícil dejar de fumar productos electrónicos con nicotina en lugares donde no estaba permitido?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

<b>PATH ID:</b> <b>R04_AN0812E</b>
En los últimos 12 meses, ¿dejó por completo o disminuyó las actividades que le agradaban o le importaban porque su consumo de productos electrónicos con nicotina no estaba permitido en el lugar de la actividad?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former e-product users, and experimental current e-product users who use more than one product.

<b>BOX ID:</b> <b>R04_ANR30</b>
Current e-product users, go to R04_AN0105E.
Recent former e-product users, go to Box R04_ANV06E.
Experimental current e-product users, to to R04_AN0330_12ME.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0105E
En los últimos 12 meses, ¿ha tratado de dejar de fumar productos electrónicos con nicotina totalmente?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current e-product users.

<b>PATH ID:</b> R04_AN0334E
En los últimos 12 meses, ¿ha tratado de dejar los productos electrónicos con nicotina reduciendo gradualmente su consumo?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current e-product users.

<b>BOX ID:</b> R04_ANV06E
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 (12 month quit attempter) Adult respondents who have quit or attempted to quit e-products in the past 12 months
R04_TWELVEMONTHQUIT_STATUS_EPROD = 2 (12 month reducers) Adult respondents who have cut down their e-product use in the past 12 months, but have not tried to quit.

<b>BOX ID:</b> R04_ANR31
Twelve month quit attempters, go to R04_AN0115E.
Else, go to Box R04_ANR25.

<b>PATH ID:</b> R04_AN0115E
En total, ¿cuántas veces en los últimos 12 meses ha tratado de dejar los productos electrónicos con nicotina por completo?
0 No traté de dejarlos en los últimos 12 meses
1  __ __ __
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_ANR24
GO TO BOX R04_ANR24
ASK: Current and recent former e-product users who are twelve month quit attempters.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0115E_LC1
La computadora registró que usted ha tratado de dejar los productos electrónicos con nicotina totalmente [R04_AN0115E] veces en los últimos 12 meses.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0115E
2 NEXT GO TO BOX R04_ANR24
ASK: IF R04_AN0115E > 50.

<b>PATH ID:</b> R04_AN0115E_LC2
La computadora registró que en los últimos 12 meses usted no ha tratado de dejar los productos electrónicos con nicotina por completo.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0115E
2 NEXT
ASK: IF R04_AN0115E = 0.

<b>BOX ID:</b> R04_ANR24
Respondents who did not try to quit in the past 12 months, go to R04_AN0330_12ME.
Else, current users, go to R04_AN0120E.
Else, recent former users who provided a valid response in R04_AV1009, go to R04_AN0257E.
Else, recent former users who did not provide a valid response in R04_AV1009, go to R04_AN0145E.

<b>PATH ID:</b> R04_AN0120E
En los últimos 12 meses, ¿ha dejado de fumar productos electrónicos con nicotina por un día o más debido a que estaba tratando de dejarlos?
1 Sí GO TO R04_AN0130E
2 No GO TO R04_AN0130E
-8 DON'T KNOW GO TO R04_AN0130E
-7 REFUSED GO TO R04_AN0130E
ASK: Current e-product users who have tried to quit completely in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0125E</b>	
En los últimos 12 meses, ¿cuántas veces dejó de fumar productos electrónicos con nicotina por un día o más porque estaba tratando de dejarlos?	
1    Una vez	
2    2-3 veces	
3    4 veces o más	
-8    DON'T KNOW	GO TO R04_AN0256E
-7    REFUSED	GO TO R04_AN0256E
ASK: Current e-product users who have tried to stop for one day or longer.	

<b>PATH ID:</b> <b>R04_AN0125E_LC1</b>	
La computadora registró que usted ha dejado de fumar productos electrónicos con nicotina por un día o más porque estaba tratando de dejarlos. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AN0125E
2    NEXT	GO TO R04_AN0130E
ASK: IF R04_AN0125E > R04_AN0115E.	

<b>PATH ID:</b> <b>R04_AN0256E</b>	
¿Diría que en los últimos 12 meses ha tratado de dejar de fumar productos electrónicos con nicotina más de 3 veces por un día o más debido a que estaba tratando de dejarlos?	
1    Sí	
2    No	
-8    DON'T KNOW	
-7    REFUSED	
ASK: Current e-product users who did not know or refused to report the number of quit attempt times.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0130E</b>	
En los últimos 12 meses, la última vez que dejó de fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos, ¿por cuánto tiempo los dejó?		
1	_ _ _ _  Minutos	
2	_ _ _ _  Horas	
3	_ _ _ _  Días	
4	_ _ _ _  Semanas	
5	_ _ _ _  Meses	
-8	DON'T KNOW	GO TO R04_AN0300E
-7	REFUSED	GO TO R04_AN0300E
ASK: Current e-product users who have tried to quit completely in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AN0130E_LC1</b>	
La computadora registró que la última vez que usted trató de dejar de fumar productos electrónicos con nicotina en los últimos 12 meses, usted los dejó durante [R04_AN0130E_NN] [días/semanas/meses].		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AN0130E
2	NEXT	GO TO R04_AN0135E
ASK: IF (R04_AN0130E_NN > 366 AND R04_AN0130E_UN = 3) OR (R04_AN0130E_NN > 52 AND R04_AN0130E_UN = 4) OR (R04_AN0130E_NN > 12 AND R04_AN0130E_UN = 5).		
DISPLAY: IF R04_AN0130E_UN = 3, DISPLAY "días".		
ELSE, IF R04_AN0130E_UN = 4, DISPLAY "semanas".		
ELSE, IF R04_AN0130E_UN = 5, DISPLAY "meses".		

<b>PATH ID:</b>	<b>R04_AN0300E</b>	
¿Fue por más de una semana, una semana o menos de una semana?		
1	Más de una semana	GO TO BOX R04_ANR25
2	Una semana	GO TO BOX R04_ANR25
3	Menos de una semana	GO TO BOX R04_ANR25
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Current e-product users who did not know or refused to report the duration for the last quit attempt.		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0135E
¿Cuándo fue la fecha final aproximada de este último intento por dejar los productos electrónicos con nicotina que duró [enter duration from R04_AN0130E]?
1  __ __ __  MES  __ __  DÍA  __ __ __ __  AÑO
-8 DON'T KNOW GO TO R04_AN0140E
-7 REFUSED GO TO R04_AN0140E
ASK: Current e-product users who provided a duration for the last quit attempt.

<b>PATH ID:</b> R04_AN0135E_LC1
La computadora registró que la fecha final de su último intento de dejar los productos electrónicos con nicotina en los últimos 12 meses fue el [DATE ENTERED IN R04_AN0135E]. Esa es una fecha en el futuro. ¿Es correcta esa fecha final?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0135E
2 NEXT GO TO R04_AN0140E
ASK: IF R04_AN0135E > TODAY'S DATE.

<b>PATH ID:</b> R04_AN0135E_LC2
La computadora registró que la fecha final de su último intento de dejar los productos electrónicos con nicotina en los últimos 12 meses fue el [DATE ENTERED IN R04_AN0135E]. Eso fue hace más de 12 meses. ¿Es correcta esa fecha final?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0135E
2 NEXT GO TO R04_AN0140E
ASK: IF R04_AN0135E < (TODAY'S DATE - 12 MONTHS).

<b>PATH ID:</b> R04_AN0135E_LC3
Anote el año usando cuatro dígitos o números.
1 BACK GO TO R04_AN0135E
ASK: IF R04_AN0135E (YEARS) IS < 4 DIGITS.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0140E</b>		
En los últimos 12 meses, ¿fue [DURATION OF LAST QUIT ATTEMPT] el periodo más largo que estuvo sin fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos?		
1	Sí	GO TO BOX R04_ANR25
2	No	GO TO R04_AN0145E
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Current e-product users who provided a duration for the last quit attempt.		
DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R04_AN0130E (ex. "45 días")		

<b>PATH ID: R04_AN0257E</b>		
Usted mencionó anteriormente que dejó de fumar productos electrónicos con nicotina hace [ENTER LENGTH OF TIME SINCE LAST USE IN R04_AV1009]. ¿Es este el periodo más largo que ha estado sin fumar productos electrónicos con nicotina en los últimos 12 meses?		
1	Sí	GO TO BOX R04_ANR25
2	No	GO TO R04_AN0145E
-8	DON'T KNOW	GO TO BOX R04_ANR25
-7	REFUSED	GO TO BOX R04_ANR25
ASK: Recent former e-product users who provided a valid response in R04_AV1009.		
DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R04_AV1009_NN/UN] with time entered (ex. "45 days") in corresponding R04_AV1009 item.		

<b>PATH ID: R04_AN0145E</b>		
En los últimos 12 meses, ¿cuánto duró el periodo de tiempo más largo que dejó de fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos?		
1	_ _ _ _  Minutos	
2	_ _ _ _  Horas	
3	_ _ _ _  Días	
4	_ _ _ _  Semanas	
5	_ _ _ _  Meses	
-8	DON'T KNOW	GO TO R04_AN0305E
-7	REFUSED	GO TO R04_AN0305E
ASK: Current and recent former e-product users who said their last quit attempt was not their longest in the past 12 months and recent former e-product users who did not provide a valid response in R04_AV1009.		



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0210E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses, ¿contó con el apoyo de sus amigos y familiares para ayudarle a dejarlos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AN0215E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses. ¿Usó una de las siguientes opciones como ayuda? Consejería, una línea directa de ayuda para dejar el tabaco, libros, folletos, videos o un centro de tratamiento, clase o grupo de apoyo para dejar el tabaco o un programa disponible en la Web.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0225E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses. ¿Usó otro producto de tabaco para ayudarse a dejarlos? Escoja todas las opciones que correspondan.

- 1 No usé otro producto de tabaco para ayudarme a dejarlos
- 2 Cigarrillos
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Tabaco para pipas
- 8 Hookah
- 9 Snus
- 10 Tabaco que no se fuma como el dip, el tabaco de mascar, el tabaco de inhalar o rapé
- 11 Tabaco que se disuelve
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who attempted to quit in the past year.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AN0330\_12ME**

En los últimos 12 meses, ¿ha usado un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current e-product users.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0811E**

¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para aliviar o evitar los efectos secundarios después de dejar o disminuir su consumo de productos electrónicos con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months, and current e-product users who are twelve month reducers, and experimental current e-product users, who have used NRT.

**BOX ID: R04\_ANR39**

If respondent is only completing Nicotine Dependence for electronic nicotine products and used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill, go to R04\_AN0336E.  
Else, go to Box R04\_ANR33.

**PATH ID: R04\_AN0336E**

¿Cuál fue la razón principal por la que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 Para dejar de fumar por completo
- 2 Para reducir la cantidad que fuma
- 3 Para sobrellevar las veces en que no podía o no le permitían fumar
- 4 Otra razón (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current and recent former e-product users who have used NRT in the past 12 months and are only completing Nicotine Dependence for electronic nicotine products.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_ANR33**

Current e-product users who are twelve month reducers and experimental current e-product users, go to R04\_AN0307E.

Else, twelve month quit attempters who used NRTs when they tried to quit, go to R04\_AN0160E.

Else, twelve month quit attempters, go to R04\_AN0170E.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0160E</b>
<p>¿Qué producto usó o tomó [la vez que trató de dejar de fumar productos electrónicos con nicotina/la última vez que trató de dejar de fumar productos electrónicos con nicotina /cuando dejó de fumar productos electrónicos con nicotina]? Escoja todas las opciones que correspondan.</p> <ul style="list-style-type: none"><li>1 Parche de nicotina</li><li>2 Chicle de nicotina</li><li>3 Inhalador de nicotina</li><li>4 Espray nasal con nicotina</li><li>5 Pastillas de chupar o píldoras de nicotina</li><li>6 Ninguna de los anteriores <span style="float: right;">GO TO R04_AN0170E</span></li><li>-8 DON'T KNOW</li><li>-7 REFUSED</li></ul> <p>ASK: Current and recent former e-product users who used NRT to help them quit in the past 12 months. DISPLAY: IF R04_AN0125E = 1, DISPLAY "la vez que trató de dejar de fumar productos electrónicos con nicotina". ELSE, IF R04_AN0125E &gt; 1 OR R04_AN0256E = 1, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina". ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de fumar productos electrónicos con nicotina". ELSE, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".</p>	

<b>PATH ID:</b>	<b>R04_AN0165E</b>
<p>En total, [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] fumar productos electrónicos con nicotina[ por completo], ¿por cuánto tiempo usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?</p> <ul style="list-style-type: none"><li>1  __ __  DÍAS</li><li>2  __ __  SEMANAS</li><li>3  __ __  MESES</li><li>-8 DON'T KNOW</li><li>-7 REFUSED</li></ul> <p>ASK: Current and recent former e-product users who used a listed NRT to help them quit. DISPLAY: IF R04_AN0125E = 1, DISPLAY "la vez que trató de dejar de". ELSE, IF R04_AN0125E &gt; 1 OR R04_AN0256E = 1, DISPLAY "la última vez que trató de dejar de". ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo". ELSE, DISPLAY "la última vez que trató de dejar de".</p>	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0170E</b>	
Actualmente, ¿está usando o tomando un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?		
1	Sí	
2	No	GO TO R04_AN0307E
-8	DON'T KNOW	GO TO R04_AN0307E
-7	REFUSED	GO TO R04_AN0307E
ASK: Current and recent former e-product users who attempted to quit in the past 12 months and have used NRTs in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AN0251E</b>	
Aproximadamente, ¿cuánto tiempo ha estado usando o tomando un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current and recent former e-product users who attempted to quit in the past 12 months who are currently using NRTs.		

<b>PATH ID:</b>	<b>R04_AN0251E_LC1</b>	
La computadora registró que usted lleva [R04_AN0251E_NN] [días/meses/años] usando o tomando productos con nicotina, como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para que le ayuden a dejar los productos electrónicos con nicotina.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AN0251E
2	NEXT	GO TO R04_AN0307E
ASK: IF (R04_AN0251E_NN > 99 AND R04_AN0251E_UN = 1) OR (R04_AN0251E_NN > 60 AND R04_AN0251E_UN = 2) OR (R04_AN0251E_NN > 5 AND R04_AN0251E_UN = 3).		
DISPLAY: IF R04_AN0251E_UN = 1, DISPLAY "días".		
IF R04_AN0251E_UN = 2, DISPLAY "meses".		
IF R04_AN0251E_UN = 3, DISPLAY "años".		



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0251E_LC2</b>
La computadora registró "cero" para la cantidad de tiempo que usted lleva usando o tomando productos con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para que le ayuden a dejar los productos electrónicos con nicotina.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK <span style="float: right;">GO TO R04_AN0251E</span>
2    NEXT
ASK: IF R04_AN0251E = 0.

<b>PATH ID:</b> <b>R04_AN0307E</b>
¿Cuándo fue la última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?
1    Hace menos de una hora <span style="float: right;">GO TO R04_AN0309E</span>
2    Hoy
3    Ayer
4    Hace dos días
5    Hace tres o más días <span style="float: right;">GO TO R04_AN0175E</span>
-8   DON'T KNOW <span style="float: right;">GO TO R04_AN0331_12ME</span>
-7   REFUSED <span style="float: right;">GO TO R04_AN0331_12ME</span>
ASK: Current, recent former, and experimental current e-product users who have used NRTs in the past 12 months.

<b>PATH ID:</b> <b>R04_AN0308E</b>
La última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04_AN0307E], ¿fue...?
1    Entre la medianoche y las 6 de la mañana
2    Entre las 6 de la mañana y el mediodía
3    Entre el mediodía y las 6 de la tarde
4    Entre las 6 de la tarde y la medianoche
-8   DON'T KNOW
-7   REFUSED
ASK: Current, recent former, and experimental current e-product users who have used NRT today, yesterday or the day before yesterday.
DISPLAY: [FILL BASED ON R04_AN0307E]:
IF R04_AN0307E = 2, DISPLAY "hoy".
IF R04_AN0307E = 3, DISPLAY "ayer".
IF R04_AN0307E = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0309E**

Cuando usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04\_AN0307E], ¿cuántos usó o tomó?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO R04\_AN0331\_12ME

-7 REFUSED

GO TO R04\_AN0331\_12ME

ASK: Current, recent former, and experimental current e-product users who have used NRT in the past hour, today, yesterday or the day before yesterday.

DISPLAY: [FILL BASED ON R04\_AN0307E]:

IF R04\_AN0307E = 1, 2, DISPLAY "hoy".

IF R04\_AN0307E = 3, DISPLAY "ayer".

IF R04\_AN0307E = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309E\_LC1**

La computadora registró que [hoy/ayer/hace dos días] usted usó o tomó el producto con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [R04\_AN0309E] veces. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0309E

2 NEXT

GO TO R04\_AN0331\_12ME

ASK: IF R04\_AN0309E > 5.

DISPLAY: IF R04\_AN0307E = 1, 2, DISPLAY "hoy".

IF R04\_AN0307E = 3, DISPLAY "ayer".

IF R04\_AN0307E = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309E\_LC2**

La computadora registró que [hoy/ayer/hace dos días], usted usó o tomó el producto con nicotina, tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras cero veces. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

Go to R04\_AN0309E

2 NEXT

GO TO R04\_AN0331\_12ME

ASK: IF R04\_AN0309E = 0.

DISPLAY: IF R04\_AN0307E = 1, 2, DISPLAY "hoy".

IF R04\_AN0307E = 3, DISPLAY "ayer".

IF R04\_AN0307E = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0175E**

¿Cuánto hace que dejó de usar o tomar un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

GO TO R04\_AN0331\_12ME

-7 REFUSED

GO TO R04\_AN0331\_12ME

ASK: Current, recent former, and experimental current e-product users who have used NRT three or more days ago.

**PATH ID: R04\_AN0175E\_LC1**

La computadora registró que usted dejó de tomar o usar el producto con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras hace [R04\_AN0175E\_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0175E

2 NEXT

ASK: IF ((R04\_AN0175E\_NN > 31 OR R04\_AN0175E\_NN < 3) AND R04\_AN0175E\_UN = 1) OR (R04\_AN0175E\_NN > 12 AND R04\_AN0175E\_UN = 2) OR (R04\_AN0175E\_NN > 1 AND R04\_AN0175E\_UN = 3).

DISPLAY: IF R04\_AN0175E\_UN = 1, DISPLAY "días".

IF R04\_AN0175E\_UN = 2, DISPLAY "meses".

IF R04\_AN0175E\_UN = 3, DISPLAY "años".

**PATH ID: R04\_AN0331\_12ME**

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos de venta con receta médica? Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current, recent former, and experimental current e-product users.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR34**

Current and recent former e-product users who are past 12 month quit attempters and used prescription drugs in the past 12 months, go to R04\_AN0180E.

Else, if respondent used prescription drugs in the past 12 months, go to R04\_AN0327E.

Else, go to Box R04\_ANR35.

**PATH ID: R04\_AN0180E**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los últimos 12 meses. ¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- |    |            |                   |
|----|------------|-------------------|
| 1  | Sí         |                   |
| 2  | No         | GO TO R04_AN0327E |
| -8 | DON'T KNOW | GO TO R04_AN0327E |
| -7 | REFUSED    | GO TO R04_AN0327E |

ASK: Current and recent former e-product users who attempted to quit in the past year and have used a prescription drug to help them.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF (R04\_AN0125E > 1 OR R04\_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar".

UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AN0185E**

¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión para dejar de fumar productos electrónicos con nicotina por completo?

- |    |            |
|----|------------|
| 1  | Sí         |
| 2  | No         |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0190E</b>
<p>¿Qué medicamento que se vende con receta médica usó [la vez que trató de dejar de fumar productos electrónicos con nicotina/la última vez que trató de dejar de fumar productos electrónicos con nicotina/cuando dejó de fumar productos electrónicos con nicotina]? Escoja todas las opciones que correspondan.</p> <ul style="list-style-type: none"><li>1 Chantix o vareniclina</li><li>2 Wellbutrin, Zyban, o bupropión</li><li>3 Ninguna de las anteriores</li><li>-8 DON'T KNOW</li><li>-7 REFUSED</li></ul> <p style="text-align: right;">GO TO R04_AN0200E</p> <p>ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.</p> <p>DISPLAY: IF R04_AN0125E = 1, DISPLAY "la vez que trató de dejar de fumar productos electrónicos con nicotina".</p> <p>ELSE, IF (R04_AN0125E &gt; 1 OR R04_AN0256E = 1), DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".</p> <p>ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de fumar productos electrónicos con nicotina".</p> <p>ELSE, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".</p>	

<b>PATH ID:</b>	<b>R04_AN0195E</b>
<p>En total, [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] fumar productos electrónicos con nicotina[ por completo], ¿por cuánto tiempo tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?</p> <ul style="list-style-type: none"><li>1  __ __  DÍAS</li><li>2  __ __  SEMANAS</li><li>3  __ __  MESES</li><li>-8 DON'T KNOW</li><li>-7 REFUSED</li></ul> <p>ASK: Current and recent former e-product users who attempted to quit in the past year who used a listed prescription drug to help them.</p> <p>DISPLAY: IF R04_AN0125E = 1, DISPLAY "la vez que trató de dejar de".</p> <p>ELSE, IF (R04_AN0125E &gt; 1 OR R04_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".</p> <p>ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".</p> <p>ELSE, DISPLAY "la última vez que trató de dejar de".</p>	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0200E</b>	
Actualmente, ¿está tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?		
1	Sí	
2	No	GO TO R04_AN0327E
-8	DON'T KNOW	GO TO R04_AN0327E
-7	REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them.		

<b>PATH ID:</b>	<b>R04_AN0252E</b>	
Aproximadamente, ¿cuánto tiempo ha estado tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?		
1	_ _  DÍAS	
2	_ _  MESES	
3	_ _  AÑOS	
-8	DON'T KNOW	GO TO R04_AN0327E
-7	REFUSED	GO TO R04_AN0327E
ASK: Current and recent former e-product users who attempted to quit in the past year who used a prescription drug to help them and are currently using a prescription drug.		

<b>PATH ID:</b>	<b>R04_AN0252E_LC1</b>	
La computadora registró que usted lleva tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión por [R04_AN0252E_NN] [meses/años].		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AN0252E
2	NEXT	GO TO R04_AN0327E
ASK: IF (R04_AN0252E_NN > 60 AND R04_AN0252E_UN = 2) OR (R04_AN0252E_NN > 5 AND R04_AN0252E_UN = 3).		
DISPLAY: IF R04_AN0252E_UN = 2, DISPLAY "meses".		
IF R04_AN0252E_UN = 3, DISPLAY "años".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0252E_LC2
La computadora registró "cero" para la cantidad de tiempo que lleva tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AN0252E</span>
2 NEXT
ASK: IF R04_AN0252E = 0.

<b>PATH ID:</b> R04_AN0327E
¿Cuándo fue la última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?
1 Hace menos de una hora <span style="float: right;">GO TO R04_AN0329E</span>
2 Hoy
3 Ayer
4 Hace dos días
5 Hace tres o más días <span style="float: right;">GO TO R04_AN0205E</span>
-8 DON'T KNOW <span style="float: right;">GO TO BOX R04_ANR35</span>
-7 REFUSED <span style="float: right;">GO TO BOX R04_ANR35</span>
ASK: Current, recent former, and experimental current e-product users who have used a prescription drug in the past 12 months.

<b>PATH ID:</b> R04_AN0328E
La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04_AN0327E], ¿fue...?
1 Entre la medianoche y las 6 de la mañana
2 Entre las 6 de la mañana y el mediodía
3 Entre el mediodía y las 6 de la tarde
4 Entre las 6 de la tarde y la medianoche
-8 DON'T KNOW
-7 REFUSED
ASK: Current, recent former, and experimental current e-product users who have used a prescription drug today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0327E]:
IF R04_AN0327E = 4, DISPLAY "hace dos días".
ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327E, MAKING FIRST LETTER LOWERCASE.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0329E**

Cuando tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04\_AN0327E], ¿cuántas píldoras tomó?

1 |\_\_|\_\_|

-8 DON'T KNOW

GO TO BOX R04\_ANR35

-7 REFUSED

GO TO BOX R04\_ANR35

ASK: Current, recent former, and experimental current e-product users who have used a prescription drug in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0327E]:

IF R04\_AN0327E = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0327E = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0327E = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0329E\_LC1**

La computadora registró que [hoy/ayer/hace dos días], usted tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [R04\_AN0329E] veces.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0329E

2 NEXT

GO TO BOX R04\_ANR35

ASK: IF R04\_AN0329E = 0 OR R04\_AN0329E > 5.

DISPLAY: IF R04\_AN0327E = 1, 2, DISPLAY "hoy".

IF R04\_AN0327E = 3, DISPLAY "ayer".

IF R04\_AN0327E = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0205E**

¿Cuánto hace que dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1 |\_\_|\_\_| DÍAS

2 |\_\_|\_\_| MESES

3 |\_\_|\_\_| AÑOS

-8 DON'T KNOW

-7 REFUSED

ASK: Current, recent former, and experimental current e-product users who used prescription drugs three or more days ago.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0205E_LC1
La computadora registró que usted dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión hace [R04_AN0205E_NN] [días/meses/años] ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AN0205E</span>
2 NEXT
ASK: IF (R04_AN0205E_NN > 31 AND R04_AN0205E_UN = 1) OR (R04_AN0205E_NN > 12 AND R04_AN0205E_UN = 2) OR (R04_AN0205E_NN > 1 AND R04_AN0250E_UN = 3).
DISPLAY: IF R04_AN0205E_UN = 1, DISPLAY "días".
IF R04_AN0205E_UN = 2, DISPLAY "meses".
IF R04_AN0205E_UN = 3, DISPLAY "años".

<b>BOX ID:</b> R04_ANR35
If recent former e-product user, or current e-product user who attempted to quit or cut down in the past 12 months, go to Box R04_AND03E.
Else, if current e-product user, go to R04_AN0230E.
Else, if experimental current e-product user, go to R04_AX0006E.
Else, go to Box R04_ANR37.

<b>BOX ID:</b> R04_AND03E
Display question R04_AN0804E, R04_AN0805E, R04_AN0806E, R04_AN0807E, R04_AN0808E, R04_AN0809E, R04_AN0810E, on one screen. Show the transition text and question stem from R04_AN0804E first, then show each item with the sí/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0804E**

Las siguientes preguntas son acerca de cómo se sintió días después de [tratar de dejar de fumar/la última vez que trató de dejar de fumar/dejar de fumar/reducir su consumo de] productos electrónicos con nicotina en los últimos 12 meses.

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió deprimido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

DISPLAY: IF R04\_AN0125E = 1, DISPLAY "tratar de dejar de fumar".

ELSE, IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, DISPLAY "la última vez que trató de dejar de fumar".

ELSE, IF R04\_EPROD\_USER\_STATUS = 4, DISPLAY "dejar de fumar".

ELSE, IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD =2, DISPLAY "reducir su consumo de".

**BOX ID: R04\_AND04E**

Randomize order of R04\_AN0805E - R04\_AN0809E.

**PATH ID: R04\_AN0805E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿tuvo dificultad para dormir?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0806E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿tuvo dificultad para concentrarse?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0807E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿comió más de lo normal o subió de peso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0808E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se irritó, molestó o frustró fácilmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0809E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió ansioso o nervioso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**PATH ID: R04\_AN0810E**

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió más inquieto de lo habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former e-product users who are twelve month quit attempters and current e-product users who are twelve month reducers.

**BOX ID: R04\_ANR36**

If current e-product user, go to R04\_AN0230E.

Else, go to R04\_AX0006E.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0230E**

En general, usando una escala del 1 al 10, en donde 1 = no estoy interesado en absoluto y 10 = estoy extremadamente interesado, dígame ¿qué tan interesado está en dejar de fumar productos electrónicos con nicotina? Seleccione una cantidad del 1 al 10.

- 1 No estoy interesado en absoluto
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Estoy extremadamente interesado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users.

**PATH ID: R04\_AN0235E**

¿Tiene planificado dejar de fumar productos electrónicos con nicotina para siempre?

- 1 Sí
- 2 No GO TO R04\_AX0006E
- 8 DON'T KNOW GO TO R04\_AX0006E
- 7 REFUSED GO TO R04\_AX0006E

ASK: Current e-product users.

**PATH ID: R04\_AN0240E**

¿Cuándo tiene planificado dejar de fumar productos electrónicos con nicotina para siempre?

- 1 En los próximos 7 días
- 2 En los próximos 30 días
- 3 En los próximos 6 meses
- 4 El próximo año GO TO R04\_AX0006E
- 5 En más de un año GO TO R04\_AX0006E
- 8 DON'T KNOW GO TO R04\_AX0006E
- 7 REFUSED GO TO R04\_AX0006E

ASK: Current e-product users who say they plan to quit for good.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0245E**

Si de hecho tratara de dejar de fumar productos electrónicos con nicotina por completo dentro de los próximos 6 meses, ¿qué tan probable cree que es que tenga éxito?

- 1 Nada en absoluto
- 2 Muy poco probable
- 3 Es algo probable
- 4 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current e-product users who have some interest in quitting in the next 6 months.

**PATH ID: R04\_AX0006E**

Si tuviera que volver a hacerlo, ¿habría comenzado a fumar productos electrónicos con nicotina?

- 1 Definitivamente no
- 2 Probablemente no
- 3 Probablemente sí
- 4 Definitivamente sí
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former e-product users.

**BOX ID: R04\_ANR37**

If respondent is only completing Nicotine Dependence for electronic nicotine products, go to Box R04\_ART01.

Else, if respondent is an experimental former tobacco user (excluding e-products) and is not a current, experimental current, or recent former user of any products, go to R04\_AX0006.

Else, if respondent is an experimental current tobacco user who only uses one product (excluding e-products), go to Box R04\_ANR26.

Else, go to Box R04\_ANT01.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANT01**

**IF R04\_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con [los/el/la] [ND FILL2].

**IF R04\_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:**

Ahora nos gustaría preguntarle sobre su experiencia con [los/el/la] [ND FILL2]. Piense únicamente acerca de [los/el/la] [ND FILL2] cuando conteste estas preguntas.

**IF R04\_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT:**

Las siguientes preguntas son acerca de su experiencia con productos de tabaco. Usted dijo que ha consumido los siguientes productos de tabaco: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT. IF R04\_TOBACCO\_USER\_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 1, 4. IF R04\_TOBACCO\_USER\_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 2. IF PRODUCT COUNT = 2, SEPARATE WITH 'y'. IF PRODUCT COUNT > 2, SEPARATE WITH COMMAS WITH ", y" PRECEDING LAST PRODUCT].

Por favor, piense sobre [ambos/todos estos] productos juntos cuando conteste las siguientes preguntas. [IF PRODUCT COUNT = 2, DISPLAY "ambos"; IF PRODUCT COUNT > 2, DISPLAY "todos estos".]

**IF R04\_NDSKIP = 2, DISPLAY THE FOLLOWING TEXT:**

Ahora nos gustaría preguntarle sobre su experiencia con productos de tabaco. Usted dijo que ha consumido los siguientes productos de tabaco, además de productos electrónicos con nicotina: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT EXCLUDING EPRODUCTS. IF R04\_TOBACCO\_USER\_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 1, 4, EXCLUDING EPRODUCTS. IF R04\_TOBACCO\_USER\_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04\_[PRODUCT]\_USER\_STATUS = 2, EXCLUDING EPRODUCTS. IF PRODUCT COUNT EXCLUDING EPRODUCTS = 2, SEPARATE WITH 'y'. IF PRODUCT COUNT EXCLUDING EPRODUCTS >2, SEPARATE WITH COMMAS WITH ", y" PRECEDING LAST PRODUCT].

Por favor, piense sobre [ambos l todos estos] productos juntos cuando conteste las siguientes preguntas. [IF PRODUCT COUNT = 2, DISPLAY "ambos"; IF PRODUCT COUNT > 2, DISPLAY "todos estos".]

**BOX ID: R04\_ANR26**

Respondents who are current or recent former users of tobacco (excluding e-products), or experimental current tobacco users who use more than one product (excluding e-products), go to R04\_AN0010.

Else, go to Box R04\_ANR04.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0010</b>
¿Se considera adicto [a los/al/a la] [ND FILL2]?
1    Para nada
2    Sí, un poco adicto
3    Sí, muy adicto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "a los".
FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO AND TOBACCO, DISPLAY "al".
FOR HOOKAH, DISPLAY "a la".

<b>PATH ID:</b> <b>R04_AN0015</b>
¿Alguna vez siente un fuerte deseo de [ND FILL1]?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

<b>PATH ID:</b> <b>R04_AN0020</b>
¿Alguna vez ha sentido que necesitaba [ND FILL1] mucho?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0055**

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 5 = es muy cierto.

Me doy cuenta que estoy tratando de agarrar [los/el/la] [ND FILL2] sin pensármelo.

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: For cigarettes, traditional cigars, cigarillos and filter cigar, display "los".

For pipe tobacco, snus, smokeless tobacco and tobacco, display "el".

For hookah, display "la".

**BOX ID: R04\_AND02**

Randomize order of items R04\_AN0025 - R04\_AN0100.

**PATH ID: R04\_AN0025**

Con frecuencia tengo un fuerte deseo de [ND FILL2].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0030**

[Mis deseos se vuelven más fuertes si no puedo/Sigo sintiendo deseos de] [ND FILL1].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "Mis deseos se vuelven más fuertes si no puedo".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "Sigo sintiendo deseos de".

**PATH ID: R04\_AN0035**

[FILL AS SHOWN BELOW].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_NDSKIP = 0, 3:

IF NC=YES FILL WITH "Los cigarrillos me controlan"

IF NG=YES FILL WITH "Los puros tradicionales me controlan"

IF NL=YES FILL WITH "Los puritos me controlan"

IF NF=YES FILL WITH "Los puros con filtro me controlan"

IF NP=YES FILL WITH "Fumar en pipa me controla"

IF NH=YES FILL WITH "Fumar en hookah me controla"

IF NU=YES FILL WITH "El snus me controla"

IF NS=YES FILL WITH "El tabaco que no se fuma me controla"

IF R04\_NDSKIP = 1, 2 fill with "El tabaco me controla"

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0045</b>
[[Mi [ND FILL4] está fuera de control./Mi deseo de [ND FILL1] está fuera de control.]]
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DONT KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Mi [ND FILL4] está fuera de control."
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Mi deseo de [ND FILL1] está fuera de control."

<b>PATH ID:</b> <b>R04_AN0060</b>
Normalmente quiero [ND FILL1] justo después de despertarme.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8   DONT KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0065</b>
No me puedo aguantar más de un par de horas sin [[ND FILL3]/querer [ND FILL1]].
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "[ND FILL3]".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "querer [ND FILL1]"

<b>PATH ID:</b> <b>R04_AN0050</b>
[Con frecuencia me gusta [ND FILL1]/Cuando me doy cuenta casi me pongo a [ND FILL3]] sin pensarlo.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Con frecuencia me gusta [ND FILL1]".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Cuando me doy cuenta casi me pongo a [ND FILL3] sin pensarlo".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0070</b>
[ND FILL3] me [ayuda/ayudaría] mucho a sentirme mejor cuando estoy triste.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "ayuda".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "ayudaría".

<b>PATH ID:</b> <b>R04_AN0075</b>
[ND FILL3] me ayuda a pensar mejor.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

<b>PATH ID:</b> <b>R04_AN0255</b>
Consume tabaco la mayoría de la gente con la que paso el tiempo.
1    No es cierto en absoluto
2
3
4
5    Es muy cierto
-8    DON'T KNOW
-7    REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0080**

Me [sentiría/siento] solo sin [mi/mis] [ND FILL2].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "sentiría".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "siento".

FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "mis".

FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO, HOOKAH AND TOBACCO, DISPLAY "mi".

**PATH ID: R04\_AN0085**

[Se me haría muy difícil dejar de [ND FILL3]./Se me haría muy difícil no [ND FILL 1].

- 1 No es cierto en absoluto
- 2
- 3
- 4
- 5 Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 2, DISPLAY "Se me haría muy difícil dejar de [ND FILL3].".

IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "Se me haría muy difícil no [ND FILL 1].".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0090</b>
[Se me haría difícil dejar de [ND FILL3] por una semana./Se me haría difícil no [ND FILL1] por otra semana.]	
1	No es cierto en absoluto
2	
3	
4	
5	Es muy cierto
-8	DON'T KNOW
-7	REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).	
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Se me haría difícil dejar de [ND FILL3] por una semana."	
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Se me haría difícil no [ND FILL1] por otra semana".	

<b>PATH ID:</b>	<b>R04_AN0095</b>
[Si dejo de [ND FILL3] por un tiempo, necesito/ Me gustaría] [ND FILL1] para sentirme menos inquieto e irritable.	
1	No es cierto en absoluto
2	
3	
4	
5	Es muy cierto
-8	DON'T KNOW
-7	REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).	
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Si dejo de [ND FILL3] por un tiempo, necesito".	
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Me gustaría".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0100
[Si dejo de [ND FILL3] por un tiempo, necesito/Siento que necesito] [ND FILL1] para evitar sentir alguna molestia.
1 No es cierto en absoluto
2
3
4
5 Es muy cierto
-8 DON'T KNOW
-7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "Si dejo de [ND FILL3] por un tiempo, necesito".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "Siento que necesito".

<b>PATH ID:</b> R04_AN0110
¿Cree que [ND FILL3] le [está ocasionando/ocasionó] un problema de salud o lo [está empeorando/empeoró]?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "está ocasionando" AND "está empeorando".
IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "ocasionó" AND "empeoró".

<b>PATH ID:</b> R04_AN0813
En los últimos 12 meses, ¿le fue difícil dejar de [ND FILL3] en lugares donde no estaba permitido?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0812**

En los últimos 12 meses, ¿dejó por completo o disminuyó las actividades que le agradaban o le importaban porque su [ND FILL4] no estaba permitido en el lugar de la actividad?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products), and experimental current tobacco users who use more than one product (excluding e-products).

**BOX ID: R04\_ANR19**

Current tobacco users (excluding e-products), go to R04\_AN0105.

Else, recent former tobacco users (excluding e-products), go to Box R04\_ANV06.

Else, experimental current tobacco users (excluding e-products), go to Box R04\_ANR04.

**PATH ID: R04\_AN0105**

En los últimos 12 meses, ¿ha tratado de dejar de [ND FILL3] por completo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0334**

En los últimos 12 meses, ¿ha tratado de dejar de [ND FILL3] reduciendo gradualmente el [ND FILL3]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0115_LC2
La computadora registró que en los últimos 12 meses usted no ha tratado de dejar [los/el/la] [ND FILL2] por completo.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AN0115</span>
2 NEXT
ASK: IF R04_AN0115 = 0.
DISPLAY: FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "los".
FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO AND TOBACCO, DISPLAY "el".
FOR HOOKAH, DISPLAY "la".

<b>BOX ID:</b> R04_ANR27
If respondent did not try to quit in the past 12 months, go to Box R04_ANR04.
Else, current users, go to R04_AN0120.
Else, recent former users who provided a valid response in R04_A*1009, go to R04_AN0257.
Else, recent former users who did not provide a valid response in R04_A*1009, go to R04_AN0145.

<b>PATH ID:</b> R04_AN0120
En los últimos 12 meses, ¿ha dejado usted de [ND FILL3] durante un día o más debido a que estaba tratando de [dejarlos/dejarla/dejarlo]?
1 Sí <span style="float: right;">GO TO R04_AN0130</span>
2 No <span style="float: right;">GO TO R04_AN0130</span>
-8 DON'T KNOW <span style="float: right;">GO TO R04_AN0130</span>
-7 REFUSED <span style="float: right;">GO TO R04_AN0130</span>
ASK: Current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months.
DISPLAY: IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos".
IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".
IF NDFILL3 = consumir tabaco que no se fuma; consumir snus, consumir tabaco, DISPLAY "dejarlo".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0125</b>	
En los últimos 12 meses, ¿cuántas veces ha dejado de [ND FILL3] por un día o más debido a que estaba tratando de {dejarlos/dejarla/dejarlo}?		
1	Una vez	
2	2-3 veces	
3	4 veces o más	
-8	DON'T KNOW	GO TO R04_AN0256
-7	REFUSED	GO TO R04_AN0256
ASK: Current tobacco users (excluding e-products) who have tried to stop for one day or longer.		
DISPLAY: IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos".		
IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".		
IF NDFILL3 = consumir tabaco que no se fuma; consumir snus, consumir tabaco, DISPLAY "dejarlo".		

<b>PATH ID:</b>	<b>R04_AN0125_LC1</b>	
La computadora registró que usted ha dejado de [ND FILL3] por un día o más porque estaba tratando de dejar de consumir tabaco. ¿Es correcto?		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AN0125
2	NEXT	GO TO R04_AN0130
ASK: IF R04_AN0125 > R04_AN0115.		

<b>PATH ID:</b>	<b>R04_AN0256</b>	
¿Diría que en los últimos 12 meses ha tratado de dejar de [NDFILL3] más de 3 veces por un día o más debido a que estaba tratando de dejar de [NDFILL3]?		
1	Sí	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current tobacco users (excluding e-products) who did not know or refused to report the number of quit attempt times.		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0130
En los últimos 12 meses, la última vez que dejó de [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo], ¿por cuánto tiempo [los/la/lo] dejó?
1  __ __ __  Minutos
2  __ __ __  Horas
3  __ __ __  Días
4  __ __ __  Semanas
5  __ __ __  Meses
-8 DON'T KNOW GO TO R04_AN0300
-7 REFUSED GO TO R04_AN0300
ASK: Current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months.
DISPLAY: IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos" AND "los". IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla" AND "la". IF NDFILL3 = consumir snus, consumir tabaco que no se fuma; consumir tabaco, DISPLAY "dejarlo" and "lo".

<b>PATH ID:</b> R04_AN0130_LC1
La computadora registró que la última vez que usted trató de dejar de [ND FILL3] en los últimos 12 meses, usted lo dejó durante [R04_AN0130_NN] [días/semanas/meses].
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0130
2 NEXT GO TO R04_AN0135
ASK: IF (R04_AN0130_NN > 366 AND R04_AN0130_UN = 3) OR (R04_AN0130_NN > 52 AND R04_AN0130_UN = 4) OR (R04_AN0130_NN > 12 AND R04_AN0130_UN = 5).
DISPLAY: IF R04_AN0130 REPORTED IN DAYS, DISPLAY "días".
ELSE, IF R04_AN0130 REPORTED IN MONTHS DISPLAY "semanas".
ELSE, IF R04_AN0130 REPORTED IN WEEKS, DISPLAY "meses".

<b>PATH ID:</b> R04_AN0300
¿Fue por más de una semana, una semana o menos de una semana?
1 Más de una semana GO TO R04_AN0210
2 Una semana GO TO R04_AN0210
3 Menos de una semana GO TO R04_AN0210
-8 DON'T KNOW GO TO R04_AN0210
-7 REFUSED GO TO R04_AN0210
ASK: Current tobacco users (excluding e-products) who did not provide a duration for the last quit attempt.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0135**

¿Me puede dar una fecha aproximada de finalización de este último intento que duró [enter duration from R04\_AN0130]?

1 |\_\_|\_\_|\_\_| MES |\_\_|\_\_|\_\_| DÍA |\_\_|\_\_|\_\_|\_\_| AÑO

-8 DON'T KNOW

GO TO R04\_AN0140

-7 REFUSED

GO TO R04\_AN0140

ASK: Current tobacco users (excluding e-products) who provided a duration for the last quit attempt.

**PATH ID: R04\_AN0135\_LC1**

La computadora registró que la fecha final de su último intento de dejar de [ND FILL3] en los últimos 12 meses fue el [DATE ENTERED IN R04\_AN0135]. Esa es una fecha en el futuro. ¿Es correcta esa fecha final?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0135

2 NEXT

GO TO R04\_AN0140

ASK: IF R04\_AN0135 > TODAY'S DATE.

**PATH ID: R04\_AN0135\_LC2**

La computadora registró que la fecha final de su último intento de dejar de [ND FILL3] en los últimos 12 meses fue el [DATE ENTERED IN R04\_AN0135]. Eso fue hace más de 12 meses. ¿Es correcta esa fecha final?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AN0135

2 NEXT

GO TO R04\_AN0140

ASK: IF R04\_AN0135 < (TODAY'S DATE - 12 MONTHS).

**PATH ID: R04\_AN0135\_LC3**

Anote el año usando cuatro dígitos o números.

1 BACK

GO TO R04\_AN0135

ASK: IF R04\_AN0135 (YEARS) IS < 4 DIGITS.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AN0140</b>		
En los últimos 12 meses, ¿fue [DURATION OF LAST QUIT ATTEMPT] el periodo más largo que estuvo sin [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo]?		
1	Sí	GO TO BOX R04_ANR28
2	No	GO TO R04_AN0145
-8	DON'T KNOW	GO TO BOX R04_ANR28
-7	REFUSED	GO TO BOX R04_ANR28
ASK: Current tobacco users (excluding e-products) who provided a duration for the last quit attempt.		
DISPLAY: Fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R04_AN0130 (ex. "45 días")		
IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos".		
IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".		
IF NDFILL3 = consumir snus, consumir tabaco que no se fuma; consumir tabaco, DISPLAY "dejarlo".		

<b>PATH ID: R04_AN0257</b>		
Usted mencionó anteriormente que dejó de [ND FILL3] hace [ENTER LENGTH OF TIME SINCE LAST USE IN R04_A*1009]. ¿Es este el periodo más largo que ha estado sin [ND FILL3] en los últimos 12 meses?		
1	Sí	GO TO BOX R04_ANR28
2	No	GO TO R04_AN0145
-8	DON'T KNOW	GO TO BOX R04_ANR28
-7	REFUSED	GO TO BOX R04_ANR28
ASK: Recent former tobacco users (excluding e-products) who provided a valid response in R04_A*1009.		
DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R04_A*1009] with time entered (ex. "45 días") in corresponding R04_A*1009 item by product:		
IF R04_NDSKIP=0, 3:		
NC=R04_AC1009 NP=R04_AP1009		
NG=R04_AG1009 NH=R04_AH1009		
NL=R04_AG1009 NU=R04_AU1009		
NF=R04_AG1009 NS=R04_AS1009		
IF R04_NDSKIP = 1, 2:		
Use longest time period among R04_AC1009, R04_AG1009, R04_AP1009, R04_AH1009, R04_AU1009, R04_AS1009.		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0145</b>		
En los últimos 12 meses, ¿cuánto duró el periodo de tiempo más largo que dejó de [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo]?		
1	_ _ _ _  Minutos	
2	_ _ _ _  Horas	
3	_ _ _ _  Días	
4	_ _ _ _  Semanas	
5	_ _ _ _  Meses	
-8	DON'T KNOW	GO TO R04_AN0305
-7	REFUSED	GO TO R04_AN0305
ASK: Current and recent former tobacco users (excluding e-products) who said their last quit attempt was not their longest in the past 12 months and recent former tobacco users (excluding e-products) who did not provide a valid response in R04_A*1009.		
DISPLAY: IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos". IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".		
IF NDFILL3 = consumir snus, consumir tabaco que no se fuma; consumir tabaco, DISPLAY "dejarlo".		

<b>PATH ID:</b> <b>R04_AN0145_LC1</b>		
La computadora registró que usted dejó de [ND FILL3] por [R04_AN0145_NN] [días/semanas/meses].		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AN0145
2	NEXT	GO TO BOX R04_ANR28
ASK: IF (R04_AN0145_NN > 366 AND R04_AN0145_UN = 3) OR (R04_AN0145_NN > 52 AND R04_AN0145_UN = 4) OR (R04_AN0145_NN > 12 AND R04_AN0145_UN = 5).		
DISPLAY: IF R04_AN0145_UN = 3, DISPLAY "días",		
ELSE, IF R04_AN0145_UN = 4, DISPLAY "semanas".		
ELSE, IF R04_AN0145_UN = 5, DISPLAY "meses".		



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0305**

¿Fue por más de una semana, una semana o menos de una semana?

- 1 Más de una semana
- 2 Una semana
- 3 Menos de una semana
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who did not know or refused to report the duration for their longest quit in the past 12 months.

**BOX ID: R04\_ANR28**

Twelve month quit attempters, go to R04\_AN0210.  
Else, go to Box R04\_ANR04.

**PATH ID: R04\_AN0210**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los últimos 12 meses, ¿contó con el apoyo de sus amigos y familiares para ayudarlo a dejarlo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0215**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los últimos 12 meses. ¿Usó una de las siguientes opciones como ayuda? Consejería, una línea directa de ayuda para dejar el tabaco, libros, folletos, videos o un centro de tratamiento, clase o grupo de apoyo para dejar el tabaco o un programa disponible en la Web.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0225**

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los últimos 12 meses. ¿Usó otro producto de tabaco para ayudarse a [dejarlos/dejarla/dejarlo]?  
Escoja todas las opciones que correspondan.

- 1 No usé otro producto de tabaco para ayudarme a [dejarlos/dejarla/dejarlo]
- 2 Cigarrillos
- 3 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Tabaco para pipas
- 8 Hookah
- 9 Snus
- 10 Tabaco que no se fuma como el dip, el tabaco de mascar, el tabaco de inhalar o rapé
- 11 Tabaco que se disuelve
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year.

DISPLAY: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0125 > 1 OR R04\_AN0256 = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

UNDERLINE "últimos 12 meses".

IF NDFILL3 = fumar cigarrillos; fumar puros tradicionales; fumar puritos; fumar puros con filtro, DISPLAY "dejarlos".

IF NDFILL3 = fumar en pipa; fumar en hookah, DISPLAY "dejarla".

IF NDFILL3 = consumir snus, consumir tabaco que no se fuma; consumir tabaco, DISPLAY "dejarlo".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR04**

**If R04\_NDSKIP = 0, 1:**

Go to R04\_AN0330\_12M.

**If R04\_NDSKIP = 2, 3:**

Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year and already reported using NRT in the past 12 months, go to R04\_AN0150.

Else, current tobacco users (excluding e-products) who are twelve month reducers and already reported using NRT in the past 12 months, go to R04\_AN0811.

Else, experimental current tobacco users (excluding e-products) who already reported using NRT in the past 12 months, go to R04\_AN0811.

Else, respondents who already reported using NRT in the past 12 months, go to R04\_AN0336.

Else, go to Box R04\_ANR29.

**PATH ID: R04\_AN0330\_12M**

En los últimos 12 meses, ¿ha usado un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, and recent former tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users.

**BOX ID: R04\_ANR15**

Twelve month quit attempters who used NRT in the past 12 months, go to R04\_AN0150.

Else, twelve month reducers who used NRT in the past 12 months, go to R04\_AN0811.

Else, experimental current tobacco users (excluding e-products) who used NRT in the past 12 months, go to R04\_AN0811.

Else, respondents who have used NRT in the past 12 months, go to R04\_AN0336.

Else, go to Box R04\_ANR29.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0150</b>	
Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los <u>últimos 12 meses</u> . ¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?		
1	Sí	
2	No	GO TO R04_AN0336
-8	DON'T KNOW	GO TO R04_AN0336
-7	REFUSED	GO TO R04_AN0336
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used NRT in the past 12 months.		
DISPLAY: IF R04_AN0125 = 1, DISPLAY "la vez que trató de dejar de".		
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".		
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".		
ELSE, DISPLAY "la última vez que trató de dejar de".		
UNDERLINE "últimos 12 meses".		

<b>PATH ID:</b>	<b>R04_AN0155</b>	
¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para dejar de [ND FILL3] <u>por completo</u> ?		
1	Sí	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current and recent former tobacco users who used NRT to help them quit in the past 12 months.		
DISPLAY: UNDERLINE "por completo".		

<b>PATH ID:</b>	<b>R04_AN0811</b>	
¿Usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para aliviar o evitar los efectos secundarios después de dejar o disminuir su [ND FILL4]?		
1	Sí	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current and recent former tobacco users who used NRT to help them quit in the past 12 months and twelve month reducers and experimental current tobacco users, who have ever used NRT.		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0336
¿Cuál fue la razón principal por la que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?
1 Para dejar de [fumar/consumir] por completo
2 Para reducir la cantidad que [fuma/consume]
3 Para sobrellevar las veces en que no podía o no le permitían [fumar/consumir]
4 Otra razón (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current and recent former tobacco users (including ENDS and tobacco dual use) who have used NRT in the past 12 months.
DISPLAY: IF R04_CIG_USER_STATUS = 1, 4 OR R04_GTRAD_USER_STATUS = 1, 4 OR R04_GRILLO_USER_STATUS = 1, 4 OR R04_GFILTR_USER_STATUS = 1, 4 OR R04_PIPE_USER_STATUS = 1, 4 OR R04_HOOK_USER_STATUS = 1, 4, DISPLAY "fumar", "fuma" AND "fumar", IN RESPONSE OPTIONS.
ELSE, IF R04_SNUS_USER_STATUS = 1, 4, OR R04_SMKLS_USER_STATUS = 1, 4, DISPLAY "consumir", "consume" AND "consumir" IN RESPONSE OPTIONS.
ELSE, IF R04_CIG_USER_STATUS = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2, DISPLAY "fumar", "fuma" AND "fumar", IN RESPONSE OPTIONS.
ELSE, DISPLAY "consumir", "consume" AND "consumir" IN RESPONSE OPTIONS.
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>BOX ID:</b> R04_ANR05
Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used NRT in the past 12 months who did not use NRT to help them quit, go to Box R04_ANR06.
Else, current tobacco users who are twelve month reducers and experimental current tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users, go to R04_AN0307.
Else, current tobacco users who are twelve month reducers and experimental current tobacco users (excluding e-products), go to Box R04_ANR29.
Else, go to R04_AN0160.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0160**

¿Cuál es el medicamento que usó o tomó [la vez que trató de dejar de/la última vez que trató de dejar de/ cuando dejó de] [ND FILL3]? Escoja todas las opciones que correspondan.

- 1 Parche de nicotina
- 2 Chicle de nicotina
- 3 Inhalador de nicotina
- 4 Espray nasal con nicotina
- 5 Pastillas de chupar o píldoras de nicotina
- 6 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_ANR06

ASK: Current and recent former tobacco users (excluding e-products) who used NRT to help them quit in the past 12 months.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de fumar".

**PATH ID: R04\_AN0165**

En total, [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] [ND FILL3][ por completo], ¿por cuánto tiempo usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| SEMANAS
- 3 |\_\_|\_\_| MESES
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who used a listed NRT to help them quit.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND "por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

**BOX ID: R04\_ANR06**

If R04\_NDSKIP = 0 OR 1, go to R04\_AN0170

Else, if R04\_NDSKIP = 2, 3, go to Box R04\_ANR29.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0170	
Actualmente, ¿está usando o tomando un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?	
1 Sí	
2 No	GO TO R04_AN0307
-8 DON'T KNOW	GO TO R04_AN0307
-7 REFUSED	GO TO R04_AN0307
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months, and are not recent former or current ENDS users, and have used NRT in the past 12 months.	

<b>PATH ID:</b> R04_AN0251	
Aproximadamente, ¿cuánto tiempo ha estado usando o tomando un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?	
1  __ __  DÍAS	
2  __ __  MESES	
3  __ __  AÑOS	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months, who are not recent former or current ENDS users, who are currently using NRT.	

<b>PATH ID:</b> R04_AN0251_LC1	
La computadora registró que usted lleva usando o tomando productos con nicotina, como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para que le ayuden a dejar de [ND FILL3] por [R04_AN0251_NN] [días/meses/años].	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AN0251
2 NEXT	GO TO R04_AN0307
ASK: IF (R04_AN0251_NN > 99 AND R04_AN0251_UN = 1) OR (R04_AN0251_NN > 60 AND R04_AN0251_UN = 2) AND (R04_AN0251_NN > 5 AND R04_AN0251_UN = 3).	
DISPLAY: IF R04_AN0251_UN = 1, DISPLAY "días".	
ELSE, IF R04_AN0251_UN = 2, DISPLAY "meses".	
ELSE, IF R04_AN0251_UN = 3, DISPLAY "años".	



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0251_LC2
La computadora registró "cero" para la cantidad de tiempo que usted lleva usando o tomando productos con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras para que le ayuden a dejar de [ND FILL3].
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK <span style="float: right;">GO TO R04_AN0251</span>
2 NEXT
ASK: IF R04_AN0251 = 0.

<b>PATH ID:</b> R04_AN0307
¿Cuándo fue la última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?
1 Hace menos de una hora <span style="float: right;">GO TO R04_AN0309</span>
2 Hoy
3 Ayer
4 Hace dos días
5 Hace tres o más días <span style="float: right;">GO TO R04_AN0175</span>
-8 DON'T KNOW <span style="float: right;">GO TO R04_AN0331_12M</span>
-7 REFUSED <span style="float: right;">GO TO R04_AN0331_12M</span>
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT in the past 12 months.

<b>PATH ID:</b> R04_AN0308
La última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04_AN0307], ¿fue...?
1 Entre la medianoche y las 6 de la mañana
2 Entre las 6 de la mañana y el mediodía
3 Entre el mediodía y las 6 de la tarde
4 Entre las 6 de la tarde y la medianoche
-8 DON'T KNOW
-7 REFUSED
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0307]:
IF R04_AN0307 = 2, DISPLAY "hoy".
IF R04_AN0307 = 3, DISPLAY "ayer".
IF R04_AN0307 = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0309
Cuando usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04_AN0307], ¿cuántos usó o tomó?
1  __ __
-8 DON'T KNOW GO TO R04_AN0331_12M
-7 REFUSED GO TO R04_AN0331_12M
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT in the past hour, today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0307]:
IF R04_AN0307 = 1, 2, DISPLAY "hoy".
IF R04_AN0307 = 3, DISPLAY "ayer".
IF R04_AN0307 = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AN0309_LC1
La computadora registró que [hoy/ayer/hace dos días], usted usó o tomó el producto con nicotina, tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [R04_AN0309] veces. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0309
2 NEXT GO TO R04_AN0331_12M
ASK: IF R04_AN0309 > 5.
DISPLAY: IF R04_AN0307 = 1, 2, DISPLAY "hoy".
IF R04_AN0307 = 3, DISPLAY "ayer".
IF R04_AN0307 = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AN0309_LC2
La computadora registró que [hoy/ayer/hace dos días], usted usó o tomó el producto con nicotina, tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras cero veces. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0309
2 NEXT GO TO R04_AN0331_12M
ASK: IF R04_AN0309 = 0.
DISPLAY: IF R04_AN0307 = 1, 2, DISPLAY "hoy".
IF R04_AN0307 = 3, DISPLAY "ayer".
IF R04_AN0307 = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0175
¿Cuánto hace que dejó de usar o tomar un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?
1  __ __  DÍAS
2  __ __  MESES
3  __ __  AÑOS
-8 DON'T KNOW GO TO R04_AN0331_12M
-7 REFUSED GO TO R04_AN0331_12M
ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used NRT three or more days ago.

<b>PATH ID:</b> R04_AN0175_LC1
La computadora registró que usted dejó de tomar o usar el producto con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras hace [R04_AN0175_NN] [días/meses/años]. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0175
2 NEXT
ASK: IF ((R04_AN0175_NN > 31 OR R04_AN0175_NN < 3) AND R04_AN0175_UN = 1) OR (R04_AN0175_NN > 12 AND R04_AN0175_UN = 2) OR (R04_AN0175_NN > 1 AND R04_AN0175_UN = 3).
DISPLAY: IF R04_AN0175_UN = 1, DISPLAY "días", ELSE, IF R04_AN0175_UN = 2, DISPLAY "meses". ELSE, IF R04_AN0175_UN = 3, DISPLAY "años".

<b>BOX ID:</b> R04_ANR29
<b>If R04_NDSKIP = 0 or 1:</b> Go to R04_AN0331_12M.
<b>If R04_NDSKIP = 2 or 3:</b> Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year and already reported using prescription drugs in the past 12 months, go to R04_AN0180. Else, go to Box R04_ANR18.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0331_12M
En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos de venta con receta médica? Chantix, vareniclina, Wellbutrin, Zyban o bupropión?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current, experimental current, and recent former tobacco users (excluding e-products) who are not current, experimental current, or recent former ENDS users.

<b>BOX ID:</b> R04_ANR07
Twelve month quit attempters who used a prescription drug in the past twelve months, go to R04_AN0180.
Else, current, recent former, and experimental current tobacco users (excluding e-products) who used a prescription drug in the past twelve months, go to R04_AN0327.
Else, go to Box R04_ANR18.

<b>PATH ID:</b> R04_AN0180
Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los <u>últimos 12 meses</u> . ¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_ANR08
GO TO BOX R04_ANR08
GO TO BOX R04_ANR08
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past 12 months and have used a prescription drug to stop smoking.
DISPLAY: IF R04_AN0125 = 1, DISPLAY "la vez que trató de dejar de".
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".
ELSE, DISPLAY "la última vez que trató de dejar de".
UNDERLINE "últimos 12 meses".

<b>PATH ID:</b> R04_AN0185
¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión para dejar de [ND FILL3] por completo?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0190**

¿Cuál es el medicamento con receta que usó o tomó [la vez que trató de dejar de/la última vez que trató de dejar de/ cuando dejó de] [ND FILL3]? Escoja todas las opciones que correspondan.

- 1 Chantix o vareniclina
- 2 Wellbutrin, Zyban, o bupropión
- 3 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_ANR08

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

**PATH ID: R04\_AN0195**

En total, [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] [ND FILL3][ por completo], ¿por cuánto tiempo tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| SEMANAS
- 3 |\_\_|\_\_| MESES
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a listed prescription drug to help them.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R04\_AN0125 > 1 OR R04\_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_ANR08</b>
<b>If R04_NDSKIP = 0 OR 1:</b> If the respondents attempted to quit in the past year and used a prescription drug to help them, go to R04_AN0200. Else, if the respondent used a prescription drug in the past 12 months, go to R04_AN0327.
<b>If R04_NDSKIP = 2 OR 3:</b> Go to Box R04_ANR18.

<b>PATH ID:</b> <b>R04_AN0200</b>
Actualmente, ¿está tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AN0327
GO TO R04_AN0327
GO TO R04_AN0327
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them, who are not recent former or current ENDS users.

<b>PATH ID:</b> <b>R04_AN0252</b>
Aproximadamente, ¿cuánto tiempo ha estado tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?
1     __ __  DÍAS
2     __ __  MESES
3     __ __  AÑOS
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AN0327
GO TO R04_AN0327
ASK: Current and recent former tobacco users (excluding e-products) who attempted to quit in the past year who used a prescription drug to help them and are currently using a prescription drug, who are not recent former or current ENDS users.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0328**

La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04\_AN0327], ¿fue ...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used a prescription drug today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0327]:

IF R04\_AN0327 = 4, DISPLAY "hace dos días".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04\_AN0327, MAKING FIRST LETTER LOWERCASE.

**PATH ID: R04\_AN0329**

Cuando tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04\_AN0327], ¿cuántas píldoras tomó?

1 |\_\_|\_\_|

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04\_ANR18

GO TO BOX R04\_ANR18

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, and have used a prescription drug in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0327]:

IF R04\_AN0327 = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0327 = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0327 = 4, DISPLAY "hace dos días".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0329\_LC1**

La computadora registró que [hoy/ayer/hace dos días], usted tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [R04\_AN0329] veces.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                     |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0329    |
| 2 | NEXT | GO TO BOX R04_ANR18 |

ASK: IF R04\_AN0329 = 0 OR IF R04\_AN0329 > 5.

DISPLAY: IF R04\_AN0327 = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0327 = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0327 = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0205**

¿Cuánto hace que dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 |\_\_|\_\_| DÍAS
- 2 |\_\_|\_\_| MESES
- 3 |\_\_|\_\_| AÑOS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, recent former, and experimental current tobacco users, who did not complete the ENDS module, who used prescription drugs three or more days ago.

**PATH ID: R04\_AN0205\_LC1**

La computadora registró que usted dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión hace [R04\_AN0205] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                  |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0205 |
| 2 | NEXT |                  |

ASK: IF (R04\_AN0205\_NN > 31 AND R04\_AN0205\_UN = 1) OR (R04\_AN0205\_NN > 12 AND R04\_AN0205\_UN = 2) OR (R04\_AN0205\_NN > 1 AND R04\_AN0205\_UN = 3).

DISPLAY: IF R04\_AN0205\_UN = 1, DISPLAY "días".

ELSE, IF R04\_AN0205\_UN = 2, DISPLAY "meses".

ELSE, IF R04\_AN0205\_UN = 3, DISPLAY "años".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ANR18**

Current and recent former tobacco users (excluding e-products) who attempted to quit or cut down in the past 12 months, go to Box R04\_AND03.

Else, current tobacco users (excluding e-products), go to R04\_AN0230.

Else, experimental current tobacco users (excluding e-products), go to R04\_AX0006.

Else, go to Box R04\_ART01.

**BOX ID: R04\_AND03**

Display question R04\_AN0804, R04\_AN0805, R04\_AN0806, R04\_AN0807, R04\_AN0808, R04\_AN0809, R04\_AN0810, on one screen. Show the transition text and question stem from R04\_AN0804 first, then show each item with the sí/no responses. As each item is answered, show the next one.

**PATH ID: R04\_AN0804**

Las siguientes preguntas son acerca de cómo se sintió días después de [tratar de dejar de/la última vez que trató de dejar de/dejar de/redujo el] [ND FILL3] en los últimos 12 meses.

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...  
¿se sintió deprimido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

DISPLAY: IF R04\_AN0125 = 1, DISPLAY "tratar de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R04\_TOBXEPROD\_USER\_STATUS = 4, DISPLAY "dejar de".

ELSE, IF R04\_TWELVEMONTHQUIT\_STATUS = 2, DISPLAY "redujo el".

**BOX ID: R04\_AND04**

Randomize order of R04\_AN0805 - R04\_AN0809.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AN0805</b>
En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted... ¿tuvo dificultad para dormir?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID:</b> <b>R04_AN0806</b>
En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted... ¿tuvo dificultad para concentrarse?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID:</b> <b>R04_AN0807</b>
En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted... ¿comió más de lo normal o subió de peso?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

<b>PATH ID:</b> <b>R04_AN0808</b>
En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted... ¿se irritó, molestó o frustró fácilmente?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0809**

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...  
¿se sintió ansioso o nervioso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**PATH ID: R04\_AN0810**

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...  
¿se sintió más inquieto de lo habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and recent former tobacco users (excluding e-products) who are twelve month quit attempters and current tobacco users (excluding e-products) who are twelve month reducers.

**BOX ID: R04\_ANR21**

Current tobacco users (excluding e-products), go to R04\_AN0230.  
Else, go to R04\_AX0006.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0230**

En general, usando una escala del 1 al 10, en donde 1 = no estoy interesado en absoluto y 10 = estoy extremadamente interesado, dígame ¿qué tan interesado está en dejar el [ND FILL 4]? Seleccione una cantidad del 1 al 10.

- 1 No estoy interesado en absoluto
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Estoy extremadamente interesado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0235**

¿Tiene planificado dejar de [ND FILL3] para siempre?

- 1 Sí
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AX0006  
GO TO R04\_AX0006  
GO TO R04\_AX0006

ASK: Current tobacco users (excluding e-products).

**PATH ID: R04\_AN0240**

¿Cuándo tiene planificado dejar de [ND FILL3] para siempre?

- 1 En los próximos 7 días
  - 2 En los próximos 30 días
  - 3 En los próximos 6 meses
  - 4 El próximo año
  - 5 En más de un año
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO R04\_AX0006  
GO TO R04\_AX0006  
GO TO R04\_AX0006  
GO TO R04\_AX0006

ASK: Current tobacco users (excluding e-products) who say they plan to quit for good.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0245**

Si de hecho tratara de dejar de [ND FILL3] por completo dentro de los próximos 6 meses, ¿qué tan probable cree que es que tenga éxito?

- 1 Nada en absoluto
- 2 Muy poco probable
- 3 Es algo probable
- 4 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (excluding e-products) who have some interest in quitting in the next 6 months.

**PATH ID: R04\_AX0006**

Si tuviera que volver a hacerlo, ¿volvería a fumar o consumir tabaco [(sin incluir cigarrillos electrónicos u otros productos electrónicos con nicotina)]?

- 1 Definitivamente no
- 2 Probablemente no
- 3 Probablemente sí
- 4 Definitivamente sí
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former tobacco users (excluding e-products).

DISPLAY: IF R04\_NDSKIP 2, 3, DISPLAY " (sin incluir cigarrillos electrónicos u otros productos electrónicos con nicotina)".

ELSE, DO NOT DISPLAY.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## PACKAGING AND HEALTH WARNINGS

**BOX ID: R04\_ART01**

Las siguientes preguntas son acerca de cosas que posiblemente haya visto o leído acerca de los productos de tabaco.

**PATH ID: R04\_AR0141**

En los últimos 12 meses, ¿con qué frecuencia ha visto una lista de los productos químicos que contienen los productos de tabaco?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AR0142**

En los últimos 12 meses, ¿con qué frecuencia ha pensado en las sustancias químicas que contienen los productos de tabaco?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR01**

If current user of roll-your-own cigarettes, go to R04\_AR0095.  
Else, go to R04\_AR0005.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0095**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes para armar sus propios cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current cigarette smokers who buy roll-your-own tobacco.

**PATH ID: R04\_AR0005**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en las cajetillas de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR03**

Current and experimental current cigarette smokers who have noticed health warnings on cigarette packs, go to R04\_AR0202.

Else, experimental former, recent former, and long-term former cigarette smokers who have noticed health warnings on cigarette packs, go to R04\_AR0040.

Else, respondents who have never smoked cigarettes and have noticed the health warnings on cigarette packs, go to R04\_AR0055.

Else, go to R04\_AR0110.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0202**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en las cajetillas de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed the health warnings in the past 30 days.

**PATH ID: R04\_AR0010**

En los últimos 30 días, cuando iba a fumar un cigarrillo ¿con qué frecuencia ha dejado de fumar al ver las advertencias de riesgo para la salud?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0015**

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud en las cajetillas de cigarrillos? Por ejemplo, ¿las ha tapado o escondido, ha usado un estuche para sus cajetillas, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarette smokers who have noticed health warnings in the past 30 days.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0055**

Las advertencias de riesgo para la salud en los paquetes de cigarrillos, ¿disminuyen su probabilidad de empezar a fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0110**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR06**

Current and experimental current e-product users who have noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products in the past 30 days, go to R04\_AR0222.

Else, go to R04\_AR0115.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0222**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0226**

Las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar estos productos?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current e-product users who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0115**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puros tradicionales?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ARR07**

Current and experimental current traditional cigar smokers who have noticed health warnings on packages of traditional cigars in the past 30 days, go to R04\_AR0229.  
Else, go to R04\_AR0120.

**PATH ID: R04\_AR0229**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puros tradicionales?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current traditional cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0233**

Las advertencias de riesgo para la salud en los paquetes de puros tradicionales, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current traditional cigar smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0120**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puritos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR08**

Current and experimental current cigarillo smokers who have noticed health warnings on packages of cigarillos in the past 30 days, go to R04\_AR0236.

Else, go to R04\_AR0125.

**PATH ID: R04\_AR0236**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puritos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarillo smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0240**

Las advertencias de riesgo para la salud en los paquetes de puritos, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current cigarillo smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0125**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puros con filtro?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR09**

Current and experimental current filtered cigar smokers who have noticed health warnings on packages of filtered cigars in the past 30 days, go to R04\_AR0243.

Else, go to R04\_AR0130.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0243**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puros con filtro?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current filtered cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0247**

Las advertencias de riesgo para la salud en los paquetes de puros con filtro, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current filtered cigar smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0130**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de tabaco para pipa?

[SHOW GENERIC IMAGE OF PIPES AND PIPE TOBACCO]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0135**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de shisha o tabaco para hookah?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_APR35**

Current and experimental current hookah users who have noticed health warnings on packages of shisha or hookah tobacco in the past 30 days, go to R04\_AR0250.

Else, go to R04\_AR0206.

**PATH ID: R04\_AR0250**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de shisha o tabaco para hookah?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current hookah smokers who have noticed health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0254**

Las advertencias de riesgo para la salud en los paquetes de shisha o tabaco para hookah, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current hookah smokers who have noticed health warnings in the past 30 days.

**PATH ID: R04\_AR0206**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los envases de snus?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR04**

Current and experimental current snus users who have noticed health warnings on snus containers, go to R04\_AR0207.

Else, experimental former, recent former, and long-term former snus users who have noticed health warnings, go to R04\_AR0212.

Else, go to R04\_AR0060.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0207**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los envases de snus?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0208**

En los últimos 30 días, cuando iba a consumir un producto de snus, ¿con qué frecuencia ha dejado de consumirlo al ver las advertencias de riesgo para la salud?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0209**

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud de los envases de snus? Por ejemplo, ¿las ha tapado o escondido, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0210**

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud en los envases de snus?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0211**

Las advertencias de riesgo para la salud en los envases de snus, ¿le hacen pensar acerca de los riesgos para la salud que implica el consumo de snus?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current snus users who have noticed snus health warnings in the past 30 days.

**PATH ID: R04\_AR0212**

Las advertencias de riesgo para la salud en los envases de snus, ¿le hacen [tener más probabilidades de dejar de consumir snus/tener más probabilidades de no volver a consumir snus]?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, recent former and long-term former snus users, who have noticed health warnings in the past 30 days.

DISPLAY: IF R04\_SNUS\_USER\_STATUS = 1, 2, DISPLAY "tener más probabilidades de dejar de consumir snus".

ELSE, DISPLAY "tener más probabilidades de no volver a consumir snus".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0060**

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de otros productos de tabaco que no se fuma, tales como el dip, el tabaco de mascar o el tabaco de inhalar o rapé?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_ARR05**

Current and experimental current smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco, go to R04\_AR0205.

Else, experimental former, recent former, and long-term former smokeless tobacco users who have noticed health warnings, go to R04\_AR0090.

Else, go to Box R04\_AXT03.

**PATH ID: R04\_AR0205**

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de tabaco que no se fuma?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0065**

En los últimos 30 días, cuando iba a consumir un producto de tabaco que no se fuma, ¿con qué frecuencia ha dejado de consumirlo al ver las advertencias de riesgo para la salud?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0070**

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud de los paquetes de productos de tabaco que no se fuma? Por ejemplo, ¿las ha tapado o escondido, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0075**

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud de los paquetes de tabaco que no se fuma?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR0085**

Las advertencias de riesgo para la salud, ¿le hacen pensar en los riesgos que implica para la salud el consumir productos de tabaco que no se fuma?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current smokeless tobacco users who have noticed smokeless health warnings in the past 30 days.

**PATH ID: R04\_AR0090**

Las advertencias de riesgo para la salud en los paquetes de productos de tabaco que no se fuma, ¿le hacen tener más probabilidades de [dejar de/no volver a] consumir productos de tabaco que no se fuma?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, recent former and long-term former smokeless tobacco users, who have noticed health warnings in the past 30 days.

DISPLAY: IF R04\_SMKLS\_USER\_STATUS = 1, 2, DISPLAY "dejar de".

ELSE, DISPLAY "no volver a".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## **RISK PERCEPTIONS AND ATTITUDES**

**BOX ID: R04\_AXT03**

En las siguientes preguntas le pedimos su opinión sobre el consumo de tabaco, incluyendo cigarrillos electrónicos y otros productos electrónicos con nicotina.

**PATH ID: R04\_AX0722**

¿Qué tan dañina cree que es la nicotina para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AN0250**

¿Cree usted que la nicotina es la sustancia principal en el tabaco que hace que la gente desee consumir productos de tabaco?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0723**

¿Cree que un producto de tabaco que se describe como **sin aditivos** es menos dañino, igual de dañino o más dañino que un producto normal de tabaco?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "sin aditivos".

**PATH ID: R04\_AX0724**

¿Cree que un producto de tabaco que se describe como **orgánico** es menos dañino, igual de dañino o más dañino que un producto normal de tabaco?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "orgánico".

**BOX ID: R04\_AXR10**

If current or experimental current user of tobacco, go to R04\_AX0004.  
Else, go to R04\_AC9050.

**PATH ID: R04\_AX0004**

En los últimos 30 días, ¿con qué frecuencia pensó en el daño que su consumo de tabaco le puede estar causando?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current users of tobacco.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AC9050</b>
¿Qué tan dañinos cree que son los cigarrillos para la salud?
1 No son dañinos en absoluto
2 Muy poco dañinos
3 Algo dañinos
4 Muy dañinos
5 Son extremadamente dañinos
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AC1149</b>
¿Qué tan dañina cree que es la <u>nicotina</u> en los cigarrillos para la salud?
1 No es dañina en absoluto
2 Muy poco dañina
3 Algo dañina
4 Muy dañina
5 Es extremadamente dañina
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "nicotina".

<b>PATH ID:</b> <b>R04_AC9046</b>
Según su opinión, ¿cree usted que algunos tipos de cigarrillos son menos dañinos para la salud de una persona que otros tipos de cigarrillos?
1 Sí
2 No
3 No sé
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXR78</b>
New baseline respondents, go to R04_AC9040_NB.
Else, go to R04_AC9047.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9047**

Según su opinión, ¿cree usted que los cigarrillos con niveles más bajos de nicotina son menos dañinos, igual de dañinos o más dañinos para la salud de una persona que los cigarrillos normales?

- 1 Menos dañinos
- 2 Igual de dañinos
- 3 Más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9051**

Según su opinión, ¿cree usted que los cigarrillos con niveles más bajos de nicotina son menos adictivos, igual de adictivos o más adictivos para la salud de una persona que los cigarrillos normales?

- 1 Menos adictivos
- 2 Igual
- 3 Más adictivos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR11**

If current or experimental current user of cigarettes, go to R04\_AC9055.  
Else, go to R04\_AC1170.

**PATH ID: R04\_AC9055**

En los últimos 30 días, ¿ha apagado su cigarrillo antes de terminarlo debido a que pensó sobre el daño que causa fumar?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current users of cigarettes.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC1170**

¿Cuánto daño cree usted que se hacen las personas cuando fuman cigarrillos algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC1110**

¿Qué tan dañinos cree que son los cigarrillos de hoy comparados con los de hace cinco años?

- 1 Mucho menos dañinos
- 2 Algo menos dañinos
- 3 Igual de dañinos
- 4 Algo más dañinos
- 5 Mucho más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9120**

¿Cree usted que la nicotina es la sustancia química que causa la mayoría del cáncer causado por el consumo de cigarrillos?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AE9050**

¿Qué tan dañinos cree que son los cigarrillos electrónicos u otros productos electrónicos con nicotina para la salud?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AV1149**

¿Qué tan dañina cree que es la nicotina en los cigarrillos electrónicos u otros productos electrónicos con nicotina para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotina".

**PATH ID: R04\_AV1170**

¿Cuánto daño cree usted que se hacen las personas cuando fuman cigarrillos electrónicos u otros productos electrónicos con nicotina algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AV1669</b>	
En los últimos 12 meses, ¿ha visto algún <u>cigarrillo electrónico u otro producto electrónico con nicotina</u> que afirma ser menos dañino?		
1	Sí	
2	No	GO TO R04_AE1099
-8	DON'T KNOW	GO TO R04_AE1099
-7	REFUSED	GO TO R04_AE1099
ASK: All adult respondents.		
DISPLAY: UNDERLINE "cigarrillos electrónicos u otros productos electrónicos con nicotina".		

<b>PATH ID:</b>	<b>R04_AV1670</b>	
¿Cuál es la probabilidad de que usted vaya a fumar uno de esos <u>cigarrillos electrónicos u otros productos electrónicos con nicotina</u> que afirman ser menos dañinos dentro de los próximos 30 días?		
1	Es muy probable	
2	Es algo probable	
3	Es muy poco probable	
4	No es muy probable	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have seen an e-product that claims to be less harmful.		
DISPLAY: UNDERLINE "cigarrillos electrónicos u otros productos electrónicos con nicotina".		

<b>PATH ID:</b>	<b>R04_AE1099</b>	
¿Fumar <u>cigarrillos electrónicos u otros productos electrónicos con nicotina</u> es menos dañino, igual de dañino o más dañino que fumar <u>cigarrillos</u> ?		
1	Menos dañino	
2	Igual de dañino	
3	Más dañino	
-8	DON'T KNOW	
-7	REFUSED	
ASK: All adult respondents.		
DISPLAY: UNDERLINE "cigarrillos electrónicos u otros productos electrónicos con nicotina" AND "cigarrillos".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AV1148**

Algunos cigarrillos electrónicos y otros productos electrónicos con nicotina vienen en sabores como mentol, menta, clavo de olor, especias, dulce, fruta, chocolate, bebidas alcohólicas u otros sabores dulces. Otros cigarrillos electrónicos u otros productos electrónicos con nicotina tienen sabor a tabaco o no tienen sabor.

¿Cree que fumar cigarrillos electrónicos con sabor a mentol o menta es menos dañino, igual de dañino o más dañino que fumar cigarrillos electrónicos con sabor a tabaco o sin sabor?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "mentol", "menta", "sabor a tabaco" AND "sin sabor".

**PATH ID: R04\_AV1152**

¿Cree que fumar cigarrillos electrónicos con otro sabor (aparte de mentol o menta) es menos dañino, igual de dañino o más dañino que fumar cigarrillos electrónicos con sabor a tabaco o sin sabor?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "con otro sabor", "aparte de mentol o menta", "sabor a tabaco" AND "sin sabor".

**PATH ID: R04\_AG9050**

¿Qué tan dañinos cree que son los puros tradicionales o "grandes" para la salud?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9060**

¿Cuánto daño cree usted que se hacen las personas cuando fuman puros tradicionales algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1099**

¿Fumar puros tradicionales es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "puros tradicionales" AND "cigarrillos".

**PATH ID: R04\_AG9054**

¿Qué tan dañinos cree que son los puritos para la salud?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AG9061</b>
¿Cuánto daño cree usted que se hacen las personas cuando fuman puritos algunos días pero no todos los días?
1   Ningún daño
2   Muy poco daño
3   Algo de daño
4   Mucho daño
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AG1106</b>
¿Fumar <u>puritos</u> es menos dañino, igual de dañino o más dañino que fumar <u>cigarrillos</u> ?
1   Menos dañino
2   Igual de dañino
3   Más dañino
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "puritos" AND "cigarrillos".

<b>PATH ID:</b> <b>R04_AG9055</b>
¿Qué tan dañinos cree que son los puros con filtro para la salud?
[SHOW GENERIC IMAGE OF FILTERED CIGARS]
1   No son dañinos en absoluto
2   Muy poco dañinos
3   Algo dañinos
4   Muy dañinos
5   Son extremadamente dañinos
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AG9062**

¿Cuánto daño cree usted que se hacen las personas cuando fuman puros con filtro algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AG1107**

¿Fumar puros con filtro es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "puros con filtro" AND "cigarrillos".

**PATH ID: R04\_AG1110**

¿Qué tan dañinos cree que son los puros tradicionales, puritos o puros con filtro de hoy comparados con los de hace cinco años?

- 1 Mucho menos dañinos
- 2 Algo menos dañinos
- 3 Igual de dañinos
- 4 Algo más dañinos
- 5 Mucho más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AP1170**

¿Cuánto daño cree usted que se hacen las personas cuando fuman tabaco para pipas algunos días pero no todos los días?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AP1099**

¿Fumar tabaco en pipa es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "tabaco en pipa" AND "cigarrillos".

**PATH ID: R04\_AH9050**

¿Qué tan dañina cree que es la shisha o tabaco para hookah para la salud?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AH9044**

¿Qué tan dañino cree que es estar cerca de personas que están fumando shisha o tabaco para hookah?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañinos
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AH1170**

¿Cuánto daño cree usted que se hacen las personas cuando fuman hookah algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AH1099**

¿Fumar tabaco en hookah es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "tabaco en hookah" AND "cigarrillos".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU9050**

¿Qué tan dañino cree que es el snus para la salud?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AU1105**

¿Consumir snus es menos dañino, igual de dañino o más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "snus" and "cigarrillos".

**PATH ID: R04\_AU1170**

¿Cuánto daño cree usted que se hacen las personas cuando consumen snus algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AU1669</b>	
En los últimos 12 meses, ¿ha visto algunos <u>productos de snus</u> que afirman ser menos dañinos?		
1	Sí	
2	No	GO TO R04_AU9040
-8	DON'T KNOW	GO TO R04_AU9040
-7	REFUSED	GO TO R04_AU9040
ASK: All adult respondents.		
DISPLAY: UNDERLINE "productos de snus".		

<b>PATH ID:</b>	<b>R04_AU1670</b>	
¿Cuál es la probabilidad de que usted vaya a consumir uno de esos <u>productos de snus</u> que afirman ser menos dañinos dentro de los próximos 30 días?		
1	Es muy probable	
2	Es algo probable	
3	Es muy poco probable	
4	No es muy probable	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have seen snus products that claim to be less harmful.		
DISPLAY: UNDERLINE "productos de snus".		

<b>PATH ID:</b>	<b>R04_AU9040</b>	
¿Consumir <u>snus</u> es menos dañino, igual de dañino o más dañino que consumir <u>otros tipos de productos de tabaco que no se fuma</u> (como dip, spit o tabaco de mascar)?		
1	Menos dañino	
2	Igual de dañino	
3	Más dañino	
-8	DON'T KNOW	
-7	REFUSED	
ASK: All adult respondents.		
DISPLAY: UNDERLINE "snus" AND "otros tipos de productos de tabaco que no se fuma".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AU1110**

¿Qué tan dañinos cree que son los productos de snus de hoy comparados con los de hace cinco años?

- 1 Mucho menos dañinos
- 2 Algo menos dañinos
- 3 Igual de dañinos
- 4 Algo más dañinos
- 5 Mucho más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AS9050**

¿Qué tan dañinos cree que son otros tipos de productos de tabaco que no se fuma (como dip, spit o tabaco de mascar) para la salud?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AS1170**

¿Cuánto daño cree usted que se hacen las personas cuando consumen otros productos de tabaco que no se fuma (como dip, spit o tabaco de mascar) algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AS1669</b>	
En los últimos 12 meses, ¿ha visto otros tipos de <u>productos de tabaco que no se fuma</u> (como dip, spit o tabaco de mascar) que afirman ser menos dañinos?		
1	Sí	
2	No	GO TO R04_AS1105
-8	DON'T KNOW	GO TO R04_AS1105
-7	REFUSED	GO TO R04_AS1105
ASK: All adult respondents.		
DISPLAY: UNDERLINE "productos de tabaco que no se fuma".		

<b>PATH ID:</b>	<b>R04_AS1670</b>	
¿Cuál es la probabilidad de que usted vaya a consumir uno de esos <u>productos de tabaco que no se fuma</u> (como dip, spit o tabaco de mascar) que afirman ser menos dañinos dentro de los próximos 30 días?		
1	Es muy probable	
2	Es algo probable	
3	Es muy poco probable	
4	No es muy probable	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful.		
DISPLAY: UNDERLINE "productos de tabaco que no se fuma".		

<b>PATH ID:</b>	<b>R04_AS1105</b>	
¿Consumir <u>tabaco que no se fuma</u> (como dip, spit o tabaco de mascar) es menos dañino, igual de dañino o más dañino que fumar <u>cigarrillos</u> ?		
1	Menos dañino	
2	Igual de dañino	
3	Más dañino	
-8	DON'T KNOW	
-7	REFUSED	
ASK: All adult respondents.		
DISPLAY: UNDERLINE "tabaco que no se fuma" AND "cigarrillos".		



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AS1110**

¿Qué tan dañinos cree que son los productos de tabaco que no se fuma (como dip, spit o tabaco de mascar) de hoy comparados con los de hace cinco años?

- 1 Mucho menos dañinos
- 2 Algo menos dañinos
- 3 Igual de dañinos
- 4 Algo más dañinos
- 5 Mucho más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0759**

Algunas veces las personas que están tratando de dejar de consumir tabaco usan productos que reemplazan la nicotina tales como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras.

¿Qué tan dañina cree que es la nicotina en estos productos para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotina".

**PATH ID: R04\_AV9055**

¿Cree que fumar cigarrillos electrónicos u otros productos electrónicos con nicotina es menos dañino, igual de dañino o más dañino que usar un producto con nicotina como parches, chicles o pastillas de chupar?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ACD02**

Display question R04\_AC9060, R04\_AC9065, R04\_AC9070, R04\_AC9075, R04\_AC9043, R04\_AC9080, R04\_AC9085, R04\_AC9090, R04\_AC9044, R04\_AC9100, R04\_AC9105, R04\_AC9110, R04\_AC9115 on one screen (if size allows) using the expanded WVB stem-leaf screen. Show the intro/transition text from R04\_AC9060 first, then show each item with responses. As each item is answered, show the next one.

**PATH ID: R04\_AC9060**

De acuerdo con lo que usted cree, ¿qué tan de acuerdo o en desacuerdo está con las siguientes afirmaciones?

Fumar puede causar...

derrame cerebral en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents. (Note - The list of health effects should include the diseases that are featured on the new health warnings if/when they come on cigarette packs, thus these current questions are subject to change based on this future information.)

**PATH ID: R04\_AC9065**

cáncer pulmonar en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9070**

enfermedad del corazón en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9075**

ceguera en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9043**

diabetes en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9080**

mala circulación (también llamada enfermedad vascular periférica) en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9085**

cáncer de vejiga en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9090**

cáncer de boca en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9044**

cáncer de hígado en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9100**

enfermedad pulmonar (como enfisema) en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9105**

enfermedad pulmonar en los no fumadores debido al humo de tabaco ajeno.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AC9110**

ataque al corazón en los no fumadores debido al humo de tabaco ajeno.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AC9115**

daños a los fetos (o los niños no nacidos) durante el embarazo debido al humo de tabaco ajeno.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## **MEDIA USE**

**BOX ID: R04\_AXT04**

Las siguientes preguntas son acerca de su uso de televisión, radio, Internet y teléfonos celulares.

**PATH ID: R04\_AX0494**

En un día normal entre semana, ¿aproximadamente cuánto tiempo pasa mirando televisión y videos en Internet que incluyen comerciales?

- 1 Ninguno
- 2 Media hora o menos
- 3 Aproximadamente una hora
- 4 Aproximadamente 2 horas
- 5 Aproximadamente 3 horas
- 6 Aproximadamente 4 horas
- 7 Aproximadamente 5 horas
- 8 Aproximadamente 6 horas
- 9 7 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "entre semana".

**PATH ID: R04\_AX0495**

En un día normal de fin de semana, ¿aproximadamente cuánto tiempo pasa mirando televisión y videos en Internet que incluyen comerciales?

- 1 Ninguno
- 2 Menos de una hora
- 3 Una a 2 horas
- 4 3 a 4 horas
- 5 5 a 6 horas
- 6 7 a 8 horas
- 7 9 a 10 horas
- 8 11 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "fin de semana".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0060**

En un día normal entre semana, ¿cuánto tiempo pasa oyendo la radio u oyendo emisoras de radio en Internet que incluyen comerciales?

- 1 Ninguno
- 2 Media hora o menos
- 3 Aproximadamente una hora
- 4 Aproximadamente 2 horas
- 5 Aproximadamente 3 horas
- 6 Aproximadamente 4 horas
- 7 Aproximadamente 5 horas
- 8 Aproximadamente 6 horas
- 9 7 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "entre semana".

**PATH ID: R04\_AX0061**

En un día normal de fin de semana, ¿cuánto tiempo pasa oyendo la radio u oyendo emisoras de radio en Internet que incluyen comerciales?

- 1 Ninguno
- 2 Menos de una hora
- 3 Una a 2 horas
- 4 3 a 4 horas
- 5 5 a 6 horas
- 6 7 a 8 horas
- 7 9 a 10 horas
- 8 11 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "fin de semana".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0062**

Algunas veces la gente usa el Internet para comunicarse con otras personas en línea mediante redes sociales como Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest o Snapchat. A esto se le suele llamar "redes sociales".

¿Tiene una cuenta en una red social?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AXR12 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR12 |
| -7 | REFUSED    | GO TO BOX R04_AXR12 |

ASK: All adult respondents.

**PATH ID: R04\_AX0317**

¿Con que frecuencia visita sus cuentas en redes sociales?

- |    |                        |                     |
|----|------------------------|---------------------|
| 1  | Más de una vez al día  |                     |
| 2  | Una vez al día         |                     |
| 3  | 3 a 5 días a la semana |                     |
| 4  | 1 a 2 días a la semana |                     |
| 5  | Cada pocas semanas     |                     |
| 6  | Con menos frecuencia   |                     |
| 7  | Nunca                  | GO TO BOX R04_AXR12 |
| -8 | DON'T KNOW             |                     |
| -7 | REFUSED                |                     |

ASK: Adult respondents who have a social media account.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0686**

En los últimos 12 meses, ¿ha hecho clic en "Me gusta" o en "Seguir" a alguna de las siguientes marcas de un producto de tabaco, cigarrillo electrónico u otro producto electrónico con nicotina en Facebook, Twitter u otros sitios de redes sociales? Escoja todas las opciones que correspondan.

- 0 No he hecho clic en "Me gusta" ni en "Seguir" a ninguna marca en redes sociales
- 1 Camel
- 2 Marlboro
- 3 Newport
- 4 American Spirit
- 5 Vuse
- 6 Blu
- 7 Logic
- 8 MarkTen
- 9 NJOY
- 10 eGo
- 11 iTaste
- 12 Black & Mild
- 13 Swisher Sweets
- 14 Dutch Masters
- 15 Phillies Blunts
- 16 Zig Zag
- 17 Skoal
- 18 Redman
- 19 Grizzly
- 20 Copenhagen
- 21 Otra marca (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a social media account (excluding those who never visit their social media account).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AXR12**

Adult respondents who have ever used tobacco or e-products and have spent time on the internet, go to R04\_AX0505.

Else, go to Box R04\_AXT05.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0505**

¿Ha usado alguna vez una aplicación en una tableta o teléfono inteligente (smartphone) como ayuda para dejar de consumir productos de tabaco, cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco or e-product who report spending time on the internet.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## **SECONDHAND SMOKE EXPOSURE**

**BOX ID: R04\_AXT05**

Las siguientes preguntas son acerca del consumo de tabaco en su trabajo y su casa.

**PATH ID: R04\_AM0014**

¿Cuál de las siguientes afirmaciones describe mejor su trabajo actual o su condición de empleo pagado?

- |   |                      |
|---|----------------------|
| 1 Trabajo a tiempo completo por lo menos 35 horas a la semana |                      |
| 2 Trabajo a medio tiempo de 15 a 34 horas a la semana         |                      |
| 3 Trabajo a medio tiempo menos de 15 horas a la semana        |                      |
| 4 Actualmente no trabajo por paga                             | GO TO BOX R04_AXR117 |
| -8 DON'T KNOW   | GO TO BOX R04_AXR117 |
| -7 REFUSED  | GO TO BOX R04_AXR117 |

ASK: All adult respondents.

**PATH ID: R04\_AX0064**

¿Es su área principal de trabajo en interiores, exteriores o en un vehículo? Escoja todas las opciones que correspondan.

- 1 Interiores
- 2 Exteriores
- 3 En un vehículo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0747
¿Cuándo fue la última vez que una persona fumó cigarrillos electrónicos u otros productos electrónicos con nicotina cerca de usted cuando estaba en el trabajo?
1 Nunca
2 Hoy
3 Hace una semana
4 Hace dos semanas
5 Hace un mes
6 Hace más de un mes, pero durante el año pasado
7 Hace más de un año
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who work full time or part time.

<b>PATH ID:</b> R04_AX0065
¿Cuándo fue la última vez que una persona fumó cerca de usted cuando estaba en el trabajo?
1 Nunca
2 Hoy
3 Hace una semana
4 Hace dos semanas
5 Hace un mes
6 Hace más de un mes, pero durante el año pasado
7 Hace más de un año
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who work full time or part time.

<b>BOX ID:</b> R04_AXR117
New baseline adult respondents, go to R04_AR0144_NB. Else, go to R04_AX0690.

<b>PATH ID:</b> R04_AX0690
¿Actualmente vive solo?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR15**

Respondents aged 25 or older who did not already complete a parent interview, go to R04\_AX0691.  
Else, go to Box R04\_AXR16.

**PATH ID: R04\_AX0691**

¿En qué tipo de lugar vive actualmente?

- 1 Casa unifamiliar no adosada a otra casa
- 2 Dúplex
- 3 Casa para una o más familias
- 4 Condominio
- 5 Casa adosada a otra casa o townhouse
- 6 Edificio de apartamentos
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents aged 25 or older who did not already complete a parent interview.

**BOX ID: R04\_AXR16**

Adult respondents who do not live alone, or did not know or refused to report whether they live alone, go to R04\_AX0066.  
Else, go to Box R04\_AXR105.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0066**

Sin incluirse a usted, ¿ha hecho alguna de las siguientes actividades alguna de las personas que viven con usted actualmente? Escoja todas las opciones que correspondan.

- 1 Fumar cigarrillos
- 2 Fumar cigarrillos electrónicos u otro tipo de producto electrónico con nicotina
- 3 Consumir snus
- 4 Consumir otro tipo de tabaco que no se fuma, tal como tabaco de mascar, tabaco de inhalar o rapé o dip
- 5 Fumar puros tradicionales, puritos o puros con filtro
- 6 Fumar en hookah
- 7 Fumar tabaco para pipas
- 8 Consumir otro tipo de tabaco
- 9 Nadie que viva conmigo actualmente consume ningún formato de tabaco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not live alone.

DISPLAY: UNDERLINE "actualmente".

**BOX ID: R04\_AXR105**

Adult respondents who already completed a parent interview, go to R04\_AX0068.

Else, go to R04\_AR1045.

**PATH ID: R04\_AR1045**

Las siguientes preguntas son acerca de las normas o reglas del consumo de tabaco dentro de su casa. Piense en todas las personas que podrían estar en su casa, incluyendo niños, adultos, visitas, invitados o trabajadores.

Para los productos de tabaco que se queman, tales como cigarrillos, puros, pipas o hookahs, ¿cuál de las siguientes afirmaciones describe mejor las reglas acerca de fumar productos de tabaco dentro de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "dentro" IN BOTH PARAGRAPHS.

UNDERLINE "queman".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AR1051**

Ahora piense acerca de los cigarrillos electrónicos y de otros productos electrónicos con nicotina.

¿Cuál de las siguientes afirmaciones describe mejor las reglas acerca del consumo de estos productos dentro de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "dentro".

**PATH ID: R04\_AR1050**

Ahora piense en los productos de tabaco que no se queman, tales como el snus y otros tipos de tabaco que no se fuma.

¿Cuál de las siguientes afirmaciones describe mejor las reglas acerca del consumo de estos productos dentro de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: UNDERLINE "no" AND "dentro".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0068</b>	
En los últimos 7 días, aproximadamente ¿cuántas horas estuvo alrededor <u>de personas</u> que estaban fumando [, ya sea o no que usted mismo también estuviera fumando]? Incluya el tiempo en su casa, en un carro, en el trabajo o en la calle.		
1	_ _ _  Cantidad de horas	
-8	DON'T KNOW	GO TO R04_AX0008
-7	REFUSED	GO TO R04_AX0008
ASK: All adult respondents.		
DISPLAY: UNDERLINE "de personas".		
IF R04_CIG_USER_STATUS = 1, 2, 3 OR R04_GTRAD_USER_STATUS = 1, 2, 3 OR R04_GRILLO_USER_STATUS = 1, 2, 3 OR R04_GFILTR_USER_STATUS = 1, 2, 3 OR R04_PIPE_USER_STATUS = 1, 2, 3 OR R04_HOOK_USER_STATUS = 1, 2, 3, DISPLAY", ya sea o no que usted mismo también estuviera fumando".		
DISPLAY "Cantidad de horas" AS A TITLE.		

<b>PATH ID:</b>	<b>R04_AX0068_LC1</b>	
[Una semana tiene 168 horas]. Usted dijo que durante los últimos siete días, usted estuvo por [R04_AX0068_NN] horas muy cerca de otras personas mientras fumaban.		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AX0068
2	NEXT	GO TO R04_AX0008
ASK: IF R04_AX0068 > 120 OR R04_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999.		
DISPLAY: IF R04_AX0068 > 168, DISPLAY "Una semana tiene 168 horas".		
ELSE, DO NOT DISPLAY THIS TEXT.		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**SOCIAL NORMS, PEER AND FAMILY INFLUENCES**

<b>PATH ID:</b> <b>R04_AX0008</b>
En general, ¿cree que la mayoría de la gente está en contra del consumo de <b>cigarrillos</b> ?
1   Definitivamente sí
2   Probablemente sí
3   Probablemente no
4   Definitivamente no
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: BOLD "cigarrillos".

<b>PATH ID:</b> <b>R04_AX0012</b>
En general, ¿cree que la mayoría de la gente está en contra del consumo de <b>cigarrillos electrónicos u otros productos electrónicos con nicotina</b> ?
1   Definitivamente sí
2   Probablemente sí
3   Probablemente no
4   Definitivamente no
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.
DISPLAY: BOLD "cigarrillos electrónicos u otros productos electrónicos con nicotina".

<b>BOX ID:</b> <b>R04_AXR80</b>
Young adult respondents and current, experimental current, experimental former, and recent former tobacco users, go to R04_AX0071.
Else, go to R04_AX0741.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0071</b>
Al pensar en las <u>personas que son importantes para usted</u> , ¿cómo describiría la opinión de ellos sobre el consumo de <b>tabaco en general</b> ?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents and all current, experimental current, experimental former, and recent former tobacco users.
DISPLAY: UNDERLINE "personas que son importantes para usted"; BOLD "tabaco en general".

<b>BOX ID:</b> <b>R04_AXR05</b>
Young adult respondents, go to Box R04_AXD89.
Else, go to R04_AX0741.

<b>BOX ID:</b> <b>R04_AXD89</b>
Display questions R04_AC1143 through R04_AS1143 using the expanded WVB stem-leaf screen. The introduction text from R04_AC1143 is the stem. Show all leaves on the screen at once.

<b>PATH ID:</b> <b>R04_AC1143</b>
Al pensar en las <u>personas que son importantes para usted</u> , ¿cómo describiría la opinión <b>de ellos</b> sobre...
el consumo de cigarrillos?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.
DISPLAY: UNDERLINE "personas que son importantes para usted"; Bold "de ellos".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AV1143</b>
el consumo de cigarrillos electrónicos u otros productos electrónicos con nicotina?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AG1143</b>
el consumo de puros tradicionales, puritos o puros con filtro?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AP1143</b>
el consumo de tabaco para pipas?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AH1143</b>
el consumo de shisha o tabaco para hookah?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AU1143</b>
el consumo de snus?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

<b>PATH ID:</b> <b>R04_AS1143</b>
el consumo de otros tipos de tabaco que no se fuma (como dip, spit o tabaco de mascar)?
1   Muy positiva
2   Positiva
3   Ni positiva ni negativa
4   Negativa
5   Muy negativa
-8   DON'T KNOW
-7   REFUSED
ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0741**

Piense en las personas que son importantes para usted. ¿Alguna de ellas consume alguno de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 Cigarrillos
- 2 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 3 Puros tradicionales o "grandes"
- 4 Puritos
- 5 Puros con filtro
- 6 Tabaco para pipa
- 7 Shisha o tabaco para hookah
- 8 Snus
- 9 Otros tipos de tabaco que no se fuma (como dip, spit o tabaco de mascar)
- 10 Ninguno de los anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "personas que son importantes para usted"

**BOX ID: R04\_AXR02**

If current or recent former tobacco user, go to R04\_AX0742.

Else, if current experimental or former experimental tobacco user, go to R04\_AX0743.

Else, go to Box R04\_AXT01.

**PATH ID: R04\_AX0742**

En los últimos 12 meses, ¿hasta qué punto la desaprobación de sus amigos cercanos y sus familiares le [ha hecho/hizo] pensar en dejar de fumar?

- |    |                      |                     |
|----|----------------------|---------------------|
| 1  | No he pensado en eso | GO TO BOX R04_AXT01 |
| 2  | Algo                 | GO TO BOX R04_AXT01 |
| 3  | Mucho                | GO TO BOX R04_AXT01 |
| -8 | DON'T KNOW           | GO TO BOX R04_AXT01 |
| -7 | REFUSED              | GO TO BOX R04_AXT01 |

ASK: Current and recent former tobacco users.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, DISPLAY "ha hecho".

ELSE, IF R04\_TOBACCO\_USER\_STATUS = 4, DISPLAY "hizo".

UNDERLINE "amigos cercanos y sus familiares".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0743**

En los últimos 12 meses, ¿hasta qué punto la desaprobación de sus amigos cercanos y sus familiares le [ha hecho/hizo] pensar en no consumir?

- 1 No he pensado en eso
- 2 Algo
- 3 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Experimental current and experimental former tobacco users.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 2, DISPLAY "ha hecho".

ELSE DISPLAY "hizo".

UNDERLINE "amigos cercanos y sus familiares".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## HEALTH

**BOX ID: R04\_AXT01**

Las siguientes preguntas son acerca de alguna información médica básica que es importante para el estudio.

**BOX ID: R04\_AMD05**

Display questions R04\_AX0090 through R04\_AX0088 using the expanded WVB stem-leaf screen. The introduction text from R04\_AX0090 is the stem. Show all leaves on the screen at once.

**PATH ID: R04\_AX0090**

En general, ¿cómo calificaría su...

salud física?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0091**

salud mental, la cual incluye el estrés, la depresión y los problemas emocionales?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0088**

salud en general?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMD06**

Display questions R04\_AX0090\_12M through R04\_AX0088\_12M using the expanded WVB stem-leaf screen. The introduction text from R04\_AX0090\_12M is the stem. Show all leaves on the screen at once.

**PATH ID: R04\_AX0090\_12M**

En comparación con hace 12 meses, ¿diría que...

actualmente su salud física es?

- 1 Mejor
- 2 Peor
- 3 Igual
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0091\_12M**

actualmente su salud mental es?

- 1 Mejor
- 2 Peor
- 3 Igual
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0088\_12M**

actualmente su salud en general es?

- 1 Mejor
- 2 Peor
- 3 Igual
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0185**

En general, ¿diría que su calidad de vida es...?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0185\_12M**

En comparación con hace 12 meses, ¿diría que actualmente su calidad de vida es ...?

- 1 Mejor,
- 2 Peor o
- 3 Igual
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0092
En general, ¿qué tan satisfecho está con sus actividades sociales y relaciones?
1 Extremadamente satisfecho
2 Muy satisfecho
3 Algo satisfecho
4 Muy poco satisfecho
5 No estoy satisfecho
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
<b>PATH ID:</b> R04_AX0092_12M
En comparación con hace 12 meses, ¿diría que actualmente sus actividades sociales y relaciones son ...?
1 Mejores,
2 Peores o
3 Iguales
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> R04_AX0313
Las siguientes preguntas son acerca de su estatura y peso. ¿Prefiere contestar estas preguntas en...
1 pies y libras o
2 metros y kilogramos? <span style="float: right;">GO TO R04_AX0316</span>
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> R04_AX0679
¿Aproximadamente cuánto mide usted sin zapatos?
1  _ _ _  Pies
2  _ _ _  Pulgadas <span style="float: right;">GO TO R04_AX0109</span>
-8 DON'T KNOW <span style="float: right;">GO TO R04_AX0109</span>
-7 REFUSED <span style="float: right;">GO TO R04_AX0109</span>
ASK: Adult respondents who prefer to answer in feet or did not choose a system of measurement.
DISPLAY: Display "Pies" and "Pulgadas" as titles.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0679_LC1</b>	
La computadora registró que usted mide [R04_AX0679_FT] pies [y R04_AX0679_IN pulgadas].	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0679
2 NEXT	GO TO R04_AX0109
ASK: IF R04_AX0679_FT < 5 OR (R04_AX0679_FT = 6 AND R04_AX0679_IN > 0) OR R04_AX0679_FT > 6.	
DISPLAY: IF R04_AX0679_FT > 0 AND R04_AX0679_IN = 0, DISPLAY "[R04_AX0679_FT] pies".	
ELSE, IF R04_AX0679_FT > 0 AND R04_AX0679_IN > 0, DISPLAY "[R04_AX0679_FT] pies y [R04_AX0679_IN] pulgadas".	

<b>PATH ID: R04_AX0316</b>	
¿Aproximadamente cuánto mide usted sin zapatos?	
1  _ _ _ _  Metros	
-8 DON'T KNOW	GO TO R04_AX0312
-7 REFUSED	GO TO R04_AX0312
ASK: Adult respondents who prefer to answer in meters.	
DISPLAY: DISPLAY "Metros" AS A TITLE.	

<b>PATH ID: R04_AX0316_LC1</b>	
La computadora registró que usted mide [R04_AX0316] metros.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0316
2 NEXT	GO TO R04_AX0312
ASK: IF R04_AX0316 < 1.5 OR R04_AX0316 > 1.8.	

<b>PATH ID: R04_AX0109</b>	
Aproximadamente, ¿cuánto pesa usted sin ropa ni zapatos?	
1  _ _ _ _  Libras	
-8 DON'T KNOW	GO TO R04_AX0241
-7 REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to answer in pounds or did not choose a system of measurement.	
DISPLAY: DISPLAY "Libras" AS A TITLE.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0109_LC1</b>	
La computadora registró que usted pesa [R04_AX0109] libras.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AX0109
2    NEXT	GO TO R04_AX0241
ASK: IF R04_AX0109 < 125 OR R04_AX0109 > 240.	

<b>PATH ID:</b> <b>R04_AX0312</b>	
Aproximadamente, ¿cuánto pesa usted sin ropa ni zapatos?	
1     _ _ _ _  Kilogramos	
-8    DON'T KNOW	GO TO R04_AX0241
-7    REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to answer in kilograms.	
DISPLAY: DISPLAY "Kilogramos" AS A TITLE.	

<b>PATH ID:</b> <b>R04_AX0312_LC1</b>	
La computadora registró que usted pesa [R04_AX0312] kilos.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1    BACK	GO TO R04_AX0312
2    NEXT	GO TO R04_AX0241
ASK: IF R04_AX0312 < 56.7 OR R04_AX0312 > 108.9.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0241</b>	
<u>En una semana normal</u> , ¿cuántos días hace alguna actividad física o ejercicio de por lo menos una intensidad moderada, como caminar a paso ligero, andar en bicicleta o nadar a un ritmo regular?		
0	Ninguno	GO TO R04_AX0243
1	Un día a la semana	
2	2 días a la semana	
3	3 días a la semana	
4	4 días a la semana	
5	5 días a la semana	
6	6 días a la semana	
7	7 días a la semana	
-8	DON'T KNOW	GO TO R04_AX0243
-7	REFUSED	GO TO R04_AX0243
ASK: All adult respondents.		
DISPLAY: UNDERLINE "En una semana normal".		

<b>PATH ID:</b>	<b>R04_AX0242</b>	
En los días que hace alguna actividad física o ejercicio de por lo menos una intensidad moderada, ¿normalmente por cuánto tiempo hace estas actividades?		
1	_ _ _  Horas	
2	_ _ _  Minutos	
-8	DON'T KNOW	GO TO R04_AX0243
-7	REFUSED	GO TO R04_AX0243
ASK: Adult respondents who indicate they do any physical activity of moderate intensity.		

<b>PATH ID:</b>	<b>R04_AX0242_LC1</b>	
La computadora registró [R04_AX0242_NN] [horas/minutos] para el tiempo en que usted normalmente hace alguna actividad física o ejercicio de intensidad moderada en los días que hace estas actividades. ¿Es correcto?		
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.		
1	BACK	GO TO R04_AX0242
2	NEXT	GO TO R04_AX0243
ASK: IF (R04_AX0242_NN > 8 AND R04_AX0242_UN = 1) OR (R04_AX0242_NN > 200 AND R04_AX0242_UN = 2) .		
DISPLAY: IF R04_AX0242_UN = 1, DISPLAY "horas".		
ELSE, IF R04_AX0242_UN = 2, DISPLAY "minutos".		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0243**

En una semana normal, sin contar su trabajo o sus quehaceres domésticos, ¿cuántos días hace actividades físicas especialmente diseñadas para fortalecer los músculos, tales como levantar pesas o entrenamiento en circuito? No incluya ejercicios cardiovasculares como caminar, andar en bicicleta o nadar.

- 0 Ninguno
- 1 Un día a la semana
- 2 2 días a la semana
- 3 3 días a la semana
- 4 4 días a la semana
- 5 5 días a la semana
- 6 6 días a la semana
- 7 7 días a la semana
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "En una semana normal".

**PATH ID: R04\_AX0100**

En los últimos 7 días, en promedio, ¿cómo calificaría su dolor usando una escala del 0 al 10, en donde 0 significa que no tiene dolor y el 10 significa que tiene el peor dolor imaginable?

- 0 No tengo dolor
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Tengo el peor dolor imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "En los últimos 7 días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0101**

En los últimos 7 días, en promedio, ¿cómo calificaría su cansancio? Por cansancio, nos referimos a no sentirse descansado o sentirse muy cansado a lo largo del día, sin importar la cantidad de horas que durmió.

- 1 Ninguno
- 2 Es leve
- 3 Es moderado
- 4 Es intenso
- 5 Es muy intenso
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "En los últimos 7 días".

**PATH ID: R04\_AX0103**

En los últimos 7 días, ¿con qué frecuencia ha tenido problemas emocionales tales como sentirse ansioso, deprimido o irritable?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "En los últimos 7 días".

**PATH ID: R04\_AX0102**

En general, califique qué tan bien hace sus actividades sociales y funciones habituales. Esto incluye a las actividades en casa, en el trabajo y en su comunidad, y a las responsabilidades como padre, hijo, esposo, empleado, amigo, etc.

- 1 Excelente
- 2 Muy bien
- 3 Bien
- 4 Regular
- 5 Mal
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0001**

Piense en cualquier atención médica que haya recibido en los últimos 12 meses.

En los últimos 12 meses, ¿lo ha visto un médico, una enfermera u otro profesional de la salud?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "últimos 12 meses".

**PATH ID: R04\_AX0002**

En los últimos 12 meses, ¿ha ido al dentista?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0302**

En los últimos 12 meses, ¿ha ido a la sala de emergencias o centro de atención de urgencias debido a un problema de salud que usted tenía?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR18**

If respondent has been to an emergency room or urgent health center for a health problem of their own, go to R04\_AX0155.

Else, if respondent is a current, experimental current, experimental former, or recent former tobacco user that saw a doctor or dentist in the past 12 months, go to R04\_AX0003.

Else, if ever user of tobacco, go to R04\_AX0104.

Else, if new baseline go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0003**

En los últimos 12 meses, ¿le ha recomendado un médico, un dentista u otro profesional de la salud que deje de consumir tabaco [, incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current, experimental current, experimental former, and recent former tobacco users that saw a medical doctor or dentist in the past 12 months.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, 3, 4, DISPLAY ", incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AX0104**

¿Hasta qué punto ha dañado su salud, su [consumo de/consumo pasado de] productos de tabaco[, incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina]?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, DISPLAY "consumo de".

ELSE, DISPLAY "consumo pasado de".

IF R04\_EVER\_NEVER\_EPRODS = 1, DISPLAY ", incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina", ELSE DO NOT DISPLAY THIS TEXT.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0105**

¿Hasta qué punto le preocupa que su [consumo de/consumo pasado de] productos de tabaco [, incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina] vaya a dañar su salud en el futuro?

- 1 Para nada
- 2 Un poco
- 3 Moderadamente
- 4 Muy preocupado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

DISPLAY: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, DISPLAY "consumo de".

ELSE, DISPLAY "consumo pasado de".

IF R04\_EVER\_NEVER\_EPRODS = 1, DISPLAY ", incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina", ELSE DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AXR20**

New baseline respondents, go to R04\_AX0186\_NB.

Else, go to R04\_AX0093.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0093**

[Las siguientes preguntas son acerca de las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado, [o] fracturas [o embarazo].

]¿Hasta qué punto es capaz de hacer actividades físicas diarias tales como caminar, subir las escaleras, cargar las bolsas del mercado o mover una silla?

- 1 Totalmente
- 2 Mayormente
- 3 Moderadamente
- 4 Un poco
- 5 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents and new baseline adult respondents who said they had serious difficulty walking or climbing stairs.

DISPLAY: IF R04\_ADULTTYPE = 1, DISPLAY INTRODUCTORY TEXT "Las siguientes preguntas son sobre las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado, [o] fracturas [o embarazo]."

IF FEMALE (R03\_GENDER != 1 AND R04\_AM0004\_RS != 1), DISPLAY " o embarazo".

IF MALE (R03\_GENDER = 1 OR R04\_AM0004\_RS = 1), DISPLAY "o" (AND DO NOT DISPLAY "o embarazo").

IF R04\_ADULTTYPE = 2, 3, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

**PATH ID: R04\_AX0094**

¿Hasta qué punto es capaz de hacer actividades diarias tales como usar un teléfono, pagar las cuentas, tomar medicamentos, preparar comidas ligeras, lavar la ropa o ir de compras?

- 1 Totalmente
- 2 Mayormente
- 3 Moderadamente
- 4 Un poco
- 5 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR21**

New baseline respondents, go to R04\_AX0188\_NB.

Else, go to R04\_AX0095.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0095**

¿Hasta qué punto es capaz de hacer actividades diarias tales como bañarse o tomar una ducha, vestirse o caminar por la casa?

- 1 Totalmente
- 2 Mayormente
- 3 Moderadamente
- 4 Un poco
- 5 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents, and new baseline adult respondents who say they have difficulty dressing or bathing.

**PATH ID: R04\_AX0097**

Debido a su salud, ¿se siente limitado en alguna de las siguientes actividades? Escoja todas las opciones que correspondan.

- 1 Levantar 10 libras
- 2 Subir hasta 10 escalones
- 3 Caminar 3 cuadras
- 4 Caminar 1 milla
- 5 Estar de pie por 20 minutos
- 6 Agacharse o encorvarse
- 7 Alzar el brazo por encima de la cabeza
- 8 Usar los dedos para agarrar
- 9 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR22**

New baseline respondents, go to R04\_AX0187\_NB.

Else, continuing respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04\_AX0111\_12M.

Else, go to Box R04\_AXR82.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR23**

If new baseline adult has had high blood pressure, go to R04\_AX0114\_NB.  
Else, if aged-up adult reported having high blood pressure in a previous wave, go to R04\_AX0744.  
Else, if new baseline adult has had high cholesterol, go to R04\_AX0115\_NB.  
Else, if aged-up adult reported having high cholesterol in a previous wave, go to R04\_AX0746.  
Else, if new baseline adult has had congestive heart failure, go to R04\_AX0116\_NB.  
Else, if new baseline adult has had a stroke, go to R04\_AX0117\_NB.  
Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.  
Else, if new baseline adult has had some other heart condition, go to R04\_AX0219.  
Else, if new baseline adult has not had any heart condition, go to Box R04\_AXR115.

**PATH ID: R04\_AX0111\_12M**

En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tenía alguno de los siguientes problemas de salud? Escoja todas las opciones que correspondan.

- 1 Hipertensión
- 2 Colesterol alto
- 3 Insuficiencia cardíaca congestiva
- 4 Un derrame cerebral
- 5 Un ataque al corazón (también llamado infarto de miocardio) o que necesitaba cirugía de bypass
- 6 Otra enfermedad del corazón
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

**BOX ID: R04\_AXR82**

If respondent has ever had high blood pressure, go to R04\_AX0744.  
Else, if respondent has ever had high cholesterol, go to R04\_AX0160\_12M.  
Else, if respondent has ever had a stroke, go to R04\_AX0745.  
Else, if respondent has ever had any heart condition, go to R04\_AX0219.  
Else, if respondent has not had any heart condition, go to Box R04\_AXR115.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0744**

[Anteriormente, usted nos dijo que tenía hipertensión.

]En los últimos 12 meses, ¿ha estado su hipertensión bajo control?

- 1 Sí
- 2 No
- 3 Nunca he tenido hipertensión
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have high blood pressure.

DISPLAY: IF RESPONDENT REPORTED HAVING HIGH BLOOD PRESSURE IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_HIGH\_BLOOD\_PRESSURE = 1 AND R04\_AX0111\_NB\_01 != 1 AND R04\_AX0111\_12M\_01 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía hipertensión." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

**BOX ID: R04\_AXR24**

If new baseline adult has had high cholesterol, go to R04\_AX0115\_NB.

Else, if aged-up adult reported having high cholesterol in a previous wave, go to R04\_AX0746.

Else, if continuing adult has ever had high cholesterol, go to R04\_AX0160\_12M.

Else, if new baseline adult has had congestive heart failure, go to R04\_AX0116\_NB.

Else, if new baseline adult has had a stroke, go to R04\_AX0117\_NB.

Else, if continuing adult respondent has ever had a stroke, go to R04\_AX0745.

Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.

Else, if respondent has ever had any heart condition, go to R04\_AX0219.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0160\_12M**

[Anteriormente, usted nos dijo que tenía el colesterol alto.

]En los últimos 12 meses, ¿ha tomado algún medicamento para reducir el colesterol, por ejemplo: pravastatina (Pravachol), atorvastatina (Lipitor), simvastatina (Zocor)?

- 1 Sí
- 2 No
- 3 Nunca he tenido el colesterol alto
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR26

ASK: Continuing adult respondents who have ever had high cholesterol.

DISPLAY: IF CONTINUING RESPONDENT REPORTED HAVING HIGH CHOLESTEROL IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R04\_ADULTTYPE = 1 AND R03\_HIGH\_CHOLESTEROL = 1 AND R04\_AX0111\_12M\_02 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía el colesterol alto." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

**PATH ID: R04\_AX0746**

[Anteriormente, usted nos dijo que tenía el colesterol alto.

]En los últimos 12 meses, ¿ha estado su colesterol alto bajo control?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have high cholesterol.

DISPLAY: IF AGED UP ADULT RESPONDENT REPORTED HAVING HIGH CHOLESTEROL IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R04\_ADULTTYPE = 2 AND R03\_HIGH\_CHOLESTEROL = 1 AND R04\_AX0111\_NB\_02 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía el colesterol alto."

ELSE, DO NOT DISPLAY THIS TEXT.

**BOX ID: R04\_AXR26**

If new baseline adult has had congestive heart failure, go to R04\_AX0116\_NB.

Else, if new baseline adult has had a stroke, go to R04\_AX0117\_NB.

Else, if continuing adult respondent has ever had a stroke, go to R04\_AX0745.

Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.

Else, if respondent has ever had any heart condition, go to R04\_AX0219.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR28**

If new baseline adult has had a stroke, go to R04\_AX0117\_NB.  
Else, if continuing adult respondent has ever had a stroke, go to R04\_AX0745.  
Else, if new baseline adult has had a heart attack, go to R04\_AX0112\_NB.  
Else, if respondent has had some other heart condition, go to R04\_AX0219.

**PATH ID: R04\_AX0745**

[Anteriormente, usted nos dijo que tuvo un derrame cerebral.

]¿Tiene una discapacidad permanente como consecuencia del derrame cerebral?

- 1 Sí
- 2 No
- 3 Nunca he tenido un derrame cerebral
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have had a stroke.

DISPLAY: IF RESPONDENT REPORTED HAVING A STROKE IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE, [R03\_STROKE = 1 AND R04\_AX0111\_NB\_04 != 1 AND R04\_AX0111\_12M\_04 != 1], DISPLAY "Anteriormente, usted nos dijo que tuvo un derrame cerebral." AND DISPLAY OPTION 3. ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 3.

**BOX ID: R04\_AXR30**

If new baseline adult has had a heart attack, go to R04\_AX0112\_NB.  
Else, if respondent has ever had any other heart condition, go to R04\_AX0219.

**PATH ID: R04\_AX0219**

En los últimos 12 meses, ¿tomó algún [otro] medicamento para el corazón o la presión arterial de manera habitual? (De manera habitual quiere decir de acuerdo con las instrucciones de un profesional del cuidado de la salud.)

- 1 Sí
- 2 No GO TO BOX R04\_AXR115
- 8 DON'T KNOW GO TO BOX R04\_AXR115
- 7 REFUSED GO TO BOX R04\_AXR115

ASK: Adult respondents who have been told they had any type of heart condition.

DISPLAY: IF R04\_AX0160\_NB = 1 OR R04\_AX0160\_12M = 1, DISPLAY "otro ". ELSE, DO NOT DISPLAY.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AXD04
DISPLAY INSTRUCTION: For R04_AX0159, display a column on the right with a "Sí" and "No" option for each response category.

<b>PATH ID:</b> R04_AX0159
¿Qué tipo de medicamento para el corazón o la presión arterial toma de manera habitual?
1 Bloqueadores de canales de calcio - por ejemplo: nifedipina (Procardia, Adalat), diltiazem (Cardizem), amlodipino (Norvasc), verapamilo (Calan), nisoldipina (Sular)
2 Bloqueadores beta - por ejemplo: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)
3 Bloqueadores del receptor de angiotensina - por ejemplo: losartán (Cozaar), irbesartán (Avapro), valsartán (Diovan), candesartán (Atacand), telmisartán (Micardis), olmesartán (Benicar)
4 Inhibidores de enzima convertidora de angiotensina (ACE, por sus siglas en inglés) - por ejemplo: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)
5 Diuréticos - por ejemplo: furosemida (Lasix), indapamida (Lozol), triamterene (Dyrenium), tiazidas (HCTZ), triamterene/HCTZ (Dyazide)
6 Digoxin (Lanoxin)
7 Metildopa (Aldomet) o hidralazina (Apresolina)
8 Otro antiarrítmico
9 Algún otro medicamento para el corazón o la presión arterial
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who took heart or blood pressure medications in the past 12 months.

<b>BOX ID:</b> R04_AXR115
New baseline adult respondents, go to R04_AX0046_NB. Else, continuing adult respondents, go to R04_AX0047_12M.

<b>PATH ID:</b> R04_AX0047_12M	
¿Ha tenido silbidos o sibilancias en el pecho en los <u>últimos 12 meses</u> ?	
1 Sí	
2 No	GO TO R04_AX0052
-8 DON'T KNOW	GO TO R04_AX0052
-7 REFUSED	GO TO R04_AX0052
ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, and continuing adult respondents.	
DISPLAY: UNDERLINE "últimos 12 meses".	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0048</b>
¿Cuántos ataques de silbidos o sibilancias ha tenido en los últimos 12 meses?
1   Ninguno
2   1 a 3
3   4 a 12
4   Más de 12
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

<b>PATH ID:</b> <b>R04_AX0049</b>
En los últimos 12 meses, ¿con qué frecuencia en promedio no ha podido dormir bien debido a los silbidos o sibilancias?
1   Nunca se ha despertado con silbidos o sibilancias
2   Menos de una noche a la semana
3   Una o más noches a la semana
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

<b>PATH ID:</b> <b>R04_AX0050</b>
En los últimos 12 meses, ¿alguna vez han sido los silbidos o sibilancias tan intensos que le limitaron al hablar y solo podía decir una o dos palabras entre respiros?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who had wheezing or whistling in the chest in the past 12 months.

<b>PATH ID:</b> <b>R04_AX0052</b>
En los últimos 12 meses, ¿le han sonado silbidos o sibilancias en el pecho durante o después de hacer ejercicio?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0053**

Una tos seca es una tos sin flema ni mucosidad. En los últimos 12 meses, ¿ha tenido una tos seca en la noche?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR31**

New baseline adult respondents, go to R04\_AX0119\_NB.

Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04\_AX0119\_12M.

Else, go to Box R04\_AXR63.

**BOX ID: R04\_AXR32**

If new baseline adult has had COPD, go to R04\_AX0120\_NB.

Else, if new baseline adult has had chronic bronchitis, go to R04\_AX0121\_NB.

Else, if new baseline adult has had emphysema, go to R04\_AX0123\_NB.

Else, if new baseline adult has had asthma, go to R04\_AX0124\_NB.

Else, new baseline adults go to Box R04\_AXV09.

**PATH ID: R04\_AX0119\_12M**

En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que tenía alguno de los siguientes problemas pulmonares o respiratorios? Escoja todas las opciones que correspondan.

- 1 COPD
- 2 Bronquitis crónica
- 3 Enfisema
- 4 Asma
- 5 Algún otro tipo de problema pulmonar o respiratorio
- 6 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR63**

Continuing adults who have ever had COPD, go to R04\_AX0733.  
Else, go to Box R04\_AXV09.

**PATH ID: R04\_AX0733**

[Anteriormente, usted nos dijo que tenía COPD.

]Le molesta la dificultad para respirar cuando camina rápido en un sitio plano o cuando sube por una cuesta leve?

- |    |                      |                     |
|----|----------------------|---------------------|
| 1  | Sí                   |                     |
| 2  | No                   | GO TO BOX R04_AXV09 |
| 3  | Nunca he tenido COPD | GO TO BOX R04_AXV09 |
| -8 | DON'T KNOW           | GO TO BOX R04_AXV09 |
| -7 | REFUSED              | GO TO BOX R04_AXV09 |

ASK: Adult respondents who have COPD.

DISPLAY: IF RESPONDENT REPORTED HAVING COPD IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_COPD = 1 AND R04\_AX0119\_NB\_01 != 1 AND R04\_AX0119\_12M\_01 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía COPD." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY TRANSITION TEXT AND SUPPRESS OPTION 3.

**BOX ID: R04\_AXD15**

BOX – DISPLAY INSTRUCTIONS

For R04\_AX0734, display a "Sí" and "No" column with options for each response category.

**PATH ID: R04\_AX0734**

¿Alguna vez...

- |    |  |
|----|--|
| 1  | tiene que caminar más despacio que las personas de su edad en un nivel plano debido a la dificultad para respirar? |
| 2  | tiene que parar para respirar cuando camina a su propio paso en un nivel plano?                                    |
| 3  | tiene que parar para respirar después de caminar un par de cuerdas (o después de unos minutos) en un nivel plano ? |
| 4  | le cuesta bastante respirar como para salir de casa o cuando se viste o desviste?                                  |
| -8 | DON'T KNOW   |
| -7 | REFUSED  |

ASK: Adult respondents who have COPD and report shortness of breath.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> <b>R04_AXV09</b>
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):
<b>R04_ADULT_COPD</b> = Adult respondents who have ever had COPD.

<b>BOX ID:</b> <b>R04_AXR09</b>
If respondent has ever had COPD, go to R04_AX0735. Else, go to Box R04_AXR33.

<b>PATH ID:</b> <b>R04_AX0735</b>
En las <u>últimas 2 semanas</u> , ¿cuántos días o cuántas noches le ha molestado alguna dificultad para respirar al tratar de dormir?
1    Nunca
2    1 a 2 días o noches
3    3 a 6 días o noches
4    7 a 13 días o noches
5    Todos los días o todas las noches
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have COPD.
DISPLAY: UNDERLINE "últimas 2 semanas".

<b>PATH ID:</b> <b>R04_AX0736</b>
En los <u>últimos 5 años</u> , ¿lo han admitido en un hospital, sala de emergencias o centro de atención de urgencias debido al COPD?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have COPD.
DISPLAY: UNDERLINE "últimos 5 años".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0737</b>
En los <u>últimos 5 años</u> , ¿lo han entubado para ayudarle a respirar debido al COPD?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have COPD.
DISPLAY: UNDERLINE "últimos 5 años".

<b>BOX ID:</b> <b>R04_AXR33</b>
If new baseline adult has had chronic bronchitis, go to R04_AX0121_NB.
Else, if new baseline adult has had emphysema, go to R04_AX0123_NB.
Else, if new baseline adult reported asthma as of the previous wave, go to R04_AX0124_NB.
Else, if new baseline adult has had asthma, go to R04_AX0227.
Else, if continuing adult has had asthma, go to R04_AX0227.
Else, go to Box R04_AXV03.

<b>BOX ID:</b> <b>R04_AXR35</b>
If new baseline adult has had emphysema, go to R04_AX0123_NB.
Else, if new baseline adult reported asthma as of the previous wave, go to R04_AX0124_NB.
Else, if new baseline adult has had asthma, go to R04_AX0227.
Else, if continuing adult has had asthma, go to R04_AX0227.
Else, go to Box R04_AXV03.

<b>BOX ID:</b> <b>R04_AXR37</b>
If new baseline adult reported asthma as of the previous wave, go to R04_AX0124_NB.
Else, if new baseline adult has had asthma, go to R04_AX0227.
Else, if continuing adult has had asthma, go to R04_AX0227.
Else, go to Box R04_AXV03.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0227**

[Anteriormente, usted nos dijo que tenía asma.

]En los últimos 30 días, ¿cuánto tiempo el asma le impidió hacer gran parte de sus actividades en el trabajo, la escuela o en casa?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Un poco
- 5 Nunca
- 6 Nunca he tenido asma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: IF RESPONDENT REPORTED HAVING ASTHMA IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_ASTHMA = 1 AND R04\_AX0119\_NB\_04 != 1 AND R04\_AX0119\_12M\_04 != 1], DISPLAY "Anteriormente, usted nos dijo que tenía asma." AND DISPLAY OPTION 6.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 6.

**BOX ID: R04\_AXV03**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_ADULT\_ASTHMA** = Adult respondents who have ever had asthma

**BOX ID: R04\_AXR08**

If respondent has ever had asthma, go to R04\_AX0228.

Else, if respondent has ever had COPD, go to R04\_AX0283.

Else, go to R04\_AX0726.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0228**

En los últimos 30 días, ¿con qué frecuencia ha tenido dificultad para respirar o ha sentido que le falta el aire?

- 1 Más de una vez al día
- 2 Una vez al día
- 3 3 a 6 veces a la semana
- 4 Una o dos veces a la semana
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

DISPLAY: UNDERLINE "últimos 30 días".

**PATH ID: R04\_AX0229**

En los últimos 30 días, ¿con qué frecuencia sus síntomas de asma (como silbidos en el pecho, tos, dificultad para respirar, sentir el pecho apretado o dolor) lo despiertan en la noche o antes de lo usual en la mañana?

- 1 4 o más noches a la semana
- 2 2 o 3 noches
- 3 Una vez a la semana
- 4 Una o dos veces
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

**PATH ID: R04\_AX0283**

En los últimos 12 meses, ¿tomó algún medicamento de manera habitual para COPD o el asma? (De manera habitual quiere decir de acuerdo con las instrucciones de un profesional del cuidado de la salud.)

- 1 Sí
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_AXR07  
GO TO BOX R04\_AXR07  
GO TO BOX R04\_AXR07

ASK: Adult respondents who have had asthma or COPD.

DISPLAY: UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXD05**

DISPLAY INSTRUCTION: For R04\_AX0128, display as a stem and leaf question. For each leaf, display a sí/no response.

**PATH ID: R04\_AX0128**

En los últimos 12 meses, ¿cuál de los siguientes medicamentos tomó de manera habitual para COPD o asma?

- 1 Inhalador de alivio inmediato - por ejemplo: albuterol (ProAir, Ventolin, Xopenex), ipratropio (Atrovent) o un inhalador de combinación (Combivent)
- 2 Controlador o inhalador de acción a largo plazo, incluyendo inhaladores de esteroides - por ejemplo: beclometasona (Qvar), fluticasona (Flovent), salmeterol (Serevent), tiotropio (Spiriva) o un inhalador de combinación (Advair)
- 3 Otro medicamento para controlar el asma - por ejemplo: Montelukast (Singulair), zafirlukast (Accolate), teofilina, roflumilast (Daliresp)
- 5 Tratamiento con oxígeno
- 6 Algún otro medicamento para la COPD o el asma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who took medication regularly for COPD or asthma in the past 12 months.

**BOX ID: R04\_AXR07**

If respondent has COPD and took medications regularly, go to R04\_AX0749.

Else if respondent has COPD and did not say they took medications regularly, go to R04\_AX0751.

Else, if respondent has asthma, go to R04\_AX0125.

Else, go to R04\_AX0726.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0749**

En las últimas 2 semanas, ¿cuál de los siguientes medicamentos tomó de manera habitual para el COPD? Escoja todas las opciones que correspondan.

- 1 Inhalador de alivio inmediato - por ejemplo: albuterol (ProAir, Ventolin, Xopenex), ipratropio (Atrovent) o un inhalador de combinación (Combivent)
- 2 Inhalador de acción a largo plazo - por ejemplo: salmeterol (Serevent), tiotropio (Spiriva) o un inhalador de combinación (Advair)
- 3 Inhalador de esteroides - por ejemplo: beclometasona (Qvar), fluticasona (Flovent), budesonida (Pulmicort) o mometasona (Asmanex)
- 4 Algún otro medicamento para el COPD
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who took medication regularly for COPD in the past 12 months.

DISPLAY: UNDERLINE "últimas 2 semanas".

**PATH ID: R04\_AX0751**

Actualmente ¿está usando un tratamiento de oxígeno en la casa (de día o de noche) para la COPD?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have COPD.

**PATH ID: R04\_AX0750**

En los últimos 12 meses, ¿cuántas veces ha tomado antibióticos para una infección de los pulmones como la bronquitis o la neumonía?

- 1 |\_|\_|\_|\_|
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR97

GO TO BOX R04\_AXR97

ASK: Adult respondents who have COPD.

DISPLAY: UNDERLINE "últimos 12 meses".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0750_LC1</b>	
La computadora registró que usted ha tomado antibióticos para una infección relacionada con los pulmones [R04_AX0750] veces en los últimos 12 meses. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1   BACK	GO TO R04_AX0750
2   NEXT	GO TO BOX R04_AXR97
ASK: IF R04_AX0750 > 50.	

<b>BOX ID:</b> <b>R04_AXR97</b>
If respondent has asthma, go to R04_AX0125.
Else, go to R04_AX0726.

<b>PATH ID:</b> <b>R04_AX0125</b>	
En los últimos 12 meses, ¿ha tenido un ataque de asma en el que se necesitó usar un medicamento esteroide por vía oral o en inyección en el momento del ataque?	
Ejemplos de medicamentos esteroides por vía oral o en inyección incluyen a prednisona, prednisolona (Orapred) y dexametasona (Decadron).	
1   Sí	
2   No	GO TO R04_AX0127
-8   DON'T KNOW	GO TO R04_AX0127
-7   REFUSED	GO TO R04_AX0127
ASK: Adult respondents who have asthma.	

<b>PATH ID:</b> <b>R04_AX0126</b>	
En los últimos 12 meses, ¿cuántos ataques de asma ha tenido en los que se necesitaba usar un medicamento esteroide oral o en inyección en el momento del ataque?	
1    _ _ _ _	
-8   DON'T KNOW	GO TO R04_AX0127
-7   REFUSED	GO TO R04_AX0127
ASK: Adult respondents who had an asthma attack in the past 12 months that needed an oral or injected steroid medication.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0126_LC1</b>	
La computadora registró que usted ha tenido [R04_AX0126] ataques de asma en los últimos 12 meses. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0126
2 NEXT	GO TO R04_AX0127
ASK: IF R04_AX0126 > 100.	

<b>PATH ID: R04_AX0126_LC2</b>	
La computadora registró "cero" para la cantidad de ataques de asma que tuvo en los últimos 12 meses. ¿Es correcto?	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0126
2 NEXT	GO TO R04_AX0127
ASK: IF R04_AX0126 = 0.	

<b>PATH ID: R04_AX0127</b>	
En los últimos 12 meses, ¿ha tenido que visitar una sala de emergencias o centro de atención de urgencias debido al asma?	
1 Sí	
2 No	GO TO R04_AX0230
-8 DON'T KNOW	GO TO R04_AX0230
-7 REFUSED	GO TO R04_AX0230
ASK: Adult respondents who have asthma.	

<b>PATH ID: R04_AX0282</b>	
En los últimos 12 meses, ¿cuántas veces ha ido a la sala de emergencias o centro de atención de urgencias debido al asma?	
1  _ _ _ _	
-8 DON'T KNOW	GO TO R04_AX0230
-7 REFUSED	GO TO R04_AX0230
ASK: Adult respondents who have gone to emergency room for asthma in the past 12 months.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0282_LC1</b>
La computadora registró que usted fue a la sala de emergencias o centro de atención de urgencias [R04_AX0282] veces en los últimos 12 meses debido al asma. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1    BACK
2    NEXT
ASK: IF R04_AX0282 > 20.
GO TO R04_AX0282 GO TO R04_AX0230

<b>PATH ID:</b> <b>R04_AX0230</b>
<u>En los últimos 30 días</u> , ¿con qué frecuencia ha usado un inhalador de rescate, un tratamiento con nebulizador u otro medicamento de control (como albuterol)?
1    3 o más veces al día
2    Una o 2 veces al día
3    2 o 3 veces a la semana
4    Una vez a la semana o menos
5    Nunca
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have asthma.
DISPLAY: UNDERLINE "En los últimos 30 días".

<b>PATH ID:</b> <b>R04_AX0231</b>
¿Cómo calificaría el control de su asma durante los últimos 30 días?
1    Sin ningún control
2    Mal controlada
3    Un poco controlada
4    Bien controlada
5    Totalmente controlada
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have asthma.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0726</b>
En general, ¿cómo calificaría la salud de sus dientes y encías?
1   Excelente
2   Muy buena
3   Buena
4   Regular
5   Mala
-8   DON'T KNOW
-7   REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXR98</b>
New baseline respondents, go to R04_AX0693_NB.
Else, continuing respondents, go to R04_AX0693_12M.

<b>PATH ID:</b> <b>R04_AX0693_12M</b>
En los últimos 12 meses, ¿ha observado sangrado después de cepillarse o de limpiar entre los dientes con hilo dental o debido a otros problemas de la boca?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Continuing adult respondents.

<b>PATH ID:</b> <b>R04_AX0694_12M</b>
En los últimos 12 meses, ¿se le ha aflojado algún diente o muela por su cuenta, sin ser debido a una lesión?
1   Sí
2   No
-8   DON'T KNOW
-7   REFUSED
ASK: Continuing adult respondents.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0695\_12M**

En los últimos 12 meses, ¿cuántos de sus dientes o muelas permanentes le han extraído debido a caries o gingivitis (enfermedad de las encías)? No incluya pérdida de los dientes debido a otras razones, tales como lesiones u ortodoncia.

- 1 |\_\_|\_\_|  
-8 DON'T KNOW  
-7 REFUSED

ASK: Continuing adult respondents.

**PATH ID: R04\_AX0725**

¿Cuántas veces al día se cepilla los dientes?

- 2 No me cepillo los dientes todos los días  
1 |\_\_|\_\_| Veces  
-8 DON'T KNOW  
-7 REFUSED

ASK: All adult respondents.

DISPLAY: DISPLAY "Veces" AS A TITLE.

**PATH ID: R04\_AX0696**

En los últimos 7 días, aparte de cepillarse los dientes con un cepillo dental, ¿cuántas veces usó hilo dental u otro aparato para limpiar entre los dientes?

- 1 |\_\_|\_\_|  
-8 DON'T KNOW  
-7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR99**

New baseline respondents, go to R04\_AX0760\_NB.

Else, continuing respondents who have seen a dentist in the past 12 months, go to R04\_AX0760\_12M.

Else, go to Box R04\_AXR100.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0760\_12M**

En los últimos 12 meses, ¿un dentista, un higienista dental u otro profesional de la salud le ha hecho una limpieza dental?

- |    |            |                      |
|----|------------|----------------------|
| 1  | Sí         |                      |
| 2  | No         | GO TO BOX R04_AXR100 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR100 |
| -7 | REFUSED    | GO TO BOX R04_AXR100 |

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

**PATH ID: R04\_AX0729**

¿Cuánto hace desde que un dentista, un higienista dental u otro profesional de la salud le hizo una limpieza dental? (Si fue más temprano hoy, anote un día)

- |    |            |
|----|------------|
| 1  | _ _  DÍAS  |
| 2  | _ _  MESES |
| 3  | _ _  AÑOS  |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Adult respondents who have had their teeth cleaned.

**BOX ID: R04\_AXR100**

New baseline respondents, go to R04\_AX0727\_NB.

Else, continuing respondents who have seen a dentist in the past 12 months, go to R04\_AX0727\_12M.

Else, go to Box R04\_AXR25.

**PATH ID: R04\_AX0727\_12M**

En los últimos 12 meses, ¿le ha dicho un dentista, un higienista dental u otro profesional de la salud que usted ha perdido hueso alrededor de sus dientes?

- |    |            |
|----|------------|
| 1  | Sí         |
| 2  | No         |
| -8 | DON'T KNOW |
| -7 | REFUSED    |

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0129_12M
En los últimos 12 meses, ¿le ha dicho un dentista, un higienista dental u otro profesional de la salud que usted tiene enfermedad de las encías?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

<b>PATH ID:</b> R04_AX0132_12M
En los últimos 12 meses, ¿le ha dicho un médico, un dentista u otro profesional de la salud que usted tiene lesiones orales precancerosas?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R04_AXR25
GO TO BOX R04_AXR25
GO TO BOX R04_AXR25
ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

<b>PATH ID:</b> R04_AX0719
¿Necesitan tratamiento las lesiones orales?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have reported having pre-cancerous oral lesions.

<b>BOX ID:</b> R04_AXR25
New baseline respondents go to R04_AX0281_NB.
Else, continuing respondents go to R04_AX0281_12M.

<b>PATH ID:</b> R04_AX0281_12M
En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene diabetes, diabetes sacarina, exceso de azúcar en la sangre o prediabetes?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Continuing adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR83**

If respondent has ever had diabetes, go to R04\_AX0721.  
Else, go to Box R04\_AXR27.

**PATH ID: R04\_AX0721**

[Anteriormente, usted nos dijo que tenía diabetes.

]¿Qué tipo de diabetes tiene?

- 1 Tipo 1
- 2 Tipo 2
- 3 No sé
- 4 Nunca he tenido diabetes GO TO BOX R04\_AXR27
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have diabetes.

DISPLAY: IF RESPONDENT REPORTED HAVING DIABETES IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03\_DIABETES = 1 AND R04\_AX0281\_NB != 1 AND R04\_AX0281\_12M != 1], DISPLAY "Anteriormente, usted nos dijo que tenía diabetes." AND DISPLAY OPTION 4.

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 4.

**PATH ID: R04\_AX0697**

Actualmente, ¿está tomando alguno de los siguientes medicamentos para reducir el azúcar en la sangre? Escoja todas las opciones que correspondan.

- 1 Insulina
- 2 Píldoras para la diabetes
- 3 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have diabetes and did not recant their diabetes diagnosis.

**BOX ID: R04\_AXR27**

New baseline respondents, go to Box R04\_AXD19.  
Else, continuing respondents who have seen a doctor in the past 12 months, go to Box R04\_AXD20.  
Else, go to Box R04\_AXR42.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXD19**

Display questions R04\_AX0141\_NB, R04\_AX0147\_NB, R04\_AX0151\_NB, and R04\_AX0144\_NB on one screen. Show the transition text and question stem from R04\_AX0141\_NB first, then show each item with the sí/no responses. As each item is answered, show the next one.

**BOX ID: R04\_AXR29**

New baseline respondents who have had an ulcer, go to R04\_AX0143\_NB.  
Else, new baseline respondents who have had stomach or gastrointestinal bleeding, go to R04\_AX0148\_NB.  
Else, new baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.  
Else, new baseline respondents who have had cancer, go to R04\_AX0145.  
Else, new baseline respondents go to Box R04\_AXR40.

**BOX ID: R04\_AXD20**

Display questions R04\_AX0141\_12M, R04\_AX0147\_12M, R04\_AX0151\_12M, and R04\_AX0144\_12M on one screen. Show the transition text and question stem from R04\_AX0141\_12M first, then show each item with the sí/no responses. As each item is answered, show the next one.

**PATH ID: R04\_AX0141\_12M**

En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tenía...

una úlcera? Incluya las úlceras estomacales, duodenales o pépticas.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a doctor in the past 12 months.

**PATH ID: R04\_AX0147\_12M**

sangrado de estómago u otro sangrado gastrointestinal?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a doctor in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0151_12M</b>
una catarata o glaucoma?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Continuing adult respondents who have seen a doctor in the past 12 months.

<b>PATH ID:</b> <b>R04_AX0144_12M</b>
cáncer?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Continuing adult respondents who have seen a doctor in the past 12 months.

<b>BOX ID:</b> <b>R04_AXR42</b>
Continuing adults who have ever had an ulcer, go to R04_AX0698. Else, continuing adults who have had cancer in the past 12 months, go to R04_AX0145. Else, continuing adults who have ever had cancer, go to R04_AX0705. Else, continuing adults go to Box R04_AXR40.

<b>PATH ID:</b> <b>R04_AX0698</b>
[Anteriormente, usted nos dijo que tenía una úlcera.
]¿Ha tomado algún medicamento para una úlcera en los últimos 30 días?
1    Sí
2    No
3    Nunca he tenido una úlcera
-8    DON'T KNOW
-7    REFUSED
GO TO R04_AX0699
GO TO BOX R04_AXR34
GO TO R04_AX0699
GO TO R04_AX0699
ASK: Adult respondents who have ever been told they have ulcers.
DISPLAY: IF RESPONDENT REPORTED HAVING ULCERS IN ANY PREVIOUS WAVE, BUT NOT IN THE CURRENT WAVE [R03_ULCER = 1 AND R04_AX0141_NB != 1 AND R04_AX0141_12M != 1], DISPLAY "Anteriormente, usted nos dijo que tenía una úlcera." AND DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY THIS TRANSITION TEXT AND SUPPRESS OPTION 3.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0738</b>
¿Qué clase de medicamentos ha tomado para la úlcera en los últimos 30 días? Escoja todas las opciones que correspondan.
1    Antiácidos que se venden sin receta médica
2    Medicamentos que se venden con receta médica
3    Otro
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have taken medications for ulcers in the past 30 days.

<b>PATH ID:</b> <b>R04_AX0699</b>	
¿Le han hecho pruebas para detectar una infección bacteriana, llamada Helicobacter Pylori, en el estómago?	
1    Sí	
2    No	GO TO BOX R04_AXR34
3    No sé	GO TO BOX R04_AXR34
-8    DON'T KNOW	GO TO BOX R04_AXR34
-7    REFUSED	GO TO BOX R04_AXR34
ASK: Adult respondents who have ever been told they have ulcers.	

<b>PATH ID:</b> <b>R04_AX0739</b>
¿Le detectaron la Helicobacter Pylori?
1    Sí
2    No
3    No sé
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have been tested for H. Pylori.

<b>BOX ID:</b> <b>R04_AXR34</b>
New baseline respondents who have had stomach or gastrointestinal bleeding, go to R04_AX0148_NB. Else, new baseline respondents who have had a cataract or glaucoma, go to R04_AX0152_NB. Else, new baseline respondents who have had cancer, go to R04_AX0145. Else, new baseline respondents go to Box R04_AXR40. Else, continuing adults who have had cancer in the past 12 months, go to R04_AX0145. Else, continuing adults who have ever had cancer, go to R04_AX0705. Else, continuing adults go to Box R04_AXR40.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR36**

New baseline respondents who have had a cataract or glaucoma, go to R04\_AX0152\_NB.  
Else, new baseline respondents who have had cancer in the past 12 months, go to R04\_AX0145.  
Else, continuing adults who have ever had cancer, go to R04\_AX0705.  
Else, go to Box R04\_AXR40.

**BOX ID: R04\_AXR39**

New baseline respondents who have had cancer, go to R04\_AX0145.  
Else, new baseline respondents go to Box R04\_AXR40.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0145**

¿Qué tipo de cáncer le dijeron que tenía? Escoja todas las opciones que correspondan.

[Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE"./Si no ve la opción a continuación, toque la casilla que dice "OTRA."]

- 17 DE BOCA/LENGUA/LABIO
- 7 DE COLON
- 6 DE CUELLO UTERINO (CERVICAL)
- 8 DE ESÓFAGO (ESOFÁGICO)
- 26 DE ESTÓMAGO
- 28 DE GARGANTA
- 11 DE LARINGE/TRÁQUEA
- 3 DE LOS HUESOS
- 19 DE OVARIO
- 20 DE PÁNCREAS (PANCREÁTICO)
- 16 DE PIEL (MELANOMA)
- 23 DE PIEL (NO MELANOMA)
- 24 DE PIEL (NO SE SABE EL TIPO)
- 21 DE PRÓSTATA
- 14 DE PULMÓN
- 22 DE RECTO (RECTAL)
- 10 DE RIÑÓN
- 2 DE SANGRE
- 5 DE SENO (MAMA)
- 25 DE TEJIDOS BLANDOS (MÚSCULO O GRASA)
- 27 DE TESTÍCULO (TESTICULAR)
- 29 DE TIROIDES
- 30 DE ÚTERO (UTERINO)
- 1 DE VEJIGA
- 9 DE VESÍCULA
- 4 DEL CEREBRO
- 13 DEL HÍGADO
- 18 DEL SISTEMA NERVIOSO
- 12 LEUCEMIA
- 15 LINFOMA/ENFERMEDAD DE HODGKIN
- 31 OTRO
- 8 DON'T KNOW

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

-7 REFUSED

ASK: Adult respondents who have had cancer.

DISPLAY: IF SCREENS 1-3 DISPLAY: Si no ve la opción a continuación, toque el botón que dice "SIGUIENTE".

IF LAST SCREEN DISPLAY: Si no ve la opción a continuación, toque la casilla que dice "OTRA".

**BOX ID: R04\_AXR41**

If new baseline respondent, go to Box R04\_AXR46.

Else, go to Box R04\_AXR40.

**BOX ID: R04\_AXR46**

PROGRAM: CREATE LOOP:

Repeat R04\_AX0146\_NB[01/.../\_31] through R04\_AX0265\_NB[01/.../\_31] for each type of cancer the respondent reports they had in R04\_AX0145. (This loop is only asked of new baseline adults who reported ever having cancer.)

**BOX ID: R04\_AXR47**

END NEW BASELINE CANCER LOOP:

If the respondent has loops to complete for other types of cancer, return to Box R04\_AXR46 and loop through the subsection for any other types of cancer the respondent has had.

Else, if the respondent has no more remaining loops to complete, go to Box R04\_AXR40.

**PATH ID: R04\_AX0705**

Anteriormente, usted nos dijo que tenía cáncer.

¿Está su cáncer en remisión?

- 1 Sí
- 2 No
- 3 Nunca he tenido cáncer
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04\_AXR40

ASK: Continuing adult respondents who have ever been diagnosed with cancer, but were not told they had cancer in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0748</b>
Anteriormente, usted nos dijo que tenía cáncer.
¿Ha vuelto a aparecer el cáncer?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Continuing adult respondents who have ever been diagnosed with cancer, but were not told they had cancer in the past 12 months and did not recant their cancer diagnosis.

<b>BOX ID:</b> <b>R04_AXR40</b>
New baseline adult respondents, go to Box R04_AXD25.
Else, continuing adults who are aged 40 or older and who have seen a doctor in the past 12 months, go to Box R04_AXD21.
Else, go to R04_AX0756.

<b>BOX ID:</b> <b>R04_AXD25</b>
Display questions R04_AX0149_NB, R04_AX0196_NB, and R04_AX0400_NB on one screen. Show the transition text and question stem from R04_AX0149_NB first, then show each item with the sí/no responses. As each item is answered, show the next one.

<b>BOX ID:</b> <b>R04_AXR86</b>
If new baseline respondent has been diagnosed with osteoporosis, go to R04_AX0150_NB.
Else, if new baseline respondent has been diagnosed with fragile bones, go to R04_AX0198_NB.
Else, go to Box R04_AXR88.

<b>BOX ID:</b> <b>R04_AXD21</b>
Display questions R04_AX0149_12M, R04_AX0196_12M, and R04_AX0400_12M on one screen. Show the transition text and question stem from R04_AX0149_12M first, then show each item with the sí/no responses. As each item is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0149_12M
En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene...  osteoporosis, que a veces se llama la enfermedad de huesos delgados o quebradizos?  1 Sí 2 No -8 DON'T KNOW -7 REFUSED
ASK: Continuing adult respondents aged 40 and older who have seen a doctor in the past 12 months.

<b>PATH ID:</b> R04_AX0196_12M
una fractura debido a que tiene huesos frágiles?  1 Sí 2 No -8 DON'T KNOW -7 REFUSED
ASK: Continuing adult respondents aged 40 and older who have seen a doctor in the past 12 months.

<b>PATH ID:</b> R04_AX0400_12M
pérdida rápida de la visión? No incluya pérdida de la visión debido al envejecimiento, como la miopía o la hipermetropía.  1 Sí 2 No -8 DON'T KNOW -7 REFUSED
ASK: Continuing adult respondents aged 40 and older who have seen a doctor in the past 12 months.

<b>BOX ID:</b> R04_AXR17
If respondent aged 40 or older has been diagnosed with fragile bones, go to R04_AX0701. Else, if respondent aged 40 or older has been diagnosed with osteoporosis, go to R04_AX0700. Else, go to R04_AX0702.

<b>BOX ID:</b> R04_AXR87
If new baseline respondent has been diagnosed with fragile bones, go to R04_AX0198_NB. Else, go to R04_AX0700.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0701</b>
En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que el tiempo de curación o consolidación de una fractura era más largo que lo esperado?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have been diagnosed with fragile bones.

<b>PATH ID:</b> <b>R04_AX0700</b>
¿Alguna vez ha tomado píldoras de prednisona o cortisona casi todos los días por un mes o más? La prednisona y la cortisona son tipos de esteroides.
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have been diagnosed with osteoporosis or fragile bones.

<b>BOX ID:</b> <b>R04_AXR88</b>
Adult respondents who are aged 40 or older, go to R04_AX0702. Else, go to R04_AX0756.

<b>PATH ID:</b> <b>R04_AX0702</b>
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene degeneración macular?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO R04_AX0756
GO TO R04_AX0756
GO TO R04_AX0756
ASK: Adult respondents aged 40 and older.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AX0703</b>	
¿Qué edad tenía la primera vez que le dijeron que tenía degeneración macular?	
1   ___ ___ ___  Años	
-8 DON'T KNOW	GO TO R04_AX0704
-7 REFUSED	GO TO R04_AX0704
ASK: Adult respondents aged 40 and older who were told they had macular degeneration.	
DISPLAY: DISPLAY "Años" AS A TITLE.	

<b>PATH ID: R04_AX0703_LC1</b>	
La computadora registró que usted tenía [R04_AX0703] años la primera vez que le dijeron que tenía degeneración macular. Son más años de los que usted tiene actualmente.	
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.	
1 BACK	GO TO R04_AX0703
2 NEXT	GO TO R04_AX0756
ASK: IF R04_AX0703 > R04_ACHIEVEDAGE.	

<b>PATH ID: R04_AX0704</b>	
La primera vez que le dijeron que tenía degeneración macular, ¿tenía...?	
1 menos de 18 años de edad,	
2 entre 18 y 24 años de edad,	
3 entre 25 y 34 años de edad,	
4 entre 35 y 44 años de edad,	
5 entre 45 y 54 años de edad o	
6 55 años de edad o más?	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents aged 40 and older who did not know or refused to report the age when they were first told they had macular degeneration.	

<b>PATH ID: R04_AX0756</b>	
¿Le ha dicho un médico, un terapeuta u otro profesional de la salud mental alguna vez que usted tenía esquizofrenia, un trastorno esquizoafectivo o psicosis?	
1 Sí	
2 No	GO TO R04_AX0761
-8 DON'T KNOW	GO TO R04_AX0761
-7 REFUSED	GO TO R04_AX0761
ASK: All adult respondents.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0757**

¿Qué edad tenía la primera vez que un médico, un terapeuta u otro profesional de la salud mental le dijo que usted tenía esquizofrenia, un trastorno esquizoafectivo o psicosis?

- |    |               |                     |
|----|---------------|---------------------|
| 1  | _ _ _ _  Años | GO TO BOX R04_AXR14 |
| -8 | DON'T KNOW    |                     |
| -7 | REFUSED       |                     |

ASK: Adult respondents who have ever been told they have schizophrenia/psychosis.

DISPLAY: DISPLAY "Años" AS A TITLE.

**PATH ID: R04\_AX0758**

La primera vez que le dijeron que tenía esquizofrenia, un trastorno esquizoafectivo o psicosis, ¿tenía...

- |    |                              |                     |
|----|------------------------------|---------------------|
| 1  | menos de 18 años de edad,    | GO TO BOX R04_AXR14 |
| 2  | entre 18 y 24 años de edad,  | GO TO BOX R04_AXR14 |
| 3  | entre 25 y 34 años de edad,  | GO TO BOX R04_AXR14 |
| 4  | entre 35 y 44 años de edad,  | GO TO BOX R04_AXR14 |
| 5  | entre 45 y 54 años de edad o | GO TO BOX R04_AXR14 |
| 6  | 55 años de edad o más?       | GO TO BOX R04_AXR14 |
| -8 | DON'T KNOW                   | GO TO BOX R04_AXR14 |
| -7 | REFUSED                      | GO TO BOX R04_AXR14 |

ASK: Adult respondents who did not know or refused to report the age they were told they have schizophrenia/psychosis.

**PATH ID: R04\_AX0761**

¿Le ha dicho un médico, un terapeuta u otro profesional de la salud mental alguna vez que usted tenía una enfermedad o una crisis psicótica?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AXR14 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR14 |
| -7 | REFUSED    | GO TO BOX R04_AXR14 |

ASK: Adult respondents who have not been diagnosed with schizophrenia, schizoaffective disorder or psychosis.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0762
¿Qué edad tenía la primera vez que un médico, un terapeuta u otro profesional de la salud mental le dijo que usted tenía una enfermedad o una crisis psicótica?
1  __ __ __  Años <span style="float: right;">GO TO BOX R04_AXR14</span>
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have ever been told they had a psychotic illness or episode. DISPLAY: DISPLAY "Años" AS A TITLE.

<b>PATH ID:</b> R04_AX0772
La primera vez que le dijeron que tenía una enfermedad o una crisis psicótica, ¿tenía...
1 menos de 18 años de edad,
2 entre 18 y 24 años de edad,
3 entre 25 y 34 años de edad,
4 entre 35 y 44 años de edad,
5 entre 45 y 54 años de edad, o
6 55 años de edad o más?
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not know or refused to report the age they were told they had a psychotic illness or episode.

<b>BOX ID:</b> R04_AXR14
Adult male respondents aged 20 years old or older, go to R04_AX0730. Else, go to Box R04_AXD06.

<b>PATH ID:</b> R04_AX0730
Muchos hombres tienen problemas en sus relaciones sexuales. ¿Cómo describiría su capacidad de lograr y mantener una erección adecuada para mantener relaciones sexuales satisfactorias? ¿Diría que usted ...?
1 Siempre o casi siempre puede lograr y mantener una erección
2 Normalmente puede lograr y mantener una erección
3 A veces puede lograr y mantener una erección
4 Nunca puede lograr ni mantener una erección
-8 DON'T KNOW
-7 REFUSED
ASK: Adult male respondents aged 20 years old or older.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>BOX ID:</b> R04_AXD06
DISPLAY INSTRUCTION: For R04_AX0158, display a 'Sí' and 'No' column with options for each response category.

<b>PATH ID:</b> R04_AX0158
En los últimos 12 meses, ¿tomó alguno de los siguientes medicamentos, incluso si solo fue una vez?
1 Aspirina
2 Tylenol (acetaminofén o paracetamol)
3 Inhibidores Cox-2, por ejemplo: Celebrex
4 Otro medicamento antiinflamatorio, por ejemplo: ibuprofeno, Motrin, Advil, Naprosyn, o Aleve
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> R04_AXR43
If respondent uses aspirin, go to R04_AX0156. Else, if respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH. Else, go to Box R04_AXR102.

<b>PATH ID:</b> R04_AX0156
Aproximadamente, en los últimos 12 meses, ¿con qué frecuencia tomó <u>aspirina</u> ? <u>No</u> incluya a los analgésicos (calmantes para el dolor) tales como ibuprofeno o Tylenol.
1 Nunca
2 Menos de una vez al mes
3 1 a 3 días al mes
4 Semanalmente
5 A diario
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who report taking aspirin. DISPLAY: UNDERLINE "aspirina" AND "No".

<b>BOX ID:</b> R04_AXR44
If respondent has taken aspirin in the past 12 months, go to R04_AX0157. Else, if respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH. Else, go to Box R04_AXR102.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0157</b>
¿Qué tipo de aspirina toma normalmente?  1   Aspirina para bebé (162 mg o menos) 2   Aspirina normal o extra fuerte -8   DON'T KNOW -7   REFUSED
ASK: Adult respondents who have taken aspirin in the past 12 months.

<b>BOX ID:</b> <b>R04_AXR45</b>
If respondent is not a current, experimental current, or recent former tobacco user, go to R04_AN0330_12MH. Else, go to Box R04_AXR102.

<b>PATH ID:</b> <b>R04_AN0330_12MH</b>
En los últimos 12 meses, ¿ha usado un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?  1   Sí 2   No -8   DON'T KNOW -7   REFUSED
GO TO R04_AN0331_12MH GO TO R04_AN0331_12MH GO TO R04_AN0331_12MH
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users.

<b>PATH ID:</b> <b>R04_AN0307H</b>
¿Cuándo fue la última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras?  1   Hace menos de una hora 2   Hoy 3   Ayer 4   Hace dos días 5   Hace tres o más días -8   DON'T KNOW -7   REFUSED
GO TO R04_AN0309H   GO TO R04_AN0331_12MH GO TO R04_AN0331_12MH GO TO R04_AN0331_12MH
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0308H**

La última vez que usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04\_AN0307H], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0307H]:

IF R04\_AN0307H = 2, DISPLAY "hoy".

ELSE, IF R04\_AN0307H = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0307H = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309H**

Cuando usó o tomó un producto con nicotina tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [FILL BASED ON R04\_AN0307H], ¿cuántos usó o tomó?

- 1 |\_\_|\_\_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used NRT in the past hour, today, yesterday or the day before yesterday.

DISPLAY: FOR [FILL BASED ON R04\_AN0307H]:

IF R04\_HN0307 = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0307H = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0307H = 4, DISPLAY "hace dos días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AN0309H\_LC1**

La computadora registró que [hoy/ayer/hace dos días] usted usó o tomó el producto con nicotina como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras [R04\_AN0309H] veces.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AN0309H     |
| 2 | NEXT | GO TO R04_AN0331_12MH |

ASK: IF R04\_AN0309H > 5.

DISPLAY: IF R04\_AN0307H = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0307H = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0307H = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0309H\_LC2**

La computadora registró que [hoy/ayer/hace dos días], usted usó o tomó el producto con nicotina, tal como parches, chicles, inhaladores, espráis nasales, pastillas de chupar o píldoras cero veces.

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- |   |      |                       |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AN0309H     |
| 2 | NEXT | GO TO R04_AN0331_12MH |

ASK: IF R04\_AN0309H = 0.

DISPLAY: IF R04\_AN0307H = 1, 2, DISPLAY "hoy".

ELSE, IF R04\_AN0307H = 3, DISPLAY "ayer".

ELSE, IF R04\_AN0307H = 4, DISPLAY "hace dos días".

**PATH ID: R04\_AN0331\_12MH**

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos de venta con receta médica? Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- |    |            |                      |
|----|------------|----------------------|
| 1  | Sí         |                      |
| 2  | No         | GO TO BOX R04_AXR102 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR102 |
| -7 | REFUSED    | GO TO BOX R04_AXR102 |

ASK: Adult respondents who are not current, experimental current, or recent former tobacco users.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AN0327H</b>	
¿Cuándo fue la última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?		
1	Hace menos de una hora	GO TO R04_AN0329H
2	Hoy	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO BOX R04_AXR102
-8	DON'T KNOW	GO TO BOX R04_AXR102
-7	REFUSED	GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug in the past 12 months.		

<b>PATH ID:</b>	<b>R04_AN0328H</b>	
La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04_AN0327H], ¿fue...?		
1	Entre la medianoche y las 6 de la mañana	
2	Entre las 6 de la mañana y el mediodía	
3	Entre el mediodía y las 6 de la tarde	
4	Entre las 6 de la tarde y la medianoche	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug today, yesterday or the day before yesterday.		
DISPLAY: FOR [FILL BASED ON R04_AN0327H]:		
IF R04_AN0327H = 4, DISPLAY "hace dos días".		
ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327H, MAKING FIRST LETTER LOWERCASE.		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AN0329H
Cuando tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R04_AN0327H], ¿cuántas píldoras tomó?
1  __ __
-8 DON'T KNOW GO TO BOX R04_AXR102
-7 REFUSED GO TO BOX R04_AXR102
ASK: Adult respondents who are not current, experimental current, or recent former tobacco users and have used a prescription drug in the past hour, today, yesterday or the day before yesterday.
DISPLAY: FOR [FILL BASED ON R04_AN0327H]:
IF R04_AN0327H = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AN0327H = 3, DISPLAY "ayer".
ELSE, IF R04_AN0327H = 4, DISPLAY "hace dos días".

<b>PATH ID:</b> R04_AN0329H_LC1
La computadora registró que [hoy/ayer/hace dos días], usted tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [R04_AN0329H] veces.
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1 BACK GO TO R04_AN0329H
2 NEXT GO TO BOX R04_AXR102
ASK: IF R04_AN0329H = 0 OR IF R04_AN0329H > 5.
DISPLAY: IF R04_AN0327H = 1, 2, DISPLAY "hoy".
ELSE, IF R04_AN0327H = 3, DISPLAY "ayer".
ELSE, IF R04_AN0327H = 4, DISPLAY "hace dos días".

<b>BOX ID:</b> R04_AXR102
New cohort adult female respondents, go to R04_AX0134_RS.
Else, aged-up and continuing adult female respondents who are less than 50 years old, go to R04_AX0134_12M.
Else, go to R04_AX0488.

<b>BOX ID:</b> R04_AXR121
New cohort adult respondents who have been pregnant, but have not had a live birth or did not know or refused to report how many of their pregnancies resulted in a live birth, go to Box R04_AXR52.
Else, new cohort adult respondents who have had a live birth, go to R04_AX0300_RS.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR52**

New cohort adult female respondents who have been pregnant, go to R04\_AX0136.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0134\_12M**

Las siguientes preguntas son acerca de su historial de embarazos.

En los últimos 12 meses, ¿ha estado embarazada? Por favor, incluya su embarazo actual, nacimientos vivos, pérdidas del embarazo, abortos, embarazos ectópicos o tubáricos (en las trompas) y embarazos en los que el bebé nació sin vida.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up and continuing adult female respondents who are less than 50 years old.

**BOX ID: R04\_AXR53**

If aged-up or continuing adult female respondent has been pregnant in the past 12 months, go to R04\_AX0136.

Else, if respondent was pregnant at the previous wave, and reports not being pregnant in the past 12 months, go to R04\_AX0135\_12M.

Else, if respondent was not pregnant at the previous wave, and reports not being pregnant in the past 12 months, go to R04\_AX0488.

**PATH ID: R04\_AX0136**

¿Está usted embarazada ahora?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant, and aged-up and continuing adult female respondents who have been pregnant sometime in the past 12 months.

**BOX ID: R04\_AXR54**

If respondent is currently pregnant, go to R04\_AX0137.

Else, if new cohort adult female respondent who is not currently pregnant, go to Box R04\_AXR118.

Else, if aged-up and continuing adult female respondent who has been pregnant sometime in the past 12 months and is not currently pregnant, go to R04\_AX0135\_12M.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0137</b>
¿Cuántos meses o semanas de embarazo tiene? Anote el número de meses o semanas.
1    __ __  Meses
2    __ __  Semanas
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AXR118
GO TO BOX R04_AXR118
ASK: Adult female respondents who are currently pregnant.
DISPLAY: Display as Quantity/Units

<b>PATH ID:</b> <b>R04_AX0137_LC1</b>
La computadora registró que usted tiene [R04_AX0137] [meses/semanas] de embarazo. ¿Es correcto?
Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.
1   BACK
2   NEXT
GO TO R04_AX0137
GO TO BOX R04_AXR118
ASK: IF (R04_AX0137_NN > 10 AND R04_AX0137_UN = 1) OR (R04_AX0137_NN > 42 AND R04_AX0137_UN = 2).
DISPLAY: IF R04_AX0137_UN = 1, DISPLAY "meses".
ELSE, IF R04_AX0137_UN = 2, DISPLAY "semanas".

<b>BOX ID:</b> <b>R04_AXR118</b>
New cohort adult female respondents whose pregnancy resulted in preterm birth, low birth weight or birth defects, go to R04_AX0299.
Else, new cohort adult female respondents who have ever been pregnant and respondents who are currently pregnant, go to R04_AX0340.
Else, go to R04_AX0488.

<b>PATH ID:</b> <b>R04_AX0135_12M</b>
¿Cómo culminó su último embarazo?
1   Nacimiento vivo
2   Pérdida del embarazo
3   Aborto
4   Embarazo ectópico o tubárico (en las trompas)
5   El bebé nació sin vida
6   Ninguna de las anteriores
-8   DON'T KNOW
-7   REFUSED
ASK: Aged-up and continuing adult female respondents who were pregnant during the previous wave, or who became pregnant in the past 12 months but are not currently pregnant during the current wave.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR55**

If pregnancy resulted in live birth, go to R04\_AX0300\_12M.  
Else, go to R04\_AX0340.

**PATH ID: R04\_AX0300\_12M**

En su último embarazo, ¿ocurrió algo de lo siguiente? Escoja todas las opciones que correspondan.

- 1 Nacimiento prematuro (el bebé nació antes de las 37 semanas de gestación)
- 2 Bebé con bajo peso (menos de 5 libras 8 onzas)
- 3 Bebé con defectos congénitos
- 4 Placenta previa (cuando la placenta cubre el cuello uterino)
- 5 Desprendimiento prematuro de la placenta
- 6 Preeclampsia
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents whose last pregnancy resulted in a live birth.

**BOX ID: R04\_AXR56**

If pregnancy resulted in preterm birth, low birth weight or birth defects, go to R04\_AX0299.  
Else, go to R04\_AX0340.

**PATH ID: R04\_AX0299**

¿Tiene su hijo o su hija algún retraso en el desarrollo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who previously reported having a preterm birth or having babies with low birth weight or birth defects.

**BOX ID: R04\_AXR57**

If pregnancy resulted in birth defects, go to R04\_AX0706.  
Else, go to R04\_AX0340.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0706**

¿Nació su hijo con labio leporino o paladar hendido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who previously reported having a baby with birth defects.

**BOX ID: R04\_AXR119**

New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, go to R04\_AX0340.

Else, go to R04\_AX0488.

**PATH ID: R04\_AX0340**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿cuántas bebidas alcohólicas consumió en una semana?

Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 1 14 o más bebidas a la semana
- 2 7 a 13 bebidas a la semana
- 3 4 a 6 bebidas a la semana
- 4 Una a 3 bebidas a la semana
- 5 Menos de una a la semana
- 6 No tomaba bebida alcohólicas en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0341**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿cuántas bebidas alcohólicas [consumió/ha consumido] en una semana?

Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 1 14 o más bebidas a la semana
- 2 7 a 13 bebidas a la semana
- 3 4 a 6 bebidas a la semana
- 4 Una a 3 bebidas a la semana
- 5 Menos de una a la semana
- 6 No tomaba bebida alcohólicas en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha consumido". ELSE, DISPLAY "más reciente" AND "consumió".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXV05**

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

**R04\_PASTUSE\_CIGS** - Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarette smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarettes.

**R04\_PASTUSE\_EPRODS** - Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 and new baseline adult respondents who have ever used electronic nicotine products.

**R04\_PASTUSE\_GTRAD** - Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former traditional cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked traditional cigars.

**R04\_PASTUSE\_GRILLO** - Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarillo smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarillos.

**R04\_PASTUSE\_GFILTR** - Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former filtered cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked filtered cigars.

**R04\_PASTUSE\_PIPE** - Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former pipe smokers in Wave 3 and new baseline adult respondents who have ever smoked pipe tobacco.

**R04\_PASTUSE\_HOOK** - Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former hookah smokers in Wave 3 and new baseline adult respondents who have ever smoked hookah.

**R04\_PASTUSE\_SNUS** - Continuing adult respondents who used snus in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former snus users in Wave 3 and new baseline adult respondents who have ever used snus.

**R04\_PASTUSE\_SMKLS** - Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former smokeless tobacco users in Wave 3 and new baseline adult respondents who have ever used smokeless tobacco.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR60**

If respondent has smoked cigarettes, go to R04\_AX0342.  
Else, If respondent has used e-products, go to R04\_AX0344.  
Else, if respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0342**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿cuántos cigarrillos fumó en un día?  
Una cajetilla normalmente contiene 20 cigarrillos.

- 1 Menos de un cigarrillo
- 2 1 a 5 cigarrillos
- 3 6 a 10 cigarrillos
- 4 11 a 20 cigarrillos
- 5 21 a 40 cigarrillos
- 6 41 cigarrillos o más
- 7 Ninguno (cero cigarrillos)
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarettes.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0343**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿cuántos cigarrillos [fumó/ha fumado] en un día?

- 1 Menos de un cigarrillo
- 2 1 a 5 cigarrillos
- 3 6 a 10 cigarrillos
- 4 11 a 20 cigarrillos
- 5 21 a 40 cigarrillos
- 6 41 cigarrillos o más
- 7 Ninguno (cero cigarrillos)
- 8 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarettes.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**BOX ID: R04\_AXR89**

If respondent has used e-products, go to R04\_AX0344.

Else, if respondent has smoked traditional cigars, go to R04\_AX0346.

Else, if respondent has smoked cigarillos, go to R04\_AX0348.

Else, if respondent has smoked filtered cigars, go to R04\_AX0350.

Else, if respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0344**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia fumó cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba productos electrónicos con nicotina en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used e-products.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH ID: R04\_AX0345**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba productos electrónicos con nicotina en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used e-products.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR90**

If respondent has smoked traditional cigars, go to R04\_AX0346.  
Else, if respondent has smoked cigarillos, go to R04\_AX0348.  
Else, if respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0346**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puros tradicionales?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros tradicionales en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked traditional cigars.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0347**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puros tradicionales?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros tradicionales en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked traditional cigars.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**BOX ID: R04\_AXR91**

If respondent has smoked cigarillos, go to R04\_AX0348.

Else, if respondent has smoked filtered cigars, go to R04\_AX0350.

Else, if respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0348</b>
Durante los 3 meses <u>antes</u> de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puritos?
1    Todos los días
2    Algunos días a la semana
3    Una vez a la semana
4    Dos o tres días al mes
5    Una vez al mes o menos
6    No fumaba puritos en ese momento
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarillos.
DISPLAY: UNDERLINE "antes".
IF R04_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

<b>PATH ID:</b> <b>R04_AX0349</b>
Durante los <u>últimos</u> 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puritos?
1    Todos los días
2    Algunos días a la semana
3    Una vez a la semana
4    Dos o tres días al mes
5    Una vez al mes o menos
6    No fumaba puritos en ese momento
7    Todavía no he llegado a los últimos 3 meses de mi embarazo
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked cigarillos.
DISPLAY: UNDERLINE "últimos".
IF R04_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR92**

If respondent has smoked filtered cigars, go to R04\_AX0350.  
Else, if respondent has smoked a pipe, go to R04\_AX0352.  
Else if respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0350**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puros con filtro?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros con filtro en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked filtered cigars.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0351**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puros con filtro?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros con filtro en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked filtered cigars.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**BOX ID: R04\_AXR93**

If respondent has smoked a pipe, go to R04\_AX0352.

Else if respondent has smoked hookah, go to R04\_AX0354.

Else, if respondent has used snus, go to R04\_AX0356.

Else, if respondent has used smokeless tobacco, go to R04\_AX0358.

Else, go to R04\_AX0488.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0352
Durante los 3 meses <u>antes</u> de su embarazo [más reciente/actual], ¿con qué frecuencia fumó una pipa con tabaco?
1 Todos los días
2 Algunos días a la semana
3 Una vez a la semana
4 Dos o tres días al mes
5 Una vez al mes o menos
6 No fumaba pipa con tabaco en ese momento
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked a pipe.
DISPLAY: UNDERLINE "antes".
IF R04_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

<b>PATH ID:</b> R04_AX0353
Durante los <u>últimos</u> 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] una pipa con tabaco?
1 Todos los días
2 Algunos días a la semana
3 Una vez a la semana
4 Dos o tres días al mes
5 Una vez al mes o menos
6 No fumaba pipa con tabaco en ese momento
7 Todavía no he llegado a los últimos 3 meses de mi embarazo
-8 DON'T KNOW
-7 REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked a pipe.
DISPLAY: UNDERLINE "últimos".
IF R04_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR94**

If respondent has smoked hookah, go to R04\_AX0354.  
Else, if respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0354**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia fumó hookah?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba hookah en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked hookah.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH ID: R04\_AX0355**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] hookah?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba hookah en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has smoked hookah.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha fumado". ELSE, DISPLAY "más reciente" AND "fumó".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR95**

If respondent has used snus, go to R04\_AX0356.  
Else, if respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0356**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia consumió snus?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía snus en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used snus.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

**PATH ID: R04\_AX0357**

Durante los últimos 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [consumió/ha consumido] snus?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía snus en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used snus.

DISPLAY: UNDERLINE "últimos".

IF R04\_AX0136 = 1, DISPLAY "actual" AND "ha consumido". ELSE, DISPLAY "más reciente" AND "consumió".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR96**

If respondent has used smokeless tobacco, go to R04\_AX0358.  
Else, go to R04\_AX0488.

**PATH ID: R04\_AX0358**

Durante los 3 meses antes de su embarazo [más reciente/actual], ¿con qué frecuencia consumió [otros tipos de] tabaco que no se fuma (como dip, spit o tabaco de mascar)?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía tabaco que no se fuma en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used smokeless tobacco.

DISPLAY: UNDERLINE "antes".

IF R04\_AX0136 = 1, DISPLAY "actual". ELSE, DISPLAY "más reciente".

IF R04\_PASTUSE\_SNUS = 1, DISPLAY "otros tipos de ". ELSE, DO NOT DISPLAY.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0359</b>
Durante los <u>últimos</u> 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [consumió/ha consumido] tabaco que no se fuma?
1    Todos los días
2    Algunos días a la semana
3    Una vez a la semana
4    Dos o tres días al mes
5    Una vez al mes o menos
6    No consumía tabaco que no se fuma en ese momento
7    Todavía no he llegado a los últimos 3 meses de mi embarazo
-8    DON'T KNOW
-7    REFUSED
ASK: New cohort adult female respondents who have ever been pregnant or are currently pregnant, and aged-up and continuing adult female respondents who are currently pregnant or were pregnant in the past 12 months, and has used smokeless tobacco.
DISPLAY: UNDERLINE "últimos".
IF R04_AX0136 = 1, DISPLAY "actual" AND "ha consumido". ELSE, DISPLAY "más reciente" AND "consumió".

<b>PATH ID:</b> <b>R04_AX0488</b>
Las siguientes preguntas son acerca de problemas comunes psicológicos, conductuales y personales. A estos problemas se les considera como <u>graves</u> cuando los tiene por dos semanas o más, cuando vuelven, cuando le impiden cumplir con sus responsabilidades o cuando le hacen sentir que ya no puede más.
Después de cada una de las siguientes preguntas, díganos cuándo fue la última vez que ocurrió este problema indicando si fue el mes pasado, hace 2 a 12 meses, hace más de un año o nunca.
1    NEXT
ASK: All adult respondents.
DISPLAY: UNDERLINE "graves".

<b>BOX ID:</b> <b>R04_AXD91</b>
Display questions R04_AX0161 through R04_AX0164 using the expanded WVB stem-leaf screen. The introduction text from R04_AX0161 is the stem. As each question is answered, show the next one.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0161**

¿Cuándo fue la última vez que tuvo serios problemas como..

sentirse atrapado, solo, triste, melancólico, deprimido o desesperado?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "serios problemas".

**PATH ID: R04\_AX0162**

problemas para dormir, como tener pesadillas, dormir sin descansar o quedarse dormido a lo largo del día?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0163**

sentirse muy ansioso, nervioso, tenso, asustado, con pánico o sentía que algo malo iba a pasar?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0164</b>
angustiar-se mucho o molestarse cuando se acordaba de algo que ocurrió en el pasado?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>BOX ID:</b> <b>R04_AXD92</b>
Display questions R04_AX0165 through R04_AX0251 using the expanded WVB stem-leaf screen. The introduction text from R04_AX0165 is the stem. As each question is answered, show the next one.

<b>PATH ID:</b> <b>R04_AX0165</b>
¿Cuándo fue la última vez que pasó algo de lo siguiente <u>más de dos veces</u> ...
mintió o engañó para obtener lo que deseaba o para dejar de hacer algo?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.
DISPLAY: UNDERLINE "más de dos veces".

<b>PATH ID:</b> <b>R04_AX0166</b>
tuvo dificultad al prestar atención en la escuela, el trabajo o en casa?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0167</b>
tuvo dificultad al escuchar las instrucciones en la escuela, el trabajo o en casa?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0168</b>
intimidó o amenazó a otras personas?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0169</b>
inició una pelea física con otra persona?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

<b>PATH ID:</b> <b>R04_AX0250</b>
se sintió inquieto o con la necesidad de ir de un lado a otro o de treparse en las cosas?
1    El mes pasado
2    Hace 2 a 12 meses
3    Hace más de un año
4    Nunca
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0251**

respondió a una pregunta antes de que la persona termine de hacer la pregunta?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR103**

New cohort adult respondents, go to R04\_AX0084\_RS.

Else, go to R04\_AX0084\_12M.

**PATH ID: R04\_AX0084\_12M**

[Las siguientes preguntas son acerca de su consumo de alcohol y otras drogas. Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.]

En los últimos 12 meses, ¿ha consumido algún tipo de bebidas alcohólicas, incluyendo probaditas o sorbos?

- 1 Sí
  - 2 No
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_AXR120  
GO TO BOX R04\_AXR120  
GO TO BOX R04\_AXR120

ASK: Aged-up and continuing respondents and new cohort adult respondents who report ever having used alcohol.

DISPLAY: IF R04\_ADULTTYPE = 1, 2 DISPLAY "Las siguientes preguntas son acerca de su consumo de alcohol y otras drogas. Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado." ELSE, DO NOT DISPLAY.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0673</b>
¿Ha consumido alcohol en los <u>últimos 30 días</u> ?
1    Sí
2    No
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120
ASK: Adult respondents who have used alcohol in the past 12 months.
DISPLAY: UNDERLINE "últimos 30 días".

<b>PATH ID:</b> <b>R04_AX0075</b>
En los últimos 30 días, ¿cuántos días se ha tomado al menos una bebida alcohólica?
Una bebida es una lata o botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.
1     __ __  DÍAS
-8   DON'T KNOW
-7   REFUSED
ASK: Adult respondents who have used alcohol in the past 30 days.

<b>BOX ID:</b> <b>R04_AXR48</b>
If respondent drank on at least one of the past 30 days or did not know or refused to report on how many of the past 30 days they drank, go to R04_AX0076.
Else, go to Box R04_AXR120.

<b>PATH ID:</b> <b>R04_AX0076</b>
En promedio, en esos [días en los que tomó bebidas alcohólicas en los últimos 30 días/NUMBER OF DAYS FROM R04_AX0075 días], ¿cuántas bebidas alcohólicas consumió normalmente cada día?
Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.
1     __ __
-8   DON'T KNOW
-7   REFUSED
GO TO BOX R04_AXR120
GO TO BOX R04_AXR120
ASK: Adult respondents who drank alcohol on one or more days in the past 30 days.
DISPLAY: IF R04_AX0075 = 1, -8, -7, DISPLAY = "días en los que tomó bebidas alcohólicas en los últimos 30 días".
IF R04_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R04_AX0075 AND "días".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0076\_LC1**

La computadora registró que usted normalmente tomó [R04\_AX0076] bebidas alcohólicas en los días que bebió en los últimos 30 días. ¿Es correcto?

Si esto es correcto, por favor oprima el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor oprima el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R04\_AX0076

2 NEXT

GO TO BOX R04\_AXR120

ASK: IF R04\_AX0076 > 30.

**BOX ID: R04\_AXR120**

New cohort adult respondents who did not previously report smoking a blunt, smoking marijuana from a hookah, or using marijuana in an e-product, go to R04\_AX0085\_RS.

Else, new cohort adult respondents who have previously reported ever using marijuana, go to R04\_AX0079\_RS.

Else, go to Box R04\_AXR49.

**BOX ID: R04\_AXR49**

If respondent has smoked a blunt in the past 12 months, go to R04\_AX0675.

Else, go to R04\_AX0085\_12M.

**PATH ID: R04\_AX0085\_12M**

En los últimos 12 meses, ¿ha consumido marihuana, hachís, THC, mota, maría o hierba?

1 Sí

2 No

GO TO BOX R04\_AXR106

-8 DON'T KNOW

GO TO BOX R04\_AXR106

-7 REFUSED

GO TO BOX R04\_AXR106

ASK: Aged-up and continuing adult respondents who did not previously report smoking a blunt in the past 12 months, and new cohort adults who have ever used marijuana and did not previously report smoking a blunt in the past 12 months.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0675</b>
¿Ha consumido marihuana, hachís, THC, mota, maría o hierba en los <u>últimos 30 días</u> ?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have used marijuana in the past 12 months.
DISPLAY: UNDERLINE "últimos 30 días".

<b>BOX ID:</b> <b>R04_AXR106</b>
New cohort adult respondents, go to Box R04_AXD90.
Else, go to Box R04_AXD07.

<b>BOX ID:</b> <b>R04_AXD90</b>
DISPLAY INSTRUCTION: For R04_AX0089_RS and R04_AX0220_RS, display each question with a "Sí" and "No" column with options for each response category.

<b>BOX ID:</b> <b>R04_AXR104</b>
Items R04_AX0082_RS[_01/.../_05] and R04_AX0272_RS[_01/.../_05] are asked for each substance reported in R04_AX0089_RS[_01/_02] and R04_AX0220_RS[_01/_02/_03]. If respondent uses more than one substance, repeat items in a loop.
Else, if no substances reported, go to Box R04_AXV04.

<b>BOX ID:</b> <b>R04_AXD07</b>
DISPLAY INSTRUCTION: For R04_AX0089_12M and R04_AX0220_12M, display a "Sí" and "No" column with options for each response category.

<b>BOX ID:</b> <b>R04_AXR122</b>
New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers and aged-up and continuing adult respondents, go to R04_AX0089_12M.
Else, new cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, go to R04_AX0220_12M.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0089\_12M**

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos que se venden con receta médica y que no le recetaron o que ha tomado únicamente por las sensaciones que dan?

- 1 Ritalin® o Adderall®
- 2 Analgésicos, sedantes o tranquilizantes
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers and aged-up and continuing adult respondents.

DISPLAY: UNDERLINE "no" AND "únicamente".

**BOX ID: R04\_AXR123**

New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs and aged-up and continuing adult respondents, go to R04\_AX0220\_12M.

Else, go to Box R04\_AXR06.

**PATH ID: R04\_AX0220\_12M**

En los últimos 12 meses, ¿ha consumido alguna de las siguientes sustancias?

- 1 Cocaína o crack
- 2 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 3 Alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs and aged-up and continuing adult respondents.

**BOX ID: R04\_AXR06**

Repeat R04\_AX0676[\_01/.../\_05] up to five times for each substance reported in R04\_AX0089\_12M and R04\_AX0220\_12M.

Else, if no substances reported, go to Box R04\_AXV04.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0676</b>
¿Ha consumido [SUBSTANCEFILL] en los <u>últimos 30 días</u> ?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
ASK: Adult respondents who have used a substance in the past 12 months.
DISPLAY: UNDERLINE "últimos 30 días".
FOR [SUBSTANCEFILL]:
IF R04_AX0089_12M_01 = 1, DISPLAY "Ritalin® o Adderall®".
IF R04_AX0089_12M_02 = 1, DISPLAY "analgésicos, sedantes o tranquilizantes".
IF R04_AX0220_12M_01 = 1, DISPLAY "cocaína o crack".
IF R04_AX0220_12M_02 = 1, DISPLAY "medicamentos estimulantes como metanfetaminas o anfetaminas (speed)".
IF R04_AX0220_12M_03 = 1, DISPLAY "alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos".

<b>BOX ID:</b> <b>R04_AXR50</b>
If more than one substance is selected in R04_AX0089_12M or R04_AX0220_12M, go back to box R04_AXR06, until R04_AX0676 has been asked about for all selected substances.
Else, go to Box R04_AXV04.

<b>BOX ID:</b> <b>R04_AXV04</b>
PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
<b>R04_EVER_USER_ALC</b> = Has ever used alcohol
<b>R04_EVER_USER_MJ</b> = Has ever used marijuana
<b>R04_EVER_USER_RIT</b> = Has ever used Ritalin® or Adderall®
<b>R04_EVER_USER_PK</b> = Has ever used painkillers, sedatives, or tranquilizers
<b>R04_EVER_USER_COC</b> = Has ever used cocaine or crack
<b>R04_EVER_USER_STIM</b> = Has ever used stimulants
<b>R04_EVER_USER_OTH</b> = Has ever used other drugs like heroin, inhalants, solvents, or hallucinogens
<b>R04_SUBSTANCE_COUNT</b> = Count of the number of substances ever used

<b>BOX ID:</b> <b>R04_AXR03</b>
If respondent has ever used at least one substance, go to R04_AX0170.
Else, go to Box R04_AXT06.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0170</b>
¿Cuándo fue la última vez que... consumió alcohol u otras drogas semanalmente o con mayor frecuencia?  1    El mes pasado 2    Hace 2 a 12 meses 3    Hace más de un año 4    Nunca -8   DON'T KNOW -7   REFUSED  ASK: Adult respondents who report ever using alcohol or ever using drugs.

<b>BOX ID:</b> <b>R04_AXR04</b>
If respondent used alcohol or other drugs weekly or more often and reports ever using two or more substances, go to R04_AX0175. Else, go to R04_AX0171.

<b>PATH ID:</b> <b>R04_AX0175</b>
Usted mencionó que en el pasado consumió alcohol o drogas por lo menos semanalmente. ¿Qué sustancias consumió semanalmente o con mayor frecuencia? No incluya los medicamentos que le recetaron. Escoja todas las opciones que correspondan.  1    Alcohol 2    Marihuana, hachís, THC, mota, maría o hierba 3    Ritalin® o Adderall® 4    Analgésicos, sedantes o tranquilizantes 5    Cocaína o crack 6    Medicamentos estimulantes como metanfetaminas o anfetaminas (speed) 7    Alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos -8   DON'T KNOW -7   REFUSED  ASK: Adult respondents who used alcohol or other drugs weekly or more often and report ever using two or more substances.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0171**

¿Cuándo fue la última vez que...

pasó mucho tiempo consiguiendo alcohol u otras drogas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0172**

¿Cuándo fue la última vez que...

seguía consumiendo alcohol u otras drogas a pesar que le provocaba problemas sociales, originaba peleas o lo/la metía en problemas con otras personas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0173**

¿Cuándo fue la última vez que...

su consumo de alcohol u otras drogas disminuyó su compromiso con el trabajo, la escuela, la casa o eventos sociales?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0193**

¿Cuándo fue la última vez que...

pasó mucho tiempo recuperándose de los efectos del alcohol u otras drogas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0174**

¿Cuándo fue la última vez que...

tuvo síntomas de abstinencia al alcohol u otras drogas como manos temblorosas, vómitos, dificultad para estar quieto o dificultad para dormir?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH ID: R04\_AX0194**

¿Cuándo fue la última vez que...

consumió alcohol u otras drogas para dejar de sentirse enfermo o para evitar sentir los síntomas de abstinencia?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR51**

If respondent ever used two or more substances and reported any problems due to drug or alcohol use, go to R04\_AX0176.  
Else, go to Box R04\_AXT06.

**PATH ID: R04\_AX0176**

Usted mencionó que el alcohol o las drogas le han provocado problemas. ¿Qué sustancias le provocaron estos problemas? No incluya los medicamentos que le recetaron. Escoja todas las opciones que correspondan.

- 1 Alcohol
- 2 Marihuana, hachís, THC, mota, maría o hierba
- 3 Ritalin® o Adderall®
- 4 Analgésicos, sedantes o tranquilizantes
- 5 Cocaína o crack
- 6 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 7 Alguna otra droga tal como la heroína, inhalantes, disolventes o alucinógenos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used 2 or more substances and who indicated alcohol or drugs caused problems for them.

**BOX ID: R04\_AXT06**

Las siguientes preguntas son acerca de sus familiares, incluyendo a su padre, madre, hermanos, hermanas, hijos o hijas, tanto los que están vivos como los que ya fallecieron.

**BOX ID: R04\_AXR79**

New baseline adult respondents, go to Box R04\_AXD13.  
Else, continuing adult respondents, go to Box R04\_AXD14.

**BOX ID: R04\_AXD13**

DISPLAY INSTRUCTION:  
For R04\_AX0689\_NB, display a 'Sí' and 'No' column with options for each response category.

**BOX ID: R04\_AXR84**

If a relative of the respondent has had a heart attack or needed bypass surgery, go to R04\_AX0195.  
Else, go to R04\_AX0707.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXD14**

DISPLAY INSTRUCTION:

For R04\_AX0689\_12M, display a 'Sí' and 'No' column with options for each response category.

**PATH ID: R04\_AX0689\_12M**

En los últimos 12 meses, ¿le dijo un profesional de la salud a alguno de sus familiares cercanos biológicos o de sangre que tenían alguno de los siguientes problemas de salud?

- 1 Asma
- 2 Hipertensión
- 3 Colesterol alto
- 4 Un ataque al corazón o que necesitaba cirugía de bypass
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

**BOX ID: R04\_AXR85**

If a relative of the respondent has had a heart attack or needed bypass surgery, go to R04\_AX0195.  
Else, go to R04\_AX0707.

**PATH ID: R04\_AX0195**

¿Les dijeron que tuvieron un ataque al corazón o que necesitaban una cirugía de bypass antes de cumplir 50 años?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose close relative has had a heart attack or needed bypass surgery.

DISPLAY: UNDERLINE "antes de cumplir 50 años".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0707**

Alguna vez, ¿ha consumido productos de tabaco alguno de sus familiares cercanos biológicos o de sangre? Por esto nos referimos a cigarrillos, cigarrillos electrónicos u otros productos electrónicos con nicotina, puros, pipa, hookah, snus u otros tipos de tabaco que no se fuma (como dip, spit o tabaco de mascar) y tabaco que se disuelve.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0731**

Alguna vez, ¿ha sido alguno de sus familiares cercanos biológicos o de sangre un alcohólico o bebedor problemático? Por esto nos referimos a una persona cuyo consumo de alcohol le causa problemas en su salud física o emocional, con su familia o amigos, en el trabajo o en la escuela o con la policía.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0732**

Alguna vez, ¿ha tenido alguno de sus familiares cercanos biológicos o de sangre problemas con las drogas? Por esto nos referimos a una persona cuyo consumo de drogas le causa problemas en su salud física o emocional, con su familia o amigos, en el trabajo o en la escuela o con la policía.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXR101**

New baseline respondents, go to R04\_AX0401\_NB.

Else, go to Box R04\_AXT02.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**MARKETING, ADVERTISING AND PROMOTION**

**BOX ID: R04\_AXT02**

Las siguientes preguntas son acerca de los anuncios de tabaco que puede haber visto o recibido.

**PATH ID: R04\_AX0708**

En los últimos 12 meses, ¿ha recibido descuentos o cupones por alguno de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 Cigarrillos
- 2 Cigarrillos electrónicos u otros productos electrónicos con nicotina (incluyendo líquido electrónico)
- 3 Puros
- 4 Shisha o tabaco para hookah
- 5 Snus
- 6 Otro tipo de tabaco que no se fuma (como dip o tabaco de mascar)
- 7 Algún otro tipo de productos de tabaco
- 8 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH ID: R04\_AX0178**

En los últimos 30 días, ¿se ha dado cuenta de los anuncios o promociones de tabaco en las ventanas de las tiendas o dentro de las tiendas donde se vende tabaco?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AXV10**

CREATE DERIVED VARIABLE:

R04\_REGULAR\_BRAND  
R04\_NO\_REGULAR\_BRAND

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_AXR64**

Adult respondents who are current tobacco users who have a regular brand, go to R04\_AX0715.  
Else, go to Box R04\_AXR67.

**PATH ID: R04\_AX0715**

En los últimos 30 días, ¿ha comprado un producto de tabaco de una marca distinta a la habitual?

- |    |            |                     |
|----|------------|---------------------|
| 1  | Sí         |                     |
| 2  | No         | GO TO BOX R04_AXR67 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR67 |
| -7 | REFUSED    | GO TO BOX R04_AXR67 |

ASK: Current tobacco users who have a regular brand.

**PATH ID: R04\_AX0716**

En los últimos 30 días, ¿ha pasado esto solo una o dos veces, algunas veces o regularmente?

- |    |                 |
|----|-----------------|
| 1  | Una o dos veces |
| 2  | Algunas veces   |
| 3  | Regularmente    |
| -8 | DON'T KNOW      |
| -7 | REFUSED         |

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH ID: R04\_AX0210**

En los últimos 30 días, ¿ha comprado un producto de tabaco de una marca distinta a la habitual porque lo vio en exhibición en la tienda o en anuncios?

- |    |            |                  |
|----|------------|------------------|
| 1  | Sí         |                  |
| 2  | No         | GO TO R04_AX0717 |
| -8 | DON'T KNOW | GO TO R04_AX0717 |
| -7 | REFUSED    | GO TO R04_AX0717 |

ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0211</b>
En los últimos 30 días, ¿ha pasado esto solo una o dos veces, algunas veces o regularmente?
1    Una o dos veces
2    Algunas veces
3    Regularmente
-8    DON'T KNOW
-7    REFUSED
ASK: Current tobacco users who have a regular brand and bought a different brand because it was on display.

<b>PATH ID:</b> <b>R04_AX0717</b>
En los últimos 30 días cuando estuvo en una tienda en la que se venden productos de tabaco, ¿compró una marca de un producto de tabaco distinta a su marca habitual porque se dio cuenta de que estaba en rebaja o que había una promoción, como 2 por 1?
1    Sí
2    No
-8    DON'T KNOW
-7    REFUSED
GO TO BOX R04_AXR67
GO TO BOX R04_AXR67
GO TO BOX R04_AXR67
ASK: Current tobacco users who have a regular brand but bought a different brand in the past 30 days.

<b>PATH ID:</b> <b>R04_AX0718</b>
En los últimos 30 días, ¿ha pasado esto solo una o dos veces, algunas veces o regularmente?
1    Una o dos veces
2    Algunas veces
3    Regularmente
-8    DON'T KNOW
-7    REFUSED
ASK: Current tobacco users who have a regular brand and bought a different brand because of a sale or promotion.

<b>BOX ID:</b> <b>R04_AXR67</b>
Young adult respondents who are current or experimental current tobacco users and do not have a regular brand (this includes polyusers who reported not having a regular brand for any product, even if they reported a regular brand for another product), go to R04_AX0209.
Else, experimental former, recent former, and long-term former tobacco users, go to R04_AX0212.
Else, go to R04_AX0678.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b>	<b>R04_AX0209</b>	
En los últimos 30 días, ¿ha comprado un producto de tabaco de una marca porque se dio cuenta que tenía una promoción especial?		
1	Sí	GO TO R04_AX0678
2	No	GO TO R04_AX0678
-8	DON'T KNOW	GO TO R04_AX0678
-7	REFUSED	GO TO R04_AX0678
ASK: Young adult respondents who are current or experimental current tobacco users who do not have a regular brand. This includes polyusers who reported not having a regular brand for any product, even if they reported a regular brand for another product.		

<b>PATH ID:</b>	<b>R04_AX0212</b>	
Desde que dejó de consumir tabaco, ¿le ha pasado que cuando ha visto un producto de tabaco en exhibición u otros anuncios de que se vende tabaco, ha sentido la necesidad de comprar tabaco?		
1	Sí	
2	No	GO TO R04_AX0678
-8	DON'T KNOW	GO TO R04_AX0678
-7	REFUSED	GO TO R04_AX0678
ASK: Adult respondents who are experimental former, recent former, or long-term former tobacco users of tobacco.		

<b>PATH ID:</b>	<b>R04_AX0213</b>	
En los últimos 30 días, ¿ha pasado esto solo una o dos veces, algunas veces o regularmente?		
1	Una o dos veces	
2	Algunas veces	
3	Regularmente	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are experimental former, recent former, or long-term former tobacco users of tobacco who had the urge to buy tobacco when seeing a display.		

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0678
En los últimos 30 días, ¿ha recibido una muestra gratuita de un <b><u>cigarrillo electrónico u otro producto electrónico con nicotina</u></b> (incluyendo líquido electrónico)?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: BOLD AND UNDERLINE "cigarrillo electrónico u otro producto electrónico con nicotina".

<b>PATH ID:</b> R04_AX0203
En los últimos 30 días, ¿se ha dado cuenta de anuncios de <b><u>cigarrillos electrónicos u otros productos electrónicos con nicotina</u></b> en alguno de los siguientes lugares? Escoja todas las opciones que correspondan.
1 No he visto ningún anuncio en los últimos 30 días
2 En estaciones de gasolina, tiendas de conveniencia o almacenes
3 En vallas publicitarias
4 En periódicos o revistas
5 En la radio
6 En la televisión
7 En eventos como ferias, festivales o eventos deportivos
8 En discotecas, bares o conciertos
9 En páginas Web o redes sociales
10 En otra parte (ESPECIFIQUE)
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.
DISPLAY: BOLD AND UNDERLINE "cigarrillos electrónicos u otros productos electrónicos con nicotina".
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

<b>PATH ID:</b> R04_AX0709
¿Tiene un anuncio preferido de cigarrillos electrónicos o de productos electrónicos con nicotina?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0677**

En los últimos 30 días, ¿se ha dado cuenta de anuncios de **cigarrillos u otros productos de tabaco** (sin incluir cigarrillos electrónicos u otros productos electrónicos con nicotina) en alguno de los siguientes lugares? Escoja todas las opciones que correspondan.

- 1 No he visto ningún anuncio en los últimos 30 días
- 2 En estaciones de gasolina, tiendas de conveniencia o almacenes
- 3 En vallas publicitarias
- 4 En periódicos o revistas
- 5 En la radio
- 6 En la televisión
- 7 En eventos como ferias, festivales o eventos deportivos
- 8 En discotecas, bares o conciertos
- 9 En páginas Web o redes sociales
- 10 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "cigarrillos u otros productos de tabaco".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AXR66**

Young adult respondents, go to R04\_AX0710.  
Else, go to R04\_AX0777.

**PATH ID: R04\_AX0710**

¿Tiene un anuncio preferido de tabaco?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AX0777</b>
En los últimos 12 meses, ¿con qué frecuencia vio campañas publicitarias en contra del tabaco?
1    Nunca
2    Rara vez
3    A veces
4    Con frecuencia
-8    DON'T KNOW
-7    REFUSED
ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## **ADDITIONAL DEMOGRAPHICS**

**BOX ID: R04\_AMT01**

Por último, tenemos algunas preguntas adicionales acerca de usted, su trabajo, su educación y su seguro de salud.

**BOX ID: R04\_AMR01**

If respondent currently does not work for pay, go to R04\_AM0017.  
Else, go to Box R04\_AMR17.

**PATH ID: R04\_AM0017**

¿Actualmente...?

- 1 Está buscando un trabajo pagado
- 2 Es un estudiante que no está buscando un trabajo pagado
- 3 Cuida del hogar o de otra persona y no está buscando un trabajo pagado
- 4 Está jubilado/retirado
- 5 No puede trabajar debido a un problema físico o de salud mental
- 6 No puede trabajar debido a otras razones
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently work for pay.

**BOX ID: R04\_AMR17**

Adult respondents who already completed a parent interview, go to R04\_AM0019.  
Else, go to R04\_AM0018.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID: R04_AM0018</b>	
¿Cuál es el grado o nivel escolar más alto que usted completó?	
1 Sin educación secundaria	
2 Parte de la secundaria, sin diploma	
3 Diploma de equivalencia general o ged	GO TO R04_AM0019
4 Secundaria completa - obtuvo diploma	GO TO R04_AM0019
5 Universidad por tiempo breve, sin graduarse	GO TO R04_AM0019
6 Título para una carrera intermedia - ocupacional/vocacional	GO TO R04_AM0019
7 Título para una carrera intermedia - programa académico	GO TO R04_AM0019
8 Título universitario (por ejemplo: BA, AB o BS)	GO TO R04_AM0019
9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)	GO TO R04_AM0019
10 Título profesional universitario (por ejemplo: MD, DDS, DVM, JD)	GO TO R04_AM0019
11 Doctorado (por ejemplo: PhD, EdD)	GO TO R04_AM0019
-8 DON'T KNOW	GO TO R04_AM0019
-7 REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview.	

<b>PATH ID: R04_AM0067</b>	
Actualmente, ¿está matriculado en una escuela secundaria o high school?	
1 Sí	
2 No	GO TO R04_AM0019
-8 DON'T KNOW	GO TO R04_AM0019
-7 REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than or some high school.	

<b>PATH ID: R04_AM0068</b>	
¿En qué grado está? Si está en vacaciones de verano o en feriado, elija el grado o año al que ingresará cuando vuelva a la escuela.	
6 9°	
7 10°	
8 11°	
9 12°	
12 Recibo mi educación en casa	
13 En mi escuela a los estudiantes no se les separa por grados	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who did not already complete a parent interview who are currently enrolled in high school.	

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0019**

¿Está [también ]matriculado actualmente en un programa universitario?

- |    |            |                  |
|----|------------|------------------|
| 1  | Sí         |                  |
| 2  | No         | GO TO R04_AM0015 |
| -8 | DON'T KNOW | GO TO R04_AM0015 |
| -7 | REFUSED    | GO TO R04_AM0015 |

ASK: All adult respondents.

DISPLAY: IF R04\_AM0067 = 1, DISPLAY "también".

ELSE, DO NOT DISPLAY THIS FILL.

**PATH ID: R04\_AM0020**

¿En qué tipo de programa está matriculado actualmente?

- 1 Programa técnico o vocacional
- 2 Programa universitario de 2 años
- 3 Programa universitario de 4 años
- 4 Programa de postgraduado o especialización
- 5 Otro tipo de programa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are currently enrolled in a degree program.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**PATH ID: R04\_AM0015**

En los últimos 30 días, debido a la falta de dinero, ¿tuvo problemas para pagar las cuentas a tiempo, tales como el alquiler, la electricidad o el teléfono?

- 1 Sí
- 2 No
- 7 No aplica
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0039**

En los últimos 12 meses, ¿ha recibido asistencia o ingresos de algún programa federal, estatal o local como estampillas de alimentos, welfare o bienestar social, ayuda en efectivo, beneficios por desempleo, asistencia de vivienda, cuidado infantil o Medicaid?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR16**

Adult respondents who already completed a parent interview, go to Box R04\_ALR05.  
Else, go to R04\_AM0030.

**PATH ID: R04\_AM0030**

¿Cuál de las siguientes categorías describe mejor el ingreso total de su **hogar** en los últimos 12 meses?

Esto es el ingreso total, antes de impuestos, de todas las personas de su hogar en conjunto. Incluya el dinero que recibió de trabajos, familiares, pensiones, dividendos, intereses, pagos del Seguro Social o pensiones de jubilación, ingresos netos de negocios, agricultura o alquiler y cualquier otro dinero recibido por los miembros del hogar.

- |    |                           |                  |
|----|---------------------------|------------------|
| 1  | Menos de 10,000 dólares   | GO TO R04_AL0040 |
| 2  | 10,000 a 14,999 dólares   | GO TO R04_AL0040 |
| 3  | 15,000 a 24,999 dólares   | GO TO R04_AL0040 |
| 4  | 25,000 a 34,999 dólares   | GO TO R04_AL0040 |
| 5  | 35,000 a 49,999 dólares   | GO TO R04_AL0040 |
| 6  | 50,000 a 74,999 dólares   | GO TO R04_AL0040 |
| 7  | 75,000 a 99,999 dólares   | GO TO R04_AL0040 |
| 8  | 100,000 a 149,999 dólares | GO TO R04_AL0040 |
| 9  | 150,000 a 199,999 dólares | GO TO R04_AL0040 |
| 10 | 200,000 dólares o más     | GO TO R04_AL0040 |
| -8 | DON'T KNOW                |                  |
| -7 | REFUSED                   |                  |

ASK: Adult respondents who did not already complete a parent interview.

DISPLAY: BOLD AND UNDERLINE "hogar". UNDERLINE "todas las personas de su hogar en conjunto".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0031</b>
El ingreso total de su hogar en los últimos 12 meses, ¿es mayor o menor de 50,000 dólares?
1 Mayor de 50,000 dólares
2 Menor de 50,000 dólares
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income.

<b>PATH ID:</b> <b>R04_AL0040</b>
¿Es usted propietario de la casa o la alquila?
(Ser propietario incluye tener una hipoteca o un préstamo.)
1 Propietario
2 Alquila
3 Otra cosa
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview.

<b>BOX ID:</b> <b>R04_ALR05</b>
Young adult respondents, go to R04_AM0042.
Else, go to Box R04_AMR02.

<b>PATH ID:</b> <b>R04_AM0042</b>
¿Dónde vive actualmente? Si vive en más de un lugar durante el año, por favor conteste pensando en el lugar donde vive <u>actualmente</u> .
1 Apartamento, condominio o casa
2 En un campus universitario u otra vivienda universitaria      GO TO R04_AM0040
3 En la casa de una fraternidad      GO TO R04_AM0040
4 En otro lugar      GO TO R04_AM0040
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents.
DISPLAY: UNDERLINE SECOND INSTANCE OF "actualmente".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0041**

¿Con quién vive actualmente? Si vive en más de un lugar durante el año, por favor conteste pensando en el lugar donde vive actualmente. Escoja todas las opciones que correspondan.

- 1 Padres o tutores
- 2 Amigos u otros compañeros de vivienda
- 3 Cónyuge o pareja sentimental
- 4 Mis hijos
- 5 Otro familiar o amigo de la familia
- 6 Vivo solo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

DISPLAY: UNDERLINE SECOND INSTANCE OF "actualmente".

**PATH ID: R04\_AM0040**

Esta escalera representa en qué posición están las personas en Estados Unidos.

En la parte de arriba de la escalera (escalón 10) están las personas que tienen más dinero y educación y los empleos más respetados.

En la parte de abajo de la escalera (escalón 1) están las personas que tienen menos dinero y educación y los empleos menos respetados, o que están desempleadas.

¿En qué posición se pondría usted en la escalera? Seleccione el número del escalón que muestra en qué posición cree usted que está en este momento, en comparación con otras personas en Estados Unidos.

[SHOW IMAGE OF LADDER]

- 1 10
- 2 9
- 3 8
- 4 7
- 5 6
- 6 5
- 7 4
- 8 3
- 9 2
- 10 1
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0033**

Las siguientes preguntas son acerca de sus padres. Piense en sus padres o figuras paternas o maternas (padrastros o madrastras, padres temporales, tutores, etc.) con quienes vivió la mayor parte del tiempo cuando era menor de 17 años.

¿Cuál es el grado o nivel escolar más alto que completó su **madre, madrastra** o **figura materna**?

- 1 Sin educación secundaria
- 2 Parte de la secundaria, sin diploma
- 3 Diploma de equivalencia general o ged
- 4 Secundaria completa - obtuvo diploma
- 5 Universidad por tiempo breve, sin graduarse
- 6 Título para una carrera intermedia - ocupacional/vocacional
- 7 Título para una carrera intermedia - programa académico
- 8 Título universitario (por ejemplo: BA, AB o BS)
- 9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)
- 10 Título profesional universitario (por ejemplo: MD, DDS, DVM, JD)
- 11 Doctorado (por ejemplo: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

DISPLAY: UNDERLINE THE FIRST OCCURRENCE OF "padres". BOLD "madre", "madrastra", and "figura materna".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0034</b>
¿Cuál es el grado o nivel escolar más alto que completó su <b>padre, padrastro o figura paterna</b> ?
1 Sin educación secundaria
2 Parte de la secundaria, sin diploma
3 Diploma de equivalencia general o ged
4 Secundaria completa - obtuvo diploma
5 Universidad por tiempo breve, sin graduarse
6 Título para una carrera intermedia - ocupacional/vocacional
7 Título para una carrera intermedia - programa académico
8 Título universitario (por ejemplo: BA, AB o BS)
9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)
10 Título profesional universitario (por ejemplo: MD, DDS, DVM, JD)
11 Doctorado (por ejemplo: PhD, EdD)
-8 DON'T KNOW
-7 REFUSED
ASK: Young adult respondents.
DISPLAY: BOLD "padre", "padraastro", and "figura paterna".

<b>BOX ID:</b> <b>R04_AMR04</b>
Young adult respondents who do not live with their parents, go to R04_AM0036. Else, go to Box R04_AMR02.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0036**

¿Cuál de las siguientes categorías describe mejor el ingreso total del hogar de sus padres en los últimos 12 meses?

Esto es el ingreso total, antes de impuestos, de todas las personas del hogar de sus padres en conjunto. Incluya el dinero que recibió de trabajos, familiares, pensiones, dividendos, intereses, pagos del Seguro Social o pensiones de jubilación, ingresos netos de negocios, agricultura o alquiler y cualquier otro dinero recibido por los miembros del hogar.

- |    |                           |                     |
|----|---------------------------|---------------------|
| 1  | Menos de 10,000 dólares   | GO TO BOX R04_AMR02 |
| 2  | 10,000 a 14,999 dólares   | GO TO BOX R04_AMR02 |
| 3  | 15,000 a 24,999 dólares   | GO TO BOX R04_AMR02 |
| 4  | 25,000 a 34,999 dólares   | GO TO BOX R04_AMR02 |
| 5  | 35,000 a 49,999 dólares   | GO TO BOX R04_AMR02 |
| 6  | 50,000 a 74,999 dólares   | GO TO BOX R04_AMR02 |
| 7  | 75,000 a 99,999 dólares   | GO TO BOX R04_AMR02 |
| 8  | 100,000 a 149,999 dólares | GO TO BOX R04_AMR02 |
| 9  | 150,000 a 199,999 dólares | GO TO BOX R04_AMR02 |
| 10 | 200,000 dólares o más     | GO TO BOX R04_AMR02 |
| -8 | DON'T KNOW                |                     |
| -7 | REFUSED                   |                     |

ASK: Young adult respondents who do not live with their parents.

DISPLAY: UNDERLINE "ingreso total del hogar de sus padres" AND "todas las personas del hogar de sus padres en conjunto".

**PATH ID: R04\_AM0037**

El ingreso total del hogar de sus padres en los últimos 12 meses, ¿es mayor o menor de 50,000 dólares?

- |    |                         |
|----|-------------------------|
| 1  | Mayor de 50,000 dólares |
| 2  | Menor de 50,000 dólares |
| -8 | DON'T KNOW              |
| -7 | REFUSED                 |

ASK: Young adult respondents who did not know or refused to report their parents' household income.

DISPLAY: UNDERLINE "padres".

**BOX ID: R04\_AMR02**

New baseline adult respondents who have been on active military duty, go to R04\_AM0012\_NB.

Continuing adult respondents who have been on active duty but were not enrolled in VA health care at any previous wave, go to R04\_AM00012\_12M.

Else, go to Box R04\_AMD02.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> <b>R04_AM0012_12M</b>
En los últimos 12 meses, ¿ha estado inscrito en el seguro de salud para veteranos o VA?  1    Sí 2    No -8   DON'T KNOW -7   REFUSED  ASK: Continuing adult respondents who have been on active duty who were not enrolled in VA health care in the previous wave.

<b>BOX ID:</b> <b>R04_AMD02</b>
BOX – DISPLAY INSTRUCTIONS For R04_AM0026, DISPLAY A "Sí" AND "No" COLUMN WITH OPTION FOR EACH RESPONSE CATEGORY.

<b>PATH ID:</b> <b>R04_AM0026</b>
Actualmente, ¿tiene seguro de salud de alguna de las siguientes compañías de seguros o planes de seguros?  1    Asegurado por medio del empleador actual, del empleador antiguo o por el sindicato (suyo o de un miembro de su familia) 2    Asegurado directamente con una compañía de seguros (lo compró usted o un miembro de su familia) 3    Medicare, para personas mayores de 65 años o, personas con algunas discapacidades 4    Medicaid, Medical Assistance o algún tipo de plan de ayuda del gobierno para aquellos con bajos recursos o con discapacidades 5    Seguro de salud de VA 6    TRICARE u otro tipo de cuidado de salud militar 7    Servicio de salud indígena 8    Cualquier otro tipo de seguro de salud o plan de seguro -8   DON'T KNOW -7   REFUSED  ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0021**

Las siguientes preguntas son acerca de su nivel de atracción sexual a AMBOS sexos, hombres y mujeres.

Por favor, responda las preguntas cuidadosamente, ya que es importante que las entienda y que sea lo más honesto posible.

¿Por quién se ha sentido atraído sexualmente, incluso si no hizo nada al respecto?

- 1 Solo por mujeres, nunca por hombres
- 2 Mayormente por mujeres y por lo menos una vez por hombres
- 3 Casi con la misma frecuencia por mujeres y hombres
- 4 Mayormente por hombres y por lo menos una vez por mujeres
- 5 Solo por hombres, nunca por mujeres
- 6 Nunca me he sentido atraído sexualmente por nadie
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: FOR MALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN THE SPECIFIED ORDER. FOR FEMALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN REVERSE ORDER, WHERE RESPONSE OPTION 5 IS PRESENTED FIRST, OPTION 4 SECOND, ETC. IF SEX IS UNKNOWN, DEFAULT TO ORDER SHOWN FOR MALE RESPONDENTS.

**PATH ID: R04\_AM0063**

¿Se considera...

- 1 Heterosexual (le atraen personas del otro sexo)
- 2 Lesbiana o gay (le atraen personas del mismo sexo)
- 3 Bisexual (le atraen ambos sexos)
- 4 Otra cosa
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AM0061**

Algunas personas se describen a sí mismas como transgéneros o transexuales cuando se identifican con un género distinto al de su sexo biológico al nacer. Por ejemplo, una persona transgénero o transexual sería alguien que nació varón, pero que se siente mujer o que vive como una mujer.

¿Se considera transgénero o transexual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**BOX ID: R04\_AMR06**

If respondent is transgender, go to R04\_AM0062.

Else, go to R04\_AX0769.

**PATH ID: R04\_AM0062**

¿Se considera a sí mismo o a sí misma hombre a mujer, mujer a hombre o de género no conforme?

- 1 Sí, transgénero o transexual, hombre a mujer
- 2 Sí, transgénero o transexual, mujer a hombre
- 3 Sí, transgénero o transexual, de género no conforme
- 4 No
- 5 No está seguro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are transgender.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0769**

En el futuro, es posible que el cuestionario de PATH se pueda contestar por Internet en su computadora de escritorio, computadora portátil o tableta. Debido a su longitud, el cuestionario no se podrá contestar en teléfonos inteligentes o smartphones.

Usted podrá contestar el cuestionario cuando le convenga, sin la presencia de un entrevistador. El incentivo llegaría por correo unos días después de que conteste el cuestionario.

Cree que contestar el cuestionario PATH por Internet en su computadora de escritorio, computadora portátil o tableta, ¿le interesaría mucho, un poco o en absoluto?

- |    |                                 |                     |
|----|---------------------------------|---------------------|
| 1  | Me interesa mucho               | GO TO BOX R04_AMR07 |
| 2  | Me interesa algo                | GO TO BOX R04_AMR07 |
| 3  | No estoy interesado en absoluto |                     |
| 4  | No estoy seguro                 | GO TO BOX R04_AMR07 |
| -8 | DON'T KNOW                      | GO TO BOX R04_AMR07 |
| -7 | REFUSED                         | GO TO BOX R04_AMR07 |

ASK: All adult respondents.

**PATH ID: R04\_AX0770**

¿Por qué no? Escoja todas las opciones que correspondan.

- 1 No tengo computadora de escritorio, computadora portátil, ni tableta con acceso a Internet
- 2 Me preocupan las dificultades técnicas
- 3 Prefiero contar con la presencia de un entrevistador
- 4 Me preocupa la confidencialidad de mi información
- 5 Me preocupa no recibir mi incentivo
- 6 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who would not be interested in doing PATH questionnaires online in the future.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Escriba su respuesta usando el teclado de la computadora."

**BOX ID: R04\_AMR07**

Current and experimental current tobacco users, go to R04\_AX0214.

Else, go to R04\_AL3000.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0214**

Finalmente, nos gustaría escanear el código de barra de cualquier producto de tabaco que tenga consigo ahora para su consumo propio[, incluyendo sus EPRODFILL2]. Los investigadores usarán esta información para conocer los distintos tipos de productos que las personas consumen.

Únicamente nos interesan los productos que ha consumido o que tiene pensado consumir pronto.

Nuestro entrevistador escaneará el producto. El entrevistador también le hará un par de preguntas acerca de los productos que estamos escaneando. Puede ser que otras personas en su casa vean los productos cuando se los dé al entrevistador, o podrían escuchar las preguntas que le hagamos acerca de los productos.

¿Le parece bien si escaneamos los productos de tabaco ahora?

- |    |         |                  |
|----|---------|------------------|
| 1  | Sí      |                  |
| 2  | No      | GO TO R04_AL3000 |
| -7 | REFUSED | GO TO R04_AL3000 |

ASK: Current and experimental current tobacco users.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY ", incluyendo sus [EPRODFILL2]".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AX0215**

Gracias. Por favor entréguele la computadora al entrevistador. Después, por favor muéstrela al entrevistador cualquier producto de tabaco que tenga ahora para su consumo[ incluyendo sus EPRODFILL2] y dáselo al entrevistador. El entrevistador se los devolverá de inmediato.

-7 REFUSED

ASK: Current and experimental current tobacco users who agree to scanning.

DISPLAY: IF R04\_EPROD\_USER\_STATUS = 1, 2, DISPLAY ", incluyendo sus [EPRODFILL2]".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH ID: R04\_AL3004**

The interviewer must now enter the Monitor Password into the computer.

Monitor Password: \_\_\_\_\_

ASK: Current and experimental current tobacco users who agree to scanning.

**BOX ID: R04\_ALR13**

When the interviewer enters the monitor password, go to R04\_AX0218.

Else, if the interviewer enters the password incorrectly, go to R04\_ERR\_AL3004.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_ERR\_AL3004**

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R04\_AL3004

ASK: If interviewer entered monitor password incorrectly.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_1**

THIS IS PRODUCT BARCODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR68**

If R04\_AX0217\_1 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_1.

**PATH ID: R04\_AX0233\_1**

Piense en la última vez que consumió este tipo de producto. ¿Fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_2**

THIS IS PRODUCT BARCODE SCAN #2.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR69**

If R04\_AX0217\_2 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_2.

**PATH ID: R04\_AX0233\_2**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_3**

THIS IS PRODUCT BARCODE SCAN #3.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR70**

If R04\_AX0217\_3 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_3.

**PATH ID: R04\_AX0233\_3**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_4**

THIS IS PRODUCT BARCODE SCAN #4.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR71**

If R04\_AX0217\_4 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_4.

**PATH ID: R04\_AX0233\_4**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_5**

THIS IS PRODUCT BARCODE SCAN #5.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR72**

If R04\_AX0217\_5 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_5.

**PATH ID: R04\_AX0233\_5**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_6**

THIS IS PRODUCT BARCODE SCAN #6.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR73**

If R04\_AX0217\_6 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_6.

**PATH ID: R04\_AX0233\_6**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_7**

THIS IS PRODUCT BARCODE SCAN #7.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR74**

If R04\_AX0217\_7 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_7.

**PATH ID: R04\_AX0233\_7**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_8
THIS IS PRODUCT BARCODE SCAN #8.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR75
If R04_AX0217_8 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_8.

<b>PATH ID:</b> R04_AX0233_8
La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?
1 SÍ
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AX0217\_9**

THIS IS PRODUCT BARCODE SCAN #9.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Current and experimental current tobacco users who agreed to scanning.

DISPLAY: Display Interviewer instruction in blue font.

**BOX ID: R04\_AXR76**

If R04\_AX0217\_9 is left blank, go to R04\_AL3006.

Else, go to R04\_AX0233\_9.

**PATH ID: R04\_AX0233\_9**

La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AX0217_10
THIS IS PRODUCT BARCODE SCAN #10.
SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.
SCAN EACH BARCODE TWICE.
IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.
1 [FIRST SCAN]
2 [SECOND SCAN]
ASK: Current and experimental current tobacco users who agreed to scanning.
DISPLAY: Display Interviewer instruction in blue font.

<b>BOX ID:</b> R04_AXR77
If R04_AX0217_10 is left blank, go to R04_AL3006.
Else, go to R04_AX0233_10.

<b>PATH ID:</b> R04_AX0233_10
La última vez que consumió este tipo de producto, ¿fue de este paquete o envase específicamente?
1 SÍ GO TO R04_AL3006
2 NO GO TO R04_AL3006
-8 DON'T KNOW GO TO R04_AL3006
-7 REFUSED GO TO R04_AL3006
ASK: Current and experimental current tobacco users whose product barcode was scanned successfully.

<b>PATH ID:</b> R04_AL3000
Ha terminado esta parte del cuestionario. Por favor entréguele la computadora al entrevistador.
ASK: Adult respondents who are not current or experimental current tobacco users or who did not consent to barcode scanning.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

## CONTACT INFORMATION

**BOX ID: R04\_ALV03**

PROGRAM: Adult respondent has completed the adult questionnaire.

**BOX ID: R04\_ALR01**

Obtain contact information 1 time for adult respondent.

If adult respondent is same respondent on parent interview and contact information was obtained on parent interview, go to R04\_AL3005 to end interview.

Else, proceed with contact information section.

**PATH ID: R04\_AL0041**

Ya que su continua participación en el Estudio PATH es importante para el éxito del estudio, quisiera confirmar su información de contacto para mis registros. Únicamente usaremos esta información para contactarle acerca de su participación en el estudio.

PRESS 1 TO CONTINUE.

1 CONTINUE

ASK: Adult respondents who have not already provided contact information in another completed interview.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**BOX ID: R04\_ALR02**

Adult respondents who have a valid Wave 4 physical address, go to R04\_AL0001.

Else, go to R04\_AL0037.

**PATH ID: R04\_AL0001**

Tengo anotado que su dirección es ...

READ ADDRESS ALOUD.

ADDRESS

APT #

CITY, STATE ZIP CODE

¿Es correcto?

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

- |   |    |                  |
|---|----|------------------|
| 1 | SÍ | GO TO R04_AL0002 |
| 2 | NO |                  |

ASK: Adult respondents who have not already provided contact information in another completed interview and have a valid physical address on file.

DISPLAY: DISPLAY ADDRESS IN EASY TO READ FORMAT. DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0037**

¿Cuál es su dirección?

VERIFY ALL SPELLING.

- |    |                |                  |
|----|----------------|------------------|
| 1  | ADDRESS LINE 1 |                  |
| 2  | ADDRESS LINE 2 |                  |
| 3  | CITY           |                  |
| 4  | STATE          |                  |
| 5  | ZIP CODE       |                  |
| -8 | DON'T KNOW     | GO TO R04_AL0035 |
| -7 | REFUSED        | GO TO R04_AL0035 |

ASK: Adult respondents who need to correct their physical address or who do not have a valid physical address on file.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0002**

¿Recibe usted el correo en esta dirección?

- |    |            |                  |
|----|------------|------------------|
| 1  | SÍ         | GO TO R04_AL0035 |
| 2  | NO         |                  |
| -8 | DON'T KNOW | GO TO R04_AL0035 |
| -7 | REFUSED    | GO TO R04_AL0035 |

ASK: Adult respondents who confirmed or provided their physical address.

**PATH ID: R04\_AL0003**

¿Me podría dar su dirección postal?

VERIFY ALL SPELLING.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

- 1 ADDRESS LINE1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not receive mail at their physical address.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0035**

¿Tiene otra vivienda en la que viva durante el año?

- 1 Sí
  - 2 NO
  - 8 DON'T KNOW
  - 7 REFUSED
- GO TO BOX R04\_ALR03  
GO TO BOX R04\_ALR03  
GO TO BOX R04\_ALR03

ASK: Adult respondents who have not already provided contact information in another completed interview.

**PATH ID: R04\_AL0036**

¿Cuál es la dirección de la otra vivienda?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a second home.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**BOX ID: R04\_ALR03**

Adult respondents who have a valid telephone number on file, go to R04\_AL0004\_12M.  
Else, go to R04\_AL0004.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

<b>PATH ID:</b> R04_AL0004_12M
Tengo anotado que su número de teléfono es [(XXX)-XXX-XXXX].
¿Es correcto?
1 SÍ <span style="float: right;">GO TO R04_ AL0038</span>
2 NO
-8 DON'T KNOW
-7 REFUSED <span style="float: right;">GO TO R04_AL0012</span>
ASK: Adult respondents who have a valid telephone number on file.

<b>PATH ID:</b> R04_AL0004
¿Cuál es el mejor número de teléfono para comunicarse con usted?
ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.
1 AREA CODE AND PHONE NUMBER
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who need to correct their telephone number, who don't know if the telephone number provided is correct, or who do not have a valid telephone number on file.
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

<b>BOX ID:</b> R04_ALR14
Adult respondents who provided their telephone number, go to R04_AL0038.
Else, adult respondents who did not provide, did not know, or refused to report a valid telephone number, go to R04_AL0012.

<b>PATH ID:</b> R04_AL0038
¿Es este número de un celular?
1 SÍ <span style="float: right;">GO TO R04_ ALR04</span>
2 NO
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who confirmed or provided their telephone number.

<b>PATH ID:</b> R04_AL0032
¿Podemos comunicarnos con usted con mensajes de texto por este número?

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

- 1 SÍ
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who said their telephone number is a cell phone or did not know or refused to report whether it is a cell phone.

**BOX ID: R04\_ALR04**

Adult respondents who have a valid second telephone number on file, go to R04\_AL0005.  
Else, go to R04\_AL0006.

**PATH ID: R04\_AL0005**

Tengo anotado que su otro número de teléfono es [(XXX)-XXX-XXXX].

¿Es correcto?

- |               |                  |
|---------------|------------------|
| 1 SÍ          | GO TO R04_AL0039 |
| 2 NO          |                  |
| -8 DON'T KNOW | GO TO R04_AL0012 |
| -7 REFUSED    | GO TO R04_AL0012 |

ASK: Adult respondents who have a valid second telephone number on file.

**PATH ID: R04\_AL0006**

¿Cuál es un número alternativo que podamos utilizar para comunicarnos con usted?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who need to correct their second telephone number or who do not have a valid second telephone number on file.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**BOX ID: R04\_ALR15**

Adult respondents who provided their second phone number, go to R04\_AL0039.

Else, adult respondents who did not provide, did not know, or refused to report a valid second phone number, go to R04\_AL0012.

**PATH ID: R04\_AL0039**

¿Es este número de un celular?

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

- |               |                  |
|---------------|------------------|
| 1 SÍ          |                  |
| 2 NO          | GO TO R04_AL0012 |
| -8 DON'T KNOW |                  |
| -7 REFUSED    |                  |

ASK: Adult respondents who confirmed or provided their second phone number.

**PATH ID: R04\_AL0033**

¿Podemos comunicarnos con usted con mensajes de texto por este número?

- |               |  |
|---------------|--|
| 1 SÍ          |  |
| 2 NO          |  |
| -8 DON'T KNOW |  |
| -7 REFUSED    |  |

ASK: Adult respondents who said their second number is a cell phone or did not know or refused to report whether it is a cell phone.

**PATH ID: R04\_AL0012**

¿Me podría dar su correo electrónico?

VERIFY ALL SPELLING AND PUNCTUATION. RECORD TEXT BEFORE @ SYMBOL IN THE EMAIL NAME FIELD. TEXT AFTER THE @ SYMBOL IS ENTERED IN THE EMAIL PROVIDER FIELD.

- |                  |  |
|------------------|--|
| 1 EMAIL NAME     |  |
| 2 EMAIL PROVIDER |  |
| -8 DON'T KNOW    |  |
| -7 REFUSED       |  |

ASK: Adult respondents who have not already provided contact information in another completed interview.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**BOX ID: R04\_ALR09**

If more than one mode of contact information is provided, go to R04\_AL0017.  
Else, go to R04\_AL0018.

**PATH ID: R04\_AL0017**

¿Cuál es la mejor manera para comunicarse con usted?



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

- 1 PHONE
- 2 TEXT MESSAGE
- 3 E-MAIL
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided more than one mode of contact information.

**PATH ID: R04\_AL0018**

¿Tiene pensado mudarse ya sea de manera permanente o temporal dentro de los próximos 12 meses?

- 1 SÍ
- 2 NO GO TO R04\_AL0020
- 3 QUIZÁS
- 8 DON'T KNOW GO TO R04\_AL0020
- 7 REFUSED GO TO R04\_AL0020

ASK: Adult respondents who have not already provided contact information in another completed interview.

**PATH ID: R04\_AL0019**

¿Me podría decir un poco más acerca de sus planes de mudanza?

**IF NEEDED:** [Por ejemplo, su nueva dirección o la ciudad o el estado a donde tiene pensado mudarse.]

PROBE FOR AND RECORD ANY KNOWN INFORMATION.

- 1 [TEXT FIELD]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who plan to move in the next 12 months.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0020**

Ya que quisiéramos volver a entrevistarle es importante que podamos contactarlo en aproximadamente un año. En caso de que no podamos contactarlo, ¿tiene algún familiar o amigo que no viva con usted y que sepa cómo comunicarse con usted?

**IF NEEDED:** [Tenga la certeza de que solo usaremos esta información si no podemos comunicarnos con usted.]

¿Cómo se llama esa persona?

VERIFY ALL SPELLING.

IF SP IS UNABLE TO PROVIDE A **FIRST NAME** MARK AS DON'T KNOW / REFUSED.

- 1 FIRST NAME
- 2 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE AND BOLD "FIRST NAME".

**BOX ID: R04\_ALR10**

If FIRST NAME is don't know or refused, go to R04\_AL3005.

Else, go to R04\_AL0022.

**PATH ID: R04\_AL0022**

¿Cuál es la dirección de esa persona?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**PATH ID: R04\_AL0023**

¿Cuál es el número de teléfono de esa persona?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0021**

¿Qué relación o parentesco tiene con usted?

- 1 ESPOSO O ESPOSA
- 2 PADRE O MADRE (INCLUYENDO LOS SUEGROS)
- 4 ABUELO O ABUELA
- 5 HIJO/HIJA (INCLUYENDO YERNOS / NUERAS)
- 7 NIETO/NIETA
- 8 HERMANO O HERMANA (INCLUYENDO CUÑADOS O CUÑADAS)
- 13 AMIGO O AMIGA/VECINO O VECINA
- 91 OTRO PARIENTE (ESPECIFIQUE)
- 92 OTRA PERSONA NO EMPARENTADA (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

**PATH ID: R04\_AL0025**

¿Podría darme el nombre de otro familiar o amigo que sepa cómo comunicarse con usted?

VERIFY ALL SPELLING.

IF SP IS UNABLE TO PROVIDE A **FIRST NAME** MARK AS DON'T KNOW / REFUSED.

- 1 FIRST NAME
- 2 LAST NAME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0020.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE AND BOLD "FIRST NAME".

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**BOX ID: R04\_ALR11**

If FIRST NAME is don't know or refused, go to R04\_AL3005.  
Else, go to R04\_AL0027

**PATH ID: R04\_AL0027**

¿Cuál es la dirección de esa persona?

VERIFY ALL SPELLING.

- 1 ADDRESS LINE 1
- 2 ADDRESS LINE 2
- 3 CITY
- 4 STATE
- 5 ZIP CODE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0028**

¿Cuál es el número de teléfono de esa persona?

ENTER THE NUMBERS ONLY. DO NOT ENTER HYPHENS OR OTHER SYMBOLS.

- 1 AREA CODE AND PHONE NUMBER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH ID: R04\_AL0026**

¿Qué relación o parentesco tiene con usted?

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

- 1 ESPOSO O ESPOSA
- 2 PADRE O MADRE (INCLUYENDO LOS SUEGROS)
- 4 ABUELO O ABUELA
- 5 HIJO/HIJA (INCLUYENDO YERNOS / NUERAS)
- 7 NIETO/NIETA
- 8 HERMANO O HERMANA (INCLUYENDO CUÑADOS O CUÑADAS)
- 13 AMIGO O AMIGA/VECINO O VECINA
- 91 OTRO PARIENTE (ESPECIFIQUE)
- 92 OTRA PERSONA NO EMPARENTADA (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who provided a first name for a proxy contact in R04\_AL0025.

**PATH ID: R04\_AL3005**

[THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION.]

Si se muda o cambia de número de teléfono sírvase actualizar su información de contacto en la página en Internet del Estudio PATH o llamando a nuestra línea directa y gratuita. Cada año podría recibir 5 dólares en su tarjeta de débito como agradecimiento por actualizar su información de contacto.

Gracias por su tiempo y por contestar estas preguntas.

ENTER 1 TO CONTINUE.

1 CONTINUE

ASK: All adult respondents.

DISPLAY: IF THE RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION IN ANOTHER COMPLETED INTERVIEW (R04\_CONTACTFLAG\_LD=1), DISPLAY: "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**BOX ID: R04\_ALV02**

Contact information was provided by Adult respondent, set R04\_CONTACTFLAG.

**PATH ID: R04\_LCAD01**

INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

1 ENGLISH

END INTERVIEW AND RETURN TO IMS

2 SPANISH

END INTERVIEW AND RETURN TO IMS

ASK: All adult respondents (asked of Interviewer).

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**APPENDIX: USER GROUPS**

Variable Name	Variable Description	User Group Definition
<b>CIGARETTES</b>		
Ever or Never users - Cigarettes R04_EVER_NEVER_CIGS	(1) Ever user = Adult respondents who have ever smoked a cigarette and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a cigarette.	IF (R03_EVER_NEVER_CIGS = 1 OR R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R04_AC1002_RS = 1 OR R04_AC1003 = 1 OR R04_AC1003 = 2) AND R04_AC1010 != 3, THEN R04_EVER_NEVER_CIGS = 1. ELSE, IF R04_EVER_NEVER_CIGS != 1, THEN R04_EVER_NEVER_CIGS = 2.
Initiators - Cigarettes R04_INIT_CIGS_ADULT	(1) Initiator = Adult respondents who initiated cigarette use between Waves or new cohort adult respondents who have ever smoked a cigarette. (2) Non-initiator = Adult respondents who did not initiate cigarette use between Waves or new cohort adult respondent who have not ever smoked a cigarette.	IF R03_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_CIGS = 1, THEN R04_INIT_CIGS_ADULT = 1. ELSE, R04_INIT_CIGS_ADULT = 2.
Cigarette user status R04_CIG_USER_STATUS	(1) Current user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months	IF (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND (R04_AC1003 = 1 OR R04_AC1003 = 2), THEN R04_CIG_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6 AND (R04_AC1003 = 1 OR R04_AC1003 = 2), THEN R04_CIG_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3) AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6, THEN R04_CIG_USER_STATUS = 3. ELSE, IF (R03_CIG_USER_STATUS = 1 OR

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>or currently smokes not at all.            (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former cigarette smokers at the previous wave and aged-up adult respondents who ever smoked cigarettes at the previous wave, who have ever smoked cigarettes fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since the previous wave, who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarettes fairly regularly, have smoked in the past 12 months and now smokes not at all.            (5) Long-term former user = Aged up and continuing adult respondents who were former cigarette smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a cigarette and have smoked at least 100 cigarettes in their entire life, who did not smoke in the past 12 months.            (8) Unknown / missing = Unknown or missing</p>	<pre>R03_CIG_USER_STATUS = 2 OR R03_CIG_USER_STATUS = 3 OR (R04_INIT_CIGS_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AC1009_NN &lt;= 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN &lt;=12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN &lt;= 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 4. ELSE, IF (R03_CIG_USER_STATUS = 4 OR R03_CIG_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND ((R04_AC1009_NN &gt; 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN &gt; 12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN &gt; 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 5. ELSE, R04_CIG_USER_STATUS = 8.</pre>
<p>Every day or Some day use - Cigarettes            R04_CURRENT_CIG_USE</p>	<p>(1) Every day user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day.</p>	<pre>IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 1, THEN R04_CURRENT_CIG_USE = 1. ELSE, IF R04_CIG_USER_STATUS = 1 AND</pre>



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	(2) Some day user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes some days. (8) Unknown / missing = Unknown or missing	R04_AC1003 = 2, THEN R04_CURRENT_CIG_USE = 2. ELSE, R04_CURRENT_CIG_USE = 8.
Former but Past 30 Day Users - Cigarettes R04_FORMER_THIRTYDAY_USER_CIGS	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former smokers who have smoked any cigarettes in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former smokers who have NOT smoked any cigarettes in the past 30 days.	IF (R04_CIG_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AC1009_NN <= 30 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN = 1 AND R04_AC1009_UN = 2) OR R04_AC1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_CIGS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_CIGS = 2.
<b>ELECTRONIC NICOTINE PRODUCTS</b>		
Ever or Never users - Electronic nicotine products R04_EVER_NEVER_EPRODS	(1) Ever user = Adult respondents who have ever used any electronic nicotine product and did not recant prior use. (2) Never user = Adult respondents who have not ever used any electronic nicotine product.	IF (R03_EVER_NEVER_EPRODS = 1 OR R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR (R04_AV1001_RS = 1 AND R04_AV1002_RS = 1) OR R04_AV1003 = 1 OR R04_AV1003 = 2) AND R04_AV1010 != 3, THEN R04_EVER_NEVER_EPRODS = 1. ELSE, IF R04_EVER_NEVER_EPRODS != 1, THEN R04_EVER_NEVER_EPRODS = 2.
Initiator - E-Products R04_INIT_EPRODS_ADULT	(1) Initiator = Adult respondents who initiated e-product use between Waves or new cohort adult respondents who have ever used an e-product. (2) Non-initiator = Adult respondents who did not initiate e-product use between Waves or new cohort adult respondents who have not ever used an e-product.	IF R03_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_EPRODS = 1, THEN R04_INIT_EPRODS_ADULT = 1. ELSE, R04_INIT_EPRODS_ADULT = 2.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
<p>E-product user status  R04_EPROD_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days.  (2) Experimental current user = Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.  (3) Experimental former user = Adult respondents who have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.  (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former e-product users at the previous wave and aged-up adult respondents who ever used e-products at the previous wave, who have ever used e-products fairly regularly, and did not use e-products in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated e-product use since the previous wave, who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used e-products fairly regularly, have used in the past 12 months and now uses not at all.  (5) Long-term former user = Aged up and continuing adult respondents who</p>	<p>IF (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND (R04_AV1003 = 1 OR R04_AV1003 = 2), THEN  R04_EPROD_USER_STATUS = 1.  ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1 AND (R04_AV1003 = 1 OR R04_AV1003 = 2), THEN  R04_EPROD_USER_STATUS = 2.  ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3) AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1, THEN  R04_EPROD_USER_STATUS = 3.  ELSE, IF (R03_EPROD_USER_STATUS = 1 OR R03_EPROD_USER_STATUS = 2 OR R03_EPROD_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_EPRODS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AV1009_NN &lt;= 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN &lt;= 12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN &lt;= 1 AND R04_AV1009_UN = 3)))) AND (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 4.  ELSE, IF (R03_EPROD_USER_STATUS = 4 OR R03_EPROD_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AV1100 = 1 AND ((R04_AV1009_NN &gt; 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN &gt;</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	were former e-product users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used and e-product and have used fairly regularly, who have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN > 1 AND R04_AV1009_UN = 3))) AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 5. ELSE, R04_EPROD_USER_STATUS = 8.
Every day or Some day use - Electronic nicotine products R04_CURRENT_EPROD_USE	(1) Every day user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day. (2) Some day user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days. (8) Unknown / missing = Unknown or missing	IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 1, THEN CURRENT_EPROD_USE = 1. ELSE, IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 2, THEN CURRENT_EPROD_USE = 2. ELSE, R04_CURRENT_EPROD_USE = 8.
Former but Past 30 Day Users – Electronic nicotine products R04_FORMER_THIRTYDAY_USER_EPROD	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former users who have used any electronic nicotine products in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former users who have NOT used any electronic nicotine products in the past 30 days.	IF R04_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AV1009_NN <= 30 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN = 1 AND R04_AV1009_UN = 2) OR R04_AV1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_EPROD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_EPROD = 2.
<b>CIGARS</b>		
Ever or Never users - Traditional cigars R04_EVER_NEVER_GTRAD	(1) Ever user = Adult respondents who have ever smoked a traditional cigar and	IF (R03_EVER_NEVER_GTRAD = 1 OR R04_AG9030 = 1 OR R04_AG9003_12M = 1

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>did not recant prior use.  (2) Never user = Adult respondents who have not ever smoked a traditional cigar.</p>	<p>OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1 AND R04_AG9003_RS = 1) OR R04_AG1003TC = 1 OR R04_AG1003TC = 2) AND R04_AG1010TC != 3, THEN R04_EVER_NEVER_GTRAD = 1.  ELSE, IF R04_EVER_NEVER_GTRAD != 1, THEN R04_EVER_NEVER_GTRAD = 2.</p>
<p>Ever or Never users - Cigarillos  R04_EVER_NEVER_GRILLO</p>	<p>(1) Ever user = Adult respondents who have ever smoked a cigarillo and did not recant prior use.  (2) Never user = Adult respondents who have not ever smoked a cigarillo.</p>	<p>IF (R03_EVER_NEVER_GRILLO = 1 OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1 AND R04_AG9004_RS = 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1)) OR R04_AG1003CG = 1 OR R04_AG1003CG = 2) AND R04_AG1010CG != 3, THEN R04_EVER_NEVER_GRILLO = 1.  ELSE, IF R04_EVER_NEVER_GRILLO != 1, THEN R04_EVER_NEVER_GRILLO = 2.</p>
<p>Ever or Never users - Filtered cigars  R04_EVER_NEVER_GFILTR</p>	<p>(1) Ever user = Adult respondents who have ever smoked a filtered cigar and did not recant prior use.  (2) Never user = Adult respondents who have not ever smoked a filtered cigar.</p>	<p>IF (R03_EVER_NEVER_GFILTR = 1 OR R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1 AND R04_AG9004_RS = 1 AND R04_AG9009_RS_02 = 1) OR R04_AG1003FC = 1 OR R04_AG1003FC = 2) AND R04_AG1010FC != 3, THEN R04_EVER_NEVER_GFILTR = 1.  ELSE, IF R04_EVER_NEVER_GFILTR != 1, THEN R04_EVER_NEVER_GFILTR = 2.</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Initiators – Traditional Cigars R04_INIT_GTRAD_ADULT	(1) Initiator = Adult respondents who initiated traditional cigar use between Waves or new cohort adult respondents who have ever smoked a traditional cigar. (2) Non-initiator = Adult respondents who did not initiate traditional cigar use between Waves or new cohort adult respondents who have not ever smoked a traditional cigar.	IF R03_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_INIT_GTRAD_ADULT = 1. ELSE, R04_INIT_GTRAD_ADULT = 2.
Initiators – Cigarillos R04_INIT_GRILLO_ADULT	(1) Initiator = Adult respondents who initiated cigarillo use between Waves or new cohort adult respondents who have ever smoked a cigarillo. (2) Non-initiator = Adult respondents who did not initiate cigarillo use between Waves or new cohort adult respondents who have not ever smoked a cigarillo.	IF R03_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_INIT_GRILLO_ADULT = 1. ELSE, R04_INIT_GRILLO_ADULT = 2.
Initiators – Filtered Cigars R04_INIT_GFILTR_ADULT	(1) Initiator = Adult respondents who initiated filtered cigar use between Waves or new cohort adult respondents who ever smoked a filtered cigar. (2) Non-initiator = Adult respondents who did not initiate filtered cigar use between Waves or new cohort adult respondents who have not ever smoked a filtered cigar.	IF R03_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_INIT_GFILTR_ADULT = 1. ELSE, R04_INIT_GFILTR_ADULT = 2.
Past 12 Month Blunt-Only Users – Traditional Cigars R04_12MBLUNT_ONLY_BTRAD	(1) Past 12 month blunt-only smoker = Adult respondents who smoke traditional cigars as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke traditional cigars as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_01 = 1 AND R04_AG9106_01 = 1, THEN R04_12MBLUNT_ONLY_BTRAD = 1. ELSE, R04_12MBLUNT_ONLY_BTRAD = 2.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Past 12 Month Blunt-Only Users – Cigarillos R04_12MBLUNT_ONLY_BRILLO	(1) Past 12 month blunt-only smoker = Adult respondents who smoke cigarillos as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke cigarillos as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_12MBLUNT_ONLY_BRILLO = 1. ELSE, R04_12MBLUNT_ONLY_BRILLO = 2.
Past 12 Month Blunt-Only Users – Filtered Cigars R04_12MBLUNT_ONLY_BFILTR	(1) Past 12 month blunt-only smoker = Adult respondents who smoke filtered cigars as blunts everytime when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke filtered cigars as blunts everytime when smoked in the past 12 months.	IF R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_12MBLUNT_ONLY_BFILTR = 1. ELSE, R04_12MBLUNT_ONLY_BFILTR = 2.
Initiators – Blunt-only Traditional Cigars R04_INIT_BLUNT_BTRAD_ADULT	(1) Initiator = Adult respondents who initiated smoking traditional cigars as blunts between Waves or or new cohort adult respondents who have ever used traditional cigars as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking traditional cigars as blunts between Waves or or new cohort adult respondents who have not ever used traditional cigars as blunts.	IF R03_EVER_NEVER_BTRAD != 1 AND (R04_AG1095_01 = 1 AND R04_AG9106_01 = 1), THEN R04_INIT_BLUNT_BTRAD_ADULT = 1. ELSE, R04_INIT_BLUNT_BTRAD_ADULT = 2.
Initiators – Blunt-only Cigarillos R04_INIT_BLUNT_BRILLO_ADULT	(1) Initiator = Adult respondents who initiated smoking cigarillos as blunts between Waves or or new cohort adult respondents who have ever used cigarillos as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents	IF R03_EVER_NEVER_BRILLO != 1 AND R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_INIT_BLUNT_BRILLO_ADULT = 1. ELSE, R04_INIT_BLUNT_BRILLO_ADULT = 2.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	who did not initiate smoking cigarillos as blunts between Waves or or new cohort adult respondents who have not ever used cigarillos as blunts.	
Initiators – Blunt-only Filtered Cigars R04_INIT_BLUNT_BFILTR_ADULT	(1) Initiator = Adult respondents who initiated smoking filtered cigars as blunts between Waves or or new cohort adult respondents who have ever used filtered cigars as blunts every time in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking filtered cigars as blunts between Waves or or new cohort adult respondents who have not ever used filtered cigars as blunts.	IF R03_EVER_NEVER_BFILTR != 1 AND R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_INIT_BLUNT_BFILTR_ADULT = 1. ELSE, R04_INIT_BLUNT_BFILTR_ADULT = 2.
Traditional cigar user status R04_GTRAD_USER_STATUS	(1) Current user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked traditional cigars fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former traditional cigar smokers at the previous wave and aged-up adult respondents who ever smoked traditional cigars at the previous wave,	IF (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG1003TC = 1 OR R04_AG1003TC = 2), THEN R04_GTRAD_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG1003TC = 1 OR R04_AG1003TC = 2), THEN R04_GTRAD_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3), THEN R04_GTRAD_USER_STATUS = 3. ELSE, IF (R03_GTRAD_USER_STATUS = 1 OR R03_GTRAD_USER_STATUS = 2 OR R03_GTRAD_USER_STATUS = 3 OR (R04_INIT_GTRAD_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1) OR

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>who have ever smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since the previous wave, who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre>(R04_ADULTTYPE = 3 AND ((R04_AG1009TC_NN &lt;= 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN &lt;= 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN &lt;= 1 AND R04_AG1009TC_UN = 3)))) AND (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1, THEN R04_GTRAD_USER_STATUS = 4. ELSE, IF (R03_GTRAD_USER_STATUS = 4 OR R03_GTRAD_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100TC = 1 AND ((R04_AG1009TC_NN &gt; 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN &gt; 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN &gt; 1 AND R04_AG1009TC_UN = 3)))) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1, THEN R04_GTRAD_USER_STATUS = 5. ELSE, R04_GTRAD_USER_STATUS = 8.</pre>
<p>Cigarillo user status  R04_GRILLO_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day or some days.</p> <p>(2) Experimental current user = Adult respondents who have never smoked cigarillos fairly regularly, and currently smokes every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never smoked</p>	<pre>IF (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND (R04_AG1003CG = 1 OR R04_AG1003CG = 2), THEN R04_GRILLO_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND (R04_AG1003CG = 1 OR R04_AG1003CG = 2), THEN R04_GRILLO_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GRILLO = 1</pre>



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>cigarillos fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former cigarillo smokers at the previous wave and aged-up adult respondents who ever smoked cigarillos at the previous wave, who have ever smoked cigarillos fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since the previous wave, who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former cigarillo traditional cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre> AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3), THEN R04_GRILLO_USER_STATUS = 3. ELSE, IF (R03_GRILLO_USER_STATUS = 1 OR R03_GRILLO_USER_STATUS = 2 OR R03_GRILLO_USER_STATUS = 3 OR (R04_INIT_GRILLO_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009CG_NN &lt;= 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN &lt;= 12 AND R04_AG1009CG_UN = 2) OR R04_AG1009CG_NN &lt;= 1 AND R04_AG1009CG_UN = 3)))) AND (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1, THEN R04_GRILLO_USER_STATUS = 4. ELSE, IF (R03_GRILLO_USER_STATUS = 4 OR R03_GRILLO_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100CG = 1 AND ((R04_AG1009CG_NN &gt; 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN &gt; 12 AND </pre>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		R04_AG1009CG_UN = 2) OR (R04_AG1009CG_NN > 1 AND R04_AG1009CG_UN = 3)))) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1, THEN R04_GRILLO_USER_STATUS = 5. ELSE, R04_GRILLO_USER_STATUS = 8.
Filtered cigar user status R04_GFILTR_USER_STATUS	(1) Current user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked filtered cigars fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former filtered cigar smokers at the previous wave and aged-up adult respondents who ever smoked filtered cigars at the previous wave, who have ever smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and	IF (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND (R04_AG1003FC = 1 OR R04_AG1003FC = 2), THEN R04_GFILTR_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND (R04_AG1003FC = 1 OR R04_AG1003FC = 2), THEN R04_GFILTR_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3), THEN R04_GFILTR_USER_STATUS = 3. ELSE, IF (R03_GFILTR_USER_STATUS = 1 OR R03_GFILTR_USER_STATUS = 2 OR R03_GFILTR_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_GFILTR_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1) OR (R04_ADULTTYPE = 3 AND

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>continuing and aged-up adult respondents who initiated filtered smoking since the previous wave, who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former filtered cigar smokers at the previous wave and did not smoke in the past 12 months or now smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, who did not smoke in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre>(((R04_AG1009FC_NN &lt;= 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN &lt;= 12 AND R04_AG1009FC_UN = 2) OR R04_AG1009FC_NN &lt;= 1 AND R04_AG1009FC_UN = 3)))) AND (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1, THEN R04_GFILTR_USER_STATUS = 4. ELSE, IF (R03_GFILTR_USER_STATUS = 4 OR R03_GFILTR_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100FC = 1 AND ((R04_AG1009FC_NN &gt; 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN &gt; 12 AND R04_AG1009FC_UN = 2) OR (R04_AG1009FC_NN &gt; 1 AND R04_AG1009FC_UN = 3)))) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1, THEN R04_GFILTR_USER_STATUS = 5. ELSE, R04_GFILTR_USER_STATUS = 8.</pre>
<p>Every day or Some day use - Traditional cigars  R04_CURRENT_GTRAD_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day.</p> <p>(2) Some day user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes</p>	<pre>IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 1, THEN R04_CURRENT_GTRAD_USE = 1. ELSE, IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 2, THEN R04_CURRENT_GTRAD_USE = 2.</pre>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	some days. (8) Unknown / missing = Unknown or missing	ELSE, R04_CURRENT_GTRAD_USE = 8.
Every day or Some day use - Cigarillos R04_CURRENT_GRILLO_USE	(1) Every day user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day. (2) Some day user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 1, THEN R04_CURRENT_GRILLO_USE = 1. ELSE, IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 2, THEN R04_CURRENT_GRILLO_USE = 2. ELSE, R04_CURRENT_GRILLO_USE = 8.
Every day or Some day use - Filtered cigars R04_CURRENT_GFILTR_USE	(1) Every day user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day. (2) Some day user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 1, THEN R04_CURRENT_GFILTR_USE = 1. ELSE, IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 2, THEN R04_CURRENT_GFILTR_USE = 2. ELSE, R04_CURRENT_GFILTR_USE = 8.
Former but Past 30 Day Users – Traditional Cigars R04_FORMER_THIRTYDAY_USER_GTRAD	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former traditional cigar smokers in Wave 4 who have smoked any traditional cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former traditional cigar smokers in Wave 4 who have smoked any traditional cigars in the past 30 days.	IF ((R04_GTRAD_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AG1009TC_NN <= 30 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN = 1 AND R04_AG1009TC_UN = 2) OR R04_AG9030 = 1)) AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_FORMER_THIRTYDAY_USER_GTRAD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GTRAD = 2.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Former but Past 30 Day Users – Cigarillos R04_FORMER_THIRTYDAY_USER_GRILLO	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former cigarillo smokers in Wave 4 who have smoked any cigarillos in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former cigarillo smokers in Wave 4 who have smoked any cigarillos in the past 30 days.	IF ((R04_GRILLO_USER_STATUS = 3, 4, 5) AND (((1 <= R04_AG1009CG_NN <= 30 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN = 1 AND R04_AG1009CG_UN = 2)) OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1)) AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_FORMER_THIRTYDAY_USER_GRILLO = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GRILLO = 2.
Former but Past 30 Day Users – Filtered Cigars R04_FORMER_THIRTYDAY_USER_GFILTR	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former filtered cigar smokers in Wave 4 who have smoked any filtered cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former filtered cigar smokers in Wave 4 who have smoked any filtered cigars in the past 30 days.	IF ((R04_GFILTR_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AG1009FC_NN <= 30 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN = 1 AND R04_AG1009FC_UN = 2) OR R04_AG9049_02 = 1)) AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_FORMER_THIRTYDAY_USER_GFILTR = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GFILTR = 2.
<b>PIPES</b>		
Ever or Never users - Pipes R04_EVER_NEVER_PIPE	(1) Ever user = Adult respondents who have ever smoked a pipe and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked a pipe.	IF (R03_EVER_NEVER_PIPE = 1 OR R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR (R04_AP1001_RS = 1 AND R04_AP1002_RS = 1) OR R04_AP1003 = 1 OR R04_AP1003 = 2) AND R04_AP1010 != 3, THEN R04_EVER_NEVER_PIPE = 1. ELSE, IF R04_EVER_NEVER_PIPE != 1, THEN R04_EVER_NEVER_PIPE = 2.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
Initiators - Pipes R04_INIT_PIPE_ADULT	(1) Initiator = Adult respondents who initiated pipe use between Waves or new cohort adult respondents who have ever smoked a pipe. (2) Non-initiator = Adult respondents who did not initiate pipe use between Waves or new cohort adult respondents who have not ever smoked a pipe.	IF R03_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_PIPE = 1, THEN R04_INIT_PIPE_ADULT = 1. ELSE, R04_INIT_PIPE_ADULT = 2.
Pipe user status R04_PIPE_USER_STATUS	(1) Current user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day or some days. (2) Experimental current user = Adult respondents who have never smoked a pipe fairly regularly, and currently smokes every day or some days. (3) Experimental former user = Adult respondents who have never smoked a pipe fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former pipe smokers at the previous wave and aged-up adult respondents who ever smoked a pipe at the previous wave, who have ever smoked a pipe fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated pipe smoking since the previous wave, who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult	IF (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND (R04_AP1003 = 1 OR R04_AP1003 = 2), THEN R04_PIPE_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1 AND (R04_AP1003 = 1 OR R04_AP1003 = 2), THEN R04_PIPE_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3) AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1, THEN R04_PIPE_USER_STATUS = 3. ELSE, IF (R03_PIPE_USER_STATUS = 1 OR R03_PIPE_USER_STATUS = 2 OR R03_PIPE_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AP1009_NN <= 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN <= 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN <= 1 AND R04_AP1009_UN = 3)))) AND (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3),

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged up and continuing adult respondents who were former pipe smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked fairly regularly, who have not smoked in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>THEN R04_PIPE_USER_STATUS = 4.</p> <p>ELSE, IF (R03_PIPE_USER_STATUS = 4 OR R03_PIPE_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AP1100 = 1 AND ((R04_AP1009_NN &gt; 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN &gt; 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN &gt; 1 AND R04_AP1009_UN = 3)))) AND R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN R04_PIPE_USER_STATUS = 5.</p> <p>ELSE, R04_PIPE_USER_STATUS = 8.</p>
<p>Every day or Some day use - Pipes R04_CURRENT_PIPE_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day.</p> <p>(2) Some day user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes some days.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 1, THEN R04_CURRENT_PIPE_USE = 1.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 2, THEN R04_CURRENT_PIPE_USE = 2.</p> <p>ELSE, R04_CURRENT_PIPE_USE = 8.</p>
<p>Former but Past 30 Day Users – Pipes R04_FORMER_THIRTYDAY_USER_PIPE</p>	<p>(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former pipe smokers in Wave 4 who have smoked any pipe tobacco in the past 30 days.</p> <p>(2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former pipe smokers in Wave 4 who have smoked any pipe tobacco in the</p>	<p>IF (R04_PIPE_USER_STATUS = 3, 4, 5 AND (1 &lt;= R04_AP1009_NN &lt;= 30 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN = 1 AND R04_AP1009_UN = 2) OR R04_AP1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_PIPE = 1.</p> <p>ELSE, R04_FORMER_THIRTYDAY_USER_PIPE = 2.</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	past 30 days.	
<b>HOOKAH</b>		
Ever or Never users - Hookah R04_EVER_NEVER_HOOK	(1) Ever user = Adult respondents who have ever smoked hookah and did not recant prior use. (2) Never user = Adult respondents who have not ever smoked hookah.	IF (R03_EVER_NEVER_HOOK = 1 OR R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR (R04_AH1001_RS = 1 AND R04_AH1002_RS = 1) OR R04_AH1003 = 1 OR R04_AH1003 = 2) AND R04_AH1010 != 3, THEN R04_EVER_NEVER_HOOK = 1. ELSE, IF R04_EVER_NEVER_HOOK != 1, THEN R04_EVER_NEVER_HOOK = 2.
Initiators - Hookah R04_INIT_HOOK_ADULT	(1) Initiator = Adult respondents who initiated hookah use between Waves or new cohort adult respondents who have ever smoked a hookah. (2) Non-initiator = Adult respondents who did not initiate hookah use between Waves or new cohort adult respondents who have not ever smoked a hookah.	IF R03_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_HOOK = 1, THEN R04_INIT_HOOK_ADULT = 1. ELSE, R04_INIT_HOOK_ADULT = 2.
Hookah user status R04_HOOK_USER_STATUS	(1) Current user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes monthly or more frequently. (2) Experimental current user = Adult respondents who have never smoked hookah fairly regularly, and currently smokes hookah every day, some days, weekly, monthly or in the past 30 days. (3) Experimental former user = Adult respondents who have never smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. (4) Recent former user = Continuing adult respondents who were current,	IF (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND (R04_AH1003 = 1 OR R04_AH1003 = 2 OR R04_AH9003 = 1 OR R04_AH9003 = 2 OR R04_AH9003 = 3), THEN R04_HOOK_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 != 1 AND (R04_AH1003 = 1 OR R04_AH1003 = 2 OR R04_AH9003 = 1 OR R04_AH9003 = 2 OR R04_AH9003 = 3 OR (R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2) OR R04_AH1004 = 1), THEN R04_HOOK_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_HOOK = 1 AND



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>experimental current, or experimental former hookah smokers at the previous wave and aged-up adult respondents who ever smoked hookah at the previous wave, who have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or now smokes not at all; and continuing and aged-up adult respondents who initiated hookah smoking since the previous wave, who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and now smokes not at all.</p> <p>(5) Long-term former user = Aged-up and continuing adult respondents who were former hookah smokers at the previous wave and did not smoke in the past 12 months or now smokes not at all, and new cohort adult respondents who have ever smoked a hookah and have smoked fairly regularly, who have not smoked in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<pre>(R04_AH1002_12M = 2 OR R04_AH1003 = 3) AND R04_AH1100 != 1 AND R03_REGUSE_HOOK != 1, THEN R04_HOOK_USER_STATUS = 3. ELSE, IF (R03_HOOK_USER_STATUS = 1 OR R03_HOOK_USER_STATUS = 2 OR R03_HOOK_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_HOOK_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AH1009_NN &lt;= 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN &lt;= 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN &lt;= 1 AND R04_AH1009_UN = 3)))) AND (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 4. ELSE, IF (R03_HOOK_USER_STATUS = 4 OR R03_HOOK_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AH1100 = 1 AND ((R04_AH1009_NN &gt; 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN &gt; 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN &gt; 1 AND R04_AH1009_UN = 3)))) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 5. ELSE, R04_HOOK_USER_STATUS = 8.</pre>
<p>Every day or Some day use - Hookah  R04_CURRENT_HOOK_USE</p>	<p>(1) Every day user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes every day.</p>	<pre>IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 1 OR R04_AH9003 = 1), THEN R04_CURRENT_HOOK_USE = 1. ELSE, IF R04_HOOK_USER_STATUS = 1 AND</pre>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	(2) Some day user = Adult respondents who have ever smoked hookah fairly regularly, and currently smokes some days. (8) Unknown / missing = Unknown or missing	(R04_AH1003 = 2 OR R04_AH9003 = 2 OR 3) THEN R04_CURRENT_HOOK_USE = 2. ELSE, R04_CURRENT_HOOK_USE = 8.
Past 30 Day Users - Hookah R04_THIRTY_DAY_USER_HOOK	(1) Past 30 day user = Adult respondents who have smoked hookah in the past 30 days. (2) Not a past 30 day user = Adult respondents who have not smoked hookah in the past 30 days.	IF ((1 <= R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2)) OR R04_AH1004 = 1, THEN R04_THIRTY_DAY_USER_HOOK = 1. ELSE, R04_THIRTY_DAY_USER_HOOK = 2.
<b>SNUS</b>		
Ever or Never users - Snus R04_EVER_NEVER_SNUS	(1) Ever user = Adult respondents who have ever used snus and did not recant prior use. (2) Never user = Adult respondents who have not ever used snus.	IF (R03_EVER_NEVER_SNUS = 1 OR R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR (R04_AU1001_RS = 1 AND R04_AU1002_RS = 1) OR R04_AU1003 = 1 OR R04_AU1003 = 2) AND R04_AU1010 != 3, THEN R04_EVER_NEVER_SNUS = 1. ELSE, IF R04_EVER_NEVER_SNUS != 1, THEN R04_EVER_NEVER_SNUS = 2.
Initiators – Snus R04_INIT_SNUS_ADULT	(1) Initiator = Adult respondents who initiated snus use between Waves or new cohort adult respondents who have ever used snus. (2) Non-initiator = Adult respondents who did not initiate snus use between Waves or new cohort adult respondents who have not ever used snus.	IF R03_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SNUS = 1, THEN R04_INIT_SNUS_ADULT = 1. ELSE, R04_INIT_SNUS_ADULT = 2.
Snus user status R04_SNUS_USER_STATUS	(1) Current user = Adult respondents who have ever used snus fairly regularly, and currently uses it every day or some days.	IF (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND (R04_AU1003 = 1 OR R04_AU1003 = 2), THEN R04_SNUS_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_SNUS = 1 AND

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>(2) Experimental current user = Adult respondents who have never used snus fairly regularly, and currently uses it every day or some days.</p> <p>(3) Experimental former user = Adult respondents who have never used snus fairly regularly, and did not use it in the past 12 months or currently uses it not at all.</p> <p>(4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former snus users at the previous wave and aged-up adult respondents who ever used snus at the previous wave, who have ever used snus fairly regularly, and did not use snus in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated snus use since the previous wave, who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and now uses not at all.</p> <p>(5) Long-term former user = Adult respondents who were former snus users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used snus and have ever used snus fairly regularly, who have not used snus in the past 12 months..</p>	<p>R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1 AND (R04_AU1003 = 1 OR R04_AU1003 = 2), THEN R04_SNUS_USER_STATUS = 2.</p> <p>ELSE, IF R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3) AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1, THEN R04_SNUS_USER_STATUS = 3.</p> <p>ELSE, IF (R03_SNUS_USER_STATUS = 1 OR R03_SNUS_USER_STATUS = 2 OR R03_SNUS_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SNUS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AU1009_NN &lt;= 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN &lt;= 12 AND R04_AU1009_UN = 2) OR (R04_AU1009_NN &lt;= 1 AND R04_AU1009_UN = 3)))) AND (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN R04_SNUS_USER_STATUS = 4.</p> <p>ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_SNUS_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AU1100 = 1 AND ((R04_AU1009_NN &gt; 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN &gt; 12 AND R04_AU1009_UN = 2) OR (R04_AU1009_NN &gt; 1 AND R04_AU1009_UN = 3)))) AND R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN R04_SNUS_USER_STATUS = 5.</p> <p>ELSE, R04_SNUS_USER_STATUS = 8.</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	(8) Unknown / missing = Unknown or missing	
Every day or Some day use - Snus R04_CURRENT_SNUS_USE	(1) Every day user = Adult respondents who have ever used snus fairly regularly, and currently uses it every day. (2) Some day user = Adult respondents who have ever used snus fairly regularly, and currently uses it some days. (8) Unknown / missing = Unknown or missing	IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 1, THEN R04_CURRENT_SNUS_USE = 1. ELSE, IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 2, THEN R04_CURRENT_SNUS_USE = 2. ELSE, R04_CURRENT_SNUS_USE = 8.
Former but Past 30 Day Users – Snus R04_FORMER_THIRTYDAY_USER_SNUS	(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former snus users in Wave 4 who have used any snus in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT experimental former, recent former, or long-term former snus users in Wave 4 who have used any snus in the past 30 days.	IF (R04_SNUS_USER_STATUS = 3, 4, 5) AND ((1 <= R04_AU1009_NN <= 30 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN = 1 AND R03_AU1009_UN = 2) OR R04_AU1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_SNUS = 2.
<b>SMOKELESS TOBACCO</b>		
Ever or Never users - Smokeless tobacco R04_EVER_NEVER_SMKLS	(1) Ever user = Adult respondents who have ever used smokeless tobacco and did not recant prior use. (2) Never user = Adult respondents who have not ever used smokeless tobacco.	IF (R03_EVER_NEVER_SMKLS = 1 OR R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR (R04_AS1001_RS = 1 AND R04_AS1002_RS = 1) OR R04_AS1003 = 1 OR R04_AS1003 = 2) AND R04_AS1010 != 3, THEN R04_EVER_NEVER_SMKLS = 1. ELSE, IF R04_EVER_NEVER_SMKLS != 1, THEN R04_EVER_NEVER_SMKLS = 2.
Initiators – Smokeless Tobacco R04_INIT_SMKLS_ADULT	(1) Initiator = Adult respondents who initiated smokeless tobacco use between Waves or new cohort adult	IF R03_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_SMKLS = 1, THEN

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>respondents who have ever used smokeless tobacco.            (2) Non-initiator = Adult respondents who did not initiate smokeless tobacco use between Waves or new cohort adult respondents who have not ever used smokeless tobacco.</p>	<p>R04_INIT_SMKLS_ADULT = 1.            ELSE, R04_INIT_SMKLS_ADULT = 2.</p>
<p>Smokeless tobacco user status            R04_SMKLS_USER_STATUS</p>	<p>(1) Current user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day or some days.            (2) Experimental current user = Adult respondents who have never used smokeless tobacco fairly regularly, and currently uses it every day or some days.            (3) Experimental former user = Adult respondents who have never used smokeless tobacco fairly regularly, and did not use it in the past 12 months or currently uses it not at all.            (4) Recent former user = Continuing adult respondents who were current, experimental current, or experimental former smokeless tobacco users at the previous wave and aged-up adult respondents who ever used smokeless tobacco at the previous wave, who have ever used smokeless tobacco fairly regularly, and did not use smokeless tobacco in the past 12 months or now uses not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since the previous wave, who have ever used smokeless tobacco fairly regularly, have</p>	<p>IF (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND (R04_AS1003 = 1 OR R04_AS1003 = 2), THEN            R04_SMKLS_USER_STATUS = 1.            ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1 AND (R04_AS1003 = 1 OR R04_AS1003 = 2), THEN R04_SMKLS_USER_STATUS = 2.            ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3) AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1, THEN            R04_SMKLS_USER_STATUS = 3.            ELSE, IF (R03_SMKLS_USER_STATUS = 1 OR R03_SMKLS_USER_STATUS = 2 OR R03_SMKLS_USER_STATUS = 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SMKLS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AS1009_NN &lt;= 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN &lt;= 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN &lt;= 1 AND R04_AS1009_UN = 3)))) AND (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3),</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>used in the past 12 months and now uses not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and now uses not at all.</p> <p>(5) Long-term former user = Adult respondents who were former smokeless tobacco users at the previous wave and did not use in the past 12 months or now uses not at all, and new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, who have not used smokeless tobacco in the past 12 months.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>THEN R04_SMKLS_USER_STATUS = 4.</p> <p>ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_SMKLS_USER_STATUS = 5 OR (R04_ADULTTYPE = 3 AND R04_AS1100 = 1 AND ((R04_AS1009_NN &gt; 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN &gt; 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN &gt; 1 AND R04_AS1009_UN = 3)))) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 5.</p> <p>ELSE, R04_SMKLS_USER_STATUS = 8.</p>
<p>Every day or Some day use - Smokeless tobacco</p> <p>R04_CURRENT_SMKLS_USE</p>	<p>(1) Every day user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day.</p> <p>(2) Some day user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it some days.</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 1, THEN R04_CURRENT_SMKLS_USE = 1.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 2, THEN R04_CURRENT_SMKLS_USE = 2.</p> <p>ELSE, R04_CURRENT_SMKLS_USE = 8.</p>
<p>Former but Past 30 Day Users – Smokeless Tobacco</p> <p>R04_FORMER_THIRTYDAY_USER_SMKLS</p>	<p>(1) Former 30 day user = Adult respondents who are experimental former, recent former, or long-term former smokeless tobacco users in Wave 4 who have used any smokeless tobacco in the past 30 days.</p> <p>(2) Not a former 30 day user = Adult respondents who are NOT experimental</p>	<p>IF (R04_SMKLS_USER_STATUS = 3, 4, 5) AND ((1 &lt;= R04_AS1009_NN &lt;= 30 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN = 1 AND R04_AS1009_UN = 2) OR R04_AS1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SMKLS = 1.</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	former, recent former, or long-term former smokeless tobacco users in Wave 4 who have used any smokeless tobacco in the past 30 days.	ELSE, R04_FORMER_THIRTYDAY_USER_SMKLS = 2.
<b>DISSOLVABLE TOBACCO</b>		
Ever or Never users - Dissolvable tobacco R04_EVER_NEVER_DISSBL	(1) Ever user = Adult respondents who have ever used dissolvable tobacco. (2) Never user = Adult respondents who have not ever used dissolvable tobacco.	IF (R04_AD1001_RS = 1 AND R04_AD1002_RS = 1) OR R03_EVER_NEVER_DISSBL = 1 OR R04_AD1002_12M = 1, THEN R04_EVER_NEVER_DISSBL = 1.  ELSE, IF R04_EVER_NEVER_DISSBL != 1, THEN R04_EVER_NEVER_DISSBL = 2.
<b>TOBACCO (GENERAL)</b>		
Ever Users - Tobacco R04_EVER_NEVER_TOBACCO	(1) Ever user = Adult respondents who have ever used any tobacco product(s). (2) Never user = Adult respondents who have never used any tobacco product(s).	IF R04_EVER_NEVER_CIGS = 1 OR R04_EVER_NEVER_EPRODS = 1 OR R04_EVER_NEVER_GTRAD = 1 OR R04_EVER_NEVER_GRILLO = 1 OR R04_EVER_NEVER_GFILTR = 1 OR R04_EVER_NEVER_PIPE = 1 OR R04_EVER_NEVER_HOOK = 1 OR R04_EVER_NEVER_SMKLS = 1 OR R04_EVER_NEVER_SNUS = 1 OR R04_EVER_NEVER_DISSBL = 1, THEN R04_EVER_NEVER_TOBACCO = 1.  ELSE, R04_EVER_NEVER_TOBACCO = 2.
Tobacco user status R04_TOBACCO_USER_STATUS	(1) Current user = Adult respondents who are current users of at least one tobacco product (including electronic nicotine products). (2) Experimental current user = Adult respondents who are experimental current users of any tobacco product	IF (R04_CIG_USER_STATUS = 1 OR R04_EPROD_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR R04_GRILLO_USER_STATUS = 1 OR R04_GFILTR_USER_STATUS = 1 OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>(including e-products), and are not current or recent former users of any other tobacco products (including e-products).</p> <p>(3) Experimental former user = Adult respondents who are experimental former users of any tobacco product (including e-products), and are not current, experimental current, recent former, or long-term former users of any other tobacco products (including e-products).</p> <p>(4) Recent former user = Adult respondents who are recent former users of any tobacco product (including e-products), and are not current users of any other tobacco products (including e-products).</p> <p>(5) Long-term former user = Adult respondents who are long-term former established users of a tobacco product (including e-products), and are not current user, experimental current, or recent former users of any other tobacco products (including e-products).</p> <p>(8) Unknown / missing = Unknown or missing</p>	<p>R04_SMKLS_USER_STATUS = 1 OR  R04_SNUS_USER_STATUS = 1), THEN  R04_TOBACCO_USER_STATUS = 1.</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 4 OR  R04_EPROD_USER_STATUS = 4 OR  R04_GTRAD_USER_STATUS = 4 OR  R04_GRILLO_USER_STATUS = 4 OR  R04_GFILTR_USER_STATUS = 4 OR  R04_PIPE_USER_STATUS = 4 OR  R04_HOOK_USER_STATUS = 4 OR  R04_SMKLS_USER_STATUS = 4 OR  R04_SNUS_USER_STATUS = 4), THEN  R04_TOBACCO_USER_STATUS = 4.</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 2 OR  R04_EPROD_USER_STATUS = 2 OR  R04_GTRAD_USER_STATUS = 2 OR  R04_GRILLO_USER_STATUS = 2 OR  R04_GFILTR_USER_STATUS = 2 OR  R04_PIPE_USER_STATUS = 2 OR  R04_HOOK_USER_STATUS = 2 OR  R04_SMKLS_USER_STATUS = 2 OR  R04_SNUS_USER_STATUS = 2), THEN  R04_TOBACCO_USER_STATUS = 2.</p> <p>ELSE, IF (R03_CIG_USER_STATUS = 5 OR  R03_EPROD_USER_STATUS = 5 OR  R03_GTRAD_USER_STATUS = 5 OR  R03_GRILLO_USER_STATUS = 5 OR  R03_GFILTR_USER_STATUS = 5 OR  R03_PIPE_USER_STATUS = 5 OR  R03_HOOK_USER_STATUS = 5 OR  R03_SMKLS_USER_STATUS = 5 OR  R03_SNUS_USER_STATUS = 5), THEN  R04_TOBACCO_USER_STATUS = 5.</p> <p>ELSE, IF (R04_CIG_USER_STATUS = 3 OR  R04_EPROD_USER_STATUS = 3 OR</p>



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		R04_GTRAD_USER_STATUS = 3 OR R04_GRILLO_USER_STATUS = 3 OR R04_GFILTR_USER_STATUS = 3 OR R04_PIPE_USER_STATUS = 3 OR R04_HOOK_USER_STATUS = 3 OR R04_SMKLS_USER_STATUS = 3 OR R04_SNUS_USER_STATUS = 3), THEN R04_TOBACCO_USER_STATUS = 3. ELSE, R04_TOBACCO_USER_STATUS = 8.
Tobacco user status (excluding e-products) R04_TOBXEPROD_USER_STATUS	(1) Current user = Adult respondents who are current users of at least one tobacco product other than electronic nicotine products. (2) Experimental current user = Adult respondents who are experimental current users of any tobacco product other than electronic nicotine products, and are not current or recent former users of any tobacco products. (3) Experimental former user = Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products. (4) Recent former user = Adult respondents who are recent former users of any tobacco product other than electronic nicotine products, and are not current users of any tobacco products other than electronic nicotine products. (5) Long-term former user = Adult respondents who are long-term former users of any tobacco product other than	IF (R04_CIG_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR R04_GRILLO_USER_STATUS = 1 OR R04_GFILTR_USER_STATUS = 1 OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1 OR R04_SNUS_USER_STATUS = 1), THEN R04_TOBXEPROD_USER_STATUS = 1. ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_GTRAD_USER_STATUS = 4 OR R04_GRILLO_USER_STATUS = 4 OR R04_GFILTR_USER_STATUS = 4 OR R04_PIPE_USER_STATUS = 4 OR R04_HOOK_USER_STATUS = 4 OR R04_SMKLS_USER_STATUS = 4 OR R04_SNUS_USER_STATUS = 4), THEN R04_TOBXEPROD_USER_STATUS = 4. ELSE, IF (R04_CIG_USER_STATUS = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_SNUS_USER_STATUS = 2), THEN

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
	<p>electronic nicotine products, and are not current, experimental current, or recent former users of any tobacco products other than electronic nicotine products.            (8) Unknown / missing = Unknown or missing</p>	<p>R04_TOBXEPROD_USER_STATUS = 2.            ELSE, IF (R04_CIG_USER_STATUS = 5 OR R04_GTRAD_USER_STATUS = 5 OR R04_GRILLO_USER_STATUS = 5 OR R04_GFILTR_USER_STATUS = 5 OR R04_PIPE_USER_STATUS = 5 OR R04_HOOK_USER_STATUS = 5 OR R04_SMKLS_USER_STATUS = 5 OR R04_SNUS_USER_STATUS = 5), THEN R04_TOBXEPROD_USER_STATUS = 5.            ELSE, IF (R04_CIG_USER_STATUS = 3 OR R04_GTRAD_USER_STATUS = 3 OR R04_GRILLO_USER_STATUS = 3 OR R04_GFILTR_USER_STATUS = 3 OR R04_PIPE_USER_STATUS = 3 OR R04_HOOK_USER_STATUS = 3 OR R04_SMKLS_USER_STATUS = 3 OR R04_SNUS_USER_STATUS = 3), THEN R04_TOBXEPROD_USER_STATUS = 3.            ELSE, R04_TOBXEPROD_USER_STATUS = 8.</p>
<p>Every day or Some day use - tobacco            R04_CURRENT_TOBACCO_USE</p>	<p>(1) Every day user = Adult respondents who are every day users of at least one tobacco product, or who are someday users of multiple products and use at least one each day.            (2) Some day user = Adult respondents who are some day users of at least one tobacco product.            (8) Unknown / missing = Unknown or missing</p>	<p>IF (R04_CURRENT_CIG_USE = 1 OR R04_CURRENT_EPROD_USE = 1 OR R04_CURRENT_GTRAD_USE = 1 OR R04_CURRENT_GRILLO_USE = 1 OR R04_CURRENT_GFILTR_USE = 1 OR R04_CURRENT_PIPE_USE = 1 OR R04_CURRENT_HOOK_USE = 1 OR R04_CURRENT_SMKLS_USE = 1 OR R04_CURRENT_SNUS_USE = 1) OR R04_AY0005 = 1, THEN R04_CURRENT_TOBACCO_USE = 1.            ELSE, IF R04_CURRENT_CIG_USE = 2 OR R04_CURRENT_EPROD_USE = 2 OR R04_CURRENT_GTRAD_USE = 2 OR R04_CURRENT_GRILLO_USE = 2 OR</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	User Group Definition
		R04_CURRENT_GFILTR_USE = 2 OR R04_CURRENT_PIPE_USE = 2 OR R04_CURRENT_HOOK_USE = 2 OR R04_CURRENT_SMKLS_USE = 2 OR R04_CURRENT_SNUS_USE = 2, THEN R04_CURRENT_TOBACCO_USE = 2. ELSE, R04_CURRENT_TOBACCO_USE = 8.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

**APPENDIX: DERIVED VARIABLES**

Variable Name	Variable Description	Variable Definition
R04_CIGSPERDAY	Number of cigarettes smoked per day.	IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 1, THEN R04_CIGSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 1, THEN R04_CIGSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND R04_AC9003_NN = 1, THEN R04_CIGSPERDAY = R04_AC9003_NN.
R04_CIGSPERDAY2	Estimate of cigarettes smoked per day when actual number is DK/RF.	IF R04_AC1090 = 1, THEN R04_CIGSPERDAY2 = "more than 20 cigarettes each day". IF R04_AC1090 = 2, THEN R04_CIGSPERDAY2 = "about 20 cigarettes each day". IF R04_AC1090 = 3, THEN R04_CIGSPERDAY2 = "less than 20 cigarettes each day".
R04_PCKSPERDAY	Number of packs smoked per day.	IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 2, THEN R04_PCKSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 2, THEN R04_PCKSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		R04_AC9003_UN = 2, THEN R04_PCKSPERDAY = R04_AC9003_NN.
R04_EPRODCOUNT	Number of electronic nicotine products used.	R04_EPRODCOUNT = 0 IF R04_AV9035_01 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_02 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_03 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_04 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_05 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1.
R04_EDEVICETYPE	E-product device type.	IF R04_AV9005 = 2, -8 OR -7 AND R04_AV9008 = 2, -8 OR -7 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 2, -8 OR -7, THEN R04_EDEVICETYPE = 1 (Disposable). ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 2, -8 OR -7, THEN R04_EDEVICETYPE = 2 (Non-Refillable Cartridge). ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 != 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 3 (Refillable Cartridge). ELSE, IF R04_AV9005 = 1 AND R04_AV9038 = 1 AND R04_AV9009 = 1, THEN

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_EDEVICETYPE = 4 (Refillable Tank System).</p> <p>ELSE, IF R04_AV9005 = 1, 2, -8 OR -7 AND R04_AV9008 = 2, -8 OR -7 AND R04_AV9038 = 2, 3, -8 OR -7 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 5 (Refillable Mod System).</p> <p>ELSE, R04_EDEVICETYPE = 6 (Unknown).</p>
CIGARLOOP1	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06.</p> <p>GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts everytime when smoked in the past 12 months.</p> <p>GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts everytime when smoked in the past 12 months.</p> <p>GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO</p>	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06.</p> <p>GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD.</p> <p>GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO.</p> <p>GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO NOT ASK ITEM R04_AG1010.</p> <p>BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.</p> <p>BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.</p> <p>BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>NOT ASK ITEM R04_AG1010.</p> <p>BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.</p> <p>BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.</p>	
CIGARLOOP2	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080.</p> <p>GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months.</p> <p>GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months.</p> <p>GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months.</p> <p>Cigars as Blunts-Only:</p>	<p>Cigars as Non-Blunts:</p> <p>CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080.</p> <p>GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD.</p> <p>GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO.</p> <p>GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.</p> <p>Cigars as Blunts-Only:</p> <p>CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043,</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	<p>CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1049, R04_AG1071, R04_AG1050, R04_AG1012, and R04_AGR04</p> <p>BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.  BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.  BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.</p>	<p>R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1049, R04_AG1071, R04_AG1050, R04_AG1012, and R04_AGR04</p> <p>BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.  BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.  BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.</p>
R04_TOBACCO_PRODUCT_LIST	<p>A list of all the tobacco products the respondent currently uses.</p> <p>DISPLAY: For [TOBACCO PRODUCT LIST] embedded in the question text, display the product names in lowercase letters. If [TOBACCO PRODUCT LIST] has two products, connect the products with "and". If [TOBACCO PRODUCT LIST] has three or more products, connect the products with commas and include "and" before the final product in</p>	<p>If R04_CIG_USER_STATUS = 1, include "cigarettes".  If R04_EPROD_USER_STATUS = 1, include "electronic nicotine products".  If R04_GTRAD_USER_STATUS= 1, include "traditional cigars" in the list.  If R04_GRILLO_USER_STATUS = 1, include "cigarillos" in the list.  If R04_GFILTR_USER_STATUS= 1, include "filtered cigars" in the list.  If R04_PIPE_USER_STATUS = 1, include "a pipe" in the list.</p>



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	the list.	If R04_HOOK_USER_STATUS = 1, include "hookah" in the list. If R04_SNUS_USER_STATUS = 1, include "snus" in the list. If R04_SMKLS_USER_STATUS = 1, include "smokeless tobacco" in the list.
R04_CURRENT_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day or somedays.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_EVERY_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses somedays.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_EXPERIMENTAL_PRODUCT_COUNT	Number of tobacco products the respondent currently uses experimentally.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, CIGARS,

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_RECENT_FORMER_PRODUCT_COUNT	Number of tobacco products the respondent is a recent former user of.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A RECENT FORMER USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_NDSKIP	Type of product use -- polyusers or multiple product users	R04_NDSKIP: IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R04_EPROD_USER_STATUS != 1, 4, THEN R04_NDSKIP = 1. ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 2. ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 2) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 3. ELSE, IF R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 1, THEN R04_NDSKIP = 0.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF  R04_EXPERIMENTAL_PRODUCT_COUNT &gt;= 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 2, THEN R04_NDSKIP = 1.</p> <p>ELSE, IF  R04_EXPERIMENTAL_PRODUCT_COUNT &gt;= 3 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 2.</p> <p>ELSE, IF  R04_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 3.</p> <p>ELSE, IF  R04_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R04_TOBACCO_USER_STATUS = 2, THEN R04_NDSKIP = 0.</p>
R04_GROUP	Type of product use -- single product users	<p>IF R04_NDSKIP = 0:</p> <p>IF (R04_CIG_USER_STATUS = 1 OR 4) AND (R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 1 OR  4 AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 1 OR  4 AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 1 OR  4 AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 1 OR  4 AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 1 OR 4  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 1 OR  4 AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_EPROD_USER_STATUS != 1 AND  R04_EPROD_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4), THEN  R04_GROUP = NS.</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF R04_CIG_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4), THEN R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NL.</p> <p>ELSE, IF R04_GFILTR_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND</p>



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_TOBACCO_USER_STATUS != 4) THEN  R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 2  AND (R04_TOBACCO_USER_STATUS != 1  AND R04_TOBACCO_USER_STATUS != 4)  THEN R04_GROUP = NS.</p> <p>IF R04_NDSKIP = 3:</p> <p>IF (R04_CIG_USER_STATUS = 1 OR 4 AND  R04_EPROD_USER_STATUS = 1 OR 4) AND  (R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NC.</p> <p>ELSE, IF (R04_GTRAD_USER_STATUS = 1  OR 4 AND R04_EPROD_USER_STATUS = 1  OR 4) AND (R04_CIG_USER_STATUS != 1  AND R04_CIG_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GRILLO_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NG.</p> <p>ELSE, IF (R04_GRILLO_USER_STATUS = 1  OR 4 AND R04_EPROD_USER_STATUS = 1  OR 4) AND (R04_CIG_USER_STATUS != 1  AND R04_CIG_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NL.</p> <p>ELSE, IF (R04_GFILTR_USER_STATUS = 1  OR 4 AND R04_EPROD_USER_STATUS = 1  OR 4) AND (R04_CIG_USER_STATUS != 1  AND R04_CIG_USER_STATUS != 4 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NF.</p> <p>ELSE, IF (R04_PIPE_USER_STATUS = 1 OR 4  AND R04_EPROD_USER_STATUS = 1 OR 4)  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NP.</p> <p>ELSE, IF (R04_HOOK_USER_STATUS = 1 OR  4 AND R04_EPROD_USER_STATUS = 1 OR 4)  AND (R04_CIG_USER_STATUS != 1 AND</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>R04_CIG_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_SNUS_USER_STATUS != 1 AND  R04_SNUS_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NH.</p> <p>ELSE, IF (R04_SNUS_USER_STATUS = 1 OR  4 AND R04_EPROD_USER_STATUS = 1 OR 4)  AND (R04_CIG_USER_STATUS != 1 AND  R04_CIG_USER_STATUS != 4 AND  R04_GTRAD_USER_STATUS != 1 AND  R04_GTRAD_USER_STATUS != 4 AND  R04_GFILTR_USER_STATUS != 1 AND  R04_GFILTR_USER_STATUS != 4 AND  R04_PIPE_USER_STATUS != 1 AND  R04_PIPE_USER_STATUS != 4 AND  R04_HOOK_USER_STATUS != 1 AND  R04_HOOK_USER_STATUS != 4 AND  R04_GRILLO_USER_STATUS != 1 AND  R04_GRILLO_USER_STATUS != 4 AND  R04_SMKLS_USER_STATUS != 1 AND  R04_SMKLS_USER_STATUS != 4), THEN  R04_GROUP = NU.</p> <p>ELSE, IF (R04_SMKLS_USER_STATUS = 1 OR  4 AND R04_EPROD_USER_STATUS = 1 OR 4)</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND R04_GTRAD_USER_STATUS != 4 AND R04_GFILTR_USER_STATUS != 1 AND R04_GFILTR_USER_STATUS != 4 AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND R04_GRILLO_USER_STATUS != 4), THEN R04_GROUP = NS.</p> <p>ELSE, IF R04_CIG_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NC.</p> <p>ELSE, IF R04_GTRAD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NG.</p> <p>ELSE, IF R04_GRILLO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NL.</p>

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		<p>ELSE, IF R04_GFILTR_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NF.</p> <p>ELSE, IF R04_PIPE_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NP.</p> <p>ELSE, IF R04_HOOK_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NH.</p> <p>ELSE, IF R04_SNUS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NU.</p> <p>ELSE, IF R04_SMKLS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NS.</p>
R04_VALID_TIME_LASTUSED	Respondent is a recent former user of a product answered R04_A*1009 with a valid response (excluding e-products).	IF (R04_CIG_USER_STATUS = 4 AND R04_AC1009_NN > 0) OR (R04_AG1009TC_NN > 0 AND R04_GTRAD_USER_STATUS = 4) OR

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		(R04_GRILLO_USER_STATUS = 4 AND R04_AG1009CG_NN > 0) OR (R04_GFILTR_USER_STATUS = 4 AND R04_AG1009FC_NN > 0) OR (R03_HOOK_USER_STATUS = 4 AND R04_AH1009_NN > 0) OR (R04_PIPE_USER_STATUS = 4 AND R04_AP1009_NN > 0) OR (R04_SNUS_USER_STATUS = 4 AND R04_AU1009_NN > 0) OR (R04_SMKLS_USER_STATUS = 4 AND R04_AS1009_NN > 0), THEN R04_VALID_TIME_LASTUSED = 1. ELSE, R04_VALID_TIME_LASTUSED = 2.
Twelve month quit status (e-products) R04_TWELVEMONTHQUIT_STATUS_EPROD	(1) 12 month quit attempter = Adult respondents who have quit or attempted to quit e-products in the past 12 months. (2) 12 month reducer = Adult respondents who have cut down their e-product use in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R04_AN0105E = 1 OR R04_EPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 1. ELSE, IF R04_AN0334E = 1, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS_EPROD = 8.
Twelve month quit status (excluding e-products) R04_TWELVEMONTHQUIT_STATUS	(1) 12 month quit attempter = Adult respondents who have quit or attempted to quit tobacco (excluding e-products) in the past 12 months. (2) 12 month reducer = Adult respondents who have cut down their tobacco use (excluding e-products) in the past 12 months. (8) Unknown / missing = Unknown or	IF R04_AN0105 = 1 OR R04_TOBXEPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS = 1. ELSE, IF R04_AN0334 = 1, THEN R04_TWELVEMONTHQUIT_STATUS = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS = 8.

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	missing	
R04_ADULT_COPD	Adult respondents who have ever had COPD.	IF (R04_AX0119_NB_01 = 1 OR R04_AX0119_12M_01 = 1 OR R03_COPD = 1) AND R04_AX0733 != 3, THEN R04_ADULT_COPD = 1. ELSE, R04_ADULT_COPD = 2.
R04_ADULT_ASTHMA	(1) Asthma = Adult respondent who ever had asthma. (2) No asthma = Adult respondent who never had asthma.	IF (R03_ASTHMA = 1 OR R04_AX0119_NB_04 = 1 OR R04_AX0119_12M_04 = 1) AND R04_AX0227 != 6, THEN R04_ADULT_ASTHMA = 1 ELSE, R04_ADULT_ASTHMA = 2.
R04_EVER_USER_ALC	Adult respondent has ever used alcohol.	IF R04_AX0084_RS = 1 OR R04_AX0084_12M = 1 OR R03_EVER_USER_ALCOHOL = 1, THEN R04_EVER_USER_ALC = 1. ELSE, R04_EVER_USER_ALC = 2.
R04_EVER_USER_MJ	Adult respondent has ever used marijuana.	IF R04_AG9107 = 1 OR R04_AG9105_RS = 1 OR R04_AX0085_12M = 1 OR R04_AX0085_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1 OR R03_EVER_USER_MARIJUANA = 1, THEN R04_EVER_USER_MJ = 1. ELSE, R04_EVER_USER_MJ = 2.
R04_EVER_USER_RIT	Adult respondent has ever used Ritalin® or Adderall®.	IF R04_AX0089_12M_01 = 1 OR R04_AX0089_RS_01 = 1 OR R03_EVER_USER_RITALIN = 1, THEN R04_EVER_USER_RIT = 1. ELSE, R04_EVER_USER_RIT = 2.
R04_EVER_USER_PK	Adult respondent has ever used painkillers, sedatives, or tranquilizers.	IF R04_AX0089_12M_02 = 1 OR R04_AX0089_RS_02 = 1 OR R03_EVER_USER_PAINKILLERS = 1, THEN R04_EVER_USER_PK = 1. ELSE, R04_EVER_USER_PK = 2.



**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
R04_EVER_USER_COC	Adult respondent has ever used cocaine or crack.	IF R04_AX0220_12M_01 = 1 OR R04_AX0220_RS_01 = 1 OR R03_EVER_USER_COCAINE = 1, THEN R04_EVER_USER_COC = 1. ELSE, R04_EVER_USER_COC = 2.
R04_EVER_USER_STIM	Adult respondent has ever used stimulants like methamphetamine or speed.	IF R04_AX0220_12M_02 = 1 OR R04_AX0220_RS_02 = 1 OR R03_EVER_USER_STIMULANTS = 1, THEN R04_EVER_USER_STIM = 1. ELSE, R04_EVER_USER_STIM = 2.
R04_EVER_USER_OTH	Adult respondent has ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R04_AX0220_12M_03 = 1 OR R04_AX0220_RS_03 = 1 OR R03_EVER_USER_OTHERDRUG = 1, THEN R04_EVER_USER_OTH = 1. ELSE R04_EVER_USER_OTH = 2.
R04_SUBSTANCE_COUNT	Number of substances the respondent has ever used.	R04_SUBSTANCE_COUNT = 0;  IF R04_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
		IF R04_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;
R04_PASTUSE_CIGS	Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former cigarette smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarettes.	IF (R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R03_CIG_USER_STATUS = 1,2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_CIGS = 1)) AND R04_AC1010 != 3, THEN R04_PASTUSE_CIGS = 1. ELSE, R04_PASTUSE_CIGS = 2.
R04_PASTUSE_EPRODS	Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 and new baseline adult respondents who have ever used electronic nicotine products.	IF (R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR R03_ECIG_USER_STATUS = 1, 2, 3, 4) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_ADULTTYPE = 2, 3)) AND R04_AV1010 != 3, THEN R04_PASTUSE_EPRODS = 1. ELSE, R04_PASTUSE_EPRODS = 2.
R04_PASTUSE_GTRAD	Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former traditional cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked traditional cigars.	IF (R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR R03_GTRAD_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD = 1)) AND R04_AG1010TC != 3, THEN R04_PASTUSE_GTRAD = 1. ELSE, R04_PASTUSE_GTRAD = 2.
R04_PASTUSE_GRILLO	Continuing adult respondents who smoked a cigarillo in the past 30 days or	IF (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	past 12 months or were current, experimental current, experimental former, or new former cigarillo smokers in Wave 3 and new baseline adult respondents who have ever smoked cigarillos.	OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR R03_GRILLO_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GRILLO = 1)) AND R04_AG1010CG != 3, THEN R04_PASTUSE_GRILLO = 1. ELSE, R04_PASTUSE_GRILLO = 2.
R04_PASTUSE_GFILTR	Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former filtered cigar smokers in Wave 3 and new baseline adult respondents who have ever smoked filtered cigars.	IF (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR R03_GFILTR_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR = 1)) AND R04_AG1010FC != 3, THEN R04_PASTUSE_GFILTR = 1. ELSE, R04_PASTUSE_GFILTR = 2.
R04_PASTUSE_PIPE	Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former pipe smokers in Wave 3 and new baseline adult respondents who have ever smoked pipe tobacco.	IF (R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR R03_PIPE_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_PIPE = 1)) AND R04_AP1010 != 3, THEN R04_PASTUSE_PIPE = 1. ELSE, R04_PASTUSE_PIPE = 2.
R04_PASTUSE_HOOK	Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former hookah smokers in Wave 3 and new baseline adult respondents who have ever smoked hookah.	IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR R03_HOOK_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_HOOK = 1)) AND R04_AH1010 != 3, THEN R04_PASTUSE_HOOK = 1. ELSE, R04_PASTUSE_HOOK = 2.
R04_PASTUSE_SNUS	Continuing adult respondents who used	IF (R04_AU1004 = 1 OR R04_AU1002_12M = 1

**PATH**  
**Adult Questionnaire (Spanish) – Extended Interview**  
**Wave 4 (version 4.0)**

Variable Name	Variable Description	Variable Definition
	snus in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former snus users in Wave 3 and new baseline adult respondents who have ever used snus.	OR R03_SNUS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SNUS = 1)) AND R04_AU1010 != 3, THEN R04_PASTUSE_SNUS = 1. ELSE, R04_PASTUSE_SNUS = 2.
R04_PASTUSE_SMKLS	Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current, experimental current, experimental former, or new former smokeless tobacco users in Wave 3 and new baseline adult respondents who have ever used smokeless tobacco.	IF (R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR R03_SMKLS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS = 1)) AND R04_AS1010 != 3, THEN R04_PASTUSE_SMKLS = 1. ELSE, R04_PASTUSE_SMKLS = 2.
R04_REGULAR_BRAND	Adult respondent has a regular brand of any tobacco product.	IF R04_AC1047MC = 1 OR R04_AC1047RY = 1 OR R04_AV1047 = 1 OR R04_AG1047TC = 1 OR R04_AG1047CG = 1 OR R04_AG1047FC = 1 OR R04_AP1047 = 1 OR R04_AH1047 = 1 OR R04_AU1047 = 1 OR R04_AS1047 = 1, THEN R04_REGULAR_BRAND = 1. ELSE, R04_REGULAR_BRAND = 2.
R04_NO_REGULAR_BRAND	Adult respondent uses a tobacco product and does not have a regular brand of that tobacco product.	IF (R04_AC1047MC = 2, -8, -7 OR R04_AC1047RY = 2 -8, -7 OR R04_AV1047 = 2, -8, -7 OR R04_AG1047TC = 2, -8, -7 OR R04_AG1047CG = 2, -8, -7 OR R04_AG1047FC = 2, -8, -7 OR R04_AP1047 = 2, -8, -7 OR R04_AH1047 = 2, -8, -7 OR R04_AS1047 = 2, -8, -7 OR R04_AU1047 = 2, -8, -7), THEN R04_NO_REGULAR_BRAND = 1. ELSE, R04_NO_REGULAR_BRAND = 2.