The purpose of this attachment is to provide a high-level overview of changes to the PATH Study questionnaires from Wave 3 to Wave 4. This overview includes the change in total item counts per section across Waves (tables 'a'), as well as a description summary of the content that was added or deleted in Wave 4 that corresponds to the fluctuations in item counts (tables 'b').

The following tables outline changes in the (a) item counts and (b) questionnaire content across Waves for the:

- Adult Questionnaire (see Tables 1a and 1b),
- Youth Questionnaire (see Tables 2a and 2b),
- Parent Questionnaire (see Tables 3a and 3b), and
- Nicotine Exposure Questionnaire (see Tables 4a and 4b).

See section A.2b in Supporting Statement A for more information on the different types of questionnaires.

Table 1a. ADULT QUESTIONNAIRE - Change in Total Item Counts from Wave 3 to Wave 4

|   | Total    | Total Number of Items per Section |          |                 |                     | Change in Total Item |  |
|---|----------|-----------------------------------|----------|-----------------|---------------------|----------------------|--|
| Adult Questionnaire Section                       | Wav      | e 3                               | Wa       | ave 4           | Count from W3 to W4 |                      |  |
|   | Extended | Aged-<br>Up                       | Extended | Aged-Up/<br>New | Extended            | Aged-Up/<br>New      |  |
| Introductory Demographics                         | 11       | 11                                | 9        | 21              | -2                  | +10                  |  |
| Tobacco Use                                       | 102      | 102                               | 69       | 89              | -33                 | -13                  |  |
| Cigarette   | 48       | 56                                | 57       | 66              | +9                  | +10                  |  |
| Electronic Nicotine Products                      | 73       | 81                                | 79       | 86              | +6                  | +5                   |  |
| Cigar   | 63       | 79                                | 79       | 86              | +16                 | +7                   |  |
| Pipe  | 39       | 47                                | 41       | 48              | +2                  | +1                   |  |
| Hookah  | 51       | 59                                | 51       | 58              |                     | -1                   |  |
| Snus  | 46       | 54                                | 51       | 58              | +5                  | +4                   |  |
| Smokeless Tobacco                                 | 43       | 51                                | 50       | 57              | +7                  | +6                   |  |
| New Product - Placeholder <sup>2</sup>            | 5        | 5                                 | 5        | 5               |                     |                      |  |
| Polyuse   | 5        | 5                                 | 5        | 5               |                     |                      |  |
| Nicotine Dependence                               | 146      | 146                               | 147      | 147             | +1                  | +1                   |  |
| Packaging and Health Warnings                     | 25       | 25                                | 41       | 41              | +16                 | +16                  |  |
| Product Regulation-Modified Risk Tobacco Products | 57       | 58                                | 66       | 67              | +9                  | +9                   |  |
| Media Use   | 10       | 10                                | 11       | 11              | +1                  | +1                   |  |
| Secondhand Smoke Exposure                         | 12       | 12                                | 11       | 12              | -1                  |                      |  |
| Social Norms-Peer and Family Influences           | 31       | 31                                | 13       | 13              | -18                 | -18                  |  |
| Health  | 160      | 221                               | 180      | 240             | +20                 | +19                  |  |
| Marketing, Advertising and Promotion              | 21       | 21                                | 28       | 28              | +7                  | +7                   |  |
| Additional Demographics                           | 27       | 27                                | 29       | 29              | +2                  | +2                   |  |
| Product Barcode Scanning                          | 26       | 26                                | 26       | 26              |                     |                      |  |
| Contact Information                               | 29       | 29                                | 29       | 29              |                     |                      |  |
| Total (Entire Questionnaire)                      | 1030     | 1156                              | 1077     | 1222            | +47                 | +66                  |  |

<sup>&</sup>lt;sup>1</sup>This table reflects total item counts; it does not account for the conditions in which the items are asked. For example, the item counts for the 'aged-up' respondents are included in the item counts for the 'new' respondents in this table. However, due to skip patterns and programmed routing, every respondent is not asked all items reflected in these counts. Consequently, the average time to complete the Adult interview remains at 60 minutes for the Wave 4 Extended instruments, and increases to 68 minutes for the Wave 4 Aged-Up/New instrument.

<sup>&</sup>lt;sup>2</sup>The section enables the PATH Study to be responsive to the changing marketplace and can be rapidly deployed. The module collects basic usage information about products that are not currently included in the PATH Study. The module will remain suppressed until such time that emerging products dictate its deployment.

TABLE 1b. ADULT QUESTIONNAIRE – Description of Content Changes from Wave 3 to Wave 4

| Wave 4 Section               | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions  | Rationale for Change  |
|------------------------------|------------------|------------------------------------|---|---|
|                              | Added            | New Cohort<br>Adults               | On respondent's sex, race, ethnicity, active duty military status, and residency in the U.S. during 2014.   | These questions collect baseline demographic information from respondents who are new to the PATH Study in Wave 4.  |
| Introductory<br>Demographics | Deleted          | Continuing<br>Adults               | On military branch in which respondent served.  | Assessed in previous waves. It is not necessary to ask continuing respondents again; however, question will be asked of youth who age-up to the adult cohort in Wave 4.               |
|                              | Deleted          | Continuing<br>Adults               | On US citizenship.  | Assessed in previous waves. It is not necessary to ask known US citizens again; however, question will be asked of all respondents who did not previously report being a US citizen.  |
| Tobacco Use                  | Added            | New Cohort<br>Adults               | On whether respondent has heard of a given product (not including cigarettes), and whether respondent has ever used a given product (including blunts).   | These questions collect baseline assessments of tobacco use history from respondents who are new to the PATH Study in Wave 4.   |
|                              | Added            | All Adults Age<br>25+              | On the likelihood of smoking a cigarette or hookah, or using smokeless tobacco soon among non-users.  | In Wave 3, these items were asked of young adult non-<br>users aged 18 to 24. In Wave 4, these items will be<br>asked of all non-user adults.   |
|                              | Deleted          | All Young<br>Adults Age<br>18-24   | On non-user's susceptibility to becoming a user of traditional cigars, cigarillos, filtered cigars or pipe tobacco including curiosity about using, likelihood of using in the next year or using soon, and whether respondent might use if offered by best friend. | These questions were deleted for young adults aged 18 to 24 to make time for new questions that are of higher priority.   |
|                              | Deleted          | All Adults Age<br>25+              | On curiosity about using snus, likelihood of using snus in the next year, and whether respondent might use snus if it were offered by best friend.  | These questions were deleted for adults aged 25 or older to make time for new questions that are of higher priority.  |
|                              | Deleted          | All Adults Age<br>25+              | On non-user's susceptibility to becoming an ENDS user including curiosity about using, likelihood of using in the next year or using soon, and whether respondent might use if offered by best friend.  | These questions were deleted for adults aged 25 or older to make time for new questions that are of higher priority; construct will still be assessed for young adults aged 18 to 24. |
|                              | Deleted          | All Adults                         | On use of Skoal Bandits.  | The design has been changed in Wave 4 to ask about pouched smokeless or snus use in the sections below. It is no longer necessary to ask about Skoal Bandits specifically.            |

| Wave 4 Section   | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions  | Rationale for Change   |
|--|------------------|------------------------------------|---|--|
|  | Added            | New Cohort<br>Adults               | On age first smoked a cigarette and on the amount smoked 12 months ago.   | These questions collect baseline assessments of tobacco use history from respondents who are new to the PATH Study in Wave 4.  |
|  | Added            | All Adults                         | On disposal of cigarette butts and packs.   | To assess the potential environmental impact of tobacco product and packaging disposal.  |
| Cigarette  | Added            | All Adults                         | On whether favorite cigarette to smoke is the first one in the morning, if they smoke more frequently in the first hours after waking, and if they smoke when they are ill. | To further enhance assessment of nicotine dependence.  |
|  | Deleted          | All Adults                         | On frequency of coupon use when purchasing cigarettes.  | These questions were deleted to make time for new questions that are of higher priority.   |
|  | Added            | All Adults                         | On ownership of a flavored ENDS product.  | To assess the context of use of flavored ENDS products.  |
|  | Added            | New Cohort<br>Adults               | On age first used ENDS and on the amount used 12 months ago.  | These questions collect baseline assessments of tobacco use history from respondents who are new to the PATH Study in Wave 4.  |
| Electronic Nicotine  | Added            | All Adults                         | On frequency of flavored ENDS use in the past 30 days.  | To assess how often respondents used ENDS flavored like menthol, mint or other flavors in the past 30 days.  |
| Products (formerly the "Primary Electronic Nicotine                        | Added            | All Adults                         | On dual use of cigarettes and ENDS.   | To assess whether dual users of cigarettes and ENDS use one product more than the other on days when both products are used.   |
| Products" section)   | Added            | All Adults                         | On frequency of using ENDS to smoke marijuana or marijuana derivatives.   | To identify respondents who use their ENDS device solely for smoking marijuana.  |
|  | Deleted          | All Adults                         | On using ENDS as an alternative to quitting tobacco.  | This measure is assessed by other questions in the PATH Study and was deleted to avoid redundancy.   |
|  | Deleted          | All Adults                         | On changing the voltage on ENDS devices.  | These questions were cycled off to make time for new questions that are of higher priority.  |
|  | Deleted          | All Adults                         | On frequency of coupon use when purchasing ENDS or e-liquid.  | These questions were deleted to make time for new questions that are of higher priority.   |
| <b>N/A</b> (formerly the "Secondary Electronic Nicotine Products" section) | Deleted          | All Adults                         | On use behaviors of secondary electronic nicotine products.   | Previously, respondents who use more than one ENDS product reported on their primary and secondary products separately. In Wave 4, respondents will report on their combined use of all ENDS products. As such, this section is no longer relevant to the PATH Study in Wave 4 and has been deleted. |
| Cigars   | Added            | All Adults                         | On frequency of flavored cigar and blunt use in the past 30 days.   | To assess how often respondents smoked flavored cigars or used flavored cigars to smoke blunts in the past 30 days.  |

| Wave 4 Section | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions  | Rationale for Change   |
|----------------|------------------|------------------------------------|---|--|
|                | Added            | All Adults                         | On cartons of filtered cigars.  | To assess whether respondents typically purchase by the carton, number of packs contained in a carton, and price paid for a carton of filtered cigars. |
|                | Added            | New Cohort<br>Adults               | On age first smoked a cigar and on the amount smoked 12 months ago.                             | These questions collect baseline assessments of tobacco use history from respondents that are new to the PATH Study in Wave 4.                         |
|                | Deleted          | All Adults                         | On smoking cigars as an alternative to quitting tobacco.  | This measure is assessed by other questions in the PATH Study and was deleted to avoid redundancy.   |
|                | Deleted          | All Adults                         | On frequency of coupon use when purchasing traditional cigars, cigarillos, and filtered cigars. | These questions were deleted to make time for new questions that are of higher priority.   |
|                | Added            | New Cohort<br>Adults               | On age first smoked a pipe and on the amount smoked 12 months ago.                              | These questions collect baseline assessments of tobacco use history from respondents who are new to the PATH Study in Wave 4.                          |
| Pipe           | Deleted          | All Adults                         | On smoking pipes as an alternative to quitting tobacco.   | This measure is assessed by other questions in the PATH Study and was deleted to avoid redundancy.   |
|                | Deleted          | All Adults                         | On frequency of coupon use when purchasing pipe tobacco.  | These questions were deleted to make time for new questions that are of higher priority.   |
|                | Added            | New Cohort<br>Adults               | On age first smoked hookah and on the amount smoked 12 months ago.                              | These questions collect baseline assessments of tobacco use history from respondents who are new to the PATH Study in Wave 4.                          |
| Hookah         | Added            | All Adults                         | On frequency of flavored shisha use in the past 30 days.  | To assess how often respondents smoked flavored shisha or hookah tobacco in the past 30 days.  |
|                | Deleted          | All Adults                         | On smoking hookah as an alternative to quitting tobacco.  | This measure is assessed by other questions in the PATH Study and was deleted to avoid redundancy.   |
|                | Deleted          | All Adults                         | On price paid for shisha.   | These questions were deleted to make time for new questions that are of higher priority.   |
|                | Added            | New Cohort<br>Adults               | On age first used snus and on the amount used 12 months ago.                                    | These questions collect baseline assessments of tobacco use history from respondents who are new to the PATH Study in Wave 4.                          |
|                | Added            | All Adults                         | On frequency of flavored snus use in the past 30 days.  | To assess how often respondents use flavored snus in the past 30 days.   |
| Snus           | Added            | All Adults                         | On use of pouched or loose snus.  | To identify which type of snus the respondent uses and the type used most often for users of both types.   |
|                | Deleted          | All Adults                         | On using snus as an alternative to quitting tobacco.  | This measure is assessed by other questions in the PATH Study and was deleted to avoid redundancy.   |
|                | Deleted          | All Adults                         | On using a coupon when purchasing snus.   | These questions were deleted to make time for new questions that are of higher priority.   |

| Wave 4 Section                   | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions  | Rationale for Change   |
|----------------------------------|------------------|------------------------------------|---|--|
|                                  | Added            | New Cohort<br>Adults               | On age first used smokeless tobacco and on the amount used 12 months ago.   | These questions collect baseline assessments of tobacco use history from respondents who are new to the PATH Study in Wave 4.  |
|                                  | Added            | All Adults                         | On frequency of flavored smokeless tobacco use in the past 30 days.   | To assess how often respondents use flavored smokeless tobacco in the past 30 days.  |
| Smokeless Tobacco                | Added            | All Adults                         | On use of pouched or loose smokeless tobacco.   | To identify which type of smokeless tobacco the respondent uses and the type used most often for users of both types.  |
|                                  | Added            | All Adults                         | On quantity contained in a package of pouched smokeless and length of time taken to consume it.   | To complement other measures related to packaging and dosage.  |
|                                  | Deleted          | All Adults                         | On using smokeless tobacco as an alternative to quitting tobacco.   | This measure is assessed by other questions in the PATH Study and was deleted to avoid redundancy.   |
|                                  | Deleted          | All Adults                         | On using a coupon when purchasing smokeless tobacco.  | These questions were deleted to make time for new questions that are of higher priority.   |
| Nicotine Dependence              | Added            | All Adults                         | On reasons for using NRT.   | To explore whether respondents are using NRT for reasons other than to quit tobacco.   |
|                                  | Added            | All Adults                         | On whether respondent noticed health warnings on packages of ENDS, traditional cigars, cigarillos, filtered cigars, pipe tobacco, and hookah tobacco.   | Questions were cycled out in a previous wave; they are cycled back in for Wave 4 to assess respondent exposure to health warnings on packaging.  |
| Packaging and Health<br>Warnings | Added            | All Adults                         | On health warning labels on ENDS, traditional cigars, cigarillos, filtered cigars and hookah tobacco packages including how often a respondent looked closely at them and how they make a respondent feel about the health risks associated with use. | Questions were asked about other products in Wave 3; they are added for ENDS, traditional cigars, cigarillos, filtered cigars, and hookah in Wave 4 to assess respondent exposure to and impact of health warnings on packaging. |
|                                  | Added            | All Adults                         | On perceived harmfulness of the nicotine in cigarettes, ENDS, and NRT.  | To assess whether respondents' perceptions of harm of nicotine vary by product.  |
| Modified Risk  Tobacco Products  | Added            | All Adults                         | On perceived addictiveness of reduced nicotine cigarettes.  | To assess respondents' understanding and perceptions of modified risk products.  |
|                                  | Added            | All Adults                         | On perceived harm of using flavored ENDS compared to tobacco-flavored or unflavored ENDS.   | To assess whether respondents' perceptions of harm vary by flavoring.  |
|                                  | Added            | All Adults                         | On perceived harm of using e-cigarettes/ENDS compared to NRT.   | To assess respondent's perception of harm amongst reduced harm or modified risk products.  |

Attachment 4 - Summary of Changes to Instruments for Wave 4

| Wave 4 Section | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions  | Rationale for Change   |
|----------------|------------------|------------------------------------|---|--|
|                | Added            | All Adults                         | On time spent online on weekdays and weekends.  | To assess respondent's potential exposure to tobacco campaign advertising via the internet.  |
| Media Use      | Added            | All Adults                         | On device ownership.  | To assess respondent ownership of e-book readers, desktop or laptop computers, gaming consoles, MP3 players, and portable gaming devices in addition to tablet computers, cellular phones, and smart phones (which were assessed in Wave 3). |
|                | Deleted          | All Adults                         | On using online apps related to tobacco/ENDS.   | The question was deleted to make time for new questions that are of higher priority.   |
|                | Added            | All Adults                         | On frequency of tooth brushing.   | To inform analysis of oral/dental health.  |
|                | Added            | All Adults                         | On diagnosis of schizophrenia, schizoaffective disorder or psychosis, or psychotic illness or episode and age of diagnosis/onset. | To ascertain prevalence of these diagnoses among respondents.  |
|                | Added            | New Cohort<br>Adults               | On pregnancy history.   | These questions collect baseline assessments of pregnancy history and outcomes from respondents who are new to the PATH Study in Wave 4.   |
|                | Added            | New Cohort<br>Adults               | On substance use history of alcohol, marijuana, prescription drugs of abuse, and illicit/street drugs.                            | These questions collect baseline assessments of substance use history from respondents who are new to the PATH Study in Wave 4.  |
|                | Deleted          | All Adults                         | On dental treatment for gum disease.  | These questions were deleted to make time for new questions that are of higher priority.   |
| Health         | Deleted          | Continuing<br>Adults               | On respondent's in-utero exposure to tobacco products.  | Asked at Wave 3; not necessary to ask again in Wave 4; however, will be asked of youth who age-in to the adult cohort.   |
|                | Deleted          | All Adults                         | On COPD, chronic bronchitis, emphysema, asthma, lung or respiratory conditions.   |  |
|                | Deleted          | All Adults                         | On gum disease, teeth cleaning, bone loss around teeth.   | Respondents who indicate they have not seen a medical doctor and/or dentist in the past 12 months  |
|                | Deleted          | All Adults                         | On ulcer or gastrointestinal bleeding.  | will not be asked if a medical doctor and/or nurse told them they had these conditions in the past 12 months;  |
|                | Deleted          | All Adults                         | On cataract or glaucoma.  | past 12 month status for respondents who indicate  |
|                | Deleted          | All Adults                         | On cancer and precancerous oral lesions.  | they have seen a medical doctor and/or dentist in the  |
|                | Deleted          | All Adults                         | On osteoporosis, fragile bones.   | past 12 months will be assessed for these conditions.  |
|                | Deleted          | All Adults                         | On rapid vision loss.   |  |

| Wave 4 Section             | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions   | Rationale for Change  |
|----------------------------|------------------|------------------------------------|--|---|
|                            | Deleted          | All Adults                         | On heart conditions such as high blood pressure, high cholesterol, congestive heart failure, stroke, heart attack or bypass surgery. |   |
|                            | Deleted          | All Adults                         | On whether a doctor advised respondent to stop using ENDS.   |   |
|                            | Added            | All Adults                         | On brand of respondent's favorite advertisement for ENDS and other tobacco.  | Questions were cycled out in a previous wave; they are cycled back in for Wave 4.   |
| Marketing,                 | Added            | All Adults                         | On awareness of LGBT media campaign and rural smokeless tobacco media campaign.  | To assess exposure to media campaign logo and slogan.   |
| Advertising, and Promotion | Added            | All Adults                         | On Point of Sale campaign.   | To assess exposure to campaign and whether exposure changed purchasing behavior.  |
|                            | Deleted          | All Adults Age<br>25+              | On whether respondent has a favorite tobacco advertisement.  | Question was deleted for adults aged 25 or older to make time for new questions that are of higher priority; construct will still be assessed for young adults aged 18 to 24. |
| Additional                 | Added            | All Adults                         | On interest in completing a web-based PATH survey.   | To assess interest in completing the PATH survey online if it became available as a web survey in future waves.   |
| Demographics               | Deleted          | All Adults                         | On whether tobacco users paid more for health insurance premiums compared to nontobacco users.                                       | These questions were deleted to make time for new questions that are of higher priority.  |

Table 2a. YOUTH QUESTIONNAIRE - Change in Total Item Counts from Wave 3 to Wave 4

|   | Total    | Number o | f Items per S | ection          | Change in Total Item |                 |
|---|----------|----------|---------------|-----------------|----------------------|-----------------|
| Youth Questionnaire Section                       | Wav      | ve 3     | Wav           | ve 4            | Count from           | m W3 to W4      |
|   | Extended | Aged-Up  | Extended      | Aged-Up/<br>New | Extended             | Aged-Up/<br>New |
| Introductory Demographics                         | 8        | 11       | 7             | 10              | -1                   | -1              |
| Cigarette   | 33       | 41       | 44            | 46              | +11                  | +5              |
| Electronic Nicotine Products                      | 62       | 69       | 69            | 72              | +7                   | +3              |
| Cigar   | 72       | 79       | 88            | 92              | +16                  | +13             |
| Pipe  | 10       | 11       | 13            | 14              | +3                   | +3              |
| Hookah  | 46       | 53       | 54            | 57              | +8                   | +5              |
| Snus  | 38       | 44       | 46            | 49              | +8                   | +5              |
| Smokeless Tobacco                                 | 34       | 40       | 45            | 48              | +11                  | +8              |
| Dissolvable Tobacco                               | 2        | 3        | 2             | 4               |                      | +1              |
| Bidis and Kreteks                                 | 2        | 4        | 2             | 4               |                      |                 |
| Other Tobacco                                     | 1        | 1        | 1             | 1               |                      |                 |
| New Product - Placeholder <sup>2</sup>            | 5        | 5        | 5             | 5               |                      |                 |
| First Tobacco Product                             | 1        | 1        | 1             | 1               |                      |                 |
| Nicotine Dependence and Cessation / Quitter       | 30       | 30       | 39            | 39              | +9                   | +9              |
| Packaging and Health Warnings                     | 26       | 33       | 31            | 31              | +5                   | -2              |
| Product Regulation-Modified Risk Tobacco Products | 43       | 43       | 56            | 56              | +13                  | +13             |
| Media Use   | 11       | 12       | 10            | 11              | -1                   | -1              |
| Secondhand Smoke Exposure                         | 5        | 5        | 2             | 2               | -3                   | -3              |
| Health  | 40       | 40       | 46            | 49              | +6                   | +9              |
| Marketing, Advertising and Promotion              | 17       | 17       | 19            | 19              | +2                   | +2              |
| Social Norms-Peer and Family Influences           | 39       | 39       | 26            | 26              | -13                  | -13             |
| Accessibility                                     | 5        | 5        | 5             | 5               |                      |                 |
| Psychosocial                                      | 12       | 15       | 12            | 15              |                      |                 |
| Substance Use                                     | 19       | 29       | 18            | 33              | -1                   | +4              |
| Additional Demographics                           | 11       | 11       | 16            | 16              | -5                   | +5              |
| Contact Information (Emancipated Youth)           | 29       | 29       | 29            | 27              |                      | -2              |
| Total (Entire Questionnaire)                      | 601      | 670      | 686           | 732             | +85                  | +62             |

<sup>&</sup>lt;sup>1</sup>This table reflects total counts of items; it does not account for the conditions in which the items are asked. For example, due to skip patterns and programmed routing, every respondent is not asked all items reflected in these counts. The average time to complete the Youth interview remains at 35 minutes for the Wave 4 Extended instrument, and 45 minutes for the Wave 4 Aged-Up/New instrument.

<sup>&</sup>lt;sup>2</sup>The section enables the PATH Study to be responsive to the changing marketplace and can be rapidly deployed. The module collects basic usage information about products that are not currently included in the PATH Study. The module will remain suppressed until such time that emerging products dictate its deployment.

TABLE 2b. YOUTH QUESTIONNAIRE - Description of Content Changes from Wave 3 to Wave 4

| Wave 4 Section   | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions   | Rationale for Change   |
|--|------------------|------------------------------------|--|--|
| Introductory<br>Demographics   | Deleted          | Continuing<br>Youth                | On US citizenship.   | Assessed in previous waves. It is not necessary to ask known US citizens again; however, question will be asked of all respondents who did not previously report being a US citizen.   |
|  | Added            | All Youth                          | On cigarette smoking in the past 3 days and on identifying last brand smoked.                                | Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform biospecimen analysis.   |
| Cigarette  | Added            | All Youth                          | On disposal of cigarette butts and packs.  | To assess the potential environmental impact of tobacco product and packaging disposal.  |
|  | Deleted          | All Youth                          | On frequency of coupon use when purchasing cigarettes.   | These questions were deleted to make time for new questions that are of higher priority.   |
|  | Added            | All Youth                          | On ENDS use in the past 3 days and on identifying last brand used.   | Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform biospecimen analysis.   |
| Electronic Nicotine Products   | Added            | All Youth                          | On frequency of using ENDS to smoke marijuana or marijuana derivatives.                                      | To identify respondents who use their ENDS device solely for smoking marijuana.  |
| (formerly the<br>"Primary Electronic<br>Nicotine Products"                 | Added            | All Youth                          | On frequency of flavored ENDS use in the past 30 days.   | To assess how often respondents used ENDS flavored like menthol or mint or other flavors.  |
|  | Deleted          | All Youth                          | On changing the voltage on ENDS devices and the number of milliliters of e-liquid an ENDS tank system holds. | These questions were cycled off to make time for new questions that are of higher priority.  |
|  | Deleted          | All Youth                          | On frequency of coupon use when purchasing ENDS or e-liquid.   | These questions were deleted to make time for new questions that are of higher priority.   |
| <b>N/A</b> (formerly the "Secondary Electronic Nicotine Products" section) | Deleted          | All Youth                          | On use behaviors of secondary electronic nicotine products.  | Previously, respondents who use more than one ENDS product reported on their primary and secondary products separately. In Wave 4, respondents will report on their combined use of all ENDS products. As such, this section is no longer relevant to the PATH Study in Wave 4 and has been deleted. |

| Wave 4 Section | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions  | Rationale for Change   |
|----------------|------------------|------------------------------------|---|--|
|                | Added            | All Youth                          | On cigar and blunt smoking in the past 3 days and on identifying last brand smoked. | Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform biospecimen analysis. |
| Cigar          | Added            | All Youth                          | On frequency of flavored cigar and blunt use in the past 30 days.                   | To assess how often respondents smoked flavored cigars or used flavored cigars to smoke blunts in the past 30 days.  |
| Add            | Added            | All Youth                          | On cartons of filtered cigars.  | To assess whether respondents typically purchase by the carton, number of packs contained in a carton, and price paid for a carton of filtered cigars.                                 |
| Pipe           | Added            | All Youth                          | On pipe smoking in the past 3 days.   | Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform biospecimen analysis. |
| Hookah         | Added            | All Youth                          | On hookah smoking in the past 3 days and on identifying last brand smoked.          | Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform biospecimen analysis. |
| поокап         | Added            | All Youth                          | On frequency of flavored shisha use in the past 30 days.                            | To assess how often respondents smoked flavored shisha or hookah tobacco in the past 30 days.  |
|                | Deleted          | All Youth                          | On price paid for shisha.   | These questions were deleted to make time for new questions that are of higher priority.   |
|                | Added            | All Youth                          | On snus use in the past 3 days and on identifying last brand used.                  | Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform biospecimen analysis. |
| Snus           | Added            | All Youth                          | On frequency of flavored snus use in the past 30 days.                              | To assess how often respondents used flavored snus in the past 30 days.  |
|                | Added            | All Youth                          | On use of pouched or loose snus.  | To identify which type of snus the respondent uses and the type used most often for users of both types.   |

| Wave 4 Section                                  | Wave 4<br>Change | Affected<br>Respondent<br>Category            | Description of Questions  | Rationale for Change   |
|---|------------------|---|---|--|
|   | Deleted          | All Youth                                     | On use of Skoal Bandits.  | The design has been changed in Wave 4 to ask about pouched smokeless or snus use. It is no longer necessary to ask about Skoal Bandits specifically.   |
|   | Deleted          | All Youth                                     | On using a coupon when purchasing snus.   | These questions were deleted to make time for new questions that are of higher priority.   |
|   | Added            | All Youth                                     | On smokeless tobacco use in the past 3 days and on identifying last brand used.   | Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform biospecimen analysis.   |
| Smokeless<br>Tobacco                            | Added            | All Youth                                     | On frequency of flavored smokeless tobacco use in the past 30 days.   | To assess how often respondents used flavored smokeless tobacco in the past 30 days.   |
| Added   | All Youth        | On use of pouched or loose smokeless tobacco. | To identify which type of smokeless tobacco the respondent uses and the type used most often for users of both types.   |  |
|   | Added            | All Youth                                     | On quantity contained in a package of pouched smokeless and length of time taken to consume it.   | To complement other measures related to packaging and dosage.  |
| Nicotine<br>Dependence and<br>Cessation/Quitter | Added            | All Youth                                     | On NRT and prescription stop smoking medication use in the past 3 days.   | To assess usage of these medications and to inform biospecimen analysis. Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform this analysis. |
|   | Added            | All Youth                                     | On whether respondent noticed health warnings on packages of ENDS, traditional cigars, cigarillos, filtered cigars, pipe tobacco, and hookah tobacco.   | Questions were cycled out in a previous wave; they are cycled back in for Wave 4 to assess respondent exposure to health warnings on packaging.  |
| Packaging and<br>Health Warnings                | Added            | All Youth                                     | On health warning labels on ENDS, traditional cigars, cigarillos, filtered cigars and hookah tobacco packages including how often a respondent looked closely at them and how they make a respondent feel about the health risks associated with use. | Questions were asked about other products in Wave 3; they are added for ENDS, traditional cigars, cigarillos, filtered cigars, and hookah in Wave 4 to assess respondent exposure to and impact of health warnings on packaging.                         |
|   | Deleted          | All Youth                                     | On noticing health warning labels on packages of bidis and kreteks.   | The question was deleted to make time for new questions that are of higher priority.   |

| Wave 4 Section  | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions  | Rationale for Change   |
|---|------------------|------------------------------------|---|--|
|   | Deleted          | All Youth                          | On health warnings on packages of snus and smokeless tobacco including whether they stopped respondent from using product, whether respondent tried to avoid looking at them, how believable they are, and degree to which they make respondent never want to use the product again (among ever users). | The questions were cycled off to make time for new questions that are of higher priority.  |
|   | Deleted          | All Youth                          | On whether health warnings on packages of snus and smokeless tobacco made respondent less likely to start using (among never users).  | The state of the s |
|   | Deleted          | All Youth                          | On how frequently the respondent saw a list of chemicals contained in tobacco products.   |  |
|   | Added            | All Youth                          | On perceived harmfulness of the nicotine in cigarettes, ENDS, and NRT.  | To assess whether respondents' perceptions of harm of nicotine vary by product.  |
|   | Added            | All Youth                          | On perceived harm of using flavored ENDS compared to tobacco-flavored or unflavored ENDS.   | To assess respondents' perceptions of use/harm as influenced by flavoring.   |
|   | Added            | All Youth                          | On likelihood of becoming addicted to cigarillos or filtered cigars.  |  |
| Product Regulation  – Modified Risk  Tobacco Products | Added            | All Youth                          | On perceived harm of intermittent versus daily use of cigarettes, cigarillos, filtered cigars, snus, and smokeless tobacco.   | Questions were cycled out in a previous wave; they are cycled back in for Wave 4 to assess   |
|   | Added            | All Youth                          | On length of time product can be used before harm occurs from smoking cigarettes, traditional cigars, cigarillos, filtered cigars, shisha or hookah tobacco, and using snus or smokeless tobacco.   | respondent perceptions of addiction and harm.  |
|   | Deleted          | All Youth                          | On perceived ease of use between flavored and flavored products for: ENDS, traditional cigars, cigarillos, filtered cigars, shisha or hookah tobacco, snus, and smokeless tobacco.  | The questions were cycled off to make time for new questions that are of higher priority.  |
|   | Added            | All Youth                          | On time spent online on weekdays and weekends.  | To assess respondent's potential exposure to tobacco campaign advertising via the internet.  |
| Media Use   | Added            | All Youth                          | On device ownership.  | To assess respondent ownership of e-book readers, desktop or laptop computers, gaming consoles, MP3 players, and portable gaming devices, tablet computers, cellular phones, and smart phones.   |

| Wave 4 Section                                 | Wave 4<br>Change | Affected<br>Respondent<br>Category | Description of Questions  | Rationale for Change  |  |
|--|------------------|------------------------------------|---|---|--|
| Deleted  |                  | All Youth                          | On using online apps related to tobacco/ENDS.   | The questions were cycled off to make time for  |  |
|  | Deleted          | All Youth                          | On exposure to movies that depict tobacco use.  | new questions that are of higher priority.  |  |
| Secondhand<br>Smoke Exposure                   | Deleted          | All Youth                          | On rules of using combusted and non-combusted tobacco products and ENDS inside the home.              | The questions were cycled off to make time for new questions that are of higher priority.                       |  |
|  | Added            | All Youth                          | On brand of respondent's favorite advertisement for ENDS and other tobacco.                           | Questions were cycled out in a previous wave; they are cycled back in for Wave 4.                               |  |
| Marketing, Advertising, and                    | Added            | All Youth                          | On awareness of LGBT and rural smokeless media campaigns.   | To assess exposure to media campaign logo and slogan.   |  |
| Promotion                                      | Deleted          | All Youth                          | On whether respondent bought a product because of a promotion.  | The question was cycled off to make time for new questions that are of higher priority.                         |  |
|  | Added            | All Youth                          | On how many of respondent's best friends smoke hookah.  | To assess the role of social context in relation to the use of tobacco products.                                |  |
| Social Norms, Peer<br>and Family<br>Influences | Added            | All Youth                          | On the proportion of respondent's peers who smoke cigarettes, hookah and use ENDS, smokeless tobacco. |   |  |
|  | Deleted          | All Youth                          | On how many of respondent's best friends smoke traditional cigars and filtered cigars.                | These questions were deleted to make time for new questions that are of higher priority.                        |  |
| Additional<br>Demographics                     | Added            | All Youth age<br>17                | On serving active duty in the military and branch in which respondent served.                         | To inform Wave 4 weighting.   |  |
|  | Added            | All Youth                          | On interest in completing a web-based PATH survey.  | To assess interest in completing the PATH survey online if it became available as a web survey in future waves. |  |

Table 3a. PARENT QUESTIONNAIRE - Change in Total Item Counts from Wave 3 to Wave 4

|                               | Total Number of Items per Section |             |          |                 | Change in Total Item |                 |
|-------------------------------|-----------------------------------|-------------|----------|-----------------|----------------------|-----------------|
| Parent Questionnaire Section  | Wave 3                            |             | Wave 4   |                 | Count form W3 to W4  |                 |
|                               | Extended                          | Aged-<br>Up | Extended | Aged-Up/<br>New | Extended             | Aged-Up/<br>New |
| Family Composition            | 13                                | 20          | 24       | 32              | +11                  | +12             |
| School, Home, and Tobacco Use | 9                                 | 9           | 9        | 9               |                      |                 |
| Health                        | 21                                | 42          | 31       | 48              | +10                  | +6              |
| Respondent Characteristics    | 14                                | 14          | 19       | 19              | +5                   | +5              |
| Contact Information           | 31                                | 31          | 33       | 33              | +2                   | +2              |
| Total (Entire Questionnaire)  | 88                                | 116         | 116      | 141             | +28                  | +25             |

<sup>&</sup>lt;sup>1</sup>This table reflects total item counts; it does not account for the conditions in which the items are asked. For example, the item counts for the 'aged-up' respondents are included in the item counts for the 'new' respondents in this table. However, due to skip patterns and programmed routing, every respondent is not asked all items reflected in these counts. Consequently, the average time to complete the Parent interview remains 16 minutes for the Wave 4 Extended instrument, and 19 minutes for the Wave 4 New/ Aged-Up instrument.

TABLE 3b. PARENT QUESTIONNAIRE – Description of Content Changes from Wave 3 to Wave 4

| Wave 4 Section         | Wave 4<br>Status | Affected<br>Respondent<br>Category | Description of Questions   | Rationale for Change   |
|------------------------|------------------|------------------------------------|--|--|
| Family<br>Composition  | Added            | All Parents                        | On the name, age and relationship youth respondent's guardians who live in the home.   | To obtain information about any other parental figures or guardians in the household in addition to youth's parents. |
| Health                 | Added            | All Parents                        | On youth respondent's diagnosis of schizophrenia, schizoaffective disorder or psychosis, or psychotic illness or episode and age of diagnosis/onset. | To ascertain prevalence of these diagnoses among respondents.  |
| Contact<br>Information | Added            | All Parents                        | On interest in completing a web-based PATH survey.   | To assess interest in completing the PATH survey online if it became available as a web survey in future waves.      |

Table 4a. NICOTINE EXPOSURE QUESTIONNAIRE - Change in Total Item Counts 1 from Wave 3 to Wave 4

| NEOs                         | Total Numb | er of Items | Change in Total Item Count from |  |
|------------------------------|------------|-------------|---------------------------------|--|
| NEQS                         | Wave 3     | Wave 4      | W3 to W4                        |  |
| Total (Entire Questionnaire) | 38         | 38          |                                 |  |

<sup>&</sup>lt;sup>1</sup>This table reflects total counts of items; it does not account for the conditions in which the items are asked. For example, due to skip patterns and programmed routing, every respondent is not asked all items reflected in these counts. The average time to complete the Nicotine Exposure Questionnaire remains 5 minutes in the Wave 4 interview. NEQs are asked of all respondents that consent to bio-specimen collection; there is no distinction made between the extended, new and aged-up respondent categories.

#### TABLE 4b. NICOTINE EXPOSURE QUESTIONNAIRE – Description of Content Changes from Wave 3 to Wave 4

| Wave 4 Section | Wave 4<br>Status | Affected<br>Respondent<br>Category | Changes from Wave 3                | Rationale for Change   |
|----------------|------------------|------------------------------------|------------------------------------|--|
| NEQs           | Added            | All Youth                          | On tobacco use in the past 3 days. | Urine biospecimens will be collected from youth respondents in Wave 4; Nicotine Exposure Questions (NEQs) will be asked of youth respondents in Wave 4 to inform biospecimen analysis. |