

**National ART Surveillance System  
NASS 2.0  
(Proposed for 2016)**

**DRAFT**

INITIAL REPORTING: PATIENT PROFILE (PROSPECTIVE)	
Quex ID	LEAD QUESTION
1	Date of cycle reporting (mm/dd/yyyy):  _ _  -  _ _  -  _ _ _ _
2	NASS Patient ID:  _ _ _ _  -  _ _ _ _  -  _ _
3	<b>Patient Optional Identifiers</b> Optional Identifier 1  _ _ _ _ _ _ _ _  maximum 7 digits or characters  Optional Identifier 2  _ _ _ _ _ _ _ _  maximum 7 digits or characters
4	Patient Date of Birth (mm/dd/yyyy):  _ _  -  _ _  -  _ _ _ _
5	Sex of patient: <input type="radio"/> Male <input type="radio"/> Female
6	Cycle Start Date  _ _  -  _ _  -  _ _ _ _
<b>RESIDENCY</b>	
7	<b>At the start of the cycle, is patient residency primarily in U.S.?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Refused
7A	U.S. state of primary residence: <input type="text"/> City of primary residence <input type="text"/> U.S. zip code at primary residence  _ _ _ _ _  OR Country of primary residence: <input type="text"/>
<b>INTENT</b>	
8	<b>Intended type of ART? Select all that apply:</b> <input type="checkbox"/> IVF: Transcervical <input type="checkbox"/> GIFT: Gametes to tubes <input type="checkbox"/> ZIFT: Zygotes to tubes or TET: tubal embryo transfer <input type="checkbox"/> Oocyte or embryo banking
9	<b>If cycle is for banking only, specify banking type (select all that apply):</b> <input type="checkbox"/> Embryo banking <input type="checkbox"/> Autologous oocyte banking <input type="checkbox"/> Donor oocyte banking
9A	<b>Indicate anticipated duration of oocyte banking SKIP IF EMBRYO BANKING ONLY</b> <input type="checkbox"/> Short term (<12 months) <input type="checkbox"/> Long term (≥12 months) banking for fertility preservation prior to gonadotoxic medical treatments <input type="checkbox"/> Long term (≥12 months) banking for other reasons
9B	<b>Indicate anticipated duration of embryo banking SKIP IF OOCYTE BANKING ONLY</b> <input type="checkbox"/> Short term (<12 months) <input type="checkbox"/> Delay of transfer to obtain genetic information <input type="checkbox"/> Delay of transfer for other reasons <input type="checkbox"/> Long term (≥12 months) banking for fertility preservation prior to gonadotoxic medical treatments <input type="checkbox"/> Long term (≥12 months) banking for other reasons
10	<b>Intended embryo source (select all that apply):</b> <input type="checkbox"/> Patient embryos <input type="checkbox"/> Donor embryos [IF ONLY DONOR EMBRYOS SELECTED, SKIP TO #12]
10A	<b>If intent is to use FRESH EMBRYOS, specify intended oocyte source. Select all that apply:</b> <input type="checkbox"/> Patient oocytes <input type="checkbox"/> Fresh oocytes <input type="checkbox"/> Frozen oocytes <input type="checkbox"/> Donor oocytes <input type="checkbox"/> Fresh oocytes <input type="checkbox"/> Frozen oocytes  <b>If intent is to use FROZEN EMBRYOS, specify intended oocyte source. Select all that apply:</b>

	<input type="checkbox"/> Patient oocytes <input type="checkbox"/> Fresh oocytes <input type="checkbox"/> Frozen oocytes <input type="checkbox"/> Donor oocytes <input type="checkbox"/> Fresh oocytes <input type="checkbox"/> Frozen oocytes <input type="checkbox"/> Unknown (select only if oocyte source is unknown)
11	<b>Specify intended sperm source. Select all that apply. [SKIP IF DONOR EMBRYO IS INTENDED SOURCE]</b> <input type="checkbox"/> Partner <input type="checkbox"/> Donor <input type="checkbox"/> Patient, if male <input type="checkbox"/> Unknown (select only if <u>all</u> sperm sources unknown for frozen)
12	<b>Pregnancy carrier</b> <input type="checkbox"/> Patient <input type="checkbox"/> Gestational carrier <input type="checkbox"/> None (oocyte or embryo banking cycle only)

**CYCLE INFORMATION (NOT PROSPECTIVE FROM HERE FORWARD)**

Quex ID	LEAD QUESTION
13	<b>Type of ART performed? Select all that apply:</b> <input type="checkbox"/> IVF: Transcervical <input type="checkbox"/> GIFT: Gametes to tubes <input type="checkbox"/> ZIFT: Zygotes to tubes or TET: tubal embryo transfer <input type="checkbox"/> Oocyte or embryo banking
14	<b>Embryo source (select all that apply):</b> <input type="checkbox"/> Patient embryos <input type="checkbox"/> Donor embryos [IF ONLY DONOR EMBRYOS SELECTED, SKIP TO #15]
14A	<b>If FRESH EMBRYOS were used, specify intended oocyte source. Select all that apply:</b> <input type="checkbox"/> Patient oocytes <input type="checkbox"/> Fresh oocytes <input type="checkbox"/> Frozen oocytes <input type="checkbox"/> Donor oocytes <input type="checkbox"/> Fresh oocytes <input type="checkbox"/> Frozen oocytes  <b>If FROZEN EMBRYOS were used, specify intended oocyte source. Select all that apply:</b> <input type="checkbox"/> Patient oocytes <input type="checkbox"/> Fresh oocytes <input type="checkbox"/> Frozen oocytes <input type="checkbox"/> Donor oocytes <input type="checkbox"/> Fresh oocytes <input type="checkbox"/> Frozen oocytes <input type="checkbox"/> Unknown (select only if oocyte source is unknown)

**PATIENT MEDICAL EVALUATION**

REASON FOR ART	
Quex ID	LEAD QUESTION
15	<b>Reason for ART (Select all that apply):</b> <input type="checkbox"/> Male infertility (select all that apply)  <div style="display: flex; align-items: flex-start;"> <div style="flex: 1; border-right: 1px solid black; padding-right: 5px;"> <p style="background-color: #cccccc; padding: 2px; margin: 0;"><b>[SKIP IF MALE INFERTILITY NOT SELECTED]</b></p> </div> <div style="flex: 2; padding-left: 5px;"> <input type="checkbox"/> Medical condition  <input type="checkbox"/> Genetic or chromosomal abnormality Specify_____                 <input type="checkbox"/> Abnormal sperm parameters (select all that apply)               <ul style="list-style-type: none"> <li><input type="checkbox"/> Azoospermia, obstructive</li> <li><input type="checkbox"/> Azoospermia, non-obstructive</li> <li><input type="checkbox"/> Oligospermia, severe (&lt;5 million/mL)</li> <li><input type="checkbox"/> Oligospermia, moderate (5-15 million/mL)</li> <li><input type="checkbox"/> Low motility (&lt;40%)</li> <li><input type="checkbox"/> Low morphology (4%)</li> </ul> <input type="checkbox"/> Other male factor (not included above) Specify_____             </div> </div> <input type="checkbox"/> History of endometriosis <input type="checkbox"/> Tubal ligation for contraception <input type="checkbox"/> Current or prior hydrosalpinx

	<p><b>[SKIP IF HYDROSALPINX NOT SELECTED]</b></p> <p><input type="checkbox"/> Communicating <input type="checkbox"/> Occluded <input type="checkbox"/> Unknown</p>
	<p><input type="checkbox"/> Other tubal disease (not current or historic hydrosalpinx)</p> <p><input type="checkbox"/> Ovulatory disorders</p>
	<p><b>[SKIP IF OVULATORY DISORDER NOT SELECTED]</b></p> <p><input type="checkbox"/> PCO <input type="checkbox"/> Other ovulatory disorders</p>
	<p><input type="checkbox"/> Diminished ovarian reserve</p> <p><input type="checkbox"/> Uterine factor</p> <p><input type="checkbox"/> Preimplantation Genetic Diagnosis as primary reason for ART</p> <p><input type="checkbox"/> Oocyte or Embryo Banking as reason for ART</p> <p><input type="checkbox"/> Indication for use of gestational carrier</p>
	<p><b>[SKIP IF GESTATIONAL CARRIER NOT INDICATED]</b></p> <p><input type="checkbox"/> Absence of uterus</p> <p><input type="checkbox"/> Significant uterine anomaly</p> <p><input type="checkbox"/> Medical contraindication to pregnancy</p> <p><input type="checkbox"/> Recurrent pregnancy loss</p> <p><input type="checkbox"/> Unknown</p>
	<p><input type="checkbox"/> Recurrent pregnancy loss</p> <p><input type="checkbox"/> Other reasons related to infertility (specify) _____</p> <p><input type="checkbox"/> Other reasons <u>not</u> related to infertility (specify) _____</p> <p><input type="checkbox"/> Unexplained infertility</p>
<b>FEMALE PATIENT HISTORY AND PHYSICAL</b>	
16	<p><b>[IF SEX OF PATIENT = MALE (FROM QUESTION #5) THEN SKIP #16-23]</b></p> <p><b>Height:</b></p> <p> _ _  Feet and/or  _ _  Inches or  _ _ _ _  Centimeters</p> <p>or</p> <p><input type="checkbox"/> Height unknown</p>
17	<p><b>Weight at the start of this cycle</b></p> <p> _ _ _  Pounds or  _ _ _  Kilograms</p> <p>or</p> <p><input type="checkbox"/> Weight unknown</p>
18	<p><b>History of cigarette smoking:</b></p> <p>Did the patient smoke during the 3 months before the cycle started?</p> <p><input type="checkbox"/> Yes</p> <p><input type="checkbox"/> No</p> <p><input type="checkbox"/> Unknown</p>
19	<p><b>Any prior pregnancies?</b></p> <p><input type="radio"/> Yes</p> <p><input type="radio"/> No</p>
19A	<p><b>[SKIP IF NO PRIOR PREGNANCIES]</b></p> <p>If prior pregnancies reported and couple is not surgically sterile, enter months or years attempting pregnancy since last clinical pregnancy  _ _  months and/or  _ _  years</p> <p><b>[SKIP IF ANY PRIOR PREGNANCIES]</b></p> <p>If no prior pregnancies reported and couple is not surgically sterile, enter months attempting pregnancy  _ _  months and/or  _ _  years</p>
19B	<p>If prior pregnancies reported, how many  _ _ </p>
19C	<p><b>SKIP IF NO PRIOR PREGNANCIES</b></p> <p>Number of prior full term births  _ _ </p>
19D	<p>Number of prior preterm births  _ _ </p>
19E	<p>Number of prior stillbirths  _ _ </p>

DRAFT - Proposed for 2016

19F		Number of prior spontaneous abortions  __ __
19G		Number of ectopic pregnancies  __ __
20	Number of prior stimulations for ART:  __ __	
21	Number of prior frozen ART cycles:  __ __	
21A	SKIP IF NO PRIOR ART CYCLES	Did any of the prior ART cycles result in a live birth? <input type="radio"/> Yes <input type="radio"/> No
22	Patient maximum FSH level (MIU/mls):  __ __ __  .  __ __  Or FSH unknown: <input type="checkbox"/>	
23	Most recent AMH level (ng/mL):  __ __ __  .  __ __  Or AMH unknown: <input type="checkbox"/>  Date of most recent AMH level  __ __  -  __ __  -  __ __ __ __	

SOURCE AND CARRIER PROFILES

OOCYTE SOURCE PROFILE		
Quex ID	LEAD QUESTION	
24	OOCYTE SOURCE Date of Birth (mm/dd/yyyy): [FIELD PRE-FILLED IF OOCYTE SOURCE=PATIENT]  __ __  -  __ __  -  __ __ __ __   OR age at earliest time oocytes were retrieved ____	
25	OOCYTE SOURCE Ethnicity: Select one: <input type="radio"/> NOT Hispanic or Latino <input type="radio"/> Hispanic or Latino <input type="radio"/> Refused <input type="radio"/> Unknown	
26	OOCYTE SOURCE Race (based on oocyte source self-report) Select all that apply: <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> Asian <input type="checkbox"/> Native Hawaiian or other Pacific Islander <input type="checkbox"/> American Indian or Alaska Native	
26A	Select reason race not reported: <input type="radio"/> Refused <input type="radio"/> Unknown	

PREGNANCY CARRIER PROFILE		
27	Pregnancy carrier <input type="checkbox"/> Patient <input type="checkbox"/> Gestational carrier <input type="checkbox"/> None (oocyte or embryo banking cycle only)	
28	[IF CARRIER=NONE THEN SKIP 28-31] or [IF CARRIER=PATIENT AND OOCYTE SOURCE=PATIENT THEN SKIP 28-31]  Pregnancy carrier Date of Birth (mm/dd/yyyy):  __ __  -  __ __  -  __ __ __ __  OR age at time of transfer ____	
29	Pregnancy carrier Ethnicity: Select one: <input type="radio"/> NOT Hispanic or Latino	

	<input type="radio"/> Hispanic or Latino <input type="radio"/> Refused <input type="radio"/> Unknown
30	<b>Pregnancy carrier Race (based on gestational carrier self report)</b> <b>Select all that apply:</b> <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> Asian <input type="checkbox"/> Native Hawaiian or other Pacific Islander <input type="checkbox"/> American Indian or Alaska Native
30A	Yes <input type="checkbox"/> <b>Select reason race not reported:</b> <input type="radio"/> Refused <input type="radio"/> Unknown

Quex ID	LEAD QUESTION
---------	---------------

SPERM SOURCE PROFILE	
----------------------	--

31	<b>Specify sperm source. Select all that apply.</b> <input type="checkbox"/> Partner <input type="checkbox"/> Donor <input type="checkbox"/> Patient, if male <input type="checkbox"/> Unknown (select only if <u>all</u> sperm sources unknown for frozen)
32	<b>SPERM source Date of Birth (mm/dd/yyyy):</b>  _ _  -  _ _  -  _ _ _ _  [FIELD PRE-FILLED IF SPERM SOURCE=MALE PATIENT] Or <input type="checkbox"/> Unknown
33	<b>SPERM source Ethnicity:</b> <b>Select one:</b> <input type="radio"/> NOT Hispanic or Latino <input type="radio"/> Hispanic or Latino <input type="radio"/> Refused <input type="radio"/> Unknown
34	<b>SPERM source Race (based on patient self report)</b> <b>Select all that apply:</b> <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> Asian <input type="checkbox"/> Native Hawaiian or other Pacific Islander <input type="checkbox"/> American Indian or Alaska Native
34A	<b>Select reason race not reported:</b> <input type="radio"/> Refused <input type="radio"/> Unknown

STIMULATION AND RETRIEVAL	
---------------------------	--

Quex ID	LEAD QUESTION
---------	---------------

OVARIAN STIMULATION AND MEDICATIONS	
-------------------------------------	--

35	<b>Was there stimulation for follicular development?</b> <input type="radio"/> Yes <input type="radio"/> No  [IF NO STIMULATION OR FROZEN CYCLE, SKIP #36-39]
36	<b>Oral medication such as aromatase inhibitor or selective estrogen receptor modulator?</b> <input type="radio"/> Yes <input type="radio"/> No
36A	<b>[SKIP IF NO ORAL MEDS]</b> Clomiphene dosage (Total mgs):  _ _ _ _ _  .  _ _ _  Letrozole dosage (Total mgs)  _ _ _ _ _  .  _ _ _  Other (specify) _____ dosage  _ _ _ _ _  .  _ _ _
37	<b>Medication(s) containing FSH?</b> <input type="radio"/> Yes <input type="radio"/> No

37A	[SKIP IF NO FSH MEDS]	Short-acting FSH (Total IUs):  _ _ _ _ _  .  _ _
37B		Long-acting FSH (Total mgs):  _ _ _ _ _  .  _ _
38	Medication(s) with LH/HCG activity? <input type="radio"/> Yes <input type="radio"/> No	
<b>Quex ID</b>	<b>LEAD QUESTION</b>	
39	<b>GnRH Protocol</b> Select the one <u>primary</u> protocol: <input type="radio"/> No GnRH protocol <input type="radio"/> GnRH Agonist Suppression <input type="radio"/> GnRH Agonist Flare <input type="radio"/> GnRH Antagonist Suppression	
<b>CANCELLATION-I (open only for fresh cycles)</b>		
40	[IF OOCYTE/EMBRYO SOURCE = FROZEN THEN SKIP 40-45]	
40	Was this ART cycle canceled prior to retrieval? <input type="radio"/> Yes <input type="radio"/> No	
40A		Date cycle canceled (mm/dd/yyyy):  _ _  -  _ _  -  _ _ _ _
40B	[SKIP IF CYCLE NOT CANCELLED]	Select one primary reason cycle was canceled: <input type="checkbox"/> Low ovarian response <input type="checkbox"/> High ovarian response <input type="checkbox"/> Inadequate endometrial response <input type="checkbox"/> Concurrent illness <input type="checkbox"/> Withdrawal only for personal reasons <input type="checkbox"/> OTHER - specify _____
[IF CYCLE CANCELLED, STOP HERE]		
<b>FRESH OOCYTE RETRIEVAL</b>		
41	Date retrieval performed (mm/dd/yyyy):  _ _  -  _ _  -  _ _ _ _	
42	Total number of patient oocytes retrieved:  _ _	
43	Total number of donor oocytes retrieved:  _ _	
44	Use of <u>retrieved</u> oocytes Select all that apply: <input type="checkbox"/> Used for this cycle <input type="checkbox"/> Oocytes frozen for future use <input type="checkbox"/> Oocytes shared with other patients <input type="checkbox"/> Embryos frozen for future use	
44A	[SKIP IF NO OOCYTES FROZEN]	Number of FRESH oocytes frozen for future use:  _ _
<b>COMPLICATIONS OF OVARIAN STIMULATION OR OOCYTE RETRIEVAL</b>		
45	Were there any complications of ovarian stimulation or oocyte retrieval? <input type="radio"/> Yes <input type="radio"/> No	
45A	SKIP IF NO COMPLICATIONS	Select all complications that apply: <input type="checkbox"/> Infection <input type="checkbox"/> Hemorrhage requiring transfusion <input type="checkbox"/> Ovarian hyperstimulation requiring intervention or hospitalization <input type="checkbox"/> Medication side effect <input type="checkbox"/> Anesthetic complication <input type="checkbox"/> Thrombosis <input type="checkbox"/> Death of patient <input type="checkbox"/> Other - specify _____
45B	SKIP IF NO COMPLICATIONS	Did the complication(s) require hospitalization? <input type="radio"/> Yes <input type="radio"/> No

[IF OOCYTE BANKING CYCLE <u>ONLY</u> , STOP HERE]
---



SPERM RETRIEVAL	
46	<b>Sperm status:</b> <input type="checkbox"/> Fresh <input type="checkbox"/> Thawed <input type="checkbox"/> Mix of fresh and thawed
47	<b>Sperm source utilized:</b> <input type="radio"/> Ejaculated <input type="radio"/> Epididymal <input type="radio"/> Testis <input type="radio"/> Electroejaculation <input type="radio"/> Retrograde urine <input type="radio"/> Donor <input type="radio"/> Unknown
LABORATORY INFORMATION	
Quex ID	LEAD QUESTION
MANIPULATION	
48	<b>Intracytoplasmic sperm injection (ICSI) performed on oocytes?</b> <input type="radio"/> All oocytes <input type="radio"/> Some oocytes <input type="radio"/> No oocytes <input type="radio"/> Unknown
48A	<div style="display: flex; justify-content: space-between;"> <div style="width: 20%;"> <b>SKIP IF NO ICSI</b> </div> <div> <b>Indication for ICSI (select all that apply)</b>  <input type="radio"/> Prior failed fertilization  <input type="radio"/> Poor fertilization  <input type="radio"/> PGD  <input type="radio"/> Abnormal semen parameters on day of fertilization  <input type="radio"/> Low oocyte yield  <input type="radio"/> Laboratory routine  <input type="radio"/> Frozen cycle  <input type="radio"/> Rescue ICSI  <input type="radio"/> Other - specify _____             </div> </div>
49	<b>In vitro maturation (IVM) performed on oocytes?</b> <input type="radio"/> All oocytes <input type="radio"/> Some oocytes <input type="radio"/> No oocytes <input type="radio"/> Unknown
50	<b>Pre-implantation genetic diagnosis or screening performed on embryos?</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Unknown
50A	<b>Total number of 2PN:  __ __ </b>
50B	<b>Reason(s) for pre-implantation genetic diagnosis or screening (Select all that apply):</b> <input type="checkbox"/> Either genetic parent is a known carrier of a gene mutation or a chromosomal abnormality <input type="checkbox"/> Aneuploidy screening of the embryos <input type="checkbox"/> Elective Gender Determination <input type="checkbox"/> Other screening of the embryos
50C	<b>Technique(s) used for pre-implantation genetic diagnosis or screening (Select all that apply):</b> <input type="checkbox"/> Polar Body Biopsy <input type="checkbox"/> Blastomere Biopsy <input type="checkbox"/> Blastocyst Biopsy <input type="checkbox"/> Unknown
51	<b>Assisted hatching performed on embryos?</b> <input type="radio"/> All embryos <input type="radio"/> Some embryos <input type="radio"/> No embryos <input type="radio"/> Unknown

52	<b>Was this a research cycle?</b> <input type="radio"/> Yes Enter SART approval code _____ <input type="radio"/> No	
52A	<b>SKIP IF NOT RESEARCH CYCLE</b>	<b>Study type:</b> <input type="checkbox"/> Device study <input type="checkbox"/> Protocol study <input type="checkbox"/> Pharmaceutical study <input type="checkbox"/> Laboratory technique <input type="checkbox"/> Other research
		If 'Other', please specify _____
<b>[IF EMBRYO BANKING CYCLE ONLY, SKIP TO #59, THEN STOP]</b>		
<b>TRANSFER</b>		
<b>Quex ID</b>	<b>LEAD QUESTION</b>	
<b>CANCELLATION-II</b>		
53	<b>Was a transfer attempted?</b> <input type="radio"/> Yes <input type="radio"/> No	
53A	<b>Select one primary reason no transfer was attempted:</b> <input type="checkbox"/> Low ovarian response <input type="checkbox"/> High ovarian response <input type="checkbox"/> Failure to survive oocyte thaw <input type="checkbox"/> Inadequate endometrial response <input type="checkbox"/> Concurrent illness <input type="checkbox"/> Withdrawal only for personal reasons <input type="checkbox"/> Unable to obtain sperm specimen <input type="checkbox"/> Insufficient embryos <input type="checkbox"/> OTHER - specify _____	
<b>[IF TRANSFER NOT ATTEMPTED, STOP HERE]</b>		
<b>GENERAL TRANSFER DETAILS</b>		
54	<b>Date of embryo transfer (mm/dd/yyyy):</b>  __ __  -  __ __  -  __ __ __ __	
55	<b>Endometrial thickness at trigger:</b>  __ __ mm	
<b>FRESH EMBRYO TRANSFER DETAILS</b>		
56	<b>[IF NO FRESH EMBRYOS TRANSFERRED, SKIP #57-58]</b> <b>Number of FRESH embryos transferred to uterus:</b>  __ __	
57	<b>[SKIP #57 FOR MIXED CYCLE]</b> <b>If only <u>one</u> fresh embryo was transferred to the uterus, was this an <u>elective</u> single embryo transfer?</b> <input type="radio"/> Yes <input type="radio"/> No	
58A-X	<b>Quality of embryo #1-X</b> <input type="checkbox"/> Good <input type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/> Unknown	
	<b>Date of oocyte retrieval for embryo #1-X</b>  __ __  -  __ __  -  __ __ __ __	
59	<b>Number of FRESH embryos cryopreserved:</b>  __ __  <b>[STOP HERE FOR EMBRYO BANKING ONLY CYCLE]</b>	
<b>THAWED EMBRYO TRANSFER DETAILS</b>		
60	<b>Number of FROZEN or THAWED embryos available on day of transfer:</b>  __ __	
61	<b>Number of THAWED embryos transferred to uterus:</b>  __ __  <b>[IF NO THAWED EMBRYOS TRANSFERRED, SKIP #62]</b>	

62	<b>[SKIP #63 FOR MIXED CYCLE]</b> If only <u>one</u> thawed embryo was transferred to the uterus, was this an <u>elective</u> single embryo transfer? ○ Yes ○ No
62A-X	<b>Quality of embryo #1-X</b> <input type="checkbox"/> Good <input type="checkbox"/> Fair <input type="checkbox"/> Poor <input type="checkbox"/> Unknown
	Date of oocyte retrieval for embryo #1-X  __ __  -  __ __  -  __ __ __ __
63	Number of THAWED embryos cryopreserved (re-frozen):  __ __
<b>GIFT/ZIFT/TET TRANSFER DETAILS</b>	
64	<b>[SKIP IF IVF CYCLE]</b> Number of oocytes or embryos transferred to the FALLOPIAN TUBE:  __ __

**TREATMENT OUTCOME (only opens if transfer >0)**

Quex ID	LEAD QUESTION
<b>OUTCOME OF TRANSFER</b>	
65	<b>Outcome of treatment cycle:</b> <input type="checkbox"/> Not pregnant <input type="checkbox"/> Biochemical only <input type="checkbox"/> Clinical intrauterine gestation <input type="checkbox"/> Ectopic <input type="checkbox"/> Heterotopic <input type="checkbox"/> Unknown  <b>[IF NOT PREGNANT, BIOCHEMICAL ONLY, ECTOPIC, OR HETEROTOPIC, STOP HERE]</b>
66	Maximum fetal hearts on ultrasound performed before 7 weeks or prior to reduction:  __ __  <input type="checkbox"/> No ultrasound performed before 7 weeks gestation
66A	<b>[SKIP IF NO U/S]</b> Date ultrasound with max. number of fetal hearts observed before 7 weeks (mm/dd/yyyy):  __ __  -  __ __  -  __ __ __ __
66B	<b>[SKIP IF NO U/S]</b> If 2 or more fetal hearts, any monochorionic twins or multiples? ○ Yes ○ No ○ Unknown

**PREGNANCY OUTCOME (only opens if pregnancy = yes)**

Quex ID	LEAD QUESTION
<b>OUTCOME OF PREGNANCY</b>	
67	<b>Outcome of pregnancy:</b> <input type="checkbox"/> Live birth <input type="checkbox"/> Spontaneous abortion <input type="checkbox"/> Stillbirth <input type="checkbox"/> Induced abortion <input type="checkbox"/> Maternal death prior to birth <input type="checkbox"/> Outcome unknown
68	<b>Date of pregnancy outcome (mm/dd/yyyy):</b>  __ __  -  __ __  -  __ __ __ __  <b>NOTE: If multiple births cover more than one date, enter date of first born.</b>
68A	<b>Method of delivery</b> <input type="checkbox"/> Vaginal <input type="checkbox"/> Cesarean section
69	<b>Source of information confirming pregnancy outcome:</b> <b>(Select all that apply)</b> <input type="checkbox"/> Verbal confirmation from patient <input type="checkbox"/> Written confirmation from patient <input type="checkbox"/> Verbal confirmation from physician or hospital

	<input type="checkbox"/> Written confirmation from physician or hospital
<b>BIRTH INFORMATION</b>	
70	<b>Number of infants born:</b>  _ _
71A-X	<b>Birth Status infant #1-X</b> <input type="checkbox"/> Live birth <input type="checkbox"/> Stillbirth <input type="checkbox"/> Unknown
72A-X	<b>Gender infant #1-X</b> <input type="checkbox"/> Male <input type="checkbox"/> Female <input type="checkbox"/> Unknown
73A-X	<b>Weight in pounds and ounces, or grams infant #1-X</b>  _ _  lbs and  _ _  oz. OR  _ _ _ _  g <b>OR</b> <input type="checkbox"/> <b>Weight unknown</b>
74A-X	<b>Birth defects (select all that apply) infant #1-X</b> <input type="checkbox"/> None <input type="checkbox"/> Cleft lip/palate <input type="checkbox"/> Genetic defect/chromosomal abnormality <input type="checkbox"/> Neural tube defect <input type="checkbox"/> Cardiac defect <input type="checkbox"/> Limb defect <input type="checkbox"/> Other (specify) OR <input type="checkbox"/> Unknown
75A-X	<b>For liveborn infant, did neonatal death occur? infant #1-X</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown