

**Attachment 5 -- NHBS Publications 0920-0770****Project Site NHBS Publications**

1. Al-Tayyib AA, Thiede H, Burt R, Koester SK. Unmet healthcare needs and hepatitis C infection among persons who inject drugs in Denver and Seattle, 2009. *Prev Sci.* 2015 Feb;16(2):330-40.
2. Al-Tayyib AA, Thrun MW, Haukoos JS, Walls NE. Knowledge of Pre-exposure Prophylaxis (PrEP) for HIV Prevention Among Men Who Have Sex with Men in Denver, Colorado. *AIDS Behav.* 2014 Apr;18 Suppl 3:340-7.
3. Al-Tayyib AA, Koester S. Injection drug users' experience with and attitudes toward methadone clinics in Denver, CO. *J Subst Abuse Treat.* 2011 Jul;41(1):30-6.
4. Arnold MP, Raymond HF, McFarland W. Socioeconomic position and HIV risk-relevant behavior among lower-income heterosexuals in San Francisco. *AIDS Behav.* 2011 Feb;15(2):499-506.
5. Beck DW, LaLota M, Metsch LR, Cardenas GA, Forrest DW, Lieb S, Liberti TM. HIV Prevention and Transmission Myths Among Heterosexually Active Adults in Low-Income Areas of South Florida. *AIDS Behav.* 2012 Apr;16(3):751-60.
6. Belanger G, McFarland W, Raymond HF, Custer B. If the permanent deferral were lifted: Would men who have sex with men want to donate blood, and if so, who would be eligible? *Transfusion.* 2013 Nov;53(11):2729-33.
7. Beletsky L, Heller D, Jenness SM, Neaigus A, Gelpi-Acosta C, Hagan H. Syringe access, syringe sharing, and police encounters among people who inject drugs in New York City: A community-level perspective. *Int J Drug Policy.* 2014 Jan;25(1):105-11.
8. Bernstein KT, Liu KL, Begier EM, Koblin B, Karpati A, Murrill C. Same -sex attraction disclosure to health care providers among New York City men who have sex with men: implications for HIV testing approaches. *Arch Intern Med.* 2008 July;168(13):1458-64.
9. Berry M, Raymond HF, Kellog T, McFarland W. The Internet, HIV serosorting and transmission risk among men who have sex with men, San Francisco. *AIDS.* 2008 Mar;22(6):787-9.
10. Berry M, Raymond HF, McFarland W. Same race and older partner selection may explain higher HIV prevalence among black men who have sex with men. *AIDS.* 2007 Nov;21(17):2349-50.
11. Bohl DD, Katz KA, Bernstein K, Wong E, Raymond HF, Klausner JD, McFarland W. Prevalence and correlates of HSV-2 infection among men who have sex with men, San Francisco, 2008. *Sex Transm Dis.* 2011 Jul;38(7):617-21.
12. Bohl DD, Raymond HF, Arnold M, McFarland W. Concurrent sexual partnerships and racial disparities in HIV infection among men who have sex with men. *Sex Transm Infect.* 2009 Sep;85(5):367-9.
13. Burt RD, Thiede H. Reduction in Needle Sharing Among Seattle-Area Injection Drug Users Across 4 Surveys, 1994-2013. *Am J Public Health.* 2016 Feb;106(2):301-7.
14. Burt RD, Thiede H. Assessing differences in groups randomized by recruitment chain in a respondent-driven sample of Seattle-area injection drug users. *Ann Epidemiol.* 2014 Nov;24(11):861-7.
15. Burt RD, Thiede H. Evidence for Risk Reduction Among Amphetamine-Injecting Men Who have Sex with Men; Results from National HIV Behavioral Surveillance Surveys in the Seattle Area 2008-2012. *AIDS Behav.* 2014 Oct;18(10):1998-2008.

16. Burt RD, Oster AM, Golden MR, Thiede H. Comparing Study Populations of Men Who Have Sex with Men: Evaluating Consistency Within Repeat Studies Across Studies in the Seattle Area Using Different Recruitment Methodologies. *AIDS Behav.* 2014 Apr;18 Suppl 3:370-81.
17. Burt RD, Thiede H. Evaluating Consistency in Repeat Surveys of Injection Drug Users Recruited by Respondent-Driven Sampling in the Seattle Area: Results from the NHBS-IDU1 and NHBS-IDU2 Surveys. *Ann Epidemiol.* 2012 May;22(5):354-63.
18. Burt RD, Thiede H. Variations in Patterns of Sexual Risk Behavior among Seattle-Area MSM Based on their HIV Status, the HIV Status of their Partner and Partner Type. *AIDS Behav.* 2012 Apr;16(3):599-607.
19. Burt RD, Hagan H, Sabin K, Thiede H. Evaluating respondent driven sampling in a major metropolitan area: Comparing the injection drug users in the 2005 Seattle area National HIV Behavioral Surveillance System with participants in the RAVEN and Kiwi studies. *Ann Epidemiol.* 2010 Feb;20(2):159-67.
20. Burt RD, Thiede H, Hagan H. Serosorting for hepatitis C status in the sharing of injection equipment among Seattle Area injection drug users. *Drug Alcohol Depend.* 2009 Dec;105(3):215-20.
21. Chen YH, Snowden JM, McFarland W, Raymond HF. Pre-exposure Prophylaxis (PrEP) Use, Seroadaptation, and Sexual Behavior Among Men Who Have Sex with Men, San Francisco, 2004-2014. *AIDS Behav.* Epub 2016 Mar 16.
22. Chen YH, McFarland W, Raymond HF. Estimated Number of People Who Inject Drugs in San Francisco, 2005, 2009, and 2012. *AIDS Behav.* Epub 2015 Dec 31.
23. Chen YH, McFarland W, Handcock M, Raymond HF. Risk behaviors for HIV in sexual partnerships of San Francisco injection drug users. *AIDS Care.* 2014;26(5):554-8.
24. Chen YH, McFarland W, Raymond HF. Behavioral Surveillance of Heterosexual Exchange-Sex Partnerships in San Francisco: Context, Predictors and Implications. *AIDS Behav.* 2011 Jan;15(1):236-42.
25. Chen YH, Raymond HF, McFarland W, Truong HM. HIV risk behaviors in heterosexual partnerships: Female knowledge and male behavior. *AIDS Behav.* 2010 Feb;14(1):87-91.
26. Coffin PO, Jin H, Hurliaux E, Mirzazadeh A, Raymond HF. Trends in use of health care and HIV prevention services for persons who inject drugs in San Francisco: results from National HIV Behavioral Surveillance 2005-2012. *Drug Alcohol Depend.* 2015 Jan;146:45-51.
27. Crosby R, Holtgrave DR, Stall R, Peterson JL, Shouse L. Differences in HIV risk behaviors among black and white men who have sex with men. *Sex Transm Dis.* 2007 Oct;34(10):744-8.
28. Das M, Raymond HF, Chu P, Nieves-Rivera I, Pandori M, Louie B, Rauch L, Scheer S, Vittinghoff E, McFarland W. Measuring the Unknown: Calculating Community Viral Load Among HIV-Infected MSM Unaware of Their HIV Status in San Francisco From National HIV Behavioral Surveillance, 2004-2011. *J Acquir Immune Defic Syndr.* 2013 Jun;63(2):e84-6.
29. DeYoung K, Al-Tayyib AA, Thrun, MW. Evaluation of the National HIV Behavioral Surveillance System among Men Who Have Sex with Men in Denver, Colorado. *J Community Health.* 2015 Apr;40(2):291-300.
30. Forrest DW, Metsch LR, LaLota M, Cardenas G, Beck DW, Jeanty Y. Crystal Methamphetamine Use and Sexual Risk Behaviors among HIV-Positive and HIV-Negative Men Who Have Sex with Men in South Florida. *J Urban Health.* 2010 May;87(3):480-5.
31. Fuqua V, Scott H, Scheer S, Hecht J, Snowden JM, Raymond HF. Trends in the HIV Epidemic Among African American Men Who Have Sex with Men, San Francisco, 2004-2011. *AIDS Behav.* 2015 Dec;19(12):2311-6.

32. Gelpi-Acosta C, Hagan H, Jenness SM, Wendel T, Neaigus A. Sexual and Injection-Related Risks in Puerto Rican-Born Injection Drug Users Living in New York City: A Mixed-Methods Analysis. *Harm Reduct J*. 2011 Oct;8:28.
33. German D, Nguyen TQ, Ogbue CP, Flynn C. Condomless Anal Intercourse Among Males and Females at High Risk for Heterosexual HIV Infection. *Sex Transm Dis*. 2015 Jun;42(6):317-23.
34. German D, Linton S, Cassidy-Stewart H, Flynn C. Using Baltimore HIV Behavioral Surveillance Data for Local HIV Prevention Planning. *AIDS Behav*. 2014 Apr;18 Suppl 3:359-69.
35. German D, Sifakis F, Maulsby C, Towe VL, Flynn CP, Latkin CA, Celentano DD, Hauck H, Holtgrave DR. Persistently high prevalence and unrecognized HIV infection among men who have sex with men in Baltimore; the BESURE Study. *J Acquir Immune Defic Syndr*. 2011 May;57(1):77-87.
36. Gindi RM, Sifakis F, Sherman SG, Towe VL, Flynn C, Zenilman JM. The geography of heterosexual partnerships in Baltimore City adults. *Sex Transm Dis*. 2011 Apr;38(4):260-6.
37. Hagan H, Jenness SM, Wendel T, Murrill CR, Neaigus A, Gelpi-Acosta C. Herpes Simplex Virus Type 2 associated with HIV infection among New York City Heterosexuals living in high-risk areas. *Int J STD AIDS*. 2010 Aug;21(8): 580-3.
38. Holtgrave DR, Crosby R, Shouse RL. Correlates of Unprotected Anal Sex with Casual Partners: A Study of Gay Men Living in the Southern United States. *AIDS Behav*. 2006 Sep;10(5):575-8.
39. Jenness SM, Neaigus A, Wendel T, Gelpi-Acosta C, Hagan H. Spatial Recruitment Bias in Respondent-Driven Sampling: Implications for HIV Prevalence Estimation in Urban Heterosexuals. *AIDS Behav*. 2014 Dec;18(12):2366-73.
40. Jenness SM, Hagan H, Liu KL, Wendel T, Murrill CS. Continuing HIV Risk in New York City Injection Drug Users: The Association of Syringe Source and Syringe Sharing. *Subst Use Misuse*. 2011;46(2-3):192-200.
41. Jenness SM, Neaigus A, Murrill CS, Gelpi-Acosta C, Wendel T, Hagan H. Recruitment-adjusted estimates of HIV prevalence and risk among men who have sex with men: effects of weighting venue-based sampling data. *Public Health Rep*. 2011 Sep-Oct;126(5):635-42.
42. Jenness SM, Kobrak P, Wendel T, Neaigus A, Murrill CS, Hagan H. Patterns of Exchange Sex and HIV Infection in High-risk Heterosexual Men and Women. *J Urban Health*. 2011 Apr; 88(2):329-41.
43. Jenness SM, Begier EM, Neaigus A, Murrill C, Wendel T, Hagan H. Unprotected Anal Intercourse and Sexually Transmitted Diseases in High-Risk Heterosexual Women. *Am J Public Health*. 2011 Apr;101(4):745-50.
44. Jenness SM, Neaigus A, Murrill CS, Wendel T, Forgione L, Hagan H. Estimated HIV incidence among high-risk heterosexuals in New York City, 2007. *J Acquir Immune Defic Syndr*. 2011 Feb;56(2):193-7.
45. Jenness SM, Neaigus A, Hagan H, Wendel T, Gelpi-Acosta, C, Murrill CS. Reconsidering the Internet as an HIV/STD Risk for Men who Have Sex with Men. *AIDS Behav*. 2010 Dec;14(6):1353-61.
46. Jenness SM, Neaigus A, Hagan H, Murrill CS, Wendel T. Heterosexual HIV and Sexual Partnerships Between Injection Drug Users and Noninjection Drug Users. *AIDS Patient Care STDs*. 2010 Mar;24(3):175-81.
47. Jenness SM, Murrill CS, Liu KL, Wendel T, Begier E, Hagan H. Missed opportunities for HIV testing among high-risk heterosexuals. *Sex Transm Dis*. 2009 Nov;36(11):704-10.
48. Jin H, Hurliaux E, Loughran E, Packer T, Raymond HF. Differences in HIV Risk Behaviors Among People Who Inject Drugs by Gender and Sexual Orientation, San Francisco, 2012. *Drug Alcohol Depend*. 2014 Dec;145:180-4.
49. John Leung SY, Sinclair AH, Battles HB, Swain CA, French PT, Anderson BJ, Sowizral MJ, Ruberto R, Brissette I, Lillquist P, Smith LC. HIV test offers and acceptance: New York State findings from the behavioral risk factor surveillance

system and the National HIV behavioral surveillance, 2011-2012. *J Acquir Immune Defic Syndr*. 2015 Jan;68 Suppl 1:S37-44.

50. Johnston LG, Chen YH, Silva-Santisteban A, Raymond HF. An empirical examination of respondent driven design effects from studies conducted around the world. *AIDS Behav*. 2013 Jul;17(6):2202-10.
51. Johnston LG, Prybylski D, Raymond HF, Mirzazadeh A, Manopaiboon C, McFarland W. Incorporating the Service Multiplier Method in Respondent-Driven Sampling Surveys to Estimate the Size of Hidden and Hard-to-Reach Populations: Case Studies from Around the World. *Sex Transm Dis*. 2013 Apr;40(4):304-10.
52. Katz KA, Raymond HF, Bernstein KT, Klausner JD. Knowledge, attitudes and practices regarding syphilis screening among men who have sex with men- San Francisco, 2008. *Sex Transm Dis*. 2013 Apr;40(4):318-22.
53. Kellogg TA, Bernstein K, Hecht J, Connors A, Perlhof L, Ick TO, Le B, Mehrstens J, Rive Jr. J, McFarland W, Raymond HF. Comparison of HIV behavioral indicators among men who have sex with men across two survey methodologies, San Francisco, 2004 and 2008. *Sex Transm Dis*. 2013 Sep;40(9):689-94.
54. Kim NJ, Jin H, McFarland W, Raymond HF. Trends in Sources and Sharing of Needles Among People Who Inject Drugs, San Francisco, 2005-2012. *Int J Drug Policy*. 2015 Dec;26(12):1238-43.
55. Koblin BA, Murrill CS, Camacho M, Xu G, Liu KL, Raj-Singh S, Torian L. Amphetamine Use and Sexual Risk Among Men Who Have Sex With Men: Results From the National HIV Behavioral Surveillance Study - New York City. *Subst Use Misuse*. 2007;42(10):1613-28.
56. Kral AH, Malekinejad M, Vaudrey J, Martinez AN, Lorvick J, McFarland W, Raymond HF. Comparing Respondent-Driven Sampling and Targeted Sampling Methods of Recruiting Injection Drug Users in San Francisco. *J Urban Health*. 2010 Sep;87(5):839-50.
57. Kuo I, Magnus M, Phillips G 2<sup>nd</sup>, Castel A, Opoku J, Peterson J, Jia Y, West T, Greenberg A. HIV testing among heterosexuals at elevated risk for HIV in the District of Columbia: has anything changed over time? *AIDS Behav*. 2014 Apr;18 Suppl 3:333-9.
58. Kuo I, Greenberg AE, Magnus M, Phillips G 2<sup>nd</sup>, Rawls A, Peterson J, Hamilton F, West-Ojo T, Hader S. High prevalence of substance use among heterosexuals living in communities with high rates of AIDS and poverty in Washington, DC. *Drug Alcohol Depend*. 2011 Sep;117(2-3):139-44.
59. LaLota M, Beck DW, Metsch LR, Brewer TH, Forrest DW, Cardenas GA, Liberti TM. HIV Seropositivity and Correlates of Infection Among Heterosexually Active Adults in High-Risk Areas in South Florida. *AIDS Behav*. 2011 Aug;15(6):1259-63.
60. Lama TT, Sudhinaraset M, McFarland W, Raymond HF. Migration and HIV Risk Among Men Who Have Sex With Men, San Francisco, 2011. *AIDS Educ Prev*. 2015 Dec;27(6):538-46.
61. Lieb S, Trepka MJ, Thompson DR, Arons P, Liberti T, Maddox L, Metsch L, LaLota M, Fallon SJ. Men who have sex with men: Estimated population sizes and mortality rates by race/ethnicity, Miami-Dade County, Florida. *J Acquir Immune Defic Syndr*. 2007 Dec;46(4):485-90.
62. Livak BS, Prachand NG, Benbow N. Anal Intercourse and HIV Risk Among Low-Income Heterosexual Women: Findings from Chicago HIV Behavioral Surveillance. *Open AIDS J*. 2012;6:142-8.
63. Lo YC, Turabelidze G, Lin M, Friedberg Y. Prevalence and Determinants of Recent HIV Testing Among Sexually Active Men Who Have Sex With Men in the St. Louis Metropolitan Area, Missouri, 2008. *Sex Transm Dis*. 2012 Apr;39(4):306-11.

64. Magnus M, Phillips G 2nd, Kuo I, Peterson J, Rawls A, West-Ojo T, Jia Y, Opoku J, Greenberg AE. HIV Among Women in the District of Columbia: An Evolving Epidemic? *AIDS Behav.* 2014 Apr;18 Supp 3:256-65.
65. Magnus M, Kuo I, Phillips G 2nd, Rawls A, Peterson J, Montanez L, West-Ojo T, Jia Y, Opoku J, Kamanu-Elias N, Hamilton F, Wood A, Greenberg AE. Differing HIV risks and prevention needs among men and women injection drug users (IDU) in the District of Columbia. *J Urban Health.* 2013 Feb;90(1):157-66.
66. Magnus M, Kuo I, Phillips G 2nd, Shelley K, Rawls A, Montanez L, Peterson J, West-Ojo T, Hader S, Greenberg AE. Elevated HIV Prevalence despite Lower Rates of Sexual Risk Behaviors among Black Men in the District of Columbia Who Have Sex with Men. *AIDS Patient Care STDs.* 2010 Oct;24(10):615-22.
67. Magnus M, Kuo I, Shelley K, Rawls A, Peterson J, Montanez L, West-Ojo T, Hader S, Hamilton F, Greenberg AE. Risk factors driving the emergence of a generalized heterosexual HIV epidemic in Washington, District of Columbia networks at risk. *AIDS.* 2009 Jun 19;23(10):1277-84.
68. Malekinejad M, McFarland W, Vaudrey J, Raymond HF. Accessing a diverse sample of injection drug users in San Francisco through respondent-driven sampling. *Drug Alcohol Depend.* 2011 Nov;118(2-3):83-91.
69. Maulsby C, Jain K, Sifakis F, German D, Flynn CP, Holtgrave D. Individual-level and partner-level predictors of newly diagnosed HIV infection among Black and white men who have sex with men in Baltimore, MD. *AIDS Behav.* 2015 May;19(5):909-17.
70. Maulsby C, Sifakis F, German D, Flynn CP, Holtgrave D. HIV risk among men who have sex with men only (MSMO) and men who have sex with men and women (MSMW) in Baltimore. *J Homosex.* 2013;60(1):51-68.
71. Maulsby C, Sifakis F, German D, Flynn CP, Holtgrave D. Differences and Similarities in HIV Testing Among Men Who Have Sex with Men and Women and Men Who Have Sex with Men Only. *Open AIDS J.* 2012;6:53-9.
72. Maulsby C, Sifakis F, German D, Flynn CP, Holtgrave D. Partner Characteristics and Undiagnosed HIV Seropositivity among Men Who Have Sex with Men Only (MSMO) and Men Who Have Sex with Men and Women (MSMW) in Baltimore. *AIDS Behav.* 2012 Apr;16(3):543-53.
73. Navejas M, Neaigus A, Torian L, Murrill C. Participation in online and offline HIV prevention among men who have sex with men (MSM) who use the Internet to meet sex partners in New York City. *AIDS Behav.* 2012 Feb;16(2):389-95.
74. Neaigus A, Jenness SM, Reilly KH, Youm Y, Hagan H, Wendel T, Gelpi-Acosta C. Community Sexual Bridging Among Heterosexuals at High-Risk of HIV in New York City. *AIDS Behav.* 2016 Apr;20(4):722-36.
75. Neaigus A, Reilly KH, Jenness SM, Wendel T, Marshall IV DM, Hagan H. Multilevel risk factors for greater HIV infection of black men who have sex with men in New York City. *Sex Transm Dis.* 2014 Jul;41(7):433-9.
76. Neaigus A, Reilly KH, Jenness SM, Hagan H, Wendel T, Gelpi-Acosta C. Dual HIV Risk: Receptive Syringe Sharing and Unprotected Sex Among HIV-Negative Injection Drug Users in New York City. *AIDS Behav.* 2013 Sep;17(7):2501-9.
77. Neaigus A, Jenness SM, Hagan H, Murrill CS, Wendel T. Reciprocal Sex Partner Concurrency and STDs among Heterosexuals at High-Risk of HIV Infection. *J Urban Health.* 2013 Oct;90(5):902-14.
78. Neaigus A, Jenness SM, Hagan H, Murrill CS, Torian LV, Wendel T, Gelpi-Acosta C. [Estimating HIV Incidence and the Correlates of Recent Infection in Venue-Sampled Men Who Have Sex With Men in New York City.](#) *AIDS Behav.* 2012 Apr;16(3):516-24.
79. Noor SW, Ross MW, Lai D, Risser JM. Use of Latent Class Analysis Approach to Describe Drug and Sexual HIV Risk Patterns among Injection Drug Users in Houston, TX. *AIDS Behav.* 2014 Apr;18 Suppl 3:276-83.

80. Noor SW, Ross MW, Lai D, Risser JM. Clustered drug and sexual HIV risk among a sample of middle-aged injection drug users, Houston, Texas. *AIDS Care*. 2013 Jul;25(7):895-903.
81. Phillips G 2<sup>nd</sup>, Magnus M, Kuo I, Rawls A, Peterson J, Jia Y, Opoku J, Greenberg AE. Use of Geosocial Networking (GSN) Mobile Phone Applications to Find Men for Sex by Men Who Have Sex with Men (MSM) in Washington, DC. *AIDS Behav*. 2014 Sep;18(9):1630-7.
82. Phillips G 2<sup>nd</sup>, Magnus M, Kuo I, Rawls A, Peterson J, Montanez L, West-Ojo T, Jia Y, Opoku J, Greenberg AE. Childhood Sexual Abuse and HIV-related Risks Among Men Who Have Sex with Men in Washington, DC. *Arch Sex Behav*. 2014 May;43(4):771-8.
83. Phillips G 2<sup>nd</sup>, Magnus M, Kuo I, Shelley KD, Rawls A, West-Ojo T, Jia Y, Opoku J, Greenberg AE. Correlates of frequency of HIV testing among men who have sex with men in Washington, DC. *AIDS Care*. 2013;25(12):1481-4.
84. Phillips G 2<sup>nd</sup>, Magnus M, Kuo I, Shelley KD, Rawls A, West-Ojo T, Greenberg AE. Oral versus anal sex at last encounter – behavioral differences among men who have sex with men in the District of Columbia. *AIDS Care*. 2012 Jun;24(6):793-8.
85. Pitasi MA, Bingham TA, Sey EK, Smith AJ, Teshale EH. Hepatitis B virus (HBV) infection, immunity and susceptibility among men who have sex with men (MSM), Los Angeles County, USA. *AIDS Behav*. 2014 Apr;18 Suppl 3:248-55.
86. Prachand NG, Benbow N. Clarifying the ethnographer's role in Chicago's HIV behavioural surveillance-injecting drug users cycle, 2005: Response to Scott. *Int J Drug Policy*. 2008 Jun;19(3):244-5.
87. Raymond HF, Chen YH, McFarland W. Estimating Incidence of HIV Infection Among Men Who Have Sex with Men, San Francisco, 2004-2014. *AIDS Behav*. Epub 2015 Oct 15.
88. Raymond HF, Ick TO, Chen YH. A Comparison of Men Who Have Sex With Men, People Who Inject Drugs and High-Risk Heterosexuals' Risk for HIV Infection, San Francisco. *AIDS Behav*. 2016 Feb;20(2):417-22.
89. Raymond HF, Jin H, Scheer S, Ick TO, McFarland W. Efforts to Find Heterosexuals HIV in San Francisco, 2007-2013. *AIDS Behav*. 2015 Dec;19(12):2317-24.
90. Raymond HF, Bereknyei S, Berglas N, Hunter J, Ojeda N, McFarland W. Estimating population size, HIV prevalence and HIV incidence among men who have sex with men: a case example of synthesising multiple empirical data sources and methods in San Francisco. *Sex Transm Infect*. 2013 Aug;89(5):383-7.
91. Raymond HF, Chen YH, Syme SL, Catalano R, Hutson MA, McFarland W. The Role of Individual and Neighborhood Factors: HIV Acquisition Risk Among High-Risk Populations in San Francisco. *AIDS Behav*. 2014 Feb;18(2):346-56.
92. Raymond HF, Chen Y-H, Ick TO, Scheer S, Bernstein K, Liska S, Louie B, Pandori M, McFarland W. A new trend in the HIV epidemic among men who have sex with men, San Francisco, 2004-2011. *J Acquir Immune Defic Syndr*. 2013 Apr;62(5):584-9.
93. Raymond HF, Chu P, Nieves-Rivera I, Louie B, McFarland W, Pandori M. Hepatitis C prevalence among men who have sex with men, San Francisco, 2011. *Sex Transm Dis*. 2012 Dec;39(12):985-6.
94. Raymond HF, Chen YH, Stall RD, McFarland W. Adolescent experiences of discrimination, harassment, connectedness to community and comfort with sexual orientation reported by adult men who have sex with men as a predictor of adult HIV status. *AIDS Behav*. 2011 Apr;15(3):550-6.
95. Raymond HF, Hughes A, O'Keefe K, Stall RD, McFarland W. Hepatitis C Prevalence among HIV-positive MSM in San Francisco: 2004 and 2008. *Sex Transm Dis*. 2011 Mar;38(3):219-20.

96. Raymond HF, Rebchook G, Curotto A, Vaudrey J, Amsden M, Levine D, McFarland W. Comparing Internet-based and venue-based methods to sample MSM in the San Francisco Bay Area. *AIDS Behav.* 2010 Feb;14(1):218-224.
97. Raymond HF, Bingham T, McFarland W. Locating unrecognized HIV infections among men who have sex with men: San Francisco and Los Angeles. *AIDS Educ Prev.* 2008 Oct;20(5):408-19.
98. Raymond HF, Chen S, Truong HM, Knapper KB, Klausner JD, Choi KH, McFarland W. Trends in Sexually Transmitted Diseases, Sexual Risk Behavior, and HIV Infection among Asian/Pacific Islander Men Who Have Sex with Men, San Francisco, 1999-2005. *Sex Transm Dis.* 2007 May;34(5):262-4.
99. Rehman H, Noor S, Chronister K, Wolverton M, Taiym W, Arafat R. A comparison of HIV risk behaviors between early and late initiators of injection drug use in Houston, Texas. *J Substance Use.* 2014;19(4):307-12.
100. Reilly KH, Neaigus A, Wendel T, Marshall DM 4th, Hagan H. Bisexual Behavior Among Male Injection Drug Users in New York City. *AIDS Behav.* 2016 Feb;20(2):405-16.
101. Reilly KH, Neaigus A, Shepard CW, Cutler BH, Sweeney MM, Rucinski KB, Jenness SM, Wendel T, Marshall DM 4th, Hagan H. It's Never Just HIV: Exposure to an HIV Prevention Media Campaign and Behavior Change Among Men Who Have Sex with Men Participating in the National HIV Behavioral Surveillance System in New York City. *LGBT Health.* Epub 2015 Sep 8.
102. Reilly KH, Neaigus A, Jenness SM, Wendel T, Marshall DM 4th, Hagan H. Experiences of Discrimination and HIV Risk Among Men Who Have Sex With Men in New York City. *Am J Mens Health.* Epub 2015 Mar 17.
103. Reilly KH, Neaigus A, Wendel T, Marshall IV DM, Hagan H. Correlates of selling sex among male injection drug users in New York City. *Drug Alcohol Depend.* 2014 Nov;144:78-86.
104. Reilly KH, Neaigus A, Jenness SM, Wendel T, Hagan H, Marshall IV DM, Murrill CS, Koblin BA. Trends in HIV prevalence and risk behavior among men who have sex with men in New York City, 2004-2011. *AIDS Educ Prev.* 2014 Apr;26(2):134-43.
105. Reilly KH, Neaigus A, Jenness SM, Hagan H, Wendel T, Gelpi-Acosta C. High HIV Prevalence Among Low-Income, Black Women in New York City with Self-Reported HIV Negative and Unknown Status. *J Women's Health.* 2013 Sep;22(9):745-54.
106. Reilly KH, Neaigus A, Jenness SM, Wendel T, Marshall DM 4th, Hagan H. Factors Associated with Recent HIV Testing Among Men Who Have Sex with Men in New York City. *AIDS Behav.* 2014 Apr;18 Suppl 3:297-304.
107. Richards JE, Risser JM, Padgett PM, Rehman HU, Wolverton ML, Arafat RR. Condom Use among High-Risk Heterosexual Women with Concurrent Sexual Partnerships, Houston, Texas, USA. *Int J STD AIDS.* 2008 Nov;19(11):768-71.
108. Risser JM, Montealegre JR. Comparison of surveillance sample demographics over two cycles of the National HIV Behavioral Surveillance Project, Houston, Texas. *AIDS Behav.* 2014 Apr;18 Suppl 3:382-90.
109. Risser J, Cates A, Rehman H, Risser W. Gender differences in social support and depression among injection drug users in Houston, Texas. *Am J Drug Alcohol Abuse.* 2010 Jan;36(1):18-24.
110. Risser JM, Padgett P, Wolverton M, Risser WL. Relationship between heterosexual anal sex, injection drug use and HIV infection among black men and women. *Int J STD AIDS.* 2009 May;20(5):310-4.
111. Robinson WT, Brown MC, Moody-Thomas S. Smoking and experiences with tobacco cessation among men who have sex with men: New Orleans, 2011. *AIDS Behav.* 2014 Apr;18 Suppl 3:324-32.

112. Robinson WT, Risser JM, McGoy S, Becker AB, Rehman H, Jefferson M, Griffin V, Wolverson M, Tortu S. Recruiting injection drug users: a three-site comparison of results and experiences with respondent-driven and targeted sampling procedures. *J Urban Health*. 2006 Nov;83(6 Suppl):i29-38.
113. Said MA, German D, Flynn C, Linton SL, Blythe D, Cooley LA, Balaji AB, Oster AM. Uptake of Testing for HIV and Syphilis Among Men Who Have Sex with Men in Baltimore, Maryland: 2004-2011. *AIDS Behav*. 2015 Nov;19(11):2036-43.
114. Salazar LF, Crosby RA, Head S & Steigler, A. Male injecting drug users in the Deep South: Bisexual behavior is a marker for elevated HIV risk. *Int J STD AIDS*. 2010 Oct;21(10):691-6.
115. Salazar LF, Crosby RA, Holtgrave DR, Head S, Haddock B, Todd J, Shouse RL. Homelessness and HIV-associated risk behavior among African American men who inject drugs and reside in the urban south of the United States. *AIDS Behav*. 2007 Nov;11(6 Suppl):70-7.
116. Santos GM, Jin H, Raymond HF. Pervasive Heavy Alcohol Use and Correlates of Increasing Levels of Binge Drinking among Men Who Have Sex with Men, San Francisco, 2011. *J Urban Health*. 2015 Aug;92(4):687-700.
117. Scott HM, Fuqua V, Raymond HF. Utilization of HIV Prevention Services Across Racial/Ethnic Groups Among Men Who Have Sex with Men in San Francisco, California, 2008. *AIDS Behav*. 2014 Apr;18 Suppl 3:316-23.
118. Scott HM, Bernstein KT, Raymond HF, Kohn R, Klausner JD. Racial/ethnic and sexual behavior disparities in rates of sexually transmitted infections, San Francisco, 1999-2008. *BMC Public Health*. 2010 Jun;10:315.
119. Snowden JM, Wei CY, McFarland W, Raymond HF. Prevalence, correlates and trends in seroadaptive behaviors among men who have sex with men from serial cross-sectional surveillance in San Francisco, 2004-2011. *Sex Transm Infect*. 2014 Sep;90(6):498-504.
120. Snowden JM, Raymond HF, McFarland W. Seroadaptive behaviours among men who have sex with men in San Francisco: The situation in 2008. *Sex Transm Infect*. 2011 Mar;87(2):162-4.
121. Snowden JM, Raymond HF, McFarland W. Prevalence of seroadaptive behaviours of men who have sex with men: San Francisco, 2004. *Sex Transm Infect*. 2009 Oct;85(6):469-76.
122. Sudhinaraset M, Raymond HF, McFarland W. Convergence of HIV Prevalence and Inter-Racial Sexual Mixing Among Men Who Have Sex With Men, San Francisco, 2004-2011. *AIDS Behav*. 2013 May;17(4):1550-6.
123. Taylor KD, Raymond HF, Truong HM, Ick T, Le B, Rive J, McFarland W. International travel among HIV-positive and HIV-negative men who have sex with men, San Francisco, USA. *Int J STD AIDS*. 2011 Oct;22(10):568-70.
124. Tieu HV, Murrill C, Xu G, Koblin BA. Sexual Partnering and HIV Risk among Black Men Who Have Sex with Men: New York City. *J Urban Health*. 2010 Jan;87(1):113-21.
125. Tookes HE, Kral AH, Wenger LD, Cardenas GA, Martinez AN, Sherman RL, Pereyra M, Forrest DW, LaLota M, Metsch LR. A comparison of syringe disposal practices among injection drug users in a city with versus a city without needle and syringe programs. *Drug Alcohol Depend*. 2012 Jun;123(1-3):255-9.
126. Towe VL, Sifakis F, Gindi RM, Sherman SG, Flynn C, Hauck H, Celentano DD. Prevalence of HIV Infection and Sexual Risk Behaviors Among Individuals Having Heterosexual Sex in Low Income Neighborhoods in Baltimore, MD: The BESURE Study. *J Acquir Immune Defic Syndr*. 2010 Apr;53(4):522-8.
127. Villanti A, German D, Sifakis F, Flynn C, Holtgrave D. Smoking, HIV Status, and HIV risk behaviors in a respondent-driven sample of injection drug users in Baltimore, Maryland: the BESURE Study. *AIDS Educ Prev*. 2012 Apr;24(2):132-147.



128. Watson CA, Weng CX, French T, Anderson BJ, Nemeth C, McNutt LA, Smith LC. Substance Abuse Treatment Utilization, HIV Risk Behaviors, and Recruitment Among Suburban Injection Drug Users in Long Island, New York. *AIDS Behav.* 2014 Apr;18 Suppl 3:305-15.
129. Wei C, McFarland W, Colfax GN, Fuqua V, Raymond HF. Reaching Black men who have sex with men: A comparison between respondent driven sampling and time-location sampling. *Sex Transm Infect.* 2012 Dec;88(8):622-6.
130. Wei C, Raymond HF. Preference for and maintenance of anal sex roles among men who have sex with men. *Arch Sex Behav.* 2011 Aug;40(4):829-34.
131. Wei C, Raymond HF, McFarland W, Buchbinder S, Fuchs JD. What is the potential impact of adult male circumcision on the HIV epidemic among men who have sex with men in San Francisco? *Sex Transm Dis.* 2011 Apr;38(4):353-5.

#### **CDC NHBS Publications**

1. Abdul-Quader AS, Heckathorn DD, McKnight C, Bramson H, Nemeth C, Sabin K, Gallagher K, Des Jarlais DC. Effectiveness of respondent-driven sampling for recruiting drug users in New York City: Findings from a pilot study. *J Urban Health.* 2006 May;83(3):459-76.
2. Allen DR, Finlayson T, Abdul-Quader A, Lansky A. The role of formative research in the National HIV Behavioral Surveillance System. *Public Health Rep.* 2009 Jan-Feb;124(1):26-33.
3. Balaji AB, Bowles KE, Le BC, Paz-Bailey G, Oster AM. High HIV incidence and prevalence and associated factors among young MSM in 21 USA cities, 2008. *AIDS.* 2013 Jan;27(2):269-78.
4. Batra N, Gray SC, Krishna N, Prachand N, Robinson WT, Wejnert C. Respondent-Driven Sampling of Heterosexuals at Increased Risk of HIV Infection. *Surv Pract.* 2014;7(1):1-7.
5. Broz D, Pham H, Spiller M, Wejnert C, Le B, Neaigus A, Paz-Bailey G. Prevalence of HIV Infection and Risk Behaviors Among Younger and Older Injecting Drug Users in the United States, 2009. *AIDS Behav.* 2014 Apr;18 Suppl 3:284-96.
6. Centers for Disease Control and Prevention (CDC). HIV Infection, Risk, Prevention, and Testing Behaviors among Gay, Bisexual, and Other Men Who Have Sex with Men-National HIV Behavioral Surveillance, 20 U.S. Cities, 2014. HIV Surveillance Special Report 15. <http://www.cdc.gov/hiv/library/reports/surveillance/>. Published Jan 2016.
7. Centers for Disease Control and Prevention (CDC). HIV Infection, Risk, Prevention, and Testing Behaviors among Heterosexuals at Increased Risk of HIV Infection-National HIV Behavioral Surveillance, 20 U.S. Cities, 2013. HIV Surveillance Special Report 13. <http://www.cdc.gov/hiv/library/reports/surveillance/>. Published Aug 2015.
8. Centers for Disease Control and Prevention (CDC). HIV Infection, Risk, Prevention, and Testing Behaviors among Persons Who Inject Drugs-National HIV Behavioral Surveillance, 20 U.S. Cities, 2012. HIV Surveillance Special Report 11. <http://www.cdc.gov/hiv/library/reports/surveillance/>. Published Aug 2015.
9. Centers for Disease Control and Prevention (CDC) (Spiller MW, Broz D, Wejnert C, Nerlander L, Paz-Bailey G); for the National HIV Behavioral Surveillance System Study Group. HIV infection and HIV-associated behaviors among persons who inject drugs — 20 Cities, United States, 2012. *MMWR Morb Mortal Wkly Rep.* 2015;64(10):270-5.
10. Centers for Disease Control and Prevention (CDC) (Sionean C, Le BC, Hageman K, Oster AM, Wejnert C, Hess KL, Paz-Bailey G); for the NHBS Study Group. HIV Risk, Prevention, and Testing Behaviors Among Heterosexuals at Increased Risk for HIV Infection — National HIV Behavioral Surveillance System, 21 U.S. Cities, 2010. *MMWR Morb Mortal Wkly Rep.* 2014;63(ss14):1-39.

11. Centers for Disease Control and Prevention (CDC) (Broz D, Wejnert C, Pham HT, DiNenno E, Heffelfinger JD, Cribbin M, Krishna N, Teshale EH, Paz-Bailey G). HIV Infection and Risk, Prevention, and Testing Behaviors Among Injecting Drug Users—National HIV Behavioral Surveillance System, 20 U.S. Cities, 2009. *MMWR Morb Mortal Wkly Rep.* 2014;63(ss06):1-51.
12. Centers for Disease Control and Prevention (CDC) (Paz-Bailey G, Hall HI, Wolitski RJ, Prejean J, Van Handel MM, Le B, LaFlam M, Koenig LJ, Mendoza MCB, Rose C, Valleroy LA). HIV Testing and Risk Behaviors Among Gay, Bisexual, and Other Men Who Have Sex with Men — United States. *MMWR Morb Mortal Wkly Rep.* 2013;62(47):958-62.
13. Centers for Disease Control and Prevention (CDC) (Harris N, Johnson C, Sionean C, Ivy W, Singh S, Wei S, Mizuno Y, Lansky A). Estimated percentages and characteristics of men who have sex with men and use injection drugs – United States, 1999-2011. *MMWR Morb Mortal Wkly Rep.* 2013;62(37):757-762.
14. Centers for Disease Control and Prevention (CDC) (Miles IJ, Le BC, Wejnert C, Oster A, DiNenno E, Paz-Bailey G). HIV Infection Among Heterosexuals at Increased Risk – United States, 2010. *MMWR Morb Mortal Wkly Rep.* 2013;62(10):183-88.
15. Centers for Disease Control and Prevention (CDC) (Wejnert C, Pham HT, Oster AM, DiNenno EA, Smith AJ, Krishna N, Lansky A). HIV Infection and HIV-Associated Behaviors Among Injecting Drug Users – 20 Cities, United States, 2009. *MMWR Morb Mortal Wkly Rep.* 2012;61(8):133-38.
16. Centers for Disease Control and Prevention (CDC) (Lansky A, Wejnert C, DiNenno E, Behel S, Cribbin M, Drake A, Finlayson TJ, Garfein RS, Martin T, Pham H). Risk, Prevention, and Testing Behaviors Related to HIV and Hepatitis Infections—National HIV Behavioral Surveillance System: Injecting Drug Users, May 2005–February 2006. *HIV Special Surveillance Report 7.* <http://www.cdc.gov/hiv/topics/surveillance/resources/reports/>. Published June 2011.
17. Centers for Disease Control and Prevention (CDC) (Finlayson T, Le B, Smith A, Bowles K, Cribbin M, Miles I, Oster A, Martin T, Edwards A, DiNenno E). HIV Risk, Prevention, and Testing Behaviors Among Men Who Have Sex With Men — National HIV Behavioral Surveillance System, 21 U.S. Cities, United States, 2008. *MMWR Morb Mortal Wkly Rep.* 2011;60(ss14):1-34.
18. Centers for Disease Control and Prevention (CDC) (Denning PH, DiNenno EA, Wiegand R). Characteristics associated with HIV infection among heterosexuals in urban areas with high AIDS prevalence—24 cities, United States, 2006–2007. *MMWR Morb Mortal Wkly Rep.* 2011;60(31):1045-9.
19. Centers for Disease Control and Prevention (CDC) (Oster AM, Miles I, Le B, DiNenno E, Wiegand R, Heffelfinger J, Wolitski R). Adherence to and evaluation of HIV testing guidelines among men who have sex with men — 21 Cities, United States, 2008. *MMWR Morb Mortal Wkly Rep.* 2011;60(21):694–9.
20. Centers for Disease Control and Prevention (CDC) (Smith A, Miles I, Le B, Finlayson T, Oster A, DiNenno E). Prevalence and awareness of HIV infection among men who have sex with men --- 21 Cities, United States, 2008. *MMWR Morb Mortal Wkly Rep.* 2010;59(37):1201-7.
21. Centers for Disease Control and Prevention (CDC) (Lansky A, Drake A, Pham HT). HIV-associated behaviors among injecting-drug users--23 Cities, United States, May 2005-February 2006. *MMWR Morb Mortal Wkly Rep.* 2009;58(50):1416-7.
22. Centers for Disease Control and Prevention (CDC) (Sanchez T, Finlayson T, Drake A, Behel S, Cribbin M, DiNenno E, Hall T, Kramer S, Lansky A). Human immunodeficiency virus (HIV) risk, prevention, and testing behaviors--United States, National HIV Behavioral Surveillance System: Men who have sex with men, November 2003-April 2005. *MMWR Morb Mortal Wkly Rep.* 2006;55(ss06):1-16.
23. Centers for Disease Control and Prevention (CDC) (Behel S, Sifakis F, Flynn CP, Metsch L, LaLota M, Murrill C, Koblin BA, Bingham T, McFarland W, Raymond H, Lansky A, Byers B, Mackellar D, Drake A, Gallagher K). HIV prevalence,

unrecognized infection, and HIV testing among men who have sex with men--five U.S. cities, June 2004-April 2005. *MMWR Morb Mortal Wkly Rep.* 2005;54(24):597-601.

24. Cooley LA, Oster AM, Rose CE, Wejnert C, Le BC, Paz-Bailey G, for the NHBS Study Group. Increases in HIV Testing among Men Who Have Sex with Men – National HIV Behavioral Surveillance System, 20 U.S. Metropolitan Statistical Areas, 2008 and 2011. *PLoS ONE.* 9(9):e104162.
25. Cooper HL, Linton S, Kelley ME, Ross Z, Wolfe ME, Chen YT, Zlotorzynska M, Hunter-Jones J, Friedman SR, Des Jarlais DC, Tempalski B, DiNenno E, Broz D, Wejnert C, Paz-Bailey G; National HIV Behavioral Surveillance Study Group. Risk environments, race/ethnicity, and HIV status in a large sample of people who inject drugs in the United States. *PLoS One* 2016;11(3):e0150410.
26. Cooper HL, Linton S, Kelley ME, Ross Z, Wolfe ME, Chen YT, Zlotorzynska M, Hunter-Jones J, Friedman SR, Des Jarlais D, Semaan S, Tempalski B, DiNenno E, Broz D, Wejnert C, Paz-Bailey G; National HIV Behavioral Surveillance Study Group. Racialized risk environments in a large sample of people who inject drugs in the United States. *Int J Drug Policy.* 2016 Jan;27:43-55.
27. DiNenno EA, Oster AM, Sionean C, Denning P, Lansky A. Piloting a System for Behavioral Surveillance Among Heterosexuals at Increased Risk of HIV in the United States. *Open AIDS J.* 2012;6:169-76.
28. Gallagher KM, Sullivan PS, Lansky A, Onorato IM. Behavioral surveillance among people at risk for HIV infection in the U.S.: the National HIV Behavioral Surveillance System. *Public Health Rep.* 2007;122 Suppl 1:32-8.
29. Hess KL, DiNenno E, Sionean C, Ivy W, Paz-Bailey G; NHBS Study Group. Prevalence and Correlates of Heterosexual Anal Intercourse Among Men and Women, 20 U.S. Cities. *AIDS Behav.* Epub 2016 Jan 18.
30. Hess KL, Chavez PR, Kanny D, DiNenno E, Lansky A, Paz-Bailey G, for the NHBS Study Group. Binge drinking and risky sexual behavior among HIV-negative and unknown HIV status men who have sex with men, 20 US cities. *Drug Alcohol Depend.* 2015 Feb;147C:46-52.
31. Hoots BE, Finlayson TJ, Wejnert C, Paz-Bailey G; NHBS Study Group. Early Linkage to HIV Care and Antiretroviral Treatment among Men Who Have Sex with Men-20 U.S. Cities, United States, 2008 and 2011. *PLoS One.* 2015 Jul;10(7):e0132962.
32. Ivy W 3<sup>rd</sup>, Miles I, Le B, Paz-Bailey G. Correlates of HIV Infection Among African American Women from 20 Cities in the United States. *AIDS Behav.* 2014 Apr;18 Suppl 3:266-75.
33. Lansky A, Drake A, Wejnert C, Pham H, Cribbin M, Heckathorn DD. Assessing the Assumptions of Respondent-Driven Sampling in the National HIV Behavioral Surveillance System among Injecting Drug Users. *Open AIDS J.* 2012;6:77-82.
34. Lansky A, Brooks JT, DiNenno E, Heffelfinger J, Hall HI, Mermin J. Epidemiology of HIV in the United States. *J Acquir Immune Defic Syndr.* 2010 Dec;55 Suppl 2:S64-8.
35. Lansky A, Mastro TD. Using respondent-driven sampling for behavioural surveillance: Response to Scott. *International Journal of Drug Policy.* 2008 Jun;19(3):s241-3.
36. Lansky A, Abdul-Quader AS, Cribbin M, Hall T, Finlayson TJ, Garfein RS, Lin LS, Sullivan PS. Developing an HIV behavioral surveillance system for injecting drug users: the National HIV Behavioral Surveillance System. *Public Health Rep.* 2007;122 Suppl 1:48-55.
37. Lansky A, Drake A, DiNenno E, Lee CW. HIV Behavioral Surveillance among the US General Population. *Public Health Rep.* 2007; 122 Suppl 1:24-31.

38. Lansky A, Sullivan PS, Gallagher KM, Fleming PL. HIV Behavioral Surveillance in the US: a conceptual framework. *Public Health Rep.* 2007;122 Suppl 1:16-23.
39. Lansky A, MacKellar D, Gallagher KM, Lin LS, Sullivan PS, Onorato IM. Evaluation of the new National HIV Behavioral Surveillance System (NHBS) is imperative. *Sex Transm Dis.* 2006 Apr;33(4):272-3; author reply 274-5.
40. Lim JR, Sullivan PS, Salazar L, Spaulding AC, DiNenno EA. History of arrest and associated factors among men who have sex with men. *J Urban Health.* 2011 Aug;88(4):677-89.
41. Linton SL, Cooper HL, Kelley ME, Karnes CC, Ross Z, Wolfe ME, Jarlais DD, Semaan S, Tempalski B, DiNenno E, Finlayson T, Sionean C, Wejnert C, Paz-Bailey G; National HIV Behavioral Surveillance Study Group. HIV infection among people who inject drugs in the United States: geographically explained variance across racial and ethnic groups. *Am J Public Health.* 2015 Oct;15:e1-e9.
42. MacKellar DA, Gallagher KM, Finlayson T, Sanchez T, Lansky A, Sullivan PS. Surveillance of HIV risk and prevention behaviors of men who have sex with men—a national application of venue-based, time-space sampling. *Public Health Rep.* 2007;122 Suppl 1:39-47.
43. Masciotra S, Smith AJ, Youngpairoj AS, Sprinkle P, Miles I, Sionean C, Paz-Bailey G, Johnson JA, Owen SM. Evaluation of CDC proposed laboratory HIV testing algorithm among men who have sex with men (MSM) from five US metropolitan statistical areas using specimens collected in 2011. *J Clin Virol.* 2013 Dec;58 Suppl 1:e8-e12.
44. Meites E, Markowitz LE, Paz-Bailey G, Oster AM, for the NHBS Study Group. HPV vaccine coverage among men who have sex with men – National HIV Behavioral Surveillance System, United States, 2011. *Vaccine.* 2014 Nov;32(48):6356-9.
45. Meites E, Krishna NK, Markowitz LE, Oster AM. Health Care Use and Opportunities for Human Papillomavirus Vaccination Among Young Men Who Have Sex With Men. *Sex Transm Dis.* 2013 Feb;40(2):154-7.
46. Millett GA, Jeffries WL 4<sup>th</sup>, Peterson JL, Malebranche DJ, Lane T, Flores SA, Fenton KA, Wilson PA, Steiner R, Heilig CM. Common roots: a contextual review of HIV epidemics in black men who have sex with men across the African diaspora. *Lancet.* 2012 Jul;380(9839):411-23.
47. Morales-Alemán MM, Hageman K, Gaul ZJ, Le B, Paz-Bailey G, Sutton MY. Intimate partner violence and human immunodeficiency virus risk among black and Hispanic women. *Am J Prev Med.* 2014 Dec;47(6):689-702.
48. Oster AM, Russell K, Wiegand RE, Valverde E, Forrest DW, Cribbin M, Le BC, Paz-Bailey G, for the NHBS Study Group. HIV Infection and Testing among Latino Men Who Have Sex with Men in the United States: The Role of Location of Birth and Other Social Determinants. *PLoS ONE.* 2013 Sep;8(9):e73779.
49. Oster AM, Johnson C, Le B, Balaji AB, Finlayson TJ, Lansky A, Mermin J, Valleroy L, MacKellar D, Behel S, Paz-Bailey G. Trends in HIV prevalence and HIV testing among Young MSM: Five United States Cities, 1994–2011. *AIDS Behav.* 2014 Apr;18 Suppl 3:237-47.
50. Oster AM, Wiegand RE, Sionean C, Miles IJ, Thomas PE, Melendez-Morales L, Le BC, Millett GA. Understanding disparities in HIV infection between black and white men who have sex with men in the United States. *AIDS.* 2011 May;25(8):1103–12.
51. Paz-Bailey G, Smith A, Masciotra S, Zhang W, Bingham T, Flynn C, German D, Al-Tayyib A, Magnus M, LaLota M, Rose CE, Owen SM. Early HIV Infections Among Men Who Have Sex with Men in Five Cities in the United States. *AIDS Behav.* 2015 Dec;19(12):2304-10.
52. Paz-Bailey G, Raymond HF, Lansky A, Mermin J. Using the National HIV Behavioral Surveillance System to inform HIV prevention efforts in the United States. *AIDS Behav.* 2014 Apr;18 Suppl 3:233-6.

53. Paz-Bailey G, Pham H, Oster AM, Lansky A, Bingham T, Wiegand RE, DiNenno E, Skarbinski J, Heffelfinger JD for the NHBS Study Group. Engagement in HIV care among HIV-positive men who have sex with men from 21 cities in the United States. *AIDS Behav.* 2014 Apr;18 Suppl 3:348-58.
54. Rosenberg ES, Sullivan PS, DiNenno EA, Salazar LF, Sanchez TH. Number of casual male sexual partners and associated factors among men who have sex with men: Results from the National HIV Behavioral Surveillance system. *BMC Public Health.* 2011 Mar;11:189.
55. Skarbinski J, Rosenberg E, Paz-Bailey G, Hall HI, Rose CE, Viall AH, Fagan JL, Lansky A, Mermin JH. Human Immunodeficiency Virus Transmission at Each Step of the Care Continuum in the United States. *JAMA Intern Med.* 2015 Apr;175(4):588-96.
56. Smith BD, Jewett A, Burt RD, Zibbell JE, Yartel AK, DiNenno E. "To share or not to share?" Serosorting by hepatitis C status in the sharing of drug injection equipment among NHBS-IDU2 participants. *J Infect Dis.* 2013 Dec;208(12):1934-42.
57. Smith BD, Teshale E, Jewett A, Weinbaum CM, Neaigus A, Hagan H, Jenness SM, Melville SK, Burt R, Thiede H, Al-Tayyib A, Pannala PR, Miles IW, Oster AM, Smith A, Finlayson T, Bowles KE, DiNenno EA. Performance of Premarket Rapid Hepatitis C Virus Antibody Assays in 4 National Human Immunodeficiency Virus Behavioral Surveillance System Sites. *Clin Infect Dis.* 2011 Oct;53(8):780-6.
58. Sullivan PS, Salazar L, Buchbinder S, Sanchez TH. Estimating the proportion of HIV transmissions from main sex partners among men who have sex with men in five US cities. *AIDS.* 2009 Jun;23(9):1153-62.
59. Tai E, Sanchez T, Lansky A, Mahle K, Heffelfinger J and Workowski K. Self-reported syphilis and gonorrhoea testing men who have sex with men: national HIV behavioural surveillance system, 2003-5. *Sex Transm Infect.* 2008 Nov;84(6):478-82.
60. Voetsch AC, Lansky A, Drake AJ, MacKellar D, Bingham TA, Oster AM, Sullivan PS. Comparison of Demographic and Behavioral Characteristics of Men Who Have Sex With Men by Enrollment Venue Type in the National HIV Behavioral Surveillance System. *Sex Transm Dis.* 2012 Mar;39(3):229-35.
61. Wejnert C, Paz-Bailey G. 2016. "HIV/AIDS: landmark landscape changes." *International Innovations.* Available at: <http://www.internationalinnovation.com/hivaids-landmark-landscape-changes>.
62. Wejnert C, Hess KL, Rose CE, Balaji A, Smith JC, Paz-Bailey G; NHBS Study Group. Age-Specific Race and Ethnicity Disparities in HIV Infection and Awareness Among Men Who Have Sex With Men-20 US Cities, 2008-2014. *J Infect Dis.* 2016 Mar 14;11(3):e0150410.
63. Wejnert C, Le B, Rose CE, Oster AM, Smith AJ, Zhu J, Paz-Bailey G, for the NHBS Study Group. HIV infection and awareness among men who have sex with men—20 Cities, United States, 2008 and 2011. *PLoS ONE.* 2013;8(10):e76878.
64. Wejnert C, Pham H, Krishna N, Le B, DiNenno E. Estimating Design Effect and Calculating Sample Size for Respondent-Driven Sampling Studies of Injection Drug Users in the United States. *AIDS Behav.* 2012 May;16(4):797-806.