Outline Specification

U.S. Department of Housing and Urban Development Office of Public and Indian Housing

OMB Approval No. 2577-0157 (Exp. 01/31/2017)

Public reporting burden for this collection of information is estimated to average 3 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. HUD may not conduct or sponsor, and you are not required to respond to a collection of information unless it displays a currently valid OMB control number. This information is collected under the authority of Section 6(c) of the U.S. Housing Act of 1937. Housing Agencies (HAs) contract with architects to prepare outline specifications to establish quality and kind of materials and equipment for projects being developed, or proposed to be developed under the Low-Income Housing Program. HUD and the HA will use the information to determine that specified items comply with code and HUD standards and are appropriate in the project. The information will also serve as a basis for reaching all major decisions as to materials and methods of construction, finish, equipment, for making the estimated project construction cost Responses to the collection of information are required to obtain a benefit The information requested does not lend itself to confidentiality.

| Local Authority or Developer: | Project Number: | |
|--|--|--|
| Project Name: | Architect | |
| Location: | | Date: |
| Instructions: Describe all materials and equipment to be used. Include no alternates sheets if necessary to completely describe the work. The Cost Estimate will recogn Certain parts of the work cannot be put in their proper classification until more inform categories below, the following: main service and other stairs, treads, risers, handra between apartments and public spaces, utility conduits and tunnels, waterproofing an and accessory buildings; and off-site improvements required to serve the project such | nize quality products and materials in exation about their materials and constructions, balusters, etc.; sound insulation of addraining, utilities, and related insulation | ccess of acceptable minimums, when specified. tion is known; therefore describe, under suitable partitions and floors separating apartments and n; retaining walls; garages |
| 1. General Requirements | | |
| | | |
| 2. Cita Wark | | |
| 2. Site Work | Design Conseit | |
| Type of Soil | Bearing Capacity | |
| Material and thickness of fill and base course. | | |
| Demolition: Construction of structures to be demolished and materials to be reused. | | |
| Storm Drainage: Culverts, pipes, manholes, catch basins, downspout connection (dry we | II, splash blocks, storm sewer). | |
| Site Preparation: Tree protection, surgery, wells, walls, topsoil stripping, clearing, grubbi | ng, and rough grading. | |
| | | |
| Curbs and Gutters: Type and material. | | |
| Pavement: Material and thickness of base and wearing surface for drives, parking areas, | streets, alleys, courts, walks, drying yards | and play areas. Steps, handrails, checkwalls. |
| Equipment for Special Areas and Enclosures: Play equipment, benches, fences. | | |
| Finish Grading: Approximate existing depth and method of improving topsoil. Extent of fin | nish grading. | |
| Lawns and Planting: Type, size, quantity and location of lawn seeded or sodded; ground | cover and hedge material, trees, shrubs, ε | etc. |

| 0.00 | | |
|--|---|---|
| 3. Concrete | | |
| Concrete strength for exter | or walls below and above grade, interior walls and partitions, piers, footings, columns drawings. Location, size and material of footing drains and outlets. | and girders. Size, thickness and location on drawings. Note portions |
| naving remotering steel on | arawings. Essation, size and material or looking drains and outlets. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Structural system of concre | te floors at basement, other floors and roof. Thickness of slabs and strength of conc | rete. Attached exterior concrete steps and porches. If more than one |
| type of construction is used | list separately and state locations. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 0115 1 1 1 1 1 | | |
| Slab Perimeter Insulation: | | |
| | | |
| 4. Masonry | | |
| Material and thickness of ex | terior walls above and below grade, interior walls and partitions, fire walls, stair, hall and | elevator enclosures, chimneys, incinerators, veneer, sills, copings, etc. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 5. Metals | | |
| Miscellaneous Iron | Material | Size |
| A D | | |
| Access Doors | | |
| Access Doors | | |
| | | |
| Area Gratings | | |
| Area Gratings | | |
| | | |
| Area Gratings Lintels | | |
| Area Gratings | | |
| Area Gratings Lintels | | |
| Area Gratings Lintels | | |
| Area Gratings Lintels Fire Escapes | | |
| Area Gratings Lintels Fire Escapes | | |
| Area Gratings Lintels Fire Escapes | | |
| Area Gratings Lintels Fire Escapes Foundation Vents | | |
| Area Gratings Lintels Fire Escapes | r structural system used.) | |
| Area Gratings Lintels Fire Escapes Foundation Vents | r structural system used.) | |
| Area Gratings Lintels Fire Escapes Foundation Vents | r structural system used.) | |
| Area Gratings Lintels Fire Escapes Foundation Vents | r structural system used.) | |
| Area Gratings Lintels Fire Escapes Foundation Vents | r structural system used.) | |
| Area Gratings Lintels Fire Escapes Foundation Vents | r structural system used.) | |
| Area Gratings Lintels Fire Escapes Foundation Vents | r structural system used.) | |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of | r structural system used.) | |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the Company of the Compan | | |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the content of the conten | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra | aming, subfloor, sheathing, underlayment and exterior finish materials |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the Company of the Compan | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra | aming, subfloor, sheathing, underlayment and exterior finish materials |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the content of the conten | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra | aming, subfloor, sheathing, underlayment and exterior finish materials |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the content of the conten | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra | aming, subfloor, sheathing, underlayment and exterior finish materials |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the content of the conten | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra | aming, subfloor, sheathing, underlayment and exterior finish materials |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the content of the conten | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra estos siding, etc.). | aming, subfloor, sheathing, underlayment and exterior finish materials |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the content of the conten | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra | aming, subfloor, sheathing, underlayment and exterior finish materials |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the content of the conten | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra estos siding, etc.). | aming, subfloor, sheathing, underlayment and exterior finish materials |
| Area Gratings Lintels Fire Escapes Foundation Vents Structural Steel: (Framing of the content of the conten | f lumber to be used for floor, roof, exterior walls above grade and interior partition fra estos siding, etc.). | aming, subfloor, sheathing, underlayment and exterior finish materials |

| Materials and method of wa dampproofing above grade | aterproofing walls and slabs below on the state of the st | grade, location, thickness or number of plies. Type of permane eet metal. Spandrel waterproofing. | ent protection of waterproofing (parging) if used. Method of |
|--|--|--|--|
| | | | |
| Thermal Insulation | Thickness | R-value & Type of Material | Method of Installation |
| Exterior Walls | | | |
| Ceiling Below Roof | | | |
| Roof | | | |
| Other | | | |
| Roofing: Roof covering mat | terials and method of application, w | eight of shingles, numbers of felt plies, bitumen, etc. | |
| Sheet Metal: Material and v | veight or gauge for flashings, coping | gs, gutters and downspouts, roof ventilators, scuppers, etc. | |
| | | | |
| | | | |
| Caulking: (Materials and Lo | cations) | | |
| | | | |
| 8. Doors, Windows ar | | | |
| Windows and Frames: Type | e and Material. Special construction | features or protective treatment. | |
| | | | |
| Glazing: Thickness, strengt | h and grade of glass and method of | f glazing. | |
| | | | |
| Metal Curtain Walls: | | | |
| | | | |
| | | | |
| Doors and Frames: Exterior: Thickness, materia | al and type at all locations. | | |
| | | | |
| | | | |
| Interior: Thickness, materia | l and type for public halls and stairs | , apartments (entrance and interior), boiler rooms, fire doors a | and doors at other locations. |
| | | | |
| | | | |
| Finish Hardware: Material a | and finish of exterior and interior loc | ksets, sliding and folding door hardware, window and cabinet | hardware, door closers, door knockers, numbers, etc. |
| | | | |
| | | | |
| | | | |
| | | | |

7. Moisture Protection

Page 3 of 8 ref Handbook 7417.1 Previous editions are obsolete

| 8. Doors, Windows and | Glass (Cont.) | | | | | | |
|---|----------------------------|-----------------|--------------------|------------|--------------------|-----------------|--|
| Weatherstripping | Material | | | Туре | | | |
| Windows | | | | | | | |
| Exterior Doors | | | | | | | |
| Thresholds | | | | | | | |
| Screens: | | | | | | | |
| Mesh | | | | | | | |
| Frame | | | | | | | |
| <u> </u> | | | | | | | |
| 9. Finishes Grade, material, and thicknes | | | | | | | |
| | | | | | | | |
| Painting: Exterior | Туре | Number of Coats | Interior | 1 | Туре | Number of Coats | |
| Waad | Ж- | | Waad | | 7F- | | |
| Metal | | | Metal | | | | |
| Masonry | | | Walls & Ceilings | S | | | |
| | | | Kitchen & Bath | | | | |
| Tile & Ceramic Bathroom Ac | cessories: | | | | | | |
| Floor and Wall Covering: | | Material | (Thickness, grade, | finish and | d wainscot height) | | |
| Location | | Floors | | | Walls | | |
| a | | | | | | | |
| b | | | | | | | |
| С | | | | | | | |
| d | | | | | | | |
| e. | | | | | | | |
| Bathroom Accessories | | | Quantity | | | | |
| Attached | Material Material | | Quantity | | | | |
| Recessed | | | | | | | |
| Resilient Flooring: Location, t | ype and gauge, for all ma | aterials. | | | | | |
| | | | | | | | |
| 10. Specialties: (List Sigr | | | | | | | |
| Interior partitions other than c | oncrete, masonry or woo | 0d. | | | | | |
| Medicine Cabinets: Material, s | size and type. | | | | | | |
| Mail Boxes, Package Receive | eivers Packaged Incine | | Packaged Inciner | nerators | | | |
| 11. Equipment | | | I . | | | | |
| Refrigerators: Capacity and ty | pe for each size of living | unit. | | | | | |
| | | | | | | | |

| 11. Equipment (Cont.) | | | | |
|---|------------------------|--|-------------|--|
| Kitchen Ranges: Size and | d type for each size | ze of living unit | | |
| | | | | |
| | | | | |
| Kitchen Cal | ninoto: | Material | | Finish |
| (Detail on d | | Material | | FIIIISII |
| | | | | |
| Wall Units | | | | |
| - Wall Offits | | | | |
| Base Units | | | | |
| | and Backsplash I | Material | | |
| ocanici rop | and Eddinopidon . | | | |
| | | | | |
| Other achine | rto and built in a | torago unito | | |
| Other cabine | rts and built-in st | torage units | | |
| | | | | |
| | | | | |
| Equipment: G | arbage disposal ι | units, dishwashers, clothes washers and dryers | | |
| | | | | |
| | | | | |
| | | | | |
| 12. Furnishings Shades: | Types of shades | , draperies or other devices for privacy and control of na | ıtural ligh | nt. |
| | | | | |
| | | | | |
| | | | | |
| 13. Special Construction: | | | | |
| (incinerator-Job Construc | tion) | | | |
| | | | | |
| | | | | |
| | | | | |
| 14. Conveying Systems | r from manufac | cturer whose elevator installation is proposed co | ntaining | g a brief comprehensive specification for the complete elevator |
| installation, and the m | anufacturer's s | statement that the number of elevators proposed | and the | e installation described will provide adequate service, and that |
| manufacturer maintain | s an effective s | ervice organization in the project locality. | | , , |
| | | | | |
| 15. Mechanical: Plumbing and Hot Water | Sunnly: | | | |
| Transing and riot water | опрыу. | | | |
| | | | | |
| | | | | |
| Fixtures: (Ma | terial, size, fittings | s, trim and color) | | |
| Sink | | | | |
| OIK . | | | | |
| Lavaratan | | | | |
| Lavoratory | | | | |
| | | | | |
| | | | | |
| Water Closet | | | | |
| | | | | |
| | | | | |
| Bathtub | | | | |
| | | | | |
| | | | | |
| Shower Over | Tub | | | |
| Shower Over | rub | | | |
| | | | | |
| | | | | |
| Stall Shower | | | | |
| | | | | |
| | | | | |
| Laundry Trays | 3 | | | |
| | | | | |
| | | | | |
| Other | | | | |
| Ou ICI | | | | |
| | | | | |

| 15. Mechanical (Cont.) | | | |
|--|-------------------------|------------|--|
| Piping: (Material) | | | |
| Soil Lines | Gas Lines | | |
| Waste Lines | Standpipes | | |
| Vents | Interior Downspouts | | |
| Water | | | |
| Valve Shutoff for Servicing | | | |
| Domestic Water Heating Direct fired (Type, capacity and recovery rate.) | | | |
| | | | |
| Indirect fired (Separate boiler or combined with space heating boiler. Storage and recover | y capacity.) | | |
| Solar Energy: | | | |
| Application | System | | |
| Subsystem | | | |
| System Capacity | | | |
| Insulation: Type and thickness of insulation on water lines and water heating equipment. | | | |
| Heating Kind of System: Hot water, steam, forced warm air, gravity warm air, etc. | | | |
| Fuel Used: | Calculated Load: | | |
| Heating Load | Domestic Hot Water Load | Total | |
| Equipment: (Make & Model) | | | |
| Input (per hr.): Coal (lbs.) | Oil (gals.) | Gas (BTUH) | |
| Output (BTUH) | | | |
| Distribution System: | | | |
| Insulation: Type and thickness of insulation on heating equipment and distribution system | | | |
| | | | |
| Room Heating Units: Baseboard units, radiators, convectors, registers, etc. | | | |
| Solar Energy: Application | System | | |
| Subsystem | | | |
| System Capacity | | | |

| 15. Mechanical (Cont.) |
|---|
| Space Heaters: Type, make, model, location and output of heating systems such as wall heaters, floor furnaces and unit heaters. |
| |
| |
| Temperature Controls: Individual unit, zone, central, etc. |
| remperature Controls. Intrividua unit, zone, central, etc. |
| |
| Ventilation: Location, capacity and purpose of ventilating fans. |
| |
| |
| |
| |
| Air Conditioning |
| Unitary Equipment (Self Contained or packaged units.) |
| |
| Calculated Load: |
| |
| |
| Equipment: Make, model, operating voltage and capacity in BTUH for each size serving individual rooms, apartment units, or zone. |
| |
| |
| |
| |
| |
| |
| |
| |
| Central System: |
| Certual System. |
| |
| Calculated Load: |
| |
| Equipment (Make, model capacity, etc., of compressor, cooling tower, water chillers, air handling equipment, and other components which make up the complete system.) |
| 7 |
| |
| |
| |
| |
| |
| |
| |
| |
| Utilities On-Site: Material for distribution system for all piped utilities. |
| |
| Water Supply: Fire hydrants, yard hydrants, lawn sprinkler systems, exterior drinking fountains. |
| water Supply. The Hydranis, yard Hydranis, fawn spiritker systems, exterior drinking foundaris. |
| |
| |
| Gas |
| |
| |
| |
| Sanitary Sewerage: Treatment plants, pumping stations, manholes. |
| |
| |
| |
| 16 Flootrical |
| 16. Electrical |
| Electrical Wiring: Type of wiring and load centers, number of circuits per unit, individual unit metering or project metering, spare conduit for future load |
| requirements, radio or TV antenna systems. Show receptacles, light outlets, switches, power outlets, telephone outlets, door bells, fire alarm systems, etc., or |
| drawings. |
| |
| |
| |
| |
| |
| |
| Electric Fixtures: Type for various locations. |
| |
| |
| |
| |

| 16. Electrical (Cont.) |
|---|
| Electric light standards for lighting grounds, streets, courts, etc. Underground or overhead service. |
| |
| |
| |
| |
| All items of construction, equipment and finish, together with all incidentals, which are essential to the completion of the project will be provided whether or not specifically included in the exhibits and will be of a type, quality and capacity acceptable to HUD and appropriate to the character of the project. |
| Signed (Local Authority or Developer) |
| |
| By (Architect) |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |