

**VA Department of Veterans Affairs** **SHOULDER AND ARM CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE**

**IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION ON REVERSE BEFORE COMPLETING FORM.**

NAME OF PATIENT/VETERAN

PATIENT/VETERAN'S SOCIAL SECURITY NUMBER

-                      -

**NOTE TO PHYSICIAN** - The veteran or service member is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the claim. VA reserves the right to confirm the authenticity of ALL DBQs completed by private health care providers.

**MEDICAL RECORD REVIEW**

WAS THE VETERAN'S VA CLAIMS FILE REVIEWED?  
 YES     NO

IF YES, LIST ANY RECORDS THAT WERE REVIEWED BUT WERE NOT INCLUDED IN THE VETERAN'S VA CLAIMS FILE:

IF NO, CHECK ALL RECORDS REVIEWED:

<input type="checkbox"/> Military service treatment records	<input type="checkbox"/> Department of Defense Form 214 Separation Documents
<input type="checkbox"/> Military service personnel records	<input type="checkbox"/> Veterans Health Administration medical records ( <i>VA treatment records</i> )
<input type="checkbox"/> Military enlistment examination	<input type="checkbox"/> Civilian medical records
<input type="checkbox"/> Military separation examination	<input type="checkbox"/> Interviews with collateral witnesses ( <i>family and others who have known the veteran before and after military service</i> )
<input type="checkbox"/> Military post-deployment questionnaire	<input type="checkbox"/> Other: _____
<input type="checkbox"/> No records were reviewed	

**SECTION I - DIAGNOSIS**

**NOTE:** These are condition(s) for which an evaluation has been requested on an exam request form (Internal VA) or for which the Veteran has requested medical evidence be provided for submission to VA.

1A. LIST THE CLAIMED CONDITION(S) THAT PERTAIN TO THIS DBQ:

**NOTE:** These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition, explain your findings and reasons in comments section.

Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis, or an approximate date determined through record review or reported history.

1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (*Check all that apply*):

- The Veteran does not have a current diagnosis associated with any claimed condition listed above. (*Explain your findings and reasons in comments section.*)
- |   |   |                 |                          |
|---|---|-----------------|--------------------------|
| <input type="checkbox"/> Shoulder strain  | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Shoulder impingement syndrome  | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Bicipital tendonitis   | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Bicipital tendon tear  | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Rotator cuff tendonitis  | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Rotator cuff tear  | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Labral tear, including SLAP ( <i>Superior labral anterior-posterior lesion</i> )   | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Subacromial/subdeltoid bursitis  | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Glenohumeral joint osteoarthritis  | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Acromioclavicular joint osteoarthritis   | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Ankylosis of glenohumeral articulations ( <i>shoulder joint</i> )                  | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Glenohumeral joint instability   | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Glenohumeral joint dislocation   | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Shoulder joint replacement ( <i>total shoulder arthroplasty/hemiarthroplasty</i> ) | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Acromioclavicular joint separation   | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |

**SECTION I - DIAGNOSIS (Continued)**

Other (*specify*)  
 Other diagnosis #1: \_\_\_\_\_  
 Side affected:  Right  Left  Both ICD Code: \_\_\_\_\_ Date of diagnosis: \_\_\_\_\_

Other diagnosis #2: \_\_\_\_\_  
 Side affected:  Right  Left  Both ICD Code: \_\_\_\_\_ Date of diagnosis: \_\_\_\_\_

Other diagnosis #3: \_\_\_\_\_  
 Side affected:  Right  Left  Both ICD Code: \_\_\_\_\_ Date of diagnosis: \_\_\_\_\_

1C. COMMENTS (*if any*):

1D. WAS AN OPINION REQUESTED ABOUT THIS CONDITION (*internal VA only*)?  
 YES  NO  N/A

**SECTION II - MEDICAL HISTORY**

2A. DESCRIBE THE HISTORY (*including onset and course*) OF THE VETERAN'S SHOULDER OR ARM CONDITION (*brief summary*):

2B. DOES THE VETERAN REPORT THAT FLARE-UPS IMPACT THE FUNCTION OF THE SHOULDER OR ARM?  
 YES  NO

IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF THE IMPACT OF FLARE-UPS IN HIS OR HER OWN WORDS:

2C. DOES THE VETERAN REPORT HAVING ANY FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT OF THE JOINT OR EXTREMITY BEING EVALUATED ON THIS DBQ (*regardless of repetitive use*)?  
 YES  NO

IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT IN HIS OR HER OWN WORDS:

**SECTION III - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS**

Measure ROM with a goniometer. During the examination be cognizant of painful motion, which could be evidenced by visible behavior such as facial expression, wincing, etc..., on pressure or manipulation. Document painful movement in Section 5.

Following the initial assessment of ROM, perform repetitive use testing. For VA purposes, repetitive use testing must be included in all joint exams. The VA has determined that 3 repetitions of ROM (at a minimum) can serve as a representative test of the effect of repetitive use. After the initial measurement, reassess ROM after 3 repetitions. Report post-test measurements in question 4A.

3A. INITIAL ROM MEASUREMENTS

Shoulder	Joint Movement	ROM Measurement	If ROM testing is not indicated for the veteran's condition or not able to be performed, please explain why, and then proceed to Section 5:
RIGHT SHOULDER	Flexion (normal endpoint = 180 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
	Abduction (normal endpoint = 180 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
	External Rotation (normal endpoint = 90 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
	Internal Rotation (normal endpoint = 90 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	

**SECTION III - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS (Continued)**

**3A. INITIAL ROM MEASUREMENTS**

Shoulder	Joint Movement	ROM Measurement	If ROM testing is not indicated for the veteran's condition or not able to be performed, please explain why, and then proceed to Section 5:
LEFT SHOULDER	Flexion (normal endpoint = 180 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
	Abduction (normal endpoint = 180 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
	External Rotation (normal endpoint = 90 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
	Internal Rotation (normal endpoint = 90 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	

**3B. DO ANY ABNORMAL ROMs NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?**

- YES (you will be asked to further describe these limitations in Section 6 below)  
 NO, EXPLAIN WHY THE ABNORMAL ROMs DO NOT CONTRIBUTE:

**3C. IF ROM DOES NOT CONFORM TO THE NORMAL RANGE OF MOTION IDENTIFIED ABOVE BUT IS NORMAL FOR THIS VETERAN (for reasons other than a shoulder or arm condition, such as age, body habitus, neurologic disease), EXPLAIN:**

**SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING**

**4A. POST-TEST ROM MEASUREMENTS**

Shoulder	Is the veteran able to perform repetitive-use testing?	Is there additional limitation in ROM after repetitive-use testing?	Joint Movement	Post-test ROM Measurement
RIGHT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, perform repetitive-use testing If no, provide reason below, then proceed to Section 5	<input type="checkbox"/> Yes <input type="checkbox"/> No, there is no change in ROM after repetitive testing If yes, report ROM after a minimum of 3 repetitions. If no, documentation of ROM after repetitive-use testing is not required.	Flexion	_____
			Abduction	_____
			External Rotation	_____
			Internal Rotation	_____
LEFT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes, perform repetitive-use testing If no, provide reason below, then proceed to Section 5	<input type="checkbox"/> Yes <input type="checkbox"/> No, there is no change in ROM after repetitive testing If yes, report ROM after a minimum of 3 repetitions. If no, documentation of ROM after repetitive-use testing is not required.	Flexion	_____
			Abduction	_____
			External Rotation	_____
			Internal Rotation	_____

**4B. DO ANY POST-TEST ADDITIONAL LIMITATIONS OF ROMs NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?**

- YES (you will be asked to further describe these limitations in Section 6 below)  
 NO, EXPLAIN WHY THE POST-TEST ADDITIONAL LIMITATIONS OF ROMs DO NOT CONTRIBUTE:

**SECTION V - PAIN**

**5A. ROM MOVEMENTS PAINFUL ON ACTIVE, PASSIVE AND/OR REPETITIVE USE TESTING**

Shoulder	Are any ROM movements painful on active, passive and/or repetitive use testing? <i>(If yes, identify whether active, passive, and/or repetitive use in question 5D)</i>	If yes <i>(there are painful movements)</i> , does the pain contribute to functional loss or additional limitation of ROM?	If no <i>(the pain does not contribute to functional loss or additional limitation of ROM)</i> , explain why the pain does not contribute:
RIGHT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <i>(you will be asked to further describe these limitations in Section 6 below)</i> <input type="checkbox"/> No	
LEFT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <i>(you will be asked to further describe these limitations in Section 6 below)</i> <input type="checkbox"/> No	

**5B. PAIN WHEN USED IN WEIGHT-BEARING OR IN NON WEIGHT-BEARING**

Shoulder	Is there pain when the joint is used in weight-bearing or non weight-bearing? <i>(If yes, identify whether weight-bearing or non weight-bearing in question 5D)</i>	If yes <i>(there is pain when used in weight-bearing or non weight-bearing)</i> , does the pain contribute to functional loss or additional limitation of ROM?	If no <i>(the pain does not contribute to functional loss or additional limitation of ROM)</i> , explain why the pain does not contribute:
RIGHT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <i>(you will be asked to further describe these limitations in Section 6 below)</i> <input type="checkbox"/> No	
LEFT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <i>(you will be asked to further describe these limitations in Section 6 below)</i> <input type="checkbox"/> No	

**5C. LOCALIZED TENDERNESS OR PAIN ON PALPATION**

Shoulder	Does the Veteran have localized tenderness or pain to palpation of joints or soft tissue?	If yes, describe including location, severity and relationship to condition(s) listed in the Diagnosis section:
RIGHT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	
LEFT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	

**5D. COMMENTS, IF ANY:**

**SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM**

**NOTE:** The VA defines functional loss as the inability, due to damage or infection in parts of the system, to perform normal working movements of the body with normal excursion, strength, speed, coordination and/or endurance. As regards the joints, factors of disability reside in reductions of their normal excursion of movements in different planes.

Using information from the history and physical exam, select the factors below that contribute to functional loss or impairment (regardless of repetitive use) or to additional limitation of ROM after repetitive use for the joint or extremity being evaluated on this DBQ:

**6A. CONTRIBUTING FACTORS OF DISABILITY** *(check all that apply and indicate side affected):*

- No functional loss for left upper extremity attributable to claimed condition
- No functional loss for right upper extremity attributable to claimed condition
- Less movement than normal *(due to ankylosis, limitation or blocking, adhesions, tendon-tie-ups, contracted scars, etc.)*       Right     Left     Both
- More movement than normal *(from flail joints, resections, nonunion of fractures, relaxation of ligaments, etc.)*       Right     Left     Both
- Weakened movement *(due to muscle injury, disease or injury of peripheral nerves, divided or lengthened tendons, etc.)*       Right     Left     Both
- Excess fatigability       Right     Left     Both
- Incoordination, impaired ability to execute skilled movements smoothly       Right     Left     Both
- Pain on movement       Right     Left     Both
- Swelling       Right     Left     Both
- Deformity       Right     Left     Both
- Atrophy of disuse       Right     Left     Both
- Instability of station       Right     Left     Both
- Disturbance of locomotion       Right     Left     Both
- Interference with sitting       Right     Left     Both
- Interference with standing       Right     Left     Both
- Other, describe:

**NOTE:** If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion on whether pain, weakness, fatigability, or incoordination could significantly limit functional ability during flare-ups or when the joint is **used repeatedly over a period of time** and that opinion, if feasible, should be expressed in terms of the degree of additional ROM loss due to pain on use or during flare-ups. The following section will assist you in providing this required opinion.

**SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)**

6B. ARE ANY OF THE ABOVE FACTORS ASSOCIATED WITH LIMITATION OF MOTION?

- YES (If yes, complete questions 6C and 6D)  
 NO (If no, proceed to question 6D)

6C. CONTRIBUTING FACTORS OF DISABILITY ASSOCIATED WITH LIMITATION OF MOTION

Shoulder	Can pain, weakness, fatigability, or incoordination significantly limit functional ability during flare-ups or when the joint is used repeatedly over a period of time?	If yes, please estimate ROM due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time:		If there is a functional loss due to pain, during flare-ups and/or when the joint is used repeatedly over a period of time but the limitation of ROM cannot be estimated, please describe the functional loss:
RIGHT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	Flexion	_____ <input type="checkbox"/> Est. ROM is not feasible	
		Abduction	_____ <input type="checkbox"/> Est. ROM is not feasible	
		External Rotation	_____ <input type="checkbox"/> Est. ROM is not feasible	
		Internal Rotation	_____ <input type="checkbox"/> Est. ROM is not feasible	
LEFT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	Flexion	_____ <input type="checkbox"/> Est. ROM is not feasible	
		Abduction	_____ <input type="checkbox"/> Est. ROM is not feasible	
		External Rotation	_____ <input type="checkbox"/> Est. ROM is not feasible	
		Internal Rotation	_____ <input type="checkbox"/> Est. ROM is not feasible	

6D. CONTRIBUTING FACTORS OF DISABILITY NOT ASSOCIATED WITH LIMITATION OF MOTION

IS THERE ANY FUNCTIONAL LOSS (not associated with limitation of motion) DURING FLARE-UPS OR WHEN THE JOINT IS USED REPEATEDLY OVER A PERIOD OF TIME OR OTHERWISE?

RIGHT SHOULDER  Yes  No If yes, describe:

LEFT SHOULDER  Yes  No If yes, describe:

**SECTION VII - MUSCLE STRENGTH TESTING**

7A. MUSCLE STRENGTH - RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE:

- 0/5 No muscle movement
- 1/5 Palpable or visible muscle contraction, but no joint movement
- 2/5 Active movement with gravity eliminated
- 3/5 Active movement against gravity
- 4/5 Active movement against some resistance
- 5/5 Normal strength

Shoulder	Forward Flexion /Abduction	Rate Strength	Is there a reduction in muscle strength?	If yes, is the reduction entirely due to the claimed condition in the Diagnosis section?	If no (the reduction is not entirely due to the claimed condition), provide rationale:
RIGHT SHOULDER	Forward Flexion	/5	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Abduction	/5			
LEFT SHOULDER	Forward Flexion	/5	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Abduction	/5			

7B. DOES THE VETERAN HAVE MUSCLE ATROPHY?

- YES  NO

IF YES, IS THE MUSCLE ATROPHY DUE TO THE CLAIMED CONDITION IN THE DIAGNOSIS SECTION?

- YES  NO IF NO, PROVIDE RATIONALE:

**SECTION VII - MUSCLE STRENGTH TESTING (Continued)**

FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK.

LOCATION OF MUSCLE ATROPHY:

RIGHT UPPER EXTREMITY (specify location of measurement such as "10cm above or below elbow"):

\_\_\_\_\_

CIRCUMFERENCE OF MORE NORMAL SIDE: \_\_\_\_\_ cm    CIRCUMFERENCE OF ATROPHIED SIDE: \_\_\_\_\_ cm

LEFT UPPER EXTREMITY (specify location of measurement such as "10cm above or below elbow"):

\_\_\_\_\_

CIRCUMFERENCE OF MORE NORMAL SIDE: \_\_\_\_\_ cm    CIRCUMFERENCE OF ATROPHIED SIDE: \_\_\_\_\_ cm

7C. COMMENTS, IF ANY:

**SECTION VIII - ANKYLOSIS**

**NOTE:** Ankylosis is the immobilization and consolidation of a joint due to disease, injury or surgical procedure.

COMPLETE THIS SECTION IF THE VETERAN HAS ANKYLOSIS OF SCAPULOHUMERAL (glenohumeral) ARTICULATION (shoulder joint) (i.e., the scapula and humerus move as one piece).

8A. INDICATE SEVERITY OF ANKYLOSIS AND SIDE AFFECTED (check all that apply):

RIGHT SIDE:

LEFT SIDE:

<input type="checkbox"/> Ankylosis in abduction up to 60 degrees; can reach mouth and head (Favorable ankylosis)	<input type="checkbox"/> Ankylosis in abduction up to 60 degrees; can reach mouth and head (Favorable ankylosis)
<input type="checkbox"/> Ankylosis in abduction between favorable and unfavorable (Intermediate ankylosis)	<input type="checkbox"/> Ankylosis in abduction between favorable and unfavorable (Intermediate ankylosis)
<input type="checkbox"/> Ankylosis in abduction at 25 degrees or less from side (Unfavorable ankylosis)	<input type="checkbox"/> Ankylosis in abduction at 25 degrees or less from side (Unfavorable ankylosis)
<input type="checkbox"/> No ankylosis	<input type="checkbox"/> No ankylosis

8B. COMMENTS, IF ANY:

**SECTION IX - ROTATOR CUFF CONDITIONS**

9. ROTATOR CUFF CONDITIONS

SHOULDER	IS ROTATOR CUFF CONDITION SUSPECTED?	IF "YES" COMPLETE THE FOLLOWING			
		HAWKINS' IMPINGEMENT TEST <i>(Forward flex the arm to 90 degrees with the elbow bent to 90 degrees. Internally rotate arm. Pain on internal rotation indicates a positive test; may signify rotator cuff tendinopathy or tear)</i>	EMPTY-CAN TEST <i>(Abduct arm to 90 degrees and forward flex 30 degrees. Patient turns thumbs down and resists downward force applied by the examiner. Weakness indicates a positive test; may indicate rotator cuff pathology, including supraspinatus tendinopathy or tear)</i>	EXTERNAL ROTATION/ INFRASPINATUS STRENGTH TEST <i>(Patient holds arms at side with elbow flexed 90 degrees. Patient externally rotates against resistance. Weakness indicates a positive test; may be associated with infraspinatus tendinopathy or tear)</i>	LIFT-OFF SUBSCAPULARIS TEST <i>(Patient internally rotates arm behind lower back, pushes against examiner's hand. Weakness indicates a positive test; may indicate subscapularis tendinopathy or tear)</i>
RIGHT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Unable to perform <input type="checkbox"/> N/A	<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Unable to perform <input type="checkbox"/> N/A	<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Unable to perform <input type="checkbox"/> N/A	<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Unable to perform <input type="checkbox"/> N/A
LEFT SHOULDER	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Unable to perform <input type="checkbox"/> N/A	<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Unable to perform <input type="checkbox"/> N/A	<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Unable to perform <input type="checkbox"/> N/A	<input type="checkbox"/> Positive <input type="checkbox"/> Negative <input type="checkbox"/> Unable to perform <input type="checkbox"/> N/A

**SECTION X - SHOULDER INSTABILITY, DISLOCATION OR LABRAL PATHOLOGY**

10A. IS SHOULDER INSTABILITY, DISLOCATION OR LABRAL PATHOLOGY SUSPECTED?

YES     NO    IF YES, COMPLETE QUESTIONS 10B - 10D BELOW:

10B. IS THERE A HISTORY OF MECHANICAL SYMPTOMS (clicking, catching, etc.)?

YES     NO    INDICATE SIDE AFFECTED:     Right     Left     Both

10C. IS THERE A HISTORY OF RECURRENT DISLOCATION (subluxation) OF THE GLENOHUMERAL (scapulohumeral) JOINT?

YES     NO

IF YES, INDICATE FREQUENCY, SEVERITY AND SIDE AFFECTED (check all that apply):

<input type="checkbox"/> Infrequent episodes	<input type="checkbox"/> Right	<input type="checkbox"/> Left	<input type="checkbox"/> Both
<input type="checkbox"/> Frequent episodes	<input type="checkbox"/> Right	<input type="checkbox"/> Left	<input type="checkbox"/> Both
<input type="checkbox"/> Guarding of movement only at shoulder level	<input type="checkbox"/> Right	<input type="checkbox"/> Left	<input type="checkbox"/> Both
<input type="checkbox"/> Guarding of all arm movement	<input type="checkbox"/> Right	<input type="checkbox"/> Left	<input type="checkbox"/> Both

**SECTION X - SHOULDER INSTABILITY, DISLOCATION OR LABRAL PATHOLOGY (Continued)**

10D. CRANK APPREHENSION AND RELOCATION TEST *(with patient supine, abduct patient's arm to 90 degrees and flex elbow 90 degrees. Pain and sense of instability with further external rotation may indicate shoulder instability.)*

- POSITIVE    NEGATIVE    UNABLE TO PERFORM    N/A  
 IF POSITIVE, SIDE AFFECTED:    Right    Left    Both

**SECTION XI - CLAVICLE, SCAPULA, ACROMIOCLAVICULAR (AC) JOINT AND STERNOCLAVICULAR JOINT CONDITIONS**

11A. IS A CLAVICLE, SCAPULA, ACROMIOCLAVICULAR (AC) JOINT OR STERNOCLAVICULAR JOINT CONDITION SUSPECTED?

- YES    NO   IF YES, COMPLETE QUESTIONS 11B - 11D BELOW.

11B. DOES THE VETERAN HAVE AN AC JOINT CONDITION OR ANY OTHER IMPAIRMENT OF THE CLAVICLE OR SCAPULA?

- YES    NO

IF YES, INDICATE SEVERITY AND SIDE AFFECTED:

- |   |                                |                               |                               |
|---|--------------------------------|-------------------------------|-------------------------------|
| <input type="checkbox"/> Malunion of clavicle or scapula  | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |
| <input type="checkbox"/> Nonunion of clavicle or scapula without loose movement                     | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |
| <input type="checkbox"/> Nonunion of clavicle or scapula with loose movement                        | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |
| <input type="checkbox"/> Dislocation (acromioclavicular separation or sternoclavicular dislocation) | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |
| <input type="checkbox"/> Other <i>(Describe)</i> _____  | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |

11C. IS THERE TENDERNESS ON PALPATION OF THE AC JOINT?

- YES    NO   IF YES, INDICATE SIDE:    Right    Left    Both

11D. CROSS-BODY ADDUCTION TEST *(Passively adduct arm across the patient's body toward the contralateral shoulder. Pain may indicate acromioclavicular joint pathology)*

- POSITIVE    NEGATIVE    UNABLE TO PERFORM    N/A  
 IF POSITIVE, SIDE AFFECTED:    Right    Left    Both

**SECTION XII - CONDITIONS OR IMPAIRMENTS OF THE HUMERUS**

12A. DOES THE VETERAN HAVE LOSS OF HEAD *(flail shoulder)*, NONUNION *(false flail shoulder)*, OR FIBROUS UNION OF THE HUMERUS?

- YES    NO

IF YES, CHECK ALL THAT APPLY:

- |   |                                |                               |                               |
|---|--------------------------------|-------------------------------|-------------------------------|
| <input type="checkbox"/> Loss of head <i>(flail shoulder)</i>   | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |
| <input type="checkbox"/> Nonunion <i>(false flail shoulder)</i> | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |
| <input type="checkbox"/> Fibrous union                          | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |

12B. DOES THE VETERAN HAVE MALUNION OF THE HUMERUS WITH MODERATE OR MARKED DEFORMITY?

- YES    NO

IF YES, CHECK ALL THAT APPLY:

- |   |                                |                               |                               |
|---|--------------------------------|-------------------------------|-------------------------------|
| <input type="checkbox"/> Moderate deformity | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |
| <input type="checkbox"/> Marked deformity   | <input type="checkbox"/> Right | <input type="checkbox"/> Left | <input type="checkbox"/> Both |

12C. COMMENTS, IF ANY:

**SECTION XIII - SURGICAL PROCEDURES**

13. INDICATE ANY SURGICAL PROCEDURES THAT THE VETERAN HAS HAD PERFORMED AND PROVIDE THE ADDITIONAL INFORMATION AS REQUESTED *(check all that apply):*

RIGHT SIDE:

- TOTAL SHOULDER JOINT REPLACEMENT  
 DATE OF SURGERY: \_\_\_\_\_  
 RESIDUALS:  
 None  
 Intermediate degrees of residual weakness, pain or limitation of motion  
 Chronic residuals consisting of severe painful motion or weakness  
 Other, describe: \_\_\_\_\_

- ARTHROSCOPIC OR OTHER SHOULDER SURGERY  
 TYPE OF SURGERY: \_\_\_\_\_  
 DATE OF SURGERY: \_\_\_\_\_

- RESIDUALS OF ARTHROSCOPIC OR OTHER SHOULDER SURGERY  
 DESCRIBE RESIDUALS: \_\_\_\_\_

LEFT SIDE:

- TOTAL SHOULDER JOINT REPLACEMENT  
 DATE OF SURGERY: \_\_\_\_\_  
 RESIDUALS:  
 None  
 Intermediate degrees of residual weakness, pain or limitation of motion  
 Chronic residuals consisting of severe painful motion or weakness  
 Other, describe: \_\_\_\_\_

- ARTHROSCOPIC OR OTHER SHOULDER SURGERY  
 TYPE OF SURGERY: \_\_\_\_\_  
 DATE OF SURGERY: \_\_\_\_\_

- RESIDUALS OF ARTHROSCOPIC OR OTHER SHOULDER SURGERY  
 DESCRIBE RESIDUALS: \_\_\_\_\_

**SECTION XIV - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS**

14A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, OR ANY SCARS (*surgical or otherwise*) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

YES  NO IF YES, COMPLETE QUESTIONS 14B-14D.

14B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

YES  NO IF YES, DESCRIBE (*brief summary*):

14C. DOES THE VETERAN HAVE ANY SCARS (*surgical or otherwise*) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

YES  NO

IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (*6 square inches*); OR ARE LOCATED ON THE HEAD, FACE OR NECK?

YES  NO IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT.

IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.

Location: \_\_\_\_\_ Measurements: length \_\_\_\_\_ cm X width \_\_\_\_\_ cm.

**NOTE:** An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.

14D. COMMENTS, IF ANY:

**SECTION XV - ASSISTIVE DEVICES**

15A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES?

YES  NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (*check all that apply and indicate frequency*):

Brace Frequency of use:  Occasional  Regular  Constant

Other: \_\_\_\_\_ Frequency of use:  Occasional  Regular  Constant

15B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:

**SECTION XVI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES**

16A. DUE TO THE VETERAN'S SHOULDER OR ARM CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAIN OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (*Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.*)

YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROSTHESIS WOULD EQUALLY SERVE THE VETERAN.

NO

IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES:  RIGHT UPPER  LEFT UPPER

FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (*brief summary*):

**NOTE:** The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prosthesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.

**SECTION XVII - DIAGNOSTIC TESTING**

**NOTE:** Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.

17A. HAVE IMAGING STUDIES OF THE SHOULDER BEEN PERFORMED AND ARE THE RESULTS AVAILABLE?

YES  NO

IF YES, IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED?

YES  NO IF YES, INDICATE SHOULDER:  RIGHT  LEFT  BOTH



