Drug Footo	
Drug Facts Active ingredient (in ea	ch XX) Purpose
Naloxone hydrochloride X mg	Emergency treatment of opioid overdose
	ng an overdose from many prescription pain medications or street nese drugs are called " opioids") life
Directions	
1) CHECK	Step 1: CHECK: • <u>CHECK</u> for a <u>suspected overdose</u> : the person will not wake up or is very sleepy or not breathing well
	 yell "Wake up!" shake the person gently if the person is not awake, go to Step 2
2 give	Step 2: GIVE 1 st dose
	• <u>GIVE</u> the 1 st dose of this medicine
	 place the injector on the LEG above the knee and press down
3 CALL	Step 3: CALL
	• <u>CALL 911</u> immediately after giving the 1 st dose
(4) WATCH/GIVE	Step 4: WATCH & GIVE
2-3 minutes	• WAIT 2-3 minutes after the 1 st dose
	• if the person <u>wakes up</u> : Go to Step 5
a	• if the person does <u>not wake up</u> :
- for	<u>CONTINUE TO GIVE</u> doses every 2-3 minutes until the person wakes up
alle a	it is safe to keep giving doses
S STAY	 Step 5: STAY STAY until ambulance arrives: even if the person wakes up <u>GIVE</u> another dose if the person becomes very sleepy again You may need to give all the doses in the pack
<i>Warnings</i> <i>When using this product</i> some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry.	
Other information • store at room temperature • [advise insert tamper evident statement here]	
Inactive Ingredients	
Questions? (phone number, website)	