

# Drug Facts

## Active ingredient (in each XX)

Naloxone hydrochloride X mg.....Emergency treatment of opioid overdose

## Purpose

## Uses

- To “revive” someone during an overdose from many **prescription pain medications** or **street drugs such as heroin**
- This medicine can save a life

## Directions

### 1 CHECK



#### Step 1: CHECK:

- **CHECK** for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
- yell “Wake up!”
- shake the person gently
- if the person is not awake, go to Step 2

### 2 GIVE



#### Step 2: GIVE 1<sup>st</sup> dose

- **GIVE** the 1<sup>st</sup> dose of this medicine
- place the injector on the LEG above the knee and press down

### 3 CALL



#### Step 3: CALL

- **CALL 911** immediately after giving the 1<sup>st</sup> dose

### 4 WATCH/GIVE



#### Step 4: WATCH & GIVE

- **WAIT** 2-3 minutes after the 1<sup>st</sup> dose to give the medicine time to work
- if the person wakes up: Go to Step 5
- if the person does not wake up:
  - **CONTINUE TO GIVE** doses every 2-3 minutes until the person wakes up
  - it is safe to keep giving doses

### 5 STAY



#### Step 5: STAY

- **STAY** until ambulance arrives: even if the person wakes up
- **GIVE** another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack

## Warnings

**When using this product** some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry. This is to be expected.

**Other information** • store at room temperature • [advise insert tamper evident statement here]

## Inactive Ingredients

## Questions?

(phone number, website)