

# M-Cubed Assessment

Example HIV-negative participant on PrEP

February 15, 2017

## M-Cubed Assessment

Form Approved  
OMB No. 0920-XXXX  
Exp. Date: xx/xx/20xx

Public reporting burden of this collection of information is estimated to average 1.5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; Attn: OMB-PRA (0920-XXXX).

Next

0%

## M-Cubed Assessment

In which country were you born?

- United States
- Canada
- Mexico
- Bangladesh
- China
- Colombia
- Cuba
- Dominican Republic
- Ecuador
- El Salvador
- Germany
- Guatemala
- Guyana
- Haiti
- India
- Iraq
- Jamaica
- Korea
- Lebanon
- Nigeria
- Philippines
- Puerto Rico
- Trinidad and Tobago

- Other
- I don't know
- I'd prefer not to answer

Please specify in which country you were born.

What year did you first come to the United States?

What language do you primarily speak at home? (select only one)

- English
- Spanish
- Arabic
- Chinese
- Italian
- Korean
- Russian
- Vietnamese
- Other
- I don't know
- I'd prefer not to answer

Please specify which language you primarily speak at home.

[Back](#) [Next](#)

## M-Cubed Assessment

Are you currently enrolled in school?

- Yes, full-time
- Yes, part-time
- No
- I'd prefer not to answer

What is the highest level of education that you have completed?

- Less than high school
- High school graduate or obtained GED
- Some college, Associate's Degree, or Technical Degree
- Bachelor's Degree / College Degree
- Any post-graduate studies
- I'd prefer not to answer

Which of the following best describes your employment status? Are you:

- Employed full-time
- Employed part-time
- On active duty in the U.S. Armed forces, Reserves, or National Guard
- Retired
- Unable to work for health reasons
- Unemployed
- Other
- I don't know
- I'd prefer not to answer

- Unable to work for health reasons
- Unemployed
- Other
- I don't know
- I'd prefer not to answer

Please specify what best describes your employment status.

What was your income last year from all sources before taxes?

- \$0 to \$4,999
- \$5,000 to \$9,999
- \$10,000 to \$14,999
- \$15,000 to \$19,999
- \$20,000 to \$29,999
- \$30,000 to \$39,999
- \$40,000 to \$49,999
- \$50,000 to \$74,999
- \$75,000 or more
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

2%

## M-Cubed Assessment

Which of the following best represents how you think of yourself?

- Gay or homosexual
- Straight or heterosexual
- Bisexual
- Other
- I don't know

1. Please describe how you think of yourself:

What is your HIV status? \*

- HIV Negative
- HIV Positive
- Indeterminate
- I don't know

[Back](#) [Next](#)

3%

By homeless, we mean living on the street, in a shelter, a Single Room Occupancy hotel (SRO), temporarily staying with friends or relatives, or living in a car.

- Yes
- No
- I'd prefer not to answer

Are you currently homeless?

- Yes
- No
- I'd prefer not to answer

Do you currently have health insurance or health care coverage (including Medicare or Medicaid)?

- Yes
- No
- I don't know
- I'd prefer not to answer

What kind of health insurance or coverage do you currently have?

- A private health plan (through an employer or purchased directly)
- Medicaid (for people with low incomes)
- Medicare (for elderly people and people with disabilities)
- Some other government plan (e.g., ADAP, a state government plan)
- TRICARE (CHAMPUS)
- Veteran Administration coverage
- Some other health insurance plan
- I don't know
- I'd prefer not to answer

- A private health plan (through an employer or purchased directly)
- Medicaid (for people with low incomes)
- Medicare (for elderly people and people with disabilities)
- Some other government plan (e.g., ADAP, a state government plan)
- TRICARE (CHAMPUS)
- Veteran Administration coverage
- Some other health insurance plan
- I don't know
- I'd prefer not to answer

Please specify what other health insurance plan you currently have.

Have you ever been in jail or prison?

- Yes
- No
- I'd prefer not to answer

In the past 3 months, have you been in jail or prison?

- Yes
- No
- I'd prefer not to answer

[Back](#) [Next](#)

4%

## M-Cubed Assessment

Have you ever been tested for HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

5% 

## M-Cubed Assessment

When was your first HIV test?

Year:

2012

In the past 12 months, that is since January 2016, have you received an HIV test?

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, that is since October 2016, have you received an HIV test?

- Yes
- No
- I don't know
- I'd prefer not to answer

What was the result of your most recent HIV test?

- Negative
- Positive
- I never received the results
- Indeterminate/inconclusive
- I don't know
- I'd prefer not to answer

## M-Cubed Assessment

When you last got tested for HIV, where did you get tested?

- Private doctor's office
- Community health center/ public health clinic
- HIV counselling and testing site
- HIV/AIDS street outreach program/ Mobile testing unit
- Hospital (inpatient)
- Emergency Room
- Sexually transmitted disease clinic
- Drug treatment program
- Correctional facility (jail or prison)
- Blood bank/ plasma center
- Military
- At home
- Other
- I don't know
- I'd prefer not to answer

Please specify where you last got tested.

When you last got tested for HIV, what prompted you to get tested? Select all that apply.

- The condom broke
- I did not use a condom the last time I had sex
- I was drunk or high the last time I had sex and I don't remember exactly what happened
- I found out a partner I had anal sex with was HIV-positive

When you last got tested for HIV, what prompted you to get tested? Select all that apply.

- The condom broke
- I did not use a condom the last time I had sex
- I was drunk or high the last time I had sex and I don't remember exactly what happened
- I found out a partner I had anal sex with was HIV-positive
- The HIV test was part of a research study
- I was already at the doctor's office
- I was due for an HIV test
- I wanted to know my status
- My partner encouraged me to get tested
- My partner got tested, so I did too
- It's a condition of my sexual agreement
- My partner and I wanted to be monogamous
- I was beginning a relationship
- I was feeling sick
- Someone I had sex with was feeling sick/got sick
- I shared a needle with someone else
- I have a lot of risky sex
- I have a lot of sex partners
- Other
- I don't know
- I'd prefer not to answer

Please specify what other reason prompted you to get tested when you last got tested.

Back

Next

## M-Cubed Assessment

How often do you think you should be tested for HIV?

- Less than once a year
- Once a year
- Every 6 months
- Every 3 months
- Every month
- Other
- I don't know
- I'd prefer not to answer

Please specify how often you think you should be tested for HIV?

When do you plan to next get tested for HIV?

- Within the next month
- Within the next 1 to 3 months
- Within the next 4 to 6 months
- Within the next 7 to 12 months
- More than a year from now
- I'm not planning to get tested
- I don't know
- I'd prefer not to answer

Which of the following reasons best describes why you plan to be tested ?


- I don't know
- I'd prefer not to answer

Which of the following reasons best describes why you plan to be tested ?

- I have been feeling sick
- Someone I had sex with has been feeling sick/is sick
- I found out a partner I had anal sex with is HIV-positive
- I am due for an HIV test
- I want to know my status
- It's a condition of my sexual agreement
- My partner and I want to be monogamous
- I am beginning a relationship
- I often share needles
- I have a lot of risky sex
- I have a lot of sex partners
- Other
- I don't know
- I'd prefer not to answer

Please specify the other reason why you plan to be test in the next .

[Back](#) [Next](#)

8% 

In the past 3 months, that is since October 2016, have you been tested by a doctor, nurse or other health care provider for any sexually transmitted diseases (i.e. STDs or STIs)? This does not include tests for HIV.

- Yes
- No
- I don't know
- I'd prefer not to answer

A vaccine to prevent HPV infection is available and is called the HPV shot or GARDASIL. Have you ever received the HPV shot?

- Yes
- No
- I don't know
- I'd prefer not to answer

There are vaccines or shots that can prevent some types of hepatitis. Have you ever had a hepatitis vaccine?

- Yes
- No
- I don't know
- I'd prefer not to answer

What type or types of hepatitis vaccine have you had? Select only one.

- Hepatitis A vaccine
- Hepatitis B vaccine
- Both the Hepatitis A and B vaccines
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

In the past 3 months, that is since October 2016, has a doctor, nurse or other health care provider told you that you had any of the following STDs? Select all that apply.

	Yes	No	I don't Know
Chlamydia	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gonorrhea	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Syphilis	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Herpes	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Genital Warts	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Hepatitis A	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Hepatitis B	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Hepatitis C	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Some other STD	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please specify which other STD(s):

When do you think you should be tested for an STD? Select all that apply.

- When I have symptoms of an STD
- When I've had sex without a condom
- When my partner tests positive for an STD
- When it's time for my routine test
- When a doctor or other healthcare provider tells me I should be tested
- Other
- I don't know
- I'd prefer not to answer

When else do you think you should be tested for an STD?



There is a pill HIV-negative men can take to reduce their risk of HIV. This is called pre-exposure prophylaxis, or PrEP. Have you ever heard of PrEP?

- Yes
- No
- I don't know
- I'd prefer not to answer

Are you currently taking PrEP to prevent HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

Did you start taking PrEP in the past 3 months? That is since October 2016.

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, did you stop taking PrEP on purpose for any period of time? Do not include times when you accidentally missed one or more doses of PrEP.

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

In the past 7 days, on how many days did you take your dose of PrEP?

In the past 30 days, on how many days did you take your dose of PrEP?

In the past 30 days, how good a job did you do at taking your PrEP medication in the way you were supposed to?

- Very poor
- Poor
- Fair
- Good
- Very good
- Excellent
- I don't know
- I'd prefer not to answer

In the past 30 days, how often did you take your PrEP medication in the way you were supposed to?

- Never
- Rarely
- Sometimes
- Usually
- Almost Always
- Always
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

## M-Cubed Assessment

When do you take your PrEP medication?

- Before you have sex
- After you have sex
- Both before and after you have sex
- Other times
- I don't know
- I'd prefer not to answer

Please specify what other times you take your PrEP medication.

Have you ever used PrEP "on-demand" or right before you knew you were about to have sex, as opposed to daily?

- Yes
- No
- I don't know
- I'd prefer not to answer

Have you ever shared your PrEP medication with others?

- Yes
- No
- I don't know
- I'd prefer not to answer

Who did you share your PrEP medication with?

Have you ever used PrEP "on-demand" or right before you knew you were about to have sex, as opposed to daily?

- Yes
- No
- I don't know
- I'd prefer not to answer

Have you ever shared your PrEP medication with others?

- Yes
- No
- I don't know
- I'd prefer not to answer

Who did you share your PrEP medication with?

- Sex partner
- Friends
- Family
- Co-workers
- Other
- I don't know
- I'd prefer not to answer

Please specify the other person who you shared your PrEP medication with.

[Back](#) [Next](#)

14% 

Researchers are also working on a form of PrEP that you would only take around the times you have sex. You would take two pills within 24 hours before sex and then two separate one-pill doses in the two days after sex.

2. How likely would you be to use this type of PrEP that is taken only around the time you have sex?

- Very likely
- Somewhat likely
- Neither likely nor unlikely
- Somewhat unlikely
- Very unlikely
- I don't know
- I'd prefer not to answer

Researchers are working on a form of PrEP that a doctor would give as a shot into your arm. You would need to get the shot every 1 to 3 months to reduce your risk of getting HIV.

3. How likely would you be to use this injectable form of PrEP to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely nor unlikely
- Somewhat unlikely
- Very unlikely
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

14% 

## M-Cubed Assessment

Researchers are also working on a form of PrEP that is a gel you would apply to the penis (like lubricant or lube) or put into the rectum with an applicator before and/or after sex to reduce the risk of getting HIV.

4. How likely would you be to use a gel form of PrEP that you *apply to your penis* like lube before having insertive anal sex (topping) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely nor unlikely
- Somewhat unlikely
- Very unlikely
- I don't know
- I'd prefer not to answer

5. How likely would you be to use a gel form of PrEP that you *apply to your penis* like lube after having insertive anal sex (topping) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely nor unlikely
- Somewhat unlikely
- Very unlikely
- I don't know
- I'd prefer not to answer

6. How likely would you be to use a gel form of PrEP that you *squeeze into your rectum* using an applicator before receptive sex (bottoming) to reduce the risk of getting HIV?

6. How likely would you be to use a gel form of PrEP that you *squeeze into your rectum* using an applicator *before* receptive sex (bottoming) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely nor unlikely
- Somewhat unlikely
- Very unlikely
- I don't know
- I'd prefer not to answer

7. How likely would you be to use a gel form of PrEP that you *squeeze into your rectum* using an applicator *after* receptive sex (bottoming) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely nor unlikely
- Somewhat unlikely
- Very unlikely
- I don't know
- I'd prefer not to answer

Researchers are also working on a form of PrEP that you would put in your rectum as a suppository. The suppository would be the size of a daily vitamin pill. You would have to put it in your rectum at least 30 minutes before having receptive anal sex (bottoming) to be sure it dissolved in time to reduce the risk of getting HIV.

8. How likely would you be to use a suppository form of PrEP that you insert into your rectum to dissolve 30 minutes *before* having receptive anal sex (bottoming) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely

8. How likely would you be to use a suppository form of PrEP that you insert into your rectum to dissolve 30 minutes *before* having receptive anal sex (bottoming) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely nor unlikely
- Somewhat unlikely
- Very unlikely
- I don't know
- I'd prefer not to answer

9. How likely would you be to use a suppository form of PrEP that you insert into your rectum to dissolve within three hours *after* having receptive anal sex (bottoming) to reduce the risk of getting HIV?

- Very likely
- Somewhat likely
- Neither likely nor unlikely
- Somewhat unlikely
- Very unlikely
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

15% 

10. Below is a list that includes the currently available form of PrEP and condoms, and all the different forms of PrEP that researchers are working on. Please rank in order of the methods you would use, from most preferred (1) to least preferred (8)? Drag the items to the next column, starting with your first choice of a prevention method.

Drag items from the left-hand list into the right-hand list to order them.

Rectal suppository PrEP that is used before sex (a pill-size dose you put in your rectum)	1. Injectable PrEP (a shot you receive every 1-3 months)
Rectal suppository PrEP that is used after sex (a pill-size dose you put in your rectum)	2. Daily PrEP (a pill that you take every day)
Rectal gel PrEP before sex (a gel that you squeeze into your rectum with an applicator)	3. Event-level PrEP (two pills before sex and one pill for two days after sex)
Rectal gel PrEP after sex (a gel that you squeeze into your rectum with an applicator)	4. Condoms

11. Listed below are general qualities of prevention methods. Please rank in order of importance to you, from most important (1) to least important (7)? Drag the items to the next column, starting with the most important prevention method quality.

Drag items from the left-hand list into the right-hand list to order them.

Effective against HIV	
Effective against other STDs	
Doesn't reduce physical pleasure	
Doesn't break the mood of sex	
You control it, not your partner	
Your partner controls it, not you	
Recommended by experts	

12. If you had a choice of using condoms during anal sex or taking a pill every day to prevent HIV infection, both at no cost, which would you choose?

- Condoms only
- Daily pill only
- Both condoms and daily pill
- I don't know
- I'd prefer not to answer

Back Next

16%

## M-Cubed Assessment

In the past 3 months, that is since October 2016, have you seen a doctor, nurse or other health care provider to receive tests or other care related to your PrEP use?

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, have you seen a doctor, nurse or other health care provider for any other reason?

- Yes
- No
- I don't know
- I'd prefer not to answer


[Back](#) [Next](#)

17%

## M-Cubed Assessment

On a scale of 0 to 100, where 0 equals no protection and 100 equals complete protection, how much protection do you think each of the following strategies offers in preventing HIV?

Please slide the blue dot on the scale to indicate how much protection you think each strategy offers.



[Back](#) [Next](#)

17%

## M-Cubed Assessment

In the next 3 months, how likely are you to do each of the following?

	Definitely not likely	Probably not likely	Somewhat likely	Probably likely	Definitely likely	Doesn't apply to me
Use condoms every time you have anal sex	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Get tested for HIV	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Get tested for STDs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Start taking PrEP	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Take all of your PrEP doses exactly as you are supposed to	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
See a doctor, nurse or other health care provider	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Back

Next

18%

## M-Cubed Assessment

Have you had anal sex with a male **primary** partner in the past three months?

By "primary" partner we mean a man you have lived with or have seen a lot, to whom you have felt a special emotional commitment for at least 3 months. This includes times when you were a top or bottom, used or didn't use a condom, and whether or not there was ejaculation.

- No  
 Yes

Now we want to ask you about all of the other men you have had any anal sex with in the past 3 months **other than your most recent primary partner**.

In the past 3 months, with how many men **other than your most recent primary partner** did you have anal sex?

By non-primary partner, we mean someone you had sex with but do not feel committed to or don't know very well. This includes times when you were a top or bottom, used or didn't use a condom, and whether or not there was ejaculation.

1

Back

Next

20%

## M-Cubed Assessment

13. Thanks. So you indicated that in the past 3 months you had a total of **2** male sex partners, including **one** primary partner and **1** non-primary partners. Is that correct?

- Yes  
 No, I want to change my answer

Back Next

20%

## M-Cubed Assessment

Throughout this next group of questions, your recent male primary partner will be referred to by his initials. Please put his initials here. Use AZ if you do not know his name. \*

AZ

Back Next

21%



# M-Cubed Assessment

How old is **AZ**? If you are not sure, give it your best guess.

What is **AZ**'s primary race/ethnicity? If you are not sure, give it your best guess.

- African American or Black
- Asian American or Pacific Islander
- Latino, Hispanic, or Chicano
- Native American, American Indian, or Alaska Native
- White or European American
- Mixed
- Other
- I'd prefer not to answer

Please specify **AZ**'s race/ethnicity.

Where did you first meet **AZ**? (Choose one)

- A dating or hookup app/website for gay men, like Grindr or Jack'd
- A social networking app or website for gay men (not for dating or hooking up)
- A social media app or website, like Facebook, Twitter, Instagram or Snapchat
- Some other app or website
- Work or school
- Through family
- Through a friend
- A private party or social event

Please specify **AZ**'s race/ethnicity.

Where did you first meet **AZ**? (Choose one)

- A dating or hookup app/website for gay men, like Grindr or Jack'd
- A social networking app or website for gay men (not for dating or hooking up)
- A social media app or website, like Facebook, Twitter, Instagram or Snapchat
- Some other app or website
- Work or school
- Through family
- Through a friend
- A private party or social event
- A public festival or community event, like Pride
- A gay commercial venue, like a gay bar or dance club
- A straight commercial venue, like a straight bar or dance club
- A commercial sex venue, like a sex club or bath house
- A public sex venue, like a park, beach, bathroom or tearoom
- Other
- I'd prefer not to answer

Please specify where you first met **AZ**.

[Back](#) [Next](#)

22% 

When was the first time you had any anal sex with AZ? That is, where you were a top or bottom, with or without a condom, and with or without ejaculation.

- Less than a week ago
- More than a week but less than a month ago
- One to three months ago
- Four to six months ago
- Seven to twelve months ago
- More than a year ago
- I'd prefer not to answer

What is AZ's HIV status? (Choose one)

- Positive
- Negative
- You don't know / are unsure about his HIV status
- I'd prefer not to answer

Did AZ TELL you his HIV-status?

- Yes, and I have no reason to doubt him
- Yes, but I have reason to doubt him
- No
- I'm not sure
- I'd prefer not to answer

Have you told AZ your current HIV status?

- Yes
- No
- I don't know
- I'd prefer not to answer

Have you ever talked to AZ about whether he is taking antiretroviral medicines to treat his HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, that is since October 2016, have you talked to AZ about whether he is taking antiretroviral medicines to treat his HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

Has AZ told you he was currently taking antiretroviral medicines to treat his HIV?

- Yes, and I have no reason to doubt him
- Yes, but I have reason to doubt him
- No
- I don't know
- I'd prefer not to answer

Has AZ told you his viral load is undetectable?

- Yes, and I have no reason to doubt him
- Yes, but I have some reason to doubt him
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, that is since October 2016, have you had ANY anal sex with AZ in which a condom was not used from start to finish?

- Yes
- No
- I don't know
- I'd prefer not to answer

Think of the times in the past 3 months that you had anal sex with AZ and did not use a condom from start to finish. Were you the top (you put your penis in his butt), the bottom (he put his penis in your butt), or both?

- I was always the top
- I was always the bottom
- I was both the top and the bottom
- I don't know
- I'd prefer not to answer

Think of the times in the past 3 months that you had anal sex with AZ and did not use a condom from start to finish. Were you ever drunk or buzzed on alcohol within 2 hours before or during sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Think of the times in the past 3 months that you had anal sex with AZ and did not use a condom from start to finish. Did you ever use non-prescription drugs within 2 hours before or during sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

## M-Cubed Assessment

The following questions ask about the *last time* you had sex with your *primary partner*.

How long ago was the last time you had any anal sex with AZ? That is, where you were a top or a bottom, with or without a condom, and with or without ejaculation.

- 1 day
- 2 days
- 3 days
- 4 days
- 5 days
- 6 days
- 1 week
- 2 weeks
- 3 weeks
- 1 month
- 2 months
- 3 months
- More than 3 months
- I'd prefer not to answer

During the last time you had anal sex with AZ, where did you have sex? (Choose one)

- Your house or apartment or his house or apartment
- Someone else's house or apartment
- Hotel
- Sex club or bathhouse
- Bar, night club, or dance club

- 3 weeks
- 1 month
- 2 months
- 3 months
- More than 3 months
- I'd prefer not to answer

During the last time you had anal sex with AZ, where did you have sex? (Choose one)

- Your house or apartment or his house or apartment
- Someone else's house or apartment
- Hotel
- Sex club or bathhouse
- Bar, night club, or dance club
- Health club or gym
- Porn theatre/video arcade
- Public bathroom
- Other public place, such as beach
- Park, woods, street, car or van
- Other
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

26%

During the last time you had anal sex with AZ, were you the top (you put your penis in his butt)? This would be with or without a condom and with or without ejaculation.

- Yes
- No
- I don't know
- I'd prefer not to answer

Was a condom used from start to finish when you were the top?

- Yes
- No
- I don't know
- I'd prefer not to answer

During the last time you had anal sex with AZ, were you the bottom (he put his penis in your butt)? This would be with or without a condom and whether or not you ejaculated.

- Yes
- No
- I don't know
- I'd prefer not to answer

Was a condom used from start to finish when you were the bottom?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

27%

## M-Cubed Assessment

Were you taking PrEP medication to prevent HIV within 24 hours before or after the time you last had anal sex with AZ?

- Yes
- No
- I don't know
- I'd prefer not to answer

Were you taking your PrEP medication once a day as prescribed by your doctor, without missing doses, in the 7 days before the time you last had anal sex with AZ?

- Yes
- No
- I don't know
- I'd prefer not to answer

You mentioned that you were not taking your PrEP medication once a day as prescribed at the time of your last sexual encounter. In the 7 days before you last had anal sex with AZ, on how many days did you take your dose of PrEP?

[Back](#) [Next](#)

28%

## M-Cubed Assessment

Was AZ taking antiretroviral medicines to treat his HIV infection within 24 hours before or after the time you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

To your knowledge, was AZ taking his medicines exactly as prescribed by his doctor, without missing any doses, in the 7 days before you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

You mentioned that AZ was not taking his HIV medicines exactly as prescribed at the time of your last sexual encounter. To your knowledge, in the 7 days before you last had anal sex, on how many days did AZ take all of the doses of his HIV medicines?

Did AZ tell you his viral load was undetectable before you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

When was the last time AZ told you his viral load was undetectable?

- Less than a week ago

- I don't know
- I'd prefer not to answer

You mentioned that **AZ** was not taking his HIV medicines exactly as prescribed at the time of your last sexual encounter. To your knowledge, in the 7 days before you last had anal sex, on how many days did **AZ** take all of the doses of his HIV medicines?

Did **AZ** tell you his viral load was undetectable before you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

When was the last time **AZ** told you his viral load was undetectable?

- Less than a week ago
- More than a week but less than a month ago
- One to three months ago
- Four to six months ago
- Seven to twelve months ago
- More than a year ago
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

29% 

## M-Cubed Assessment

Were you drunk or buzzed on alcohol within two hours before or during the most recent time you had anal sex with **AZ**?

- Yes
- No
- I don't know
- I'd prefer not to answer

How many drinks did you have? By a drink, I mean a 12 oz. can or glass of beer, a 4 oz. glass of wine, a 1-1/2 oz. shot of liquor, or a mixed drink with that amount of liquor.

Was **AZ** drunk or buzzed on alcohol within two hours before or during the most recent time you had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

30% 

Did you use any drug that was not prescribed to you within two hours before or during the most recent time you had anal sex with AZ?

- Yes
- No
- I don't know
- I'd prefer not to answer

Which drugs? (Check all that apply)

- Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, not injected (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted
- Heroin and cocaine injected together (speedballs)
- Other
- I don't know

Please specify which other drugs you used.

Did AZ use any drug not prescribed to him within two hours before or during the most recent time you had sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Which drugs? (Check all that apply)

- Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, not injected (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted
- Heroin and cocaine injected together (speedballs)

- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted
- Heroin and cocaine injected together (speedballs)
- Other
- I don't know
- I'd prefer not to answer

Please specify which other drugs **AZ** used.

[Back](#) [Next](#)



## M-Cubed Assessment

The following questions ask you about the 1 **non-primary male partners** you have had in the past three months.

**If you are unsure of any partner's HIV status, please do not include them in either group.**

Of these 1 men, how many did you believe were HIV **positive**?

Of these 1 men, how many did you believe were HIV **negative**?

[Back](#) [Next](#)





## M-Cubed Assessment

So, you had no partners whose HIV status you did not know or were unsure of? (Choose one)

- No, I want to change my answer
- Yes

Back Next

33%

## M-Cubed Assessment

Of the 1 HIV positive men, how many actually TOLD you they were HIV positive?

1

Back Next

34%

## M-Cubed Assessment

*The following questions ask about your HIV-POSITIVE partners who were NOT your primary partner*

In the past 3 months, that is since October 2016, with how many of your 1 HIV-positive partners were you the top (you put your penis in his butt)?

In the past 3 months, that is since October 2016, with how many of your 1 HIV-positive partners were you the top (you put your penis in his butt)?

In the past 3 months, that is since October 2016, with how many of your 1 HIV-positive partners were you the bottom (he put his penis in your butt)?

In the past 3 months, that is since October 2016, with how many of your 1 HIV-positive partners were you the bottom (he put his penis in your butt)?

[Back](#) [Next](#)



## M-Cubed Assessment

In the past 3 months, that is since October 2016, with how many of your 1 HIV-positive partners did you have ANY anal sex in which a condom was not used from start to finish?

In the past 3 months, that is since October 2016, with how many of your 1 HIV-positive partners did you have ANY anal sex in which a condom was not used from start to finish?

[Back](#) [Next](#)



## M-Cubed Assessment

Of the 1 HIV-positive partners you had anal sex with and did not use a condom from start to finish, with how many were you the top (you put your penis in his butt) when you had sex without a condom?

Of those 1 men you had anal sex with and did not use a condom from start to finish, with how many were you the bottom (he put his penis in your butt) when you had sex without a condom?

Of the 1 men you had anal sex with and did not use a condom from start to finish, with how many did you have sex without a condom while you were drunk or buzzed on alcohol within 2 hours before or during sex?

Of the 1 men you had anal sex with and did not use a condom from start to finish, with how many did you have sex without a condom after using non-prescribed drugs within 2 hours before or during sex?

Back Next

37%

## M-Cubed Assessment

In the past 3 months, have you talked to any of your HIV-positive male partners about whether they were using antiretroviral medicines to treat their HIV?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back Next

38%

## M-Cubed Assessment

You will now be asked more detailed questions about the **last man you had any anal sex with in the past THREE months who was NOT your primary partner.**

*That is, NOT someone you have lived with or have seen a lot, and to whom you have felt a special emotional commitment. Think about the very last man you had any anal sex with in the last **THREE** months who was *not* your *primary* partner.*

Throughout this next group of questions, this man will be referred to by his initials. Please put his initials here. Use AZ if you do not know his name. \*

39%



## M-Cubed Assessment

How old is **AZ**? If you are not sure, give it your best guess.

What is **AZ**'s primary race/ethnicity? If you are not sure, give it your best guess.

- African American or Black
- Asian American or Pacific Islander
- Latino, Hispanic, or Chicano
- Native American, American Indian, or Alaska Native
- White or European American
- Mixed
- Other
- I don't know
- I'd prefer not to answer

Please specify **AZ**'s race/ethnicity.

Where did you first meet **AZ**? (Choose one)

- A dating or hookup app/website for gay men, like Grindr or Jack'd
- A social networking app or website for gay men (not for dating or hooking up)
- A social media app or website, like Facebook, Twitter, Instagram or Snapchat
- Some other app or website
- Work or school
- Through family

Where did you first meet **AZ**? (Choose one)

- A dating or hookup app/website for gay men, like Grindr or Jack'd
- A social networking app or website for gay men (not for dating or hooking up)
- A social media app or website, like Facebook, Twitter, Instagram or Snapchat
- Some other app or website
- Work or school
- Through family
- Through a friend
- A private party or social event
- A public festival or community event, like Pride
- A gay commercial venue, like a gay bar or dance club
- A straight commercial venue, like a straight bar or dance club
- A commercial sex venue, like a sex club or bath house
- A public sex venue, like a park, beach, bathroom or tearoom
- Other
- I'd prefer not to answer

Please specify where you first met **AZ**.

When was the first time you had any anal sex with **AZ**? That is, where you were a top or bottom, with or without a condom, and with or without ejaculation. (Choose one)

- Less than a week ago
- More than a week but less than one month ago
- One to three months ago
- Four to six months ago
- Seven to twelve months ago
- More than a year ago

- Other
- I'd prefer not to answer

Please specify where you first met **AZ**.

When was the first time you had any anal sex with **AZ**? That is, where you were a top or bottom, with or without a condom, and with or without ejaculation. (Choose one)

- Less than a week ago
- More than a week but less than one month ago
- One to three months ago
- Four to six months ago
- Seven to twelve months ago
- More than a year ago

- I don't know
- I'd prefer not to answer

In the past 3 months, that is since October 2016, have you had ANY anal sex with **AZ** in which a condom was not used from start to finish?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

40%

## M-Cubed Assessment

Think of the times in the past 3 months that you had anal sex with **AZ** and did not use a condom from start to finish. Were you the top (you put your penis in his butt), the bottom (he put his penis in your butt), or both?

- I was always the top
- I was always the bottom
- I was both the top and the bottom
- I don't know
- I'd prefer not to answer

Think of the times in the past 3 months that you had anal sex with **AZ** and did not use a condom from start to finish. Were you ever drunk or buzzed on alcohol within 2 hours before or during sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Think of the times in the past 3 months that you had anal sex with **AZ** and did not use a condom from start to finish. Did you ever use non-prescription drugs within 2 hours before or during sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

41%

## M-Cubed Assessment

What is **AZ's** HIV status? (Choose one)

- Positive
- Negative
- I don't know or am not sure about his HIV status
- I'd prefer not to answer

Did **AZ** actually TELL you his HIV status?

- Yes
- No
- I don't know
- I'd prefer not to answer

Did you tell **AZ** your current HIV status before the last time you had anal sex together?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

42%

## M-Cubed Assessment

How long ago was the last time you had any anal sex with **AZ**? That is, where you were a top or a bottom, with or without a condom, and with or without ejaculation.

- 1 day
- 2 days
- 3 days
- 4 days
- 5 days
- 6 days
- 1 week
- 2 weeks
- 3 weeks
- 1 month
- 2 months
- 3 months
- I don't know
- I'd prefer not to answer

During the last time you had any anal sex with **AZ**, where did you have sex?

- Your house or apartment or his house or apartment
- Someone else's house or apartment
- Hotel
- Sex club or bathhouse
- Bar, night club, or dance club
- Health club or gym
- Porn theatre/video arcade
- 3 weeks
- 1 month
- 2 months
- 3 months
- I don't know
- I'd prefer not to answer

During the last time you had any anal sex with **AZ**, where did you have sex?

- Your house or apartment or his house or apartment
- Someone else's house or apartment
- Hotel
- Sex club or bathhouse
- Bar, night club, or dance club
- Health club or gym
- Porn theatre/video arcade
- Public bathroom
- Other public place, such as beach
- Park, woods, street, car or van
- Other
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

43%

During the last time you had anal sex with AZ, were you the top (you put your penis in his butt)? This would be with or without a condom and with or without ejaculation.

- Yes
- No
- I don't know
- I'd prefer not to answer

Was a condom used from start to finish?

- Yes
- No
- I don't know
- I'd prefer not to answer

During the last time you had anal sex with AZ, were you the bottom (he put his penis in your butt)? This would be with or without a condom and whether or not you ejaculated.

- Yes
- No
- I don't know
- I'd prefer not to answer

Was a condom used from start to finish?

- Yes
- No
- I don't know
- I'd prefer not to answer

Back

Next

## M-Cubed Assessment

Were you taking PrEP medication to prevent HIV within 24 hours before or after the time you last had anal sex with AZ?

- Yes
- No
- I don't know
- I'd prefer not to answer

Were you taking your PrEP medication once a day as prescribed by your doctor, without missing doses, in the 7 days before the time you last had anal sex with AZ?

- Yes
- No
- I don't know
- I'd prefer not to answer

You mentioned you were not taking your PrEP medication once a day as prescribed at the time of your last sexual encounter. In the 7 days before you last had anal sex with AZ, on how many days did you take your dose of PrEP?

-- Please Select --

Was AZ taking PrEP medication to prevent HIV within 24 hours before or after the time you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

To your knowledge, was AZ taking his PrEP medication once a day as prescribed by his doctor, without missing doses, in the 7 days before the time you last had anal sex?

- Yes



- No
- I don't know
- I'd prefer not to answer

You mentioned you were not taking your PrEP medication once a day as prescribed at the time of your last sexual encounter. In the 7 days before you last had anal sex with AZ, on how many days did you take your dose of PrEP?

Was AZ taking PrEP medication to prevent HIV within 24 hours before or after the time you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

To your knowledge, was AZ taking his PrEP medication once a day as prescribed by his doctor, without missing doses, in the 7 days before the time you last had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

You mentioned that AZ was not taking his PrEP medication once a day as prescribed at the time of your last sexual encounter. To your knowledge, in the 7 days before you last had anal sex, on how many days did AZ take his doses of PrEP?

[Back](#) [Next](#)

45% 

## M-Cubed Assessment

Were you drunk or buzzed on alcohol within two hours before or during the last time you had anal sex with AZ?

- Yes
- No
- I don't know
- I'd prefer not to answer

How many drinks did you have? By a drink, I mean a 12 oz. can or glass of beer, a 4 oz. glass of wine, a 1-1/2 oz. shot of liquor, or a mixed drink with that amount of liquor.

Was AZ drunk or buzzed on alcohol within two hours before or during the most recent time you had anal sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Did you use any drug that was not prescribed to you within two hours before or during the most recent time you had anal sex with AZ?

- Yes
- No
- I don't know
- I'd prefer not to answer

Which drugs? (Check all that apply)

- Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, not injected (meth, speed, crystal, crank, ice)

I'd prefer not to answer

Which drugs? (Check all that apply)

- Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, not injected (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, sicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoke or snorted
- Heroin and cocaine injected together (speedballs)
- Other
- I don't know
- I'd prefer not to answer

Please specify which other drugs.

Did **AZ** use any drug that was not prescribed to him within two hours before or during the most recent time you had sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Which drugs? (Check all that apply)

- Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, not injected (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, sicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoke or snorted
- Heroin and cocaine injected together (speedballs)
- Other
- I don't know

- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, wet, sickly sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoke or snorted
- Heroin and cocaine injected together (speedballs)
- Other
- I don't know
- I'd prefer not to answer

Please specify which other drugs.

[Back](#) [Next](#)

48% 

Of the 2 females you have had sex with in the past three months, with how many did you have any sex in which a condom was not used from start to finish?

Have you been in a primary relationship with a female in the last three months? This would be a female you have lived with or have seen a lot, and to whom you have felt a special emotional commitment in the last three months.

- Yes
- No
- I don't know
- I'd prefer not to answer

Are you still in this primary relationship with your most recent primary female partner?

- Yes
- No
- I don't know
- I'd prefer not to answer

What is your most recent female primary partner's HIV status? (Choose one)

- I believe she is HIV positive and have no reason to doubt it.
- I believe she is HIV negative and have no reason to doubt it.
- I don't know / am unsure about her HIV status.
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

48% 

The following questions ask about your use of alcohol in the past year. Please select the response that best describes your use of alcohol.

How often do you have a drink containing alcohol?

- Never
- Monthly or less
- 2-4 times per month
- 2-3 times per week
- 4 or more times per week

How many drinks containing alcohol do you have on a typical day when you are drinking?

- 1 or 2
- 3 or 4
- 5 or 6
- 7 to 9
- 10 or more

How often do you have six or more drinks on one occasion?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

How often during the last year have you failed to do what was normally expected of you because of drinking?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

- 10 or more

How often do you have six or more drinks on one occasion?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

How often during the last year have you failed to do what was normally expected of you because of drinking?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

[Back](#) [Next](#)

49%

## M-Cubed Assessment

How often in the last year have you had a feeling of guilt or remorse after drinking?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

How often in the last year have you been unable to remember what happened the night before because of your drinking?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

Have you or someone else been injured because of your drinking?

- No
- Yes, but not in the last year
- Yes, during the last year

Has a relative, friend, doctor or other health care worker been concerned about your drinking or suggested you cut down?

- No
- Yes, but not in the last year
- Yes, during the last year

Back

Next

## M-Cubed Assessment

In the past 3 months, have you used any drugs that were not prescribed to you?

- Yes
- No
- I don't know
- I'd prefer not to answer

Which of the following drugs have you used in the past 3 months? Select all that apply.

- Methamphetamine or other amphetamine, injected (meth, speed, crystal, crank, ice)
- Methamphetamine or other amphetamine, not injected (meth, speed, crystal, crank, ice)
- Downers (Valium, Ativa, Xanax)
- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, we, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted

- Pain killers (Oxycontin, Percocet)
- Hallucinogens (LSD, mushrooms, Peyote, Mescaline)
- Ecstasy (E, X, MDMA)
- Club drugs (GHB, ketamine, special K)
- Marijuana (pot, weed)
- Poppers (amyl nitrate)
- PCP (angel dust, we, wicky sticks)
- Synthetic marijuana (herbal incense, spice, K2)
- Crack, injected
- Crack, smoked or snorted
- Cocaine, injected
- Cocaine, smoked or snorted
- Heroin, injected
- Heroin, smoked or snorted
- Heroin and cocaine injected together (speedballs)
- Other
- I don't know
- I'd prefer not to answer

14. Please specify which other drugs.

[Back](#) [Next](#)

50% 

## M-Cubed Assessment

The following questions ask about your use of drugs in the past year. Please select the response that best describes your use of drugs.

How often do you use drugs other than alcohol?

- Never
- Monthly or less
- 2-4 times per month
- 2-3 times per week
- 4 or more times per week

Do you use more than one type of drug on the same occasion?

- Never
- Monthly or less
- 2-4 times per month
- 2-3 times per week
- 4 or more times per week

How many times do you take drugs on a typical day when you do drugs?

- 1 or 2
- 3 or 4
- 5 or 6
- 7 to 9
- 10 or more

How often are you influenced heavily by drugs?

- Never

10 or more

How often are you influenced heavily by drugs?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

Over the past year, have you felt that your longing for drugs was so strong that you could not resist it?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

Has it happened, over the past year, that you have not been able to stop taking drugs once you started?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

[Back](#) [Next](#)

51%

## M-Cubed Assessment

How often over the past year have you taken drugs then neglected to do something you should have done?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

How often over the past year have you needed to take a drug in the morning?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

How often over the past year have you had guilty feelings or a bad conscience because you used drugs?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

Have you or anyone else been hurt (mentally or physically) because you used drugs?

- No
- Yes, but not in the last year
- Yes, during the last year

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

How often over the past year have you had guilty feelings or a bad conscience because you used drugs?

- Never
- Less than monthly
- Monthly
- Weekly
- Daily or almost daily

Have you or anyone else been hurt (mentally or physically) because you used drugs?

- No
- Yes, but not in the last year
- Yes, during the last year

Has a relative or friend, doctor or nurse, or anyone else been worried about your drug use or said that you should stop using drugs?

- No
- Yes, but not in the last year
- Yes, during the last year

[Back](#) [Next](#)

52%

## M-Cubed Assessment

For the following, please choose the answer that best fits how you behaved during the past week.

	Rarely or none of the time (<1 day)	Some or little of the time (1-2 days)	Occasionally or a moderate amount of time (3-4 days)	Most or all of the time (5-7 days)
I was bothered by things that usually don't bother me	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
I had trouble keeping my mind on what I was doing	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
I felt depressed	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
I felt everything was an effort	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
I felt hopeful about the future	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
I felt fearful	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
My sleep was restless	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
I was happy	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I felt lonely	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
I could not get "going"	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

15. In your life, have you ever had any experience that was so frightening, horrible, or upsetting that, in the past month, you:

	Yes	No
Have had nightmares about it or thought about it when you did not want to?	<input checked="" type="radio"/>	<input type="radio"/>
Tried hard not to think about it or went out of your way to avoid situations that reminded you of it?	<input checked="" type="radio"/>	<input type="radio"/>
Were constantly on guard, watchful, or easily startled?	<input checked="" type="radio"/>	<input type="radio"/>
Felt numb or detached from others, activities, or your surroundings?	<input type="radio"/>	<input checked="" type="radio"/>

[Back](#) [Next](#)

53%



## M-Cubed Assessment

Do you access the internet on a cell phone, tablet, laptop or computer at least occasionally?

- Yes
- No
- I don't know
- I'd prefer not to answer

On average, how often have you used the Internet in the past 3 months?

- Less than once a week
- Once a week
- Several times per week
- Once or twice per day
- 1-2 hours per day
- 2-3 hours per day
- 3-4 hours per day
- 4 or more hours per day
- I don't know
- I'd prefer not to answer

Do you personally own or have access to the following items? [Select all that apply]

- A smartphone like an Android or iPhone
- A cell phone that is not a smartphone
- A desktop or laptop computer
- A tablet like an iPad, Samsung Galaxy or Kindle Fire
- A gaming console like an Xbox, Playstation or Wii

On average, how many hours per day do you spend on your cellphone?

- Less than 1 hour per day
- 1-2 hours per day
- 2-3 hours per day
- 3-4 hours per day
- More than 4 hours per day
- I don't know
- I'd prefer not to answer

Do you do any of the following online or on your smartphone (e.g. Android or iPhone)? [Select all that apply]

- Use social media, like Facebook or Twitter
- Send Email
- Send text messages
- Use messaging apps, like Whatsapp or Kik
- Use health and fitness apps, like MyFitnessPal or Fitbit
- Use dating and hookup apps, like Grindr or Jack'd
- Read or comment on discussion boards, like Reddit or Digg
- Read the news or political blogs
- Video call or chat
- Use music apps, like Spotify or Pandora
- Play video games
- Watch videos, TV shows or movies
- Use apps that automatically delete the messages you send, like Snapchat
- Visit anonymous sharing or questions apps, like Whisper, YikYak or Ask.fm
- None of the above

[Back](#) [Next](#)

## M-Cubed Assessment

In the past 3 months, which of the following apps and websites have you used? Please select all that apply.

- Facebook
- Twitter
- Instagram
- Snapchat
- Facebook messenger
- Gmail
- Youtube
- Pandora
- Netflix
- Spotify
- Whatsapp
- Kik
- Match
- Ok Cupid
- Tinder
- Craigslist
- Adm4Adam
- Bareback Real Time (BBRT)
- Daddyhunt
- Dudesnude
- Gay.com
- Grindr
- Hornet

- Bareback Real Time (BBRT)
- Daddyhunt
- Dudesnude
- Gay.com
- Grindr
- Hornet
- Manhunt
- Jack'd
- Growlr
- Scruff
- SilverDaddies
- Squirr
- Vine
- Tumblr
- Whisper
- YikYak
- Wickr
- MyFitnessPal
- Fitbit
- Some other app
- None of the above

[Back](#) [Next](#)

55%



## M-Cubed Assessment

In the past 3 months, did you do any of the following online or through an app on your smartphone? [Select all that apply]

- Chat with men
- Make friends
- Found long-term partnerships
- Met men for casual sex
- Had online sex (cyber sex)
- None of the above
- I don't know
- I'd prefer not to answer

In the past 3 months, how often have you used the internet or a smartphone app to meet other gay men?

- Once a month or less
- 2-3 times per month
- About once a week
- 2-6 times per week
- More than once a day
- I don't know
- I'd prefer not to answer

In the past 3 months, how many sex partners have you met through the internet?

[Back](#) [Next](#)

45%

Have you ever given things, like money, drugs, or a place to stay, in exchange for sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, have you given things, like money, drugs, or a place to stay, in exchange for sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

Has anyone ever given you things, like money, drugs, or a place to stay, in exchange for sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, has anyone given you things, like money, drugs, or a place to stay, in exchange for sex?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

45%

In the past 3 months, has a partner pressured or forced you to do something sexual that you didn't want to do? Examples may include any of the following: oral or anal sex, having sex with others, having sexual partners outside the relationship, or any other sexual activity that made you feel uncomfortable.

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, have arguments in your relationship escalated into any of the following: destruction of property, grabbing, restraining, pushing, kicking, slapping, punching, threats of violence or other acts of physical intimidation?

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, has a partner insulted, criticized, threatened or yelled at you in any way? Examples may include the following: using slurs, calling you names, calling you fat, criticizing your sexual performance, criticizing your clothing, asking you to act more masculine or threatening to out you.

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, has a partner prevented you from communicating with or seeing your friends, family, or coworkers? Monitored or demanded access to your cell phone, email, social networking sites, finances or spending?

- Yes
- No
- I don't know
- I'd prefer not to answer

- I'd prefer not to answer

In the past 3 months, has a partner insulted, criticized, threatened or yelled at you in any way? Examples may include the following: using slurs, calling you names, calling you fat, criticizing your sexual performance, criticizing your clothing, asking you to act more masculine or threatening to out you.

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, has a partner prevented you from communicating with or seeing your friends, family, or coworkers? Monitored or demanded access to your cell phone, email, social networking sites, finances or spending?

- Yes
- No
- I don't know
- I'd prefer not to answer

In the past 3 months, have you ever felt afraid, threatened, isolated, trapped as a result of a relationship? Have your friends or family raised concerns about your safety within your relationship?

- Yes
- No
- I don't know
- I'd prefer not to answer

[Back](#) [Next](#)

58%

## M-Cubed Assessment

How well do the following statements describe how you felt in the past month?

	Not at all true	Rarely true	Sometimes true	Often true	True nearly all of the time
I am able to adapt to change	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
I tend to bounce back after illness or hardship	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

[Back](#) [Next](#)

59%

## M-Cubed Assessment

16. Please answer the next questions by indicating how much you agree with each statement

	Strongly Disagree	Disagree	Neither	Agree	Strongly Agree
HIV is a manmade virus	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
AIDS was produced in a government laboratory	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
There is a cure for AIDS, but it is being withheld from the poor	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
AIDS was created by the government to control some populations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
AIDS is a form of genocide, or planned destruction, against some groups	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
HIV was created and spread by the CIA	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
People who take the new medications for HIV are human guinea pigs for the government	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
The medication used to treat HIV causes people to get AIDS	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

[Back](#) [Next](#)

60%

## M-Cubed Assessment

17. Please indicate how much you agree with the following statement:

"Because of medications for HIV, I am less concerned about becoming HIV-positive."

Strongly Disagree   Disagree   Neither   Somewhat Agree   Strongly Agree

[Back](#)   [Next](#)

61%

## M-Cubed Assessment

Please indicate how much you agree with the following statements.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
Doctors and healthcare workers sometimes hide information from patients who belong to my race or ethnic group	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Doctors have the best interests of people of my race or ethnic group in mind	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
People of my race or ethnic group should not confide in doctors and healthcare workers because it will be used against them	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
People of my race or ethnic group should be suspicious of information from doctors and healthcare workers	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
People of my race or ethnic group cannot trust doctors and healthcare workers	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
People of my race or ethnic group should be suspicious of modern medicine	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Doctors and healthcare workers treat people of my race or ethnic group as "guinea pigs"	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
People of my race or ethnic group receive the same medical care from doctors and healthcare workers as people from other groups	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Doctors and healthcare workers do not take the medical complaints of people of my race or ethnic group seriously	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
People of my race or ethnic group are treated the same as people of other groups by doctors and healthcare workers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
In most hospitals, people of different race or ethnic groups receive the same kind of care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
I have personally been treated poorly or unfairly by doctors or healthcare workers because of my race or ethnicity	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

[Back](#)   [Submit](#)

99%

## M-Cubed Assessment

Thank you for taking our survey. Your response is very important to us.

---

100% 