

# **Medicare Current Beneficiary Survey**

Section Specifications for RHF

Round 69

RESIDENCE HISTORY

Created on 5/9/2014 6:13:37 PM

# BOX RHBEG

## BOX INSTRUCTIONS

IF SP IS A CFR, GO TO RH2PRE - RH2PRECT.

ELSE GO TO RH1PRE - RH1PRECT.

<b>Variable Name</b>	<b>Assignment Instructions</b>
RH3CT	RH3CT=EMPTY
RHREFBEG	If SP IS A CFR and PERS.RHREFBEG = EMPTY or NULL, then PERS.RHREFBEG = date of previous interview.
SPDISP	SPDISP = EMPTY

# RH1PRE

Code 1

## QUESTION TEXT

Now, I would like to ask you about the places where (SP) stayed for one night or more between [January 1, (CURRENT YEAR)/(his/her) admission to this (facility/home)/(his/her) readmission to this (facility/home)] and today including staying in [other parts of (LARGER FACILITY),] hospitals or other places.

In answering these questions, it might be helpful for you to review records that show discharges or transfers from (FACILITY) to [other parts of (LARGER FACILITY),] hospitals or other places.

PRESS "1" TO CONTINUE.

## FIELD 1: RH1PRECT

### FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	BOX RH1

# RH2PRE

Code 1

**QUESTION TEXT**

On my last visit on (REF DATE), (SP) was alive and a resident of (FACILITY).

Now, I would like to ask you about all the places (SP) has stayed since my last visit, including staying in [other parts of (LARGER FACILITY)], hospitals or other places.

PRESS "1" TO CONTINUE.

**FIELD 1: RH2PRECT****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	CONTINUE	BOX RH1

**OTHER PROGRAMMING INSTRUCTIONS****DESIGN NOTES**

Ref begin only set once, do not change on backup

# BOX RH1

## BOX INSTRUCTIONS

If CFR, GO TO RH7 - RHALIVE.

ELSE IF SP IS EXPECTED SSM1, GO TO RH2 - ADMITMM1.

ELSE GO TO RH2A - ADMITMM2.

# RH2

Date

**QUESTION TEXT**

On what date was (SP) most recently admitted to (FACILITY)?

**FIELD 1: ADMITMM1**

MONTH

**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH2 - ADMITDD1
	Don't Know	RH3 - RH3CT
	Refused	RH3 - RH3CT

**FIELD 2: ADMITDD1**

DAY

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH2 - ADMITYY1
	Don't Know	RH3 - RH3CT
	Refused	RH3 - RH3CT

**FIELD 3: ADMITYY1**

YEAR

**FIELD 3 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX RH2
	Don't Know	RH3 - RH3CT
	Refused	RH3 - RH3CT

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
ADMIT	If RH2-ADMITYY1 <> DK, RF, EMPTY or NULL, PERS.ADMIT = RH22-ADMITYY1 + RH22-ADMITMM1 + RH22-ADMITDD1
ORIGADMT	If RH2-ADMITYY1 <> DK, RF, EMPTY or NULL, PERS.ORIGADMT = ADMIT
RAD	PERS.RAD = ADMIT
SUPPTYPE	If RH2-ADMITYY1 = current year, then PERS.SUPPTYPE = 2/SSM2. Else PERS.SUPPTYPE = SSM1.
PREVADMT	If RH2-ADMITYY1 = current year, then PERS.PREVADMT = PERS.ADMIT. Else if RH2-ADMITYY1 <> DK, RF, EMPTY, NULL, or current year, then PERS. PREVADMT = current year + '0101'
RHREFBEG	PERS.RHREFBEG = PREVADMT

# RH2A

Date

**QUESTION TEXT**

On what date [on or around (ADMISSION DATE REPORTED BY A PREVIOUS SOURCE),] do your records show (SP) was admitted to (FACILITY)?

IF SP NEVER ADMITTED, ENTER "DK" IN MONTH FIELD.

**FIELD 1: ADMITMM2**

MONTH

**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH2A - ADMITDD2
	Don't Know	RH3 - RH3CT
	Refused	RH3 - RH3CT

**FIELD 2: ADMITDD2**

DAY

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH2A - ADMITYY2
	Don't Know	RH3 - RH3CT
	Refused	RH3 - RH3CT

**FIELD 3: ADMITYY2**

YEAR



**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RH2A1
	Don't Know	RH3 - RH3CT
	Refused	RH3 - RH3CT

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
ORIGADMT	If RH2A-ADMITYY2 <> DK, RF, EMPTY or NULL and PERSRNDC = current round, then ORIGADMT = RH2A-ADMITYY2 + RH2A-ADMITMM2 + RH2A-ADMITDD2
ADMIT	If PERSRNDC = current round, then ADMIT = ORIGADMT
PREVADMT	If CURRTYPE = 5/SSM and RH2A-ADMITYY2 <> RF, DK, EMPTY, or NULL and RH2A-ADMITYY2 <> CURRENT YEAR, then PREVADMT = CURRENT YEAR + '0101'. Else if PERSRNDC = current round, then PREVADMT = RH2A-ADMITYY2 + RH2A-ADMITMM2 + RH2A-ADMITDD2.
SUPPTYPE	If CURRTYPE = 5/SSM THEN If RH2A-ADMITYY2 <> DK, RF, or EMPTY and RH2A-ADMITYY2 <> current year, then SUPPTYPE = 1/SSM1. Else SUPPTYPE = 2/SSM2.
RAD	If RH2A-ADMITYY2 <> DK, RF, EMPTY or NULL, RAD = RH2A-ADMITYY2 + RH2A-ADMITMM2 + RH2A-ADMITDD2

Variable Name	Assignment Instructions
RHREFBEG	If PERSRND = current round, then RHREFBEG = PREVADMT. Else RHREFBEG = RAD.

**DESIGN NOTES**

Design note: This item collects the first admit date for CFCs, SSM2s and first time to this facility FCFs and FFCs, and the RAD for FCFs and FFCs with previous interviews in this facility.

# BOX RH2A1

## BOX INSTRUCTIONS

IF SP IS SSM OR RH2A DATE IS WITHIN +/- 7 DAYS OF ADMISSION DATE REPORTED BY A PREVIOUS SOURCE, GO TO BOX RH2.

ELSE GO TO RH2AVB - WHYADDIS.

## OTHER PROGRAMMING INSTRUCTIONS

### **BACKGROUND VARIABLE ASSIGNMENTS**

If PERSRNDC <> current round, create next sequential stay with the following field values:

Variable Name	Assignment Instructions
STAYNUM	STAYNUM = Create STAY where STAYNUM = next sequential STAYNUM
STAYRNDC	STAYRNDC = current round
STAYACCS	STAYACCS = current round
RHPROBTY	STAY.RHPROBTY = 9/DPStay
XSTPLAC	STAY.XSTPLAC = 000
DPSTAY	STAY.DPSTAY = 1/Indicated
STAYLAST	PERS.STAYLAST = STAYNUM for newly created STAY
STAYSYY	STAY.STAYSYY = Year of Previous Interview
STAYSMM	STAY.STAYSMM = Month of Previous Interview
STAYSDD	STAY.STAYSDD = Day of Previous Interview
STAYEYY	STAY.STAYEYY = ADMITYY2
STAYEMM	STAY.STAYEMM = ADMITMM2
STAYEDD	STAY.STAYEDD = ADMITDD2
STAYORD	STAY.STAYORD = next sequential STAYORD

Variable Name	Assignment Instructions
LASTSTAY	PERS.LASTSTAY = STAY.STAYNUM of newly created stay
STAYCLASS	STAY.STAYCLAS = 6/OutsideThisFac

# RH2AVB

Verbatim Text

**QUESTION TEXT**

DESCRIBE WHY THERE IS A DISCREPANCY BETWEEN THE ADMISSION DATE REPORTED BY A PREVIOUS SOURCE AND THE ADMISSION DATE ENTERED DURING THIS INTERVIEW.

**FIELD 1: WHYADDIS****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RH2

# BOX RH2

## BOX INSTRUCTIONS

IF SSM, GO TO RH6 - RHSEX.

ELSE GO TO RH7 - RHALIVE.

## OTHER PROGRAMMING INSTRUCTIONS

<u>VARIABLE NAME</u>	<u>ASSIGNMENT INSTRUCTIONS</u>
<u>STAYNUM</u>	<u>IF PERSRNDC = CURRENT ROUND, CREATE FIRST STAY WITH STAYNUM = 001. ELSE CREATE STAY WITH NEXT SEQUENTIAL STAYNUM.</u>
<u>STAYRNDC</u>	<u>STAYRNDC = CURRENT ROUND</u>
<u>STAYACCS</u>	<u>STAYACCS = CURRENT ROUND</u>
<u>RHPROBTY</u>	<u>IF PERSRNDC = CURRENT ROUND, STAY.RHPROBTY = 0. ELSE STAY.RHPROBTY = 8.</u>
<u>XSTPLAC</u>	<u>STAY.XSTPLAC = 001</u>
<u>STAYSYY</u>	<u>YEAR PORTION OF RHREFBEG</u>
<u>STAYLAST</u>	<u>PERS.STAYLAST = STAYNUM</u>
<u>STAYSMM</u>	<u>MONTH PORTION OF RHREFBEG</u>
<u>STAYSDD</u>	<u>DAY PORTION OF RHREFBEG</u>
<u>STAYORD</u>	<u>STAY.STAYORD = NEXT SEQUENTIAL STAYORD</u>
<u>LASTSTAY</u>	<u>PERS.LASTSTAY = STAY.STAYNUM OF NEWLY CREATED STAY</u>
<u>STAYCLASS</u>	<u>STAY.STAYCLAS = 1/ELIGIBLELTC</u>

## DESIGN NOTES

Must reassign any global SSM1/SSM2 displays based on assignments at RH2 or RH2A.

# RH3

Code 1

**QUESTION TEXT**

Please tell me the name and title of someone in (FACILITY) who could give me that information.

RECORD RESPONDENT INFORMATION ON PERSON ROSTER AND SELECT ENTRY WHEN RH IS RESTARTED.

PRESS "1" TO CONTINUE.

**FIELD 1: RH3CT****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	CONTINUE	BOX RHEND

# RH6

Code 1

**QUESTION TEXT**

ASK IF NOT OBVIOUS.

Is (SP) male or female?

**FIELD 1: RHSEX****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	MALE	RH7 - RHALIVE
2	FEMALE	RH7 - RHALIVE

**OTHER PROGRAMMING INSTRUCTIONS****DESIGN NOTES**

Global displays for sex must be updated if RHSEX does not match preload.



# RH7

Yes/No

**QUESTION TEXT**

Is (SP) alive?

**FIELD 1: RHALIVE****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	RH8 - RHDODMM
1	YES	BOX RH7
	Don't Know	BOX RH7
	Refused	BOX RH7

**RH8**

Date

**QUESTION TEXT**

On what date did (SP) die?

**FIELD 1: RHDODMM**

MONTH

[IF RESPONDENT ANSWERS "DK", PROBE: Do you know what month (SP) died?]

**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH8 - RHDODDD
	Don't Know	BOX RH6
	Refused	BOX RH6

**FIELD 2: RHDODDD**

DAY

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH8 - RHDODYYY
	Don't Know	RH8 - RHDODYYY
	Refused	RH8 - RHDODYYY

**FIELD 3: RHDODYYY**

YEAR

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RH6
	Don't Know	BOX RH6
	Refused	BOX RH6

# BOX RH6

## BOX INSTRUCTIONS

IF SP IS SSM, GO TO RH3B - RHINEL.

ELSE IF MONTH OR YEAR OF DEATH IS DK OR RF, GO TO RH3 - RH3CT.

ELSE, GO TO BOX RH7.

## OTHER PROGRAMMING INSTRUCTIONS

### **BACKGROUND VARIABLE ASSIGNMENTS**

IF DAY IS DK OR RF:

SET DATE OF DEATH TO LAST DAY OF MONTH OR TODAY'S DATE IF MONTH OF DEATH = DATE OF INTERVIEW (DOI) MONTH.

Variable Name	Assignment Instructions
DOD	If RH8-RHDODYY ^= RF, DK, NULL or EMPTY: If RH8-RHDODDD ^= RF, DK THEN DOD = RH8-RHDODYY + RH8-RHDODMM + RH8-RHDODDD. ELSE IF RH8-RHDODDD = RF or DK, then DOD = RH8-RHDODYY + RH8-RHDODMM + Last day of month in RH8-RHDODMM
SPDISP	If SP is SSM, SPDISP = 11/FinalNonResp

# BOX RH7

## BOX INSTRUCTIONS

IF SP IS SSM, GO TO RH9 - RHDOBMM.

ELSE GO TO BOX RH9A.

Variable Name	Assignment Instructions
RHREFEND	If RH7-RHALIVE = 0/No, RHREFEND = DOD. Else If PERS.RHDOI <> EMPTY, RHREFEND = PERS.RHDOI. Else RHREFEND = CURRENT DATE.

**RH9**

Date

**QUESTION TEXT**

What (is/was) (SP's) date of birth?

ENTER A 4-DIGIT YEAR.

**FIELD 1: RHDOBMM**

MONTH

**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH9 - RHDOBDD
	Don't Know	RH9 - RHDOBDD
	Refused	RH9 - RHDOBDD

**FIELD 2: RHDOBDD**

DAY

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH9 - RHDOBY Y
	Don't Know	RH9 - RHDOBY Y
	Refused	RH9 - RHDOBY Y

**FIELD 3: RHDOBY Y**

YEAR

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RH9A
	Don't Know	RH10 - RHAGE
	Refused	RH10 - RHAGE

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
DOBYY	DOBYY = RHDOBYY
DOBMM	DOBMM = RHDOBMM
DOBDD	DOBDD = RHDOBDD

# RH10

Numeric

**QUESTION TEXT**

Approximately how old is (SP)?

**FIELD 1: RHAGE****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RH9A
	Don't Know	BOX RH9A
	Refused	BOX RH9A



# BOX RH9A

## BOX INSTRUCTIONS

IF SP IS A CFR, GO TO RH11A - RHPROBE1.

ELSE GO TO RH11B - RHPROBE2.

## OTHER PROGRAMMING INSTRUCTIONS

## **BACKGROUND VARIABLE ASSIGNMENTS**

Open last chronological STAY for CFRs.

Variable Name	Assignment Instructions
AGE	If DOB <> DK, RF, EMPTY or NULL, then AGE = difference between DOB and RHREFEND in years. Else if RHAGE <> DK, RF, EMPTY or NULL, then PERS.AGE = RHAGE. Else AGE = difference between PreloadSP.DOB and RHREFEND in years.

**RH11A**

Yes/No

**QUESTION TEXT**

Between (REF DATE), (the date of my last visit), and (RH END OF REFERENCE PERIOD) has (SP) been in (FACILITY) the whole time or has (he/she) spent one or more nights [in another part of (LARGER FACILITY),] in a hospital, or in some other place?

**FIELD 1: RHPROBE1****FIELD 1 ROUTING**

Value	Label	Route
0	NO, OTHER PLACE	BOX RH13A
1	YES, WHOLE TIME	BOX RH10
	Refused	BOX RH10

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
STAYACCS	STAYACCS = CURRRND
STAYEYY	If RH11A-RHPROBE1 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEYY = Year portion of RHREFEND.
STAYEMM	If RH11A-RHPROBE1 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEMM = Month portion of RHREFEND.
STAYEDD	If RH11A-RHPROBE1 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEDD = Day portion of RHREFEND.
RHPROBE	STAY.RHPROBE = RH11A-RHPROBE1

**RH11B**

Yes/No

**QUESTION TEXT**

Between (REF DATE) and (RH END OF REFERENCE PERIOD) has (SP) been in (FACILITY) the whole time or has (she/he) spent one or more nights [in another part of (LARGER FACILITY),] in a hospital, or in some other place?

**FIELD 1: RHPROBE2****FIELD 1 ROUTING**

Value	Label	Route
0	NO, OTHER PLACE	BOX RH13A
1	YES, WHOLE TIME	BOX RH10
	Refused	BOX RH10

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
STAYEYY	If RH11B-RHPROBE2 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEYY = Year portion of RHREFEND.
STAYEMM	If RH11B-RHPROBE2 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEMM = Month portion of RHREFEND.
STAYEDD	If RH11B-RHPROBE2 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEDD = Day portion of RHREFEND.
RHPROBE	STAY.RHPROBE = RH11B-RHPROBE2

**RH12**

Yes/No

**QUESTION TEXT**

Between (CURRENT START DATE) and (END OF RH REFERENCE PERIOD) was (SP) in (CURRENT PLACE) the whole time?

**FIELD 1: RHPROBE3****FIELD 1 ROUTING**

Value	Label	Route
0	NO, LEFT	BOX RH13A
1	YES, WHOLE TIME	BOX RH10
	Don't Know	BOX RH10
	Refused	BOX RH10

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
RHPROBE	If RH12-RHPROBE3 = 0/NoLeft, then STAY.RHPROBE = 0/NoOtherPlace. Else STAY.RHPROBE = RH12-RHPROBE3.
STAYEYY	If RH12-RHPROBE3 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEYY = Year portion of RHREFEND.
STAYEMM	If RH12-RHPROBE3 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEMM = Month portion of RHREFEND.
STAYEDD	If RH12-RHPROBE3 = 1/YesWholeTime and RH7-RHALIVE ^= 0/No, then STAYEDD = Day portion of RHREFEND.

# BOX RH10

## BOX INSTRUCTIONS

(IF RH11A-RHPROBE1 = 1/YesWholeTime, OR  
RH11B-RHPROBE2 = 1/YesWholeTime, OR  
RH12-RHPROBE3 = 1/YesWholeTime) AND SP IS ALIVE OR VITAL STATUS IS NOT  
KNOWN, GO TO BOX RH24.

(IF RH11A-RHPROBE1 = RF, OR  
RH11B-RHPROBE2 = RF, OR  
RH12-RHPROBE3 = DK or RF) AND SP IS ALIVE OR VITAL STATUS IS NOT KNOWN, GO  
TO RH12B - CURSTIL.

ELSE GO TO RH12A - CURDIED.

**RH12A**

Code 1

**QUESTION TEXT**

Was (he/she) in (CURRENT PLACE) when (he/she) died on (DATE OF DEATH) or somewhere else?

**FIELD 1: CURDIED****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	SOMEWHERE ELSE	BOX RH13A
1	IN (FACILITY)	BOX RH24
	Don't Know	BOX RH24
	Refused	BOX RH24

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
STAYEYY	If RH12A-CURDIED = 1/InCurrPlace, DK, or RF, then STAYEYY = Year portion of RHREFEND.
STAYEMM	If RH12A-CURDIED = 1/InCurrPlace, DK, or RF, then STAYEMM = Month portion of RHREFEND.
STAYEDD	If RH12A-CURDIED = 1/InCurrPlace, DK, or RF, then STAYEDD = Day portion of RHREFEND.

**RH12B**

Yes/No

**QUESTION TEXT**

Is (he/she) still at (CURRENT PLACE)?

**FIELD 1: CURSTIL****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	BOX RH13A
1	YES	BOX RH24
	Don't Know	BOX RH24
	Refused	BOX RH24

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

RH12B-CURSTIL = 1/Yes, DK, or RF set stay end date to end of reference period.

<b>Variable Name</b>	<b>Assignment Instructions</b>
STAYEYY	If RH12B-CURSTIL = 1/Yes, DK, or RF, then STAYEYY = Year portion of RHREFEND.
STAYEMM	If RH12B-CURSTIL = 1/Yes, DK, or RF, then STAYEMM = Month portion of RHREFEND.
STAYEDD	If RH12B-CURSTIL = 1/Yes, DK, or RF, then STAYEDD = Day portion of RHREFEND.

# BOX RH13A

## BOX INSTRUCTIONS

GO TO RH13 - STAYEMM.



**RH13**

Date

**QUESTION TEXT**

When did (SP) leave (CURRENT PLACE)?

**FIELD 1: STAYEMM**

MONTH

**FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH13 - STAYEDD
	Don't Know	RH13 - STAYEDD
	Refused	RH13 - STAYEDD

**FIELD 2: STAYEDD**

DAY

**FIELD 2 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH13 - STAYEYY
	Don't Know	RH13 - STAYEYY
	Refused	RH13 - STAYEYY

**FIELD 3: STAYEYY**

YEAR

**FIELD 3 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX RH11
	Don't Know	BOX RH11
	Refused	BOX RH11

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Create the next STAY with the following field values:

Variable Name	Assignment Instructions
STAYRNDC	STAYRNDC for newly created STAY = current round
STAYACCS	STAYACCS for newly created STAY = current round
RHPROBTY	IF RH12A-CURDIED = 0/SomewhereElse, DK, or RF, then RHPROBTY = 4. Else if RH12B-CURSTIL = 0/No, DK, or RF, then RHPROBTY = 5. Else RHPROBTY = 3.
STAYLAST	PERS.STAYLAST = STAYNUM for newly created STAY
STAYSYY	RH13-STAYEYY
STAYSMM	RH13-STAYEMM
STAYSDD	RH13-STAYEDD
STAYEYY	If (RH12A-CURDIED = 0/SomewhereElse) or (RH12B-CURSTIL = 0/No), then STAYEYY = Year portion of RHREFEND. Else STAYEYY = EMPTY.

Variable Name	Assignment Instructions
STAYEMM	If (RH12A-CURDIED = 0/SomewhereElse) or (RH12B-CURSTIL = 0/No), then STAYEMM = Month portion of RHREFEND. Else STAYEMM = EMPTY.
STAYEDD	If (RH12A-CURDIED = 0/SomewhereElse) or (RH12B-CURSTIL = 0/No), then STAYEDD = Day portion of RHREFEND. Else STAYEDD = EMPTY.
STAYORD	STAY.STAYORD = next sequential STAYORD
LASTSTAY	PERS.LASTSTAY = STAY.STAYNUM of newly created stay

# BOX RH11

## BOX INSTRUCTIONS

IF ANY PART OF RH13 DATE IS MISSING, GO TO RH14 - STAYNITE.

ELSE GO TO RH21 - XSTPLACS.

# RH14

Numeric

**QUESTION TEXT**

About how many nights did (he/she) spend there?

**FIELD 1: STAYNITE****FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH21 - XSTPLACS
	Don't Know	RH21 - XSTPLACS
	Refused	RH21 - XSTPLACS

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

MINEND:

If RH14-STAYNITE <> DK,RF & RH13-STAYEMM <> DK, RF & RH13-STAYEYY <> DK,RF.

If RH13-STAYEDD <> DK,RF then MINEND = RH13-STAYEYY + RH13-STAYEMM + RH13-STAYEDD.

Else if RH13-STAYEMM <> RH14STARTMM then MINEND = RH13-STAYEYY + RH13-STAYEMM + '01'.

Else if RH13-STAYEMM = RH14STARTMM and day from MINSTART = last day of the month for RH14STARTMM then MINEND = RH13-STAYEYY + RH13-STAYEMM + last day of the month for RH13-STAYEMM.

Else MINEND = MINSTART + 1 day.

MAXEND:

If RH14-STAYNITE <> DK,RF & RH13-STAYEMM <> DK, RF & RH13-STAYEYY <> DK,RF.

If RH13-STAYEDD <> DK,RF then MAXEND = RH13-STAYEYY + RH13-STAYEMM + RH13-STAYEDD.

Else if RH14STARTYY = RH8-RHDODYY and RH14STARTMM = RH8-RHDODMM, then MAXSTART = PERS.DOD.

Else If RH14STARTYY = current year and RH14STARTMM = RH8-RHDODMM, then MAXSTART = RHREFEND.

Else MAXEND = RH13-STAYEYY + RH13-STAYEMM + last day of the month for RH13-STAYEMM.

Variable Name	Assignment Instructions
MAXALLOW	If RH14-STAYNITE <> DK,RF and MAXSTART <> EMPTY and MAXEND <> EMPTY then MAXALLOW = MAXEND – MAXSTART.
MINALLOW	If RH14-STAYNITE <> DK, RF and MINSTART <> EMPTY and MINEND <> EMPTY then MINALLOW = MINEND - MINSTART.
STAYEYY	If RH14-STAYNITE <> DK, RF, then STAYEYY = Year portion of date calculated as RHSTARTDATE + RH14-STAYNITE days.
STAYEMM	If RH14-STAYNITE <> DK, RF, then STAYEMM = Month portion of date calculated as RHSTARTDATE + RH14-STAYNITE days.
STAYEDD	If RH14-STAYNITE <> DK, RF, then STAYEDD = Day portion of date calculated as RHSTARTDATE + RH14-STAYNITE days.
RH14STARTMM	If STAYRNDC = current round, then RH14STARTMM = STAYSMM. Else RH14STARTMM = month portion of RHREFBEG.
RH14STARTDD	If STAYRNDC = current round, then RH14STARTDD = STAYSDD. Else RH14STARTDD = day portion of RHREFBEG.
RH14STARTYY	If STAYRNDC = current round, then RH14STARTYY = STAYSYY. Else RH14STARTYY = year portion of RHREFBEG.

Variable Name	Assignment Instructions
MINSTART	<p>If RH14-STAYNITE &lt;&gt; DK,RF and RH14-STARTMM &lt;&gt; DK,RF &amp; RH14STARTYY &lt;&gt; DK,RF:            If RH14STARTDD &lt;&gt; DK,RF then            MINSTART = RH14STARTYY + RH14STARTMM + RH14STARTDD.            Else MINSTART = RH14STARTYY + RH14STARTMM + last day of the month for RH14STARTMM.</p>
MAXSTART	<p>If RH14-STAYNITE &lt;&gt; DK, RF and RH14STARTMM &lt;&gt; DK, RF and RH14STARTYY &lt;&gt; DK,RF:            If RH14STARTDD &lt;&gt; DK, RF then            MAXSTART = RH14STARTYY + RH14STARTMM + RH14-STARTDD.            Else MAXSTART = RH14STARTYY + RH14STARTMM + '01'.</p>
RH14STARTDATE	<p>RH14STARTDATE = RH14STARTYY + RH14STARTMM + RH14STARTDD.</p>

# RH21

## Roster

### QUESTION TEXT

[Where did (he/she) go on (START DATE)?/Where is (he/she) living now?/Where was (he/she) staying when (he/she) died on (DATE OF DEATH)?]

SELECT NAME FROM LIST OR SELECT "[NEED TO ADD PLACE]".

### FIELD 1: XSTPLACS

#### FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX RH12

### OTHER PROGRAMMING INSTRUCTIONS

#### ROSTER/GRID INSTRUCTIONS

Display all place names on the STAY roster except the place name for the place where the SP stayed during the last sequential STAY.



# BOX RH12

## **BOX INSTRUCTIONS**

IF RH21-XSTPLACS = "[NEED TO ADD PLACE]", GO TO RH21A - XSTPLACN.

ELSE GO TO BOX RH13.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **BACKGROUND VARIABLE ASSIGNMENTS**

Create next sequential PLAC and assign the following:

<b>Variable Name</b>	<b>Assignment Instructions</b>
PLACNUM	PLAC.PLACNUM = next sequential PLAC record number
PLACRNDC	PLAC.PLACRNDC = CURRENT ROUND
PLCREATE	PLAC.PLCREATE = 50/ResidenceHistory
XSTPLAC	STAY.XSTPLAC = PLACNUM

# RH21A

Text

**QUESTION TEXT**

ENTER THE NAME OF THE PLACE.

**FIELD 1: XSTPLACN****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RH13

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
PLACNAME	PLAC.PLACNAME = XSTPLACN

# BOX RH13

## BOX INSTRUCTIONS

IF PLACE ADDED AT RH21A-XSTPLACN AND FACILITY IS PART OF A LARGER PLACE,  
GO TO RH21B - LOCTEMP.

ELSE IF PLACE ADDED AT RH21A-XSTPLACN, GO TO RH22 - PLACKIRH.

ELSE IF PLACE SELECTED IS A HOSPITAL, GO TO RH25 - SNFWING.

ELSE GO TO BOX RH18.

<b>Variable Name</b>	<b>Assignment Instructions</b>
XSTPLAC	STAY.XSTPLAC = PLACNUM of place added/selected
STAYCLAS	If PLAC.PLACKIND of place selected <> (3/CcrcRetirementHomeCenter or 4/Hospital), then STAY.STAYCLAS = STAY.STAYCLAS of previous STAY for this PLAC.

# RH21B

Yes/No

**QUESTION TEXT**

Is (ADDED PLACE NAME) part of (LARGER FACILITY NAME)?

**FIELD 1: LOCTEMP****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	RH22 - PLACKIRH
1	YES	RH22 - PLACKIRH
	Don't Know	RH22 - PLACKIRH
	Refused	RH22 - PLACKIRH

# RH22

Code 1

**QUESTION TEXT**

SHOW CARD RH1

Please look at this card and tell me what kind of place (ADDED PLACE NAME) is:

PRESS F1 FOR DEFINITIONS.

**FIELD 1: PLACKIRH****FIELD 1 ROUTING**

Value	Label	Route
1	NURSING HOME/REHAB CENTER	BOX RH15
2	PERSONAL CARE HOME/RESIDENTIAL CARE FACILITY	BOX RH15
3	CCRC/RETIREMENT HOME/CENTER	BOX RH15
4	HOSPITAL	BOX RH15
5	PRIVATE HOME OR APARTMENT	BOX RH15
7	OTHER LTC FACILITY	BOX RH15
91	OTHER	RH22 - PLKIRHOS

**FIELD 2: PLKIRHOS**

OTHER (SPECIFY)

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX RH15

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Display report above question text.

Display all stays where STAY.XSTPLAC <> 000 that were reported for this SP in chronological order by start date of the stay.

Report header: STAY TIMELINE

Report layout:

Column 1, header="Place Name", display PLAC.PLACNAME of PLAC where PLAC.PLACNUM = STAY.XSTPLAC.

Column 2, header="Start Date", display STAY.STAYSMM+STAY.STAYSDD+STAY.STAYSYY in month, day year format.

Column 3, header="End Date", display STAY.STAYEMM+STAY.STAYEDD+STAY.STAYEYY in month, day year format.

Column 4, header="Stay Type", display STAY.STAYCLAS.

**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
RHPLACTY	If RH22-PLACKIRH = 1/NursingHomeRehabCenter, 2/PersonalCareHome, 3/CcrcRetirementHomeCenter or 7/OtherLtcFacility, then PLAC.RHPLACTY = 5/OtherFacLTC. Else if RH22-PLACKIRH = 4/Hospital, PLAC.RHPLACTY = 3/Hospital. Else PLAC.RHPLACTY = 4/Community.
PLACKIND	PLAC.PLACKIND = PLACKIRH
PLACKIOS	PLAC.PLACKIOS = PLKIRHOS
LOCCODE	If RH21B-LOCTEMP = 1/Yes then PLAC.LOCCODE = 5/PartOfLarger. Else PLAC.LOCCODE = 7/Other.

# BOX RH15

## BOX INSTRUCTIONS

IF RH22 - PLACKIRH = 1/NursingHomeRehabCenter, 2/PersonalCareHome, OR 7/OtherLtcFacility, GO TO BOX RH24.

ELSE IF RH22 - PLACKIRH = 3/CcrcRetirementHomeCenter, GO TO BOX RH18.

ELSE IF RH22 - PLACKIRH = 4/Hospital, GO TO RH25 - SNFWING.

ELSE GO TO RH30A - LALONE.

Variable Name	Assignment Instructions
STAYCLAS	If RH22-PLACKIRH = 1/NursingHomeRehabCenter, 2/PersonalCareHome, 3/CcrcRetirementHomeCenter or 7/OtherLtcFacility, then STAYCLAS = 5/OtherFacLTC. Else If RH22-PLACKIRH = 4/Hospital, then STAYCLAS = 3/Hospital. Else STAYCLAS = 4/Community.

# RH25

Yes/No

**QUESTION TEXT**

Was (SP) staying in a SNF wing or SNF unit of (CURRENT PLACE)?

**FIELD 1: SNFWING****FIELD 1 ROUTING**

Value	Label	Route
0	NO	BOX RH24
1	YES	BOX RH24
	Don't Know	BOX RH24
	Refused	BOX RH24

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
SNFWING	STAY.SNFWING = RH25 - SNFWING
STAYCLASS	If RH25 - SNFWING = 1/Yes, then STAY.STAYCLAS = 5/OtherFacLTC



# BOX RH18

## **BOX INSTRUCTIONS**

IF PLACKIND OF PLACE ADDED OR SELECTED = 1/NursingHomeRehabCenter, 2/PersonalCareHomeResidentialCareFacility, OR 7/OtherLtcFacility AND RH12-RHPROBE3 = 1/Yes AND SP IS ALIVE OR VITAL STATUS IS NOT KNOWN, GO TO BOX RH31.

ELSE IF PLACKIND OF PLACE ADDED OR SELECTED = 1/NursingHomeRehabCenter, 2/PersonalCareHomeResidentialCareFacility, OR 7/OtherLtcFacility AND (RH11A-RHPROBE1 = 0/No, DK, or RF, OR RH11B-RHPROBE2 = 0/No, DK, or RF, OR RH12-RHPROBE3 = 0/No, DK, or RF) OR SP IS DECEASED AND PLACE SELECTED IS TARGET FACILITY, GO TO BOX RH24.

IF PLACKIND = 5/PrivateHomeOrApartment OR 91/Other, GO TO RH30A - LALONE.

ELSE IF PLACKIND = 3/CcrcRetirementHomeCenter, GO TO RH27 - NURWING.

Variable Name	Assignment Instructions
STAYCLAS	If PLACKIND = 5/PrivateHomeOrApartment or 91/Other, then STAYCLAS = 4/Community

**RH27**

Yes/No

**QUESTION TEXT**

Was (he/she) staying in a nursing wing, nursing unit, assisted living unit, or personal care unit of (CURRENT PLACE)?

**FIELD 1: NURWING****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	BOX RH19
1	YES	BOX RH19
	Don't Know	BOX RH19
	Refused	BOX RH19

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
NURWING	STAY.NURWING = RH27 - NURWING

# BOX RH19

## BOX INSTRUCTIONS

IF RH27-NURWING = 1/Yes, GO TO RH28 - NAMNWING.

ELSE GO TO RH29 - PRIVHOME.

# RH28

Text

**QUESTION TEXT**

[INTERVIEWER: ASK THE FOLLOWING QUESTIONS AND RECORD THE INFORMATION, AS AVAILABLE. SELECT "DON'T KNOW" FOR ANY ITEM THAT IS NOT AVAILABLE.]

What is the name of this nursing wing, nursing unit, assisted living unit or personal care unit?

**FIELD 1: NAMNWING****FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH28 - NWINGCIT
	Don't Know	RH28 - NWINGCIT
	Refused	RH28 - NWINGCIT

**FIELD 2: NWINGCIT**

In what city is this place located?

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH28 - NWINGSTA
	Don't Know	RH28 - NWINGSTA
	Refused	RH28 - NWINGSTA

**FIELD 3: NWINGSTA**

In what state is this place located?

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RH21
	Don't Know	BOX RH21
	Refused	BOX RH21

**OTHER PROGRAMMING INSTRUCTIONS****DESIGN NOTES**

STORE ALL FIELDS IN RH28 ON THE STAY BLOCK.

**RH29**

Yes/No

**QUESTION TEXT**

Was (he/she) staying in a private home or apartment at (CURRENT PLACE)?

**FIELD 1: PRIVHOME****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	BOX RH21
1	YES	BOX RH21
	Don't Know	BOX RH21
	Refused	BOX RH21

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
STAYCLAS	If RH29-PRIVHOME = 1/Yes, then STAY.STAYCLAS = 4/Community.
RHPLACTY	If RH29A-PRIVHOME = 1/Yes, then STAY.RHPLACTY = 4/Community.
PRIVHOME	STAY.PRIVHOME = RH29 - PRIVHOME

# BOX RH21

## BOX INSTRUCTIONS

IF RH29-PRIVHOME = 1/Yes, GO TO RH30A - LALONE.

ELSE GO TO BOX RH24.

# RH30A

Yes/No

**QUESTION TEXT**

(Did/Does) (SP) live there alone?

**FIELD 1: LALONE****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	RH30 - LWITH
1	YES	BOX RH24
	Don't Know	BOX RH24
	Refused	BOX RH24



**RH30**

Code All

**QUESTION TEXT**

Who (lived/lives) with (him/her) there?

SELECT ALL THAT APPLY.

SEPARATE RESPONSES BY USING THE SPACEBAR.

**FIELD 1: LWITH****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	SPOUSE	BOX RH24
2	DAUGHTER	BOX RH24
3	SON	BOX RH24
4	MOTHER	BOX RH24
5	FATHER	BOX RH24
6	SISTER	BOX RH24
7	BROTHER	BOX RH24
8	GUARDIAN	BOX RH24
9	OTHER FEMALE RELATIVE	BOX RH24
10	OTHER MALE RELATIVE	BOX RH24
11	OTHER NONRELATIVE	BOX RH24
	Don't Know	BOX RH24
	Refused	BOX RH24

# BOX RH24

## **BOX INSTRUCTIONS**

IF ALL DAYS IN REFERENCE PERIOD ACCOUNTED FOR AND SP'S LAST STAY IS IN A PLACE OTHER THAN THE TARGET FACILITY, GO TO BOX RH36.

IF ALL DAYS IN REFERENCE PERIOD ACCOUNTED FOR AND SP IS STILL A RESIDENT OF THE TARGET FACILITY, GO TO RH49A - CNSNTREQ.

ELSE GO TO RH12 - RHPROBE3.

# BOX RH31

## **BOX INSTRUCTIONS**

IF (SP IS ALIVE OR SP'S VITAL STATUS IS NOT KNOWN ) AND NOT A RESIDENT OF TARGET FACILITY, GO TO BOX RH36.

ELSE GO TO RH49A - CNSNTREQ.

# BOX RH36

## BOX INSTRUCTIONS

GO TO RH36 - FORMDIS.

**RH36**

Yes/No

**QUESTION TEXT**

Earlier you told me (SP) had been discharged to (DISCHARGE PLACE).

Was (SP) formally discharged from (FACILITY) for the stay at (LAST PLACE NAME FROM RH21) that began on (DISCHARGE DATE)?

PRESS F1 FOR DEFINITION OF FORMAL DISCHARGE.

**FIELD 1: FORMDIS****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	RH49A - CNSNTREQ
1	YES	RH48 - CONTNAME
	Don't Know	RH49A - CNSNTREQ
	Refused	RH49A - CNSNTREQ

# RH48

Text

**QUESTION TEXT**

Please tell me the name, address, and telephone number of someone we could contact regarding (SP) at (DISCHARGE PLACE).

**FIELD 1: CONTNAME**

NAME

**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH48 - CONTADDR
	Don't Know	RH48 - CONTADDR
	Refused	RH48 - CONTADDR

**FIELD 2: CONTADDR**

ADDRESS

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH48 - CONTCITY
	Don't Know	RH48 - CONTCITY
	Refused	RH48 - CONTCITY

**FIELD 3: CONTCITY**

CITY

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH48 - CONTSTAT
	Don't Know	RH48 - CONTSTAT
	Refused	RH48 - CONTSTAT

**FIELD 4: CONTSTAT**

STATE

**FIELD 4 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH48 - CONTZIP
	Don't Know	RH48 - CONTZIP
	Refused	RH48 - CONTZIP

**FIELD 5: CONTZIP**

ZIPCODE

**FIELD 5 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH48 - CONTAREA
	Don't Know	RH48 - CONTAREA
	Refused	RH48 - CONTAREA

**FIELD 6: CONTAREA**

AREACODE

**FIELD 6 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH48 - CONTEXCH
	Don't Know	RH48 - CONTEXCH
	Refused	RH48 - CONTEXCH

**FIELD 7: CONTEXCH**

EXCHANGE

**FIELD 7 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH48 - CONTLOCL
	Don't Know	RH48 - CONTLOCL
	Refused	RH48 - CONTLOCL

**FIELD 8: CONTLOCL**

LOCAL

**FIELD 8 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH49 - CONTREL
	Don't Know	RH49 - CONTREL
	Refused	RH49 - CONTREL



**OTHER PROGRAMMING INSTRUCTIONS**

**DESIGN NOTES**

STORE ALL FIELDS IN RH48 ON THE PERS BLOCK.

**RH49**

Code 1

**QUESTION TEXT**

What is the relationship of (CONTACT NAME FROM RH48) to (SP)?

**FIELD 1: CONTREL****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	SP	RH49A - CNSNTREQ
2	SPOUSE	RH49A - CNSNTREQ
3	DAUGHTER	RH49A - CNSNTREQ
4	SON	RH49A - CNSNTREQ
5	MOTHER	RH49A - CNSNTREQ
6	FATHER	RH49A - CNSNTREQ
7	SISTER	RH49A - CNSNTREQ
8	BROTHER	RH49A - CNSNTREQ
9	DAUGHTER-IN-LAW	RH49A - CNSNTREQ
10	SON-IN-LAW	RH49A - CNSNTREQ
11	GRANDDAUGHTER	RH49A - CNSNTREQ
12	GRANDSON	RH49A - CNSNTREQ
13	NIECE	RH49A - CNSNTREQ
14	NEPHEW	RH49A - CNSNTREQ
15	FRIEND/NEIGHBOR	RH49A - CNSNTREQ
16	NURSE/NURSE'S AIDE	RH49A - CNSNTREQ
17	BOARDER	RH49A - CNSNTREQ
18	GUARDIAN	RH49A - CNSNTREQ

Value	Label	Route
91	OTHER FEMALE RELATIVE	RH49 - CONTRFOS
92	OTHER MALE RELATIVE	RH49 - CONTRMOS
93	OTHER NONRELATIVE	RH49 - CONTNROS
	Don't Know	RH49A - CNSNTREQ
	Refused	RH49A - CNSNTREQ

**FIELD 2: CONTRFOS**

OTHER FEMALE RELATIVE (SPECIFY)

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH49A - CNSNTREQ

**FIELD 3: CONTRMOS**

OTHER MALE RELATIVE (SPECIFY)

**FIELD 3 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RH49A - CNSNTREQ

**FIELD 4: CONTNROS**

OTHER NON-RELATIVE (SPECIFY)

**FIELD 4 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RH49A - CNSNTREQ

**RH49A**

Yes/No

**QUESTION TEXT**

WAS "CONSENT" REQUIRED AND OBTAINED FOR THIS SP?

PRESS F1 FOR A DEFINITION OF "CONSENT".

**FIELD 1: CNSNTREQ****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
0	NO	RH50 - DIDABRH
1	YES	RH49B - WRITVERB

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

<b>Variable Name</b>	<b>Assignment Instructions</b>
RHDOI	If PERS.RHDOI = EMPTY, PERS.RHDOI = current date.

# RH49B

Yes/No

**QUESTION TEXT**

WAS THE "CONSENT" WRITTEN OR VERBAL (BY TELEPHONE)?

**FIELD 1: WRITVERB****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	WRITTEN	RH50 - DIDABRH
2	VERBAL	RH50 - DIDABRH

# RH50

Code 1

**QUESTION TEXT**

DID YOU ABSTRACT?

**FIELD 1: DIDABRH****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	ALL	RH51 - WHYABRH
2	MAJORITY	RH51 - WHYABRH
3	HALF	RH51 - WHYABRH
4	SOME	RH51 - WHYABRH
5	NONE	RHEND - RHENDCNT

**RH51**

Code 1

**QUESTION TEXT**

WHY DID YOU ABSTRACT?

**FIELD 1: WHYABRH****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	NO KNOWLEDGEABLE RESPONDENT AVAILABLE	RHEND - RHENDCNT
2	NO TIME/STAFF BURDEN TOO GREAT	RHEND - RHENDCNT
3	REFUSAL--UNWILLING TO COOPERATE	RHEND - RHENDCNT
91	OTHER	RH51 - WHYABROS

**FIELD 2: WHYABROS**

OTHER (SPECIFY)

**FIELD 2 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	RHEND - RHENDCNT



# RH3B

Code 1

**QUESTION TEXT**

Thank you. Those are all the questions I have for you at the moment. Someone from my office may call you to verify some of the data I have collected. We appreciate your help on this important study.

PRESS "1" TO CONTINUE.

**FIELD 1: RHINEL****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	CONTINUE	BOX RHEND

# RHEND

Code 1

**QUESTION TEXT**

THANK THE RESPONDENT.

PRESS "1" TO RETURN TO THE NAVIGATION SCREEN.

**FIELD 1: RHENDCNT****FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX RHEND

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
RHDISP	If RH3-RH3CT = 1/Continue, then RHDISP = 92/ReadyToInterview. Else if missing RHDATA, then RHDISP = 94/MissingData. Else RHDISP = 96/Complete.

# BOX RHEND

## BOX INSTRUCTIONS

GO TO NAVIGATOR