

# **Medicare Current Beneficiary Survey**

Section Specifications for RHM

Round 69

RESIDENCE HISTORY MISSING DATA

Created on 5/9/2014 6:14:03 PM

# BOX RHMBEG

## BOX INSTRUCTIONS

GO TO RHMISS1 - RHMISSNG.

# RHMISS1

Code 1

**QUESTION TEXT**

THE FOLLOWING ITEMS ARE MISSING FROM RH. CONFIRM THAT RESPONDENT CAN ANSWER AT LEAST ONE OF THESE ITEMS.

PRESS "1" TO CONTINUE.

**FIELD 1: RHMISSNG****FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX RHM2

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Report display instructions:

If RH7 - RHALIVE = DK or RF and RHM2 - RHMALIVE = DK, RF, EMPTY or NULL, then display "IS (SP) ALIVE?".

If (RH8 - RHDODMM = DK or RF or RHDODDD = DK, or RF or RH8 - RHDODYY = DK or RF) and (RHM3 - RHMDODMM = DK, RF, EMPTY or NULL or RHM3 - RHMDODDD = DK, RF, EMPTY or NULL or RHM3 - RHMDODYY = DK, RF, EMPTY or NULL), then display "WHAT IS (SP's) DATE OF DEATH?".

If (any current round stay where STAYEMM = DK or RF or any stay where STAYEDD = DK or RF or any stay where STAYEYY = DK or RF) and (RHM6 - STAYEMM = DK, RF, EMPTY or NULL or RHM6 - STAYEDD = DK, RF, EMPTY or NULL or RHM6 - STAYEYY = DK, RF, EMPTY or NULL and RHM6B - STAYNITE = DK, RF, EMPTY or NULL), then display "WHAT ARE THE DATES FOR PLACE (SP) WAS IN (CURRENT YEAR)?".

Report display:

[IS (SP) ALIVE?]

[WHAT IS (SP's) DATE OF DEATH?]

[WHAT ARE THE DATES FOR PLACE (SP) WAS IN (CURRENT YEAR)?]

# BOX RHM2

## BOX INSTRUCTIONS

If (RH7 - RHALIVE = DK OR RF) AND (RHM2 - RHMALIVE = DK, RF, EMPTY OR NULL), GO TO RHM2 - RHMALIVE.

ELSE GO TO BOX RHM3.

**RHM2**

Code 1

**QUESTION TEXT**

Is (SP) alive?

ENTER "95" IF RESPONDENT NEVER WILL KNOW.

**FIELD 1: RHMALIVE****FIELD 1 ROUTING**

Value	Label	Route
0	NO	RHM3 - RHMDODMM
1	YES	BOX RHM3
95	NEVER WILL KNOW	BOX RHM3
	Don't Know	BOX RHM3
	Refused	BOX RHM3

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
RHMDODMM	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODMM = 95/NeverWillKnow
RHMDODDD	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODDD = 95/NeverWillKnow
RHMDODY Y	If RHM2-RHMALIVE = 95/NeverWillKnow, then RHM3-RHMDODY Y = 95/NeverWillKnow

# BOX RHM3

## BOX INSTRUCTIONS

If (RHM2-ALIVE = 0 or RH7-RHALIVE = 0) AND ((RH8 - RHDODMM = DK OR RF OR RH8 - RHDODDD = DK OR RF OR RH8 - RHDODYY = DK OR RF OR RHM2 - RHMALIVE = 0/No) AND (RHM3 - RHMDODMM = DK, RF, EMPTY OR NULL OR RHM3 - RHMDODDD = DK, RF, EMPTY OR NULL OR RHM3 - RHMDODYY = DK, RF, EMPTY OR NULL)), GO TO RHM3 - RHMDODMM.

ELSE GO TO BOX RHM6A.

**RHM3**

Date

**QUESTION TEXT**

On what date did (SP) die?

ENTER "95" IN MONTH , DAY, AND YEAR IF RESPONDENT NEVER WILL KNOW DATE.

**FIELD 1: RHMDODMM**

MONTH

[IF RESPONDENT ANSWERS "DK", PROBE: "Do you know what month (SP) died?"]

**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHM3 - RHMDODDD
	Don't Know	RHM3 - RHMDODDD
	Refused	RHM3 - RHMDODDD

**FIELD 2: RHMDODDD**

DAY

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHM3 - RHMDODY Y
	Don't Know	RHM3 - RHMDODY Y
	Refused	RHM3 - RHMDODY Y

**FIELD 3: RHMDODY Y**

YEAR

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RHM6A
	Don't Know	BOX RHM6A
	Refused	BOX RHM6A



# BOX RHM6A

## **BOX INSTRUCTIONS**

IF THERE IS A CURRENT ROUND STAY WITH A MISSING END DATE AND (RHM6B - STAYNITE = DK, RF, EMPTY OR NULL), GO TO RHM6 - STAYEMM.

ELSE GO TO RHMEND - RHMENDC.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **BACKGROUND VARIABLE ASSIGNMENTS**

If there is a current round STAY with a missing end date, generate a MD STAY ARRAY for this case to collect the missing end date(s).

**RHM6**

Date

**QUESTION TEXT**

When did (SP) leave (CURRENT PLACE)?

**FIELD 1: STAYEMM**

MONTH

**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHM6 - STAYEDD
	Don't Know	RHM6 - STAYEDD
	Refused	RHM6 - STAYEDD

**FIELD 2: STAYEDD**

DAY

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHM6 - STAYEYY
	Don't Know	RHM6 - STAYEYY
	Refused	RHM6 - STAYEYY

**FIELD 3: STAYEYY**

YEAR

**FIELD 3 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	BOX RHM6B
	Don't Know	BOX RHM6B
	Refused	BOX RHM6B

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Display report above question text.

Display all stays with MDSTAY.XSTPLAC <> 000 that were reported for this SP in chronological order by start date of the stay.

Report header: STAY TIMELINE

Report layout:

Column 1, header="Place Name", display PLAC.PLACNAME of PLAC where PLAC.PLACNUM = MDSTAY.XSTPLAC.

Column 2, header="Start Date", display MDSTAY.STAYSMM+MDSTAY.STAYSDD+MDSTAY.STAYSYY in month, day year format.

Column 3, header="End Date", display MDSTAY.STAYEMM+MDSTAY.STAYEDD+MDSTAY.STAYEYY in month, day year format.

Column 4, header="Stay Type", display MDSTAY.STAYCLAS.

# BOX RHM6B

## BOX INSTRUCTIONS

IF ANY PART OF RHM6 DATE = DK OR RF AND RHM6B - STAYNITE = DK, RF, EMPTY OR NULL, GO TO RHM6B - STAYNITE.

ELSE GO TO RHMSTCNT - STAYCNTC.

**RHM6B**

Numeric

**QUESTION TEXT**

About how many nights did (he/she) spend there?

ENTER "995" IF RESPONDENT NEVER WILL KNOW.

**FIELD 1: STAYNITE**

# OF NIGHTS

**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	RHMSTCNT - STAYCNTC
	Don't Know	RHMSTCNT - STAYCNTC
	Refused	RHMSTCNT - STAYCNTC

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

MINEND:

If RHM6B-STAYNITE <> DK,RF & STAYEMM <> DK, RF & STAYEYY <> DK,RF.

If STAYEDD <> DK,RF then MINEND = STAYEYY + STAYEMM + STAYEDD.

Else if STAYEMM <> RHM6BSTARTMM then MINEND = STAYEYY + STAYEMM + '01'.

Else if STAYEMM = RHM6BSTARTMM and day from MINSTART = last day of the month for RHM6BSTARTMM then MINEND = STAYEYY + STAYEMM + last day of the month for STAYEMM.

Else MINEND = MINSTART + 1 day.

MAXEND:

If RHM6B-STAYNITE <> DK,RF & STAYEMM <> DK, RF & STAYEYY <> DK,RF.

If STAYEDD <> DK,RF then MAXEND = STAYEYY + STAYEMM + STAYEDD.

Else if RHM6BSTARTYY = RH8-RHDODYY and RHM6BSTARTMM = RH8-RHDODMM, then MAXSTART = PERS.DOD.

Else If RHM6BSTARTYY = current year and RHM6BSTARTMM = RH8-RHDODMM, then MAXSTART = RHREFEND.

Else MAXEND = STAYEYY + STAYEMM + last day of the month for STAYEMM.

Variable Name	Assignment Instructions
MAXALLOW	If RHM6B-STAYNITE <> DK,RF and MAXSTART <> EMPTY and MAXEND <> EMPTY then MAXALLOW = MAXEND – MAXSTART
MINALLOW	If RHM6B-STAYNITE <> DK, RF and MINSTART <> EMPTY and MINEND <> EMPTY then MINALLOW = MINEND - MINSTART.
STAYEYY	If RHM6B-STAYNITE <> DK, RF, then STAYEYY = Year portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
STAYEMM	If RHM6B-STAYNITE <> DK, RF, then STAYEMM = Month portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
STAYEDD	If RHM6B-STAYNITE <> DK, RF, then STAYEDD = Day portion of date calculated as RHSTARTDATE + RHM6B-STAYNITE days.
RHM6BSTARTMM	If STAYRNDC = current round, then RHM6BSTARTMM = STAYSMM. Else RHM6BSTARTMM = month portion of RHREFBEG.
RHM6BSTARTDD	If STAYRNDC = current round, then RHM6BSTARTDD = STAYSDD. Else RHM6BSTARTDD = day portion of RHREFBEG.
RHM6BSTARTYY	If STAYRNDC = current round, then RHM6BSTARTYY = STAYSYY. Else RHM6BSTARTYY = year portion of RHREFBEG.

Variable Name	Assignment Instructions
MINSTART	If RHM6B-STAYNITE <> DK,RF and RHM6B-STARTMM <> DK,RF & RHM6BSTARTYY <> DK,RF: If RHM6BSTARTDD <> DK,RF then MINSTART = RHM6BSTARTYY + RHM6BSTARTMM + RHM6BSTARTDD. Else MINSTART = RHM6BSTARTYY + RHM6BSTARTMM + last day of the month for RHM6BSTARTMM.
MAXSTART	If RHM6B-STAYNITE <> DK, RF and RHM6BSTARTMM <> DK, RF and RHM6BSTARTYY <> DK,RF: If RHM6BSTARTDD <> DK, RF then MAXSTART = RHM6BSTARTYY + RHM6BSTARTMM + RHM6B- STARTDD. Else MAXSTART = RHM6BSTARTYY + RHM6BSTARTMM + '01'.
RHM6BSTARTDATE	RHM6BSTARTDATE = RHM6BSTARTYY + RHM6BSTARTMM + RHM6BSTARTDD.

# RHMSTCNT

Code 1

**QUESTION TEXT**

PRESS "1" TO CONTINUE.

**FIELD 1: STAYCNTC****FIELD 1 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	CONTINUE	BOX RHM7



# BOX RHM7

## BOX INSTRUCTIONS

IF THERE IS ANOTHER CURRENT ROUND STAY WITH A MISSING END DATE, GO TO RHM6 - STAYEMM.

ELSE GO RHMEND - RHMENDC.

Variable Name	Assignment Instructions
STAYSMM	STAYSMM of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEMM of current STAY.
STAYSDD	STAYSDD of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEDD of current STAY.
STAYSYY	STAYSYY of STAY with STAYORD = current STAY (STAYORD + 1) = STAYEYY of current STAY

# RHMEND

Code 1

**QUESTION TEXT**

YOU HAVE COMPLETED THE MISSING RESIDENCE HISTORY ITEMS FOR THIS SP.

THANK RESPONDENT AND PRESS "1" TO RETURN TO THE NAVIGATION SCREEN.

**FIELD 1: RHMENDC****FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX RHMEND

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

RHMDDISP:

If (RH7 - RHALIVE = DK or RF AND RHM2 - RHMALIVE = DK, RF, EMPTY, or NULL) or ((RH8 - RHDODMM = DK or RF or RH8 - RHDODDD = DK or RF or RH8 - RHDODYY = DK or RF) and (RHM3 - RHMDOODMM = DK, RF, EMPTY or NULL or RHM3 - RHMDOODDD = DK, RF, EMPTY or NULL or RHM3 - RHMDOODYY = DK, RF, EMPTY or NULL)) or (There is a MD STAY ARRAY and any current round STAY.STAYEMM, STAYEDD, STAYEYY = DK, RF and RHM6B - STAYNITE = DK, RF, EMPTY or NULL) then RHMDDISP = 94/MissingData.  
Else RHMDDISP = 96/Complete.

# BOX RHMEND

## **BOX INSTRUCTIONS**

GO TO NAVIGATOR

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

Any DK or RF responses to the following variables should be set to EMPTY upon return to the Navigator:

RHM2 - RHMALIVE

RHM3 - RHMDODMM

RHM3 - RHMDODDD

RHM3 - RHMDODYY

RHM6B - STAYNITE where STAYACCS = current round